## CITATION REPORT List of articles citing

Arthrocentesis of the temporomandibular joint: a proposal for a single-needle technique

DOI: 10.1016/j.tripleo.2007.12.006 Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 106, 483-6.

**Source:** https://exaly.com/paper-pdf/44023249/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
76	MRI-guided injection procedures of the temporomandibular joints in children and adults: technique, accuracy, and safety. <i>American Journal of Roentgenology</i> , <b>2009</b> , 193, 1148-54	5.4	47
75	A new anatomical landmark to simplify temporomandibular joint arthrocentesis. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2010</b> , 48, 310-1	1.4	21
74	Autologous blood injection as a new treatment modality for chronic recurrent temporomandibular joint dislocation. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2010</b> , 109, 31-6		40
73	A review of techniques of lysis and lavage of the TMJ. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2011</b> , 49, 302-9	1.4	61
72	Predictive factors of hyaluronic acid injections short-term effectiveness for TMJ degenerative joint disease. <i>Journal of Oral Rehabilitation</i> , <b>2011</b> , 38, 315-20	3.4	22
71	Concentric-needle cannula method for single-puncture arthrocentesis in temporomandibular joint disease: an inexpensive and feasible technique. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2011</b> , 69, 2334	1 <del>.</del> 8	18
70	Recent Advancements in Temporomandibular Disorders (TMDs). <i>Reviews in Pain</i> , <b>2011</b> , 5, 18-25		17
69	Two-needle vs. single-needle technique for TMJ arthrocentesis plus hyaluronic acid injections: a comparative trial over a six-month follow up. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2012</b> , 41, 506-13	2.9	35
68	Repeated sodium hyaluronate injections following multiple arthrocenteses in the treatment of early stage reducing disc displacement of the temporomandibular joint: a preliminary report. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2012</b> , 40, 685-9	3.6	20
67	The accuracy of dynamic Magnetic Resonance Imaging in evaluation of internal derangement of the temporomandibular joint; comparison with arthroscopic findings. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , <b>2012</b> , 43, 429-436	1.4	4
66	Comparison of 2 hyaluronic acid drugs for the treatment of temporomandibular joint osteoarthritis. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2012</b> , 70, 2522-30	1.8	40
65	Myositis ossificans traumatica of the temporalis muscle: a case report and diagnostic considerations. <i>Oral and Maxillofacial Surgery</i> , <b>2012</b> , 16, 221-5	1.6	11
64	Arthrocentesis with or without additional drugs in temporomandibular joint inflammatory-degenerative disease: comparison of six treatment protocols*. <i>Journal of Oral Rehabilitation</i> , <b>2012</b> , 39, 245-51	3.4	66
63	Axis II psychosocial findings predict effectiveness of TMJ hyaluronic acid injections. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2013</b> , 42, 364-8	2.9	29
62	Subarticular, cystlike lesion associated with avascular necrosis of the mandibular condyle: a case report. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2013</b> , 115, 393-8	2	3
61	Modified dextrose prolotherapy for recurrent temporomandibular joint dislocation. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2014</b> , 52, 63-6	1.4	29
60	Effectiveness of treatment with viscosupplementation in temporomandibular joints with or without effusion. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2014</b> , 43, 1218-23	2.9	14

## (2018-2015)

59	Outcome of Otologic Symptoms after Temporomandibular Joint Arthrocentesis. <i>Journal of Craniofacial Surgery</i> , <b>2015</b> , 26, e344-7	1.2	7	
58	A new classification for temporomandibular joint arthrocentesis techniques. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2015</b> , 44, 417-8	2.9	20	
57	Single- or multiple-session viscosupplementation protocols for temporomandibular joint degenerative disorders: a randomized clinical trial. <i>Journal of Oral Rehabilitation</i> , <b>2015</b> , 42, 521-8	3.4	25	
56	Single-needle arthrocentesis (Shepard cannula) vs. double-needle arthrocentesis for treating disc displacement without reduction. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2016</b> , 34, 296-302	1.2	24	
55	A single-puncture arthrocentesis technique, using a peripheral intravenous catheter. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 45, 1123-5	2.9	13	
54	Sodium hyaluronate: an effective adjunct in temporomandibular joint arthrocentesis. <i>Oral and Maxillofacial Surgery</i> , <b>2016</b> , 20, 405-410	1.6	7	
53	Intramuscular botulinum toxin injection additional to arthrocentesis in the management of temporomandibular joint pain. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2016</b> , 122, e99-e106	2	5	
52	Prospective short term comparison of outcomes after single or double puncture arthrocentesis of the temporomandibular joint. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 54, 26-9	1.4	21	
51	Is Hyaluronic Acid Injection Effective for the Treatment of Temporomandibular Joint Disc Displacement With Reduction?. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 74, 1728-40	1.8	14	
50	Comparison of the efficiency of irrigation of single and double-needle techniques of temporomandibular joint arthrocentesis: A cadaver study. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2017</b> , 35, 405-409	1.2	9	
49	Techniques and modifications for TMJ arthrocentesis: A literature review. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2018</b> , 36, 332-340	1.2	11	
48	The Double Intravenous Catheter Technique for Single-Puncture Arthrocentesis. <i>Journal of Craniofacial Surgery</i> , <b>2017</b> , 28, e603-e605	1.2	6	
47	Dynamic Evaluation of Lavage Efficacy in Upper Compartment of the Temporomandibular Joint. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2017</b> , 75, 276-283	1.8	3	
46	Effect of Arthrocentesis on Symptomatic Osteoarthritis of the Temporomandibular Joint and Analysis of the Effect of Preoperative Clinical and Radiologic Features. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2017</b> , 75, 260-267	1.8	20	
45	Interrelationship between temporomandibular joint osteoarthritis (OA) and cervical spine pain: Effects of intra-articular injection with hyaluronic acid. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2017</b> , 35, 276-282	1.2	5	
44	Single-Needle Arthrocentesis with Upper Compartment Distension versus Conventional Two-Needle Arthrocentesis: Randomized Clinical Trial. <i>Pain Research and Management</i> , <b>2017</b> , 2017, 243	5 <del>2</del> 63	10	
43	Concentric, double-puncture arthrocentesis using unwelded Y-shaped needle. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 56, 151-152	1.4	1	
42	Intraoperative comparison of single- and double-puncture techniques in temporomandibular joint arthrocentesis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 47, 1060-1064	2.9	12	

41	Age, gender and parafunctional habits as prognostic factors for temporomandibular joint arthrocentesis. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2018</b> , 36, 121-127	1.2	11
40	Long-term evaluation of single-puncture temporomandibular joint arthrocentesis in patients with unilateral temporomandibular disorders. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 47, 98-102	2.9	7
39	Double puncture versus single puncture arthrocentesis for the management of unilateral temporomandibular joint disc displacement without reduction: A randomized controlled trial. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2018</b> , 46, 2003-2007	3.6	11
38	Single puncture versus standard double needle arthrocentesis for the management of temporomandibular joint disorders: A systematic review. <i>Journal of Oral Rehabilitation</i> , <b>2018</b> , 45, 810-8	18 <sup>.4</sup>	14
37	Comparison of treatment efficacy between hyaluronic acid and arthrocentesis plus hyaluronic acid in internal derangements of temporomandibular joint. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2019</b> , 47, 1720-1727	3.6	8
36	Soft and Hard Tissue Operative Investigations in the Diagnosis and Treatment of Oral Disease. <b>2019</b> , 341-399		
35	Surgery of the Temporomandibular Joint: Surgical Arthroscopy. <b>2019</b> , 59-91		1
34	Clinical and intra-operative factors affecting the outcome of arthrocentesis in disc displacement without reduction: A retrospective study. <i>Journal of Oral Rehabilitation</i> , <b>2019</b> , 46, 699-703	3.4	2
33	Is Repeated Arthrocentesis Beneficial in the Treatment of Temporomandibular Disorders: A Retrospective Study. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2019</b> , 77, 1359-1364	1.8	1
32	Temporomandibular Disorders Clinical and Anatomical Outcomes After Fat-Derived Stem Cells Injection. <i>Journal of Craniofacial Surgery</i> , <b>2019</b> , 30, 793-797	1.2	4
31	Evaluation of ultrasonography guidance for single-puncture temporomandibular joint arthrocentesis: A randomized clinical study. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2019</b> , 37, 181-	·187	5
30	Efficacy of Sodium Hyaluronate for Temporomandibular Joint Disorder by Single-Puncture Arthrocentesis. <i>Journal of Maxillofacial and Oral Surgery</i> , <b>2019</b> , 18, 88-92	0.9	3
29	Evaluation of effusion and articular disc positioning after two different arthrocentesis techniques in patients with temporomandibular joint disc displacement without reduction. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2020</b> , 38, 256-263	1.2	3
28	Comparison of intraoperative outcomes with single and double puncture techniques of arthrocentesis of the temporomandibular joint. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2020</b> , 58, 928-932	1.4	1
27	Comparison of two needles arthrocentesis versus double needle cannula arthrocentesis in the treatment of temporomandibular disc displacement. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2020</b> , 1-7	1.2	2
26	A Comparative Analysis of Intra-articular Injection of Platelet-Rich Plasma and Arthrocentesis in Temporomandibular Joint Disorders <i>Journal of Maxillofacial and Oral Surgery</i> , <b>2022</b> , 21, 168-175	0.9	2
25	Is Single-Puncture TMJ Arthrocentesis Superior to the Double-Puncture Technique for the Improvement of Outcomes in Patients With TMDs?. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2020</b> , 78, 1319.e1-1319.e15	1.8	3
24	Long-term Changes of Temporomandibular Joint Osteoarthritis on Computed Tomography. <i>Scientific Reports</i> , <b>2020</b> , 10, 6731	4.9	12

## (2018-2021)

23	Comparison of single- and double-puncture arthrocentesis for the treatment of temporomandibular joint disorders: A six-month, prospective study. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2021</b> , 39, 151-156	1.2	4
22	Digitization in Management of Temporomandibular Disorders. <b>2021</b> , 259-276		
21	Clinical outcomes in TMD patients after arthrocentesis with lysis, lavage and viscossuplementation. <i>Annals of Medicine</i> , <b>2021</b> , 53, S87-S88	1.5	
20	Comparison of outcomes with the single-puncture and double-puncture techniques of arthrocentesis of the temporomandibular joint: An updated systematic review and meta-analysis. <i>Journal of Oral Rehabilitation</i> , <b>2021</b> , 48, 1056-1065	3.4	Ο
19	Evaluation of the effectiveness of different puncture points for second cannula in double puncture arthrocentesis of temporomandibular joint. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2021</b> ,	3.6	О
18	Does the Cannula Diameter Affect Outcomes of Temporomandibular Joint (TMJ) Arthrocentesis?. Journal of Oral and Maxillofacial Surgery, 2021,	1.8	О
17	Temporomandibular joint arthrocentesis guided by ultrasonography: An anatomical study. <i>Journal of Stomatology, Oral and Maxillofacial Surgery</i> , <b>2021</b> , 122, e27-e31	1.7	1
16	Arthrocentesis of the Temporomandibular Joint. <b>2021</b> , 253-263		
15	Efficacy of prolotherapy and arthrocentesis in management of temporomandibular joint hypermobility. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2020</b> , 1-9	1.2	3
14	Single puncture for TMJ arthrocentesis: An effective technique for hydraulic distention of the superior joint space. <i>National Journal of Maxillofacial Surgery</i> , <b>2012</b> , 3, 96-7	0.7	8
13	Single puncture arthrocentesis of temporomandibular joint; introducing a novel device: A pilot study. <i>National Journal of Maxillofacial Surgery</i> , <b>2013</b> , 4, 193-7	0.7	9
12	Arthrocentesis of Temporomandibular Joint- Bridging the Gap Between Non-Surgical and Surgical Treatment. <i>Annals of Maxillofacial Surgery</i> , <b>2019</b> , 9, 158-167	1	9
11	Temporomandibular Joint Arthrocentesis: A Prospective Study and Audit of 500 Joints of Central India. <i>Journal of International Society of Preventive and Community Dentistry</i> , <b>2018</b> , 8, 124-129	1.1	4
10	Arthrocentesis of the temporomandibular joint: a review. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2015</b> , 159, 31-4	1.7	34
9	Diagnosis and Treatment. SpringerBriefs in Statistics, 2014, 33-54	0.2	
8	Management of the Wilkes Grade III temporomandibular joint. <b>2016</b> , 166-174		
7	Soft and Hard Tissue Operative Investigations in the Diagnosis and Treatment of Oral Disease. <b>2018</b> , 1-59		
6	Soft and Hard Tissue Operative Investigations in the Diagnosis and Treatment of Oral Disease. <b>2018</b> , 1-59		

5	Comparing anxiety levels and patient comfort during single- and double-puncture arthrocentesis. Cranio - Journal of Craniomandibular Practice, <b>2021</b> , 1-7	1.2	
4	Efficacy of Arthrocentesis and Stabilization Splints in Treatment of Temporomandibular Joint Disc Displacement Disorder Without Reduction: A Systematic Review and Meta-analysis. <i>Journal of Maxillofacial and Oral Surgery</i> , 1	0.9	
3	Novel Modification of the Use of Peripheral Intravenous Catheters for Single Puncture Arthrocentesis of Temporomandibular Joint: A Technical Note. <i>Journal of Maxillofacial and Oral Surgery</i> , 1	0.9	
2	Needle orientation for temporomandibular joint arthrocentesis in Koreans <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2022</b> , 1-7	1.2	
1	Hyaluronic Acid and Platelet-Rich Plasma Mixture Versus Hyaluronic Acid and Corticosteroid in the Treatment of Temporomandibular Joint Internal Derangement: A Comparative Randomized Study.	О	