CITATION REPORT List of articles citing

MoS2 nanoribbons: high stability and unusual electronic and magnetic properties

DOI: 10.1021/ja805545x Journal of the American Chemical Society, 2008, 130, 16739-4

Source: https://exaly.com/paper-pdf/44040076/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
833	Metallic and ferromagnetic edges in molybdenum disulfide nanoribbons. 2009 , 20, 325703	164
832	Electronic structures of silicon nanoribbons. 2009 , 95, 083115	259
831	The stabilities of boron nitride nanoribbons with different hydrogen-terminated edges. 2009 , 94, 233107	70
830	Electronic Structure and Reactivity of Boron Nitride Nanoribbons with Stone-Wales Defects. 2009 , 5, 3088-95	118
829	Structural and Electronic Properties of Graphane Nanoribbons. 2009 , 113, 15043-15045	110
828	Novel properties of graphene nanoribbons: a review. 2010 , 20, 8207	301
827	First-principles study of the perfect and vacancy defect AlN nanoribbon. 2010 , 405, 3775-3781	57
826	Magnetic properties of nonmetal atoms absorbed MoS2 monolayers. 2010 , 96, 082504	175
825	Electronic Structures and Magnetic Properties of GaN Sheets and Nanoribbons. 2010 , 114, 11390-11394	99
824	Electronic Structure of Bi Nanoribbon: Greatly Influenced by Edge Chirality and Edge Reconstruction. 2010 , 114, 19289-19293	10
823	Hydrogenation: a simple approach to realize semiconductor-half-metal-metal transition in boron nitride nanoribbons. <i>Journal of the American Chemical Society</i> , 2010 , 132, 1699-705	254
822	Magnetism in armchair BC2N nanoribbons. 2010 , 96, 133103	17
821	First-Principles Study of Titania Nanoribbons: Formation, Energetics, and Electronic Properties. 2010 , 114, 9234-9238	15
820	Mixed low-dimensional nanomaterial: 2D ultranarrow MoS2 inorganic nanoribbons encapsulated in quasi-1D carbon nanotubes. <i>Journal of the American Chemical Society</i> , 2010 , 132, 13840-7	188
819	Edge States and Half-Metallicity in TiO2 Nanoribbons. 2011 , 115, 18047-18050	2
818	Versatile Electronic and Magnetic Properties of Corrugated V2O5 Two-Dimensional Crystal and Its Derived One-Dimensional Nanoribbons: A Computational Exploration. 2011 , 115, 11983-11990	32
817	How Do Surface and Edge Effects Alter the Electronic Properties of GaN Nanoribbons?. 2011 , 115, 1724-1731	37

(2012-2011)

816	From quantum motifs to assemble nanoaggregates: the preparation of organo-molybdenum hybrid nanostructures. 2011 , 50, 2175-81	12
815	Functionalization of Single-Layer MoS2 Honeycomb Structures. 2011 , 115, 13303-13311	429
814	Width- and Edge-Dependent Stability, Electronic Structures, and Magnetic Properties of Graphene-Like and Wurtzite ZnS Nanoribbons. 2011 , 115, 4466-4475	17
813	Half metallicity in BC2)N nanoribbons: stability, electronic structures, and magnetism. 2011 , 3, 2583-8	28
812	Electronic Structures of BC2N Nanoribbons. 2011 , 115, 3572-3577	34
811	Electronic and magnetic properties and structural stability of BeO sheet and nanoribbons. 2011 , 3, 4787-95	54
810	Structural and electronic properties of a single C chain doped zigzag AlN nanoribbon. 2011 , 974, 151-158	14
809	A Comparative Study of Lattice Dynamics of Three- and Two-Dimensional MoS2. 2011 , 115, 16354-16361	250
808	A novel route for the synthesis of nanotubes and fullerene-like nanostructures of molybdenum disulfide. 2011 , 46, 2240-2246	14
807	Graphene-like MoS2/amorphous carbon composites with high capacity and excellent stability as anode materials for lithium ion batteries. 2011 , 21, 6251	450
806	Mechanical and Electronic Properties of MoS2 Nanoribbons and Their Defects. 2011 , 115, 3934-3941	391
805	Electronic and magnetic properties of perfect, vacancy-doped, and nonmetal adsorbed MoSe2, MoTe2 and WS2 monolayers. 2011 , 13, 15546-53	349
804	Ultra-narrow WS2 nanoribbons encapsulated in carbon nanotubes. 2011 , 21, 171-180	69
803	Rippled and Helical MoS2 Nanowire Catalysts: An Aberration Corrected STEM Study. 2011 , 141, 518-524	15
802	Theoretical investigations of magnetic properties of ferromagnetic single-layered nanobelts. 2011 , 248, 1280-1286	11
801	First principles study of structural, vibrational and electronic properties of graphene-like MX2 (M=Mo, Nb, W, Ta; X=S, Se, Te) monolayers. 2011 , 406, 2254-2260	495
800	Magnetic properties of MoS2: Existence of ferromagnetism. 2012 , 101, 123105	218
799	Ideal strength and phonon instability in single-layer MoS2. 2012 , 85,	274

798	properties and Li storage capability of Ti3C2 and Ti3C2X2 (X = F, OH) monolayer. <i>Journal of the</i> American Chemical Society, 2012 , 134, 16909-16	1304
797	A catalytic composite film of MoS2/graphene flake as a counter electrode for Pt-free dye-sensitized solar cells. 2012 , 85, 162-168	136
796	Synthesis, Characterization, and Properties of Few-layer Metal Dichalcogenides and their Nanocomposites with Noble Metal Particles, Polyaniline, and Reduced Graphene Oxide. 2012 , 638, 2617-2624	36
795	Bandgap tuning in armchair MoS2 nanoribbon. 2012 , 24, 335501	59
794	Structure dependent electronic and magnetic properties of graphitic GaN Z nO nanoribbons. 2012 , 22, 7708	6
793	Magnetism in MoS2 induced by proton irradiation. 2012 , 101, 102103	170
792	Transition from 2-D Semiconductor to 1-D Metal State and Electron Density Distribution in Nanolayered MoX2(X = S, Se, Te). 2012 , 116, 20651-20655	13
791	Edge-dependent structural, electronic and magnetic properties of MoS2 nanoribbons. 2012 , 22, 7280	224
790	Strain-dependent electronic and magnetic properties of MoS2 monolayer, bilayer, nanoribbons and nanotubes. 2012 , 14, 13035-40	358
789	Tensile strain switched ferromagnetism in layered NbS2 and NbSe2. 2012 , 6, 9727-36	265
788	First-Principles Study of Zigzag MoS2 Nanoribbon As a Promising Cathode Material for Rechargeable Mg Batteries. 2012 , 116, 1307-1312	141
787	Tuning Magnetism and Electronic Phase Transitions by Strain and Electric Field in Zigzag MoS2 Nanoribbons. 2012 , 3, 2934-41	203
786	Electronic structures and transport properties of fluorinated boron nitride nanoribbons. 2012 , 14, 8032-7	47
785	Glucose aided preparation of tungsten sulfide/multi-wall carbon nanotube hybrid and use as counter electrode in dye-sensitized solar cells. 2012 , 4, 6530-6	75
784	Evidence of the existence of magnetism in pristine VXI \bar{m} onolayers (X = S, Se) and their strain-induced tunable magnetic properties. 2012 , 6, 1695-701	590
783	Transport properties of MoS2 nanoribbons: edge priority. 2012 , 85, 1	53
782	Stable, Single-Layer MX2 Transition-Metal Oxides and Dichalcogenides in a Honeycomb-Like Structure. 2012 , 116, 8983-8999	992
781	Enhanced Li Adsorption and Diffusion on MoS2 Zigzag Nanoribbons by Edge Effects: A Computational Study. 2012 , 3, 2221-7	343

(2013-2012)

7 ⁸ 0	Tuning the Electronic and Magnetic Properties of MoS2 Nanoribbons by Strain Engineering. 2012 , 116, 11752-11757	190
779	Electric field effects on armchair MoS2 nanoribbons. 2012 , 6, 4823-34	156
778	Mechanical and electronic properties of monolayer MoS2 under elastic strain. 2012, 376, 1166-1170	254
777	Electronic structure of transition metal dichalcogenides monolayers 1H-MX2 ($M = Mo, W; X = S, Se, Te$) from ab-initio theory: new direct band gap semiconductors. 2012 , 85, 1	375
776	Graphene/acid coassisted synthesis of ultrathin MoS2 nanosheets with outstanding rate capability for a lithium battery anode. 2013 , 52, 9807-12	98
775	Joined edges in MoS2: metallic and half-metallic wires. 2013 , 25, 312201	16
774	Chemical unzipping of WS2 nanotubes. 2013 , 7, 7311-7	43
773	Large current modulation and spin-dependent tunneling of vertical graphene/MoS2 heterostructures. 2013 , 7, 7021-7	80
772	Thickness-dependent patterning of MoS2 sheets with well-oriented triangular pits by heating in air. 2013 , 6, 703-711	92
771	Interactions and superconductivity in heavily doped MoS2. 2013 , 88,	63
770	Mo- and W-based organic nanostructures prepared from bulk crystal isomorphs consisted of [(CH3CH2)3NH)]2[MO2(C14H6O4)2] (M = Mo, W). 2013 , 52, 9470-8	10
769	Tunable electronic and magnetic properties of WS2 nanoribbons. 2013, 114, 093710	37
768	Ferromagnetism in ultrathin VS2 nanosheets. 2013 , 1, 5909	119
767	Density functional theory calculation of edge stresses in monolayer MoS2. 2013 , 114, 163508	16
766	. 2013 , 60, 274-279	20
765	Graphene analogues of inorganic layered materials. 2013 , 52, 13162-85	402
764	Intrinsic magnetism of grain boundaries in two-dimensional metal dichalcogenides. 2013, 7, 10475-81	186
763	Anisotropic Etching of Atomically Thin MoS2. 2013 , 117, 25643-25649	140

762 carbide crystals in carbon nanotubes. 2013, 62, 405-10 Metallic VS2 Monolayer: A Promising 2D Anode Material for Lithium Ion Batteries. 2013, 117, 25409-25413 761 438 Quasiparticle band-edge energy and band offsets of monolayer of molybdenum and tungsten 760 119 chalcogenides. **2013**, 103, 042106 A first-principles study on the effect of biaxial strain on the ultimate performance of monolayer 759 47 MoS2-based double gate field effect transistor. 2013, 113, 163708 DEFECT ENGINEERING OF 2D MONATOMIC-LAYER MATERIALS. 2013, 27, 1330017 758 32 Density functional theory study of Fe adatoms adsorbed monolayer and bilayer MoS2 sheets. 2013, 30 757 114,083706 Dimension-dependent phase transition and magnetic properties of VS2. 2013, 1, 10821 756 154 Polarity effects in unsupported polar nanoribbons. 2013, 87, 755 15 Predicting dislocations and grain boundaries in two-dimensional metal-disulfides from the first 270 754 principles. 2013, 13, 253-8 Tuning the electronic and chemical properties of monolayer MoS2 adsorbed on transition metal 753 239 substrates. 2013, 13, 509-14 Predicted ferromagnetism in hole doped armchair nanoribbons: A first principles study. 2013, 555, 173-177 752 4 First-principles study of the structural and electronic properties of MoS2WS2and 751 41 MoS2MoTe2monolayer heterostructures. **2013**, 46, 505308 Structural, electronic, and magnetic properties of the period vacancy in zigzag GaN nanoribbons. 750 11 2013, 250, 1510-1518 An innovative way of etching MoS2: Characterization and mechanistic investigation. 2013, 6, 200-207 128 749 A counter electrode of multi-wall carbon nanotubes decorated with tungsten sulfide used in 748 111 dye-sensitized solar cells. 2013, 55, 1-9 Ferromagnetism in freestanding MoS2 nanosheets. 2013, 8, 129 747 144 Graphene-analogous low-dimensional materials. 2013, 58, 1244-1315 746 600 Controlling ferromagnetic easy axis in a layered MoS2 single crystal. 2013, 110, 247201 745 93

Cross-sectional transmission electron microscopy observation of sub-nano-sized molybdenum

(2014-2013)

744	Mn-doped monolayer MoS2: An atomically thin dilute magnetic semiconductor. 2013 , 87,	351
743	Polarity in oxide nano-objects. 2013 , 113, 4073-105	103
742	Advanced Methods of Electron Microscopy in Catalysis Research. 2013, 279-342	2
741	Intrinsic structural defects in monolayer molybdenum disulfide. 2013 , 13, 2615-22	1418
740	Atomic and electronic properties of quasi-one-dimensional MOS nanowires. 2013, 28, 240-249	16
739	Electronic structures and magnetic properties of MoS2 nanostructures: atomic defects, nanoholes, nanodots and antidots. 2013 , 15, 10385-94	98
738	Structural and Electronic Properties and Stability of MXenes Ti2C and Ti3C2 Functionalized by Methoxy Groups. 2013 , 117, 13637-13643	153
737	Controlling magnetism of MoS2 sheets by embedding transition-metal atoms and applying strain. 2013 , 15, 18464-70	81
736	Electronic Properties of Econjugated Nickel Bis(dithiolene) Network and Its Addition Reactivity with Ethylene. 2013 , 117, 14125-14129	30
735	Effects of edge hydrogenation on structural stability, electronic, and magnetic properties of WS2 nanoribbons. 2013 , 114, 213701	20
734	Graphen-analoge anorganische Schichtmaterialien. 2013 , 125, 13400-13424	40
733	Metal to semiconductor transition in metallic transition metal dichalcogenides. 2013 , 114, 174307	24
732	Ferromagnetism Switched by Hydrogenation in Layered MoS2. 2013 , 744, 345-348	2
731	Studies on transport properties of MoSe2NTexsingle crystals. 2013 , 63, 20101	3
730	Effects of defects on the electronic properties of WTe2armchair nanoribbons. 2014, 35, 113002	7
729	Ferromagnetism in ultrathin MoS2 nanosheets: from amorphous to crystalline. 2014 , 9, 586	50
728	Electronic and transport properties of V-shaped defect zigzag MoS 2 nanoribbons. 2014 , 23, 047307	7
727	Room-temperature ferromagnetism of single-crystalline MoS2 nanowires. 2014 , 9, 468-470	11

726	Theoretical study on electronic properties of MoS2 antidot lattices. 2014 , 116, 113704	12
725	Electronic structure and optical properties of Ag-doped SnO2 nanoribbons. 2014 , 4, 41819-41824	10
724	Two-dimensional square ternary Cu2MX4 (M = Mo, W; $X = S$, Se) monolayers and nanoribbons predicted from density functional theory. 2014 , 89,	23
723	Valley- and spin-switch effects in molybdenum disulfide superconducting spin valve. 2014 , 90,	30
722	Synthesis of Colloidal 2D/3D MoS2 Nanostructures by Pulsed Laser Ablation in an Organic Liquid Environment. 2014 , 118, 30120-30126	24
721	Spin transport properties of partially edge-hydrogenated MoS2 nanoribbon heterostructure. 2014 , 115, 223705	22
720	Hydrogenation-induced edge magnetization in armchair MoS2 nanoribbon and electric field effects. 2014 , 104, 071901	59
719	Three-dimensional assembly of single-layered MoS(2). 2014 , 26, 964-9	376
718	Single-layered ultrasmall nanoplates of MoS2 embedded in carbon nanofibers with excellent electrochemical performance for lithium and sodium storage. 2014 , 53, 2152-6	777
717	Ultrasmall FetDthanoparticle/MoSthanosheet composites with superior performances for lithium ion batteries. 2014 , 10, 1536-43	232
716	van der Waals trilayers and superlattices: modification of electronic structures of MoS2 by intercalation. 2014 , 6, 4566-71	92
715	Few-layer MoS2: a promising layered semiconductor. 2014 , 8, 4074-99	962
714	Spin and valley transport in monolayers of MoS2. 2014 , 115, 133703	22
713	Polarity-reversed robust carrier mobility in monolayer MoSIhanoribbons. <i>Journal of the American Chemical Society</i> , 2014 , 136, 6269-75	572
712	First-principles investigation of the bulk and low-index surfaces of MoSe2. 2014 , 89,	17
711	Theoretical aspects of WS[hanotube chemical unzipping. 2014 , 6, 8400-4	4
710	Width- and edge-dependent magnetic properties, electronic structures, and stability of SnSe2 nanoribbons. 2014 , 59, 102-106	12
709	Lithium ion battery applications of molybdenum disulfide (MoS2) nanocomposites. 2014 , 7, 209-231	1017

(2014-2014)

708	First-Principles Study on the Electronic and Magnetic Properties of Zigzag AlN-SiC Nanoribbons. 2014 , 27, 1079-1082	4
707	Modulating the atomic and electronic structures through alloying and heterostructure of single-layer MoS2. 2014 , 2, 2101-2109	69
706	MoS2/MX2 heterobilayers: bandgap engineering via tensile strain or external electrical field. 2014 , 6, 2879-86	275
705	MoS2. 2014 ,	36
704	Single-Layered Ultrasmall Nanoplates of MoS2 Embedded in Carbon Nanofibers with Excellent Electrochemical Performance for Lithium and Sodium Storage. 2014 , 126, 2184-2188	138
703	MoS2 nanoribbons as promising thermoelectric materials. 2014 , 105, 133113	95
702	Edge-states ferromagnetism of WS2 nanosheets. 2014 , 104, 202406	30
701	Band structure engineering of monolayer MoSIby surface ligand functionalization for enhanced photoelectrochemical hydrogen production activity. 2014 , 6, 13565-71	50
700	Controlled doping of semiconducting titania nanosheets for tailored spinelectronic materials. 2014 , 6, 14227-36	32
699	Modulating the band gap of germanane nanoribbons for quantum well devices. 2014 , 16, 18029-33	9
698	PEDOT:PSS and glucose assisted preparation of molybdenum disulfide/single-wall carbon nanotubes counter electrode and served in dye-sensitized solar cells. 2014 , 142, 68-75	27
697	MoSlexhibits stronger toxicity with increased exfoliation. 2014 , 6, 14412-8	132
696	Two-dimensional MoS2 nanosheets as a capillary GC stationary phase for highly effective molecular screening. 2014 , 139, 3533-6	9
695	Boundary and Symmetry Determined Exciton Distribution in Two Dimensional Silicon Nanosheets. 2014 , 118, 20070-20076	23
694	Electronic Properties of Edge-Hydrogenated Phosphorene Nanoribbons: A First-Principles Study. 2014 , 118, 22368-22372	108
693	Electrochemically induced Fenton reaction of few-layer MoS2 nanosheets: preparation of luminescent quantum dots via a transition of nanoporous morphology. 2014 , 6, 9831-8	115
692	Valley- and spin-filter in monolayer MoS2. 2014 , 199, 52-55	13
691	Uniformly wetting deposition of Co atoms on MoS(2) monolayer: a promising two-dimensional robust half-metallic ferromagnet. 2014 , 6, 16835-40	49

690	Electronic and magnetic properties of armchair MoS2 nanoribbons under both external strain and electric field, studied by first principles calculations. 2014 , 116, 064301	9
689	Tweaking the magnetism of MoS2 nanoribbon with hydrogen and carbon passivation. 2014 , 25, 165703	17
688	Versatile Electronic and Magnetic Properties of SnSe2 Nanostructures Induced by the Strain. 2014 , 118, 9251-9260	52
687	Computational Study of Metal Contacts to Monolayer Transition-Metal Dichalcogenide Semiconductors. 2014 , 4,	284
686	Effects of V-shaped edge defect and H-saturation on spin-dependent electronic transport of zigzag MoS2 nanoribbons. 2014 , 378, 2701-2707	11
685	Robust carbon dioxide reduction on molybdenum disulphide edges. 2014 , 5, 4470	547
684	A novel three dimensional semimetallic MoS2. 2014 , 115, 204302	4
683	Topological superconductivity at the edge of transition-metal dichalcogenides. 2014 , 90,	26
682	Half-metallicity in graphitic C3N4 nanoribbons: An ab initio study. 2014 , 251, 1386-1392	12
681	A universal method for preparation of noble metal nanoparticle-decorated transition metal dichalcogenide nanobelts. 2014 , 26, 6250-4	58
680	Tuning electronic and optical properties of MoS2 monolayer via molecular charge transfer. 2014 , 2, 16892-16	589723
679	In Search of a Two-Dimensional Material for DNA Sequencing. 2014 , 118, 10855-10858	33
678	Edge-Specific Au/Ag Functionalization-Induced Conductive Paths in Armchair MoS2 Nanoribbons. 2014 , 26, 5625-5631	23
677	Theoretical study on strain-induced variations in electronic properties of monolayer MoS2. 2014 , 49, 6762-6771	50
676	Unexpected strong magnetism of Cu doped single-layer MoSland its origin. 2014, 16, 8990-6	93
675	Progress on the Theoretical Study of Two-Dimensional MoS2 Monolayer and Nanoribbon. 2014 , 1-35	2
674	Spin-orbit-coupled quantum wires and Majorana fermions on zigzag edges of monolayer transition-metal dichalcogenides. 2014 , 89,	54
673	Edge-, width- and strain-dependent semiconductorfhetal transition in SnSe nanoribbons. 2014 , 4, 6933	19

(2015-2014)

672	Tuning Electronic and Magnetic Properties of Early Transition-Metal Dichalcogenides via Tensile Strain. 2014 , 118, 7242-7249	171
671	Introducing the Triangular Defect to Effectively Engineer the Wide Band Gap of Boron Nitride Nanoribbons with Zigzag and Even Armchair Edges. 2014 , 118, 12880-12889	17
670	Graphene, inorganic graphene analogs and their composites for lithium ion batteries. 2014 , 2, 12104	215
669	Magnetism by interfacial hybridization and p-type doping of MoS(2) in Fe(4)N/MoS(2) superlattices: a first-principles study. 2014 , 6, 4587-94	50
668	Structural and electronic properties of germanene/MoS2 monolayer and silicene/MoS2 monolayer superlattices. 2014 , 9, 110	61
667	First-principles study of transition-metal atoms adsorption on MoS2 monolayer. 2014 , 63, 276-282	66
666	Phosphorene Nanoribbons, Phosphorus Nanotubes, and van der Waals Multilayers. 2014 , 118, 14051-14059	467
665	Nanoscale Transition Metal Dichalcogenides: Structures, Properties, and Applications. 2014 , 39, 319-367	106
664	Tunable Band Structures of Heterostructured Bilayers with Transition-Metal Dichalcogenide and MXene Monolayer. 2014 , 118, 5593-5599	122
663	Scaling laws for the band gap and optical response of phosphorene nanoribbons. 2014 , 89,	226
662	Nanostructures prepared from single crystal and amorphous powder consisted of (NH3CH2CH2NH2)2[MoO2(O2C10H6)2]. 2014 , 29, 296-300	1
661	Anisotropic thermoelectric behavior in armchair and zigzag mono- and fewlayer MoS2 in thermoelectric generator applications. 2015 , 5, 13706	44
660	TiS3 nanoribbons: Width-independent band gap and strain-tunable electronic properties. 2015, 92,	51
659	Boundary conditions for transition-metal dichalcogenide monolayers in the continuum model. 2015 , 92,	11
658	Transport through a Single Barrier on Monolayer MoS 2. 2015 , 32, 107301	1
657	Novel Two-Dimensional Mechano-Electric Generators and Sensors Based on Transition Metal Dichalcogenides. 2015 , 5, 12854	17
656	Robust Direct Bandgap Characteristics of One- and Two-Dimensional ReS2. 2015 , 5, 13783	57
655	Collective electronic behaviors of laterally heterostructured armchair MoS2-NbS2 nanoribbons. 2015 , 118, 084306	11

654	Metallic and ferromagnetic MoS2 nanobelts with vertically aligned edges. 2015 , 8, 2946-2953	26
653	Metallic High-Angle Grain Boundaries in Monolayer Polycrystalline WS2. 2015 , 11, 4503-7	33
652	Dispersion-Corrected Density Functional Theory Investigations of Structural and Electronic Properties of Bulk MoS2: Effect of Uniaxial Strain. 2015 , 10, 433	18
651	Clean WS2 and MoS2 Nanoribbons Generated by Laser-Induced Unzipping of the Nanotubes. 2015 , 11, 3916-20	20
650	Innovation and discovery of graphene-like materials via density-functional theory computations. 2015 , 5, 360-379	172
649	Optical Absorption of Armchair MoS2 Nanoribbons: Enhanced Correlation Effects in the Reduced Dimension. 2015 , 119, 13901-13906	19
648	Single-Crystal Atomic-Layered Molybdenum Disulfide Nanobelts with High Surface Activity. 2015 , 9, 6478-83	57
647	Room-temperature ferromagnetism in Co doped MoS2 sheets. 2015 , 17, 15822-8	61
646	Charge compressibility and quantum magnetic phase transition in MoS2. 2015 , 91,	2
645	The electronic transport properties of graphene-like beryllium sulfide nanoribbons. 2015 , 379, 1837-1841	6
644	Zigzag-edge related ferromagnetism in MoSe2 nanoflakes. 2015 , 17, 32505-10	17
643	Realizing semiconductor to metal transition in graphitic ZnO and MoS2 nanocomposite with external electric field. 2015 , 5, 99153-99163	17
642	Electronic and magnetic properties of 1 T-TiSe 2 nanoribbons. 2015 , 2, 044002	16
641	Doping properties of MoS 2 /ZnO (0001) heterojunction ruled by interfacial micro-structure: From first principles. 2015 , 204, 67-71	17
640	Structural, surface and mechanical characterization of spray-deposited molybdenum disulfide thin films. 2015 , 31, 582-587	9
639	Role of Chemical Potential in Flake Shape and Edge Properties of Monolayer MoS2. 2015 , 119, 4294-4301	141
638	Computational studies on structural and electronic properties of functionalized MXene monolayers and nanotubes. 2015 , 3, 4960-4966	101
637	Tunable ferromagnetic ordering in MoShanosheets with fluorine adsorption. 2015 , 7, 4211-6	60

636	Graphene versus MoS2: A short review. 2015 , 10, 287-302	137
635	Enhancement of magnetism by structural phase transition in MoS2. 2015 , 106, 012408	82
634	A first-principles investigation on the effect of the divacancy defect on the band structures of boron nitride (BN) nanoribbons. 2015 , 69, 65-74	10
633	Strain-Induced Magnetism in Single-Layer MoS2: Origin and Manipulation. 2015 , 119, 2822-2827	58
632	First principles prediction on the interfaces of Fe/MoS2, Co/MoS2 and Fe3O4/MoS2. 2015 , 99, 326-335	17
631	Growth of MoS(2(1-x))Se(2x) (x = $0.41-1.00$) Monolayer Alloys with Controlled Morphology by Physical Vapor Deposition. 2015 , 9, 7450-5	169
630	Effects of stacking order, layer number and external electric field on electronic structures of few-layer C2N-h2D. 2015 , 7, 14062-70	147
629	Electronic structures and magnetic properties in Cu-doped two-dimensional dichalcogenides. 2015 , 73, 69-75	29
628	Half-Metallic Ferromagnetism and Surface Functionalization-Induced Metal-Insulator Transition in Graphene-like Two-Dimensional Cr2C Crystals. 2015 , 7, 17510-5	218
627	Structural stability, electronic and magnetic properties of MoS2 quantum dots based on the first principles. 2015 , 218, 25-30	18
626	Nanopatterning and Electrical Tuning of MoS2 Layers with a Subnanometer Helium Ion Beam. 2015 , 15, 5307-13	138
625	Hierarchical ultrathin Mo(SxSe1⊠)2 nanosheets with tunable ferromagnetism and efficient hydrogen evolution reaction activity: towards defect site effect. 2015 , 17, 6420-6425	16
624	Probing the biocompatibility of MoS2 nanosheets by cytotoxicity assay and electrical impedance spectroscopy. 2015 , 26, 315102	71
623	Stable ScS2 nanostructures with tunable electronic and magnetic properties. 2015 , 220, 12-16	10
622	Insight into structural, elastic, phonon, and thermodynamic properties of ⊞ulfur and energy-related sulfides: a comprehensive first-principles study. 2015 , 3, 8002-8014	29
621	Dehydrogenation: a simple route to modulate magnetism and spatial charge distribution of germanane. 2015 , 3, 3128-3134	6
620	Giant magnetoresistance in zigzag MoS2 nanoribbons. 2015 , 17, 10074-9	8
619	Electronic and magnetic properties of MoS2 nanoribbons with sulfur line vacancy defects. 2015 , 346, 470-476	18

618	Unexpected magnetic semiconductor behavior in zigzag phosphorene nanoribbons driven by half-filled one dimensional band. 2015 , 5, 8921	80
617	Electronic and Magnetic Properties Modulated by Adsorption of 3d Transition Metal Atoms in Monolayer and Bilayer MoS2 Sheets. 2015 , 28, 793-798	21
616	Tailoring Electronic and Magnetic Properties of MoS2 Nanotubes. 2015 , 119, 6405-6413	33
615	Multivalency-Induced Band Gap Opening at MoS2 Edges. 2015 , 27, 3326-3331	39
614	Layer-dependent dopant stability and magnetic exchange coupling of iron-doped MoS2 nanosheets. 2015 , 7, 7534-41	74
613	Two-dimensional hexagonal V2O nanosheet and nanoribbons. 2015 , 8, 035201	
612	Formation and Interlayer Decoupling of Colloidal MoSe2Nanoflowers. 2015 , 27, 3167-3175	86
611	Flexible membranes of MoS2/C nanofibers by electrospinning as binder-free anodes for high-performance sodium-ion batteries. 2015 , 5, 9254	235
610	Structures and electronic properties of GaSe and GaS nanoribbons. 2015 , 5, 94679-94684	11
609	Hydrothermal synthesis and tribological properties of MoSe2 nanoflowers. 2015 , 10, 339-342	18
608	An Anomalous Formation Pathway for Dislocation-Sulfur Vacancy Complexes in Polycrystalline Monolayer MoS2. 2015 , 15, 6855-61	62
60 7	Emergence of One-Dimensional Wires of Free Carriers in Transition-Metal-Dichalcogenide Nanostructures. 2015 , 15, 6229-38	64
606	Vertical heterostructures of MoS2 and graphene nanoribbons grown by two-step chemical vapor deposition for high-gain photodetectors. 2015 , 17, 25210-5	19
605	A first-principles study on the hydrogen evolution reaction of VS2 nanoribbons. 2015 , 17, 24820-5	77
604	Tuning the electronic properties of transition-metal trichalcogenides via tensile strain. 2015 , 7, 15385-91	58
603	Valley permitted Klein tunneling and magnetoresistance in ferromagnetic monolayerMoS2. 2015 , 86, 243-249	11
602	Adsorbing a PVDF polymer via noncovalent interactions to effectively tune the electronic and magnetic properties of zigzag SiC nanoribbons. 2015 , 17, 24038-47	11
601	Modulation of Electronic Structure of Armchair MoS Nanoribbon. 2015 , 119, 22164-22171	29

600 Modulation of Electronic Structure of Armchair MoS2Nanoribbon. **2015**, 150902124434000

599	Edge effects on band gap energy in bilayer 2H-MoS2 under uniaxial strain. 2015 , 117, 244303	13
598	Bandgap engineering of monolayer MoS2 under strain: A DFT study. 2015 , 66, 1789-1793	8
597	Edge State-Induced Novel Electronic Structures and Magnetic Properties of Zigzag AlN/SiC Nanoribbons. 2015 , 28, 3053-3057	
596	Electronic and transport properties of phosphorene nanoribbons. 2015, 92,	105
595	Improved mechanical and tribological properties of bismaleimide composites by surface-functionalized reduced graphene oxide and MoS2 coated with cyclotriphosphazene polymer. 2015 , 5, 97883-97890	21
594	An open canvas2D materials with defects, disorder, and functionality. 2015 , 48, 73-80	99
593	CO catalytic oxidation on iron-embedded monolayer MoS2. 2015 , 328, 71-77	84
592	Modeling Ferro- and Antiferromagnetic Interactions in Metal®rganic Coordination Networks. 2015 , 119, 547-555	19
591	Inorganic Graphene Analogs. 2015 , 45, 29-62	39
590	Electronic structures and theoretical modelling of two-dimensional group-VIB transition metal dichalcogenides. 2015 , 44, 2643-63	398
589	Modulating the phase transition between metallic and semiconducting single-layer MoS2 and WS2 through size effects. 2015 , 17, 1099-105	35
588	Band structure engineering of monolayer MoS2: a charge compensated codoping strategy. 2015 , 5, 7944-799	52 24
587	Evidencing the existence of intrinsic half-metallicity and ferromagnetism in zigzag gallium sulfide nanoribbons. 2014 , 4, 5773	7
586	MXene nanoribbons. 2015 , 3, 879-888	51
585	Realization of high Curie temperature ferromagnetism in atomically thin MoS2 and WS2 nanosheets with uniform and flower-like morphology. 2015 , 7, 650-8	69
584	First principles prediction of the magnetic properties of Fe-X $\mathbb{I}(X = S, C, N, O, F)$ doped monolayer MoS \mathbb{I} 2014 , 4, 3987	70
583	The stability and electronic properties of novel three-dimensional graphene-MoS2 hybrid structure. 2014 , 4, 7007	37

582	Metal dichalcogenides monolayers: novel catalysts for electrochemical hydrogen production. 2014 , 4, 5348	131
581	Size-dependent nonlinear optical properties of atomically thin transition metal dichalcogenide nanosheets. 2015 , 11, 694-701	132
580	Two-dimensional monolayer designs for spintronics applications. 2016 , 6, 441-455	41
579	Graphene and MoS2 interacting with water: A comparison by ab initio calculations. 2016 , 107, 878-884	85
578	Effects of line defects on spin-dependent electronic transport of zigzag MoS2 nanoribbons. 2016 , 6, 015015	13
577	Electron beam-formed ferromagnetic defects on MoS surface along 1 T phase transition. 2016 , 6, 38730	19
576	Investigation of electron irradiation-induced magnetism in layered MoS2 single crystals. 2016 , 109, 252403	14
575	Air sensitivity of MoS2, MoSe2, MoTe2, HfS2, and HfSe2. 2016 , 120, 125102	91
574	Phase transition and spin-resolved transport in MoS2 nanoribbons. 2016 , 94,	5
573	Electronic structures and edge effects of Ga 2 S 2 nanoribbons. 2016 , 25, 107101	1
572	Nanoribbons: From fundamentals to state-of-the-art applications. 2016 , 3, 041302	55
571	Formation of nanosized monolayer MoS2 by oxygen-assisted thinning of multilayer MoS2. 2016 , 120, 051702	20
570	Symmetries and hybridization in the indirect interaction between magnetic moments in MoS2 nanoflakes. 2016 , 94,	15
569	Spin density waves predicted in zigzag puckered phosphorene, arsenene and antimonene nanoribbons. 2016 , 6, 045318	16
568	Magnetism in molybdenum disulphide monolayer with sulfur substituted by 3d transition metals. 2016 , 120, 144305	9
567	High temperature ferromagnetism in Cu-doped MoS2nanosheets. 2016 , 49, 165003	54
566	Influence of the thickness and surface composition on the electronic structure of FeS 2 layers. 2016 , 377, 184-190	7
565	Two-dimensional GeS with tunable electronic properties via external electric field and strain. 2016 , 27, 274001	68

(2016-2016)

564	Vertically Oriented Arrays of ReS2 Nanosheets for Electrochemical Energy Storage and Electrocatalysis. 2016 , 16, 3780-7	201
563	Low-dimensional ScO2 with tunable electronic and magnetic properties: first-principles studies. 2016 , 28, 015004	1
562	Electrostatics and Polarity in 2D Oxides. 2016 , 201-231	2
561	One-Step Synthesis of Water-Soluble MoS2 Quantum Dots via a Hydrothermal Method as a Fluorescent Probe for Hyaluronidase Detection. 2016 , 8, 11272-9	200
560	Adsorption of gas molecules on Cu impurities embedded monolayer MoS 2 : A first- principles study. 2016 , 382, 280-287	82
559	Band Gap Modulation of Bilayer MoS2 Under Strain Engineering and Electric Field: A Density Functional Theory. 2016 , 45, 4038-4043	13
558	Multifunctional heterostructures constructed using MoS and WS nanoribbons. 2016 , 18, 27468-27475	7
557	Hydrogen-induced ferromagnetism in two-dimensional Pt dichalcogenides. 2016 , 94,	36
556	Magnetic MoS2 Interface Monolayer on a CdS Nanowire by Cation Exchange. 2016 , 120, 23055-23060	22
555	Intense conductivity suppression by edge defects in zigzag MoS2 and WSe2 nanoribbons: a density functional based tight-binding study. 2016 , 27, 445202	5
554	Theoretical study of the adsorption of NOx on TiO2/MoS2 nanocomposites: a comparison between undoped and N-doped nanocomposites. 2016 , 6, 309-327	20
553	Magnetism in 2D TMDC. 2016 , 365-388	
552	Recent Advances in Doping of Molybdenum Disulfide: Industrial Applications and Future Prospects. 2016 , 28, 9024-9059	129
551	Two-dimensional inorganic analogues of graphene: transition metal dichalcogenides. 2016, 374,	53
550	Two-dimensional metallic MoS2: A DFT study. 2016 , 124, 49-53	15
549	One-step synthesis of p-type GaSe nanoribbons and their excellent performance in photodetectors and phototransistors. 2016 , 4, 7817-7823	31
548	Uncovering edge states and electrical inhomogeneity in MoS2 field-effect transistors. 2016 , 113, 8583-8	72
547	Edge or interface effect on bandgap openings in graphene nanostructures: A thermodynamic approach. 2016 , 326, 1-33	15

546	First-principles study of size- and edge-dependent properties of MXene nanoribbons. 2016, 93,	51
545	Noncollinear exchange interaction in transition metal dichalcogenide edges. 2016 , 93,	11
544	Hydroxyl induced edge magnetism and metallicity in armchair MoS2nanoribbons. 2016, 49, 115303	3
543	An efficient counter electrode material for dye-sensitized solar cells fl ower-structured 1T metallic phase MoS2. 2016 , 4, 12398-12401	101
542	Edge preference and band gap characters of MoS2 and WS2 nanoribbons. 2016 , 653, 107-112	40
541	Helium Ion Microscopy for Two-Dimensional Materials. 2016 , 245-262	3
540	Strain-induced topological phase transition at zigzag edges of monolayer transition-metal dichalcogenides. 2016 , 94,	14
539	An atomically thin layer of Ru/MoS heterostructure: structural, electronic, and magnetic properties. 2016 , 18, 32528-32533	6
538	Oscillating edge states in one-dimensional MoS nanowires. 2016 , 7, 12904	36
537	The Role of Interfacial Electronic Properties on Phonon Transport in Two-Dimensional MoS on Metal Substrates. 2016 , 8, 33299-33306	15
536	Wasp-waisted magnetism in hydrothermally grown MoS2 nanoflakes. 2016 , 3, 116102	17
535	Spin relaxation and the Kondo effect in transition metal dichalcogenide monolayers. 2016 , 28, 505002	2
534	Theory of edge-state optical absorption in two-dimensional transition metal dichalcogenide flakes. 2016 , 94,	31
533	Phase crossover in transition metal dichalcogenide nanoclusters. 2016 , 8, 19154-19160	7
532	Edge modes in zigzag and armchair ribbons of monolayer MoS. 2016 , 28, 495001	38
531	The electronic transport properties of transition-metal dichalcogenide lateral heterojunctions. 2016 , 4, 10962-10966	50
530	Monolayer Molybdenum Disulfide Nanoribbons with High Optical Anisotropy. 2016 , 4, 756-762	61
529	Role of SpinDrbit Interaction and Impurity Doping in Thermodynamic Properties of Monolayer MoS2. 2016 , 45, 4958-4965	23

(2016-2016)

528	Chemical Dissolution Pathways of MoS2 Nanosheets in Biological and Environmental Media. 2016 , 50, 7208-17	142
527	First-Principles Calculations of the Mechanical and Elastic Properties of 2Hc- and 2Ha-WS2/CrS2 Under Pressure. 2016 , 71, 517-524	1
526	Chiral vectors-tunable electronic property of MoS2 nanotubes. 2016 , 84, 196-201	3
525	Andreev reflection and subgap conductance in monolayer MoS2 ferromagnet/s and d-wave superconductor junction. 2016 , 93, 73-81	4
524	Atomic defect states in monolayers of MoS2 and WS2. 2016 , 651, 215-221	49
523	Hybrid Modeling of Molecular Sensing and Catalysis in Low-dimensional Nanomaterials. 2016 , 3, 396-410	
522	Chiral vectors-tunable electronic property of MoS2 nanotubes. 2016 , 83, 232-237	5
521	Unusual electronic and magnetic properties of lateral phosphoreneWSe2 heterostructures. 2016 , 4, 6657-6665	8
520	Nanoporous two-dimensional MoS2 membranes for fast saline solution purification. 2016 , 18, 22210-6	51
519	2D transition-metal diselenides: phase segregation, electronic structure, and magnetism. 2016 , 28, 064002	15
518	Aging of Transition Metal Dichalcogenide Monolayers. 2016 , 10, 2628-35	267
517	Fundamental insights into the electronic structure of zigzag MoS2 nanoribbons. 2016 , 18, 4675-83	14
516	Stable Monolayer Transition Metal Dichalcogenide Ordered Alloys with Tunable Electronic Properties. 2016 , 120, 2501-2508	46
515	Molybdenum disulfide nanomaterials: Structures, properties, synthesis and recent progress on hydrogen evolution reaction. 2016 , 3, 23-56	245
514	Tuning the hydrogen evolution activity of MS2 (M = Mo or Nb) monolayers by strain engineering. 2016 , 18, 9388-95	42
513	Effect of biaxial strain and external electric field on electronic properties of MoS 2 monolayer: A first-principle study. 2016 , 468, 9-14	33
512	A highly thermal stable solid phase microextraction fiber prepared by an inorganic binder. 2016 , 918, 35-42	16
511	Bending Two-Dimensional Materials To Control Charge Localization and Fermi-Level Shift. 2016 , 16, 2444-9	57

510	Ferromagnetism in zigzag GaN nanoribbons with tunable half-metallic gap. 2016 , 117, 300-305	9
509	Electronic and optical properties of graphene nanoribbons in external fields. 2016 , 18, 7573-616	54
508	Energetic and electronic structure of penta-graphene nanoribbons. 2016 , 100, 118-125	74
507	Modulating electronic, magnetic and chemical properties of MoS2 monolayer sheets by substitutional doping with transition metals. 2016 , 364, 181-189	120
506	Electronic properties of MoS2 nanoribbons with disorder effects. 2016 , 90, 16-26	11
505	Synthesis and lithium storage properties of MoS 2 nanoparticles prepared using supercritical ethanol. 2016 , 285, 517-527	31
504	Origin of exotic ferromagnetic behavior in exfoliated layered transition metal dichalcogenides MoS2 and WS2. 2016 , 8, 1960-7	48
503	Modulation of magnetic properties of bilayer SnSe with transition-metals doping in the interlayer. 2016 , 75, 106-111	11
502	Role of the Edge Properties in the Hydrogen Evolution Reaction on MoS. 2017, 23, 4863-4869	27
501	Electronic properties of MoS2 nanoribbon with strain using tight-binding method. 2017 , 254, 1600565	9
500	Large Area Synthesis of 1D-MoSe Using Molecular Beam Epitaxy. 2017 , 29, 1605641	38
499	Co S /MoS Yolk-Shell Spheres for Advanced Li/Na Storage. 2017 , 13, 1603490	127
498	Effects of Water Intercalation and Tribochemistry on MoS Lubricity: An Ab Initio Molecular Dynamics Investigation. 2017 , 18, 1475-1480	39
497	High-Mobility Multilayered MoS Flakes with Low Contact Resistance Grown by Chemical Vapor Deposition. 2017 , 29, 1604540	153
496	The structure, electronic, magnetic and optical properties of the Mn doped and Mn-X ($X'=F$, Cl, Br, I and At) co-doped monolayer WS2: A first-principles study. 2017 , 702, 138-145	17
495	Controlled formation of nanostructures on MoS2 layers by focused laser irradiation. 2017 , 110, 083101	13
494	Lattice Strain Effect on the Band Offset in Single-Layer MoS2: An Atomic-Bond-Relaxation Approach. 2017 , 121, 5366-5371	19
493	Experimental and theoretical evidence for the ferromagnetic edge in WSe nanosheets. 2017 , 9, 4898-4906	22

492	Magnetic engineering in 3d transition metals on phosphorene by strain. 2017 , 381, 1236-1240	15
491	Size-dependent nonlinear optical properties of black phosphorus nanosheets and their applications in ultrafast photonics. 2017 , 5, 3007-3013	121
490	Orbital Edge States in a Photonic Honeycomb Lattice. 2017 , 118, 107403	53
489	Synthesis of MoS 2 ribbons and their branched structures by chemical vapor deposition in sulfur-enriched environment. 2017 , 409, 396-402	18
488	Atomic Defects in Two-Dimensional Materials: From Single-Atom Spectroscopy to Functionalities in Opto-/Electronics, Nanomagnetism, and Catalysis. 2017 , 29, 1606434	146
487	Tungsten Diselenide Patterning and Nanoribbon Formation by Gas-Assisted Focused-Helium-Ion-Beam-Induced Etching. 2017 , 1, 1600060	28
486	Effects of line defects on the electronic properties of ZnO nanoribbons and sheets. 2017 , 5, 3121-3129	12
485	Electronic transport in disordered MoS2 nanoribbons. 2017 , 95,	21
484	Realization of Valley and Spin Pumps by Scattering at Nonmagnetic Disorders. 2017 , 118, 096602	14
483	Electronic properties of 1T-MoS2 nanoribbon and its homojunction nanoribbon. 2017 , 254, 1600728	2
482	The indirectdirect band gap tuning in armchair MoS2 nanoribbon by edge passivation. 2017, 50, 095102	14
481	Enhanced conductivity along lateral homojunction interfaces of atomically thin semiconductors. 2017 , 4, 021012	10
480	Winding a nanotube from black phosphorus nanoribbon onto a CNT at low temperature: A molecular dynamics study. 2017 , 121, 406-413	25
479	Width-dependent structural stability and magnetic properties of monolayer zigzag MoS2 nanoribbons. 2017 , 31, 1750017	10
478	Prospects of spintronics based on 2D materials. 2017 , 7, e1313	105
477	Computational screening for high-activity MoS2 monolayer-based catalysts for the oxygen reduction reaction via substitutional doping with transition metal. 2017 , 5, 9842-9851	56
476	Spectroscopic investigation of defects in two-dimensional materials. 2017 , 6, 1219-1237	53
475	Computational study of a new resonant tunneling diode based on an (hbox {MoS}_{2}) nanoribbon with sulfur line vacancies. 2017 , 16, 253-261	1

474	Ferrimagnetic half-metallic properties of Cr/Fe doped MoS2 monolayer. 2017 , 7, 20116-20122	7
473	Atomic structure and formation mechanism of sub-nanometer pores in 2D monolayer MoS. 2017 , 9, 6417-64.	26 ₄₁
472	Fabrication of MoSe nanoribbons via an unusual morphological phase transition. 2017 , 8, 15135	53
471	Magnetic MoS on multiwalled carbon nanotubes for sulfide sensing. 2017 , 975, 61-69	12
470	Effects of edge reconstruction on the common groups terminated zigzag phosphorene nanoribbon. 2017 , 50, 195301	3
469	Straintronics in two-dimensional in-plane heterostructures of transition-metal dichalcogenides. 2016 , 19, 663-672	47
468	One-step synthesis of water-soluble and highly fluorescent MoS2 quantum dots for detection of hydrogen peroxide and glucose. 2017 , 252, 183-190	60
467	A design of intermediate band solar cell for photon ratchet with multi-layer MoS2 nanoribbons. 2017 , 110, 201109	9
466	Effect of temperature on the magnetism and memristive memory behavior of MoSe2 nanosheets. 2017 , 202, 13-16	14
465	Tunable electronic properties of arsenene/GaS van der Waals heterostructures. 2017 , 7, 28393-28398	49
464	Enhanced spin-flip scattering by surface roughness in WS2 and MoS2 armchair nanoribbons. 2017 , 95,	7
463	Edge eigen-stress and eigen-displacement of armchair molybdenum disulfide nanoribbons. 2017 , 381, 1568-1572	2
462	Edge Engineering of MoS2 Nanoribbons as High Performance Electrode Material for Na-ion Battery: A First-Principle Study. 2017 , 35, 896-902	8
461	Toward edges-rich MoS2 layers via chemical liquid exfoliation triggering distinctive magnetism. 2017 , 5, 267-275	12
460	MoS2-graphene in-plane contact for high interfacial thermal conduction. 2017 , 10, 2944-2953	44
459	Defect-induced magnetism in two-dimensional NbSe2. 2017 , 101, 349-353	6
458	Facile synthesis of ultrathin MoS2/C nanosheets for use in sodium-ion batteries. 2017 , 7, 285-289	27
457	Contrasting Structural Reconstructions, Electronic Properties, and Magnetic Orderings along Different Edges of Zigzag Transition Metal Dichalcogenide Nanoribbons. 2017 , 17, 1097-1101	60

(2017-2017)

456	Doping two-dimensional materials: ultra-sensitive sensors, band gap tuning and ferromagnetic monolayers. 2017 , 2, 72-80	60
455	Electronic structures and transport properties of a MoS-NbS nanoribbon lateral heterostructure. 2017 , 19, 1303-1310	26
454	Computational search for two-dimensional intrinsic half-metals in transition-metal dinitrides. 2017 , 5, 727-732	38
453	Spin Caloritronic Transport of (21) Reconstructed Zigzag MoS 2 Nanoribbons. 2017, 34, 107301	5
452	Effects of structural imperfection on the electronic properties of graphene/WSe2 heterostructures. 2017 , 5, 10383-10390	105
451	VS2/Graphene Heterostructures as Promising Anode Material for Li-Ion Batteries. 2017 , 121, 24179-24184	52
450	Electric field effect on the magnetic properties of zigzag MoS nanoribbons with different edge passivation. 2017 , 19, 30814-30821	3
449	Charge injection driven switching between ferromagnetism and antiferromagnetism in transitional metal-doped MoS2 materials. 2017 , 50, 465006	4
448	Inducing High Coercivity in MoS2 Nanosheets by Transition Element Doping. 2017, 29, 9066-9074	50
447	Half-Metallicity in Co-Doped WSe Nanoribbons. 2017 , 9, 38796-38801	12
446	Band structures of one-dimensional buckled Arsenene nanoribbons: Strain and quantum size modulations. 2017 , 31, 1750341	7
445	Orientation dependent interlayer stacking structure in bilayer MoS domains. 2017 , 9, 13060-13068	14
444	Intrinsic Ferromagnetism in Mn-Substituted MoS Nanosheets Achieved by Supercritical Hydrothermal Reaction. 2017 , 13, 1701389	35
443	Spin-dependent transport properties of zigzag phosphorene nanoribbons with oxygen-saturated edges. 2017 , 19, 25319-25323	16
442	Edge-controlled half-metallic ferromagnetism and direct-gap semiconductivity in ZrS2 nanoribbons. 2017 , 7, 33408-33412	6
441	Direct observation of multiple rotational stacking faults coexisting in freestanding bilayer MoS. 2017 , 7, 8323	11
440	Single-band negative differential resistance in metallic armchair MoS2nanoribbons. 2017, 50, 465302	6
439	Optical identification using imperfections in 2D materials. 2017 , 4, 045021	16

438	Density functional theory (DFT) study of O3 molecules adsorbed on nitrogen-doped TiO2/MoS2 nanocomposites: applications to gas sensor devices. 2017 , 14, 2615-2626	1
437	Arsenene/Ca(OH)2 van der Waals heterostructure: strain tunable electronic and photocatalytic properties. 2017 , 7, 44394-44400	31
436	Deposition of porous few-layer WSe2 flakes with high density of exposed edge sites. 2017 , 145, 4-10	5
435	Nanodots of transition metal dichalcogenides embedded in MoS and MoSe: first-principles calculations. 2017 , 19, 26240-26247	
434	Infinitesimal base transformations method for calculating the k.p Hamiltonian of monolayer MoS2. 2017 , 110, 180-190	4
433	Probing the crystallographic orientation of two-dimensional atomic crystals with supramolecular self-assembly. 2017 , 8, 377	25
432	Associated Lattice and Electronic Structural Evolutions in Compressed Multilayer ReS. 2017, 8, 3648-3655	8
431	Adjustable ferromagnetic behavior in iron-doped two-dimensional MoS2 multilayer nanosheets. 2017 , 10, 093002	14
430	The Structure, Electronic, Magnetic and Optical Properties of the Mn-X (X = B, C, N and O) Co-Doped Monolayer WS2. 2017 , 46, 6544-6552	4
429	Transition-metal doping induces the transition of electronic and magnetic properties in armchair MoS nanoribbons. 2017 , 19, 24594-24604	21
428	Strain Effects on the Interaction Between NO2 and the Mo-Edge of the MoS2 Zigzag Nanoribbon. 2017 , 16, 982-990	3
427	Atomically Flat Zigzag Edges in Monolayer MoS by Thermal Annealing. 2017 , 17, 5502-5507	58
426	Towards well-defined MoS nanoribbons on a large scale. 2017 , 53, 9757-9760	11
425	Surface magnetism of gallium arsenide nanofilms. 2017 , 96,	
424	Tunable electronic and magnetic properties of arsenene nanoribbons. 2017 , 7, 51935-51943	8
423	Magnetic properties of a Na-doped WS2 monolayer in the presence of an isotropic strain. 2017 , 106, 672-676	4
422	Two-Dimensional CoS monolayer with robust ferromagnetism. 2017 , 7, 15993	19
421	Twisted MX/MoS heterobilayers: effect of van der Waals interaction on the electronic structure. 2017 , 9, 19131-19138	34

(2017-2017)

420	Nanoribbon edges of transition-metal dichalcogenides: Stability and electronic properties. 2017 , 96,	15
419	Facile synthesis SnO2 nanoparticle-modified Ti3C2 MXene nanocomposites for enhanced lithium storage application. 2017 , 52, 3556-3565	59
418	Strain effect on SnS2 nanoribbons: Robust direct bandgap of zigzag-edge and sensitive indirect semiconductor with armchair-edge states. 2017 , 111, 480-486	4
417	Computational design of a robust two-dimensional antiferromagnetic semiconductor. 2017 , 96,	13
416	Strain engineering of electronic and magnetic properties of Ga 2 S 2 nanoribbons. 2017 , 26, 057102	О
415	Functionalization of MoS2 with 1,2-dithiolanes: toward donor-acceptor nanohybrids for energy conversion. 2017 , 1,	65
414	Tunable electronic and magnetic properties from structure phase transition of layered vanadium diselenide. 2017 , 32, 574-578	6
413	Prediction of a highly sensitive molecule sensor for SOx detection based on TiO2/MoS2 nanocomposites: a DFT study. 2017 , 38, 52-68	29
412	Effect of edge structure on the activity for hydrogen evolution reaction in MoS2 nanoribbons. 2017 , 396, 138-143	19
411	A theoretical study of the electrical contact between metallic and semiconducting phases in monolayer MoS 2. 2017 , 4, 015014	13
410	The Effect of Dilute Charged Impurity on the Electronic Heat Capacity and Magnetic Susceptibility of Ferromagnetic MoS2. 2017 , 30, 943-949	2
409	Recent Advances in the Study of Phosphorene and its Nanostructures. 2017 , 42, 1-82	113
408	Edge passivation induced single-edge ferromagnetism of zigzag MoS2 nanoribbons. 2017 , 381, 301-306	12
407	First-principles study of stability, electronic structure and magnetic properties of Be 2 C nanoribbons. 2017 , 394, 315-322	1
406	Controllable Synthesis of 2D and 1D MoS2 Nanostructures on Au Surface. 2017 , 27, 1603887	12
405	Edge-spin-derived magnetism in few-layer MoS2 nanomeshes. 2017 , 7, 125019	9
404	Edge states and spin-valley edge photocurrent in transition metal dichalcogenide monolayers. 2017 , 96,	4
403	Anion vacancy-mediated ferromagnetism in atomic-thick Ni3N nanosheets. 2017 , 111, 232402	8

402	Robust ferromagnetism and half-metallicity in fluorinated two-dimensional BeN2 sheets. 2017 , 111, 253102	7
401	Tunable SnO2 Nanoribbon by Electric Fields and Hydrogen Passivation. 2017 , 2017, 1-12	
400	Modulation of electronic and magnetic properties in InSe nanoribbons: edge effect. 2018, 29, 205708	12
399	In vitro cytotoxicity of covalently protected layered molybdenum disulfide. 2018 , 11, 200-206	15
398	Annealing effect on the ferromagnetism of MoS2 nanoparticles. 2018, 746, 399-404	17
397	Engineering the Electronic Structure of Tin Sulfide Nanoribbons: A Computational Study. 2018 , 122, 5731-57-	4115
396	Type-I Transition Metal Dichalcogenides Lateral Homojunctions: Layer Thickness and External Electric Field Effects. 2018 , 14, e1800365	30
395	Spin Transport in Electric-Barrier-Modulated Ferromagnetic/Normal/Ferromagnetic Monolayer Zigzag MoS2 Nanoribbon Junction. 2018 , 08, 1840006	
394	MoS Quantum Dots@TiO Nanotube Arrays: An Extended-Spectrum-Driven Photocatalyst for Solar Hydrogen Evolution. 2018 , 11, 1708-1721	65
393	Room temperature ferromagnetism and its origin for amorphous MoSe2 nanoflowers. 2018 , 112, 122407	7
392	Band-edges and band-gap in few-layered transition metal dichalcogenides. 2018 , 51, 215102	6
391	Hysteresis features of the transition-metal dichalcogenides VX2(X = S, Se, and Te). 2018 , 5, 046108	15
390	Tunable magnetic coupling in Mn-doped monolayer MoS under lattice strain. 2018, 30, 215801	5
389	Interconnected molybdenum disulfide@tin disulfide heterojunctions with different morphologies: a type of enhanced counter electrode for dye-sensitized solar cells. 2018 , 20, 1252-1263	13
388	Band gap tuning of hydrogen- and oxygen-passivated zigzag graphene monoxide nanoribbon: ab initio computations. 2018 , 124, 1	1
387	A novel class of one-dimensional TaTMTe (TM = Cr, Fe, Co and Ni) compounds with strain-switched magnetic states. 2018 , 20, 6990-6995	3
386	Electronic and magnetic properties of MoSe2 armchair nanoribbons controlled by the different edge structures. 2018 , 115, 30-39	7
385	Adsorption of phenol and hydrazine upon pristine and X-decorated (X = Sc, Ti, Cr and Mn) MoS2 monolayer. 2018 , 439, 350-363	20

Controlling Magnetism of F-Adsorbed BN Nanosheets by Applying Isotropic Strain. 2018, 31, 2589-2594 384 Long range of indirect exchange interaction on the edges of MoS flakes. 2018, 30, 045801 383 7 Tuning the Electronic and Optical Properties of Two-Dimensional Graphene-like (hbox {C} 2hbox 382 11 {N}) Nanosheet by Strain Engineering. 2018, 47, 4594-4603 Electronic Structure and I-V Characteristics of InSe Nanoribbons. 2018, 13, 107 381 11 The structures and electronic properties of zigzag silicene nanoribbons with periodically embedded 380 1 with four- and eight-membered rings. 2018, 119, 81-93 Adsorption of radionuclides on the monolayer MoS2. 2018, 5, 045506 379 7 A Numerical Analysis of Electronic and Optical Properties of the Zigzag MoS2 Nanoribbon Under 378 7 Uniaxial Strain. 2018, 65, 1988-1994 Emerging chemical strategies for imprinting magnetism in graphene and related 2D materials for 100 377 spintronic and biomedical applications. **2018**, 47, 3899-3990 Band engineering in twisted molybdenum disulfide bilayers. 2018, 51, 185101 376 11 Structural and electronic properties of PdS2 nanoribbons. 2018, 458, 310-316 375 7 Electronic structures and enhanced photocatalytic properties of blue phosphorene/BSe van der 139 374 Waals heterostructures. 2018, 6, 8923-8929 Density functional theory calculations for armchair stanene nanoribbons with fluorine and sulfur 6 373 functionalization. 2018, 101, 71-77 Tuning magnetism by strain and external electric field in zigzag Janus MoSSe nanoribbons. 2018, 372 34 146, 240-247 Band shift of 2D transition-metal dichalcogenide alloys: size and composition effects. 2018, 124, 1 6 371 ADSORPTION OF THIOPHENE ON N-DOPED TiO2/MoS2 NANOCOMPOSITES INVESTIGATED BY 1 370 VAN DER WAALS CORRECTED DENSITY FUNCTIONAL THEORY. 2018, 25, 1850038 Spin-filtering, negative differential resistance, and giant magnetoresistance in (2 11) reconstructed 369 zigzag MoS 2 nanoribbons. 2018, 528, 9-13 Tunable photoluminescence of MoS quantum dots passivated by different functional groups. 2018, 368 20 511, 209-214 Tuning the Electronic Properties, Effective Mass and Carrier Mobility of MoS2 Monolayer by Strain 367 42 Engineering: First-Principle Calculations. 2018, 47, 730-736

366	Strain-Dependent Electronic and Magnetic of Mg-Doped Monolayer of WS2. 2018 , 31, 1637-1642	2
365	Magnetic properties of Co doped WSe2 by implantation. 2018 , 731, 25-31	26
364	Asymmetric hydrogenation-induced ferromagnetism in stanene nanoribbons considering electric field and strain effects. 2018 , 53, 657-666	2
363	Exploration of channel width scaling and edge states in transition metal dichalcogenides. 2018, 11, 1768-177	4 8
362	Carbon-Sheathed MoS2 Nanothorns Epitaxially Grown on CNTs: Electrochemical Application for Highly Stable and Ultrafast Lithium Storage. 2018 , 8, 1700174	118
361	Strain-modulated magnetic behavior in Li-doped WS2 monolayer. 2018 , 157, 827-832	2
360	Asymmetric Andreev resonant state with a magnetic exchange field in spin-triplet superconducting monolayer MoS 2. 2018 , 97, 69-74	1
359	Effect of Strain on Magnetic Coupling in Ga-Doped WS2 Monolayer: Ab Initio Study. 2018 , 31, 1801-1805	3
358	Catalytic activity for the hydrogen evolution reaction of edges in Janus monolayer MoXY ($X/Y = S$, Se, and Te). 2018 , 20, 29423-29429	15
357	Anomalous oxidation and its effect on electrical transport originating from surface chemical instability in large-area, few-layer 1T@MoTe films. 2018 , 10, 19906-19915	24
356	Bilayer MoS2 quantum dots with tunable magnetism and spin. 2018 , 8, 115103	2
355	Ferromagnetism of 1TOMoS Nanoribbons Stabilized by Edge Reconstruction and Its Periodic Variation on Nanoribbons Width. <i>Journal of the American Chemical Society</i> , 2018 , 140, 16206-16212	24
354	Termination-dependent edge states of MBE-grown WSe2. 2018 , 98,	10
353	Electronic and magnetic properties of Al-doped WS2 monolayer under strain. 2018, 531, 114-121	3
352	Magnetism in semiconducting molybdenum dichalcogenides. 2018 , 4, eaat3672	56
351	Strain-Tunable Electronic Properties and Band Alignments in GaTe/CN Heterostructure: a First-Principles Calculation. 2018 , 13, 300	25
350	Effects of Multiple Stacking Faults on the Electronic and Optical Properties of Armchair MoS(_{2}) Nanoribbons: First-Principles Calculations. 2018 , 47, 7114-7128	
349	Optoelectronics with single layer group-VIB transition metal dichalcogenides. 2018 , 7, 1589-1600	11

348	Engineering the band gap of armchair MoSe2 nanoribbon with edge passivation. 2018, 124, 62-71	2
347	Triggering basal plane active sites of monolayer MoS2 for the hydrogen evolution reaction by phosphorus doping. 2018 , 20, 1	5
346	Magnetic and electrocatalytic properties of transition metal doped MoS2 nanocrystals. 2018, 124, 153903	26
345	Strain-Induced Band Structure Modulation in Hexagonal Boron Phosphide/Blue Phosphorene vdW Heterostructure. 2018 , 122, 26120-26129	16
344	PCl: A Unique Post-Phosphorene 2D Material with Superior Properties against Oxidation. 2018 , 9, 6568-6575	12
343	Spontaneous doping of the basal plane of MoS single layers through oxygen substitution under ambient conditions. 2018 , 10, 1246-1251	173
342	Armchair MoS nanoribbons turned into half metals through deposition of transition-metal and Si atomic chains. 2018 , 8, 13307	4
341	Edge decoration of MoS2 monolayer with ferromagnetic CoFe nanoparticles. 2018 , 5, 115010	1
340	Construction of bilayer PdSe2 on epitaxial graphene. 2018 , 11, 5858-5865	62
339	Spin-dependent electronic transport of a lengthy ladder-like magnetic nanoribbon. 2018 , 465, 270-277	6
338	In-situ fabrication of Mo6S6-nanowire-terminated edges in monolayer molybdenum disulfide. 2018 , 11, 5849-5857	20
337	Homogeneous surface oxidation and triangle patterning of monolayer MoS2 by hydrogen peroxide. 2018 , 452, 451-456	13
336	Robust ferromagnetism in zigzag-edge rich MoS pyramids. 2018 , 10, 11578-11584	15
335	In situ edge engineering in two-dimensional transition metal dichalcogenides. 2018 , 9, 2051	60
334	Ab initio study of adsorption behaviors of molecular adsorbates on the surface and at the edge of MoS2. 2018 , 18, 1013-1019	12
333	Monolayer AsTe: Stable Robust Metal in 2D, 1D and 0D. 2018 , 19, 2176-2182	2
332	Electronic Properties of Armchair (hbox {MoS}_{2}) Nanoribbons with Stacking Faults: First-Principles Calculations. 2018 , 47, 5498-5508	6
331	Distorted Janus Transition Metal Dichalcogenides: Stable Two-Dimensional Materials with Sizable Band Gap and Ultrahigh Carrier Mobility. 2018 , 122, 19153-19160	32

330	Hybridization induced metallic and magnetic edge states in noble transition-metal-dichalcogenides of PtX (X = S, Se) nanoribbons. 2018 , 20, 21441-21446	9
329	Tunable direct-indirect band gaps of ZrSe2 nanoribbons. 2018 , 124, 034304	3
328	Electronic properties of GaSe/MoS2 and GaS/MoSe2 heterojunctions from first principles calculations. 2018 , 8, 075207	10
327	Properties, Preparation and Applications of Low Dimensional Transition Metal Dichalcogenides. 2018 , 8,	26
326	Exploring the electron density localization in MoS nanoparticles using a localized-electron detector: Unraveling the origin of the one-dimensional metallic sites on MoS catalysts. 2018 , 20, 20417-20426	3
325	Tunable electronic structures and magnetic properties of zigzag C3N nanoribbons. 2018 , 51, 345301	5
324	A theoretical study on the structures and electronic and magnetic properties of new boron nitride composite nanosystems by depositing superhalogen Al on the surface of nanosheets/nanoribbons. 2018 , 20, 15424-15433	2
323	Mo0.25Co1.257W0.25S3 hybridized with graphene oxide as a nanocatalyst based on transition metal dichalcogenides for methanol electro-oxidation. 2018 , 708, 146-152	1
322	Nitrogen-doping induces tunable magnetism in ReS2. 2018 , 2,	16
321	Modulating capacitive response of MoS flake by controlled nanostructuring through focused laser irradiation. 2018 , 29, 345302	3
320	Single-Crystalline Nanobelts Composed of Transition Metal Ditellurides. 2018, 30, e1707260	15
319	Semiconducting edges and flake-shape evolution of monolayer GaSe: role of edge reconstructions. 2018 , 10, 12133-12140	7
318	Flexible modulation of electronic and magnetic properties of zigzag H-MoS nanoribbons by crack defects. 2018 , 30, 285302	3
317	Comparative study of polytype 2H-MoS2 and 3R-MoS2 systems by employing DFT. 2019 , 106, 338-345	12
316	Synergetic Effect of Substitutional Dopants and Sulfur Vacancy in Modulating the Ferromagnetism of MoS Nanosheets. 2019 , 11, 31155-31161	5
315	Properties of Transition Metal Dichalcogenides. 2019 , 69-106	1
314	Effective indirect exchange interaction in p-doped MoS2 nanoribbons in the presence of intrinsic spin-orbit interaction. 2019 , 100,	2
313	Modulation of magnetic and electrical properties of bilayer graphene quantum dots using rotational stacking faults. 2019 , 28, 078106	1

312	Edge-modulated dual spin-filter effect in zigzag-shaped buckling AgS nanoribbons. 2019, 21, 15623-15629	2
311	Structural and electronic properties of transition-metal chalcogenides Mo 5 S 4 nanowires. 2019 , 28, 106103	1
310	Tuning electronic and magnetic properties of armchair InSe nanoribbons by hydrogenation. 2019 , 135, 106282	1
309	Mechanochromic Reconfigurable Metasurfaces. 2019 , 6, 1900974	14
308	A large enhancement of magnetism in zigzag Janus MoSSe nanoribbons: First-principles calculations. 2019 , 127, 46003	3
307	Metallic edge states in zig-zag vertically-oriented MoS nanowalls. 2019 , 9, 15602	6
306	Enhanced stability and stacking dependent magnetic/electronic properties of 2D monolayer FeTiO3 on a Ti2CO2 substrate. 2019 , 7, 15308-15314	2
305	Van der Waals magnets: Wonder building blocks for two-dimensional spintronics?. 2019 , 1, 479-495	54
304	Half-metallicity modulation of zigzag BC2N nanoribbons by transverse electric fields: A first principles study. 2019 , 383, 125984	1
303	Exploring the possibility of the zigzag WS2 nanoribbons as anode materials for sodium-ion batteries. 2019 , 125, 1	8
302	First-Principles Study on Transition-Metal Dichalcogenide/BSe van der Waals Heterostructures: A Promising Water-Splitting Photocatalyst. 2019 , 123, 22742-22751	73
301	Atomistic Study of Transport Characteristics in Sub-1nm Ultra-narrow Molybdenum Disulfide (MoS2) Nanoribbon Field Effect Transistors. 2019 ,	
300	Edge phonons in layered orthorhombic GeS and GeSe monochalcogenides. 2019, 100,	10
299	Electronic structures and magnetic properties of S vacancy and Mn doped monolayer MoS2: A first-principle study. 2019 , 301, 113702	7
298	First-principles study of ultrathin molybdenum sulfides nanowires: Electronic and catalytic hydrogen evolution properties. 2019 , 32, 267-272	2
297	Origin of high hydrogen evolution activity on InSe nanoribbons: A first-principles study. 2019 , 44, 24174-2418	335
296	Etching of transition metal dichalcogenide monolayers into nanoribbon arrays. 2019 , 4, 689-696	7
295	In situ high temperature atomic level dynamics of large inversion domain formations in monolayer MoS. 2019 , 11, 1901-1913	14

294	Atomic-Scale Structural Modification of 2D Materials. 2019 , 6, 1801501	21
293	Ion-Intercalation Assisted Solvothermal Synthesis and Optical Characterization of MoS2 Quantum Dots. 2019 , 74, 191-195	2
292	Extrinsic and Dynamic Edge States of Two-Dimensional Lead Halide Perovskites. 2019 , 13, 1635-1644	62
291	Transition-metal dichalcogenides/Mg(OH) van der Waals heterostructures as promising water-splitting photocatalysts: a first-principles study. 2019 , 21, 1791-1796	84
290	End-Bonded Metal Contacts on WSe Field-Effect Transistors. 2019 , 13, 8146-8154	30
289	Strain effects on magnetic states of monolayer MoS2 doped with group IIIA to VA atoms. 2019 , 114, 113609	5
288	Energetics and electronic structures of MoS2 nanoribbons. 2019 , 58, 075002	1
287	Mn2C Monolayer: Hydrogenation/Oxygenation-Induced Strong Ferromagnetism and Potential Applications. 2019 , 123, 16388-16392	8
286	Electronic Doping Controlled Migration of Dislocations in Polycrystalline 2D WS. 2019 , 15, e1805145	1
285	O-Vacancy-line defective Ti2CO2 nanoribbons: novel magnetism, tunable carrier mobility, and magnetic device behaviors. 2019 , 7, 7745-7759	44
284	Robust CB bond integrated graphdiyne-MoS2 nanohybrids for enhanced lithium storage capability. 2019 , 373, 660-667	35
283	Chemical and structural stability of 2D layered materials. 2019 , 6, 042001	43
282	High-Performance Monolayer MoS2 Films at the Wafer Scale by Two-Step Growth. 2019 , 29, 1901070	24
281	Electronic structures and magnetic properties of CrSiTe3 single-layer nanoribbons. 2019 , 383, 2346-2351	4
280	Nanocellulose-derived carbon nanosphere fibers-based nanohybrid aerogel for high-performance all-solid-state flexible supercapacitors. 2019 , 30, 8585-8594	8
279	Tuning the Magnetic and Electronic Properties of Janus MoSSe Nanoribbon by Edge Modification: A First-Principles Study. 2019 , 256, 1900106	6
278	Doping MoS2 monolayer with nonmetal atoms to tune its electronic and magnetic properties, and chemical activity: a computational study. 2019 , 43, 5766-5772	7
277	An MoS2-Based Piezoelectric FET: A Computational Study of Material Properties and Device Design. 2019 , 66, 1997-2003	4

276	Van der Waals heterostructures of P, BSe, and SiC monolayers. 2019 , 125, 094301	45
275	Structural, electronic and transport properties of an edge terminated armchair MoS2 nanoribbon with N, O and F atoms. 2019 , 9, 035144	3
274	Robust one dimensionality at twin grain boundaries in MoSe2. 2019 , 99,	2
273	Engineering the electronic structure and optical properties of monolayer 1T-HfX2 using strain and electric field: A first principles study. 2019 , 112, 49-58	6
272	First-Principles study on electronic structure and optical properties of monolayer Mo1-xMx(M = W or Cr)S2. 2019 , 295, 22-25	O
271	Recent Progress on Irradiation-Induced Defect Engineering of Two-Dimensional 2H-MoS2 Few Layers. 2019 , 9, 678	21
270	Recent Developments in Controlled Vapor-Phase Growth of 2D Group 6 Transition Metal Dichalcogenides. 2019 , 31, e1804939	64
269	The effect of structural defects on the electron transport of MoS2 nanoribbons based on density functional theory. 2019 , 13, 55-62	1
268	A synoptic review of MoS2: Synthesis to applications. 2019 , 128, 274-297	120
267	High-Performance, Flexible, Inkjet Printed Heterostructure Photodetector for Biosensing Applications. 2019 , 4, 621-627	1
266	Deriving MoS nanoribbons from their flakes by chemical vapor deposition. 2019 , 30, 255602	14
265	Impact of Zig-Zag Layer on MoS2 based Nanoribbon Gate-all-Around Field Effect Transistor. 2019 ,	
264	Magnetic Behavior in TiS Nanoribbon. 2019 , 12,	1
263	Predictive design of intrinsic half-metallicity in zigzag tungsten dichalcogenide nanoribbons. 2019 , 100,	3
262	Crystallographic Characterization of Black Phosphorene and its Application in Nanostructures. 2019 , 12,	15
261	Probing the edge-related properties of atomically thin MoS at nanoscale. 2019 , 10, 5544	52
260	Chemisorption of metallic radionuclides on a monolayer MoS2 nanosheet. 2019 , 1, 114-121	6
259	Controlled growth of atomically thin MoSe 2 films and nanoribbons by chemical vapor deposition. 2019 , 6, 025002	33

258	Lateral interfaces of transition metal dichalcogenides: A stable tunable one-dimensional physics platform. 2019 , 99,	13
257	First-principle studies on electron transport properties in four-terminal MoS2 nanoribbons. 2019 , 554, 90-96	2
256	Width-dependent phase crossover in transition metal dichalcogenide nanoribbons. 2019, 30, 075701	4
255	Modulation of electronic properties and Schottky barrier in the graphene/GaS heterostructure by electric gating. 2019 , 555, 69-73	O
254	Electronic structure and magnetic behaviors of exfoliated MoS nanosheets. 2019, 31, 135501	7
253	Uniform MoS2 nanolayer with sulfur vacancy on carbon nanotube networks as binder-free electrodes for asymmetrical supercapacitor. 2019 , 475, 793-802	48
252	Recent Insights in Transition Metal Sulfide Hydrodesulfurization Catalysts for the Production of Ultra Low Sulfur Diesel: A Short Review. 2019 , 9, 87	44
251	Modulating electronic and magnetic properties of zigzag MoSe2 nanoribbons with different edge structures. 2019 , 109, 93-100	7
250	Graphene/carbon nanotubes-supported Ziegler-Natta catalysts for in situ synthesis of mechanically strong, thermally and electrically conductive trans-polyisoprene nanocomposite. 2019 , 26, 1	4
249	Microscopic observation of catalytically etched channels and pits in MoS2 flakes. 2019 , 467-468, 1053-1058	1
248	Stable monolayer of the RuO2 structure by the Peierls distortion. 2019 , 99, 376-385	9
247	First-principles calculations of magnetic edge states in zigzag CrI3 nanoribbons. 2019 , 383, 754-758	5
246	Width dependent structural and electrical properties of zigzag ZnTe nanoribbons. 2019, 383, 748-753	4
245	Rectification effects of C3N nanoribbons-based Schottky junctions. 2019 , 141, 363-369	7
244	Computational Prediction of the Low-Temperature Ferromagnetic Semiconducting 2D SiN Monolayer. 2020 , 257, 1900619	8
243	The spin-transport properties of single edge oxidized zigzag MoS2 nanoribbon. 2020 , 116, 113783	4
242	Decipher of the structure and surface chemistry in molybdenum phosphosulfide on electrochemical catalytic hydrogen evolution reaction. 2020 , 382, 228-236	8
241	Electronic and magnetic properties of the Janus MoSSe/WSSe superlattice nanoribbon: a first-principles study. 2020 , 22, 2498-2508	5

(2020-2020)

240	Charge Transport Calculation along Two-Dimensional Metal/Semiconductor/Metal Systems. 2020 , 60, 888-896	1
239	Ferromagnetic properties of MoS2 film doped by Fe using chemical vapour deposition. 2020 , 306, 113776	2
238	Mo2CMoS2 embedded reduced graphene oxide nanohybrid: Epitaxial synthesis of Mo2C to augment the lithium storage properties of MoS2. 2020 , 158, 756-765	5
237	Web buckle-mediated room-temperature ferromagnetism in strained MoS2 thin films. 2020 , 116, 012401	4
236	Stacking-Dependent Interlayer Magnetic Coupling in 2D CrI3/CrGeTe3 Nanostructures for Spintronics. 2020 , 3, 1282-1288	27
235	Magnetic MoS: a promising microwave absorption material with both dielectric loss and magnetic loss properties. 2020 , 31, 135602	9
234	Effect on electronic and magnetic properties of different Re doping sites on hydrogenated armchair MoSe2 nanoribbon. 2020 , 118, 113872	5
233	Atomic structure of defects in transitional metal dichalcogenides using transmission electron microscopy. 2020 , 167-197	2
232	Valley pumping via edge states and the nonlocal valley Hall effect in two-dimensional semiconductors. 2020 , 102,	О
231	Engineering 2D Materials: A Viable Pathway for Improved Electrochemical Energy Storage. 2020 , 10, 2002621	22
230	One-dimensional electronic instabilities at the edges of MoS2. 2020 , 102,	5
229	Excitons in bent black phosphorus nanoribbons: multiple excitonic funnels. 2020 , 7, 100096	2
228	Theoretical study of the adsorption behaviors of gas molecules on the Au-functionalized MoS2 nanosheets: A search for highly efficient gas sensors. 2020 , 1188, 112935	5
227	Large-Area Pulsed Laser Deposited Molybdenum Diselenide Heterojunction Photodiodes. 2020 , 12, 51645-5	16 <u>5</u> 3
226	Pristine edge structures of T@phase transition metal dichalcogenides (ReSe, ReS) atomic layers. 2020 , 12, 17005-17012	6
225	The interaction of gas molecules with aluminum/silicone doped SnS2 nanosheets: A density functional theory investigation. 2020 , 1188, 112946	3
224	First principles study of structural, optoelectronic and photocatalytic properties of SnS, SnSe monolayers and their van der Waals heterostructure. 2020 , 539, 110939	9
223	Two-dimensional BP/FAsP van der Waals heterostructures as promising photocatalyst for water splitting. 2020 , 117, 063901	23

222	SQUID pattern disruption in transition metal dichalcogenide Josephson junctions due to nonparabolic dispersion of the edge states. 2020 , 102,	О
221	Nanogap-based all-electronic DNA sequencing devices using MoS monolayers. 2020 , 22, 27053-27059	1
220	Structural, electronic, and transport properties of Co-, Cr-, and Fe-doped functionalized armchair MoS2 nanoribbons. 2020 , 10, 095029	O
219	Stability and electronic properties of edges of SnS2. 2020 , 102,	2
218	Pressure induced lattice expansion and phonon softening in layered ReS2. 2020 , 128, 085904	4
217	Optoelectronic and photocatalytic applications of hBP-XMY (M = Mo, W; (X \square Y) = S, Se, Te) van der Waals heterostructures. 2020 , 22, 23028-23037	3
216	Progress and Prospects in Transition-Metal Dichalcogenide Research Beyond 2D. 2020 , 120, 12563-12591	50
215	Band engineering of borophene superlattice based on zigzag nanoribbons: A DFT study. 2020 , 34, 2050359	О
214	Transition metal dichalcogenide metamaterials with atomic precision. 2020 , 11, 4604	29
213	Ferromagnetism in Molybdenum Disulfide Thin Films Annealed in Magnetic Fields. 2020 , 11, 1-5	
212	A boron-exposed TiB monolayer with a lower electrostatic-potential surface as a higher-performance anode material for Li-ion and Na-ion batteries. 2020 , 22, 22236-22243	5
211	Bioelectronics-Related 2D Materials Beyond Graphene: Fundamentals, Properties, and Applications. 2020 , 30, 2003732	14
210	Tunable Electronic Properties and Potential Applications of BSe/XS2 (X=Mo, W) van der Waals Heterostructures. 2020 , 3, 2000144	1
209	One-Dimensional Magnetic Order Stabilized in Edge-Reconstructed MoS Nanoribbon via Bias Voltage. 2020 , 11, 7531-7535	6
208	The structure, and electronic and magnetic properties of MX (M=GA, IN; X=S, SE, TE) nanoribbons. 2020 , 34, 2050168	0
207	Atomic-Scale Edge Morphology, Stability, and Oxidation of Single-Layer 2H-TaS. 2020 , 85, 2557-2564	1
206	Colossal Magnetization and Giant Coercivity in Ion-Implanted (Nb and Co) MoS Crystals. 2020 , 12, 58140-5814	1 8 8
205	Mechanisms and Applications of Steady-State Photoluminescence Spectroscopy in Two-Dimensional Transition-Metal Dichalcogenides. 2020 , 14, 14579-14604	20

204	Orientation and edge passivation modulated magnetism in phosphorene nanoribbons. 2020, 130, 17002	1
203	Molecular dynamics study of the frictional properties of multilayer MoS 2020 , 10, 17418-17426	8
202	2D Tungsten Chalcogenides: Synthesis, Properties and Applications. 2020 , 7, 2000002	17
201	Unveiling the Nucleation Dynamics and Growth Mechanism of Layered MoS2 from Crystalline K2MoS4 by in Situ Transmission Electron Microscopy. 2020 , 20, 4069-4076	4
200	Stable edge structures and electronic states in zigzag 1T@dichalcogenide nanoribbons. 2020, 32, 365303	
199	Intrinsic ferromagnetic semiconductivity realized in a new MoS monolayer. 2020 , 22, 13363-13367	1
198	Efficient growth and characterization of one-dimensional transition metal tellurides inside carbon nanotubes. 2020 , 12, 17185-17190	9
197	Exploring the electronic and magnetic properties of noble metal (Pd, Pt, Au) adsorbed MoSe2 monolayers and their performance towards sensing gas molecules. 2020 , 122, 114167	8
196	Tuning the Electronic Properties of 2D Materials by Size Control, Strain Engineering, and Electric Field Modulation. 2020 , 35-53	2
195	Recent breakthroughs in two-dimensional van der Waals magnetic materials and emerging applications. 2020 , 34, 100902	16
195 194		16
	applications. 2020 , 34, 100902 Aptasensor Based on MoS2 Quantum Dots with Upconversion Fluorescence for Microcystin-LR	
194	applications. 2020, 34, 100902 Aptasensor Based on MoS2 Quantum Dots with Upconversion Fluorescence for Microcystin-LR Detection via the Inner Filter Effect. 2020, Effect of S vacancy or non-metallic atom (C, N and F) doping on the adsorption behaviors of	4
194	Aptasensor Based on MoS2 Quantum Dots with Upconversion Fluorescence for Microcystin-LR Detection via the Inner Filter Effect. 2020, Effect of S vacancy or non-metallic atom (C, N and F) doping on the adsorption behaviors of molecules (H2S, BF4) on monolayer MoS2. 2020, 124, 114292	1
194 193 192	Aptasensor Based on MoS2 Quantum Dots with Upconversion Fluorescence for Microcystin-LR Detection via the Inner Filter Effect. 2020, Effect of S vacancy or non-metallic atom (C, N and F) doping on the adsorption behaviors of molecules (H2S, BF4) on monolayer MoS2. 2020, 124, 114292 Two-dimensional O-phase group III monochalcogenides for photocatalytic water splitting. 2020, 32, 065501	4 1 2
194 193 192	Aptasensor Based on MoS2 Quantum Dots with Upconversion Fluorescence for Microcystin-LR Detection via the Inner Filter Effect. 2020, Effect of S vacancy or non-metallic atom (C, N and F) doping on the adsorption behaviors of molecules (H2S, BF4) on monolayer MoS2. 2020, 124, 114292 Two-dimensional O-phase group III monochalcogenides for photocatalytic water splitting. 2020, 32, 065501 Multi-band Tight-Binding Model of MoS2 Monolayer. 2020, 49, 3599-3608	4 1 2 7
194 193 192 191	Aptasensor Based on MoS2 Quantum Dots with Upconversion Fluorescence for Microcystin-LR Detection via the Inner Filter Effect. 2020, Effect of S vacancy or non-metallic atom (C, N and F) doping on the adsorption behaviors of molecules (H2S, BF4) on monolayer MoS2. 2020, 124, 114292 Two-dimensional O-phase group III monochalcogenides for photocatalytic water splitting. 2020, 32, 065501 Multi-band Tight-Binding Model of MoS2 Monolayer. 2020, 49, 3599-3608 Effect of Nitrogen doping on the electronic transport of zigzag MoS2 nanoribbons. 2020, 120, 114039 A DFT screening of single transition atoms supported on MoS as highly efficient electrocatalysts for	4 1 2 7

186	Ferromagnetic behaviors in monolayer MoS2 introduced by nitrogen-doping. 2020 , 116, 073102		11
185	Space-confined and substrate-directed synthesis of transition-metal dichalcogenide nanostructures with tunable dimensionality. 2020 , 65, 1013-1021		14
184	Analytical study of the electronic and optical properties of the armchair MoS2 nanoribbons. 2020 , 594, 412337		2
183	Two-Dimensional Layered Materials: High-Efficient Electrocatalysts for Hydrogen Evolution Reaction. 2020 , 3, 6270-6296		27
182	Unconventional Magnetism in Layered Transition Metal Dichalcogenides. 2020 , 5, 42		1
181	Catalyzed Kinetic Growth in Two-Dimensional MoS. <i>Journal of the American Chemical Society</i> , 2020 , 142, 13130-13135	16.4	18
180	Electronic structure, optoelectronic properties and enhanced photocatalytic response of GaN-GeC van der Waals heterostructures: a first principles study 2020 , 10, 24127-24133		11
179	Electronic and optoelectronic properties of van der Waals heterostructure based on graphene-like GaN, blue phosphorene, SiC, and ZnO: A first principles study. 2020 , 127, 245302		7
178	Realistic Modeling of MoSIPiezoelectric Transistor. 2020 , 67, 3459-3465		1
177	Analysis of Hall mobility in two-dimensional disordered systems. 2020 , 35, 095015		
176	Growth and properties of magnetic two-dimensional transition-metal chalcogenides. 2020 , 227-251		2
175	Atomic structure and defect dynamics of monolayer lead iodide nanodisks with epitaxial alignment on graphene. 2020 , 11, 823		20
174	Multiple Regulation over Growth Direction, Band Structure, and Dimension of Monolayer WS2 by a Quartz Substrate. 2020 , 32, 2508-2517		14
173	Valley polarized current and resonant electronic transport in a nonuniform MoS2 zigzag nanoribbon. 2020 , 101,		6
172	Controlled edge dependent stacking of WS-WS Homo- and WS-WSe Hetero-structures: A Computational Study. 2020 , 10, 1648		11
171	Reactant friendly hydrogen evolution interface based on di-anionic MoS surface. 2020 , 11, 1116		59
170	Simple hydrothermal approach for synthesis of fluorescent molybdenum disulfide quantum dots: Sensing of Cr ion and cellular imaging. 2020 , 111, 110778		8

(2021-2020)

168	Molybdenum Disulphide Heterointerfaces as Potential Materials for Solar Cells, Energy Storage, and Hydrogen Evolution. 2020 , 8, 1901299	5
167	Electronic and optical properties of monolayer MoS under the influence of polyethyleneimine adsorption and pressure 2020 , 10, 4201-4210	7
166	Defect engineering on the electronic and transport properties of one-dimensional armchair phosphorene nanoribbons. 2020 , 29, 037302	5
165	Experimental study of the diamagnetism and the ferromagnetism in MoS2 thin films. 2020 , 126, 1	6
164	Possible Luttinger liquid behavior of edge transport in monolayer transition metal dichalcogenide crystals. 2020 , 11, 659	12
163	Sculpting Artificial Edges in Monolayer MoS for Controlled Formation of Surface-Enhanced Raman Hotspots. 2020 , 14, 6258-6268	17
162	Preparation of Few-Layered Wide Bandgap MoS2 with Nanometer Lateral Dimensions by Applying Laser Irradiation. 2020 , 10, 164	14
161	A density functional theory study of high-performance pre-lithiated MS (M = Mo, W, V) Monolayers as the Anode Material of Lithium Ion Batteries. 2020 , 10, 6897	8
160	Core-shell CoS2@MoS2 nanoparticles as an efficient electrocatalyst for hydrogen evolution reaction. 2020 , 835, 155264	8
159	Ferromagnetic and ferroelectric two-dimensional materials for memory application. 2021 , 14, 1802-1813	9
159	Ferromagnetic and ferroelectric two-dimensional materials for memory application. 2021 , 14, 1802-1813 The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair MoSSe/WSSe Superlattice Nanoribbon: A First-Principles Study. 2021 , 258, 2000361	9
	The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair	
158	The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair MoSSe/WSSe Superlattice Nanoribbon: A First-Principles Study. 2021 , 258, 2000361 Electrochemically Exfoliating MoS2 into Atomically Thin Planar-Stacking Through a Selective	2
158	The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair MoSSe/WSSe Superlattice Nanoribbon: A First-Principles Study. 2021 , 258, 2000361 Electrochemically Exfoliating MoS2 into Atomically Thin Planar-Stacking Through a Selective Lateral Reaction Pathway. 2021 , 31, 2007840	2
158 157 156	The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair MoSSe/WSSe Superlattice Nanoribbon: A First-Principles Study. 2021, 258, 2000361 Electrochemically Exfoliating MoS2 into Atomically Thin Planar-Stacking Through a Selective Lateral Reaction Pathway. 2021, 31, 2007840 Enhanced Spin Seebeck Thermopower in Pt/Holey MoS/YFeO Hybrid Structure. 2021, 21, 189-196 Improving the gas sensing performance of MoS2 nanosheets through silver adsorption: A	2 10 9
158 157 156	The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair MoSSe/WSSe Superlattice Nanoribbon: A First-Principles Study. 2021, 258, 2000361 Electrochemically Exfoliating MoS2 into Atomically Thin Planar-Stacking Through a Selective Lateral Reaction Pathway. 2021, 31, 2007840 Enhanced Spin Seebeck Thermopower in Pt/Holey MoS/YFeO Hybrid Structure. 2021, 21, 189-196 Improving the gas sensing performance of MoS2 nanosheets through silver adsorption: A theoretical study. 2021, 1195, 113087 Spin-polarization and spin-flip through a monolayer MoS2 superlattice via the Rashba effect. 2021,	2 10 9
158 157 156 155	The Strain and Electric Field Effects on the Electronic and Optical Properties of Armchair MoSSe/WSSe Superlattice Nanoribbon: A First-Principles Study. 2021, 258, 2000361 Electrochemically Exfoliating MoS2 into Atomically Thin Planar-Stacking Through a Selective Lateral Reaction Pathway. 2021, 31, 2007840 Enhanced Spin Seebeck Thermopower in Pt/Holey MoS/YFeO Hybrid Structure. 2021, 21, 189-196 Improving the gas sensing performance of MoS2 nanosheets through silver adsorption: A theoretical study. 2021, 1195, 113087 Spin-polarization and spin-flip through a monolayer MoS2 superlattice via the Rashba effect. 2021, 20, 126-134 First-Principles Calculations of the Effects of Edge Functionalization and Size on the Band Gap of	2 10 9 2 2

150	Edge reconstructions of black phosphorene: a global search. 2021 , 13, 4085-4091	4
149	First-principles study of the electronic structures and optical and photocatalytic performances of van der Waals heterostructures of SiS, P and SiC monolayers 2021 , 11, 14263-14268	6
148	Dopants and grain boundary effects in monolayer MoS: a first-principles study. 2021 , 23, 11937-11943	1
147	Robust charge spatial separation and linearly tunable band gap of low-energy tube-edge phosphorene nanoribbon. 2021 , 3, 4416-4423	O
146	Electrochemical Functionalization of Selectively Addressed MoS2 Nanoribbons for Sensor Device Fabrication. 2021 , 4, 1076-1084	7
145	Tunable Electronic Properties of Lateral Monolayer Transition Metal Dichalcogenide Superlattice Nanoribbons. 2021 , 11,	
144	First-principles study of H2S sensing mechanism on the Pd/VO2 surface. 2021 , 119, e1900941	O
143	MXene materials based printed flexible devices for healthcare, biomedical and energy storage applications. 2021 , 43, 99-131	29
142	Work Function Engineering of 2D Materials: The Role of Polar Edge Reconstructions. 2021 , 12, 2320-2326	4
141	Catalyst-Free Growth of Atomically Thin Bi2O2Se Nanoribbons for High-Performance Electronics and Optoelectronics. 2021 , 31, 2101170	7
140	Optical properties and stability of new two-dimensional allotropes of PdS2, PdSe2 and PdSSe monolayers. 2021 , 128, 114611	2
139	Two-dimensional nanomaterials with engineered bandgap: Synthesis, properties, applications. 2021 , 37, 101059	24
138	Dimensionality-Reduced Fermi Level Pinning in Coplanar 2D Heterojunctions. 2021 , 12, 4299-4305	6
137	Sensing mechanism and optical properties of H2O on the surface of Pt/VO2: First-principles study. 2021 , 129, 134301	3
136	Computational design of two-dimensional magnetic materials. e1545	4
135	Magnetic phase diagram of single-layer CrBr3.	O
134	Indirect-to-direct band gap crossover of single walled MoS2 nanotubes. 2021 , 60, 065002	0
133	Synthesis and characterization of 2D transition metal dichalcogenides: Recent progress from a vacuum surface science perspective. 2021 , 76, 100523	12

132	Fe-functionalized zigzag GaN nanoribbon for nanoscale spintronic/interconnect applications. 2021 , 127, 1	4
131	Tuning structure, electronic, and catalytic properties of non-metal atom doped Janus transition metal dichalcogenides for hydrogen evolution. 2021 , 552, 149146	11
130	Localization of edge states at triangular defects in periodic MoS2 monolayers. 2021, 5,	2
129	Photocatalytic Generated Oxygen Species Properties by Fullerene Modified Two-Dimensional MoS2 and Degradation of Ammonia Under Visible Light. 2021 , 31, 353-366	
128	Enhanced interlayer interactions in Ni-doped MoS2, and structural and electronic signatures of doping site. 2021 , 5,	1
127	First-Principles Study of Carrier-Mediated and Vacancy-Induced Ferromagnetism in Molybdenum Disulfide Monolayer. 323, 166-174	
126	Remote Passivation in Two-Dimensional Materials: The Case of the Monolayer-Bilayer Lateral Junction of MoSe. 2021 , 12, 8046-8052	О
125	Increasing stability of MoS2 nanoribbons by edge engineering. 2021 , 548, 111241	3
124	MoS2 Homojunctions Transistors Enabled by Dimension Tailoring Strategy. 2021 , 7, 2100703	2
123	Mo-edge reconstructions in MoSe2 and MoS2: Reexamination of the mechanism. 2021 , 104,	2
122	Nano-patterning on multilayer MoS2 via block copolymer lithography for highly sensitive and responsive phototransistors. 2021 , 2,	1
121	Geometric structure and piezoelectric polarization of MoS2 nanoribbons under uniaxial strain. 2021 , 29, 100289	O
120	Magnetic properties of Mn-doped monolayer MoS2. 2021 , 414, 127636	1
119	The structure, electronic, magnetic and optical properties of the Co-X (X = B, C, N, O or F) codoped single-layer WS2. 2021 , 134, 114917	1
118	Robust ferromagnetism in Mn and Co doped 2D-MoS2 nanosheets: Dopant and phase segregation effects. 2021 , 537, 168226	1
117	On the optical properties and dynamical and mechanical stability of 1T PdSSe, PdSTe, and PdSeTe monolayers under biaxial strain. 2021 , 29, 102735	1
116	Construction of moir uperlattice on the MoO2 (010) surfaces. 2022 , 624, 413429	
115	Ferromagnetism of two-dimensional transition metal chalcogenides: both theoretical and experimental investigations. 2021 , 13, 12772-12787	2

114	Defect Engineering of Two-Dimensional Transition-Metal Dichalcogenides: Applications, Challenges, and Opportunities. 2021 , 15, 2165-2181	53
113	TEM study of edge reconstruction and evolution in monolayer black phosphorus. 2021 , 13, 4133-4139	4
112	Electronic structure and dynamic properties of two-dimensional W Mo1B2 ternary alloys from first-principles calculations. 2020 , 182, 109797	6
111	Performance of a Novel 3D Graphene WS2 Hybrid Structure for Sodium-Ion Batteries. 2020 , 124, 3536-3541	4
110	Edge phonons in black phosphorus. 2016 , 7, 12191	54
109	Predicting synthesizable multi-functional edge reconstructions in two-dimensional transition metal dichalcogenides. 2020 , 6,	10
108	The band structure engineering of fluorine-passivated graphdiyne nanoribbons doping with BN pairs for overall photocatalytic water splitting. 2020 , 22, 26995-27001	3
107	Room temperature ferromagnetic and ambipolar behaviors of MoS2 doped by manganese oxide using an electrochemical method. 2017 , 110, 222104	7
106	Adsorption of gas molecules of CH, CO and HO on the vanadium dioxide monolayer: Computational method and model. 2020 ,	2
105	Machine learning in materials design: Algorithm and application. 2020 , 29, 116103	11
104	Tunable half-metallicity and edge magnetism of H-saturated InSe nanoribbons. 2018, 2,	10
103	Strain-controlled magnetic and optical properties of monolayer 2HTaSe2. 2019 , 3,	7
102	Quasi-two-dimensional transition metal dichalcogenides: structure, synthesis, properties and applications. 2018 , 188, 3-30	6
101	The effect of strain on band structure of single-layer MoS2: an ab initio study. 2012 , 61, 227102	15
100	First-principles study on the electronic structures of Cr- and W-doped single-layer MoS2. 2013 , 62, 037103	13
99	Magnetism of V, Cr and Mn doped MoS2 by first-principal study. 2013 , 62, 187102	8
98	Computational synthesis of 2D materials grown by chemical vapor deposition. 1	1
97	Tip-Enhanced Raman Spectroscopy of 2D Semiconductors.	О

(2022-2013)

96	Optimum valence bond scheme for its applications to the prediction of nano-structures and the study of matter properties. 2013 , 62, 093601	
95	Effects of La, Ce and Nd doping on the electronic structure of monolayer MoS2. 2014 , 63, 067301	4
94	Sulfides. 2015 , 611-651	
93	Tuning the electronic property of monolayer MoS2 adsorbed on metal Au substrate: a first-principles study. 2015 , 64, 187101	O
92	First-principles Calculations on Magnetism of 1H/1T Boundary in Monolayer MoS2. 2016 , 26, 71-75	
91	Stability of edge magnetism against disorder in zigzag MoS2 nanoribbons. 2019 , 3,	1
90	Engineering of Layered Metal Dichalcogenides: Introducing Imperfections to Make it Perfect.	
89	The spin-polarized edge states of blue phosphorene nanoribbons induced by electric field and electron doping. 2021 , 33, 105302	О
88	Chalcogenides. 2020 , 631-833	
87	Heterostructures of two-dimensional transition metal dichalcogenides: Formation, ab initio modelling and possible applications. 2021 ,	
86	Band Gap Engineering of Twisted Bilayer MoS2 Sheets. 2020 , 1676, 012164	
85	Magnetic behaviors of single crystal-MoS2 (MoS2-SC) and nanoparticle-MoS2 (MoS2-NP) and bi-layer-MoS2 thin film. 2022 , 546, 168863	О
84	Holey Substrate-Directed Strain Patterning in Bilayer MoS. 2021 ,	1
83	Nanoribbons of 2D materials: A review on emerging trends, recent developments and future perspectives. 2022 , 453, 214335	4
82	Intriguing electronic, optical and photocatalytic performance of BSe, MCO monolayers and BSe-MCO (M = Ti, Zr, Hf) van der Waals heterostructures 2021 , 12, 42-52	2
81	Improved photocatalytic activity and stability of black phosphorus/multi-walled carbon nanotube hybrid for RhB degradation 2022 ,	О
80	First-Principles Calculations of Graphene-WS2 Nanoribbons As Electrode Material for Magnesium-Ion Batteries. 2022 , 51, 978-984	0
79	Growth and Optoelectronic Properties of Large-Scale Bilayer WS2 Ribbons with Unusual Shapes via Chemical Vapor Deposition. 2022 , 126, 1099-1106	o

78	First-principles investigation of copper diffusion barrier performance in defective 2D layered materials 2022 ,	O
77	Improved Optical and Electronic Properties of Single-Layer MoS2 by Co Doping for Promising Intermediate - Band Materials. 905, 96-102	
76	Electronic, optical, and catalytic properties of finite antimonene nanoribbons: first principles study. 2022 , 97, 035802	1
75	Discovery of high thermoelectric performance of WS2-WSe2 nanoribbons with superlattice and Janus structures. 2022 , 903, 163850	Ο
74	Morphological Evolution of Monolayer MoS2 Single-Crystalline Flakes.	О
73	Effects of van der Waals interaction on the adsorption of H2 on MoS2 monolayers and nanoribbons. 2022 , 555, 111446	
7 ²	Plasmonic hot-electron assisted phase transformation in 2D-MoS2 for the hydrogen evolution reaction: current status and future prospects.	1
71	Electronic and optical properties of a novel two-dimensional semiconductor material TlPtS: a first-principles study 2022 ,	2
7°	In-situ high pressure study of rhenium disulfide using polarized Raman spectroscopy. 2022,	О
69	Computational Design of Gas Sensors Based on VS Monolayer 2022 , 12,	Ο
68	Tunable band gaps and optical absorption properties of bent MoS nanoribbons 2022, 12, 3008	1
67	Density Functional Theory Calculations of the Stability, Electronic Structure, and Magnetism of ReS2 Nanoribbons: An Emerging Material for Electrocatalytic Reactions. 2022 , 5, 2385-2394	Ο
66	First-principles study on the atomic structure of two-dimensional molybdenum boride. 2022 , 9, 035002	
65	Electronic and magnetic properties of honeycomb arsenic phosphorus nanoribbons via a first-principles study.	
64	Transition Metal Dichalcogenide Dimer Nanoantennas for Tailored Light-Matter Interactions 2022,	0
63	OddBven effect and bandgap modulation by C-H doping in armchair nanoribbons of monolayer WS2. 2022 , 347, 114719	
62	Photocatalytic hydrogen evolution reaction with high solar-to-hydrogen efficiency driven by the Sb2S3 monolayer and RuI2/Sb2S3 heterostructure with solar light. 2022 , 532, 231352	3
61	Modulation of strain on electronic structure and contact type of BP/SnS van der waals heterostructure. 2022 , 55, 125102	1

60	Nickel particle-enabled width-controlled growth of bilayer molybdenum disulfide nanoribbons. 2021 , 7, eabk1892	2
59	Nanowire-to-Nanoribbon Conversion in Transition-Metal Chalcogenides: Implications for One-Dimensional Electronics and Optoelectronics. 2022 , 5, 1775-1782	2
58	Direct Visualization of Structural Defects in 2D Semiconductors.	
57	High performance quantum piezotronic tunneling transistor based on edge states of MoS2 nanoribbon. 2022 , 98, 107275	1
56	Intriguing interfacial characteristics of the CS contact with MX (M = Mo, W; X = S, Se, Te) and MXY ((X \square Y) = S, Se, Te) monolayers 2022 , 12, 12292-12302	О
55	MoSINanoribbon Transistor for Logic Electronics. 2022 , 1-6	
54	Regulating electronic and magnetic properties of 1TGReS2 by fabricating nanoribbons and transition-metal doping: A theoretical study.	О
53	Chemical Vapor Deposition Growth of MoS on g-CN Nanosheets for Efficient Removal of Tetracycline Hydrochloride 2022 ,	3
52	Oxygen-Assisted Anisotropic Chemical Etching of MoSe2 for Enhanced Phototransistors. 2022 , 34, 4212-4223	2
51	Vibrational spectroscopy on solution-dispersed MoS2 for inkjet-printed photodetectors. 2022 , 5, 477-487	2
50	The quantum confinement effects on the electronic properties of monolayer GeS nanoribbon with tube-edged reconstruction 2022 ,	1
49	Magnetic Order, Electrical Doping, and Charge-State Coupling at Amphoteric Defect Sites in Mn-Doped 2D Semiconductors.	1
48	Electronic Properties of Defective Janus MoSSe Monolayer. 2022, 13, 4807-4814	1
47	Strain-Modulated Magnetism in MoS2. 2022 , 12, 1929	O
46	Edge magnetism in transition metal dichalcogenide nanoribbons: Mean field theory and determinant quantum Monte Carlo. 2022 , 105,	0
45	Enhanced N2-to-NH3 conversion efficiency on Cu3P nanoribbon electrocatalyst.	7
44	Enhanced mechanical, thermal, and tribological performance of 2D-laminated molybdenum disulfide/RGO nanohybrid filling phenolic resin composites.	2
43	Epitaxial growth of inch-scale single-crystal transition metal dichalcogenides through the patching of unidirectionally orientated ribbons. 2022 , 13,	1

42	In-situ formation of Are-MXY(M = Mo, W; (X \square Y) = S, Se, Te) van der Waals heterostructure. 2022 , 313, 123284	
41	Doping and defect engineering induced extremely high magnetization and large coercivity in Co doped MoTe2. 2022 , 918, 165750	1
40	Revealing the Role of d-Orbital Occupation in Edge Reconstruction of 1T-Transition-Metal Dichalcogenides. 2022 , 126, 11389-11399	2
39	Isolated Ni atoms induced edge stabilities and equilibrium shapes of CVD-prepared hexagonal boron nitride on Ni(111) surface.	5
38	Photoredox C(sp 3) II(sp 3) Cross-Dehydrogenative Coupling of Xanthene with Eketo Moiety using MoS 2 Quantum Dot (QD) Catalyst	О
37	Synthesis of monolayer 2D MoS 2 quantum dots and nanomesh films by inorganic molecular chemical vapor deposition for quantum confinement effect control.	1
36	Quasi-Planar tetracoordiante carbon Networks with tunable electronic properties combined with Ultra-High carrier mobility and optical absorption Coefficient: Two-dimensional Be2C. 2022 , 604, 154644	
35	Electron transport properties of PtSe2 nanoribbons with distinct edge reconstructions. 2022 , 12, 25872-258	3 80 0
34	A brief review of reconstructions and electronic structures of MoS2 zigzag edges. 2022 , 132, 080702	1
33	Identifying topological superconductivity in two-dimensional transition-metal dichalcogenides. 2022 , 6,	O
32	Electronic and Transport Properties of Covalent Functionalized Monolayer MoS2 by Ferrocene Derivatives.	0
31	Self-Passivated Metal Klein Edge of 1T-Phase Transition Metal Dichalcogenides and the Induced High-Efficient Hydrogen Evolution Reaction Activity. 2208414	1
30	Refractory-Metal-Based Chalcogenides for Energy. 2207705	0
29	High-Luminescence and Submillimeter-Scale MoS2 Monolayer Growth Using Combinational Phase Precursors via Chemical Vapor Deposition.	O
28	Robust room-temperature ferromagnetism induced by defect engineering in monolayer MoS2. 2022 , 155220	0
27	Insights into the multifunctional applications of strategically Co doped MoS2 nanoflakes.	O
26	Exfoliation of MoS2 Quantum Dots: Recent Progress and Challenges. 2022 , 12, 3465	О
25	Quantum conductance of MoS\$\$_2\$\$ armchair strained nanoribbons: a theoretical study. 2022 , 128,	O

24	Quantum manifestations in electronic properties of bilayer phosphorene nanoribbons.	0
23	Experimental verification of SO2 and S desorption contributing to defect formation in MoS2 by thermal desorption spectroscopy.	O
22	Geometric shapes and vacancy rates for the modulation of the electronic and transport properties in MoS2 nanoflakes. 2023 , 46, 34-39	Ο
21	Nanostructured Transition Metal Dichalcogenide Multilayers for Advanced Nanophotonics. 2200057	O
20	Strain Induces Ferromagnetism in a Janus Transition Metal Dichalcogenides: CrSTe-1H Monolayer.	1
19	Manipulation of ferromagnetism in intrinsic two-dimensional magnetic and nonmagnetic materials. 2022 , 5, 4212-4273	O
18	Effect of MoSe2 nanoribbons with NW30 edge reconstructions on electronic and catalytic properties by strain engineering.	0
17	Charge-induced phase transition in encapsulated HfTe2 nanoribbons. 2023 , 7,	О
16	Co- and Nd-Codoping-Induced High Magnetization in Layered MoS 2 Crystals. 2200348	О
15	Effects of edge type and reconstruction on the electronic properties and magnetism of 1T?-ReS2 nanoribbons: A study based on DFT calculations. 2023 , 567, 170351	1
14	Progress in transition metal chalcogenides-based counter electrode materials for dye-sensitized solar cells. 2023 , 156, 107273	0
13	Design of novel type-I (type-II) band alignment in GeC-VXY (V´=´Cl, Br; Y´=´Se, Te) van der Waals heterostructure for optoelectronic and renewable energy application. 2023 , 615, 156260	1
12	Emergent magnetic-nonmagnetic transition in strain-tuned zigzag-edged PtSe2 nanoribbon. 2023 , 5,	O
11	Layer-Structured Anisotropic Metal Chalcogenides: Recent Advances in Synthesis, Modulation, and Applications.	O
10	Controlling and visualizing fracture of 2D crystals by wrinkling. 2023, 174, 105253	O
9	2D Mg2M2X5 (M´=´B, Al, Ga, In, Tl; X´=´S, Se, Te) monolayers: Novel stable semiconductors for water splitting photocatalysts. 2023 , 621, 156892	O
8	Strain induced structural changes and magnetic ordering in thin MoS2 flakes as a consequence of 1.5 MeV proton ion irradiation. 2023 , 951, 169882	Ο
7	Graphene/MoS2-Nanoribbons/Graphene Field-Effect Photodetectors: A Numerical Study. 2023 , 52, 3046-305	570

6	An observation of a photovoltaic effect in MoS2 nanoribbons fabricated with a top-down approach. 2023 , 16, 035003	0
5	Realization of quasi-1D topological magnetism at the V-alloyed MoS2 zigzag edge. 2023 , 25, 8843-8852	O
4	Electrospun Flexible Nanofibres for Batteries: Design and Application. 2023, 6,	O
3	Unconventional Self-Reconstructed Trimer-like Metal Zigzag Edge of 1T-Phase Transition Metal Dichalcogenides. 2023 , 14, 3651-3657	O
2	Optimized Pinecone-Squama-Structure MoS2-Coated CNT and Graphene Framework as Binder-Free Anode for Li-Ion Battery with High Capacity and Cycling Stability. 2023 , 16, 3218	O
1	Fabrication of MoS2/Bi2S3 heterostructure for photocatalytic degradation of Metronidazole and Cefalexin and antibacterial applications under NIR light: experimental and theoretical approach. 2023 , 129,	O