

CITATION REPORT

List of articles citing

Stretchable and foldable silicon integrated circuits

DOI: 10.1126/science.1154367
Science, 2008, 320, 507-11.

Source: <https://exaly.com/paper-pdf/44040523/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1393	Highly Crumpled All-Carbon Transistors for Brain Activity Recording.		
1392	Theoretical and Experimental Studies of Bending of Inorganic Electronic Materials on Plastic Substrates. 2008 , 18, 2673-2684		341
1391	Patterning Thin Film Mechanical Properties to Drive Assembly of Complex 3D Structures. 2008 , 20, 4760-4764	50	
1390	Stretchable Electronics: Materials Strategies and Devices. 2008 , 20, 4887-4892		499
1389	Stress and fold localization in thin elastic membranes. <i>Science</i> , 2008 , 320, 912-6	33.3	399
1388	Nanomaterials: nanotubes reveal their true strength. 2008 , 3, 586-7		6
1387	Flexible electronics: stretching our imagination. 2008 , 3, 585-6		38
1386	Nanowire Transistor Performance Limits and Applications. 2008 , 55, 2859-2876		250
1385	A rubberlike stretchable active matrix using elastic conductors. <i>Science</i> , 2008 , 321, 1468-72	33.3	1156
1384	Manufacturing Concepts for Stretchable Electronic Systems. 2008 ,		6
1383	Direct Formation of SiO ₂ Nanohole Arrays via Iron Nanoparticle-Induced Carbothermal Reduction. 2008 , 20, 6600-6605		4
1382	Stretchable electronic systems for wearable and textile applications. 2008 ,		9
1381	Stress-driven buckling patterns in spheroidal core/shell structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19132-5	11.5	176
1380	Materials and noncoplanar mesh designs for integrated circuits with linear elastic responses to extreme mechanical deformations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 18675-80	11.5	541
1379	Local versus global buckling of thin films on elastomeric substrates. 2008 , 93, 023126		61
1378	Complementary metal oxide silicon integrated circuits incorporating monolithically integrated stretchable wavy interconnects. 2008 , 93, 044102		34
1377	Stretchable and compressible thin films of stiff materials on compliant wavy substrates. 2008 , 93, 013109		72

1376	Mechanical fatigue and dielectric relaxation of carbon black/polymer composites. 2008 , 104, 074105		36
1375	Conductive elastic polymers form the basis for organic skinlike electronics. 2008 , 61, 18-19		1
1374	Nonsinusoidal buckling of thin gold films on elastomeric substrates. 2009 , 27, L9-L12		14
1373	Liquid metal stretchable unbalanced loop antenna. 2009 , 94, 144103		187
1372	Towards circuit integration on fully flexible parylene substrates. 2009 , 2009, 5866-9		4
1371	Flexible Ge-on-polyimide detectors. 2009 , 94, 261107		18
1370	Stretchable interconnections for flexible electronic systems. 2009 , 2009, 4124-7		1
1369	Piezoelectric polymer oxide semiconductor field effect transistor (POSFET) devices for touch sensing. 2009 ,		7
1368	Mechanics of stretchable inorganic electronic materials. 2009 , 27, 1107-1125		97
1367	Stretchable circuit board technology in textile applications. 2009 ,		
1366	Stretchable bioelectrodes. 2009 , 2009, 1049-52		1
1365	Neural sensing of electrical activity with stretchable microelectrode arrays. 2009 , 2009, 4210-3		2
1364	All solution-processed high-resolution bottom-contact transparent metal-oxide thin film transistors. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 125102	3	49
1363	In situ observations on deformation behavior and stretching-induced failure of fine pitch stretchable interconnect. 2009 , 24, 3573-3582		43
1362	Stretchable Yarn of Display Elements. 2009 ,		2
1361	The macroscopic delamination of thin films from elastic substrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 10901-6	11.5	195
1360	Process and Characterization of Hybrid-Oriented Complementary Single-Crystal Si Thin-Film Transistors on A Plastic Substrate. 2009 , 19, 71-76		
1359	Monitoring hippocampus electrical activity in vitro on an elastically deformable microelectrode array. 2009 , 26, 1135-45		57

1358	Mechanics of noncoplanar mesh design for stretchable electronic circuits. 2009 , 105, 123516		122
1357	Flexible photonic-crystal Fano filters based on transferred semiconductor nanomembranes. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 234007	3	49
1356	Direct fabrication of integrated 3D Au nanobox arrays by sidewall deposition with controllable heights and thicknesses. <i>Nanotechnology</i> , 2009 , 20, 395301	3-4	12
1355	Surface selective deposition of molecular semiconductors for solution-based integration of organic field-effect transistors. 2009 , 94, 093307		86
1354	Inorganic islands on a highly stretchable polyimide substrate. 2009 , 24, 3338-3342		45
1353	Mechanical Buckling: Mechanics, Metrology, and Stretchable Electronics. 2009 , 19, 1526-1536		306
1352	Metal Ion Implantation for the Fabrication of Stretchable Electrodes on Elastomers. 2009 , 19, 470-478		156
1351	Luminescent Colloidal Dispersion of Silicon Quantum Dots from Microwave Plasma Synthesis: Exploring the Photoluminescence Behavior Across the Visible Spectrum. 2009 , 19, 696-703		204
1350	Ultrathin Films of Single-Walled Carbon Nanotubes for Electronics and Sensors: A Review of Fundamental and Applied Aspects. 2009 , 21, 29-53		919
1349	Flexible Polymer-Embedded Si Wire Arrays. 2009 , 21, 325-328		136
1348	Thermochemical Patterning of Polymer Thin Films With Tunable Size-Reduction Effects Using Metal-Coated Poly(dimethylsiloxane) Stamps. 2009 , 21, 2211-2215		26
1347	Ultrathin Silicon Circuits With Strain-Isolation Layers and Mesh Layouts for High-Performance Electronics on Fabric, Vinyl, Leather, and Paper. 2009 , 21, 3703-3707		332
1346	Stretchable supercapacitors based on buckled single-walled carbon-nanotube macrofilms. 2009 , 21, 4793-7		590
1345	Tunable Nanowrinkles on Shape Memory Polymer Sheets. 2009 , 21, 4472-4476		177
1344	Semiconductor nanowires: A chemical engineering perspective. 2009 , 55, 842-848		15
1343	Anschmiegsame Elektronik. <i>Mechanik der Makroelektronik</i> . 2009 , 40, 243-249		1
1342	Optimized structural designs for stretchable silicon integrated circuits. 2009 , 5, 2841-7		131
1341	Curvilinear electronics formed using silicon membrane circuits and elastomeric transfer elements. 2009 , 5, 2703-9		186

1340	Large-scale pattern growth of graphene films for stretchable transparent electrodes. 2009 , 457, 706-10	8675
1339	Stretchable active-matrix organic light-emitting diode display using printable elastic conductors. 2009 , 8, 494-9	1425
1338	Translational nanomedicine: status assessment and opportunities. 2009 , 5, 251-73	89
1337	Plastic-based microfabrication of artificial dielectric for miniaturized microwave integrated circuits. 2009 , 3, 165-173	2
1336	Conformation-Induced Electrostatic Gating of the Conduction of Spiropyran-Coated Organic Thin-Film Transistors. 2009 , 113, 10807-10812	60
1335	Fabrication of Graphene/Polyaniline Composite Paper via In Situ Anodic Electropolymerization for High-Performance Flexible Electrode. 2009 , 3, 1745-52	1355
1334	A curvy, stretchy future for electronics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 10875-6	11.5 196
1333	Lateral buckling mechanics in silicon nanowires on elastomeric substrates. 2009 , 9, 3214-9	116
1332	Transformations in wrinkle patterns: cooperation between nanoscale cross-linked surface layers and the submicrometer bulk in wafer-spun, plasma-treated polydimethylsiloxane. 2009 , 9, 2884-90	29
1331	Bend, buckle, and fold: mechanical engineering with nanomembranes. 2009 , 3, 498-501	39
1330	Piezoelectric oxide semiconductor field effect transistor touch sensing devices. 2009 , 95, 034105	114
1329	Large-area stretchable organic transistor integrated circuits for sensor and display applications. 2009 ,	1
1328	Curved electronic pixel arrays using a cut and bend approach. 2009 , 105, 104504	26
1327	Electrically interconnected assemblies of microscale device components by printing and molding. 2009 , 95, 214101	7
1326	Toward a Stretchable, Elastic, and Electrically Conductive Nanocomposite: Morphology and Properties of Poly[styrene- <i>b</i> -(ethylene-co-butylene)- <i>b</i> -styrene]/Multiwalled Carbon Nanotube Composites Fabricated by High-Shear Processing. 2009 , 42, 2587-2593	143
1325	Stretchable electronic systems: Realization and applications. 2009 ,	8
1324	Foldable and Stretchable Liquid Metal Planar Inverted Cone Antenna. 2009 , 57, 3765-3771	112
1323	Stretchable Circuit Board Technology and Application. 2009 ,	21

1322	A Stretchable Cell Culture Platform with Embedded Electrode Array. 2009 ,		3
1321	Localized heating on silicon field effect transistors: device fabrication and temperature measurements in fluid. 2009 , 9, 2789-95		12
1320	Self-assembled nanodielectrics and silicon nanomembranes for low voltage, flexible transistors, and logic gates on plastic substrates. 2009 , 95, 183504		26
1319	Inorganic Semiconductor Nanomaterials for High-Performance Flexible Electronics. 2009 ,		1
1318	Topographies of plasma-hardened surfaces of poly(dimethylsiloxane). 2010 , 108, 093522		23
1317	A strain-isolation design for stretchable electronics. 2010 , 26, 881-888		25
1316	Interface-directed sol-gel: direct fabrication of the covalently attached ultraflat inorganic oxide pattern on functionalized plastics. <i>Science China Chemistry</i> , 2010 , 53, 173-182	7.9	12
1315	Inkjet printing for flexible electronics: Materials, processes and equipments. 2010 , 55, 3383-3407		202
1314	Copper/rubber interface delamination in stretchable electronics. 2010 , 63, 875-878		34
1313	Detachment Lithography of Photosensitive Polymers: A Route to Fabricating Three-Dimensional Structures. 2010 , 20, 289-295		37
1312	Stretchable, Transparent Zinc Oxide Thin Film Transistors. 2010 , 20, 3577-3582		119
1311	Current trends in shrinking the channel length of organic transistors down to the nanoscale. 2010 , 22, 20-32		74
1310	Stretchable, curvilinear electronics based on inorganic materials. 2010 , 22, 2108-24		437
1309	Spontaneous self-folding in confined ultrathin polymer gels. 2010 , 22, 1263-8		35
1308	Microcrimped collagen fiber-elastin composites. 2010 , 22, 2041-4		38
1307	Stretchable, large-area organic electronics. 2010 , 22, 2228-46		626
1306	Arrays of ultracompliant electrochemical dry gel cells for stretchable electronics. 2010 , 22, 2065-7		140
1305	Stretchable microfluidic radiofrequency antennas. 2010 , 22, 2749-52		337

1304	Elastomeric conductive composites based on carbon nanotube forests. 2010 , 22, 2663-7	328
1303	High-density stretchable electronics: toward an integrated multilayer composite. 2010 , 22, 4030-3	44
1302	Light emission characteristics and mechanics of foldable inorganic light-emitting diodes. 2010 , 22, 3062-6	89
1301	Highly Flexible Electronic and Optical Films Composed of Hydrophobic and Hydrophilic Multilayers. 2010 , 211, 1188-1195	2
1300	Principles and applications of micro and nanoscale wrinkles. 2010 , 70, 209-224	116
1299	Direct imprinting of microcircuits on graphene oxides film by femtosecond laser reduction. 2010 , 5, 15-20	393
1298	Micron-scale channel formation by the release and bond-back of pre-stressed thin films: A finite element analysis. 2010 , 58, 447-465	15
1297	Flexible copper-7,7,8,8 tetracyanochinodimethane memory devices [D]operation, cross talk and bending. 2010 , 518, 2222-2227	7
1296	Thermomechanical analysis of thin films on temperature-dependent elastomeric substrates in flexible heterogeneous electronics. 2010 , 518, 1698-1702	14
1295	Forming wrinkled stiff films on polymeric substrates at room temperature for stretchable interconnects applications. 2010 , 519, 818-822	73
1294	The effect of film microstructures on cracking of transparent conductive oxide (TCO) coatings on polymer substrates. 2010 , 205, 915-921	46
1293	Fiber-shaped flexible solar cells. 2010 , 254, 1169-1178	132
1292	An effective lift-off method for patterning high-density gold interconnects on an elastomeric substrate. 2010 , 6, 2847-52	37
1291	Micromechanics and advanced designs for curved photodetector arrays in hemispherical electronic-eye cameras. 2010 , 6, 851-6	84
1290	Mechanics analysis of two-dimensionally prestrained elastomeric thin film for stretchable electronics. 2010 , 23, 592-599	11
1289	Ultrathin compound semiconductor on insulator layers for high-performance nanoscale transistors. 2010 , 468, 286-9	327
1288	Roll-to-roll production of 30-inch graphene films for transparent electrodes. 2010 , 5, 574-8	6507
1287	Highly conductive, printable and stretchable composite films of carbon nanotubes and silver. 2010 , 5, 853-7	682

1286	Bendable and Transparent Barium Titanate Capacitors on Plastic Substrates for High Performance Flexible Ferroelectric Devices. 2010 , 13, G57		18
1285	A conformal, bio-interfaced class of silicon electronics for mapping cardiac electrophysiology. 2010 , 2, 24ra22		299
1284	Large-scale graphitic thin films synthesized on Ni and transferred to insulators: Structural and electronic properties. 2010 , 107, 044310		77
1283	Microstructured elastomeric surfaces with reversible adhesion and examples of their use in deterministic assembly by transfer printing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 17095-100	11.5	280
1282	. 2010 ,		0
1281	Conformable large-area position-sensitive photodetectors based on luminescence-collecting silicone waveguides. 2010 , 107, 123101		12
1280	Friction of wrinkles. 2010 , 105, 224301		12
1279	A stretchable electrode array for non-invasive, skin-mounted measurement of electrocardiography (ECG), electromyography (EMG) and electroencephalography (EEG). 2010 , 2010, 6405-8		4
1278	Functionalization of Artificial Freestanding Composite Nanomembranes. <i>Materials</i> , 2010 , 3, 165-200	3.5	24
1277	Thermomechanical Analysis of Film-on-Substrate System With Temperature-Dependent Properties. 2010 , 77,		12
1276	Analytical and Experimental Studies of the Mechanics of Deformation in a Solid With a Wavy Surface Profile. 2010 , 77,		18
1275	Fabrication of microstructured silicon ($\mu\text{s-Si}$) from a bulk Si wafer and its use in the printing of high-performance thin-film transistors on plastic substrates. 2010 , 20, 075018		14
1274	Relaxation of creep strain in paper. 2010 , 2010, P07019		7
1273	Large-scale assembly of highly flexible low-noise devices based on silicon nanowires. <i>Nanotechnology</i> , 2010 , 21, 145302	3.4	4
1272	Tactile Sensing From Humans to Humanoids. 2010 , 26, 1-20		1052
1271	Soft capacitor fibers using conductive polymers for electronic textiles. 2010 , 19, 115006		27
1270	Controlled growth/patterning of Ni nanohoneycombs on various desired substrates. 2010 , 26, 4346-50		8
1269	Hyperelastic pressure sensing with a liquid-embedded elastomer. 2010 , 20, 125029		344

1268	Buckling patterns of thin films on curved compliant substrates with applications to morphogenesis and three-dimensional micro-fabrication. 2010 , 6, 5667		158
1267	Stretchable gold conductors embedded in PDMS and patterned by photolithography: fabrication and electromechanical characterization. 2010 , 20, 055025		124
1266	Thermo-moisture responsive polyurethane shape-memory polymer and composites: a review. 2010 , 20, 3367		309
1265	Nanowire transistor arrays for mapping neural circuits in acute brain slices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 1882-7	11.5	167
1264	Electrochemical behavior of single-walled carbon nanotube supercapacitors under compressive stress. 2010 , 4, 6039-49		241
1263	Controlled Transfer of Single Rolled-Up InGaAs/AlAs Quantum-Dot Microtube Ring Resonators Using Optical Fiber Abrupt Tapers. 2010 , 22, 311-313		28
1262	AlN passivation layer-mediated improvement in tensile failure of flexible ZnO:Al thin films. 2010 , 2, 2471-4		20
1261	Materials and applications for large area electronics: solution-based approaches. <i>Chemical Reviews</i> , 2010 , 110, 3-24	68.1	1510
1260	Reduction of Electrical Hysteresis in Cyclically Bent Organic Field Effect Transistors by Incorporating Multistack Hybrid Gate Dielectrics. 2010 , 157, H1046		13
1259	Materials and mechanics for stretchable electronics. <i>Science</i> , 2010 , 327, 1603-7	33.3	3464
1258	Microfluidic stretchable RF electronics. 2010 , 10, 3227-34		144
1257	Flexible Solar Cells Made of Nanowires/Microwires. 2010 , 159-196		2
1256	Structured metal films on silicone elastomers. 2010 , 20, 8548		6
1255	Free-standing and reactive thin films fabricated by covalent layer-by-layer assembly and subsequent lift-off of azlactone-containing polymer multilayers. 2010 , 26, 16134-40		34
1254	Highly end-doped silicon nanowires for field-effect transistors on flexible substrates. 2010 , 2, 677-80		8
1253	Controlled wrinkle formation via bubble inflation strain engineering. 2010 , 6, 4580		13
1252	Stretchable electronics manufacturing and application. 2010 ,		7
1251	Wrinkling evolution of a growing bubble: the wonders of petal-like patterns in amorphous silicon membranes. 2010 , 6, 3249		12

1250	Crystal-to-crystal conversion of Cu ₂ O nanoparticles to Cu crystals and applications in printed electronics. 2011 , 21, 6928		32
1249	Controlled mechanical fracture for fabricating microchannels with various size gradients. 2011 , 11, 717-22		25
1248	Patterning the tips of optical fibers with metallic nanostructures using nanoskiving. 2011 , 11, 632-6		102
1247	Electrochemical activation and inhibition of neuromuscular systems through modulation of ion concentrations with ion-selective membranes. 2011 , 10, 980-6		29
1246	Generation of a library of particles having controlled sizes and shapes via the mechanical elongation of master templates. 2011 , 27, 524-8		36
1245	SnO ₂ nanowire logic devices on deformable nonplanar substrates. 2011 , 5, 10009-16		28
1244	Formation of micro/nano-scale wrinkling patterns atop shape memory polymers. 2011 , 21, 067007		63
1243	Arc plasma synthesis of carbon nanostructures: where is the frontier?. <i>Journal Physics D: Applied Physics</i> , 2011 , 44, 174006	3	55
1242	Carbon nanotube active-matrix backplanes for conformal electronics and sensors. 2011 , 11, 5408-13		245
1241	Printable and Stretchable Conductive Wirings Comprising Silver Flakes and Elastomers. 2011 , 32, 1424-1426		85
1240	Stretchable ferroelectric nanoribbons with wavy configurations on elastomeric substrates. 2011 , 5, 3326-32		162
1239	Stretchable graphene transistors with printed dielectrics and gate electrodes. 2011 , 11, 4642-6		326
1238	A non-differential elastomer curvature sensor for softer-than-skin electronics. 2011 , 20, 105017		192
1237	Small hysteresis nanocarbon-based integrated circuits on flexible and transparent plastic substrate. 2011 , 11, 1344-50		134
1236	Roll-to-Roll Processing of Flexible Heterogeneous Electronics With Low Interfacial Residual Stress. 2011 , 1, 1368-1377		26
1235	Synthesis, assembly and applications of semiconductor nanomembranes. 2011 , 477, 45-53		526
1234	Epidermal electronics. <i>Science</i> , 2011 , 333, 838-43	33:3	3216
1233	Digital image correlation of metal nanofilms onSU-8 for flexible electronics and MEMS. 2011 , 21, 125005		12

1232	Hierarchical folding of elastic membranes under biaxial compressive stress. 2011 , 10, 952-7			190
1231	Fabrication of nanowire electronics on nonconventional substrates by water-assisted transfer printing method. 2011 , 11, 3435-9			86
1230	Stretchable magnetoelectronics. 2011 , 11, 2522-6			132
1229	High stretchable MWNTs/polyurethane conductive nanocomposites. 2011 , 21, 7274			133
1228	Nanomembrane-based plasmonics. 2011 , 5, 051818			11
1227	Facilitated ion transport in all-solid-state flexible supercapacitors. 2011 , 5, 7205-13			409
1226	Transport in curved nanoribbons in a magnetic field. 2011 , 84,			10
1225	"Bucky gels" for tailoring electroactive materials and devices: the composites of carbon materials with ionic liquids. 2011 , 47, 6757-62			78
1224	Structural Analysis and Direct Imaging of Rotational Stacking Faults in Few-Layer Graphene Synthesized from Solid Botanical Precursor. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 070106	1.4		3
1223	Self-Assembly of Microscale Parts through Magnetic and Capillary Interactions. <i>Micromachines</i> , 2011 , 2, 69-81		3.3	7
1222	Multifunctional balloon catheters of the future. 2011 , 3, 417-419			11
1221	Transfer and characterization of silicon nanomembrane-based photonic devices on flexible polyimide substrate. 2011 ,			1
1220	22.1: Invited Paper: Stretchable and Foldable Displays using Organic Transistors with High Mechanical Stability. 2011 , 42, 276-279			1
1219	A stretchable carbon nanotube strain sensor for human-motion detection. 2011 , 6, 296-301			2393
1218	Electronics: Power surfing on waves. 2011 , 472, 304-5			3
1217	Immunology: TRIM5 does double duty. 2011 , 472, 305-6			5
1216	Emerging technologies of plastic carbon nanoelectronics: A review. 2011 , 206, 753-758			27
1215	Femtosecond laser induced micropatterning of graphene film. 2011 , 65, 1569-1572			58

1214	Stretching and breaking of ultrathin MoS ₂ . 2011 , 5, 9703-9	1672
1213	Modulation of specific heat in graphene by uniaxial strain. 2011 , 84, 385-390	21
1212	Stretchable field-effect-transistor array of suspended SnO ₂ nanowires. 2011 , 7, 1181-5	64
1211	Thermoresponsiveness of integrated ultra-thin silicon with poly(N-isopropylacrylamide) hydrogels. 2011 , 32, 820-4	10
1210	Superductile, Wavy Silica Nanostructures Inspired by Diatom Algae. 2011 , 13, B405-B414	13
1209	Fabrication of Releasable Single-Crystal Silicon/Metal Oxide Field-Effect Devices and Their Deterministic Assembly on Foreign Substrates. 2011 , 21, 3029-3036	52
1208	Cross-Stacked Superaligned Carbon Nanotube Films for Transparent and Stretchable Conductors. 2011 , 21, 2721-2728	142
1207	Organic electronics on banknotes. 2011 , 23, 654-8	174
1206	Ultra-transparent, flexible single-walled carbon nanotube non-volatile memory device with an oxygen-decorated graphene electrode. 2011 , 23, 1889-93	109
1205	Ordered zigzag stripes of polymer gel/metal nanoparticle composites for highly stretchable conductive electrodes. 2011 , 23, 2946-50	137
1204	Stretchable conductors with ultrahigh tensile strain and stable metallic conductance enabled by prestrained polyelectrolyte nanoplatforms. 2011 , 23, 3090-4	173
1203	Macroscale elastomeric conductors generated from hydrothermally synthesized metal-polymer hybrid nanocable sponges. 2011 , 23, 3643-7	50
1202	Flexible plasmonics on unconventional and nonplanar substrates. 2011 , 23, 4422-30	187
1201	High-strain sensors based on ZnO nanowire/polystyrene hybridized flexible films. 2011 , 23, 5440-4	438
1200	Highly Mobile Palladium Thin Films on an Elastomeric Substrate: Nanogap-Based Hydrogen Gas Sensors. 2011 , 123, 5413-5417	18
1199	Highly mobile palladium thin films on an elastomeric substrate: nanogap-based hydrogen gas sensors. 2011 , 50, 5301-5	97
1198	Electromechanical stability of buckled thin metal films on elastomer. 2011 , 519, 5511-5515	1
1197	Controlled buckling of thin films on compliant substrates for stretchable electronics. 2011 , 340-363	

1196	Micron-scale pattern formation in prestressed polygonal films. 2011 , 109, 033517		6
1195	Stretchable fine fiber with high conductivity fabricated by injection forming. 2011 , 98, 073304		23
1194	Inorganic Semiconductor Nanomaterials for High-Performance Flexible Electronics. 2011 ,		
1193	Probing nanoscale conductance of monolayer graphene under pressure. 2011 , 99, 013110		34
1192	Nanoimprinted lithography high performance in-plane organic diodes. 2011 , 99, 173301		3
1191	Micro- and Nanostructured Semiconductor Materials for Flexible and Stretchable Electronics. 2011 , 499-526		1
1190	Wearable tactile keypad with stretchable artificial skin. 2011 ,		93
1189	Stretchable microfluidic electric circuit applied for radio frequency antenna. 2011 ,		8
1188	Direct-bandgap light-emitting germanium in tensilely strained nanomembranes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18893-8	11.5	186
1187	Shear-enhanced adhesiveless transfer printing for use in deterministic materials assembly. 2011 , 98, 264104		106
1186	Design, synthesis, and characterization of novel nanowire structures for photovoltaics and intracellular probes. 2011 , 83, 2153-2169		36
1185	Negative Refractive Index Metasurfaces for Enhanced Biosensing. <i>Materials</i> , 2010 , 4, 1-36	3.5	57
1184	Stretch-induced wrinkles in reinforced membranes: From out-of-plane to in-plane structures. 2011 , 96, 64001		22
1183	Flexible and tunable silicon photonic circuits on plastic substrates. 2012 , 2, 622		66
1182	Three-dimensional thermal analysis of wirelessly powered light-emitting systems. 2012 , 468, 4088-4097		4
1181	Improvement of carrier mobility of top-gated SiC epitaxial graphene transistors using a PVA dielectric buffer layer. <i>Nanotechnology</i> , 2012 , 23, 335202	3.4	5
1180	Infrared camera based on a curved retina. 2012 , 37, 653-5		22
1179	Numerical Design of SiO ₂ Bridges in Stretchable Thin Film Transistors. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 01AG10	1.4	

1178	Direct fabrication of silicon photonic devices on a flexible platform and its application for strain sensing. 2012 , 20, 20564-75	47
1177	Efficient light coupling into in-plane semiconductor nanomembrane photonic devices utilizing a sub-wavelength grating coupler. 2012 , 20, 20659-65	17
1176	Stamp printing of silicon-nanomembrane-based photonic devices onto flexible substrates with a suspended configuration. 2012 , 37, 1020-2	31
1175	Novel stretchable electrically conductive composites for tunable RF devices. 2012 ,	
1174	Ultra flexible pseudo-lamb wave RF resonators based on ZnO/PI and AlN/PI structures. 2012 ,	2
1173	Electronic sensor and actuator webs for large-area complex geometry cardiac mapping and therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 19910-5	11.5 190
1172	MECHANICAL FLEXIBILITY OF ZINC OXIDE THIN-FILM TRANSISTORS PREPARED BY TRANSFER PRINTING METHOD. 2012 , 26, 1250077	23
1171	Materials for stretchable electronics in bioinspired and biointegrated devices. 2012 , 37, 226-235	166
1170	Nanotechnology in plastic surgery. 2012 , 130, 879e-887e	3
1169	Silicon nanomembranes for high-performance flexible photonic interconnects and devices. 2012 ,	
1168	Ambient Electronics. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 100001	1.4 14
1167	Stretchable Electronics. 2012 , 85, 101-106	1
1166	Stretchable organic integrated circuits for large-area electronic skin surfaces. 2012 , 37, 236-245	110
1165	Bendable inorganic thin-film battery for fully flexible electronic systems. 2012 , 12, 4810-6	431
1164	Three-Dimensional Writing of Highly Stretchable Organic Nanowires.. 2012 , 1, 375-379	36
1163	Thin-film transistors with a graphene oxide nanocomposite channel. 2012 , 28, 16485-9	14
1162	Quantitative in situ infrared analysis of reactions between trimethylaluminum and polymers during Al ₂ O ₃ atomic layer deposition. 2012 , 22, 15672	87
1161	Semiconductor nanomembranes for integrated silicon photonics and flexible Photonics. 2012 , 44, 605-611	12

1160	Mechanics of stretchable electronics with high fill factors. 2012 , 49, 3416-3421	21
1159	Opportunities with fabric composites as unique flexible substrates. 2012 , 4, 6640-5	13
1158	Stretchable electronics: materials, architectures and integrations. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 103001	3 119
1157	Fabrication of single crystal silicon micro-/nanostructures and transferring them to flexible substrates. 2012 , 98, 502-507	44
1156	Flexible, Solid Electrolyte-Based Lithium Battery Composed of LiFePO ₄ Cathode and Li ₄ Ti ₅ O ₁₂ Anode for Applications in Smart Textiles. 2012 , 159, A349-A356	108
1155	Bendable ultra-thin silicon chips on foil. 2012 ,	7
1154	Aligned networks of cadmium sulfide nanowires for highly flexible photodetectors with improved photoconductive responses. 2012 , 22, 2173-2179	77
1153	Transparent and flexible graphene charge-trap memory. 2012 , 6, 7879-84	103
1152	Knitted graphene-nanoribbon sheet: a mechanically robust structure. 2012 , 4, 785-91	16
1151	Innovative elastic and flexible conductive PEDOT:PSS composite films prepared by introducing soft latexes. 2012 , 22, 3800	32
1150	Printable ultrathin substrates formed on a concave/convex underlayer for highly flexible membrane-type electrode stickers. 2012 , 8, 7598	4
1149	Thermo-mechanical modeling of laser-driven non-contact transfer printing: two-dimensional analysis. 2012 , 8, 7122	46
1148	Hydrophobic and flexible conductive films consisting of PEDOT:PSS-PBA/fluorine-modified silica and their performance in weather stability. 2012 , 22, 14042	40
1147	High-performance flexible thin-film transistors exfoliated from bulk wafer. 2012 , 12, 5609-15	67
1146	Magnetically guided nano-micro shaping and slicing of silicon. 2012 , 12, 2045-50	28
1145	Flexible glucose sensor using CVD-grown graphene-based field effect transistor. 2012 , 37, 82-7	213
1144	Fabrication of transistors on flexible substrates: from mass-printing to high-resolution alternative lithography strategies. 2012 , 24, 5526-41	215
1143	Theory for Stretchable Interconnects. 2012 , 1-29	1

1142	Graphene for Stretchable Electronics. 2012 , 41-80		2
1141	Stretchable Electronic and Optoelectronic Devices Using Single-Crystal Inorganic Semiconductor Materials. 2012 , 235-269		1
1140	Stretchable Organic Transistors. 2012 , 271-285		2
1139	Graphene-based flexible and stretchable thin film transistors. 2012 , 4, 4870-82		125
1138	Fabrication and electromechanical characterization of near-field electrospun composite fibers. <i>Nanotechnology</i> , 2012 , 23, 105305	3-4	15
1137	Design concept of high-performance flexible tactile sensors with a robust structure. 2012 , 13, 1941-1947		24
1136	Production of Flexible and Electrically Conductive PolyethyleneCarbon Nanotube Shish-Kebab Structures and Their Assembly into Thin Films. 2012 , 51, 5456-5460		4
1135	Mechanically durable and highly conductive elastomeric composites from long single-walled carbon nanotubes mimicking the chain structure of polymers. 2012 , 12, 2710-6		83
1134	Stamp Printing of Silicon Nanomembrane Based Flexible Photonic Devices. 2012 ,		
1133	Elastomeric Electronics: A Microfluidic Approach. 2012 ,		
1132	Wrinkling instabilities in polymer films and their applications. 2012 , 61, 1041-1047		118
1131	Stretchable semiconductor technologies with high areal coverages and strain-limiting behavior: demonstration in high-efficiency dual-junction GaInP/GaAs photovoltaics. 2012 , 8, 1851-6		86
1130	Materials and designs for wirelessly powered implantable light-emitting systems. 2012 , 8, 2812-8		88
1129	Elastic magnetic sensor with isotropic sensitivity for in-flow detection of magnetic objects. 2012 , 2, 2284		37
1128	Pattern Driven Stress Localization in Thin Diblock Copolymer Films. 2012 , 45, 4001-4006		21
1127	Photoinitiator surface segregation induced instabilities from polymerization of a liquid coating on a rigid substrate. 2012 , 8, 5225		33
1126	A flexible and highly sensitive strain-gauge sensor using reversible interlocking of nanofibres. 2012 , 11, 795-801		1227
1125	Sulfated graphene as an efficient solid catalyst for acid-catalyzed liquid reactions. 2012 , 22, 5495		219

1124	Highly Transparent and Conductive Stretchable Conductors Based on Hierarchical Reticulate Single-Walled Carbon Nanotube Architecture. 2012 , 22, 5238-5244	136
1123	Tailoring Electrode/Electrolyte Interfacial Properties in Flexible Supercapacitors by Applying Pressure. 2012 , 2, 546-552	61
1122	Flexible and stretchable electronics for biointegrated devices. 2012 , 14, 113-28	546
1121	Microfluidic electronics. 2012 , 12, 2782-91	214
1120	Axisymmetric thermo-mechanical analysis of laser-driven non-contact transfer printing. 2012 , 176, 189-194	26
1119	The use of a carbon nanotube layer on a polyurethane multifilament substrate for monitoring strains as large as 400%. 2012 , 50, 4085-4092	102
1118	Fatigue of polymer-supported Ag thin films. 2012 , 66, 915-918	58
1117	An analytical model for shear-enhanced adhesiveless transfer printing. 2012 , 43, 46-49	40
1116	Wrinkling on irreversibly deforming foundations. 2012 , 520, 5671-5682	4
1115	Postbuckling analysis and its application to stretchable electronics. 2012 , 60, 487-508	107
1114	Stability of a thin elastic film close to a rigid plate. 2012 , 60, 904-920	6
1113	Encapsulating Elastically Stretchable Neural Interfaces: Yield, Resolution, and Recording/Stimulation of Neural Activity. 2012 , 22, 640-651	39
1112	Silk-based conformal, adhesive, edible food sensors. 2012 , 24, 1067-72	266
1111	Compliant silver nanowire-polymer composite electrodes for bistable large strain actuation. 2012 , 24, 1321-7	177
1110	Silicon Thin Films as Anodes for High-Performance Lithium-Ion Batteries with Effective Stress Relaxation. 2012 , 2, 68-73	156
1109	Enhanced stretchability of poly(3-hexylthiophene) thin films by ion gel gate embedding. 2013 , 21, 311-314	3
1108	DNA Nanotechnology. 2013 ,	4
1107	Fabrication of stretchable MoS ₂ thin-film transistors using elastic ion-gel gate dielectrics. 2013 , 103, 023505	75

1106	Mouldable all-carbon integrated circuits. <i>Nature Communications</i> , 2013 , 4, 2302	17.4	122
1105	An ultra-lightweight design for imperceptible plastic electronics. 2013 , 499, 458-63		1781
1104	High performance flexible sensor based on inorganic nanomaterials. 2013 , 176, 522-533		64
1103	Ultrathin, highly flexible and stretchable PLEDs. 2013 , 7, 811-816		706
1102	Air-breathing flexible Polydimethylsiloxane (PDMS)-based fuel cell. 2013 , 14, 501-504		17
1101	Ceramics for Electronics and Energy: Issues and Opportunities. 2013 , 10, 723-730		7
1100	Large-area free-standing ultrathin single-crystal silicon as processable materials. 2013 , 13, 4393-8		126
1099	Advances in semiconductor nanowire growth on graphene. 2013 , 7, 713-726		47
1098	Fabrication of a stretchable solid-state micro-supercapacitor array. 2013 , 7, 7975-82		220
1097	A new method to invert top-gate organic field-effect transistors for Kelvin probe investigations. 2013 , 112, 431-436		3
1096	Optically Tunable Terahertz Metamaterials on Highly Flexible Substrates. 2013 , 3, 702-708		53
1095	Plasma Nanoscience and Nanotechnology. 2013 , 287-357		2
1094	Bright and stable quantum dots and their applications in full-color displays. 2013 , 38, 712-720		68
1093	Triboelectric active sensor array for self-powered static and dynamic pressure detection and tactile imaging. 2013 , 7, 8266-74		434
1092	Fabrication and application of flexible, multimodal light-emitting devices for wireless optogenetics. 2013 , 8, 2413-2428		142
1091	Taxel-addressable matrix of vertical-nanowire piezotronic transistors for active and adaptive tactile imaging. <i>Science</i> , 2013 , 340, 952-7	33.3	692
1090	Gate-controlled spin-orbit interaction in InAs high-electron mobility transistor layers epitaxially transferred onto Si substrates. 2013 , 7, 9106-14		10
1089	Robotic Tactile Sensing. 2013 ,		135

1088	Patterned free-standing conductive nanofilms for ultraconformable circuits and smart interfaces. 2013 , 5, 9461-9	30
1087	A perspective: carbon nanotube macro-films for energy storage. 2013 , 6, 3183-3201	153
1086	Electrically conducting film of silver sub-micron particles as mechanical and electrical interfaces for transfer printed micro- and nano-pillar devices. 2013 , 111, 251-259	8
1085	Buckle-driven delamination of hydrophobic micro-, nano-, and heterostructured membranes without a sacrificial layer. 2013 , 5, 10853-7	3
1084	Bendable Ultra-Thin Chips on Flexible Foils. 2013 , 13, 4030-4037	69
1083	An analytical mechanics model for the island-bridge structure of stretchable electronics. 2013 , 9, 8476	59
1082	Guided wrinkling in swollen, pre-patterned photoresist thin films with a crosslinking gradient. 2013 , 9, 11007	41
1081	A Fully-Integrated Flexible Photonic Platform for Chip-to-Chip Optical Interconnects. 2013 , 31, 4080-4086	41
1080	Large Area Silicon Nanomembrane Photonic Devices on Unconventional Substrates. 2013 , 25, 1601-1604	7
1079	Conformal surface plasmons propagating on ultrathin and flexible films. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 40-5	11.5 517
1078	A self-powered strain sensor based on a ZnO/PEDOT:PSS hybrid structure. 2013 , 3, 17011	26
1077	. 2013 ,	6
1076	Post-CMOS and Post-MEMS Compatible Flexible Skin Technologies: A Review. 2013 , 13, 3962-3975	18
1075	Polypyrrole stretchable actuators. 2013 , 51, 57-63	15
1074	Twistable nonvolatile organic resistive memory devices. 2013 , 14, 2087-2092	22
1073	Mechanics of ultra-stretchable self-similar serpentine interconnects. 2013 , 61, 7816-7827	147
1072	Self-healing stretchable wires for reconfigurable circuit wiring and 3D microfluidics. 2013 , 25, 1589-92	316
1071	Aerosol jet printed, low voltage, electrolyte gated carbon nanotube ring oscillators with sub-5 μ s stage delays. 2013 , 13, 954-60	187

1070	Large area transferred silicon nanomembrane photonic devices on unconventional substrates. 2013	1
1069	Supercapacitors based on nanostructured carbon. 2013 , 2, 159-173	426
1068	Spontaneous wrinkling in azlactone-based functional polymer thin films in 2D and 3D geometries for guided nanopatterning. 2013 , 1, 2097	16
1067	Transparent, stretchable, carbon-nanotube-inlaid conductors enabled by standard replication technology for capacitive pressure, strain and touch sensors. 2013 , 1, 3580	113
1066	Nanowire Field-Effect Transistors for Electrical Interfacing with Cells and Tissue. 2013 , 515-529	
1065	High-performance flexible asymmetric supercapacitors based on 3D porous graphene/MnO ₂ nanorod and graphene/Ag hybrid thin-film electrodes. 2013 , 1, 1245-1251	135
1064	Organic/inorganic hybrid sensors: A review. 2013 , 182, 467-481	200
1063	A converging route towards very high frequency, mechanically flexible, and performance stable integrated electronics. 2013 , 113, 153701	11
1062	Highly stretchable, integrated supercapacitors based on single-walled carbon nanotube films with continuous reticulate architecture. 2013 , 25, 1058-64	440
1061	Highly compression-tolerant supercapacitor based on polypyrrole-mediated graphene foam electrodes. 2013 , 25, 591-5	676
1060	Tensilely strained germanium nanomembranes as infrared optical gain media. 2013 , 9, 622-30	48
1059	Large-scale organic nanowire lithography and electronics. <i>Nature Communications</i> , 2013 , 4, 1773	17.4 235
1058	Opto-electronic conversion logic behaviour through dynamic modulation of electron/energy transfer states at the TiO ₂ -carbon quantum dot interface. 2013 , 5, 1831-5	22
1057	Controlled morphology of thin film silicon integrated with environmentally responsive hydrogels. 2013 , 29, 6495-501	4
1056	Solution-based binder-free synthetic approach of RuO ₂ thin films for all solid state supercapacitors. 2013 , 103, 103-109	71
1055	Wrinkle to fold transition: influence of the substrate response. 2013 , 9, 8177	110
1054	Microfluidic Tools for DNA Analysis. 2013 , 113-153	1
1053	Mechanical Self-Assembly on Curved Substrates. 2013 , 171-199	

1052	Smart Polymers for Neural Interfaces. 2013 , 53, 108-129	51
1051	25th anniversary article: The evolution of electronic skin (e-skin): a brief history, design considerations, and recent progress. 2013 , 25, 5997-6038	1622
1050	Soft conductive elastomer materials for stretchable electronics and voltage controlled artificial muscles. 2013 , 25, 578-83	151
1049	Biaxially stretchable silver nanowire transparent conductors. 2013 , 113, 044311	43
1048	Flexible substrate and release layer for flexible MEMS devices. 2013 , 31, 050602	9
1047	Surface Effects on the Mechanical Behavior of Buckled Thin Film. 2013 , 80,	9
1046	Mechanics of Stretchable Electronics. 2013 , 535-536, 25-31	
1045	Nanomembranes and Nanofibers from Biodegradable Conducting Polymers. <i>Polymers</i> , 2013 , 5, 1115-1157	66
1044	A Finite-Deformation Mechanics Theory for Kinetically Controlled Transfer Printing. 2013 , 80,	19
1043	STRETCHABILITY AND SELF-HEALING OF WRINKLED GMR MULTILAYERS ON ELASTOMERIC MEMBRANES. 2013 , 03, 1340005	8
1042	Free-standing nanocomposites with high conductivity and extensibility. <i>Nanotechnology</i> , 2013 , 24, 1654014	21
1041	High performance stretchable UV sensor arrays of SnO ₂ nanowires. <i>Nanotechnology</i> , 2013 , 24, 315502	34 33
1040	Electrical Contacts to Vertically Oriented Silicon Nano and Microdevices for Applications in Flexible Systems. 2013 , 1553, 1	
1039	Combined influence of substrate relief and mechanical compression on topographical evolution of surface wrinkling. 2013 ,	
1038	Recent advances in flexible sensors for wearable and implantable devices. 2013 , 130, 1429-1441	316
1037	Flex-to-Rigid (F2R): A Generic Platform for the Fabrication and Assembly of Flexible Sensors for Minimally Invasive Instruments. 2013 , 13, 3873-3882	25
1036	Neutral-cluster implantation in polymers by computer experiments. 2013 , 113, 224307	12
1035	High strain biocompatible polydimethylsiloxane-based conductive graphene and multiwalled carbon nanotube nanocomposite strain sensors. 2013 , 102, 183511	154

1034	Three dimensional strain distribution of wrinkled silicon nanomembranes fabricated by rolling-transfer technique. 2013 , 103, 264102	14
1033	Development of a micro-indentation device for measuring the mechanical properties of soft materials. 2013 , 3, 054004	4
1032	Fluidic patch antenna based on liquid metal alloy/single-wall carbon-nanotubes operating at the S-band frequency. 2013 , 103, 063101	32
1031	LEGO-like assembly of peelable, deformable components for integrated devices. 2013 , 5, e66-e66	12
1030	Ultrathin Sticker-Type ZnO Thin Film Transistors Formed by Transfer Printing via Topological Confinement of Water-Soluble Sacrificial Polymer in Dimple Structure. 2013 , 23, 1375-1382	20
1029	Sticker-type Alq(3)-based OLEDs based on printable ultrathin substrates in periodically anchored and suspended configurations. 2013 , 25, 5626-31	16
1028	Flexible integrated photonics: where materials, mechanics and optics meet [Invited]. 2013 , 3, 1313	121
1027	Silicon nanomembrane based photonic crystal waveguide true-time-delay lines on a glass substrate. 2013 ,	
1026	Transfer of functional memory devices to any substrate. 2013 , 7, 326-331	7
1025	Subwavelength grating couplers for efficient light coupling into silicon nanomembrane based photonic devices. 2013 ,	
1024	Fullerenes as adhesive layers for mechanical peeling of metallic, molecular and polymer thin films. 2014 , 5, 394-401	7
1023	Archimedean spiral design for extremely stretchable interconnects. 2014 , 1, 29-34	38
1022	Flexible Electronics from Foils to Textiles. 2014 , 199-233	1
1021	Flexible electrochromic films based on CVD-graphene electrodes. <i>Nanotechnology</i> , 2014 , 25, 395702	3.4 19
1020	Spin injection and detection in In _{0.53} Ga _{0.47} As nanomembrane channels transferred onto Si substrates. 2014 , 7, 093004	2
1019	Screen printed flexible capacitive pressure sensor. 2014 ,	8
1018	Skin-inspired electronic devices. 2014 , 17, 321-331	380
1017	A novel self-supported printed flexible strain sensor for monitoring body movement and temperature. 2014 ,	12

1016	Design, fabrication and failure analysis of stretchable electrical routings. 2014 , 14, 11855-77	46
1015	Analysis of Sinusoidal Interfacial Wrinkling of an Anisotropic Film Sandwiched Between Two Compliant Layers. 2014 , 81,	1
1014	Ultrathin Ferroelectric Films: Growth, Characterization, Physics and Applications. <i>Materials</i> , 2014 , 7, 6377-6485	42
1013	Fabrication, characterisation and modelling of fast flexible semiconductor nanomembrane electronics. 2014 , 11, 190	1
1012	Contact resistance and overlapping capacitance in flexible sub-micron long oxide thin-film transistors for above 100 MHz operation. 2014 , 105, 263504	47
1011	Soft bio-integrated systems for continuous health monitoring. 2014 ,	
1010	Electrical conduction of nanoparticle monolayer for accurate tracking of mechanical stimulus in finger touch sensing. 2014 , 6, 13809-16	12
1009	Oriented gold ripple-like structures on poly-l-lactic acid. 2014 , 321, 503-510	15
1008	Stretchable optical waveguides. 2014 , 22, 4168-79	71
1007	Photosensitive hole transport in Schottky-contacted Si nanomembranes. 2014 , 105, 121101	6
1006	11.2: Invited Paper: Imperceptible Electronic Skin. 2014 , 45, 122-125	7
1005	High performance flexible electronics for biomedical devices. 2014 , 2014, 4176-9	4
1004	Fabrication of stretchable single-walled carbon nanotube logic devices. 2014 , 10, 2910-7	9
1003	Observation of enhanced carrier transport properties of Si <100>-oriented whiskers under uniaxial strains. 2014 , 104, 013111	15
1002	Heteropolar Charging of Ferroelectrets for Flexible Keyboards and Tactile Sensors. 2014 , 472, 90-99	1
1001	Design and fabrication of novel stretchable device arrays on a deformable polymer substrate with embedded liquid-metal interconnections. 2014 , 26, 6580-6	75
1000	Influence of curvature on the device physics of thin film transistors on flexible substrates. 2014 , 116, 164507	7
999	Flexible single-crystal silicon nanomembrane photonic crystal cavity. 2014 , 8, 12265-71	29

998	Room Temperature Fluorescent Conjugated Polymer Gums. 2014 , 24, 1928-1937	41
997	Strain-driven and ultrasensitive resistive sensor/switch based on conductive alginate/nitrogen-doped carbon-nanotube-supported Ag hybrid aerogels with pyramid design. 2014 , 6, 22823-9	48
996	Torsion sensors of high sensitivity and wide dynamic range based on a graphene woven structure. 2014 , 6, 13053-9	42
995	High performance bio-integrated devices. 2014 ,	
994	Piezoelectric Effect on the Buckling of Piezoelectric Thin Film with Viscoelastic Substrate. 2014 , 4,	
993	Self-folding miniature elastic electric devices. 2014 , 23, 094005	44
992	Comparison of the cohesive and delamination fatigue properties of atomic-layer-deposited alumina and titania ultrathin protective coatings deposited at 200 °C. 2014 , 15, 015003	6
991	Multifunctional wearable devices for diagnosis and therapy of movement disorders. 2014 , 9, 397-404	1037
990	Well-Ordered and High Density Coordination-Type Bonding to Strengthen Contact of Silver Nanowires on Highly Stretchable Polydimethylsiloxane. 2014 , 24, 3276-3283	54
989	Nanomechanical and Charge Transport Properties of Two-Dimensional Atomic Sheets. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300089	4.6 28
988	Flexible and transparent silicon-on-polymer based sub-20 nm non-planar 3D FinFET for brain-architecture inspired computation. 2014 , 26, 2794-9	43
987	Fabrication of Organic Thin-Film Transistors on Three-Dimensional Substrates Using Free-Standing Polymeric Masks Based on Soft Lithography. 2014 , 24, 2404-2408	22
986	A review of non-contact micro- and nano-printing technologies. 2014 , 24, 053001	88
985	Fabrication of anisotropic and hierarchical undulations by benchtop surface wrinkling. 2014 ,	2
984	Graphite/silicon hybrid electrodes using a 3D current collector for flexible batteries. 2014 , 26, 2977-82	44
983	Molecularly Stretchable Electronics. 2014 , 26, 3028-3041	157
982	25th anniversary article: scalable multiscale patterned structures inspired by nature: the role of hierarchy. 2014 , 26, 675-700	167
981	Stretchable and wearable electrochromic devices. 2014 , 8, 316-22	326

980	Origami lithium-ion batteries. <i>Nature Communications</i> , 2014 , 5, 3140	17.4	381
979	Flexible and Stretchable Electronics Paving the Way for Soft Robotics. 2014 , 1, 53-62		358
978	Wafer-scale design of lightweight and transparent electronics that wraps around hairs. <i>Nature Communications</i> , 2014 , 5, 2982	17.4	249
977	Buckling analysis of stretchable ferroelectric thin film on elastomeric substrates. 2014 , 27, 509-517		2
976	Self-folding printable elastic electric devices: Resistor, capacitor, and inductor. 2014 ,		12
975	Next-generation flexible neural and cardiac electrode arrays. 2014 , 4, 95-108		27
974	Negatively strain-dependent electrical resistance of magnetically arranged nickel composites: application to highly stretchable electrodes and stretchable lighting devices. 2014 , 26, 3094-9		45
973	Effect of cooling condition on chemical vapor deposition synthesis of graphene on copper catalyst. 2014 , 6, 19574-8		28
972	Copper nanowire based transparent conductive films with high stability and superior stretchability. 2014 , 2, 5309-5316		99
971	Folding and birefringence behavior of poly(vinyl alcohol) hydrogel film induced by freezing and thawing. 2014 , 4, 49861-49865		5
970	A highly flexible and compact magnetoresistive analytic device. 2014 , 14, 4050-8		51
969	Ultraflexible organic transistor active matrix using self-assembled monolayer gate dielectrics. 2014 ,		
968	Extremely Soft: Design with Rheologically Complex Fluids. 2014 , 1, 12-20		33
967	Robust and transparent membrane of crystalline silicone via a melt-drawing technique. 2014 , 2, 373-381		9
966	Stimuli-responsive buckling mechanics of polymer films. 2014 , 52, 1441-1461		86
965	Sensitive, high-strain, high-rate bodily motion sensors based on graphene-rubber composites. 2014 , 8, 8819-30		588
964	Activated solutions enabling low-temperature processing of functional ferroelectric oxides for flexible electronics. 2014 , 26, 1405-9		78
963	Stretchable energy storage and conversion devices. 2014 , 10, 3443-60		111

962	Micro-scale twistable organic field effect transistors and complementary inverters fabricated by orthogonal photolithography on flexible polyimide substrate. 2014 , 15, 2822-2829		13
961	A monolithic functional film of nanotubes/cellulose/ionic liquid for high performance supercapacitors. 2014 , 271, 589-596		8
960	Bio-integrated electronics. 2014 ,		
959	Epitaxial patterning of thin-films: conventional lithographies and beyond. 2014 , 24, 093001		12
958	Strained-germanium nanostructures for infrared photonics. 2014 , 8, 3136-51		63
957	Three-dimensionally deformable, highly stretchable, permeable, durable and washable fabric circuit boards. 2014 , 470, 20140472		46
956	Analysis of plasma-induced morphological changes in sputtered thin films over compliant elastomer. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 105401	3	15
955	Flexible crossbar-structured resistive memory arrays on plastic substrates via inorganic-based laser lift-off. 2014 , 26, 7480-7		102
954	Microfluidic serpentine antennas with designed mechanical tunability. 2014 , 14, 4205-12		67
953	Highly stretchable carbon nanotube transistors with ion gel gate dielectrics. 2014 , 14, 682-6		133
952	Knitted fabrics made from highly conductive stretchable fibers. 2014 , 14, 1944-51		125
951	Super-stretchy lithium-ion battery based on carbon nanotube fiber. 2014 , 2, 11054		140
950	Mechanically gated electrical switches by creasing of patterned metal/elastomer bilayer films. 2014 , 26, 4381-5		40
949	Fiber-based wearable electronics: a review of materials, fabrication, devices, and applications. 2014 , 26, 5310-36		1376
948	Flexible and stretchable thin-film transistors based on molybdenum disulphide. 2014 , 16, 14996-5006		50
947	Effects of oblique-angle deposition on intrinsic stress evolution during polycrystalline film growth. 2014 , 77, 284-293		17
946	Experimental and Theoretical Studies of Serpentine Microstructures Bonded To Prestrained Elastomers for Stretchable Electronics. 2014 , 24, 2028-2037		220
945	Integrated flexible chalcogenide glass photonic devices. 2014 , 8, 643-649		216

944	Enzyme Biofuel Cells: Thermodynamics, Kinetics and Challenges in Applicability. 2014 , 1, 1751-1777	82
943	Negative differential conductance materials for flexible electronics. 2014 , 131, n/a-n/a	4
942	Flexible photodetectors with single-crystalline GaTe nanowires. 2014 , 2, 6104-6110	32
941	Flexible quantum dot-sensitized solar cells employing CoS nanorod arrays/graphite paper as effective counter electrodes. 2014 , 2, 13661	74
940	Stretching and breaking of monolayer MoS ₂ in atomistic simulation. 2014 , 1, 011007	28
939	Water surface assisted synthesis of large-scale carbon nanotube film for high-performance and stretchable supercapacitors. 2014 , 26, 4724-9	134
938	Biological materials by design. 2014 , 26, 073101	17
937	Spatial resolution of wrinkle patterns in thin elastic sheets at finite strain. 2014 , 62, 163-180	64
936	Design of conductive composite elastomers for stretchable electronics. 2014 , 9, 244-260	194
935	Capacitive behavior of latex/single-wall carbon nanotube stretchable electrodes. 2014 , 137, 372-380	18
934	Grain growth and complex stress evolution during Volmer-Weber growth of polycrystalline thin films. 2014 , 67, 189-198	87
933	Curvature effects in thin magnetic shells. 2014 , 112, 257203	119
932	Nanoscale Transition Metal Dichalcogenides: Structures, Properties, and Applications. 2014 , 39, 319-367	106
931	Silicone-Based Soft Electronics. 2014 , 273-292	
930	A new approach to shimming: the dynamically controlled adaptive current network. 2014 , 71, 859-69	13
929	Millimeter Thin and Rubber-Like Solid-State Lighting Modules Fabricated Using Roll-to-Roll Fluidic Self-Assembly and Lamination. 2015 , 27, 3661-8	24
928	Recent Progress in Electronic Skin. 2015 , 2, 1500169	586
927	References. 572-624	

926	Tunable meta-atom using liquid metal embedded in stretchable polymer. 2015 , 118, 014504	39
925	Soft Pressure Sensing Sleeve for Direct Cardiac Compression Device. 2015 ,	1
924	Heterostructures Based on TiO ₂ and Silicon for Solar Hydrogen Generation. 2015 , 219-281	3
923	Graphene oxide/carbon nanoparticle thin film based IR detector: Surface properties and device characterization. 2015 , 5, 107228	22
922	A flexible, stretchable and shape-adaptive approach for versatile energy conversion and self-powered biomedical monitoring. 2015 , 27, 3817-24	199
921	Design Considerations for Unconventional Electrochemical Energy Storage Architectures. 2015 , 5, 1402115	224
920	Biocompatible and Flexible Chitosan-Based Resistive Switching Memory with Magnesium Electrodes. 2015 , 25, 5586-5592	198
919	Mechanically Tunable High Refractive-Index Contrast TiO ₂ /PDMS Gratings. 2015 , 3, 1565-1569	13
918	Glass and Plastics Platforms for Foldable Electronics and Displays. 2015 , 27, 4969-74	27
917	Heterogeneously Integrated Optoelectronic Devices Enabled by Micro-Transfer Printing. 2015 , 3, 1313-1335	88
916	Effects of Synthesis Parameters on Silicon Nanopowders Produced by CO ₂ Laser-Driven Pyrolysis of Silane. 2015 , 21, 133-139	1
915	A Large-Scale Flexible Plasmonic Nanorod Array with Multifunction of Strong Photoluminescence Emission and Radiation Enhancement. 2015 , 3, 1355-1361	6
914	Stretchable Si Logic Devices with Graphene Interconnects. 2015 , 11, 6272-7	15
913	Selective Alignment of Molecular Glass Wrinkles by Engineered Magnetic Field Landscapes. 2015 , 25, 6768-6774	6
912	Epidermal electronics [Flexible electronics for biomedical applications. 245-255	13
911	. 2015 ,	12
910	Stretchable Strain Sensor Based on Areal Change of Carbon Nanotube Electrode. 2015 , 15, 2212-2218	30
909	Nonlinear characteristics in fracture strength test of ultrathin silicon die. 2015 , 30, 045005	15

908	Extremely Elastic Wearable Carbon Nanotube Fiber Strain Sensor for Monitoring of Human Motion. 2015 , 9, 5929-36		534
907	Mechanics of curvilinear electronics and optoelectronics. 2015 , 19, 171-189		33
906	. 2015 , 103, 619-632		47
905	High mobility flexible graphene field-effect transistors and ambipolar radio-frequency circuits. 2015 , 7, 10954-62		46
904	A heat induced bi-layer lift-off method for flexible substrates. 2015 ,		
903	A low-cost fabrication technique for direct sewing stretchable interconnections for wearable electronics. 2015 ,		7
902	An endoscope with integrated transparent bioelectronics and theranostic nanoparticles for colon cancer treatment. <i>Nature Communications</i> , 2015 , 6, 10059	17.4	122
901	A stretchable and wearable printed sensor for human body motion monitoring. 2015 ,		5
900	Wrinkled microparticles for unclonable microtaggants. 2015 ,		
899	Synthesis of 2D materials in arc plasmas. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 314007	3	36
898	Design and fabrication of self-packaged, flexible MEMS accelerometer. 2015 ,		5
897	Peeling Silicene From Model Silver Substrates in Molecular Dynamics Simulations. 2015 , 82,		6
896	Competing Fracture of Thin-Chip Transferring From/Onto Prestrained Compliant Substrate. 2015 , 82,		6
895	PDMS residues-free micro/macrostructures on flexible substrates. 2015 , 136, 57-62		52
894	Highly stretchable reduced graphene oxide (rGO)/single-walled carbon nanotubes (SWNTs) electrodes for energy storage devices. 2015 , 163, 149-160		33
893	Biomimetic microfingerprints for anti-counterfeiting strategies. 2015 , 27, 2083-9		181
892	Analytical solutions for bonded elastically compressible layers. 2015 , 58, 353-365		13
891	Self-similar design for stretchable wireless LC strain sensors. 2015 , 224, 36-42		59

890	Nanomaterial-enabled stretchable conductors: strategies, materials and devices. 2015 , 27, 1480-511	510
889	Scalable and Flexible Bioelectronics and Its Applications to Medicine. 2015 , 485-540	1
888	Inorganic Semiconductor Nanomaterials for Flexible Electronics. 2015 , 187-224	
887	Screen Printing of Multilayered Hybrid Printed Circuit Boards on Different Substrates. 2015 , 5, 415-421	65
886	Mechanics of stretchable batteries and supercapacitors. 2015 , 19, 190-199	147
885	Polythiophene nanofibril bundles surface-embedded in elastomer: a route to a highly stretchable active channel layer. 2015 , 27, 1255-61	125
884	Mechanics for stretchable sensors. 2015 , 19, 149-159	57
883	Eardrum-inspired active sensors for self-powered cardiovascular system characterization and throat-attached anti-interference voice recognition. 2015 , 27, 1316-26	366
882	Material approaches to stretchable strain sensors. 2015 , 16, 1155-63	126
881	Flexible, stretchable, and patchable organic devices integrated on freestanding polymeric substrates. 2015 , 53, 453-460	34
880	Direct transfer of magnetic sensor devices to elastomeric supports for stretchable electronics. 2015 , 27, 1333-8	57
879	Printed Oxide Thin Film Transistors: A Mini Review. 2015 , 4, P3044-P3051	64
878	Multifunctional nano-accordion structures for stretchable transparent conductors. 2015 , 2, 486-494	26
877	Applications of computational mechanics in stretchable electronics. 2015 ,	
876	Kirigami-based stretchable lithium-ion batteries. 2015 , 5, 10988	190
875	A durability study of carbon nanotube fiber based stretchable electronic devices under cyclic deformation. 2015 , 94, 352-361	16
874	Liquid on Paper: Rapid Prototyping of Soft Functional Components for Paper Electronics. 2015 , 5, 11488	26
873	CdSe Nanowire-Based Flexible Devices: Schottky Diodes, Metal-Semiconductor Field-Effect Transistors, and Inverters. 2015 , 7, 13131-6	25

872	Synthesizing a Healable Stretchable Transparent Conductor. 2015 , 7, 14140-9		49
871	Spray-combustion synthesis: efficient solution route to high-performance oxide transistors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 3217-22	11.5	151
870	Rapid growth of single-layer graphene on the insulating substrates by thermal CVD. 2015 , 346, 41-45		34
869	New Technological Advancements in Biomedical Variables Transducing. 2015 , 351-360		
868	Electronic Skin. 2015 ,		8
867	Mechanical Designs for Inorganic Stretchable Circuits in Soft Electronics. 2015 , 5, 1201-1218		46
866	Stretchable-Rubber-Based Triboelectric Nanogenerator and Its Application as Self-Powered Body Motion Sensors. 2015 , 25, 3688-3696		261
865	Current progress in 3D printing for cardiovascular tissue engineering. 2015 , 10, 034002		113
864	Tape transfer atomization patterning of liquid alloys for microfluidic stretchable wireless power transfer. 2015 , 5, 8419		105
863	Flexible structured high-frequency film bulk acoustic resonator for flexible wireless electronics. 2015 , 25, 055003		20
862	All-solid state flexible supercapacitors based on graphene/polymer composites. 2015 , 159, 114-118		7
861	Multiphoton fabrication of freeform polymer microstructures containing graphene oxide and reduced graphene oxide nanosheets. 2015 , 5, 218		7
860	Mechanical and Electrical Anisotropy of Few-Layer Black Phosphorus. 2015 , 9, 11362-70		199
859	Self-healing metal wire using electric field trapping of metal nanoparticles. <i>Japanese Journal of Applied Physics</i> , 2015 , 54, 06FP03	1.4	13
858	Anomalous Stretchable Conductivity Using an Engineered Tricot Weave. 2015 , 9, 12214-23		30
857	Elastic instabilities induced large surface strain sensing structures (EILS). 2015 ,		
856	Analyses of postbuckling in stretchable arrays of nanostructures for wide-band tunable plasmonics. 2015 , 471, 20150632		2
855	Nanoscale Surface Creasing Induced by Post-polymerization Modification. 2015 , 9, 10961-9		16

854	Carbon Nanotube Flexible and Stretchable Electronics. 2015 , 10, 1013	92
853	Robust and Soft Elastomeric Electronics Tolerant to Our Daily Lives. 2015 , 15, 5716-23	47
852	Transfer printing of magnetic structures with enhanced performance using a new type of water-soluble sacrificial layer. 2015 , 5, 56959-56966	2
851	Application of Nanoparticles in Manufacturing. 2015 , 1-53	2
850	Functional Nanomaterial Devices. 2015 , 155-193	
849	Bending behavior of a flexible single crystal nanomembrane photonic crystal cavity. 2015 ,	
848	Transparent and flexible conducting hybrid film combined with 3-Aminopropyltriethoxysilane-coated polymer and graphene. 2015 , 357, 287-292	9
847	Flexible high power-per-weight perovskite solar cells with chromium oxide-metal contacts for improved stability in air. 2015 , 14, 1032-9	652
846	Stacking order dependent mechanical properties of graphene/MoS ₂ bilayer and trilayer heterostructures. 2015 , 107, 073101	34
845	Fabrication of nanowire electronics on nonconventional substrates by water-assisted transfer printing method. 2015 ,	
844	Shape memory fiber supercapacitors. 2015 , 17, 330-338	56
843	Super-stretchable metallic interconnects on polymer with a linear strain of up to 100%. 2015 , 107, 081906	15
842	Design and fabrication of a flexible MEMS-based electromechanical sensor array for breast cancer diagnosis. 2015 , 25,	28
841	The effect of mechanical-driven volumetric change on instability patterns of bilayered soft solids. 2015 , 11, 7911-9	14
840	Highly stretchable carbon nanotube transistors enabled by buckled ion gel gate dielectrics. 2015 , 107, 053301	25
839	Ultra-flexible short-channel organic field-effect transistors. 2015 , 8, 091601	14
838	Organic Electronics Materials and Devices. 2015 ,	30
837	Oxide Semiconductor Thin Film Transistors on Thin Solution-Cast Flexible Substrates. 2015 , 36, 35-37	37

836	Wearable magnetic field sensors for flexible electronics. 2015 , 27, 1274-80		162
835	Ultrastretchable and flexible copper interconnect-based smart patch for adaptive thermotherapy. 2015 , 4, 665-73		58
834	Stretchable and high-performance supercapacitors with crumpled graphene papers. 2014 , 4, 6492		189
833	A Bendable Li-Ion Battery with a Nano-Hairy Electrode: Direct Integration Scheme on the Polymer Substrate. 2015 , 5, 1400611		18
832	Graphene/Si-nanowire heterostructure molecular sensors. 2014 , 4, 5384		41
831	A critical review on cellulose: From fundamental to an approach on sensor technology. 2015 , 41, 402-412		173
830	Trend of Energy Saving in Electronic Devices for Research and Development. 2016 , 40, 07016		0
829	Recent Advances in Unconventional Lithography for Challenging 3D Hierarchical Structures and Their Applications. 2016 , 2016, 1-17		13
828	Process, Design and Materials for Unidirectionally Tilted Polymeric Micro/Nanohairs and Their Adhesion Characteristics. <i>Polymers</i> , 2016 , 8,	4-5	4
827	Mechanical Properties and Applications of Two-Dimensional Materials. 2016 ,		5
826	Microfluidics for Soft Electronics. 2016 ,		
825	Recent Advancements in Liquid Metal Flexible Printed Electronics: Properties, Technologies, and Applications. <i>Micromachines</i> , 2016 , 7,	3-3	97
824	Conductive Elastomers for Stretchable Electronics, Sensors and Energy Harvesters. <i>Polymers</i> , 2016 , 8,	4-5	63
823	Graphene oxide dot-based microstructures via dispersion and support of bovine serum albumin. 2016 , 6, 3193		2
822	Preliminary SEM Observations on the Surface of Elastomeric Impression Materials after Immersion or Ozone Disinfection. 2016 , 10, ZC01-ZC05		4
821	CMOS-Technology-Enabled Flexible and Stretchable Electronics for Internet of Everything Applications. 2016 , 28, 4219-49		134
820	Pursuing prosthetic electronic skin. 2016 , 15, 937-50		1324
819	Ultrathin PECVD epitaxial Si solar cells on glass via low-temperature transfer process. 2016 , 24, 1075-1084		24

818	Wearable Keyboard Using Conducting Polymer Electrodes on Textiles. 2016 , 28, 4485-8	130
817	Recent Progress in Materials and Devices toward Printable and Flexible Sensors. 2016 , 28, 4415-40	487
816	Stretchable, Conductive, and Stable PEDOT-Modified Textiles through a Novel In Situ Polymerization Process for Stretchable Supercapacitors. 2016 , 1, 1600009	41
815	Ab-initio study of the optical properties of the Li-intercalated graphene and MoS ₂ . 2016 , 48, 1	3
814	49-4L: Late-News Paper: All-Ink-Jet-Printed Wearable Information Display Directly Fabricated onto an Elastomeric Substrate. 2016 , 47, 672-675	1
813	Silk Fibroin for Flexible Electronic Devices. 2016 , 28, 4250-65	340
812	Flexible and Stretchable Optoelectronic Devices using Silver Nanowires and Graphene. 2016 , 28, 4541-8	106
811	Soft bioelectronics using nanomaterials. 2016 ,	
810	Mechanics of Fractal-Inspired Horseshoe Microstructures for Applications in Stretchable Electronics. 2016 , 83,	90
809	Contact localization through spatially overlapping piezoresistive signals. 2016 ,	6
808	Shapeable magnetoelectronics. 2016 , 3, 011101	119
807	Proton Conducting Nafion-Sulfonated Graphene Hybrid Membranes for Direct Methanol Fuel Cells with Reduced Methanol Crossover. 2016 , 30, 725-734	68
806	Elastic properties of suspended black phosphorus nanosheets. 2016 , 108, 013104	52
805	Deformable printed circuit boards that enable metamorphic electronics. 2016 , 8, e336-e336	18
804	Inorganic dissolvable electronics: materials and devices for biomedicine and environment. 2016 , 31, 2549-2570	26
803	Large area electronic skin. 2016 ,	0
802	Elastic properties of suspended multilayer WSe ₂ . 2016 , 108, 042104	89
801	Stretchable Thin Film Materials: Fabrication, Application, and Mechanics. 2016 , 138,	48

800	The Primary Bilayer Ruga-Phase Diagram II: Irreversibility in Ruga Evolution. 2016 , 83,	11
799	Stretchable Spin Valve with Stable Magnetic Field Sensitivity by Ribbon-Patterned Periodic Wrinkles. 2016 , 10, 4403-9	46
798	Nickel hydroxide coated carbon nanoparticles mediated hybrid three-dimensional graphene foam assembly for supercapacitor. 2016 , 6, 36307-36313	9
797	Stretchable Bioelectronics for Medical Devices and Systems. 2016 ,	70
796	Liquid Metals for Soft and Stretchable Electronics. 2016 , 3-30	11
795	Wireless Applications of Conformal Bioelectronics. 2016 , 83-114	1
794	Ultrathin, Skin-Like Devices for Precise, Continuous Thermal Property Mapping of Human Skin and Soft Tissues. 2016 , 117-132	6
793	Soft Biosensor Systems Using Flexible and Stretchable Electronics Technology. 2016 , 133-149	2
792	High-Performance Wearable Bioelectronics Integrated with Functional Nanomaterials. 2016 , 151-171	2
791	Sensor Skins: An Overview. 2016 , 173-191	6
790	One-step facile fabrication of controllable microcone and micromolar silicon arrays with tunable wettability by liquid-assisted femtosecond laser irradiation. 2016 , 6, 37463-37471	25
789	3D Printed Bionic Nanodevices. 2016 , 11, 330-350	93
788	Stretchable electronics for wearable and high-current applications. 2016 ,	1
787	High flex cycle testing of CVD monolayer WS ₂ TFTs on thin flexible polyimide. 2016 , 3, 021008	25
786	Stretchable and Transparent Organic Semiconducting Thin Film with Conjugated Polymer Nanowires Embedded in an Elastomeric Matrix. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500250	6.4 121
785	Recent advances on thermal analysis of stretchable electronics. 2016 , 6, 32-37	13
784	Sulfonated Graphene/Nafion Composite Membranes for Polymer Electrolyte Fuel Cells Operating under Reduced Relative Humidity. 2016 , 120, 15855-15866	92
783	Paper-Based Triboelectric Nanogenerators Made of Stretchable Interlocking Kirigami Patterns. 2016 , 10, 4652-9	160

782	Mechanics and Designs of Stretchable Bioelectronics. 2016 , 53-68	2
781	Large increase in stretchability of organic electronic materials by encapsulation. 2016 , 8, 78-87	19
780	Fully-integrated, bezel-less transistor arrays using reversibly foldable interconnects and stretchable origami substrates. 2016 , 8, 9504-10	53
779	Biodegradable electronics: cornerstone for sustainable electronics and transient applications. 2016 , 4, 5531-5558	124
778	Thin film wrinkling by strain mismatch on 3D surfaces. 2016 , 8, 107-113	5
777	Polarization-dependent humidity sensor based on an in-fiber Mach-Zehnder interferometer coated with graphene oxide. 2016 , 234, 503-509	56
776	Energy Harvesters for Wearable and Stretchable Electronics: From Flexibility to Stretchability. 2016 , 28, 9881-9919	309
775	Flexible and Stretchable Biointegrated Electronics Using Silicon Nanomembranes. 2016 , 143-168	
774	High-Performance Strain Sensors with Fish-Scale-Like Graphene-Sensing Layers for Full-Range Detection of Human Motions. 2016 , 10, 7901-6	384
773	Flexible Photodetectors Based on 1D Inorganic Nanostructures. 2016 , 3, 1500287	94
772	Thin-film organic semiconductor devices: from flexibility to ultraflexibility. 2016 , 59, 589-608	27
771	Transfer Printed Flexible and Stretchable Thin Film Solar Cells Using a Water-Soluble Sacrificial Layer. 2016 , 6, 1601269	40
770	Wrinkles in Electronics. 2016 , 63, 3372-3384	6
769	Ultrastretchable Iono-Elastomers with Mechanoelectrical Response. 2016 , 5, 1332-1338	17
768	Skin-inspired organic electronic materials and devices. 2016 , 41, 897-904	43
767	Transparent and Foldable Electronics Enabled by Si Nanomembranes. 2016 , 57-88	
766	High-Speed, Flexible Electronics by Use of Si Nanomembranes. 2016 , 113-142	1
765	Synthesis, Assembly, and Applications of Semiconductor Nanomembranes. 2016 , 1-36	1

764	Semiconductor Nanomembranes for Fano Resonance Photonic Crystal Devices. 2016 , 271-304		1
763	Energy storage systems based on endoskeleton structuring. 2016 , 4, 13228-13234		1
762	Non-volatile organic ferroelectric memory transistors fabricated using rigid polyimide islands on an elastomer substrate. 2016 , 4, 4485-4490		20
761	Mechanical Self-Assembly of a Strain-Engineered Flexible Layer: Wrinkling, Rolling, and Twisting. 2016 , 5,		85
760	Liquid Metal based antenna for wearable electronic. 2016 ,		2
759	Synthesis of integrated graphene films with self-assembled single-layer channels and multi-layer electrodes via a single process. 2016 , 107, 837-843		
758	Flexible and Stretchable Oxide Electronics. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600105	6.4	39
757	Free-Standing Organic Transistors and Circuits with Sub-Micron Thicknesses. 2016 , 6, 27450		34
756	Buckling assisted and lithographically micropatterned fully flexible sensors for conformal integration applications. 2015 , 5, 17776		22
755	Decoupling optical function and geometrical form using conformal flexible dielectric metasurfaces. <i>Nature Communications</i> , 2016 , 7, 11618	17.4	163
754	All-in-One Shape-Adaptive Self-Charging Power Package for Wearable Electronics. 2016 , 10, 10580-10588		230
753	Screen-printed flexible MRI receive coils. <i>Nature Communications</i> , 2016 , 7, 10839	17.4	102
752	Highly Robust Neutral Plane Oxide TFTs Withstanding 0.25 mm Bending Radius for Stretchable Electronics. 2016 , 6, 25734		70
751	Anisotropic compressive response of Stone-Thrower-Wales defects in graphene: A molecular dynamics study. 2016 , 3, 095015		9
750	Stretchable, adhesive and ultra-conformable elastomer thin films. 2016 , 12, 9202-9209		36
749	Stretchable helical architecture inorganic-organic hetero thermoelectric generator. 2016 , 30, 691-699		42
748	Two-Dimensional Stretchable Organic Light-Emitting Devices with High Efficiency. 2016 , 8, 31166-31171		46
747	Low-Temperature Photochemical Solution Deposition of Ferroelectric and Multiferroic Thin Films. 2016 , 163-199		4

746	Ultraflexible organic amplifier with biocompatible gel electrodes. <i>Nature Communications</i> , 2016 , 7, 11425	7.4	139
745	Spatial temperature gradients guide axonal outgrowth. 2016 , 6, 29876		11
744	Towards colorless polyimide/silica hybrids for flexible substrates. 2016 , 105, 124-132		49
743	Fast Flexible Transistors with a Nanotrench Structure. 2016 , 6, 24771		25
742	Bioelectric Medicine and Devices for the Treatment of Spinal Cord Injury. 2016 , 202, 6-22		5
741	Skin-inspired hydrogel-elastomer hybrids with robust interfaces and functional microstructures. <i>Nature Communications</i> , 2016 , 7, 12028	17.4	486
740	Flexible Batteries: From Mechanics to Devices. 2016 , 1, 1065-1079		135
739	Ultrathin flexible memory devices based on organic ferroelectric transistors. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 10TA04	1.4	6
738	Understanding the Shape Memory Behavior of Self-Bending Materials and Their Use as Sensors. 2016 , 26, 3282-3290		64
737	Recent Advances in Flexible and Stretchable Bio-Electronic Devices Integrated with Nanomaterials. 2016 , 28, 4203-18		729
736	Mogul-Patterned Elastomeric Substrate for Stretchable Electronics. 2016 , 28, 3069-77		73
735	Recent Advances in Stretchable and Transparent Electronic Materials. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500407	6.4	201
734	Stretchable Hydrogel Electronics and Devices. 2016 , 28, 4497-505		418
733	Fabrication and Characterization of Flexible Thin Film Transistors on Thin Solution-Cast Substrates. 2016 ,		2
732	Protein-Based Bioelectronics. 2016 , 2, 1211-1223		70
731	Direct growth of Si nanowires on flexible organic substrates. <i>Nanotechnology</i> , 2016 , 27, 225601	3.4	4
730	Carbon and metal nanotube hybrid structures on graphene as efficient electron field emitters. <i>Nanotechnology</i> , 2016 , 27, 275301	3.4	3
729	Formation of metal interconnects and their resistance-change behavior during tensile stretching for stretchable packaging applications. 2016 ,		2

728	Thick-film MEMS thermoelectric sensor fabricated using a thermally assisted lift-off process. 2016 , 15, 024501	5
727	High-Performance Flexible Multilayer MoS ₂ Transistors on Solution-Based Polyimide Substrates. 2016 , 26, 2426-2434	63
726	Deformable devices with integrated functional nanomaterials for wearable electronics. <i>Nano Convergence</i> , 2016 , 3, 4	9.2 37
725	From Playroom to Lab: Tough Stretchable Electronics Analyzed with a Tabletop Tensile Tester Made from Toy-Bricks. 2016 , 3, 1500396	33
724	Flexible transition metal dichalcogenide field-effect transistors: A circuit-level simulation study of delay and power under bending, process variation, and scaling. 2016 ,	5
723	Recent development of transient electronics. 2016 , 6, 21-31	43
722	Smart, stretchable and wearable supercapacitors: prospects and challenges. 2016 , 18, 4218-4235	64
721	Electronic devices: Nanoparticles make salty circuits. 2016 , 11, 579-80	10
720	Structural engineering of gold thin films with channel cracks for ultrasensitive strain sensing. 2016 , 3, 248-255	177
719	Mechanics and thermal management of stretchable inorganic electronics. 2016 , 3, 128-143	92
718	Highly stretchable hybrid nanomembrane supercapacitors. 2016 , 6, 24756-24759	20
717	. 2016 ,	2
716	Toward a Portable Cancer Diagnostic Tool Using a Disposable MEMS-Based Biochip. 2016 , 63, 1347-53	19
715	A wearable multiplexed silicon nonvolatile memory array using nanocrystal charge confinement. 2016 , 2, e1501101	113
714	Flexible electronics under strain: a review of mechanical characterization and durability enhancement strategies. 2016 , 51, 2771-2805	219
713	Approaches to Stretchable Polymer Active Channels for Deformable Transistors. 2016 , 49, 433-444	51
712	Anomalous elastic buckling of layered crystalline materials in the absence of structure slenderness. 2016 , 88, 83-99	19
711	Nanomembrane Materials Based on Polymer Blends. 2016 , 101-123	7

710	Rolling wrinkles on elastic substrates. 2016 , 6, 23-30	6
709	A review of origami applications in mechanical engineering. 2016 , 230, 2345-2362	99
708	Directivity-Reconfigurable Wideband Two-Arm Spiral Antenna. 2017 , 16, 66-69	17
707	Properties, Functions, Chemical Transformation, Nano-, and Hybrid Materials of Poly(diphenylacetylene)s toward Sensor and Actuator Applications. 2017 , 57, 175-199	37
706	Integrated graphene systems by laser irradiation for advanced devices. 2017 , 12, 14-30	63
705	Chemical Sensing Systems that Utilize Soft Electronics on Thin Elastomeric Substrates with Open Cellular Designs. 2017 , 9, 1605476	51
704	Rotation of hard particles in a soft matrix. 2017 , 101, 285-310	19
703	Electronic Devices for Human-Machine Interfaces. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1600709	4.6 52
702	A quantitative strain analysis of a flexible single-crystalline silicon membrane. 2017 , 110, 033105	8
701	A Low-Cost, Micropattern Transfer Process for Thick-Film Metallization of PDMS. 2017 , 164, B3067-B3076	6
700	Single Crystal Flexible Electronics Enabled by 3D Spalling. 2017 , 29, 1606638	13
699	A self-healing flexible transparent conductor made of copper nanowires and polyurethane. 2017 , 90, 175-181	22
698	Patterning of Stretchable Organic Electrochemical Transistors. 2017 , 29, 3126-3132	81
697	Processing, characterisation and electromechanical behaviour of elastomeric multiwall carbon nanotubes-poly (glycerol sebacate) nanocomposites for piezoresistive sensors applications. 2017 , 142, 163-170	36
696	Stretchable Conjugated Rod-Coil Poly(3-hexylthiophene)-block-poly(butyl acrylate) Thin Films for Field Effect Transistor Applications. 2017 , 50, 1442-1452	63
695	A highly stretchable, transparent, and conductive polymer. 2017 , 3, e1602076	674
694	Epitaxial Growth of Large-Grain NiSe Films by Solid-State Reaction for High-Responsivity Photodetector Arrays. 2017 , 29, 1606180	16
693	Imperceptible organic electronics. 2017 , 42, 124-130	38

692	Strategies for stretchable polymer semiconductor layers. 2017 , 42, 98-102		11
691	Modeling of CMOS Devices and Circuits on Flexible Ultrathin Chips. 2017 , 64, 2038-2046		39
690	Completely Printed, Flexible, Stable, and Hysteresis-Free Carbon Nanotube Thin-Film Transistors via Aerosol Jet Printing. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700057	6.4	105
689	Soft Multifunctional Composites and Emulsions with Liquid Metals. 2017 , 29, 1605985		206
688	Design and application of 'J-shaped' stress-strain behavior in stretchable electronics: a review. 2017 , 17, 1689-1704		99
687	High-performance, flexible electronic skin sensor incorporating natural microcapsule actuators. 2017 , 36, 38-45		116
686	A Bioinspired Mineral Hydrogel as a Self-Healable, Mechanically Adaptable Ionic Skin for Highly Sensitive Pressure Sensing. 2017 , 29, 1700321		592
685	Crumpled Graphene Triboelectric Nanogenerators: Smaller Devices with Higher Output Performance. 2017 , 2, 1700044		49
684	Controlled multiple neutral planes by low elastic modulus adhesive for flexible organic photovoltaics. <i>Nanotechnology</i> , 2017 , 28, 194002	3-4	27
683	Magnetic sensing platform technologies for biomedical applications. 2017 , 17, 1884-1912		71
682	Thermally Triggered Mechanically Destructive Electronics Based On Electrospun Poly(β -caprolactone) Nanofibrous Polymer Films. 2017 , 7, 947		21
681	Fully Printed Silver-Nanoparticle-Based Strain Gauges with Record High Sensitivity. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700067	6.4	55
680	Engineering the Charge Transport of Ag Nanocrystals for Highly Accurate, Wearable Temperature Sensors through All-Solution Processes. 2017 , 13, 1700247		44
679	Surface evolution and stability transition of silicon wafer subjected to nano-diamond grinding. 2017 , 7, 035221		3
678	Fabrication of micron and submicron gratings by using plasma treatment on the curved polydimethylsiloxane surfaces. 2017 , 72, 241-246		7
677	Multimodal visualization of the optomechanical response of silicon cantilevers with ultrafast electron microscopy. 2017 , 32, 239-247		8
676	Reliability improvement of a flexible FD-SOI MOSFET via heat management. 2017 , 110, 252101		6
675	Fully Stretchable Optoelectronic Sensors Based on Colloidal Quantum Dots for Sensing Photoplethysmographic Signals. 2017 , 11, 5992-6003		67

674	Review of Flexible Temperature Sensing Networks for Wearable Physiological Monitoring. 2017 , 6, 1601371		124
673	An Accurate Thermomechanical Model for Laser-Driven Microtransfer Printing. 2017 , 84,		19
672	Leveraging a temperature-tunable, scale-like microstructure to produce multimodal, supersensitive sensors. 2017 , 9, 7888-7894		16
671	Ultrastretchable, transparent triboelectric nanogenerator as electronic skin for biomechanical energy harvesting and tactile sensing. 2017 , 3, e1700015		674
670	Substrate independent approach for synthesis of graphene platelet networks. <i>Nanotechnology</i> , 2017 , 28, 255604	3-4	2
669	Surface instability and wrinkling pattern evolution on a fluid-supported inhomogeneous film. 2017 , 132, 1		1
668	Ultrasensitive Flexible Temperature-Mechanical Dual-Parameter Sensor Based on Vanadium Dioxide Films. 2017 , 38, 1128-1131		12
667	Recent progress in high-mobility thin-film transistors based on multilayer 2D materials. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 164001	3	16
666	Mechanical Properties of Organic Semiconductors for Stretchable, Highly Flexible, and Mechanically Robust Electronics. <i>Chemical Reviews</i> , 2017 , 117, 6467-6499	68.1	430
665	Sub-oxide passivation of silicon nanoparticles through rapid mechanical attrition. 2017 , 317, 230-235		1
664	Tunable diffraction grating in flexible substrate by UV-nanoimprint lithography. 2017 , 27, 025017		10
663	Phase Segregation of PEDOT:PSS on Textile to Produce Materials of >10 A mm ² Current Carrying Capacity. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1600348	3-9	29
662	Toward Arbitrary-Direction Energy Harvesting through Flexible Piezoelectric Nanogenerators Using Perovskite PbTiO Nanotube Arrays. 2017 , 29, 1604500		50
661	In-Plane Deformation Mechanics for Highly Stretchable Electronics. 2017 , 29, 1604989		101
660	Liquid metal sponges for mechanically durable, all-soft, electrical conductors. 2017 , 5, 1586-1590		103
659	Wearable Force Touch Sensor Array Using a Flexible and Transparent Electrode. 2017 , 27, 1605286		121
658	Enhanced electrical conductivity and reliability for flexible copper thin-film electrode by introducing aluminum buffer layer. 2017 , 116, 524-530		17
657	Shear deformation dominates in the soft adhesive layers of the laminated structure of flexible electronics. 2017 , 110-111, 305-314		24

656	Tuning the metal-insulator transition of vanadium dioxide thin films using a stretchable structure. 2017 , 705, 468-474	5
655	Capillary assisted deposition of carbon nanotube film for strain sensing. 2017 , 111, 173105	7
654	Self-Heating-Induced Deterioration of Electromechanical Performance in Polymer-Supported Metal Films for Flexible Electronics. 2017 , 7, 12506	5
653	Nature-Inspired Structural Materials for Flexible Electronic Devices. <i>Chemical Reviews</i> , 2017 , 117, 12893-12941	401
652	Resistive switching memory using biomaterials. 2017 , 39, 223-238	48
651	Self-Assembly of Block Copolymers in Ionic Liquids. 2017 , 83-142	4
650	Wrinkling-to-delamination transition in thin polymer films on compliant substrates. 2017 , 13, 7930-7937	30
649	Highly Deformable Origami Paper Photodetector Arrays. 2017 , 11, 10230-10235	65
648	High-performance flexible BiCMOS electronics based on single-crystal Si nanomembrane. 2017 , 1,	25
647	Inorganic semiconducting materials for flexible and stretchable electronics. 2017 , 1,	107
646	High-performance stretchable electrodes prepared from elastomeric current collectors and binders. 2017 , 5, 21550-21559	11
645	Flexible small-channel thin-film transistors by electrohydrodynamic lithography. 2017 , 9, 19050-19057	26
644	Versatile Interpenetrating Polymer Network Approach to Robust Stretchable Electronic Devices. 2017 , 29, 7645-7652	61
643	A Highly Stretchable and Washable All-Yarn-Based Self-Charging Knitting Power Textile Composed of Fiber Triboelectric Nanogenerators and Supercapacitors. 2017 , 11, 9490-9499	320
642	Stretchable and waterproof elastomer-coated organic photovoltaics for washable electronic textile applications. 2017 , 2, 780-785	270
641	Design of Miura Folding-Based Micro-Supercapacitors as Foldable and Miniaturized Energy Storage Devices. 2017 ,	3
640	Layer-by-layer assembly of two-dimensional materials into wafer-scale heterostructures. 2017 , 550, 229-233	305
639	Flexible quasi-solid-state planar micro-supercapacitor based on cellular graphene films. 2017 , 4, 1145-1150	150

638	Direct fabrication of electrochromic devices with complex patterns on three-dimensional substrates using polymeric stencil films. 2017 , 7, 43283-43288	6
637	Mechanical Stability Analysis via Neutral Mechanical Plane for High-Performance Flexible Si Nanomembrane FDSOI Device. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700618	4.6 7
636	Food-Based Edible and Nutritive Electronics. 2017 , 2, 1700181	39
635	Mechanical properties of hierarchical anti-tetrachiral metastructures. 2017 , 16, 18-32	49
634	Experimental investigation on the mechanical buckling of one-dimensional Si nanoribbons with a thickness contrast. 2017 , 640, 33-37	3
633	New insights and perspectives into biological materials for flexible electronics. 2017 , 46, 6764-6815	245
632	Stretchable Motion Memory Devices Based on Mechanical Hybrid Materials. 2017 , 29, 1701780	55
631	Role of Graphene in Reducing Fatigue Damage in Cu/Gr Nanolayered Composite. 2017 , 17, 4740-4745	42
630	Piezoresistance of flexible tunneling-percolation networks. 2017 , 96,	1
629	Toward Soft Skin-Like Wearable and Implantable Energy Devices. 2017 , 7, 1700648	140
628	Transition of surface-interface creasing in bilayer hydrogels. 2017 , 13, 6011-6020	10
627	3D Printed Silicones with Shape Memory. 2017 , 7, 4664	34
626	Stretchable Optical Fibers: Threads for Strain-Sensitive Textiles. 2017 , 2, 1700087	42
625	Mechanical Analyses and Structural Design Requirements for Flexible Energy Storage Devices. 2017 , 7, 1700535	122
624	Bending induced electrical response variations in ultra-thin flexible chips and device modeling. 2017 , 4, 031101	31
623	Deterministic Integration of Biological and Soft Materials onto 3D Microscale Cellular Frameworks. 2017 , 1, 1700068	12
622	Electronic Muscles and Skins: A Review of Soft Sensors and Actuators. <i>Chemical Reviews</i> , 2017 , 117, 11233-11268	38.11268
621	Kirigami-patterned highly stretchable conductors from flexible carbon nanotube-embedded polymer films. 2017 , 5, 8714-8722	42

620	Polymer Brushes as Interfacial Materials for Soft Metal Conductors and Electronics. 2017 , 709-734		
619	Buckling of a stiff thin film on an elastic graded compliant substrate. 2017 , 473, 20170410		8
618	Nonconventional Biosensors Based on Nanomembrane Materials. 2017 , 241-257		1
617	Origami silicon optoelectronics for hemispherical electronic eye systems. <i>Nature Communications</i> , 2017 , 8, 1782	17.4	119
616	Area-Controllable Stamping of Semicrystalline Copolymer Ionogels for Solid-State Electrolyte-Gated Transistors and Light-Emitting Devices. 2017 , 9, 42978-42985		14
615	High-gain monolithic 3D CMOS inverter using layered semiconductors. 2017 , 111, 222101		3
614	Deterministic Line-Shape Programming of Silicon Nanowires for Extremely Stretchable Springs and Electronics. 2017 , 17, 7638-7646		30
613	Kinetics and Chemistry of Hydrolysis of Ultrathin, Thermally Grown Layers of Silicon Oxide as Biofluid Barriers in Flexible Electronic Systems. 2017 , 9, 42633-42638		38
612	Photolithography-compatible conformal electrodes for high-performance bottom-contact organic single-crystal transistors. 2017 , 5, 12699-12706		18
611	Field-effect enhanced triboelectric colloidal quantum dot flexible sensor. 2017 , 111, 183103		9
610	Omnidirectional Deformable Energy Textile for Human Joint Movement Compatible Energy Storage. 2017 , 9, 41363-41370		11
609	Synergistic effects of grain boundaries and edges on fatigue deformations of sub-5 nm graphene nanoribbons. 2017 , 52, 10871-10878		5
608	Spirally Structured Conductive Composites for Highly Stretchable, Robust Conductors and Sensors. 2017 , 9, 23007-23016		38
607	Test structures for stepwise deformation sensing on super-flexible strain sensors. 2017 ,		0
606	A wearable and highly sensitive strain sensor based on a polyethylenimine/GO layered nanocomposite thin film. 2017 , 5, 7746-7752		45
605	Multiaxial wavy top-emission organic light-emitting diodes on thermally prestrained elastomeric substrates. 2017 , 48, 314-322		10
604	Recent Progress on Stretchable Electronic Devices with Intrinsically Stretchable Components. 2017 , 29, 1603167		281
603	Dissolvable tattoo sensors: from science fiction to a viable technology. 2017 , 92, 013001		16

602	Numerical investigation on mechanical properties of graphene covering silicon nanofilms. 2017 , 126, 321-325		4
601	Wrinkled Single-Crystalline Germanium Nanomembranes for Stretchable Photodetectors. 2017 , 64, 1985-1990	16	
600	Industrial Internet of Things. 2017 ,		130
599	Strain-Induced Armchair Graphene Nanoribbon Resonant-Tunneling Diodes. 2017 , 64, 4322-4326		15
598	Circular Structure for High Mechanical Bending Stability of a-IGZO TFTs. 2017 , 5, 453-457		20
597	Laser induced nanostructures created from Au layer on polyhydroxybutyrate. 2017 , 917, 052009		
596	Flexible electronics for bio-signal monitoring in implantable applications. 2017 , 14, 20172003-20172003		3
595	Organic membrane photonic integrated circuits (OMPICs). 2017 , 25, 18537-18552		5
594	Three-dimensional patterned graphene oxide-quantum dot microstructures via two-photon crosslinking. 2017 , 42, 4970-4973		3
593	Materials, Mechanics, and Patterning Techniques for Elastomer-Based Stretchable Conductors. <i>Micromachines</i> , 2017 , 8, 7	3-3	35
592	The Boom in 3D-Printed Sensor Technology. 2017 , 17,		161
591	Mechanisms and Materials of Flexible and Stretchable Skin Sensors. <i>Micromachines</i> , 2017 , 8, 69	3-3	31
590	Conducting Polyurethane Blends: Recent Advances and Perspectives. 2017 , 203-231		1
589	. 2017 ,		
588	Advances in the fabrication of graphene transistors on flexible substrates. 2017 , 8, 467-474		16
587	Synthesis of a new diamine and its effect on the residual stress of colorless polyimide. 2018 , 35, 777-783		3
586	Highly stretchable and conductive fibers enabled by liquid metal dip-coating. 2018 , 27, 035019		26
585	Electronic Circuits Integration in Textiles for Data Processing in Wearable Technologies. 2018 , 3, 1700320		29

584	Recent progress on liquid metals and their applications. 2018 , 3, 1446359	48
583	Review Article: Stress in thin films and coatings: Current status, challenges, and prospects. 2018 , 36, 020801	282
582	Printed Transistors and Sensors. 2018 , 83-104	
581	Flexible/Stretchable Devices for Medical Applications. 2018 , 351-380	1
580	Carbon Nanotube Based Flexible and Stretchable Electronics. 2018 , 7-51	4
579	Strain engineering and mechanical assembly of silicon/germanium nanomembranes. 2018 , 128, 1-31	42
578	Piezoresistive strain sensor array using polydimethylsiloxane-based conducting nanocomposites for electronic skin application. 2018 , 38, 494-500	10
577	A photonic sintering derived Ag flake/nanoparticle-based highly sensitive stretchable strain sensor for human motion monitoring. 2018 , 10, 7890-7897	74
576	HCI meets Material Science. 2018 ,	27
575	Biaxially Stretchable Fully Elastic Transistors Based on Rubbery Semiconductor Nanocomposites. 2018 , 3, 1800043	29
574	Three-dimensional helical inorganic thermoelectric generators and photodetectors for stretchable and wearable electronic devices. 2018 , 6, 4866-4872	49
573	Deformable inorganic semiconductor. 2018 , 17, 388-389	10
572	Patterning of Wrinkled Polymer Surfaces by Single-Step Electron Irradiation. 2018 , 34, 5290-5296	6
571	Skin electronics from scalable fabrication of an intrinsically stretchable transistor array. 2018 , 555, 83-88	1089
570	Sulfonated graphene oxide/Nafion composite membranes for high temperature and low humidity proton exchange membrane fuel cells.. 2018 , 8, 7494-7508	110
569	Ink-jet printed stretchable strain sensor based on graphene/ZnO composite on micro-random ridged PDMS substrate. 2018 , 107, 519-528	41
568	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. 2018 , 30, e1706738	230
567	Stretchable electrically conductive and high gas barrier nanocomposites. 2018 , 6, 2095-2104	14

566	High-Performance Carbon Nanotube Complementary Electronics and Integrated Sensor Systems on Ultrathin Plastic Foil. 2018 , 12, 2773-2779	66
565	Rehealable, fully recyclable, and malleable electronic skin enabled by dynamic covalent thermoset nanocomposite. 2018 , 4, eaaq0508	269
564	Flexible devices: from materials, architectures to applications. 2018 , 39, 011010	38
563	Electrohydrodynamic Direct-Writing for Flexible Electronic Manufacturing. 2018 ,	13
562	Engineering in-plane silicon nanowire springs for highly stretchable electronics. 2018 , 39, 011001	13
561	Hybrid functional microfibers for textile electronics and biosensors. 2018 , 39, 011009	2
560	Hybrid micromolding of silver micro fiber doped electrically conductive elastomeric composite polymer for flexible sensors and electronic devices. 2018 , 24, 4159-4164	10
559	EHD Equipment and Applications. 2018 , 157-194	1
558	Recent Developments in Graphene-Based Tactile Sensors and E-Skins. 2018 , 3, 1700248	100
557	Syringe Injectable Electronics. 2018 , 65-93	18
556	Assembly and Self-Assembly of Nanomembrane Materials-From 2D to 3D. 2018 , 14, e1703665	40
555	Stretchable Polymer Semiconductors for Plastic Electronics. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700429	133
554	Mechanically robust, stretchable organic solar cells via buckle-on-elastomer strategy. 2018 , 53, 339-345	25
553	Tailoring the energy band in flexible photodetector based on transferred ITO/Si heterojunction via interface engineering. 2018 , 10, 3893-3903	9
552	Innovations in biomedical nanoengineering: nanowell array biosensor. <i>Nano Convergence</i> , 2018 , 5, 9	9.2 18
551	Nongenetic Optical Methods for Measuring and Modulating Neuronal Response. 2018 , 12, 4086-4095	25
550	Effects of biopolyimide molecular design on their silica hybrids thermo-mechanical, optical and electrical properties.. 2018 , 8, 14009-14016	11
549	Ionic effects on the mechanical and swelling properties of a poly(acrylic acid/acrylamide) double crosslinking hydrogel. 2018 , 42, 9151-9158	23

548	Ultra-thin chips for high-performance flexible electronics. 2018 , 2,	151
547	Wrinkling of thin films on a microstructured substrate. 2018 , 25, 975-981	4
546	Functionalization of stretchable networks with sensors and switches for composite materials. 2018 , 17, 598-623	13
545	Triboelectric nanogenerator based on magnetically induced retractable spring steel tapes for efficient energy harvesting of large amplitude motion. 2018 , 11, 633-641	21
544	Functional self-healing materials and their potential applications in biomedical engineering. 2018 , 1, 94-113	40
543	Micromechanics of substrate-supported thin films. 2018 , 34, 381-391	7
542	A spring-mass system with elastomeric beams and stretchable interconnects. 2018 , 28, 014003	1
541	Highly Stretchable and Reliable, Transparent and Conductive Entangled Graphene Mesh Networks. 2018 , 30, 1704626	43
540	Controlled evolution of surface patterns for ZnO coated on stretched PMMA upon thermal and solvent treatments. 2018 , 132, 1-9	16
539	Materials and Structures toward Soft Electronics. 2018 , 30, e1801368	298
538	Ultrastretchable carbon nanotube composite electrodes for flexible lithium-ion batteries. 2018 , 10, 19972-19978	38
537	Surface wrinkling of an elastic graded layer. 2018 , 14, 8717-8723	17
536	Highly Conductive Stretchable Wirings Composed of Ag Foils and Elastomer. 2018 ,	2
535	Thermal Atomic Layer Etching of Silicon Using O ₂ , HF, and Al(CH ₃) ₃ as the Reactants. 2018 , 30, 8465-8475	32
534	Ultrawide strain-tuning of light emission from InGaAs nanomembranes. 2018 , 113, 201105	6
533	Inorganic semiconductor biointerfaces. 2018 , 3, 473-490	100
532	Nanomaterials in Skin-Inspired Electronics: Toward Soft and Robust Skin-like Electronic Nanosystems. 2018 , 12, 11731-11739	100
531	Characterization of Distributed Microfabricated Strain Gauges on Stretchable Sensor Networks for Structural Applications. 2018 , 18,	13

530	Hybrid Systems-in-Foil - Combining Thin Chips with Large-Area Electronics. 2018,	0
529	Mesoscopic superconductivity above 10 K in silicon point contacts. 2018, 113, 242601	3
528	Flash-Induced Stretchable Cu Conductor via Multiscale-Interfacial Couplings. 2018, 5, 1801146	31
527	Sub-2 V, Transfer-Stamped Organic/Inorganic Complementary Inverters Based on Electrolyte-Gated Transistors. 2018, 10, 40672-40680	27
526	A flexible three-dimensional force sensor based on PI piezoresistive film. 2018, 29, 19830-19839	12
525	Stretching and Breaking of Ultrathin 2D Hybrid Organic-Inorganic Perovskites. 2018, 12, 10347-10354	41
524	Asymmetric equilibria of two nested elastic rings. 2018, 94, 91-94	3
523	Flexible Hybrid Electronics Technology Using Die-First FOWLP for High-Performance and Scalable Heterogeneous System Integration. 2018, 8, 1738-1746	14
522	Device Configurations and Future Prospects of Flexible/Stretchable Lithium-Ion Batteries. 2018, 28, 1805596	88
521	Nanoscale Variable-Area Electronic Devices: Contact Mechanics and Hypersensitive Pressure Application. 2018, 10, 39168-39176	11
520	Transfer printing techniques for flexible and stretchable inorganic electronics. 2018, 2,	115
519	Stretchable metal films. 2018, 3, 043001	10
518	Leeches-Inspired Hydrogel-Elastomer Integration Materials. 2018, 10, 40238-40245	13
517	Utilization of Resist Stencil Lithography for Multidimensional Fabrication on a Curved Surface. 2018, 12, 9626-9632	9
516	Flexible multi-wavelength photodetector based on porous silicon nanowires. 2018, 10, 17705-17711	9
515	Parylene-MEMS technique-based flexible electronics. 2018, 61, 1	2
514	Monolithic Flexible Vertical GaN Light-Emitting Diodes for a Transparent Wireless Brain Optical Stimulator. 2018, 30, e1800649	64
513	Review on flexible photonics/electronics integrated devices and fabrication strategy. 2018, 61, 1	57

512	Reliable peripheral anchor-assisted transfer printing of ultrathin SiO ₂ for a transparent and flexible IGZO-based inverter. 2018 , 197, 15-22	3
511	An Elastic Autonomous Self-Healing Capacitive Sensor Based on a Dynamic Dual Crosslinked Chemical System. 2018 , 30, e1801435	185
510	Printed Electronics Based on Inorganic Semiconductors: From Processes and Materials to Devices. 2018 , 30, e1707600	106
509	Realization of Foldable Polymer Solar Cells Using Ultrathin Cellophane Substrates and ZnO/Ag/ZnO Transparent Electrodes. 2018 , 2, 1800123	21
508	Deep Ultra-Strength-Induced Band Structure Evolution in Silicon Nanowires. 2018 , 122, 15780-15785	3
507	Carbon nanotube-based flexible electronics. 2018 , 6, 7714-7727	47
506	Effects of Stiff Film Pattern Geometry on Surface Buckling Instabilities of Elastic Bilayers. 2018 , 10, 23406-23413	13
505	A Highly Sensitive Capacitive-type Strain Sensor Using Wrinkled Ultrathin Gold Films. 2018 , 18, 5610-5617	138
504	Ionic Gels and Their Applications in Stretchable Electronics. 2018 , 39, e1800246	63
503	Wearable Sensors for Upper Limb Monitoring. 2018 , 113-134	1
502	Multilayer Graphene Epidermal Electronic Skin. 2018 , 12, 8839-8846	180
501	/PVDF: A Flexible Polymer Nanocomposite for a High Performance Human Body Motion-Based Energy Harvester and Tactile e-Skin Mechanosensor. 2018 , 6, 10505-10516	54
500	Integration of Heterogeneous Materials for Wearable Sensors. <i>Polymers</i> , 2018 , 10,	4.5 16
499	Surface Instability of Bilayer Hydrogel Subjected to Both Compression and Solvent Absorption. <i>Polymers</i> , 2018 , 10,	4.5 4
498	Wafer-recyclable, environment-friendly transfer printing for large-scale thin-film nanoelectronics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E7236-E7244 ^{11.5}	31
497	Folding stabilities of encapsulation layers at positions off the mechanical neutral plane. 2018 , 11, 086502	5
496	A Fully Transient Mechanical Energy Harvester. 2018 , 3, 1800083	7
495	Fabrication of Flexible Image Sensor Based on Lateral NIPIN Phototransistors. 2018 ,	

494	Adhesion-Enhanced Flexible Conductive Metal Patterns on Polyimide Substrate Through Direct Writing Catalysts with Novel Surface-Modification Electroless Deposition. 2018 , 3, 7612-7618		4
493	Electrical Properties of Liquid Metal in Making Biomedical Soft Electronics. 2018 , 53-82		1
492	Liquid Metal Enabled Injectable Biomedical Electronics. 2018 , 149-186		
491	Superelastic active graphene aerogels dried in natural environment for sensitive supercapacitor-type stress sensor. 2018 , 283, 1390-1400		15
490	Stretchable Supercapacitors Based on Carbon Nanotubes-Deposited Rubber Polymer Nanofibers Electrodes with High Tolerance against Strain. <i>Nanomaterials</i> , 2018 , 8,	5-4	24
489	An intelligent partitioning approach of the system-on-chip for flexible and stretchable systems. 2018 , 61, 1		2
488	Advanced approaches for quantitative characterization of thermal transport properties in soft materials using thin, conformable resistive sensors. 2018 , 22, 27-35		12
487	Design Guidelines of Stretchable Pressure Sensors-Based Triboelectrification. 2018 , 20, 1700997		17
486	The Feasibility of Healable Electronics and Mechanical Behavior of Silver Nanowire (AgNW)/Healable Polymer Composite. 2018 , 3, 1700364		11
485	Artificial intelligence meets large-scale sensing: Using Large-Area Electronics (LAE) to enable intelligent spaces. 2018 ,		6
484	Plasma Nanoscience and Nanotechnology. 2018 , 365-453		
483	Stretchable electronics on another level. 2018 , 1, 440-441		10
482	. 2018 ,		8
481	Effect of interlayer space on the structure and Poisson's ratio of a graphene/MoS2 tubular van der Waals heterostructure. 2018 , 124, 084302		3
480	A flexible solar-blind 2D boron nitride nanopaper-based photodetector with high thermal resistance. 2018 , 2,		46
479	Thin Metallic Heat Sink for Interfacial Thermal Management in Biointegrated Optoelectronic Devices. 2018 , 3, 1800159		17
478	Trichogenic Photostimulation Using Monolithic Flexible Vertical AlGaInP Light-Emitting Diodes. 2018 , 12, 9587-9595		51
477	Low-Voltage Control of (Co/Pt) Perpendicular Magnetic Anisotropy Heterostructure for Flexible Spintronics. 2018 , 12, 7167-7173		31

476	Versatile CoreSheath Yarn for Sustainable Biomechanical Energy Harvesting and Real-Time Human-Interactive Sensing. 2018 , 8, 1801114		153
475	PDMS with designer functionalitiesProperties, modifications strategies, and applications. 2018 , 83, 97-134		237
474	Prosthesis with neuromorphic multilayered e-dermis perceives touch and pain. 2018 , 3,		165
473	Nanomaterials-based flexible and stretchable bioelectronics. 2019 , 44, 643-656		18
472	Monolithic Integration of Silicon Nanowire Networks as a Soft Wafer for Highly Stretchable and Transparent Electronics. 2019 , 19, 6235-6243		23
471	Magnetoresistance and spin-torque effect in flexible nanoscale magnetic tunnel junction. 2019 , 115, 052401		2
470	Metal oxide semiconductor nanomembrane-based soft unnoticeable multifunctional electronics for wearable human-machine interfaces. 2019 , 5, eaav9653		136
469	Theory of gradient-elastic membranes and its application in the wrinkling analysis of stretched thin sheets. 2019 , 132, 103679		4
468	CMOS-Compatible Wearable Sensors Fabricated Using Controlled Spalling. 2019 , 19, 7868-7874		2
467	Wearable sensors based on colloidal nanocrystals. <i>Nano Convergence</i> , 2019 , 6, 10	9.2	30
466	Metallized SU-8 thin film patterns on stretchable PDMS. 2019 , 29, 095009		7
465	TiC MXene as a new nanofiller for robust and conductive elastomer composites. 2019 , 11, 14712-14719		23
464	Potential Clinical Applications and Future Prospect of Wireless and Mobile Electroencephalography on the Assessment of Cognitive Impairment. 2019 , 1, 105-112		3
463	Highly Stretchable Metallic Nanowire Networks Reinforced by the Underlying Randomly Distributed Elastic Polymer Nanofibers via Interfacial Adhesion Improvement. 2019 , 31, e1903446		56
462	Skin-Inspired Electronics and Its Applications in Advanced Intelligent Systems. 2019 , 1, 1900063		12
461	PEDOT:PSS for Flexible and Stretchable Electronics: Modifications, Strategies, and Applications. 2019 , 6, 1900813		295
460	Highly-ordered Triptycene Modifier Layer Based on Blade Coating for Ultraflexible Organic Transistors. 2019 , 9, 9200		12
459	Paper-Cut Flexible Multifunctional Electronics Using MoS Nanosheet. <i>Nanomaterials</i> , 2019 , 9,	5.4	10

458	Mechanical and Electrical Reliability Analysis of Flexible Si Complementary Metal-Oxide-Semiconductor Integrated Circuit. 2019 , 19, 6473-6480		
457	Flexible Photodetectors with Nanomembranes and Nanowires. 2019 , 79-116		0
456	Catalyst-Free [2,3]-Sigmatropic Rearrangement Reactions of Photochemically Generated Ammonium Ylides. 2019 , 51, 4348-4358		4
455	Corrugation Enabled Asymmetrically Ulstretchable (95%) Monocrystalline Silicon Solar Cells with High Efficiency (19%). 2019 , 9, 1902883		19
454	Design and applications of stretchable and self-healable conductors for soft electronics. <i>Nano Convergence</i> , 2019 , 6, 25	9.2	51
453	Surface Modification of Polymer Substrates for Biomedical Applications. 2019 , 399-426		1
452	. 2019 ,		5
451	. 2019 ,		2
450	Highly sensitive and wearable gel-based sensors with a dynamic physically cross-linked structure for strain-stimulus detection over a wide temperature range. 2019 , 7, 11303-11314		33
449	Engineered protein-based functional nanopatterned materials for bio-optical devices. 2019 , 1, 3980-3991		11
448	Intrinsically Stretchable Temperature Sensor Based on Organic Thin-Film Transistors. 2019 , 40, 1630-1633		20
447	Local Crack-Programmed Gold Nanowire Electronic Skin Tattoos for In-Plane Multisensor Integration. 2019 , 31, e1903789		94
446	Three-Dimensional Mechanical Modeling of Magnet-Controlled Transfer Printing. 2019 , 11, 1950042		6
445	Flexible and Optical Fiber Sensors Compositied by Graphene and PDMS for Motion Detection. <i>Polymers</i> , 2019 , 11,	4.5	29
444	. 2019 , 107, 2065-2083		35
443	Flexible, High-Power Density, Wearable Thermoelectric Nanogenerator and Self-Powered Temperature Sensor. 2019 , 11, 38616-38624		56
442	3D Printer-Based Encapsulated Origami Electronics for Extreme System Stretchability and High Areal Coverage. 2019 , 13, 12500-12510		15
441	Motion recognition by a liquid filled tubular triboelectric nanogenerator. 2019 , 11, 495-503		10

440	Filiform corrosion as a pressure-driven delamination process. 2019 , 15, 803-812	5
439	Using Artificial Skin Devices as Skin Replacements: Insights into Superficial Treatment. 2019 , 15, e1805453	34
438	Bio-Integrated Wearable Systems: A Comprehensive Review. <i>Chemical Reviews</i> , 2019 , 119, 5461-5533	68.1 496
437	Recent Progress in Stretchable Batteries for Wearable Electronics. 2019 , 2, 181-199	65
436	Effect of Substrate Transfer on Performance of Vertically Stacked Ultrathin MOS Devices. 2019 , 66, 1153-1159	2
435	A Mass Transfer-Based Method for Controlled Electrosynthesis and Organization of Tetrathiafulvalene Bromide Micro/Nanowires. 2019 , 166, H63-H69	2
434	Single-Step Generation of Flexible, Free-Standing Arrays of Multimode Cylindrical Waveguides. 2019 , 21, 1800875	3
433	Stimuli-responsive materials: a web themed collection. 2019 , 3, 10-11	16
432	Neuroethical considerations of high-density electrode arrays. 2019 , 3, 586-589	4
431	Direct numerical simulation of buckling instability of thin films on a compliant substrate. 2019 , 11, 1687814019	4047
430	Self-Powered Flexible Blood Oxygen Monitoring System Based on a Triboelectric Nanogenerator. <i>Nanomaterials</i> , 2019 , 9,	5-4 9
429	Multifunctional Freestanding Microprobes for Potential Biological Applications. 2019 , 19,	
428	. 2019 , 7, 801-807	2
427	High sensitivity and wide sensing range of stretchable sensors with conductive microsphere array structures. 2019 , 7, 8423-8431	5
426	Anisotropic Thermal Conductive Composite by the Guided Assembly of Boron Nitride Nanosheets for Flexible and Stretchable Electronics. 2019 , 29, 1902575	83
425	Ion-to-ion amplification through an open-junction ionic diode. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 13807-13815	11.5 27
424	Oxide Electronics Transferred on Stiff-Stripe/PDMS Substrate for High-Resolution Stretchable Displays. 2019 , 66, 2971-2978	5
423	Computational Mechanics for Flexible and Wearable Electronics. 2019 ,	

422	Hybrid Systems-in-Foil Combining the Merits of Thin Chips and of Large-Area Electronics. 2019 , 7, 776-783	11
421	Freestanding Oxide Ferroelectric Tunnel Junction Memories Transferred onto Silicon. 2019 , 19, 3999-4003	31
420	Fabrication of Foldable Metal Interconnections by Hybridizing with Amorphous Carbon Ultrathin Anisotropic Conductive Film. 2019 , 13, 7175-7184	17
419	Flexible plasmonic modulators induced by the thermomechanical effect. 2019 , 11, 11437-11444	6
418	Barrier materials for flexible bioelectronic implants with chronic stability Current approaches and future directions. 2019 , 7, 050902	23
417	Meandering growth of in-plane silicon nanowire springs. 2019 , 114, 233103	8
416	Materials and structural designs of stretchable conductors. 2019 , 48, 2946-2966	189
415	Mechanically Flexible Conductors for Stretchable and Wearable E-Skin and E-Textile Devices. 2019 , 31, e1901408	193
414	Low voltage, high gain electrolyte-gated complementary inverters based on transfer-printed block copolymer ion gels. 2019 , 71, 266-271	10
413	Advanced Electronic Packaging. 2019 , 1-27	
412	Flexible Inorganic Light Emitting Diodes Enabled by New Materials and Designs, With Examples of Their Use in Neuroscience Research. 2019 , 1-39	
411	Assembly and applications of 3D conformal electronics on curvilinear surfaces. 2019 , 6, 642-683	90
410	Strain- and Strain-Rate-Invariant Conductance in a Stretchable and Compressible 3D Conducting Polymer Foam. 2019 , 1, 205-218	33
409	Strong and Stretchable Polypyrrole Hydrogels with Biphasic Microstructure as Electrodes for Substrate-Free Stretchable Supercapacitors. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900133	4.6 22
408	Electrochemical Erasing Using a Polymer Lithography Editor for the Fabrication of Photoactive Devices. 2019 , 1, 752-763	1
407	Ultrathin and flexible directional coupler with arbitrary coupling level using s-shaped spoof surface plasmon polariton coupled-line. 2019 , 12, 054005	6
406	Room-Temperature Metallic Fusion-Induced Layer-by-Layer Assembly for Highly Flexible Electrode Applications. 2019 , 29, 1806584	18
405	Stretchable and electrically conductive polyurethane- silver/graphene composite fibers prepared by wet-spinning process. 2019 , 167, 573-581	51

404	A Traction-Free Model for the Tensile Stiffness and Bending Stiffness of Laminated Ribbons of Flexible Electronics. 2019 , 86,	12
403	E-Skin: From Humanoids to Humans [Point of View]. 2019 , 107, 247-252	83
402	Internal ion-gated organic electrochemical transistor: A building block for integrated bioelectronics. 2019 , 5, eaau7378	128
401	Elasticity and stability of shape-shifting structures. 2019 , 40, 118-137	48
400	High-Performance Liquid Alloy Patterning of Epidermal Strain Sensors for Local Fine Skin Movement Monitoring. 2019 , 6, 414-421	12
399	Semiconductor/Metal Transition in Poly(3,4-Ethylenedioxythiophene): Poly(Styrenesulfonate) and its Electrical Conductivity While Being Stretched. 2019 , 59, 1051-1056	4
398	Microfluidics Assisted Fabrication of Three-Tier Hierarchical Microparticles for Constructing Bioinspired Surfaces. 2019 , 13, 3638-3648	27
397	1.5 Minute-synthesis of continuous graphene films by chemical vapor deposition on Cu foils rolled in three dimensions. 2019 , 201, 319-324	7
396	Three-Dimensionally Printed Stretchable Conductors from Surfactant-Mediated Composite Pastes. 2019 , 11, 12622-12631	15
395	Conjugated polymers and composites for stretchable organic electronics. 2019 , 7, 5534-5552	81
394	Spatially Controlled Transience of Graphene-Polymer Electronics with Silicon Singulation. 2019 , 29, 1900592	1
393	Nongenetic optical neuromodulation with silicon-based materials. 2019 , 14, 1339-1376	35
392	Self-healing soft electronics. 2019 , 2, 144-150	269
391	Nanoscale bending properties of bio-inspired Ni-graphene nanocomposites. 2019 , 220, 798-808	16
390	Transfer Printing and its Applications in Flexible Electronic Devices. <i>Nanomaterials</i> , 2019 , 9,	5-4 35
389	Polyimides containing aliphatic/alicyclic segments in the main chains. 2019 , 92, 35-88	123
388	Introduction to Surface Instabilities and Wrinkle Formation. 2019 , 3-18	1
387	1D Semiconducting Nanostructures for Flexible and Large-Area Electronics: Growth Mechanisms and Suitability. 2019 ,	9

386	Recent advances in flexible photodetectors based on 1D nanostructures. 2019 , 40, 111602		7
385	Ultra-flexible perovskite solar cells with crumpling durability: toward a wearable power source. 2019 , 12, 3182-3191		78
384	Biomimetics for high-performance flexible tactile sensors and advanced artificial sensory systems. 2019 , 7, 14816-14844		33
383	Recent advances in lithographic fabrication of micro-/nanostructured polydimethylsiloxanes and their soft electronic applications. 2019 , 40, 111605		18
382	Concept, Theory, Design, and Applications of Spoof Surface Plasmon Polaritons at Microwave Frequencies. 2019 , 7, 1800421		73
381	Releasable High-Performance GaAs Schottky Diodes for Gigahertz Operation of Flexible Bridge Rectifier. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800772	6.4	10
380	Surface Design of Nanocrystals for High-Performance Multifunctional Sensors in Wearable and Attachable Electronics. 2019 , 31, 436-444		21
379	Sandwiched Polyethylene Shrink Film Masking with Tunable Resolution and Shape for Liquid Alloy Patterning. 2019 , 1, 145-151		6
378	Durable Ultraflexible Organic Photovoltaics with Novel Metal-Oxide-Free Cathode. 2019 , 29, 1808378		21
377	Stretchable, Bifacial Si-Organic Hybrid Solar Cells by Vertical Array of Si Micropillars Embedded into Elastomeric Substrates. 2019 , 11, 3290-3298		8
376	Stretchable fiber-shaped lithium metal anode. 2019 , 22, 179-184		43
375	Numerical and experimental analysis of the effect of metal tie layers on improving electrical properties of gold coated poly (dimethylsiloxane) flexible multi-layered films during folding. 2019 , 35, 135-156		3
374	Design of Helically Double-Levelled Gaps for Stretchable Fiber Strain Sensor with Ultralow Detection Limit, Broad Sensing Range, and High Repeatability. 2019 , 11, 4345-4352		61
373	Sheath-Core Fiber Strain Sensors Driven by in-Situ Crack and Elastic Effects in Graphite Nanoplate Composites. 2019 , 2, 750-759		29
372	Invited Article: Emerging soft bioelectronics for cardiac health diagnosis and treatment. 2019 , 7, 031301		24
371	Mechanics of magnet-controlled transfer printing. 2019 , 27, 76-82		9
370	Biaxially Stretchable Ultrathin Si Enabled by Serpentine Structures on Prestrained Elastomers. 2019 , 4, 1800489		18
369	An Experimental Study on Stretchy and Tough PDMS/Fabric Composites. 2019 , 86,		11

368	High-performance stretchable conductive nanocomposites: materials, processes, and device applications. 2019 , 48, 1566-1595		256
367	Nylon Fabric Enabled Tough and Flaw Insensitive Stretchable Electronics. 2019 , 4, 1800466		1
366	Repurposed Leather with Sensing Capabilities for Multifunctional Electronic Skin. 2019 , 6, 1801283		74
365	Topology optimization of conformal structures on manifolds using extended level set methods (X-LSM) and conformal geometry theory. 2019 , 344, 164-185		25
364	Recent Advances in Flexible Inorganic Light Emitting Diodes: From Materials Design to Integrated Optoelectronic Platforms. 2019 , 7, 1800936		46
363	Flexible electronic skin with nanostructured interfaces via flipping over electroless deposited metal electrodes. 2019 , 534, 618-624		12
362	Flexible Hybrid Electronics for Digital Healthcare. 2020 , 32, e1902062		192
361	Copper-Leaf-Based Process for Imperceptible Computational Electronics. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900787	6.4	1
360	Laser-driven programmable non-contact transfer printing of objects onto arbitrary receivers via an active elastomeric microstructured stamp. 2020 , 7, 296-304		42
359	Advanced Soft Materials, Sensor Integrations, and Applications of Wearable Flexible Hybrid Electronics in Healthcare, Energy, and Environment. 2020 , 32, e1901924		305
358	Mechanically-Guided Structural Designs in Stretchable Inorganic Electronics. 2020 , 32, e1902254		104
357	Wrinkling prediction, formation and evolution in thin films adhering on polymeric substrata. 2020 , 187, 108314		14
356	Macroscopically aligned carbon nanotubes for flexible and high-temperature electronics, optoelectronics, and thermoelectrics. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 063001	3	8
355	Disruptive, Soft, Wearable Sensors. 2020 , 32, e1904664		138
354	Efficient and Mechanically Robust Ultraflexible Organic Solar Cells Based on Mixed Acceptors. 2020 , 4, 128-141		58
353	Intrinsically stretchable conjugated polymer semiconductors in field effect transistors. 2020 , 100, 101181		77
352	Flexible and Stretchable Antennas for Biointegrated Electronics. 2020 , 32, e1902767		90
351	Synthesis of highly transparent and thermally stable copolyimide with fluorine-containing dianhydride and alicyclic dianhydride. 2020 , 137, 48603		5

350	Network Structure Modification-Enabled Hybrid Polymer Dielectric Film with Zirconia for the Stretchable Transistor Applications. 2020 , 30, 1906647	15
349	A Cross-Linking/Percolating-Integrated Strategy to Enhance Crystallizable Rubber Using Rod-Like Reactive Biobased Nanocrystals.. 2020 , 3, 441-449	12
348	High-performance, biaxially stretchable conductor based on Ag composites and hierarchical auxetic structure. 2020 , 8, 1556-1561	6
347	Nanofabrication approaches for functional three-dimensional architectures. 2020 , 30, 100825	20
346	A review on stretchable magnetic field sensorics. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 083002	3 23
345	Buckling of a stiff thin film on a bi-layer compliant substrate of finite thickness. 2020 , 188-189, 133-140	17
344	Soft eSkin: distributed touch sensing with harmonized energy and computing. 2020 , 378, 20190156	45
343	Flexible Electronics: Status, Challenges and Opportunities. 2020 , 1,	35
342	Ultra-high drivability, high-mobility, low-voltage and high-integration intrinsically stretchable transistors. 2020 , 12, 23546-23555	9
341	Flexible Integrated Circuits Based on Carbon Nanotubes. 2020 , 1, 88-99	8
340	Electrical joule heating for the isolation of ZnO nanowire channel and subsequent high-performance 1D circuit integration. 2020 , 20, 1424-1428	1
339	Low-Temperature Solution Approaches for the Potential Integration of Ferroelectric Oxide Films in Flexible Electronics. 2020 , 67, 1967-1979	9
338	Stretchable Sensor Made of MWCNT/ZnO Nanohybrid Particles in PDMS. 2020 , 5, 2000229	6
337	Automated Nanoscale Absolute Accuracy Alignment System for Transfer Printing. 2020 , 3, 10326-10332	8
336	Designing Ultraflexible Perovskite X-Ray Detectors through Interface Engineering. 2020 , 7, 2002586	20
335	Disk-Ring Deposition in Drying a Sessile Nanofluid Droplet with Enhanced Marangoni Effect and Particle Surface Adsorption. 2020 , 36, 15064-15074	5
334	Stretchable and Shelf-Stable All-Polymer Supercapacitors Based on Sealed Conductive Hydrogels. 2020 , 3, 8850-8857	3
333	Carbon nanotube dual-material gate devices for flexible configurable multifunctional electronics. 2020 , 161, 656-664	6

332	Structural deformation of elastic polythiophene with disiloxane moieties under stretching. 2020 , 52, 1273-1278		1
331	Micro-Nano Hierarchical Structure Enhanced Strong Wet Friction Surface Inspired by Tree Frogs. 2020 , 7, 2001125		27
330	Graphene gets bent. 2020 , 73, 46-52		4
329	Photovoltaic Control of Ferromagnetism for Flexible Spintronics. 2020 , 12, 41999-42006		4
328	Structural Innovations in Printed, Flexible, and Stretchable Electronics. 2020 , 5, 2000694		26
327	Recent Progress in Nanomaterial Enabled Chemical Sensors for Wearable Environmental Monitoring Applications. 2020 , 30, 2005703		37
326	Flexible and stretchable inorganic solar cells: Progress, challenges, and opportunities. 2020 , 7, 1		3
325	Ultrastretchable Corrugated Monocrystalline Silicon Solar Cells with Interdigitated Back Contacts. 2020 ,		
324	Ultra-stretchable supercapacitors based on biaxially pre-strained super-aligned carbon nanotube films. 2020 , 12, 24259-24265		2
323	Recent Progress in Manufacturing Techniques of Printed and Flexible Sensors: A Review. 2020 , 10,		28
322	Heterogeneous integration of rigid, soft, and liquid materials for self-healable, recyclable, and reconfigurable wearable electronics. 2020 , 6,		54
321	Role of mechanically-driven distorted microstructure in mechanochemical removal of silicon. 2020 , 520, 146337		5
320	F4-TCNQ as an Additive to Impart Stretchable Semiconductors with High Mobility and Stability. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000251	6.4	18
319	The Future of Flexible Organic Solar Cells. 2020 , 10, 2000765		149
318	Studies of Parylene/Silicone-Coated Soft Bio-Implantable Optoelectronic Device. 2020 , 10, 404		3
317	Progress and challenges in fabrication of wearable sensors for health monitoring. 2020 , 312, 112105		70
316	Flexible Electronic Systems on Plastic Substrates and Textiles for Smart Wearable Technologies. 2020 , 5, 2000071		31
315	Preparation of transient electronic devices with silk fibroin film as a flexible substrate. 2020 , 600, 124896		7

- 314 Articulated surface wrinkling of a patterned film with periodic stiffness distribution on a compliant substrate. **2020**, 200-201, 132-144 2
- 313 Substrate-free flexible thin film solar cells by graphene-mediated peel-off technology. **2020**, 31, 10279-10287
- 312 Interplay between solution chemistry and mechanical activation in friction-induced material removal of silicon surface in aqueous solution. **2020**, 148, 106319 7
- 311 Heating/Solvent Responsive Shape-Memory Polymers for Implant Biomedical Devices in Minimally Invasive Surgery: Current Status and Challenge. **2020**, 20, e2000108 30
- 310 Skin-interfaced sensors in digital medicine: from materials to applications. **2020**, 2, 1414-1445 68
- 309 Polymer nanocomposite meshes for flexible electronic devices. **2020**, 107, 101279 44
- 308 Buckling Instability Control of 1D Nanowire Networks for a Large-Area Stretchable and Transparent Electrode. **2020**, 30, 1910214 22
- 307 Preparation and magnetic properties of wrinkled FeRh flexible films. **2020**, 10, 025327 2
- 306 Tunable hierarchical wrinkling: From models to applications. **2020**, 127, 111101 20
- 305 Stretchable electrolytes for stretchable/flexible energy storage systems [Recent developments]. **2020**, 28, 315-324 11
- 304 Polyvinyl Alcohol/SiO₂ Hybrid Dielectric for Transparent Flexible/Stretchable All-Carbon-Nanotube Thin-Film-Transistor Integration. *Advanced Electronic Materials*, **2020**, 6, 1901133 6.4 14
- 303 Trade-off of mechanical and electrical properties in stretchable P3HT/PDMS blending films driven by interpenetrating double networks formation. **2020**, 10, 035020 2
- 302 Metal oxide materials for photoelectroactive memories and neuromorphic computing systems. **2020**, 251-278
- 301 Micro-Fabricated Skin-Like AlN/Polyimide/PDMS Sensor for Obstructive Sleep Apnea Monitoring. **2020**,
- 300 Edible and Nutritive Electronics: Materials, Fabrications, Components, and Applications. **2020**, 5, 2000100 17
- 299 Double-sided transistor device processability of carrierless ultrathin silicon wafers. **2020**, 2, 735-742 3
- 298 The low resistance and high sensitivity in stretchable electrode assembled by liquid-phase exfoliated graphene. **2020**, 192, 122301 3
- 297 Tailoring PEDOT properties for applications in bioelectronics. **2020**, 140, 100546 71

296	Enhanced Stretchable and Sensitive Strain Sensor via Controlled Strain Distribution. <i>Nanomaterials</i> , 2020 , 10,	5.4	10
295	Ion Gel Capacitively Coupled Tribotronic Gating for Multiparameter Distance Sensing. 2020 , 14, 3461-3468		21
294	Stretchable and durable Parylene/PEDOT:PSS/Parylene multi-layer induced by plastic deformation for stretchable device using functionalized PDMS. 2020 , 10, 025205		8
293	Interfacing Bioelectronics and Biomedical Sensing. 2020 ,		5
292	Harnessing Multiple Surface Deformation Modes for Switchable Conductivity Surfaces. 2020 , 12, 10031-10038	3	
291	Cooperative torus mode emission of O-ring lasers. 2020 , 10, 025007		0
290	Cyber-Physiochemical Interfaces. 2020 , 32, e1905522		37
289	Printable carbon nanotube-based elastic conductors for fully-printed sub-1 V stretchable electrolyte-gated transistors and inverters. 2020 , 8, 3639-3645		11
288	Recent advances in designing conductive hydrogels for flexible electronics. 2020 , 2, 843-865		63
287	An Effect of a Needle Electrode for the Ohmic Contact Between an Electrode and Liquid Metal Droplet in Electrical Switching. 2020 ,		1
286	Mechanical Tolerance of Cascade Bioreactions via Adaptive Curvature Engineering for Epidermal Bioelectronics. 2020 , 32, e2000991		6
285	Bioinspired Multiscale Wrinkling Patterns on Curved Substrates: An Overview. 2020 , 12, 101		37
284	Progress in Stability of Organic Solar Cells. 2020 , 7, 1903259		129
283	Electronic skins and machine learning for intelligent soft robots. 2020 , 5,		131
282	Controlling the laser induction and cutting process on polyimide films for kirigami-inspired supercapacitor applications. 2021 , 64, 651-661		7
281	Flexible and Stretchable Microwave Electronics: Past, Present, and Future Perspective. 2021 , 6, 2000759		20
280	Material innovation and mechanics design for substrates and encapsulation of flexible electronics: a review. 2021 , 8, 383-400		30
279	Unidirectional electron injection and accelerated proton transport in bacteriorhodopsin based Bio-p-n junctions. 2020 , 173, 112811		3

278	Low-Voltage Operable and Strain-Insensitive Stretchable All-Carbon Nanotube Integrated Circuits with Local Strain Suppression Layer. <i>Advanced Electronic Materials</i> , 2021 , 7, 2000674	6.4	5
277	Ultraflexible Integrated Organic Electronics for Ultrasensitive Photodetection. 2021 , 6, 2000956		7
276	Trends and recent development of the microelectrode arrays (MEAs). 2021 , 175, 112854		2
275	Electronic Skins for Healthcare Monitoring and Smart Prostheses. 2021 , 4, 629-650		3
274	4D Printing of Stretchable Supercapacitors via Hybrid Composite Materials. 2021 , 6, 2001055		11
273	From Lithographically Patternable to Genetically Patternable Electronic Materials for Miniaturized, Scalable, and Soft Implantable Bioelectronics to Interface with Nervous and Cardiac Systems. 2021 , 3, 101-118		12
272	Nanocellulose-based materials/composites for sensors. 2021 , 185-214		2
271	Recent Developments in Prosthesis Sensors, Texture Recognition, and Sensory Stimulation for Upper Limb Prostheses. 2021 , 49, 57-74		6
270	One-step in-situ laser irradiation for unique flocculent carbon network-twined C/Si/SiC composite structure. 2021 , 47, 7101-7105		0
269	Stretchable electrodes for highly flexible electronics. 2021 , 479-500		1
268	Artificial Skin Perception. 2021 , 33, e2003014		78
267	Recent Advances of PEDOT in Flexible Energy Conversion and Storage Devices. 2021 , 79, 853		0
266	Vertical field enhancement of a spot-size converter using a nanopixel waveguide and window structure. 2021 , 29, 2757-2768		0
265	Natural Biopolymer-Based Biocompatible Conductors for Stretchable Bioelectronics. <i>Chemical Reviews</i> , 2021 , 121, 2109-2146	68.1	64
264	Preparation of conductive self-healing hydrogels an interpenetrating polymer network method.. 2021 , 11, 6620-6627		3
263	Shape memory polymers (SMP's) in optoelectronic devices. 2021 , 157-168		
262	Stretchable micro-scale concentrator photovoltaic module with 15.4% efficiency for three-dimensional curved surfaces. 2021 , 2,		5
261	Tissue adhesive hydrogel bioelectronics. 2021 , 9, 4423-4443		39

260	Buckling-assisted thin-film deposition and lithographic strategies for flexible device patterning. 2021 , 309-347		
259	Strain-insensitive intrinsically stretchable transistors and circuits. 2021 , 4, 143-150		56
258	A heat and force locating sensor with nanoscale precision: a knitted graphene sheet. 2021 , 13, 5826-5833		1
257	Flexible organic thin-film transistor immunosensor printed on a one-micron-thick film. 2021 , 2,		17
256	Interface Design for Stretchable Electronic Devices. 2021 , 8, 2004170		16
255	Graphite Nanocomposite Substrates for Improved Performance of Flexible, High-Power AlGaN/GaN Electronic Devices. 2021 , 3, 1228-1235		3
254	Direct Femtosecond Laser Fabrication of Chemically Functionalized Ultra-Black Textures on Silicon for Sensing Applications. <i>Nanomaterials</i> , 2021 , 11,	5-4	4
253	Mechanical Analysis and Experimental Studies of the Transverse Strain in Wrinkled Metallic Thin Films. 2021 , 11, 427		0
252	Flexible Electronics and Healthcare Applications. 2021 , 3,		5
251	Universality of Interfacial Superconductivity in Heavily Doped Silicon. 2021 , 3, 1594-1600		0
250	Learning human-environment interactions using conformal tactile textiles. 2021 , 4, 193-201		45
249	High elasticity of CsPbBr ₃ perovskite nanowires for flexible electronics. 2021 , 14, 4033		6
248	Soft, Wireless and subdermally implantable recording and neuromodulation tools. 2021 ,		4
247	Solution process manufacture of a simple, multifunctional flexible sensor based on capacitance measurement. <i>Nanotechnology</i> , 2021 , 32, 265503	3-4	
246	High Performance Flexible Visible-Blind Ultraviolet Photodetectors with Two-Dimensional Electron Gas Based on Unconventional Release Strategy. 2021 , 15, 8386-8396		13
245	Si nanomebranes: Material properties and applications. 2021 , 14, 3010-3032		2
244	Advances in piezotronic transistors and piezotronics. 2021 , 37, 101108		19
243	Cellulose: A Contribution for the Zero e-Waste Challenge. 2000994		22

242	Design and Application of Galinstan Liquid Metal Fully Flexible Angular Displacement Sensor. 105, 202-210		
241	Materials and devices for flexible and stretchable photodetectors and light-emitting diodes. 2021 , 14, 2919-2937		10
240	Organic synaptic transistors for flexible and stretchable artificial sensory nerves. 2021 , 46, 321-329		7
239	Graph theoretical design of biomimetic aramid nanofiber composites as insulation coatings for implantable bioelectronics. 2021 , 46, 576-587		4
238	Dynamic manipulation of droplets using mechanically tunable microtextured chemical gradients. <i>Nature Communications</i> , 2021 , 12, 3114	17.4	12
237	Super-stretchable multi-sensing triboelectric nanogenerator based on liquid conductive composite. 2021 , 83, 105823		16
236	Bio-Inspired Self-Healable Materials. 2021 , 435-474		0
235	Substrate-Versatile Direct-Write Printing of Carbon Nanotube-Based Flexible Conductors, Circuits, and Sensors. 2021 , 31, 2100245		8
234	A Flexible Two-Sensor System for Temperature and Bending Angle Monitoring. <i>Materials</i> , 2021 , 14, 3-5	3.5	3
233	Wet Etching Behavior of Amorphous CuZr Thin Film in Hydrogen Peroxide Solution for Stretchable Display.		0
232	71-1: Invited Paper: Skin-inspired Electronics for Emerging Display Technology. 2021 , 52, 1052-1055		0
231	71-2: Enabling Processes and Designs for Tight-Pitch Micro-LED based Stretchable Display. 2021 , 52, 1056-1059		2
230	Stick-and-play system based on interfacial adhesion control enhanced by micro/nanostructures. 2021 , 14, 3143-3158		4
229	Review of flexible microelectromechanical system sensors and devices. 2021 , 4, 025001		7
228	Wearable and Flexible Devices for Cuff-less Blood Pressure Estimation and Monitoring: A Review. 2021 ,		0
227	Adhesion Strength of PDMS to Polyimide Bonding with Thin-film Silicon Dioxide. 2021 ,		1
226	A design strategy for high mobility stretchable polymer semiconductors. <i>Nature Communications</i> , 2021 , 12, 3572	17.4	27
225	Mechanics of active elastomeric surfaces with tunable adhesion for non-contact pick-up and printing. 2021 , 219-220, 166-176		1

224	Long-term reliable physical health monitoring by sweat pore-inspired perforated electronic skins. 2021 , 7,	24
223	Assemblies and composites of gold nanostructures for functional devices. e57	0
222	Stretching-Tunable High-Frequency Magnetic Properties of Wrinkled CoFeB Films Grown on PDMS. 2021 , 13, 29975-29983	4
221	Accurate Flexible Temperature Sensor Based on Laser-Induced Graphene Material. 2021 , 2021, 1-7	2
220	Conformal manufacturing of soft deformable sensors on the curved surface. 2021 , 3, 042001	13
219	Flexible and Stretchable Capacitive Sensors with Different Microstructures. 2021 , 33, e2008267	25
218	Pushing the Limits of Flexibility and Stretchability of Solar Cells: A Review. 2021 , 33, e2101469	15
217	Flexible Ultrasonic Patch for Accelerating Chronic Wound Healing. 2021 , 10, e2100785	7
216	Sensitive compressible electrochemical-driven asymmetric supercapacitor-type sensor based on cross-linked honeycomb nafoam and resilient graphene aerogel framework. 2021 , 869, 159379	2
215	Mechanomaterials: A Rational Deployment of Forces and Geometries in Programming Functional Materials. 2021 , 33, e2007977	10
214	Recycling of Nanowire Percolation Network for Sustainable Soft Electronics. <i>Advanced Electronic Materials</i> , 2021 , 7, 2100588	6.4 5
213	Highly stretchable and rehealable wearable strain sensor based on dynamic covalent thermoset and liquid metal. 2021 , 30, 105001	2
212	Direct roll transfer printed silicon nanoribbon arrays based high-performance flexible electronics. 2021 , 5,	17
211	Characterization of rubidium thin cell properties with sandwiched structure using a multipath interferometer with an optical frequency comb. 2021 , 46, 4284-4287	
210	Scalable Thermal Masking Technique for Postprocessing of Flexible Electronics. 2100599	1
209	A flexible high quality-factor bulk acoustic resonator enabled with transferred single-crystal piezoelectric thin film for sensing applications. 2021 , 326, 112721	0
208	Stretch-induced shear deformation in periodic soft networks. 2021 , 47, 101370	1
207	Hybrid double-network hydrogel for highly stretchable, excellent sensitive, stabilized, and transparent strain sensors. 2021 , 32, 1548-1563	1

206	Mechanical Robust Flexible Single-Component Organic Solar Cells.. 2021 , 5, e2100481		7
205	Fabrication of large-scale flexible silicon membrane by crystal-ion-slicing technique using BCB bonding layer. 2021 , 127, 1		1
204	Micro-Crack Assisted Wrinkled PEDOT: PSS to Detect and Distinguish Tensile Strain and Pressure Based on a Triboelectric Nanogenerator. 2100423		1
203	Vibration Characteristics of Island-Bridge Structure on Porous PDMS Substrates for Stretchable Electronics. 2022 , 89,		1
202	Skin-like Transparent Polymer-Hydrogel Hybrid Pressure Sensor with Pyramid Microstructures. <i>Polymers</i> , 2021 , 13,	4-5	5
201	Ultrathin Polythiophene Films Prepared by Vertical Phase Separation for Highly Stretchable Organic Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2100591	6.4	6
200	Graphene-Based Flexible Sensors for Simultaneous Detection of Ascorbic Acid, Dopamine, and Uric Acid. 2021 , 9, 726071		2
199	Fully Bottom-Up Waste-Free Growth of Ultrathin Silicon Wafer via Self-Releasing Seed Layer. 2021 , 33, e2103708		3
198	Performance enhancement of graphene/GO/rGO based supercapacitors: A comparative review. 2021 , 28, 102685		4
197	Ambipolar inverters based on cofacial vertical organic electrochemical transistor pairs for biosignal amplification. 2021 , 7, eabh1055		12
196	Recent progress of oxide-TFT-based inverter technology. 1-19		9
195	Development of a novel slit-nozzle design for the lamination of optically clear resin for a foldable OLED. 1-9		
194	Stretchable organic optoelectronic devices: Design of materials, structures, and applications. 2021 , 146, 100631		11
193	Flexible organic solar cells: Materials, large-area fabrication techniques and potential applications. 2021 , 89, 106399		27
192	Materials, Devices, and Applications for Wearable and Implantable Electronics. 2021 , 3, 485-503		10
191	Sharpness recognition based on synergy between bio-inspired nociceptors and tactile mechanoreceptors. 2021 , 11, 2109		3
190	Foldable solar cells: Structure design and flexible materials. 2021 , 2, 865-879		1
189	Stretchable transistors and functional circuits for human-integrated electronics. 2021 , 4, 17-29		49

188	Strategies to Improve Neural Electrode Performance. 2020 , 173-199	1
187	Application of Nanoparticles in Manufacturing. 2016 , 1219-1278	2
186	Electronic Applications of Polyurethane and Its Composites. 2016 , 87-134	1
185	Fiber Solar Cells. 2013 , 145-200	1
184	Rapid synthesis of polyimide precursors by solution polymerization using Continuous-flow microreactors. 2020 , 397, 125361	12
183	Multimodal epidermal devices for hydration monitoring. 2017 , 3, 17014	40
182	Flexible neural interfaces for brain implants: the pursuit of thinness and high density. 2020 , 5, 043002	5
181	Graph Theoretical Design of Biomimetic Aramid Nanofiber Nanocomposites as Insulation Coatings for Implantable Bioelectronics.	0
180	Strain-Limiting Substrates Based on Nonbuckling, Prestrain-Free Mechanics for Robust Stretchable Electronics. 2017 , 84,	15
179	Fatigue Life Prediction of Serpentine Interconnects on Soft Elastomers for Stretchable Electronics. 2020 , 87,	23
178	Illusion and cloaking using dielectric conformal metasurfaces. 2018 , 26, 31625-31635	21
177	Graphene-based Flexible and Stretchable Bioelectronics in Health Care Systems. 2016 , 3,	2
176	Characterization of Viscoelastic Behavior of Poly(dimethylsiloxane) by Nanoindentation. 2019 , 57, 289-294	4
175	Threshold voltage shift-proof circular oxide thin film transistor with top and bottom gates for high bending stability. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, 104001	1.4 1
174	Influence of solvent and molecular weight in wrinkle formation in spin-cast polystyrene thin films. 2020 , 7, 60-74	2
173	Variation of Elastic Stiffness of Polydimethylsiloxane (PDMS) Stretchable Substrates for Wearable Packaging Applications. 2014 , 21, 125-131	7
172	Elastic Modulus of Locally Stiffness-variant Polydimethylsiloxane Substrates for Stretchable Electronic Packaging Applications. 2015 , 22, 91-98	2
171	Electrospun Magnetic Nanofiber as Multifunctional Flexible EMI-Shielding Layer and its Optimization on the Effectiveness. 2016 , 23, 57-63	1

170	Preparation and Property of Flexible/Stretchable Electrodes. 2012 , 47, 272-281		3
169	Review on stretchable and flexible inorganic electronics. 2014 , 63, 014201		8
168	Investigation on the large tensile deformation and mechanical behaviors of graphene kirigami. 2017 , 66, 066201		3
167	Structural Analysis and Direct Imaging of Rotational Stacking Faults in Few-Layer Graphene Synthesized from Solid Botanical Precursor. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 070106	1.4	1
166	Numerical Design of SiO ₂ Bridges in Stretchable Thin Film Transistors. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 01AG10	1.4	1
165	Ambient Electronics. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 100001	1.4	31
164	Towards conductive hydrogels in e-skins: a review on rational design and recent developments.. 2021 , 11, 33835-33848		2
163	Structures and Materials in Stretchable Electroluminescent Devices. 2021 , e2106184		6
162	Process and Material Characterization in Printed Flexible Electronics. 2022 , 53-117		
161	Customizable, conformal, and stretchable 3D electronics via predistorted pattern generation and thermoforming. 2021 , 7, eabj0694		8
160	Flexible and recyclable bio-based transient resistive memory enabled by self-healing polyimine membrane. 2021 , 608, 1126-1134		1
159	Organic Electrochemical Transistors for In Vivo Bioelectronics. 2021 , 33, e2101874		17
158	Atomic Heterointerface Boosts the Catalytic Activity toward Oxygen Reduction/Evolution Reaction. 2102235		1
157	Study on Pressure Drop Optimization in Flow Channel with Two Diameters by Using Constructal Theory. 2011 , 35, 1-8		1
156	Study on Design of ZnO-Based Thin-Film Transistors With Optimal Mechanical Stability. 2011 , 35, 17-22		
155	Fabrication of Flexible Passive Matrix by Using Silicon Nano-ribbon. 2011 , 49, 338-341		1
154	Mechanics of Curvilinear Electronics. 339-357		
153	POSFET IIIThe Tactile Sensing Chip. 2013 , 177-194		

- 152 Silicon Nanomembrane Based Photonic Devices on Foreign Substrates. **2013**,
- 151 Gold Nanonetworks on a Flexible Polyimide Substrate. **2013**, 51, 292-295 1
- 150 Technology of Flexible Semiconductor/Memory Device. **2013**, 20, 1-9 3
- 149 Mechanics design and analyses of stretchable electronics. **2013**, 27-32
- 148 Fabrication of Nanowires and Their Applications. **2014**, 89-128
- 147 Reliability of Metal Electrode for Flexible Electronics. **2013**, 20, 1-6 2
- 146 Flip Chip Process on CNT-Ag Composite Pads for Stretchable Electronic Packaging. **2013**, 20, 17-23 1
- 145 Invariance of DC and RF Characteristics of Mechanically Flexible CMOS Technology on Plastic. **2014**, 81-103
- 144 Effect of CNT-Ag Composite Pad on the Contact Resistance of Flip-Chip Joints Processed with Cu/Au Bumps. **2015**, 22, 39-44
- 143 Buckling Behaviors and Interfacial Toughness of a Micron-Scale Composite Structure with a Metal Wire on a Flexible Substrate. 285-324
- 142 Electronic Applications of Polydimethylsiloxane and Its Composites. **2016**, 199-228 1
- 141 Finite Element Analysis of Large Deformation of Fiber Metal Laminates Under Bending for Stress-Strain Prediction. **2015**, 39, 963-970
- 140 Deformation Behavior of Locally Stiffness-variant Stretchable Substrates Consisting of the Island Structure. **2015**, 22, 117-123
- 139 Transfer Printing for Cyber-Manufacturing Systems. **2017**, 671-690 1
- 138 Organic Membrane Photonic Waveguide with Metal Grating Couplers. **2017**,
- 137 Advances in the Fabrication of Large-Area Back-Gated Graphene Field-Effect Transistors on Plastics: Platform for Flexible Electronics and Sensing. **2017**, 125-136
- 136 Combined Modeling and Experimental Approach to Improve Mechanical Impact Survivability of GaN Power FET. **2019**, 103-109
- 135 Ultra-Thin Organic Solar Cells with Excellent Stretchability and Durability. **2019**, 47, 147

134	Ultra-stretchable Silicon Solar Cells for Standalone Wearable and Foldable Electronics Application. 2020 ,		
133	Numerical Simulation Analysis of Flexible Printed Circuits Under Bending Conditions. 2021 ,		
132	Permeable Conductors for Wearable and On-Skin Electronics. 2100135		12
131	Print-and-Spray Electromechanical Metamaterials. 2021 ,		
130	From new materials to advanced biomedical applications of solid-state biosensor: A review. 2021 , 352, 131033		2
129	Soft and Stretchable Electronics Design. 2021 ,		
128	Inorganic Dissolvable Bioelectronics. 2020 , 73-100		
127	Research Progress of Microtransfer Printing Technology for Flexible Electronic Integrated Manufacturing. <i>Micromachines</i> , 2021 , 12,	3.3	0
126	Stretchable Light-Emitting Device Using a Film/Elastomer Bilayer System with Electrodes Patterned by Printed Electronics Technique. 2020 , 33, 413-417		
125	Biodegradable all-polymer field-effect transistors printed on Mater-Bi. 2021 , 22, 247-256		3
124	Molecular Weight Tuning of Organic Semiconductors for Curved Organic-Inorganic Hybrid X-Ray Detectors. 2021 , e2101746		4
123	Nonlinear dynamic instability of wrinkled film-substrate structure under axial load. 2021 , 106, 2807-2827		0
122	Recent Progress on Emerging Transparent Metallic Electrodes for Flexible Organic and Perovskite Photovoltaics. 2100830		2
121	A movable type bioelectronics printing technology for modular fabrication of biosensors. 2021 , 11, 22323		1
120	Stretchable MoS ₂ Artificial Photoreceptors for E-Skin. 2107524		2
119	Recent Progress in Materials Chemistry to Advance Flexible Bioelectronics in Medicine. 2021 , e2106787		5
118	Mechanics of Strain-limiting wrinkled kirigami for flexible devices: High flexibility, stretchability and compressibility. 2021 , 238, 111382		1
117	Ultra-compact spot size converter based on digital metamaterials. 2022 , 508, 127865		1

116	Unravelling the bending stability of flexible quantum-dot light-emitting diodes. 2022 , 7, 015006		1
115	OrangeRed Si Quantum Dot LEDs from Recycled Rice Husks. 2022 , 10, 1765-1776		2
114	One reaction to make highly stretchable or extremely soft silicone elastomers from easily available materials.. <i>Nature Communications</i> , 2022 , 13, 370	17.4	7
113	Printing thermoelectric inks toward next-generation energy and thermal devices. 2021 ,		6
112	Highly Precise, Continuous, Long-term Monitoring of Skin Electrical Resistance by Nanomesh Electrodes.. 2022 , e2102425		2
111	Effects of graphene oxide on microstructure and mechanical properties of isotropic polydimethylsiloxane-based magnetorheological elastomers. 2022 , 61, 215-228		0
110	Soft bioelectronics for cardiac interfaces. 2022 , 3, 011301		0
109	2D Heterostructures for Ubiquitous Electronics and Optoelectronics: Principles, Opportunities, and Challenges.. <i>Chemical Reviews</i> , 2022 ,	68.1	28
108	Flexible dual-channel digital auscultation patch with active noise reduction for bowel sound monitoring and application.. 2022 , PP,		1
107	Auxetic Meta-Display: Stretchable Display without Image Distortion. 2113299		7
106	Efficient Multi-Material Structured Thin Film Transfer to Elastomers for Stretchable Electronic Devices.. <i>Micromachines</i> , 2022 , 13,	3.3	0
105	High-performance p-channel transistors on flexible substrate using direct roll transfer stamping. <i>Japanese Journal of Applied Physics</i> , 2022 , 61, SC1042	1.4	3
104	Recent advances in encapsulation of flexible bioelectronic implants: materials, technologies and characterization methods.. 2022 , e2201129		6
103	Flexible Sensory Systems: Structural Approaches.. <i>Polymers</i> , 2022 , 14,	4.5	2
102	Roadmap for flexible solid-state aqueous batteries: From materials engineering and architectures design to mechanical characterizations. 2022 , 148, 100671		9
101	Manipulating Strain in Transistors: From Mechanically Sensitive to Insensitive. <i>Advanced Electronic Materials</i> , 2101288	6.4	
100	Submicron OrganicInorganic Hybrid Radiative Cooling Coatings for Stable, Ultrathin, and Lightweight Solar Cells.		0
99	Bioinspired Perspiration-Wicking Electronic Skins for Comfortable and Reliable Multimodal Health Monitoring. 2200961		7

98	Thermally drawn highly conductive fibers with controlled elasticity.. 2022 , e2201081		4
97	Synthesis of a novel A-b-(B-co-C)-type terpolymer with a regioregular poly(3-hexylthiophene) segment and its application to intrinsically stretchable transistor memory. 2022 , 281, 125911		0
96	Morphable three-dimensional electronic mesoflbers capable of on-demand unfolding. 1		1
95	Ultrasensitive Graphene-Based Nanobiosensor for Rapid Detection of Hemoglobin in Undiluted Biofluids.. 2022 ,		
94	3D printed electronics: Processes, materials and future trends. 2022 , 127, 100945		11
93	Compact waveguide bend with digital meta-structures on the silicon-on-insulator platform. <i>Optik</i> , 2022 , 259, 168968		2.5
92	Control of Surface Wrinkling through Compliant Nanostructured Interfaces. <i>Advanced Materials Interfaces</i> , 2022 , 9, 2101583		4.6
91	Soft Bioelectronics Based on Nanomaterials.. <i>Chemical Reviews</i> , 2021 ,		68.1 11
90	Stretchable Systems. 2021 ,		4
89	Wafer-scale integration of stretchable semiconducting polymer microstructures via capillary gradient. <i>Nature Communications</i> , 2021 , 12, 7038		17.4 4
88	Fabrication of a Flexible, Wireless Micro-Heater on Elastomer for Wearable Gas Sensor Applications.. <i>Polymers</i> , 2022 , 14,		4.5 0
87	Flexible microstructured pressure sensors: design, fabrication and applications.. <i>Nanotechnology</i> , 2022 ,		3.4 2
86	Superimpose mechanism of surface generation process in grinding of monocrystalline silicon using molecular dynamics simulation. <i>Materials Science in Semiconductor Processing</i> , 2022 , 147, 106684		4.3 1
85	Mechano-electrochemical perspectives on flexible lithium-ion batteries. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022 , 29, 1019-1036		3.1 2
84	Stretchable, Multi-Layered Stack Antenna for Smart/Wearable Electronic Applications.. <i>Materials</i> , 2022 , 15,		3.5
83	Highly Stretchable MoS ₂ -Based Transistors with Opto-Synaptic Functionalities. <i>Advanced Electronic Materials</i> , 2200238		6.4 1
82	High Sensitivity, Fast Response and Anti-Interference Crack-Based Reduced Graphene Oxide Strain Sensor for Pig Acoustic Recognition. <i>SSRN Electronic Journal</i> ,		1
81	Compositionally Homogeneous Soft Wrinkles on Elastomeric Substrates: Novel Fabrication Method, Water Collection from Fog, and Triboelectric Charge Generation. <i>Macromolecular Materials and Engineering</i> , 2200247		3.9 0

80	Intelligent Nanomaterials for Wearable and Stretchable Strain Sensor Applications: The Science behind Diverse Mechanisms, Fabrication Methods, and Real-Time Healthcare. <i>Polymers</i> , 2022 , 14, 2219	4.5	1
79	Recent progress in organic solar cells (Part II device engineering). <i>Science China Chemistry</i> ,	7.9	12
78	Recent Progress in the Preparation Technologies for Micro Metal Coils. <i>Micromachines</i> , 2022 , 13, 872	3.3	
77	Superconductivity in silicon. <i>Superconductor Science and Technology</i> ,	3.1	0
76	Artificial neuromorphic cognitive skins based on distributed biaxially stretchable elastomeric synaptic transistors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	3
75	Expandable, serpentine Au nanotrough networks for skin-like electrodes with superior thermal and moisture stability. <i>Materials Today Physics</i> , 2022 , 26, 100728	8	
74	2D materials: increscent quantum flatland with immense potential for applications. <i>Nano Convergence</i> , 2022 , 9,	9.2	4
73	Liquid-Metal-Mediated Electrocatalyst Support Engineering toward Enhanced Water Oxidation Reaction. <i>Nanomaterials</i> , 2022 , 12, 2153	5.4	
72	Design and Realization of Transient Electronics Enabled by Nanomembranes. 2022 , 27-55		
71	Fabrication and Integration of Functional Stretchable Circuit based on Liquid Metal. <i>Journal Physics D: Applied Physics</i> ,	3	0
70	Inorganic Flexible Electronics: Materials, Strategies, and Applications. 2022 , 85-104		
69	Space-mode compressor by using nano-pixel. <i>Japanese Journal of Applied Physics</i> ,	1.4	
68	Dielectric Elastomer Architectures with Strain-Tunable Permittivity. 2200296		0
67	Chip-less wireless electronic skins by remote epitaxial freestanding compound semiconductors. 2022 , 377, 859-864		9
66	Recent Advances in Stretchable and Wearable Capacitive Electrophysiological Sensors for Long-Term Health Monitoring. 2022 , 12, 630		1
65	Emerging Iontronic Sensing: Materials, Mechanisms, and Applications. 2022 , 2022, 1-35		0
64	High density integration of stretchable inorganic thin film transistors with excellent performance and reliability. 2022 , 13,		0
63	Liquid metal coil. 2022 , 32, 104120		

- 62 A Wearable Flexible Acceleration Sensor for Monitoring Human Motion. **2022**, 12, 620 ○
- 61 Silicone Rubber Based-Conductive Composites for Stretchable All-in-One Microsystems. 1
- 60 High sensitivity, fast response and anti-interference crack-based reduced graphene oxide strain sensor for pig acoustic recognition. **2022**, 200, 107267
- 59 A Crack Compensation Strategy for Highly Stretchable Conductors Based on Liquid Metal Inclusions. ○
- 58 Balancing the trade-off between the mechanical and electrical properties of conjugated polymer blend films for organic field-effect transistors. ○
- 57 Balanced coexistence of reversible and irreversible covalent bonds in a conductive triple polymeric network enables stretchable hydrogel with high toughness and adhesiveness. ○
- 56 Flexible organic transistors for neural activity recording. **2022**, 9, 031308 ○
- 55 Electrical performance optimization of serpentine interconnect for stretchable electronics. **2022**, 2342, 012005 ○
- 54 Multi-dimensional Self-splitting Behaviors for Improving Wet Attachment on Nonuniform Bioinspired Pillar Surface. 2205804 ○
- 53 Enhanced Assembly of Ag Nanoparticles for Surface-Independent Fabrication of Conductive Patterns. **2022**, 5, 12711-12719 ○
- 52 Pathway to Developing Permeable Electronics. 6
- 51 Silicon Nanostructures and Nanocomposites for Antibacterial and Theranostic Applications. **2022**, 113912 ○
- 50 Advances in Flexible Organic Photodetectors: Materials and Applications. **2022**, 12, 3775 ○
- 49 P-13.10: Research on mechanical of stretchable OLED panel. **2022**, 53, 1003-1008 ○
- 48 High-Performance Nanostructured Flexible Capacitor by Plasma-Induced Low-Temperature Atomic Layer Annealing. 2201134 ○
- 47 Multi-scale analyses on mechano-electric degradation of film interconnects in flexible electronics. ○
- 46 New Design of Zinc Air Batteries. **2022**, 217-259 ○
- 45 Biaxial stretchable light-emitting device using kirigami-elastomer structure. **2022**, 12, 115207 ○

44	Bladder Monitoring Systems: State of The Art and Future Perspectives. 2022 , 1-1	1
43	Fantastic bonding: makes fabrication on Kapton films effortless for 2D material devices. 2022 ,	0
42	An All-in-One Bioinspired Neural Network.	0
41	Tough-interface-enabled stretchable electronics using non-stretchable polymer semiconductors and conductors.	1
40	Sandwiched Structure Design for Perovskite Solar Cells with Improved Folding and Environmental Stability. 2200814	0
39	Advanced Stretchable Photodetectors: Strategies, Materials and Devices.	1
38	A crack compensation strategy for highly stretchable conductors based on liquid metal inclusions. 2022 , 25, 105495	0
37	Smart electronics based on 2D materials for wireless healthcare monitoring. 2022 , 9, 041308	0
36	Foldable Perovskite Solar Cells and Modules Enabled by Mechanically Engineered Ultrathin Indium-Tin-Oxide Electrodes. 2203198	0
35	Flexible and Implantable Polyimide Aptamer-Field-Effect Transistor Biosensors.	2
34	Stretchable conductors for stretchable field-effect transistors and functional circuits.	0
33	Reevaluating Flexible Lithium-Ion Batteries from the Insights of Mechanics and Electrochemistry. 2022 , 5,	0
32	Bendable transmission line and amplifier of spoof surface plasmon polaritons at microwave frequencies. 2023 , 31, 755	0
31	Balanced Coexistence of Reversible and Irreversible Covalent Bonds in a Conductive Triple Polymeric Network Enables Stretchable Hydrogels with High Toughness and Adhesiveness. 2022 , 14, 56395-56406	0
30	Heart Energy Harvesting and Cardiac Bioelectronics: Technologies and Perspectives. 2022 , 2, 344-385	0
29	Multimaterial Three-Dimensional Printing of Ultraviolet-Curable Ionic Conductive Elastomers with Diverse Polymers for Multifunctional Flexible Electronics.	1
28	Nanobridge Stencil Enabling High Resolution Arbitrarily Shaped Metallic Thin Films on Various Substrates. 2201119	0
27	A Universal Size Design Principle for Stretchable Inorganic Electronics to Work Consistently under Different Interface Conditions. 2210880	0

- 26 Autonomous self-healing optical sensors for damage intelligent soft-bodied systems. **2022**, 8, 0
- 25 Elastic single-walled carbon nanotubes pixel matrix electrodes for flexible optoelectronics. **2022**, 121, 243504 0
- 24 Tuning of the Stretchability and Charge Transport of Bis-Diketopyrrolopyrrole and Carbazole-Based Thermoplastic Soft Semiconductors by Modulating Soft Segment Contents. 2202186 0
- 23 High-throughput screening of 2D van der Waals crystals with plastic deformability. **2022**, 13, 0
- 22 Buckling of Film-on-Substrate System in Flexible Electronics. **2022**, 27-56 0
- 21 Flip Chip Bonding on Stretchable Printed Substrates; The Effects of Stretchable Material and Chip Encapsulation. 0
- 20 Edge and Interface Resistances Create Distinct Trade-Offs When Optimizing the Microstructure of Printed van der Waals Thin-Film Transistors. **2023**, 17, 575-586 0
- 19 Wearable Strain Sensors: State-of-art and Future Applications. 0
- 18 Surface Optics and Color Effects of Liquid Metal Materials. 2210515 0
- 17 Finite Element Analysis Model of Electronic Skin Based on Surface Acoustic Wave Sensor. **2023**, 13, 465 0
- 16 Highly Conductive Omnidirectionally Stretchable 2D Transparent Copper Mesh Electrodes and Applications in Optoelectronic Devices. 2201406 0
- 15 Emerging ultrasonic bioelectronics for personalized healthcare. **2023**, 136, 101110 0
- 14 Fractal-Inspired Design on Substrate for Stretchable Electronics. **2022**, 109-135 0
- 13 Advancements in Electronic Materials and Devices for Stretchable Displays. 2201067 0
- 12 Printed n- and p-Channel Transistors using Silicon Nanoribbons Enduring Electrical, Thermal, and Mechanical Stress. **2023**, 15, 9618-9628 0
- 11 Design and Optimisation of Hyper-Elastic Multi-Axial Strain and Contact Pressure Sensor. **2022**, 0
- 10 Elastomeric polymers for conductive layers of flexible sensors: Materials, fabrication, performance, and applications. 0
- 9 Smart Wearable Systems for Health Monitoring. **2023**, 23, 2479 1

- 8 Synthesis and Characteristics of Transferrable Single-Crystalline AlN Nanomembranes. 2201309
- 7 Thermal shape morphing of membrane-type electronics based on plastic-elastomer frameworks for 3D electronics with various Gaussian curvatures. **2023**, 227, 111811
- 6 Surface-Energy-Mediated Interfacial Adhesion for Mechanically Robust Ultraflexible Organic Photovoltaics.
- 5 Flexible and smart electronics for single-cell resolved brain-machine interfaces. **2023**, 10, 011314
- 4 Stabilizing High-Frequency Magnetic Properties of Stretchable CoFeB Films by Ribbon-Patterned Periodic Wrinkles.
- 3 Dynamic covalent chemistry toward wearable electronics. **2023**, 101336
- 2 Preparation and Physical Properties of Stretchable FeRh Films with Periodic Wrinkle Structure. 2202487
- 1 Various Forms of Silicon Electronic Waste and Predisposition to Cancer. **2023**, 28, 1-2