

CITATION REPORT

List of articles citing

Petal effect: a superhydrophobic state with high adhesive force

DOI: 10.1021/la703821h
Langmuir, 2008, 24, 4114-9.

Source: <https://exaly.com/paper-pdf/44054011/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1560	Hierarchical, Dual-Scale Structures of Atomically Thin MoS ₂ for Tunable Wetting.		
1559	Direct Drawing Method of Graphite onto Paper for High-Performance Flexible Electrochemical Sensors.		
1558	Desalination and Nanofiltration through Functionalized Laminar MoS ₂ Membranes.		
1557	Facile tuning of superhydrophobic states with Ag nanoplates. 2008 , 1, 292-302		21
1556	Bio-Inspired, Smart, Multiscale Interfacial Materials. 2008 , 20, 2842-2858		847
1555	Diversity of structure, morphology and wetting of plant surfaces. 2008 , 4, 1943		523
1554	Teflon is hydrophilic. Comments on definitions of hydrophobic, shear versus tensile hydrophobicity, and wettability characterization. <i>Langmuir</i> , 2008 , 24, 9183-8	4	188
1553	Effects of long pulse width and high pulsing frequency on surface superhydrophobicity of polytetrafluoroethylene in quasi-direct-current plasma immersion ion implantation. 2009 , 105, 053302		11
1552	Enhanced surface hydrophobicity by coupling of surface polarity and topography. 2009 , 106, 15181-5		93
1551	Nanoridges that characterize the surface morphology of flowers require the synthesis of cutin polyester. 2009 , 106, 22008-13		174
1550	Thermal evaporation of multi-component waxes and thermally activated formation of nanotubules for superhydrophobic surfaces. 2009 , 66, 221-227		37
1549	Multifunctional surface structures of plants: An inspiration for biomimetics. 2009 , 54, 137-178		614
1548	Modeling Superhydrophobic Contact Angles and Wetting Transition. 2009 , 6, 335-340		60
1547	Engineered nanoporous and nanostructured films. 2009 , 12, 36-45		46
1546	Robust method of manufacturing rubber waste-based water repellent surfaces. 2009 , 20, 650-653		6
1545	A cauliflower-like gold structure for superhydrophobicity. 2009 , 334, 103-7		43
1544	Wettability of nanoengineered dual-roughness surfaces fabricated by UV-assisted capillary force lithography. 2009 , 339, 202-7		96

1543	A modified Cassie-Baxter relationship to explain contact angle hysteresis and anisotropy on non-wetting textured surfaces. 2009 , 339, 208-16		394
1542	Steuerung der Benetzungseigenschaften von optisch transparenten Polymeren durch Antireflexstrukturen und dünne Schichten. 2009 , 21, 6-8		2
1541	Perfectly Hydrophobic Silicone Nanofiber Coatings: Preparation from Methyltrialkoxysilanes and Use as Water-Collecting Substrate. 2009 , 113, 8350-8356		33
1540	Adhesion forces and contact angles of water strider legs. <i>Langmuir</i> , 2009 , 25, 1526-8	4	26
1539	Learning from superhydrophobic plants: the use of hydrophilic areas on superhydrophobic surfaces for droplet control. <i>Langmuir</i> , 2009 , 25, 14121-8	4	68
1538	Fabrication of patterned superhydrophobic polybenzoxazine hybrid surfaces. <i>Langmuir</i> , 2009 , 25, 3359-62		72
1537	Direct Growth of Hydroxy Cupric Phosphate Heptahydrate Monocrystal with Honeycomb-Like Porous Structures on Copper Surface Mimicking Lotus Leaf. 2009 , 9, 2656-2661		34
1536	Superhydrophobic waxy-dendron-grafted polymer films via nanostructure manipulation. 2009 , 19, 4819		33
1535	Anti-fogging nanofibrous SiO ₂ and nanostructured SiO ₂ -TiO ₂ films made by rapid flame deposition and in situ annealing. <i>Langmuir</i> , 2009 , 25, 12578-84	4	137
1534	Novel Biomimetic Surface Based on a Self-Organized Metal-Polymer Hybrid Structure. 2009 , 21, 1799-1801		94
1533	Towards a tunable and switchable water adhesion on a TiO ₂ nanotube film with patterned wettability. 2009 , 7018-20		111
1532	Tunability of the Adhesion of Water Drops on a Superhydrophobic Paper Surface via Selective Plasma Etching. 2009 , 23, 361-380		65
1531	Petal Effect on Surfaces Based on Lycopodium: High-Stick Surfaces Demonstrating High Apparent Contact Angles. 2009 , 113, 5568-5572		136
1530	High contact angle hysteresis of superhydrophobic surfaces: Hydrophobic defects. 2009 , 95, 064102		74
1529	Novel Petal Effect of Hafnia Films Prepared in an Aqueous Solution and Containing Hydroxy Acids. 2010 , 3, 125801		6
1528	The rose petal effect and the modes of superhydrophobicity. 2010 , 368, 4713-28		344
1527	Constructing a superhydrophobic surface on polydimethylsiloxane via spin coating and vapor-liquid sol-gel process. <i>Langmuir</i> , 2010 , 26, 5167-71	4	47
1526	Bioinspired synthesis and preparation of multilevel micro/nanostructured materials. 2010 , 5, 247-261		3

1525	Switchable Adhesion on Liquid/Solid Interfaces. 2010 , 20, 3753-3764		192
1524	Phototunable Diarylethene Microcrystalline Surfaces: Lotus and Petal Effects upon Wetting. 2010 , 122, 6078-6080		7
1523	Phototunable diarylethene microcrystalline surfaces: lotus and petal effects upon wetting. 2010 , 49, 5942-4		99
1522	Fabrication of Artificial Petal Sculptures by Replication of Sub-micron Surface Wrinkles. 2010 , 211, 259-264		13
1521	Biomimetic polyimide nanotube arrays with slippery or sticky superhydrophobicity. 2010 , 344, 541-6		57
1520	Reversible conversion of water-droplet mobility from rollable to pinned on a superhydrophobic functionalized carbon nanotube film. 2010 , 346, 241-7		35
1519	Superhydrophobic antibacterial cotton textiles. 2010 , 351, 293-8		183
1518	Development of superhydrophobic coating on paperboard surface using the Liquid Flame Spray. 2010 , 205, 436-445		97
1517	Facile method to prepare a novel honeycomb-like superhydrophobic Polydimethylsiloxan surface. 2010 , 205, 1947-1952		25
1516	Switching of hydrophilic to ultra hydrophilic properties of flower-like gold nanostructures. 2010 , 256, 4192-4195		11
1515	Superhydrophobic fabrication of anodic aluminum oxide with durable and pitch-controlled nanostructure. 2010 , 370, 15-19		37
1514	Superhydrophobic Composite Films Based on THS and Nanoparticles. 2010 , 7, S59-S66		27
1513	Wettability and formation mechanism of ZnO micro-spheres composed film. 2010 , 19, 126103		5
1512	Effect of an encapsulated bubble in inhibiting droplet sliding. <i>Langmuir</i> , 2010 , 26, 17695-702	4	19
1511	The structural color of red rose petals and their duplicates. <i>Langmuir</i> , 2010 , 26, 14885-8	4	60
1510	Switching water droplet adhesion using responsive polymer brushes. <i>Langmuir</i> , 2010 , 26, 12377-82	4	106
1509	Bioinspired super-antiwetting interfaces with special liquid-solid adhesion. 2010 , 43, 368-77		517
1508	Wetting transitions on biomimetic surfaces. 2010 , 368, 4695-711		112

1507	Netlike knitting of polyelectrolyte multilayers on honeycomb-patterned substrate. <i>Langmuir</i> , 2010 , 26, 14236-40	4	15
1506	Photoresist Derived Electrospun Carbon Nanofibers with Tunable Morphology and Surface Properties. 2010 , 49, 2731-2739		28
1505	Superhydrophobic Surfaces of Electrodeposited Polypyrroles Bearing Fluorinated Liquid Crystalline Segments. 2010 , 43, 9365-9370		30
1504	On the nature of the friction between nonstick droplets and solid substrates. <i>Langmuir</i> , 2010 , 26, 12479-82		50
1503	Synthesis, Properties and Applications of Conducting Polymer Nano-Objects. 2010 , 521, 214-228		8
1502	Multiscale carbon structures fabricated by direct micropatterning of electrospun mats of SU-8 photoresist nanofibers. <i>Langmuir</i> , 2010 , 26, 2218-22	4	66
1501	Biology on the Nanoscale. 2010 , 527-614		
1500	Application of Click Chemistry in the Fabrication of Cactus-Like Hierarchical Particulates for Sticky Superhydrophobic Surfaces. 2010 , 114, 5926-5931		26
1499	Fabrication of Morphology-Controlled Sub-20-nm Polymer Nanotip and Nanopore Arrays Using an Identical Nanograss Mold. 2010 , 43, 7722-7728		8
1498	Fabrication of superhydrophobic surfaces with high and low adhesion inspired from rose petal. <i>Langmuir</i> , 2010 , 26, 8207-17	4	370
1497	Recent developments in bio-inspired special wettability. 2010 , 39, 3240-55		823
1496	Fabricating Super-hydrophobic Polydimethylsiloxane Surfaces by a Simple Filler-Dissolved Process. 2010 , 49, 127101		1
1495	Hydrocarbon versus fluorocarbon in the electrodeposition of superhydrophobic polymer films. <i>Langmuir</i> , 2010 , 26, 17596-602	4	56
1494	Micro Droplet Transfer between Superhydrophobic Surfaces via a High Adhesive Superhydrophobic Surface. 2010 , 136-142		2
1493	Multifunctional Plant Surfaces and Smart Materials. 2010 , 1399-1436		19
1492	Biomedical Engineering Systems and Technologies. 2010 ,		0
1491	Nanostructure-dependent water-droplet adhesiveness change in superhydrophobic anodic aluminum oxide surfaces: from highly adhesive to self-cleanable. <i>Langmuir</i> , 2010 , 26, 1412-5	4	87
1490	Hierarchical surfaces: an in situ investigation into nano and micro scale wettability. 2010 , 146, 223-32; discussion 283-98, 395-401		19

1489	Fabrication of functional colloidal photonic crystals based on well-designed latex particles. 2011 , 21, 14113		62
1488	Reversible photocontrol of surface wettability between hydrophilic and superhydrophobic surfaces on an asymmetric diarylethene solid surface. <i>Langmuir</i> , 2011 , 27, 6395-400	4	61
1487	Superoleophobic behavior of fluorinated conductive polymer films combining electropolymerization and lithography. 2011 , 7, 1053-1057		91
1486	Island brushes to control adhesion of water in oil droplets on planar surfaces. 2011 , 7, 7013		12
1485	Tuning surface wettability through supramolecular interactions. 2011 , 7, 1638		30
1484	Photo-regulated stick-slip switch of water droplet mobility. 2011 , 7, 3331		32
1483	The effect of surface microstructures and surface compositions on the wettabilities of flower petals. 2011 , 7, 2977		57
1482	Anomalous contact angle hysteresis of a captive bubble: advancing contact line pinning. <i>Langmuir</i> , 2011 , 27, 6890-6	4	65
1481	Structure-based color of natural petals discriminated by polymer replication. 2011 , 3, 30-4		20
1480	Mimicking both petal and lotus effects on a single silicon substrate by tuning the wettability of nanostructured surfaces. <i>Langmuir</i> , 2011 , 27, 4126-33	4	82
1479	Pattern-dependent tunable adhesion of superhydrophobic MnO ₂ nanostructured film. <i>Langmuir</i> , 2011 , 27, 3224-8	4	59
1478	. 2011 ,		
1477	Anomalous adhesive superhydrophobicity on aligned ZnO nanowire arrays grown on a lotus leaf. 2011 , 21, 18061		19
1476	Design and fabrication of teflon-coated tungsten nanorods for tunable hydrophobicity. <i>Langmuir</i> , 2011 , 27, 4661-8	4	31
1475	Bioinspired colloidal photonic crystals with controllable wettability. 2011 , 44, 405-15		210
1474	Directional Mobility and Adhesion of Water Drops on Patterned Superhydrophobic Surfaces. 2011 , 25, 627-642		20
1473	Examination of wettability and surface energy in fluorodecyl POSS/polymer blends. 2011 , 7, 10122		41
1472	Understanding and Controlling Wetting Phenomena at the Micro- and Nanoscales. 2011 ,		

1471	Multifunctional integration: from biological to bio-inspired materials. 2011 , 5, 6786-90		144
1470	Comment on Water droplet motion control on superhydrophobic surfaces: exploiting the Wenzel-to-Cassie transition. <i>Langmuir</i> , 2011 , 27, 12769-70	4	13
1469	Dual high adhesion surface for water in air and for oil underwater. <i>Langmuir</i> , 2011 , 27, 12466-71	4	16
1468	Wetting and dewetting transitions on hierarchical superhydrophobic surfaces. <i>Langmuir</i> , 2011 , 27, 7502-9	4	141
1467	Reply to comment on water droplet motion control on superhydrophobic surfaces: exploiting the Wenzel-to-Cassie transition. <i>Langmuir</i> , 2011 , 27, 13962-3	4	3
1466	Wetting behavior of polymer coated nanoporous anodic alumina films: transition from super-hydrophilicity to super-hydrophobicity. 2011 , 22, 035703		33
1465	A controllable hydrothermal synthesis of uniform three-dimensional hierarchical microstructured ZnO films. 2011 , 13, 6107		14
1464	Study of Wetting and Adhesion Interactions between Water and Various Polymer and Superhydrophobic Surfaces. 2011 , 115, 14852-14861		102
1463	Fabrication of Superhydrophobic CuO Surfaces with Tunable Water Adhesion. 2011 , 115, 4726-4729		136
1462	Fabrication of sticky and slippery superhydrophobic surfaces via spin-coating silica nanoparticles onto flat/patterned substrates. 2011 , 22, 445706		42
1461	Controlled formation of polyamine crystalline layers on glass surfaces and successive fabrication of hierarchically structured silica thin films. <i>Langmuir</i> , 2011 , 27, 6338-48	4	7
1460	Laser-Patterned Super-Hydrophobic Pure Metallic Substrates: Cassie to Wenzel Wetting Transitions. 2011 , 25, 2789-2809		119
1459	Facile fabrication of colored superhydrophobic coatings by spraying a pigment nanoparticle suspension. <i>Langmuir</i> , 2011 , 27, 9069-72	4	76
1458	Metallic surfaces with special wettability. 2011 , 3, 825-38		324
1457	Rapid fabrication of large-area, corrosion-resistant superhydrophobic Mg alloy surfaces. 2011 , 3, 4404-14		295
1456	Biomimicked Superhydrophobic Polymeric and Carbon Surfaces. 2011 , 50, 13012-13020		21
1455	The Frontier of Inorganic Synthesis and Preparative Chemistry (I) Biomimetic Synthesis. 2011 , 525-553		2
1454	In-Silico Environment for Designing Anti-icing Surfaces. 2011 ,		0

1453	Determining the contribution of epidermal cell shape to petal wettability using isogenic <i>Antirrhinum</i> lines. 2011 , 6, e17576		25
1452	Control of Interface Structure and Properties Using Polymer Reactions. 2011 , 47, 398-404		
1451	Self-cleaning silica coatings on glass by single step sol-gel route. 2011 , 205, 5338-5344		79
1450	Artificial petal surface based on hierarchical micro- and nanostructures. 2011 , 520, 362-367		42
1449	Effective macroscopic adhesive contact behavior induced by small surface roughness. 2011 , 59, 2488-2510		50
1448	Effect of deposition parameters on the wettability and microstructure of superhydrophobic films with hierarchical micro-nano structures. 2011 , 363, 655-62		16
1447	The wetting of leaf surfaces. 2011 , 16, 326-334		83
1446	Superhydrophobic surfaces from hydrophobic or hydrophilic polymers via nanophase separation or electrospinning/electrospraying. 2011 , 387, 71-78		43
1445	Mimicking natural superhydrophobic surfaces and grasping the wetting process: a review on recent progress in preparing superhydrophobic surfaces. 2011 , 169, 80-105		740
1444	Lotus Effect and Self-Cleaning. 2011 , 319-341		8
1443	Photoinduced reversible topographical changes on diarylethene microcrystalline surfaces with biomimetic wetting properties. 2011 , 6, 2400-6		20
1442	Fabrication of surfaces with extremely high contact angle hysteresis from polyelectrolyte multilayer. <i>Langmuir</i> , 2011 , 27, 15299-304	4	48
1441	Tuning hydrophobicity and water adhesion by electrospinning and silanization. <i>Langmuir</i> , 2011 , 27, 3654-61	4	47
1440	Robust hydrophobic surfaces displaying different surface roughness scales while maintaining the same wettability. <i>Langmuir</i> , 2011 , 27, 8153-9	4	27
1439	A facile process for preparing superhydrophobic films with surface-modified SiO ₂ /nylon 6,6 nanocomposite. 2011 , 46, 4079-4084		9
1438	Wettability characterization of transparent MgF ₂ nanoparticle coatings with SiO ₂ binder covered with fluoroalkylsilane self-assembled monolayers. 2011 , 60, 125-130		4
1437	Surface Nanoengineering Inspired by Evolution. 2011 , 1, 63-77		13
1436	The superhydrophobicity of polymer surfaces: Recent developments. 2011 , 49, 1203-1217		130

1435	Redefining the Wilhelmy and Young equations to imaginary number space and implications for wettability measurements. 2011 , 42, 1111-1117	10
1434	Electrically Adjustable, Super Adhesive Force of a Superhydrophobic Aligned MnO ₂ Nanotube Membrane. 2011 , 21, 184-190	79
1433	Monolithic, Hierarchical Surface Reliefs by Holographic Photofluidization of Azopolymer Arrays: Direct Visualization of Polymeric Flows. 2011 , 21, 4412-4422	55
1432	Hierarchical ZnO structure with superhydrophobicity and high adhesion. 2011 , 12, 2412-4	13
1431	Stable superhydrophobic composite coatings made from an aqueous dispersion of carbon nanotubes and a fluoropolymer. 2011 , 49, 1769-1774	44
1430	Adjustable wettability of paperboard by liquid flame spray nanoparticle deposition. 2011 , 257, 1911-1917	52
1429	Wetting behavior of high energy electron irradiated porous superhydrophobic silica films. 2011 , 257, 3027-3032	20
1428	Bio-inspired design of multiscale structures for function integration. 2011 , 6, 155-175	564
1427	Superhydrophobic surfaces: from natural to biomimetic to functional. 2011 , 353, 335-55	747
1426	Wettability of the morphologically and compositionally varied surfaces prepared from blends of well ordered comb-like polymer and polystyrene. 2011 , 354, 650-61	14
1425	Fabrication of mechanically robust superhydrophobic surfaces based on silica micro-nanoparticles and polydimethylsiloxane. 2011 , 205, 4910-4914	64
1424	Wettability and petal effect of GaAs native oxides. 2011 , 110, 034319	7
1423	Overexpression of Arabidopsis ECERIFERUM1 promotes wax very-long-chain alkane biosynthesis and influences plant response to biotic and abiotic stresses. 2011 , 156, 29-45	274
1422	Hierarchically structured superhydrophobic flowers with low hysteresis of the wild pansy (<i>Viola tricolor</i>) - new design principles for biomimetic materials. 2011 , 2, 228-36	46
1421	Bionic Duplication of FreshNavodon septentrionalis Fish Surface Structures. 2011 , 2011, 1-4	0
1420	Adhesion Mechanism of Water Droplets on Hierarchically Rough Superhydrophobic Rose Petal Surface. 2011 , 2011, 1-6	55
1419	Plant surfaces with cuticular folds are slippery for beetles. 2012 , 9, 127-35	54
1418	Encyclopedia of Nanotechnology. 2012 , 2210-2221	

- 1417 Reversible Electrowetting on Dual-Scale-Patterned Corrugated Microstructured Surfaces. **2012**, 21, 1261-1271 8
- 1416 Wetting Transition on Micro/Nanostructured ZnO Layers. **2012**, 26, 2099-2104 2
- 1415 Can dynamic contact angle be measured using molecular modeling?. **2012**, 109, 184501 19
- 1414 Biologically inspired tunable hydrophilic/hydrophobic surfaces: a copper oxide self-assembly multistep approach. **2012**, 7, 036011 17
- 1413 Artificial Petal Effect on Nanofibrillar Parylene Surface. **2012**, 88, 32-54 4
- 1412 Towards Understanding Wetting Transitions on Biomimetic Surfaces: Scaling Arguments and Physical Mechanisms. **2012**, 127-147
- 1411 Biomimetic Adhesive Superhydrophobic Metal-Polymer Hybrid Surface Prepared by Self-Organization. **2012**, 69, 588-597
- 1410 Biomimetic Hydrophilic/Hydrophobic Hybrid Polymer-structured Surfaces with Superhydrophobicity and Strong Water Microdroplet Adhesion. **2012**, 41, 1276-1278 6
- 1409 Roughness-based monitoring of transparency and conductivity in boron-doped ZnO thin films prepared by spray pyrolysis. **2012**, 47, 4257-4262 22
- 1408 Nanoparticle-induced morphology and hydrophilicity of structured surfaces. *Langmuir*, **2012**, 28, 12256-65 11
- 1407 Cold radiofrequency plasma treatment modifies wettability and germination speed of plant seeds. **2012**, 2, 741 197
- 1406 Bicomponent fibre mats with adhesive ultra-hydrophobicity tailored with cellulose derivatives. **2012**, 22, 12072 27
- 1405 Morphology, wettability and photomicro patterning of superhydrophobic surface with high adhesive force by crystal growth of a photochromic diarylethene. **2012**, 3, 1445 27
- 1404 Effect of softness of polydimethylsiloxane on the hydrophobicity of pillar-like patterned surfaces. **2012**, 8, 1079-1086 19
- 1403 Hierarchical nanoflake surface driven by spontaneous wrinkling of polyelectrolyte/metal complexed films. **2012**, 6, 1082-93 43
- 1402 Photoinduced carbene generation from diazirine modified task specific phosphonium salts to prepare robust hydrophobic coatings. *Langmuir*, **2012**, 28, 12326-33 4 15
- 1401 A facile method for preparing sticky, hydrophobic polymer surfaces. *Langmuir*, **2012**, 28, 3298-305 4 23
- 1400 Rose petals with a novel and steady air bubble pinning effect in aqueous media. **2012**, 8, 2261 65

1399	Tunable water adhesion on titanium oxide surfaces with different surface structures. 2012 , 4, 5737-41	29
1398	Wetting Transitions on Hierarchical Surfaces. 2012 , 116, 26810-26815	30
1397	A Drop Pinned by a Designed Patch on a Tilted Superhydrophobic Surface: Mimicking Desert Beetle. 2012 , 116, 26487-26495	37
1396	Photoinduced formation of superhydrophobic surface on which contact angle of a water droplet exceeds 170° by reversible topographical changes on a diarylethene microcrystalline surface. <i>Langmuir</i> , 2012 , 28, 17817-24	4 30
1395	Characterisation of surface wettability based on nanoparticles. 2012 , 4, 2202-18	63
1394	Novel liquid-solid adhesion superhydrophobic surface fabricated using titanium dioxide and trimethoxypropyl silane. 2012 , 258, 7950-7955	24
1393	Self-supporting superhydrophobic thin polymer sheets that mimic the nature's petal effect. 2012 , 259, 542-546	50
1392	Atmospheric synthesis of superhydrophobic TiO ₂ nanoparticle deposits in a single step using Liquid Flame Spray. 2012 , 52, 57-68	34
1391	Wear-resistant rose petal-effect surfaces with superhydrophobicity and high droplet adhesion using hydrophobic and hydrophilic nanoparticles. 2012 , 384, 182-8	87
1390	A colloidal route to fabricate hierarchical sticky and non-sticky substrates. 2012 , 385, 73-80	25
1389	Extreme wettability and tunable adhesion: biomimicking beyond nature?. 2012 , 8, 2070-2086	209
1388	Surfaces with Extreme Wettability Ranges for Biomedical Applications. 2012 , 237-257	1
1387	Recent developments in superhydrophobic surfaces with unique structural and functional properties. 2012 , 8, 11217	295
1386	Biomimetic graphene films and their properties. 2012 , 4, 4858-69	81
1385	Encyclopedia of Nanotechnology. 2012 , 2238-2238	
1384	From sticky to slippery droplets: dynamics of contact line depinning on superhydrophobic surfaces. 2012 , 109, 024504	125
1383	Fabrication of super-hydrophobic magnetic Fe/SiO ₂ surface with tunable adhesion inspired by lotus leaf. 2012 , 7, 561	11
1382	A simple surface treatment and characterization of AA 6061 aluminum alloy surface for adhesive bonding applications. 2012 , 261, 742-748	99

1381	Design of lotus-simulating surfaces: Thermodynamic analysis based on a new methodology. 2012 , 413, 314-327		28
1380	Superhydrophobic alumina surface with high adhesive force and long-term stability. 2012 , 410, 66-71		45
1379	Facile fabrication of recoverable and stable superhydrophobic polyaniline films. 2012 , 412, 129-134		11
1378	Honeycomb structures obtained with breath figures self-assembly allow water/oil separation. 2012 , 415, 394-398		36
1377	Micro-micro hierarchy replacing micro-nano hierarchy: a precisely controlled way to produce wear-resistant superhydrophobic polymer surfaces. <i>Langmuir</i> , 2012 , 28, 14747-55	4	83
1376	Recent progress of double-structural and functional materials with special wettability. 2012 , 22, 799-815		161
1375	Superhydrophobicity of lotus leaves versus birds wings: different physical mechanisms leading to similar phenomena. <i>Langmuir</i> , 2012 , 28, 14992-7	4	46
1374	Light-controlled quick switch of adhesion on a micro-arrayed liquid crystal polymer superhydrophobic film. 2012 , 8, 3730		59
1373	Bio-inspired special wetting surfaces via self-assembly. 2012 , 55, 2327-2333		31
1372	Encyclopedia of Nanotechnology. 2012 , 2201-2210		
1371	Fabrication of superhydrophobic AAO-Ag multilayer mimicking dragonfly wings. 2012 , 57, 4635-4640		10
1370	Deposition of bio-mimicking graphene sheets with lotus leaf-like and cell-like structures on the nickel substrate. 2012 , 57, 3036-3039		3
1369	Grafting polymer brushes on biomimetic structural surfaces for anti-algae fouling and foul release. 2012 , 4, 4557-65		68
1368	Superhydrophobic polymer surface via solvent-induced crystallization. 2012 ,		2
1367	Robust adhesion of flower-like few-layer graphene nanoclusters. 2012 , 2, 511		49
1366	Effect of surface depressions on wetting and interactions between hydrophobic pore array surfaces. <i>Langmuir</i> , 2012 , 28, 11121-30	4	13
1365	Polymer single crystal-decorated superhydrophobic buckypaper with controlled wetting and conductivity. 2012 , 6, 1204-13		45
1364	Extreme water repellency of nanostructured low-surface-energy non-woven fabrics. 2012 , 8, 1817-1823		52

1363	Encyclopedia of Nanotechnology. 2012 , 2246-2264		1
1362	Facile Route Toward Mechanically Stable Superhydrophobic Copper Using Oxidation-Reduction Induced Morphology Changes. 2012 , 116, 2781-2790		64
1361	Biomimetics. 2012 ,		36
1360	Compound microstructures and wax layer of beetle elytral surfaces and their influence on wetting properties. 2012 , 7, e46710		25
1359	Impact of cell shape in hierarchically structured plant surfaces on the attachment of male Colorado potato beetles (<i>Leptinotarsa decemlineata</i>). 2012 , 3, 57-64		26
1358	Preparation and anti-icing property of a lotus-leaf-like superhydrophobic low-density polyethylene coating with low sliding angle. 2012 , 52, 2310-2315		27
1357	Recent developments in polymeric superoleophobic surfaces. 2012 , 50, 1209-1224		199
1356	Bioinspired structured surfaces. <i>Langmuir</i> , 2012 , 28, 1698-714	4	179
1355	Bio-inspired adhesive superhydrophobic polyimide mat with high thermal stability. 2012 , 22, 8257		69
1354	Transparent superhydrophobic/superhydrophilic coatings for self-cleaning and anti-fogging. 2012 , 101, 033701		117
1353	Photoreversible Superhydrophobic Surfaces with Switchable Sticky-Rolling State of Water Droplets. 2012 , 297, 979-984		7
1352	Biomimetic graphene surfaces with superhydrophobicity and iridescence. 2012 , 7, 301-4		72
1351	Design of anti-icing coatings using supercooled droplets as nano-to-microscale probes. <i>Langmuir</i> , 2012 , 28, 4434-46	4	59
1350	Advances in the theory of superhydrophobic surfaces. 2012 , 22, 20112		148
1349	Leaf Surface Wettability and Implications for Drop Shedding and Evaporation from Forest Canopies. 2012 , 169, 835-845		24
1348	Hierarchical polymeric textures via solvent-induced phase transformation: A single-step production of large-area superhydrophobic surfaces. 2012 , 394, 8-13		52
1347	Plasma treatment allows water suspending of the natural hydrophobic powder (lycopodium). 2012 , 97, 171-4		9
1346	Super-hydrophobic, highly adhesive, polydimethylsiloxane (PDMS) surfaces. 2012 , 367, 502-8		78

1345	Surface modification of poly(2-methoxy-5-(2'-ethyl-hexyloxy)-1,4-phenylene vinylene) (MEH-PPV) by confined photo-catalytic oxidation. 2012 , 368, 663-6	3
1344	A novel method to prepare a microflower-like superhydrophobic epoxy resin surface. 2012 , 135, 10-15	15
1343	A facile solution-immersion process for the fabrication of superhydrophobic surfaces with high water adhesion. 2012 , 66, 321-323	37
1342	A simple way to achieve tunable adhesion in superhydrophobic nanostructured Co ₃ O ₄ films. 2012 , 67, 334-337	13
1341	Micromorphology of the petals of the invasive weed, <i>Oxalis pes-caprae</i> . 2012 , 12, 47-52	6
1340	Elaborate positioning of nanowire arrays contributed by highly adhesive superhydrophobic pillar-structured substrates. 2012 , 24, 559-64	80
1339	Anisotropic wetting surfaces with one-dimensional and directional structures: fabrication approaches, wetting properties and potential applications. 2012 , 24, 1287-302	230
1338	Designing robust alumina nanowires-on-nanopores structures: superhydrophobic surfaces with slippery or sticky water adhesion. 2013 , 409, 18-24	40
1337	A robust transparent and anti-fingerprint superhydrophobic film. 2013 , 49, 7310-2	42
1336	Controllable pore size of three dimensional self-assembled foam-like graphene and its wettability. 2013 , 64, 27-34	25
1335	Extraordinary shifts of the Leidenfrost temperature from multiscale micro/nanostructured surfaces. <i>Langmuir</i> , 2013 , 29, 9798-806	4 123
1334	Invisible Gates for Moving Water Droplets: Adhesive Force Gradients on a Biomimetic Superhydrophobic Surface. 2013 , 25, 509-513	36
1333	Bioinspired wetting surface via laser microfabrication. 2013 , 5, 6777-92	154
1332	Wetting of Composite Surfaces: When and Why Is the Area Far from The Triple Line Important?. 2013 , 130911133825002	6
1331	A facile process for preparing superhydrophobic nickel films with stearic acid. 2013 , 231, 88-92	36
1330	New Frontiers in Photochromism. 2013 ,	91
1329	Competitive and synergistic effects between excimer VUV radiation and O radicals on the etching mechanisms of polyethylene and fluoropolymer surfaces treated by an atmospheric He ^{II} post-discharge. 2013 , 46, 315203	13
1328	Cold Radiofrequency Plasma Treatment Modifies Wettability and Germination Rate of Plant Seeds. 2013 , 243-258	

1327	Superhydrophobic surfaces fabricated by spray-coating micelle solutions of comb copolymers. 2013 , 291, 1409-1418	11
1326	Control of the water adhesion on hydrophobic micropillars by spray coating technique. 2013 , 291, 401-407	28
1325	High- and low-adhesive superhydrophobicity on the liquid flame spray-coated board and paper: structural effects on surface wetting and transition between the low- and high-adhesive states. 2013 , 291, 447-455	15
1324	Mimicking the Wettability of the Rose Petal using Self-assembly of Waterborne Polymer Particles. 2013 , 25, 3472-3479	39
1323	Microfabrication of a digital microfluidic platform integrated with an on-chip electrochemical cell. 2013 , 23, 095025	15
1322	Sticking of droplets on slippery superhydrophobic surfaces by laser induced forward transfer. 2013 , 103, 024104	15
1321	Reversible wettability control of silicon nanowire surfaces: From superhydrophilicity to superhydrophobicity. 2013 , 527, 179-185	21
1320	Role of surface wettability and roughness in emulsion separation. 2013 , 107, 19-25	50
1319	Antimicrobial properties of a nanostructured eggshell from a compost-nesting bird. 2014 , 217, 1116-21	39
1318	Correlation between Contact Line Pinning and Contact Angle Hysteresis on Heterogeneous Surfaces: A Review and Discussion. 2013 , 1-18	3
1317	Computational and Experimental Study of Contact Angle Hysteresis in Multiphase Systems. 2013 , 19-48	3
1316	Hierarchical Structures Obtained by Breath Figures Self-Assembly and Chemical Etching and their Wetting Properties. 2013 , 97-108	1
1315	Hydrophobic Surfaces: Topography Effects on Wetting by Supercooled Water and Freezing Delay. 2013 , 117, 21752-21762	89
1314	Clustered copper nanorod arrays: a new class of adhesive hydrophobic materials. 2013 , 9, 11513	7
1313	Morphological features of petals of Nerium oleander L.. 2013 , 147, 638-644	5
1312	Fabrication of superhydrophobic surfaces via CaCO ₃ mineralization mediated by poly(glutamic acid). 2013 , 199, 338-343	4
1311	Electric field-induced, reversible lotus-to-rose transition in nanohybrid shish kebab paper with hierarchical roughness. 2013 , 5, 12089-98	31
1310	Smooth perfluorinated surfaces with different chemical and physical natures: their unusual dynamic dewetting behavior toward polar and nonpolar liquids. <i>Langmuir</i> , 2013 , 29, 11322-9	4 66

1309	Controllable wettability by tailoring one-dimensional tellurium microstructures. 2013 , 15, 8475		7
1308	Fabrication of Water Repellent Coatings Using Waterborne Resins for the Protection of the Cultural Heritage. 2013 , 331-332, 158-165		39
1307	Fabrication of Superhydrophobic Surfaces on Copper Substrates via Brush Plating Technique. 2013 , 834-836, 662-669		
1306	Highly hydrophobic films with various adhesion by electrodeposition of poly(3,4-bis(alkoxy)thiophene)s. 2013 , 9, 1500-1505		23
1305	Impact of surface forces on wetting of hierarchical surfaces and contact angle hysteresis. 2013 , 291, 343-346		31
1304	Bio-inspired superoleophobic and smart materials: Design, fabrication, and application. 2013 , 58, 503-564		439
1303	Amphiphiles as hydrophobicity regulator: fine tuning the surface hydrophobicity of an electropolymerized film. 2013 , 397, 192-8		23
1302	Hydrophobic pore array surfaces: wetting and interaction forces in water/ethanol mixtures. 2013 , 396, 278-86		9
1301	Superhydrophobic surfaces on brass with controllable water adhesion. 2013 , 235, 290-296		15
1300	Hybrid contact and interfacial adhesion on well-defined periodic hierarchical pillars. 2013 , 5, 1018-25		14
1299	Controlled fabrication of hexagonally close-packed Langmuir-Blodgett silica particulate monolayers from binary surfactant and solvent systems. <i>Langmuir</i> , 2013 , 29, 2849-58	4	19
1298	Self-assembly of nanostructures towards transparent, superhydrophobic surfaces. 2013 , 1, 2955-2969		201
1297	From petal effect to lotus effect: a facile solution immersion process for the fabrication of super-hydrophobic surfaces with controlled adhesion. 2013 , 5, 2776-83		155
1296	Structure and Morphology Control in Crystalline Polymer/Carbon Nanotube Nanocomposites. 2013 , 46, 2877-2891		184
1295	Engineering superhydrophobic surface on poly(vinylidene fluoride) nanofiber membranes for direct contact membrane distillation. 2013 , 440, 77-87		265
1294	Tailoring of morphology and surface properties of syndiotactic polystyrene aerogels. <i>Langmuir</i> , 2013 , 29, 5589-98	4	40
1293	Study on the wetting behavior and theoretical models of polydimethylsiloxane/silica coating. 2013 , 279, 458-463		43
1292	Superhydrophobic nanostructured Kapton [®] surfaces fabricated through Ar+O ₂ plasma treatment: Effects of different environments on wetting behaviour. 2013 , 268, 464-471		27

1291	Reversible assembly and disassembly of amphiphilic assemblies by electropolymerized polyaniline films: effects rendered by varying the electropolymerization potential. 2013 , 117, 7797-805	23
1290	Surface wettability of macroporous anodized aluminum oxide. 2013 , 5, 3224-33	113
1289	Bioinspired multiscale surfaces with special wettability. 2013 , 38, 375-382	56
1288	Interfacial materials with special wettability. 2013 , 38, 366-371	118
1287	Single-step process for the deposition of high water contact angle and high water sliding angle surfaces by atmospheric pressure dielectric barrier discharge. 2013 , 5, 1053-60	29
1286	Novel method to characterize superhydrophobic coatings. 2013 , 395, 315-21	13
1285	A tunable method for nonwetting surfaces based on nanoimprint lithography and hydrothermal growth. 2013 , 1, 8417	16
1284	Contact angle hysteresis in multiphase systems. 2013 , 291, 329-338	35
1283	Condensation-induced wetting state and contact angle hysteresis on superhydrophobic lotus leaves. 2013 , 291, 437-445	32
1282	Hysteresis controlled water droplet splitting on superhydrophobic paper. 2013 , 291, 417-426	23
1281	Fabrication of adhesive superhydrophobic Ni-Cu-P alloy coatings with high mechanical strength by one step electrodeposition. 2013 , 427, 1-6	35
1280	The fabrication, nano/micro-structure, heat- and wear-resistance of the superhydrophobic PPS/PTFE composite coatings. 2013 , 402, 253-8	47
1279	Plasma-driven tunable liquid adhesion of superoleophobic aluminum surfaces. 2013 , 280, 940-944	8
1278	Fabrication of polyvinylidene fluoride (PVDF) nanofiber membranes by electro-spinning for direct contact membrane distillation. 2013 , 425-426, 30-39	315
1277	Highly durable non-sticky silver film with a microball-nanosheet hierarchical structure prepared by chemical deposition. 2013 , 49, 10391-3	16
1276	Superphobicity/phility Janus fabrics with switchable, spontaneous, directional transport ability to water and oil fluids. 2013 , 3, 2964	135
1275	Designing heterogeneous chemical composition on hierarchical structured copper substrates for the fabrication of superhydrophobic surfaces with controlled adhesion. 2013 , 5, 8753-60	45
1274	Fog-harvesting potential of lubricant-impregnated electrospun nanomats. <i>Langmuir</i> , 2013 , 29, 13081-8 4	87

1273	Robust liquid marbles stabilized with surface-modified halloysite nanotubes. <i>Langmuir</i> , 2013 , 29, 14971-5	48
1272	Biomimetic superhydrophobic surface of high adhesion fabricated with micronano binary structure on aluminum alloy. 2013 , 5, 8907-14	56
1271	Femtosecond Laser Weaving Superhydrophobic Patterned PDMS Surfaces with Tunable Adhesion. 2013 , 117, 24907-24912	120
1270	Controllable adhesive superhydrophobic surfaces based on PDMS microwell arrays. <i>Langmuir</i> , 2013 , 29, 3274-9	4 100
1269	Self-assembly of metal nanorod arrays into hierarchical clusters and evolution of their hydrophobic behaviour. 2013 ,	
1268	Heterodyne interference lithography for one-step micro/nano multiscale structuring. 2013 , 103, 243110	6
1267	Buckling as an origin of ordered cuticular patterns in flower petals. 2013 , 10, 20120847	31
1266	Selective transportation of microdroplets assisted by a superhydrophobic surface with pH-responsive adhesion. 2013 , 8, 3200-6	16
1265	Surface microstructures of daisy florets (Asteraceae) and characterization of their anisotropic wetting. 2013 , 8, 036005	28
1264	Silver-Coated Rose Petal: Green, Facile, Low-Cost and Sustainable Fabrication of a SERS Substrate with Unique Superhydrophobicity and High Efficiency. 2013 , 1, 56-60	89
1263	Topographic design and application of hierarchical polymer surfaces replicated by microinjection compression molding. 2013 , 23, 105010	14
1262	A simple approach to fabricate sticky superhydrophobic polystyrene surfaces. 2013 , 27, 2296-2303	3
1261	Bioinspired superhydrophobic carbonaceous hairy microstructures with strong water adhesion and high gas retaining capability. 2013 , 25, 4561-5	21
1260	Chapter 6: Superhydrophobicity, superhydrophilicity, and the rose petal effect. 2013 , 116-128	
1259	Determination of the second step microstructure for superhydrophobic surfaces. 2013 , 45, 919-929	1
1258	Gas-driven ultrafast reversible switching of super-hydrophobic adhesion on palladium-coated silicon nanowires. 2013 , 25, 4139-44	57
1257	Thermo-Responsive Water Droplet Adhesion on Superhydrophobic Surfaces. 2013 , 64, 26-30	1
1256	Biomimetic Approach for Preparation of pH Responsive Water Droplet Adhesion on Superhydrophobic Surface. 2013 , 70, 209-213	1

1255	Measuring air layer volumes retained by submerged floating-ferns <i>Salvinia</i> and biomimetic superhydrophobic surfaces. 2014 , 5, 812-821	35
1254	Facile fabrication of functional PDMS surfaces with tunable wettability and high adhesive force via femtosecond laser textured templating. 2014 , 4, 127141	5
1253	Layers of air in the water beneath the floating fern <i>Salvinia</i> are exposed to fluctuations in pressure. 2014 , 54, 1001-7	20
1252	Fabrication and quantitative roughness analysis of hierarchical multiscale polymer surface structures. 2014 , 24, 055017	13
1251	Hierarchically structured re-entrant microstructures for superhydrophobic surfaces with extremely low hysteresis. 2014 , 24, 095023	12
1250	Anisotropic wetting properties on a precision-ground micro-V-grooved Si surface related to their micro-characterized variables. 2014 , 24, 075004	37
1249	Surface engineering for phase change heat transfer: A review. 2014 , 1, 1	217
1248	Surface-Independent Reversible Transition of Oil Adhesion under Water Induced by Lewis Acid-Base Interactions. 2014 , 1, 1400298	10
1247	Observation of the rose petal effect over single- and dual-scale roughness surfaces. 2014 , 25, 345303	31
1246	Electrospun Polyvinyl Borate/Poly(Methyl Methacrylate) (PVB/PMMA) Blend Nanofibers. 2014 , 63, 337-341	7
1245	Photoinduced deformation of liquid crystal polymers. 2014 ,	
1244	Fabrication of the stainless steel surface with super durable one-direction superhydrophobicity and two-direction anisotropic wettability. 2014 , 9, 712-716	13
1243	BIOINSPIRED ENGINEERING OF MULTIFUNCTIONAL DEVICES. 2014 , 31-63	
1242	Investigating and biomimicking the surface wetting behaviors of ginkgo leaf. 2014 , 10, 8800-3	19
1241	Photochromism of diarylethene molecules and crystals: memories, switches, and actuators. 2014 , 114, 12174-277	1643
1240	Superhydrophobic surfaces with low and high adhesion made from mixed (hydrocarbon and fluorocarbon) 3,4-propylenedioxythiophene monomers. 2014 , 52, 782-788	16
1239	Optimization of amphiphobic structural surface thickness in relation to its functionality on stainless steel plates. 2014 , 131,	2
1238	Insights into the surface property and blood compatibility of polyethersulfone/polyvinylpyrrolidone composite membranes: toward high-performance hemodialyzer. 2014 , 25, 851-860	18

1237	Effect of hydrocarbon chain branching in the elaboration of superhydrophobic materials by electrodeposition of conducting polymers. 2014 , 259, 594-598	14
1236	Repellent surfaces. Turning a surface superrepellent even to completely wetting liquids. 2014 , 346, 1096-100	726
1235	A two-in-one superhydrophobic and anti-reflective nanodevice in the grey cicada <i>Cicada orni</i> (Hemiptera). 2014 , 116, 024701	30
1234	Evaluation of surface wettability by means of the measurement of the adhesive force between a microstructured hydrophobic surface and a water droplet. 2014 , 15, 2397-2404	1
1233	Creation of Superhydrophobic Electrospun Nonwovens Fabricated from Naturally Occurring Poly(Amino Acid) Derivatives. 2014 , 24, 6359-6364	15
1232	Bioinspired hook surfaces based upon a ubiquitous weed (<i>Galium aparine</i>) for dry adhesion. 2014 , 28, 1243-1255	15
1231	A electro-deposition process for fabrication of biomimetic super-hydrophobic surface and its corrosion resistance on magnesium alloy. 2014 , 125, 395-403	200
1230	Enhancement of dynamic wetting properties by direct fabrication on robust micro/micro hierarchical polymer surfaces. 2014 , 300, 117-123	11
1229	Fabrication of biomimetic super-hydrophobic surface on aluminum alloy. 2014 , 49, 1624-1629	35
1228	Superamphiphobic aluminum alloy surfaces with micro and nanoscale hierarchical roughness produced by a simple and environmentally friendly technique. 2014 , 49, 1839-1853	49
1227	From the solvothermally treated poly(vinylidene fluoride) colloidal suspension to sticky hydrophobic coating. 2014 , 292, 807-815	2
1226	Super-non-wettable surfaces: A review. 2014 , 448, 93-106	127
1225	Wettability of natural superhydrophobic surfaces. 2014 , 210, 58-64	77
1224	A review on the wettability of dental implant surfaces I: theoretical and experimental aspects. 2014 , 10, 2894-906	250
1223	Fabrication of superhydrophobic surfaces via poly(methyl methacrylate)-modified anodic aluminum oxide membrane. 2014 , 11, 711-716	3
1222	Water-Based Superhydrophobic Coatings for Nonwoven and Cellulosic Substrates. 2014 , 53, 222-227	46
1221	Superhydrophobic PDMS surfaces with three-dimensional (3D) pattern-dependent controllable adhesion. 2014 , 288, 579-583	61
1220	Adhesion behaviors on superhydrophobic surfaces. 2014 , 50, 3900-13	169

1219	Fluorinated hyperbranched polyurethane electrospun nanofibrous membrane: fluorine-enriching surface and superhydrophobic state with high adhesion to water. 2014 , 421, 49-55	29
1218	Phototunable Underwater Oil Adhesion of Micro/Nanoscale Hierarchical-Structured ZnO Mesh Films with Switchable Contact Mode. 2014 , 24, 536-542	64
1217	Omniphobic BF Paper Produced by Silanization of Paper with Fluoroalkyltrichlorosilanes. 2014 , 24, 60-70	141
1216	Superhydrophobic Coatings on Cellulose-Based Materials: Fabrication, Properties, and Applications. 2014 , 1, 1300026	186
1215	Superhydrophobic membranes on metal substrate and their corrosion protection in different corrosive media. 2014 , 305, 603-608	82
1214	Self-Replenishing Dual Structured Superhydrophobic Coatings Prepared by Drop-Casting of an All-In-One Dispersion. 2014 , 24, 986-992	95
1213	Molecular dynamics study on the wettability of a hydrophobic surface textured with nanoscale pillars. 2014 , 16, 5613-21	22
1212	Fabrication of biomimetic superhydrophobic surface with controlled adhesion by electrodeposition. 2014 , 248, 440-447	81
1211	25th anniversary article: scalable multiscale patterned structures inspired by nature: the role of hierarchy. 2014 , 26, 675-700	167
1210	Nanofur for Biomimetic Applications. 2014 , 1, 1300083	26
1209	Dynamic properties of vibrated drops on a superhydrophobic patterned surface. 2014 , 62, 507-512	20
1208	One pot synthesis of opposing 'rose petal' and 'lotus leaf' superhydrophobic materials with zinc oxide nanorods. 2014 , 415, 32-8	38
1207	Spatially controlled surface energy traps on superhydrophobic surfaces. 2014 , 6, 1036-43	49
1206	Capturing wetting states in nanopatterned silicon. 2014 , 8, 885-93	51
1205	Influence of trimethylethoxysilane on the wetting behavior, humidity resistance and transparency of tetraethylorthosilicate based films. 2014 , 292, 68-73	22
1204	Reversible low adhesive to high adhesive superhydrophobicity transition on ZnO nanoparticle surfaces. 2014 , 289, 1-5	45
1203	A novel fluorinated polyimide surface with petal effect produced by electrospinning. 2014 , 10, 549-52	41
1202	Recent progress of membrane distillation using electrospun nanofibrous membrane. 2014 , 453, 435-462	263

1201	Study of transitions between wetting states on microcavity arrays by optical transmission microscopy. <i>Langmuir</i> , 2014 , 30, 12960-8	4	42
1200	Development of Poly(propylene) Superhydrophobic Surfaces by Functionalised TiO ₂ Nanoparticles: Effect of Solvents and Dipping Times. 2014 , 344, 55-62		4
1199	From Cassie state to Gecko state: A facile hydrothermal process for the fabrication of superhydrophobic surfaces with controlled sliding angles on zinc substrates. 2014 , 258, 973-978		30
1198	UV/mask irradiation and heat induced switching on/off water transportation on superhydrophobic carbon nanotube surfaces. 2014 , 258, 142-145		17
1197	From petal effect to lotus effect on the highly flexible Silastic S elastomer microstructured using a fluorine based reactive ion etching process. 2014 , 24, 115008		7
1196	Controllable strain recovery of shape memory polystyrene to achieve superhydrophobicity with tunable adhesion. 2014 , 24, 115006		22
1195	Versatile fabrication and applications of dense, orderly arrays of polymeric nanostructures over large areas. 2014 , 2, 5982-5991		5
1194	Replication of rose petal surfaces using a nickel electroforming process and UV nanoimprint lithography. 2014 , 322, 57-63		13
1193	Controlled growth of CuO/Cu ₃ Pt/Cu micro-nano binary architectures on copper substrate and its superhydrophobic behavior. 2014 , 38, 4534-4540		19
1192	A novel solution-controlled hydrogel coated mesh for oil/water separation based on monolayer electrostatic self-assembly. 2014 , 4, 51404-51410		30
1191	Bioinspired ultrahigh water pinning nanostructures. <i>Langmuir</i> , 2014 , 30, 325-31	4	54
1190	Tuning surface properties of poly(butylene terephthalate) melt blown fibers by alkaline hydrolysis and fluorination. 2014 , 6, 11640-8		16
1189	Fabrication of biomimetically patterned surfaces and their application to probing plant-bacteria interactions. 2014 , 6, 12467-78		32
1188	Theoretical explanation of the photoswitchable superhydrophobicity of diarylethene microcrystalline surfaces. <i>Langmuir</i> , 2014 , 30, 10643-50	4	11
1187	Facile spray-coating process for the fabrication of tunable adhesive superhydrophobic surfaces with heterogeneous chemical compositions used for selective transportation of microdroplets with different volumes. 2014 , 6, 8868-77		139
1186	Pinning mechanism of advancing sessile droplet on superhydrophobic surfaces. 2014 , 4, 35649-35652		6
1185	Interfacial effects of superhydrophobic plant surfaces: A review. 2014 , 11, 325-345		84
1184	Characterization of the topography and wettability of English weed leaves and biomimetic replicas. 2014 , 11, 346-359		21

1183	Interfacial material system exhibiting superwettability. 2014 , 26, 6872-97		394
1182	Synthesis and controllable wettability of micro- and nanostructured titanium phosphate thin films formed on titanium plates. 2014 , 6, 7695-704		32
1181	Superhydrophobicity and Optical Transparency in Thin Films: Criteria for Coexistence. 2014 , 118, 5328-5335		16
1180	Formation of ALOOH and silica composite hierarchical nanostructures thin film by sol-gel dip-coating for superhydrophobic surface with high adhesion force. 2014 , 72, 511-517		7
1179	Fabrication of superhydrophobic surface with hierarchical multi-scale structure on copper foil. 2014 , 254, 151-156		20
1178	Gradient and weather resistant hybrid super-hydrophobic coating based on fluorinated epoxy resin. 2014 , 131, n/a-n/a		15
1177	Sticky superhydrophobic hard nanofibers from soft matter. 2014 , 4, 35708-35716		10
1176	Synthesis of Latex Particles with a Complex Structure As an Emulsifier of Pickering High Internal Phase Emulsions. 2014 , 53, 4642-4649		25
1175	Electrospun superhydrophobic membranes with unique structures for membrane distillation. 2014 , 6, 16035-48		201
1174	Lotus leaf-like dual-scale silver film applied as a superhydrophobic and self-cleaning substrate. 2014 , 50, 8405-7		42
1173	From hydrophobic to superhydrophobic and superhydrophilic siloxanes by thermal treatment. <i>Langmuir</i> , 2014 , 30, 13235-43	4	34
1172	Flexible Teflon nanocone array surfaces with tunable superhydrophobicity for self-cleaning and aqueous droplet patterning. 2014 , 6, 11110-7		80
1171	Bio-inspired titanium dioxide materials with special wettability and their applications. 2014 , 114, 10044-94		415
1170	A facile approach for preparing biomimetic polymer macroporous structures with petal or lotus effects. 2014 , 38, 1011		14
1169	Superhydrophobic nanocomposites from biodegradable thermoplastic starch composites (Mater-Bi), hydrophobic nano-silica and lycopodium spores. 2014 , 4, 34395		51
1168	Bulk superhydrophobic materials: a facile and efficient approach to access superhydrophobicity by silane and urethane chemistries. 2014 , 2, 15502-15508		22
1167	Wetting of Rough Surfaces by a Low Surface Tension Liquid. 2014 , 118, 23777-23782		24
1166	Contact angle hysteresis of non-flattened-top micro/nanostructures. <i>Langmuir</i> , 2014 , 30, 3274-84	4	37

1165	Cocoon-in-web-like superhydrophobic aerogels from hydrophilic polyurea and use in environmental remediation. 2014 , 6, 6872-82		69
1164	Physicochemical characteristics and droplet impact dynamics of superhydrophobic carbon nanotube arrays. <i>Langmuir</i> , 2014 , 30, 6780-90	4	49
1163	Branched versus linear perfluorocarbon chains in the formation of superhydrophobic electrodeposited films with low bioaccumulative potential. 2014 , 49, 7760-7769		16
1162	Controllable wettability and adhesion on bioinspired multifunctional TiO ₂ nanostructure surfaces for liquid manipulation. 2014 , 2, 18531-18538		76
1161	Hierarchically structured ZnO/petal hybrid composites with tuned optoelectronic and mechanical properties. 2014 , 6, 16243-8		7
1160	Biomimetic and bioinspired membranes: Preparation and application. 2014 , 39, 1668-1720		155
1159	Adhesion-Regulated Switchable Fluid Slippage on Superhydrophobic Surfaces. 2014 , 118, 2564-2569		47
1158	The evaluation of hierarchical structured superhydrophobic coatings for the alleviation of insect residue to aircraft laminar flow surfaces. 2014 , 314, 1053-1062		16
1157	Patterned Ni-P alloy films prepared by "reducing-discharging" process and the hydrophobic property. 2014 , 6, 1053-60		20
1156	Regulating Water Adhesion on Superhydrophobic TiO ₂ Nanotube Arrays. 2014 , 24, 6381-6388		59
1155	Native oxides formation on MOVPE grown binary III-V materials Impact on surface wettability. 2014 ,		
1154	A simple way to achieve superhydrophobicity, controllable water adhesion, anisotropic sliding, and anisotropic wetting based on femtosecond-laser-induced line-patterned surfaces. 2014 , 2, 5499-5507		140
1153	Preparation of silver-cuprous oxide/stearic acid composite coating with superhydrophobicity on copper substrate and evaluation of its friction-reducing and anticorrosion abilities. 2014 , 289, 21-26		23
1152	Switching fluid slippage on pH-responsive superhydrophobic surfaces. <i>Langmuir</i> , 2014 , 30, 6463-8	4	18
1151	Attenuation of encrustation by self-assembled inorganic fullerene-like nanoparticles. 2014 , 6, 5251-9		15
1150	Modification of the wettability of polymer surfaces using nanoparticles. 2014 , 77, 331-338		61
1149	Replication of rose-petal surface structure using UV-nanoimprint lithography. 2014 , 121, 170-173		36
1148	Microbowl-arrayed surface generated by EBL of negative-tone SU-8 for highly adhesive hydrophobicity. 2014 , 307, 365-371		8

1147	Honeycomb-like polymeric films from dendritic polymers presenting reactive pendent moieties. 2014 , 55, 1481-1490	16
1146	Comparison of micro-/nano-hierarchical and nano-scale roughness of silica membranes in terms of wetting behavior and transparency. 2014 , 446, 8-14	26
1145	Towards new multifunctional coatings for organic photovoltaics. 2014 , 125, 127-132	12
1144	Biomimetic Miniaturized Platform Able to Sustain Arrays of Liquid Droplets for High-Throughput Combinatorial Tests. 2014 , 24, 5096-5103	50
1143	Fabrication of bioinspired composite nanofiber membranes with robust superhydrophobicity for direct contact membrane distillation. 2014 , 48, 6335-41	181
1142	Patterning Superhydrophobic Surfaces To Realize Anisotropic Wettability and To Transport Micro-Liter-Sized Droplets to Any Type of Surface. 2014 , 118, 12399-12404	28
1141	Recent progress in fabrication and characterisation of hierarchical biomimetic superhydrophobic structures. 2014 , 4, 22053	143
1140	Polymer/graphene hybrid aerogel with high compressibility, conductivity, and "sticky" superhydrophobicity. 2014 , 6, 3242-9	125
1139	A facile and scalable method to produce superhydrophobic stainless steel surface. 2014 , 311, 753-757	25
1138	Superhydrophobic and colorful copper surfaces fabricated by picosecond laser induced periodic nanostructures. 2014 , 311, 461-467	101
1137	Controlled fabrication and properties of three-dimensional ZnO@hemimorphite nano-heterostructures. 2014 , 40, 14119-14126	1
1136	Fabrication of transparent superhydrophobic surface on thermoplastic polymer using laser beam machining and compression molding for mass production. 2014 , 63, 525-528	42
1135	Structural and opto-electrical properties of Cu ₂ Al ₂ O ₇ thin films prepared by magnetron sputtering method. 2014 , 99, 160-165	25
1134	Biomimicked high-aspect-ratio hierarchical superhydrophobic polymer surfaces. 2014 , 3, 4-9	7
1133	Bio-inspired responsive polymer pillar arrays. 2015 , 5, 97-114	28
1132	Fabrication of biomimetic hydrophobic Ni coating by Brush plating technique. 2015 ,	
1131	Functional polyelectrolyte multilayer assemblies for surfaces with controlled wetting behavior. 2015 , 132, n/a-n/a	11
1130	Superhydrophobic and Superoleophobic Polymeric Surfaces. 2015 , 71-95	

1129	Water harvesting capability of petal-effect hafnia films and hydrophilic-hydrophobic patterned films. 2015 , 123, 73-78	1
1128	A Facile Fabrication for Amphiphobic Aluminum Surface. 2015 , 44, 324-326	6
1127	Recent Progress in Evaluating Mechanical Durability of Liquid Repellent Surfaces. 2015 , 211-258	
1126	A superhydrophobic film with high water vapor transmission prepared from block copolymer micelle solution via VIPS method. 2015 , 22, 1	6
1125	A bioinspired approach to produce parahydrophobic properties using PEDOP conducting polymers with branched alkyl chains. 2015 , 87, 805-814	8
1124	Bi ₂ WO ₆ Nanosheets Synthesized by a Hydrothermal Method: Photocatalytic Activity Driven by Visible Light and the Superhydrophobic Property with Water Adhesion. 2015 , 2015, 2560-2564	10
1123	Adhesion Tuning at Superhydrophobic States: From Petal Effect to Lotus Effect. 2015 , 300, 1057-1062	13
1122	Facile fabrication of superhydrophobic polyimide/polytetrafluoroethylene composite coatings with high water adhesion. 2015 , 132, n/a-n/a	1
1121	Direct Insight into the Three-Dimensional Internal Morphology of Solid-Liquid-Vapor Interfaces at Microscale. 2015 , 127, 4874-4877	2
1120	Robustly Blood-Inert and Shape-Reproducible Electrospun Polymeric Mats. 2015 , 2, 1500065	27
1119	Bio-inspired Wrinkle Processing toward Superhydrophobic Surface. 2015 , 81, 401-404	
1118	A Comparison of the Complex Wettability between Locust and Moth Wing. 2015 , 1095, 593-597	
1117	A Solvothermal Route Decorated on Different Substrates: Controllable Separation of an Oil/Water Mixture to a Stabilized Nanoscale Emulsion. 2015 , 27, 7349-55	187
1116	Superhydrophobic inorganic-organic composite coatings with hybrid micro-nano binary structure on copper. 2015 , 26, 1320-1325	3
1115	Control over Water Adhesion on Nanostructured Parahydrophobic Films Using Mesh Substrates. 2015 , 1, 497-501	6
1114	Exploiting the hierarchical morphology of single-walled and multi-walled carbon nanotube films for highly hydrophobic coatings. 2015 , 6, 353-60	11
1113	Facile Method to Prepare Superhydrophobic and Water Repellent Cellulosic Paper. 2015 , 2015, 1-9	33
1112	Novel one-step route to induce long-term lotus leaf-like hydrophobicity in polyester fabric. 2015 , 29, 555-567	6

1111	Romantic Story or Raman Scattering? Rose Petals as Ecofriendly, Low-Cost Substrates for Ultrasensitive Surface-Enhanced Raman Scattering. 2015 , 87, 6017-24	63
1110	Super-hydrophobic multi-walled carbon nanotube coatings for stainless steel. 2015 , 26, 145701	52
1109	Biomimetic transferable surface for a real time control over wettability and photoerasable writing with water drop lens. 2014 , 4, 7407	7
1108	Antifouling of Micro-/Nanostructural Surfaces. 2015 , 83-103	1
1107	Electrical-potential induced surface wettability of porous metallic nanostructures. 2015 , 351, 460-465	21
1106	Fabrication of superhydrophobic surface with controlled adhesion by designing heterogeneous chemical composition. 2015 , 349, 516-523	20
1105	Superhydrophobicity: cavity growth and wetting transition. 2015 , 448, 482-91	10
1104	Design of bioinspired, smart, multiscale interfacial materials with superwettability. 2015 , 40, 155-165	13
1103	Super-hydrophobic surface transferred from BTL using one step replication. 2015 ,	
1102	In Situ Control of Underwater-Pinning of Organic Droplets on a Surfactant-Doped Conjugated Polymer Surface. 2015 , 7, 25608-17	13
1101	Coupling of surface energy with electric potential makes superhydrophobic surfaces corrosion-resistant. 2015 , 17, 24988-97	37
1100	Using poly(3,4-ethylenedioxythiophene) containing a carbamate linker as a platform to develop electrodeposited surfaces with tunable wettability and adhesion. 2015 , 5, 89407-89414	8
1099	Biomimetic fabrication of polymer film with high adhesive superhydrophobicity by duplicating locust wing surface. 2015 , 31, 895-898	4
1098	Layer-by-layer rose petal mimic surface with oleophilicity and underwater oleophobicity. <i>Langmuir</i> , 2015 , 31, 714-20	4 15
1097	Tunable wettability of hierarchical structured coatings derived from one-step synthesized raspberry-like poly(styrene-acrylic acid) particles. 2015 , 6, 703-713	23
1096	Fabrication of long-term stable superoleophobic surface based on copper oxide/cobalt oxide with micro-nanoscale hierarchical roughness. 2015 , 328, 296-305	13
1095	Micro-/nano-structured superhydrophobic surfaces in the biomedical field: part I: basic concepts and biomimetic approaches. 2015 , 10, 103-19	53
1094	Mussel-Inspired Modification of Honeycomb Structured Films for Superhydrophobic Surfaces with Tunable Water Adhesion. 2015 , 119, 3667-3673	31

1093	Electrochemically etched porous stainless steel for enhanced oil retention. 2015 , 264, 127-131	24
1092	Tuning 3D topography on biomimetic surface for efficient self-cleaning and microfluidic manipulation. 2015 , 25, 035001	21
1091	On universality of scaling law describing roughness of triple line. 2015 , 38, 2	6
1090	Superhydrophobic nanocoatings: from materials to fabrications and to applications. 2015 , 7, 5922-46	258
1089	Poly(3-hexylthiophene) nanotube array surfaces with tunable wetting and contact thermal energy transport. 2015 , 9, 1080-8	26
1088	Corrosion inhibition of biomimetic super-hydrophobic electrodeposition coatings on copper substrate. 2015 , 94, 190-196	154
1087	Dynamic lateral adhesion force of water droplets on microstructured hydrophobic surfaces. 2015 , 213, 360-367	17
1086	Biological Interactions with Superhydrophobic Surfaces. 2015 , 151-160	2
1085	Natural Superhydrophobic Surfaces. 2015 , 7-25	1
1084	Superhydrophobic Polymers. 2015 , 67-85	
1083	Multi-fractal hierarchy of single-walled carbon nanotube hydrophobic coatings. 2015 , 5, 8583	47
1082	Mechanically robust superhydrophobic steel surface with anti-icing, UV-durability, and corrosion resistance properties. 2015 , 7, 6260-72	411
1081	Controlled droplet transport on a gradient adhesion surface. 2015 , 51, 6010-3	19
1080	Peach skin effect: a quasi-superhydrophobic state with high adhesive force. 2015 , 60, 453-459	24
1079	Biomimicking Topographic Elastomeric Petals (E-Petals) for Omnidirectional Stretchable and Printable Electronics. 2015 , 2, 1400021	79
1078	Bio-inspired design of hierarchical PDMS microstructures with tunable adhesive superhydrophobicity. 2015 , 7, 6151-8	57
1077	Theoretical Explanation of the Lotus Effect: Superhydrophobic Property Changes by Removal of Nanostructures from the Surface of a Lotus Leaf. <i>Langmuir</i> , 2015 , 31, 7355-63	4 114
1076	Conductive Polymer Porous Film with Tunable Wettability and Adhesion. 2015 , 8, 1817-1830	16

1075	Fabrication of superhydrophobic surfaces on FRP composites: from rose petal effect to lotus effect. 2015 , 12, 1023-1030	2
1074	Connection of Intrinsic Wettability and Surface Topography with the Apparent Wetting Behavior and Adhesion Properties. 2015 , 119, 15056-15066	24
1073	Anisotropic wetting properties on various shape of parallel grooved microstructure. 2015 , 453, 142-150	19
1072	Bacterially Antiadhesive, Optically Transparent Surfaces Inspired from Rice Leaves. 2015 , 7, 19274-81	42
1071	Bioinspired Surfaces with Superwettability: New Insight on Theory, Design, and Applications. 2015 , 115, 8230-93	1006
1070	A facile method of fabricating mechanical durable anti-icing coatings based on CeO ₂ microparticles. 2015 , 87, 012062	
1069	Preparation and surface properties of transparent UV-resistant petal effect superhydrophobic surface based on polybenzoxazine. 2015 , 353, 1137-1142	12
1068	Electrospinning of Non-Woven Materials from the Melt of Polyamide-6 with Added Magnesium, Calcium, and Zinc Stearates. 2015 , 47, 14-19	10
1067	3,4-Ethylenedioxyppyrrrole (EDOP) Monomers with Aromatic Substituents for Parahydrophobic Surfaces by Electropolymerization. 2015 , 48, 5188-5195	23
1066	Functional map of biological and biomimetic materials with hierarchical surface structures. 2015 , 5, 66901-66926	36
1065	A simple and economical method using graphene oxide for the fabrication of water/oil separation papers. 2015 , 5, 57860-57864	3
1064	A Comparative Study on the Wettability between Butterfly and Locust Wing Surface. 2015 , 1089, 181-184	
1063	Mechanical stability of superhydrophobic epoxy/silica coating for better water resistance of wood. 2015 , 69, 367-374	24
1062	Superhydrophobic surface on steel substrate and its anti-icing property in condensing conditions. 2015 , 355, 226-232	42
1061	Roughness controlled superhydrophobicity on single nanometer length scale with metal nanoparticles. 2015 , 5, 28696-28702	29
1060	Effects of Hierarchical Surface Roughness on Droplet Contact Angle. <i>Langmuir</i> , 2015 , 31, 6752-62	4 71
1059	Carbon-Based Hierarchical Micro- and Nanostructures: From Synthesis to Applications. 2015 , 83-121	
1058	pH-Manipulated Underwater-Oil Adhesion Wettability Behavior on the Micro/Nanoscale Semicircular Structure and Related Thermodynamic Analysis. 2015 , 7, 10641-9	23

1057	Superhydrophobic surfaces fabricated by femtosecond laser with tunable water adhesion: from lotus leaf to rose petal. 2015 , 7, 9858-65	210
1056	Adsorption and adhesiveness of kapok fiber to different oils. 2015 , 296, 101-111	65
1055	Hemolymph drop impact outcomes on surfaces with varying wettability. 2015 , 345, 36-43	20
1054	Transparent silica thin films prepared from sodium silicate and bovine serum albumin with petal effect. 2015 , 41, 7565-7572	1
1053	Flexible Transparent Hierarchical Nanomesh for Rose Petal-Like Droplet Manipulation and Lossless Transfer. 2015 , 2, 1500071	26
1052	Direct insight into the three-dimensional internal morphology of solid-liquid-vapor interfaces at microscale. 2015 , 54, 4792-5	20
1051	Preparation of Hydrophobic Viscose Fabric Using Nitrogen DBD and Copper Ions Sorption. 2015 , 12, 1095-1103	9
1050	Analysis of leaf surfaces using scanning ion conductance microscopy. 2015 , 258, 119-26	6
1049	General Aspects of Biomimetic Materials. 2015 , 57-79	5
1048	Reduced chemical warfare agent sorption in polyurethane-painted surfaces via plasma-enhanced chemical vapor deposition of perfluoroalkanes. 2015 , 7, 6402-5	7
1047	Development of Mechanically Strong Ambient Pressure Dried Silica Aerogels with Optimized Properties. 2015 , 119, 7689-7703	62
1046	Bio-templated synthesis of hierarchically ordered macro-mesoporous anatase titanium dioxide flakes with high photocatalytic activity. 2015 , 5, 15572-15578	33
1045	A simple method to prepare superamphiphobic aluminum surface with excellent stability. 2015 , 481, 143-150	47
1044	Large-scale fabrication of commercially available, nonpolar linear polymer film with a highly ordered honeycomb pattern. 2015 , 7, 10541-7	31
1043	Fabrication of mechanically durable superhydrophobic wood surfaces using polydimethylsiloxane and silica nanoparticles. 2015 , 5, 30647-30653	98
1042	A theoretical approach to the relationship between wettability and surface microstructures of epidermal cells and structured cuticles of flower petals. 2015 , 115, 923-37	11
1041	The role of bio-inspired hierarchical structures in wetting. 2015 , 10, 026009	19
1040	Superhydrophobic and superoleophobic properties in nature. 2015 , 18, 273-285	380

1039	Bioinspired multifunctional Au nanostructures with switchable adhesion. <i>Langmuir</i> , 2015 , 31, 10850-8	4	22
1038	Wetting transition of the caterpillar-like superhydrophobic Cu/Ni-Co hierarchical structure by heat treatment. <i>Langmuir</i> , 2015 , 31, 10807-12	4	22
1037	Biomimetic Submicroarrayed Cross-Linked Liquid Crystal Polymer Films with Different Wettability via Colloidal Lithography. 2015 , 7, 25522-8		30
1036	In situ electric-driven reversible switching of water-droplet adhesion on a superhydrophobic surface. 2015 , 3, 23699-23706		46
1035	Characterization of Multi-scale Morphology and Superhydrophobicity of Water Bamboo Leaves and Biomimetic Polydimethylsiloxane (PDMS) Replicas. 2015 , 12, 624-633		20
1034	Wetting of Surfaces Made of Hydrophobic Cavities. <i>Langmuir</i> , 2015 , 31, 9325-30	4	10
1033	Fabrication of fluorinated raspberry particles and their use as building blocks for the construction of superhydrophobic films to mimic the wettabilities from lotus leaves to rose petals. 2015 , 6, 6746-6760		36
1032	Cu@Ag core-shell nanowires for electronic skin with a petal molded microstructure. 2015 , 3, 9594-9602		116
1031	Bioinspired Hierarchical Surface Structures with Tunable Wettability for Regulating Bacteria Adhesion. 2015 , 9, 10664-72		158
1030	Preparation of superhydrophobic and self-cleaning polysulfone non-wovens by electrospinning: influence of process parameters on morphology and hydrophobicity. 2015 , 22, 1		27
1029	Magnetorheological Elastomer Films with Tunable Wetting and Adhesion Properties. 2015 , 7, 19853-6		58
1028	Boundary layer drag reduction research hypotheses derived from bio-inspired surface and recent advanced applications. 2015 , 79, 59-73		25
1027	Tunable lotus-leaf and rose-petal effects via graphene paper origami. 2015 , 4, 18-25		29
1026	One-step spray-coating process for the fabrication of colorful superhydrophobic coatings with excellent corrosion resistance. <i>Langmuir</i> , 2015 , 31, 10702-7	4	138
1025	Direct surface analysis coupled to high-resolution mass spectrometry reveals heterogeneous composition of the cuticle of Hibiscus trionum petals. 2015 , 87, 9900-7		14
1024	Facile fabrication of biomimetic superhydrophobic surface with anti-frosting on stainless steel substrate. 2015 , 355, 1238-1244		48
1023	Reversible Underwater Lossless Oil Droplet Transportation. 2015 , 2, 1400388		55
1022	Condensation heat transfer enhancement by surface modification on a monolithic copper heat sink. 2015 , 75, 908-917		27

1021	Biomimetic superoleophobic surfaces: focusing on their fabrication and applications. 2015 , 3, 1811-1827	180
1020	Fabricating surfaces with tunable wettability and adhesion by ionic liquids in a wide range. 2015 , 11, 1782-6	25
1019	Antifouling Surfaces and Materials. 2015 ,	13
1018	Progress in understanding wetting transitions on rough surfaces. 2015 , 222, 92-103	274
1017	Electrodeposited nanostructured cobalt film and its dual modulation of both superhydrophobic property and adhesiveness. 2015 , 324, 319-323	30
1016	Heteroleptic titanium alkoxides as single-source precursors for MOCVD of micro-structured TiO ₂ . 2015 , 85, 761-769	2
1015	Biotechnologies and Biomimetics for Civil Engineering. 2015 ,	13
1014	Biomimetic superhydrophobic polymer surfaces by replication of hierarchical structures fabricated using precision tooling machine and anodized aluminum oxidation. 2015 , 21, 123-130	11
1013	Effect of Nano-Texturing on Adhesion of Thermoplastic Resin against Textured Steel Plate. 2016 , 11, 159-167	10
1012	Bio-Inspired Extreme Wetting Surfaces for Biomedical Applications. 2016 , 9,	86
1011	Recent Progress in Fabrication and Applications of Superhydrophobic Coating on Cellulose-Based Substrates. 2016 , 9,	73
1010	A Facile in Situ and UV Printing Process for Bioinspired Self-Cleaning Surfaces. 2016 , 9,	11
1009	Periodically patterned germanium surfaces modified to form superhydrophobic, IR-transmissive substrates. 2016 , 6, 3254	6
1008	Enhanced cuticle accumulation by employing MIXTA-like transcription factors. 2016 , 33, 161-168	4
1007	Preparation of biomimetic nano-structured films with multi-scale roughness. 2016 , 49, 254001	19
1006	Bioinspired Superwettability Materials. 2016 , 1-34	2
1005	A Smart Superhydrophobic Coating on AZ31B Magnesium Alloy with Self-Healing Effect. 2016 , 3, 1500694	40
1004	Rapid transfer of hierarchical microstructures onto biomimetic polymer surfaces with gradually tunable water adhesion from slippery to sticky superhydrophobicity. 2016 , 3, 025011	5

1003	An in situ approach to robust superhydrophobic carbon-based film. 2016 , 48, 1345-1349	1
1002	Smart water channelling through dual wettability by leaves of the bamboo <i>Phyllostachys aurea</i> . 2016 , 506, 344-355	11
1001	Polymer Self-Etching for Superhydrophobicity through a Green Hot-Pressing-Exfoliation Process: Low and High Adhesion. 2016 , 301, 653-658	4
1000	Deposition of hydroxyapatite-incorporated TiO ₂ coating on titanium using plasma electrolytic oxidation coupled with electrophoretic deposition. 2016 , 6, 62540-62544	18
999	A Low-Voltage Microfluidic Valve Based upon a Reversible Hydrophobicity Effect. 2016 , 3, 1600186	2
998	Encyclopedia of Nanotechnology. 2016 , 3432-3440	2
997	The Nucleation and Wetting Behavior at Hydrophilic, Polyacrylate Nanostructures Fabricated via Direct Laser Writing. 2016 , 22, 84-85	1
996	Synthesis of flat sticky hydrophobic carbon diamond-like films using atmospheric pressure Ar/CH ₄ dielectric barrier discharge. 2016 , 119, 223303	14
995	Biomimetic superhydrophobic polyolefin surfaces fabricated with a facile scraping, bonding and peeling method. 2016 , 14, 141-149	3
994	Droplet spreading on rough surfaces: Tackling the contact line boundary condition. 2016 , 28, 022105	32
993	The investigation of the wetting behavior on the red rose petal. 2016 , 108, 151605	11
992	Rose petal mimic surface by TiO ₂ sol-gel process. 2016 ,	1
991	Physics of solid-liquid interfaces: From the Young equation to the superhydrophobicity (Review Article). 2016 , 42, 622-635	24
990	Superhydrophobic/highly oleophobic surfaces based on poly(3,4-propylenedioxythiophene) surface post-functionalization. 2016 , 23, 1	5
989	Patterning liquids on inkjet-imprinted surfaces with highly adhesive superhydrophobicity. 2016 , 8, 9556-62	26
988	Hierarchical surface coatings of polystyrene nanofibers and silica microparticles with rose petal wetting properties. 2016 , 498, 42-49	8
987	Facile preparation of patterned petal-like PLA surfaces with tunable water micro-droplet adhesion properties based on stereo-complex co-crystallization from non-solvent induced phase separation processes. 2016 , 4, 12058-12064	36
986	Native oxides formation and surface wettability of epitaxial III-V materials: The case of InP and GaAs. 2016 , 383, 19-27	8

985	Facile Fabrication of Binary Nanoscale Interface for No-Loss Microdroplet Transportation. <i>Langmuir</i> , 2016 , 32, 5519-25	4	11
984	Large-Area Fabrication of Superhydrophobic Zinc Surface with Reversible Wettability Switching and Anticorrosion. 2016 , 163, D385-D391		23
983	Superhydrophobic and Water-Repellent Polymer-Nanoparticle Composite Films. 2016 , 205-221		1
982	Hydrophobic coating of GaAs surfaces with nanostructured ZnO. 2016 , 175, 101-105		11
981	Waterborne, all-polymeric, colloidal raspberry particles with controllable hydrophobicity and water droplet adhesion properties. 2016 , 603, 69-74		4
980	A Facile Electrodeposition Process for the Fabrication of Superhydrophobic and Superoleophilic Copper Mesh for Efficient Oil/Water Separation. 2016 , 55, 2704-2712		58
979	Biomimetic multifunctional surfaces inspired from animals. 2016 , 234, 27-50		95
978	Effect of hair morphology and elastic stiffness on the wetting properties of hairy surfaces. 2016 , 161, 74-81		4
977	Surface and Wetting Properties of Embiopteran (Webspinner) Nanofiber Silk. <i>Langmuir</i> , 2016 , 32, 4681-74		21
976	Bioinspired structured superhydrophobic and superoleophilic stainless steel mesh for efficient oil-water separation. 2016 , 500, 54-63		48
975	Water-resistant surfaces using zinc oxide structured nanorod arrays with switchable wetting property. 2016 , 299, 169-176		41
974	Surface forces between rough and topographically structured interfaces. 2016 , 26, 9-16		4
973	Improvement of water wetting capability of copper wire braids by surface modification approaches. 2016 , 77, 155-158		4
972	Preparation of stable superamphiphobic surfaces on X80 pipeline steel substrates. 2016 , 6, 91669-91678		10
971	Self-Cleaning and Superhydrophobic Surfaces. 2016 , 1-43		
970	Superhydrophobic Surfaces with Hierarchical Structures Inspired by Nature Leaves. 2016 , 393-419		
969	Perfluorinated ProDOT monomers for superhydrophobic/oleophobic surfaces elaboration. 2016 , 191, 90-96		7
968	A template-free approach to nanotube-decorated polymer surfaces using 3,4-phenylenedioxythiophene (PhEDOT) monomers. 2016 , 4, 17308-17323		36

967	Stability of Cassie-Baxter wetting states on microstructured surfaces. 2016 , 94, 042801	23
966	Fabrication of a Superhydrophobic Film with Self-Cleaning Property on Magnesium Alloy and Its Corrosion Resistance Properties. 2016 , 279-283	
965	Staudinger-Ureation: A new and fast reaction for surface post-functionalization. 2016 , 8, 165-171	3
964	Droplet impact on superhydrophobic surfaces: A review of recent developments. 2016 , 42, 1-14	168
963	A facile and cost-effective approach to engineer surface roughness for preparation of large-scale superhydrophobic substrate with high adhesive force. 2016 , 389, 679-687	20
962	Bioinspired Composite Materials: Applications in Diagnostics and Therapeutics. 2016 , 04, 1640004	26
961	One-Step and Templateless Electropolymerization Process Using Thienothiophene Derivatives To Develop Arrays of Nanotubes and Tree-like Structures with High Water Adhesion. 2016 , 8, 22732-43	32
960	Fractal Surfaces of Molecular Crystals Mimicking Lotus Leaf with Phototunable Double Roughness Structures. 2016 , 138, 10299-303	47
959	Preparing hydrophobic nanocellulose-silica film by a facile one-pot method. 2016 , 153, 266-274	33
958	Recent advances in biomimetic thin membranes applied in emulsified oil/water separation. 2016 , 4, 15749-15770	198
957	Bioinspired Functional Surfaces for Technological Applications. 2016 , 04, 1640006	15
956	Durability of the tunable adhesive superhydrophobic PTFE surfaces for harsh environment applications. 2016 , 122, 1	22
955	Biomimetics studies of <i>Salvinia molesta</i> for fabrication. 2016 , 11, 291-294	2
954	3,4-Dialkoxypyrrole for the Formation of Bioinspired Rose Petal-like Substrates with High Water Adhesion. <i>Langmuir</i> , 2016 , 32, 12476-12487	4 19
953	Fabrication of recyclable superhydrophobic materials with self-cleaning and mechanically durable properties on various substrates by quartz sand and polyvinylchloride. 2016 , 6, 79238-79244	15
952	Fabrication of Robust Hydrophobic and Super-Hydrophobic Polymer Films with Onefold or Dual Inverse Opal Structures. 2016 , 301, 1430-1436	5
951	Surfaces in Nature. 2016 , 1-21	1
950	A facile process for preparing superhydrophobic PBZ-PTFE coating with excellent stable properties. 2016 , 122, 1	2

949	Azido Platform Surfaces for Post-Functionalization with Aromatic Groups Using the Huisgen Reaction to Obtain High Water Adhesion. 2016 , 217, 2107-2115	3
948	Hierarchically Structured Poly(alkyl-p-xylylene) Nonwovens with Superhydrophobic Properties. 2016 , 301, 1225-1231	4
947	Bespoke Superhydrophobic Materials: Role of Polymers and Polymer Nanocomposites. 2016 , 249-279	
946	Recent Advances in the Fabrication of Superhydrophobic Surfaces. 2016 , 45, 1134-1149	51
945	Facile fabrication of superhydrophobic meshes with different water adhesion and their influence on oil/water separation. 2016 , 6, 90824-90830	18
944	Post-functionalization of plasma treated polycarbonate substrates: An efficient way to hydrophobic, oleophobic plastics. 2016 , 387, 28-35	14
943	Controllable wetting state high adhesion hydrophobic surface. 2016 , 6, 72815-72820	7
942	Fabrication of hydrophobic/hydrophilic switchable aluminum surface using poly(N-isopropylacrylamide). 2016 , 99, 295-301	10
941	Heat/durability resistance of the superhydrophobic PPS-based coatings prepared by spraying non-fluorinated polymer solution. 2016 , 294, 1519-1527	7
940	Designing superhydrophobic disordered arrays of fibers with hierarchical roughness and low-surface-energy. 2016 , 389, 469-476	18
939	Avoidance, escape and microstructural adaptations of the tea green leafhopper to water droplets. 2016 , 6, 37026	2
938	Occurrence of Near IPetal Effect on the Leaf Surface of Annona squamosa. 2016 , 6, 272-275	3
937	Bio-inspired photonic crystals with superwettability. 2016 , 45, 6833-6854	129
936	Characterization of poly(methyl methacrylate) nanofiber mats by electrospinning process. 2016 , 53, 691-698	9
935	Anisotropic Sliding of Water Droplets on the Superhydrophobic Surfaces with Anisotropic Groove-Like Micro/Nano Structures. 2016 , 3, 1600641	36
934	Microdroplet Transport by Control of Wettability. 2016 , 67, 477-481	
933	A Self-Assembly and High-Robustness Super-Hydrophobic Coating Based on Waste Marble Powder. 2016 , 57, 2127-2131	7
932	References. 486-511	

931	Enhanced hydrophobicity of polyurethane via non-solvent induced surface aggregation of silica nanoparticles. 2016 , 478, 117-26		34
930	Understanding the wettability of a hairy surface: effect of hair rigidity and topology. 2016 , 18, 18767-75		4
929	Design of multifunctional magnetic hybrid silica aerogels with improved properties. 2016 , 232, 227-237		10
928	One-pot fabrication of fluoride-silica@silica raspberry-like nanoparticles for superhydrophobic coating. 2016 , 42, 14601-14608		17
927	A simple approach to fabricate the rose petal-like hierarchical surfaces for droplet transportation. 2016 , 385, 562-568		29
926	Sticky or Slippery Wetting: Network Formation Conditions Can Provide a One-Way Street for Water Flow on Platinum-cured Silicone. 2016 , 8, 14252-62		26
925	Recent Advances in TiO ₂ -Based Nanostructured Surfaces with Controllable Wettability and Adhesion. 2016 , 12, 2203-24		228
924	Nucleoside surfaces as a platform for the control of surface hydrophobicity. 2016 , 6, 62471-62477		3
923	Templateless electrodeposition of conducting polymer nanotubes on mesh substrates for high water adhesion. 2016 , 7, 64-68		10
922	Nano/Micro-Manufacturing of Bioinspired Materials: a Review of Methods to Mimic Natural Structures. 2016 , 28, 6292-321		239
921	Spontaneous, Phase-Separation Induced Surface Roughness: A New Method to Design Parahydrophobic Polymer Coatings with Rose Petal-like Morphology. 2016 , 8, 3063-71		37
920	Lotus-effect tape: imparting superhydrophobicity to solid materials with an electrospun Janus composite mat. 2016 , 6, 17215-17221		17
919	Cassie-State Stability of Metallic Superhydrophobic Surfaces with Various Micro/Nanostructures Produced by a Femtosecond Laser. <i>Langmuir</i> , 2016 , 32, 1065-72	4	80
918	Enhanced Osseointegration of Hierarchical Micro/Nanotopographic Titanium Fabricated by Microarc Oxidation and Electrochemical Treatment. 2016 , 8, 3840-52		99
917	Structure and property analysis for a fractal superhydrophobic surface model. 2016 , 505, 72-85		3
916	Electrodeposition of Polypyrenes with Tunable Hydrophobicity, Water Adhesion, and Fluorescence Properties. 2016 , 120, 7077-7087		23
915	RECENT DRAG REDUCTION DEVELOPMENTS DERIVED FROM DIFFERENT BIOLOGICAL FUNCTIONAL SURFACES: A REVIEW. 2016 , 16, 1630001		6
914	Postfunctionalization of Azido or Alkyne Poly(3,4-ethylenedioxythiophene) Surfaces: Superhydrophobic and Parahydrophobic Surfaces. 2016 , 217, 554-561		6

913	Controllable Water Adhesion and Anisotropic Sliding on Patterned Superhydrophobic Surface for Droplet Manipulation. 2016 , 120, 7233-7240	73
912	Fabrication of a poly(dimethylsiloxane) microstructured surface imprinted from patterned silicon wafer with a self-cleaning property. 2016 , 48, 835-838	4
911	Morpho peleides butterfly wing imprints as structural colour stamp. 2016 , 11, 016006	5
910	One-pot waterborne superhydrophobic pigment coatings at high solids with improved scratch and water resistance. 2016 , 495, 79-86	4
909	Parahydrophobic Surfaces by Electrodeposition of PEDOT Polymers with Aromatic Groups. 2016 , 31, 1177-1182	2
908	Bacterial Nanocellulose Aerogel Membranes: Novel High-Porosity Materials for Membrane Distillation. 2016 , 3, 85-91	61
907	Environmental Applications of Interfacial Materials with Special Wettability. 2016 , 50, 2132-50	197
906	Efficient modelling of droplet dynamics on complex surfaces. 2016 , 28, 085101	27
905	Dopamine/Silica Nanoparticle Assembled, Microscale Porous Structure for Versatile Superamphiphobic Coating. 2016 , 10, 2910-21	96
904	Roughness-Induced Superliquiphilic/phobic Surfaces: Lessons from Nature. 2016 , 23-33	1
903	Liquid crystal compound anti-ice surface. 2016 , 43, 241-248	3
902	Selective no loss transportation of water droplets based on the superhydrophobic surfaces with controllable high water adhesion. 2016 , 30, 1087-1094	3
901	Rapid Fabrication of T-Shaped Micropillars on Polypropylene Surfaces with Robust Cassie-Baxter State for Quantitative Droplet Collection. 2016 , 120, 1556-1561	22
900	Nonsolvent-assisted fabrication of multi-scaled polylactide as superhydrophobic surfaces. 2016 , 12, 2766-72	21
899	Time-Dependent Wetting Behavior of PDMS Surfaces with Bioinspired, Hierarchical Structures. 2016 , 8, 8168-74	53
898	A one-step electrodeposition of homogeneous and vertically aligned nanotubes with parahydrophobic properties (high water adhesion). 2016 , 4, 3197-3203	47
897	Amphiphobic PVDF composite membranes for anti-fouling direct contact membrane distillation. 2016 , 505, 61-69	115
896	Influence of the monomer structure and electrochemical parameters on the formation of nanotubes with parahydrophobic properties (high water adhesion) by a templateless electropolymerization process. 2016 , 466, 413-24	23

895	Recent advances in the mechanical durability of superhydrophobic materials. 2016 , 229, 57-79	301
894	Design and Synthesis of a Superhydrophobic PVDF-Based Composite. 2016 , 138,	5
893	Facile assembly of graphene and titania on micro-structured substrates for superhydrophobic surfaces. 2016 , 42, 2829-2835	7
892	Superhydrophobic surfaces for corrosion protection: a review of recent progresses and future directions. 2016 , 13, 11-29	219
891	Texture and wettability of metallic lotus leaves. 2016 , 8, 3982-90	56
890	Capturing the evaporation process of water drops on sticky superhydrophobic polymer-nanoparticle surfaces. 2016 , 164, 117-119	16
889	Fabrication of CuO hierarchical flower-like structures with biomimetic superamphiphobic, self-cleaning and corrosion resistance properties. 2016 , 283, 1443-1454	100
888	Femtosecond laser fabrication of highly hydrophobic stainless steel surface with hierarchical structures fabricated by combining ordered microstructures and LIPSS. 2016 , 374, 81-89	97
887	RMS roughness-independent tuning of surface wettability by tailoring silver nanoparticles with a fluorocarbon plasma polymer. 2017 , 9, 2616-2625	22
886	Recent advances in the study and design of parahydrophobic surfaces: From natural examples to synthetic approaches. 2017 , 241, 37-61	60
885	Contact angles and wettability: towards common and accurate terminology. 2017 , 5, 3-8	204
884	One-pot Staudinger Ureation reaction to develop superhydrophobic/oleophobic surfaces with urea linkers. 2017 , 114, 116-122	5
883	Textured superhydrophobic films on copper prepared using solvent-free methods exhibiting antifouling properties. 2017 , 635, 32-36	5
882	Fabrication of Superhydrophobic Surfaces with Controllable Electrical Conductivity and Water Adhesion. <i>Langmuir</i> , 2017 , 33, 1368-1374	4 30
881	Angle-multiplexed optical printing of biomimetic hierarchical 3D textures. 2017 , 11, 1600187	35
880	The major influence of the substrate nature on the formation of nanotubes with high water adhesion using a templateless electropolymerization process. 2017 , 224, 99-108	3
879	Robust superhydrophobic diamond microspheres for no-loss transport of corrosive liquid microdroplets. 2017 , 53, 2355-2358	15
878	Highly sticky surfaces made by electrospun polymer nanofibers. 2017 , 7, 5836-5842	20

877	Wilhelmy balance characterization beyond contact angles: Differentiating leaching from nanosurface reorganization and optimizing surface modification. 2017 , 116, 565-571	9
876	Polystyrene assisted superhydrophobic silica coatings with surface protection and self-cleaning approach. 2017 , 105, 235-244	76
875	Design of Hierarchical Surfaces for Tuning Wetting Characteristics. 2017 , 9, 7701-7709	33
874	Simple-to-Apply Wetting Model to Predict Thermodynamically Stable and Metastable Contact Angles on Textured/Rough/Patterned Surfaces. 2017 , 121, 5642-5656	44
873	Moldable clay-like unit for synthesis of highly elastic polydimethylsiloxane sponge with nanofiller modification. 2017 , 7, 10479-10486	12
872	Superwetting Porous Materials for Wastewater Treatment: from Immiscible Oil/Water Mixture to Emulsion Separation. 2017 , 4, 1600029	128
871	Monostable superrepellent materials. 2017 , 114, 3387-3392	67
870	Hierarchical, Dual-Scale Structures of Atomically Thin MoS for Tunable Wetting. 2017 , 17, 1756-1761	54
869	Ellipsoidal Colloids with a Controlled Surface Roughness via Bioinspired Surface Engineering: Building Blocks for Liquid Marbles and Superhydrophobic Surfaces. 2017 , 9, 7648-7657	14
868	Ultra Water Repellent Polypropylene Surfaces with Tunable Water Adhesion. 2017 , 9, 10224-10232	25
867	CUTIN SYNTHASE 2 Maintains Progressively Developing Cuticular Ridges in Arabidopsis Sepals. 2017 , 10, 560-574	26
866	Novel three-dimensional superhydrophobic and strength-enhanced electrospun membranes for long-term membrane distillation. 2017 , 178, 279-287	50
865	Facile Adhesion-Tuning of Superhydrophobic Surfaces between "Lotus" and "Petal" Effect and Their Influence on Icing and Deicing Properties. 2017 , 9, 8393-8402	89
864	A 3-D model for thermodynamic analysis of hierarchical structured superhydrophobic surfaces. 2017 , 523, 98-105	14
863	The rose petal effect and the role of advancing water contact angles for drop confinement. 2017 , 5, 024001	12
862	Cell adhesive spectra along surface wettability gradient from superhydrophilicity to superhydrophobicity. 2017 , 60, 614-620	30
861	Controlling the wettability of mesh substrates by post-functionalization using the Huisgen reaction. 2017 , 195, 67-73	
860	Dual-scale micro/nanostructures for high-efficiency water collection. 2017 , 92, 19-22	2

859	Relationship between condensed droplet coalescence and surface wettability. 2017 , 111, 836-841	31
858	Petal shaped nanostructures planted on array micro-patterns for superhydrophobicity and anti-icing applications. 2017 , 319, 286-293	15
857	Fabrics coated with hot-iron-treated graphene oxide for a self-cleaning and mechanically robust water/oil separation material. 2017 , 7, 25796-25802	9
856	Preparing superhydrophobic copper surfaces with rose petal or lotus leaf property using a simple etching approach. 2017 , 4, 055014	8
855	Superhydrophobic, infrared transmissive moth eye-like substrates for use in wet conditions. 2017 ,	1
854	Superoleophobic surfaces. 2017 , 46, 4168-4217	435
853	Surface topology affects wetting behavior of biofilms. 2017 , 3, 11	37
852	Optical properties of a biomimetically prepared hierarchical structured polydimethyl siloxane template for potential application in anti-reflection and photovoltaic encapsulation. 2017 , 4, 055501	6
851	Fabrication of superhydrophobic unplasticized poly(vinyl chloride)/nanosilica sheets using Taguchi design methodology. 2017 , 66, 672-678	
850	A fluorine-free superhydrophobic PPS composite coating with high thermal stability, wear resistance, corrosion resistance. 2017 , 110, 47-54	20
849	Directional Fluid Gating by Janus Membranes with Heterogeneous Wetting Properties for Selective Oil-Water Separation. 2017 , 9, 19102-19113	91
848	Drop mobility on chemically heterogeneous and lubricant-impregnated surfaces. 2017 , 2, 591-607	21
847	A facile process for fabrication of environmentally safe superhydrophobic surfaces. 2017 , 14, 1289-1295	2
846	A Facile All-Solution-Processed Surface with High Water Contact Angle and High Water Adhesive Force. 2017 , 9, 23246-23254	13
845	Tuning the superhydrophobicity of magnesium stearate decorated ZnO porous structures for self-cleaning urinary coatings. 2017 , 423, 293-304	9
844	Tunable adhesion of superoleophilic/superhydrophobic poly (lactic acid) membrane for controlled-release of oil soluble drugs. 2017 , 505, 49-58	15
843	Nano-patterned aluminum surface with oil-impregnation for improved antibacterial performance. 2017 , 84, 359-363	9
842	Foolproof Method for Fast and Reversible Switching of Water-Droplet Adhesion by Magnetic Gradients. 2017 , 9, 23238-23245	27

841	Ultrasonic atomization based fabrication of bio-inspired micro-nano-binary particles for superhydrophobic composite coatings with lotus/petal effect. 2017 , 121, 92-98	20
840	A travel in the Echeveria genus wettability's world. 2017 , 411, 291-302	7
839	Biomolding Technique to Fabricate the Hierarchical Topographical Scaffold of POMA To Enhance the Differentiation of Neural Stem Cells. 2017 , 3, 1527-1534	8
838	Nanostructured N-polar GaN surfaces and their wetting behaviors. 2017 , 412, 559-563	2
837	Preparation of superhydrophobic/oleophilic copper mesh for oil-water separation. 2017 , 412, 599-605	79
836	Nanosilica-decorated sponges for efficient oil/water separation: role of nanoparticle type and concentration. 2017 , 52, 7017-7027	23
835	A Cycle-Etching Approach Toward the Fabrication of Superamphiphobic Stainless Steel Surfaces With Excellent Anticorrosion Properties . 2017 , 19, 1600879	19
834	Fabrication of mechanically robust superhydrophobic aluminum surface by acid etching and stearic acid modification. 2017 , 31, 2380-2397	16
833	Anti-fouling membranes by manipulating surface wettability and their anti-fouling mechanism. 2017 , 413, 127-135	73
832	Underwater Transparent Miniature "Mechanical Hand" Based on Femtosecond Laser-Induced Controllable Oil-Adhesive Patterned Glass for Oil Droplet Manipulation. <i>Langmuir</i> , 2017 , 33, 3659-3665 ⁴	20
831	Direct Drawing Method of Graphite onto Paper for High-Performance Flexible Electrochemical Sensors. 2017 , 9, 11959-11966	71
830	Direct printing of anisotropic wetting patterns using aerodynamically focused nanoparticle (AFN) printing. 2017 , 396, 1450-1457	13
829	Anti-icing property of bio-inspired micro-structure superhydrophobic surfaces and heat transfer model. 2017 , 400, 498-505	82
828	Biomimetic Superhydrophobic Engineering Metal Surface with Hierarchical Structure and Tunable Adhesion: Design of Microscale Pattern. 2017 , 56, 907-919	32
827	Superhydrophobic Rubber-Modified Polybenzoxazine/SiO ₂ Nanocomposite Coating with Anticorrosion, Anti-Ice, and Superoleophilicity Properties. 2017 , 56, 1485-1497	86
826	Apparent Contact Angle Calculated from a Water Repellent Model with Pinning Effect. <i>Langmuir</i> , 2017 , 33, 138-143	4 21
825	A smart switchable bioinspired copper foam responding to different pH droplets for reversible oil/water separation. 2017 , 5, 2603-2612	56
824	Role of Oxygen Vacancy on the Hydrophobic Behavior of TiO ₂ Nanorods on Chemically Etched Si Pyramids. 2017 , 121, 278-283	17

823	Isolation of mutants with abnormal petal epidermal cell morphology. 2017 , 12, e1382794	5
822	Biomimetic superwetable materials with structural colours. 2017 , 53, 12990-13011	24
821	Controllable wettability and adhesion of superhydrophobic self-assembled surfaces based on a novel azobenzene derivative. 2017 , 7, 50403-50409	7
820	Contrasting water adhesion strengths of hydrophobic surfaces engraved with hierarchical grooves: lotus leaf and rose petal effects. 2017 , 9, 16200-16204	17
819	Bio-inspired nanostructures for enhanced light management. 2017 , 35, 06GJ02	3
818	Anti-icing performance of superhydrophobic aluminum alloy surface and its rebounding mechanism of droplet under super-cold conditions. 2017 , 331, 7-14	25
817	Poly(3,4-propylenedioxyppyrole) Nanofibers with Branched Alkyl Chains by Electropolymerization to Obtain Sticky Surfaces with High Contact Angles. 2017 , 2, 9490-9494	5
816	Organic Solvent-Free Fabrication of Durable and Multifunctional Superhydrophobic Paper from Waterborne Fluorinated Cellulose Nanofiber Building Blocks. 2017 , 11, 11091-11099	120
815	Electrospinning Superhydrophobic and Antibacterial PS/MWNT Nanofibers onto Multilayer Gas Barrier Films. 2017 , 374, 1600138	8
814	Biomimetic super hydrophobic structured graphene on stainless steel surface by laser processing and transfer technology. 2017 , 328, 152-160	14
813	Investigating the interrelationship of superhydrophobicity with surface morphology, topography and chemical composition in spray-coated polyurethane/silica nanocomposites. 2017 , 128, 108-118	12
812	An outlook on tunable superhydrophobic nanostructural surfaces and their possible impact on ice mitigation. 2017 , 112, 304-318	23
811	New insights and perspectives into biological materials for flexible electronics. 2017 , 46, 6764-6815	245
810	Molecular Dynamics Simulation of Water Nanodroplet Bounce Back from Flat and Nanopillared Surface. <i>Langmuir</i> , 2017 , 33, 10184-10192	4 27
809	Bioinspired silica-based superhydrophobic materials. 2017 , 426, 1-18	30
808	From fractal polymer dispersions to mechanically resistant waterborne superhydrophobic coatings. 2017 , 124, 12-19	15
807	Combining Staudinger Reductive Amination and Amidification for the Control of Surface Hydrophobicity and Water Adhesion by Introducing Heterobifunctional Groups: Post- and Ante-Approach. 2017 , 218, 1700250	2
806	A biomimetic, multifunctional, superhydrophobic graphene film with self-sensing and fast recovery properties for microdroplet transportation. 2017 , 5, 17325-17334	37

805	Energy-Efficient Oil-Water Separation of Biomimetic Copper Membrane with Multiscale Hierarchical Dendritic Structures. 2017 , 13, 1701121	38
804	Biomimetic superhydrophobic surfaces with transition metals and their oxides: A review. 2017 , 14, 401-439	59
803	Facile preparation of superhydrophobic PDMS with patternable and controllable water adhesion characteristics. 2017 , 52, 11428-11441	15
802	Fabrication of multi-scale periodic surface structures on Ti-6Al-4V by direct laser writing and direct laser interference patterning for modified wettability applications. 2017 , 98, 134-142	41
801	The effect of rank, lithotype and roughness on contact angle measurements in coal cleats. 2017 , 179, 302-315	21
800	Questions and Answers on the Wettability of Nano-Engineered Surfaces. 2017 , 4, 1700381	43
799	Strain-Induced Surface Micro/Nanosphere Structure: A New Technique to Design Mechanically Robust Superhydrophobic Surfaces with Rose Petal-Like Morphology. 2017 , 4, 1700497	10
798	Biomimetic hydrophobic surfaces with low or high adhesion based on poly(vinyl alcohol) and SiO ₂ nanoparticles. 2017 , 14, 476-485	9
797	Highly reusable and superhydrophobic spongy graphene aerogels for efficient oil/water separation. 2017 , 7, 7162	44
796	Plant leaves icephobicity. 2017 , 14, 1061-1067	6
795	Nanoparticles covered surfaces for post-functionalization with aromatic groups to obtain parahydrophobic surface with high water adhesion (petal effect). 2017 , 14, 468-475	1
794	Water repellency of large-scale imprinting-assisted polymer films. 2017 , 25, 584-590	2
793	Superhydrophobic polysulfone/polydimethylsiloxane electrospun nanofibrous membranes for water desalination by direct contact membrane distillation. 2017 , 542, 308-319	56
792	Light-Driven Wettability Tailoring of Azopolymer Surfaces with Reconfigured Three-Dimensional Posts. 2017 , 9, 30133-30142	49
791	Controllable domain morphology in coated poly(lactic acid) films for high-efficiency and high-precision transportation of water droplet arrays. 2017 , 7, 53525-53531	7
790	Precision moulding of biomimetic disposable chips for droplet-based applications. 2017 , 21, 1	7
789	Plant Surfaces: Structures and Functions for Biomimetic Applications. 2017 , 1265-1305	6
788	On Temporal Biphilicity: Definition, Relevance, and Technical Implementation in Boiling Heat Transfer. 2017 , 139,	6

787	Plant Surfaces: Structures and Functions for Biomimetic Innovations. 2017 , 9, 23	203
786	Nature-inspired superwettability systems. 2017 , 2,	802
785	Labeling Nonwoven Fabrics and Articles from Synthetic Fibres. 2017 , 48, 421-426	1
784	Superhydrophobic and superoleophobic poly(3,4-ethylenedioxy pyrrole) polymers synthesized using the Staudinger-Vilarrasa reaction. 2017 , 89, 1751-1760	2
783	Surface modification with hierarchical CuO arrays toward a flexible, durable superhydrophobic and self-cleaning material. 2017 , 313, 1328-1334	73
782	Ultra-hydrophobic sticky polymer surfaces formed by water-induced surface deformation. 2017 , 490, 84-90	6
781	Assessment of morphology, topography and chemical composition of water-repellent films based on polystyrene/titanium dioxide nanocomposites. 2017 , 396, 616-624	11
780	Fabrication of petal effect surfaces by femtosecond laser-induced forward transfer. 2017 , 667, 20-24	14
779	Lasting superhydrophobicity and antibacterial activity of Cu nanoparticles immobilized on the surface of dopamine modified cotton fabrics. 2017 , 309, 149-154	47
778	Preparation of a high hydrophobic aluminium surface by double zincating process. 2017 , 31, 1061-1074	5
777	PDMS/PVDF hybrid electrospun membrane with superhydrophobic property and drop impact dynamics for dyeing wastewater treatment using membrane distillation. 2017 , 525, 57-67	243
776	Wettability-gradient surface fabricated by combining electrochemical etching and lithography. 2017 , 38, 979-984	8
775	Superhydrophobic and Superoleophobic Surfaces in Composite Materials. 2017 , 647-686	1
774	Design and engineering of sculptured nano-structures for application in hydrophobicity. 2017 , 45, 391-403	6
773	Bioinspired Rose-Petal-Like Substrates Generated by Electropolymerization on Micropatterned Gold Substrates. 2017 , 82, 352-357	6
772	Surface forces between rough and topographically structured interfaces. 2017 , 27, 18-24	30
771	Surfactant-free carnauba wax dispersion and its use for layer-by-layer assembled protective surface coatings on wood. 2017 , 396, 1273-1281	68
770	Wettability regulated gram-negative bacterial adhesion on biomimetic hierarchical structures. 2017 , 28, 813-817	9

769	Striving for Self-Cleaning Textiles [Critical Thoughts on Current Literature. 2017 , 129-169	1
768	Direct Measurements of Adhesion Forces for Water Droplets in Contact with Smooth and Patterned Polymers. 2017 , 1-52	12
767	Arthropod Corneal Nanocoatings: Diversity, Mechanisms, and Functions. 2017 , 29-52	7
766	Functional Surfaces in Biology III. 2017 ,	4
765	11. Superhydrophobicity and superoleophobicity: the Wenzel and Cassie wetting regimes. 2017 , 177-200	
764	Biomimetic construction of hierarchical structures via laser processing. 2017 , 7, 2208	17
763	Repellent finishes. 2017 , 149-194	3
762	A Rapid One-Step Process for Fabrication of Biomimetic Superhydrophobic Surfaces by Pulse Electrodeposition. 2017 , 10,	9
761	Bio-Inspired Polymeric Structures with Special Wettability and Their Applications: An Overview. 2017 , 9,	24
760	Fabrication of an Anisotropic Superhydrophobic Polymer Surface Using Compression Molding and Dip Coating. 2017 , 7, 194	13
759	Frontier of Inorganic Synthesis and Preparative Chemistry (I) Biomimetic Synthesis. 2017 , 687-721	3
758	Nanobiodiversity: The Potential of Extracellular Nanostructures. 2017 , 5, 199-207	0
757	Super-antiwetting with High Adhesion Property of Pitcher Plant. 2017 , 08,	
756	Superhydrophobic Microstructure Imprinted Rubber Sheet by Hot Vulcanization Press. 2017 , 90, 277-282	1
755	Laboratory Investigation into Anti-contamination Coatings for Mitigating Insect Contamination with Application to Laminar Flow Technologies. 2017 , 291-313	3
754	Fabrication of Biomimetic and Bioinspired Membranes. 2017 ,	2
753	. 2017 ,	4
752	Collaborative environmental DNA sampling from petal surfaces of flowering cherry <i>Cerasus fuyedoensis</i> 'Somei-yoshino' across the Japanese archipelago. 2018 , 131, 709-717	0

751	Pneumatic smart surfaces with rapidly switchable dominant and latent superhydrophobicity. 2018 , 10, e470-e470	22
750	Photo-controllable contact angle hysteresis on an artificial Azo-IPN petal. 2018 , 219, 81-84	2
749	Controlling and modelling the wetting properties of III-V semiconductor surfaces using re-entrant nanostructures. 2018 , 8, 3544	2
748	One-step fabrication of robust superhydrophobic and superoleophilic surfaces with self-cleaning and oil/water separation function. 2018 , 8, 3869	77
747	UV-resistant hydrophobic CeO ₂ nanomaterial with photocatalytic depollution performance. 2018 , 44, 13439-13443	13
746	In Situ Formation of Slippery-Liquid-Infused Nanofibrous Surface for a Transparent Antifouling Endoscope Lens. 2018 , 4, 1871-1879	18
745	Elegant Surface of CoNi Alloys toward Efficient Magnetorheological Performances Realized with Carbon Quantum Dots. 2018 , 5, 1800164	7
744	A Templateless Electropolymerization Approach to Porous Hydrophobic Nanostructures Using 3,4-Phenylenedioxythiophene Monomers with Electron-Withdrawing Groups. 2018 , 4, 656-662	7
743	Nanofold-decorated surfaces from the electrodeposition of di-alkyl-cyclopentadithiophenes. 2018 , 29, 1170-1181	2
742	Wearable Superhydrophobic Elastomer Skin with Switchable Wettability. 2018 , 28, 1800625	82
741	Petal-effect superhydrophobic surface self-assembled from poly(p-phenylene)s. 2018 , 101, 12-17	4
740	Superhydrophobic surfaces: From nature to biomimetic through VOF simulation. 2018 , 107, 94-100	17
739	Major influence of the hydrophobic chain length in the formation of poly(3,4-propylenedioxyppyrrrole) (PProDOP) nanofibers with special wetting properties. 2018 , 7, 65-75	5
738	Photochromic Crystalline Systems Mimicking Bio-Functions. 2018 , 24, 8491-8506	24
737	Progress toward reversible electrowetting on geometrically patterned superhydrophobic surfaces. 2018 , 36, 70-77	25
736	Maskless Hydrophilic Patterning of the Superhydrophobic Aluminum Surface by an Atmospheric Pressure Microplasma Jet for Water Adhesion Controlling. 2018 , 10, 7497-7503	31
735	Flourishing Bioinspired Antifogging Materials with Superwettability: Progresses and Challenges. 2018 , 30, e1704652	110
734	Superhydrophobic Surfaces from Nature and Beyond Nature. 2018 , 25-57	2

733	Superhydrophobic Coatings for the Protection of Natural Stone. 2018 , 1-25	5
732	One-step superhydrophobic coating using hydrophobized cellulose nanofibrils. 2018 , 544, 152-158	24
731	Bioinspired Interfacial Materials: From Binary Cooperative Complementary Interfaces to Superwettability Systems. 2018 , 5, 1701176	25
730	Stimuli-Responsive Bioinspired Materials for Controllable Liquid Manipulation: Principles, Fabrication, and Applications. 2018 , 28, 1705128	52
729	Smart zwitterionic sulfobetaine silane surfaces with switchable wettability for aqueous/nonaqueous drops. 2018 , 6, 2279-2288	19
728	Controllable superhydrophobic aluminum surfaces with tunable adhesion fabricated by femtosecond laser. 2018 , 102, 25-31	52
727	Superhydrophobic surfaces: a review on fundamentals, applications, and challenges. 2018 , 15, 231-250	221
726	Perspective for Microfluidics. 2018 , 517-540	
725	Fundamental Concepts and Physics in Microfluidics. 2018 , 19-111	0
724	Bioinspired platform with reversibly switchable wettability for transfer and storage of droplets. 2018 , 337, 697-708	28
723	Betal effect inspired superhydrophobic and highly adhesive coating on magnesium with enhanced corrosion resistance and biocompatibility. 2018 , 61, 629-642	12
722	Recent biomedical applications of bio-sourced materials. 2018 , 1, 26-44	10
721	Hierarchically organized honeycomb films through block copolymer directed self-assembly in "breath figure" templating and soft microwave-triggered annealing. 2018 , 14, 4874-4880	5
720	Influence of water adhesion of superhydrophobic surfaces on their anti-corrosive behavior. 2018 , 347, 38-45	32
719	Facile design of sticky-like superamphiphobic surfaces on highly porous substrate. 2018 , 153, 139-152	10
718	Protecting Aluminum from Atmospheric Corrosion via Surface Hydrophobization with Stearic Acid and Trialkoxysilanes. 2018 , 92, 621-629	6
717	Hydrophobic and superhydrophobic surfaces fabricated using atmospheric pressure cold plasma technology: A review. 2018 , 254, 1-21	100
716	Inkjet Printing Enabled Controllable Paper Superhydrophobization and Its Applications. 2018 , 10, 11343-1134927	

7 ¹⁵	Study on the Mechanism of Diarylethene Crystal Growth by In Situ Microscopy and the Crystal Growth Controlled by an Aluminum Plasmonic Chip. <i>Langmuir</i> , 2018 , 34, 4217-4223	4	1
7 ¹⁴	Black phosphorus with near-superhydrophobic properties and long-term stability in aqueous media. 2018 , 54, 3831-3834		22
7 ¹³	Recent Progress in Super Hydrophobic/Hydrophilic Self-Cleaning Surfaces for Various Industrial Applications: A Review. 2018 , 57, 1932-1952		79
7 ¹²	A Review of Femtosecond-Laser-Induced Underwater Superoleophobic Surfaces. 2018 , 5, 1701370		68
7 ¹¹	Patterned superhydrophobic surfaces to process and characterize biomaterials and 3D cell culture. 2018 , 5, 379-393		37
7 ¹⁰	Several surfaces with special wettability: Influence on spreading and motion of W/O emulsion droplets. 2018 , 39, 241-249		3
7 ⁰⁹	The role of water in reducing WO film by hydrogen: Controlling the concentration of oxygen vacancies and improving the photoelectrochemical performance. 2018 , 512, 86-95		25
7 ⁰⁸	Wettability Problems in Materials Processing. 2018 , 137-182		
7 ⁰⁷	Application of superhydrophobic coatings as a corrosion barrier: A review. 2018 , 341, 40-56		242
7 ⁰⁶	Effect of glass former (B ₂ O ₃ , SiO ₂ , GeO ₂ and P ₂ O ₅) addition to Fe ₂ O ₃ -Bi ₂ O ₃ glass on pH responsivity. 2018 , 257, 807-814		5
7 ⁰⁵	Facile fabrication of robust superhydrophobic cotton fabrics modified by polysiloxane nanowires for oil/water separation. 2018 , 15, 611-621		17
7 ⁰⁴	Engineering lotus leaf-inspired micro- and nanostructures for the manipulation of functional engineering platforms. 2018 , 61, 39-52		25
7 ⁰³	Multi-scale surface topography to minimize adherence and viability of nosocomial drug-resistant bacteria. 2018 , 140, 332-344		60
7 ⁰²	Duty cycle dependent chemical structure and wettability of RF pulsed plasma copolymers of acrylic acid and octafluorocyclobutane. 2018 , 436, 411-418		9
7 ⁰¹	Fabrication of hierarchical polymer surfaces with superhydrophobicity by injection molding from nature and function-oriented design. 2018 , 436, 224-233		29
7 ⁰⁰	Contact angle measurement of natural materials. 2018 , 161, 324-330		82
6 ⁹⁹	Nanosecond laser ablated copper superhydrophobic surface with tunable ultrahigh adhesion and its renewability with low temperature annealing. 2018 , 434, 120-125		38
6 ⁹⁸	Wetting Models and Working Mechanisms of Typical Surfaces Existing in Nature and Their Application on Superhydrophobic Surfaces: A Review. 2018 , 5, 1701052		70

697	Electrical potential induced switchable wettability of super-aligned carbon nanotube films. 2018 , 427, 628-635	10
696	Bioinspired Surfaces with Superamphiphobic Properties: Concepts, Synthesis, and Applications. 2018 , 28, 1707415	146
695	Dynamics of the Remote and Contact Interaction of Liquid Droplets with Film-Like and Fibrous-Porous Polymeric Materials. 2018 , 88, 2740-2746	1
694	Fabrication of Complex 3D Nanoimprint Mold by Using Acceleration Voltage Electron Beam Lithography. 2018 , 31, 271-276	4
693	A ratiometric fluorescent probe for bioimaging and biosensing of HBrO in mitochondria upon oxidative stress. 2018 , 54, 12198-12201	22
692	Preparation of superhydrophobic surfaces with micro/nano alumina molds.. 2018 , 8, 36697-36704	11
691	Advancing and receding contact angle investigations for highly sticky and slippery aluminum surfaces fabricated from nanostructured anodic oxide.. 2018 , 8, 37315-37323	13
690	Wetting behaviors and applications of metal-catalyzed CVD grown graphene. 2018 , 6, 22437-22464	17
689	The wettability of gas bubbles: from macro behavior to nano structures to applications. 2018 , 10, 19659-19672	27
688	Sorption of cadmium by rice husk char, bamboo char, and coconut shell char in aqueous solutions. 2018 , 208, 012109	1
687	Secret of Lotus Leaf: Importance of Double Roughness Structures for Super Water-Repellency. 2018 , 31, 705-710	3
686	Superhydrophobic and antireflective surface of nanostructures fabricated by CF4 plasma etching. 2018 , 5, 13879-13885	2
685	Liquid Manipulation. 2018 , 399-415	1
684	Surface-wettability and Structural Colouration Property of Certain Rosaceae Cultivars with Off-to-dark Pink Appearances. 2018 , 15, 1012-1024	4
683	Roughness-Induced Superliquiphilic/Phobic Surfaces: Wetting States and Lessons from Living Nature. 2018 , 39-49	2
682	Characterization of Rose Petals and Fabrication and Characterization of Superhydrophobic Surfaces with High and Low Adhesion. 2018 , 259-287	1
681	Digital laser micro- and nanoprinting. 2018 , 8, 27-44	20
680	Observation of wet specimens sensitive to evaporation using scanning electron microscopy. 2018 , 67, 356-366	2

679	Multiscale Engineering and Scalable Fabrication of Super(de)wetting Coatings. 2018 , 393-480		2
678	Parahydrophobic and Nanostructured Poly(3,4-ethylenedioxyppyrrrole) and Poly(3,4-propylenedioxyppyrrrole) Films with Hyperbranched Alkyl Chains. 2018 , 3, 12428-12436		2
677	Man-Made and Natural Fibres as a Reinforcement in Fully Biodegradable Polymer Composites: A Concise Study. 2018 , 26, 4360-4368		6
676	Synthesis of superhydrophobic surfaces with Wenzel and Cassie-Baxter state: experimental evidence and theoretical insight. 2018 , 29, 485601		11
675	Superhydrophobic Film Coatings for Corrosion Inhibition. 2018 , 133-184		1
674	Droplet Mobility on Hydrophobic Fibrous Coatings Comprising Orthogonal Fibers. <i>Langmuir</i> , 2018 , 34, 12488-12499	4	21
673	Versatile and Robust Integrated Sensors To Locally Assess Humidity Changes in Fully Enclosed Paper-Based Devices. 2018 , 10, 35631-35638		17
672	Tunable Bubble Assembling on a Hybrid Superhydrophobic-Superhydrophilic Surface Fabricated by Selective Laser Texturing. <i>Langmuir</i> , 2018 , 34, 13203-13209	4	9
671	Wetting states of two-dimensional drops under gravity. 2018 , 98,		5
670	Structural and wetting properties of nature's finest silks (order Embioptera). 2018 , 5, 180893		5
669	Recent exploration of bio-mimetic nanomaterial for potential biomedical applications. 2018 , 93, 1104-1115		17
668	Variation of (Moser, 1909) Elytra Nanostructurations and Their Impact on Wettability. 2018 , 3,		9
667	A robust superhydrophobic Zn coating with ZnO nanosheets on steel substrate and its self-cleaning property. 2018 , 666, 100-107		30
666	Unidirectional Droplet Transport on the Biofabricated Butterfly Wing. <i>Langmuir</i> , 2018 , 34, 12482-12487	4	18
665	A surface transition of nanoparticle-decorated graphene films from water-adhesive to water-repellent. 2018 , 10, 17015-17020		3
664	Robust superhydrophobic electrospun membrane fabricated by combination of electrospinning and electro spraying techniques for air gap membrane distillation. 2018 , 446, 70-82		51
663	Bioinspired silica-containing polyurethane-acrylate films: Towards superhydrophobicity with tunable water adhesion. 2018 , 155, 1-12		8
662	Switchable and Reversible Superhydrophobic Surfaces: Part One. 2018 ,		1

661	Towards the development of superhydrophobic carbon nanomaterial coatings on wood. 2018 , 125, 23-31	20
660	Bioinspired Designs of Superhydrophobic and Superhydrophilic Materials. 2018 , 4, 1102-1112	166
659	6. Superhydrophobicity, superhydrophilicity, and the rose petal effect. 2018 , 113-124	
658	Study for critical roughness based on interfacial energy. 2018 , 542, 20-31	4
657	Bioinspired Superwettability Electrospun Micro/Nanofibers and Their Applications. 2018 , 28, 1801114	139
656	Inorganic Surface Coating with Fast Wetting-Dewetting Transitions for Liquid Manipulations. 2018 , 10, 19182-19188	13
655	How to Engineer Surfaces to Control and Optimize Boiling, Condensation and Frost Formation?. 2018 , 63-158	
654	Robust, self-cleaning, amphiphobic coating with flower-like nanostructure on micro-patterned polymer substrate. 2018 , 352, 173-181	41
653	Super Antiwetting Surfaces for Mitigating Drag-Out of Deep Eutectic Solvents. 2018 , 10, 24209-24216	11
652	Monolithic Polymer Nanoridges with Programmable Wetting Transitions. 2018 , 30, e1706657	33
651	Formation of Nanofibers with High Water Adhesion by Electrodeposition of Films of Poly(3,4-ethylenedioxyppyrrrole) and Poly(3,4-propylenedioxyppyrrrole) Substituted by Alkyl Chains. 2018 , 83, 968-975	3
650	Surface Nanostructuration and Wettability of Electrodeposited Poly(3,4-ethylenedioxyppyrrrole) and Poly(3,4-propylenedioxyppyrrrole) Films Substituted by Aromatic Groups. 2018 , 3, 8393-8400	1
649	A self-sensing, superhydrophobic, heterogeneous graphene network with controllable adhesion behavior. 2018 , 6, 16992-17000	26
648	Mesoscale self-assembly of reactive monomicelles: General strategy toward phloroglucinol-formaldehyde aerogels with ordered mesoporous structures and enhanced mechanical properties. 2018 , 532, 77-82	5
647	Preparation of superhydrophobic polybenzoxazine/SiO ₂ films with self-cleaning and ice delay properties. 2018 , 123, 254-260	16
646	A mechanically robust transparent coating for anti-icing and self-cleaning applications. 2018 , 6, 16043-16052	67
645	Review on nanoparticles and nanostructured materials: history, sources, toxicity and regulations. 2018 , 9, 1050-1074	1401
644	Effect of pulse frequency on the one-step preparation of superhydrophobic surface by pulse electrodeposition. 2018 , 458, 603-611	30

643	Superhydrophobic, superoleophobic and underwater superoleophobic conducting polymer films. 2018 , 6, 181-204	9
642	Introduction to Science and Engineering Principles for the Development of Bioinspired Materials. 2018 , 1-16	
641	Waterborne Superhydrophobic and Superoleophobic Coatings for the Protection of Marble and Sandstone. 2018 , 11,	44
640	Superhydrophobic Natural and Artificial Surfaces-A Structural Approach. 2018 , 11,	42
639	Characterization and Bioreplication of Tradescantia pallida Inspired Biomimetic Superwettability for Dual Way Patterned Water Harvesting. 2018 , 5, 1800723	11
638	A biomimetic surface with switchable contact angle and adhesion for transfer and storage of microdroplets. 2018 , 10, 15393-15401	30
637	Template-Free Self-Assembly of Fluorine-Free Hydrophobic Polyimide Aerogels with Lotus or Petal Effect. 2018 , 10, 16901-16910	47
636	Transparent Surfaces Inspired by Nature. 2018 , 6, 1800091	24
635	Bio-inspired textures for functional applications. 2018 , 67, 627-650	49
634	Biocompatible/Biodegradable Electrowetting on Dielectric Microfluidic Chips with Fluorinated CTA/PLGA. 2018 , 11,	4
633	Atomistic dewetting mechanics of Wenzel and monostable Cassie-Baxter states. 2018 , 20, 24759-24767	17
632	Inkjet-Printing Patterned Chip on Sticky Superhydrophobic Surface for High-Efficiency Single-Cell Array Trapping and Real-Time Observation of Cellular Apoptosis. 2018 , 10, 31054-31060	22
631	Diving-floating locomotion induced by capturing and manipulating bubbles in an aqueous environment. 2018 , 54, 11713-11716	13
630	UV-Resistant and Thermally Stable Superhydrophobic CeO Nanotubes with High Water Adhesion. 2018 , 14, e1801040	25
629	Triboelectrification on natural rose petal for harvesting environmental mechanical energy. 2018 , 50, 441-447	48
628	Oil/Water Separations from Nanosized Superhydrophobic to Microsized under-Oil Superhydrophilic Dust. 2018 , 1, 3398-3406	12
627	Nanomanufacturing of bioinspired surfaces. 2019 , 129, 67-74	32
626	Drag Reduction of Anisotropic Superhydrophobic Surfaces Prepared by Laser Etching. <i>Langmuir</i> , 2019 , 35, 11016-11022	4 35

- 625 Biomimetic polymeric superamphiphobic surfaces: their fabrication and applications. **2019**, 55, 10820-10843 21
- 624 Natural and Artificial Superwetable Surfaces-Superficial Phenomena: An Extreme Wettability Scenario. **2019**,
- 623 Preparation of super hydrophobic mMoS₂/PDMS coating for fabrics. **2019**, 143, 104315 8
- 622 Wetting Transition from Hydrophilic to Superhydrophobic over Dendrite Copper Leaves Grown on Steel Meshes. **2019**, 16, 719-729 4
- 621 Fast Fourier transport analysis of surface structures fabricated by laser interference lithography. **2019**, 12, 096503 1
- 620 Using Nanoimprint Lithography to Create Robust, Buoyant, Superhydrophobic PVB/SiO Coatings on wood Surfaces Inspired by Red roses petal. **2019**, 9, 9961 22
- 619 A facile fabrication strategy for anisotropic photonic crystals using deformable spherical nanoparticles. **2019**, 11, 14147-14154 8
- 618 Wetting Transition from Lotus Leaf to Rose Petal using Modified Fly Ash. **2019**, 4, 7936-7942 3
- 617 The Wetting State of Water on a Rose Petal. **2019**, 6, 1900652 9
- 616 Fabrication of micro/nano-hierarchical structures for droplet manipulation via velocity-controlled picosecond laser surface texturing. **2019**, 122, 319-327 17
- 615 Multilevel Hierarchical Topographies by Combined Photolithography and Nanoimprinting Processes To Create Surfaces with Controlled Wetting. **2019**, 2, 4727-4733 10
- 614 Recent Advances in Bioinspired Gel Surfaces with Superwettability and Special Adhesion. **2019**, 6, 1900996 29
- 613 Mechanically tunable single-component soft polydimethylsiloxane (PDMS)-based robust and sticky superhydrophobic surfaces. **2019**, 125, 1 11
- 612 Ellipsoidal droplet formation on anisotropic superhydrophobic copper surface. **2019**, 7, 035001 5
- 611 Effects of Imprinted 3D Surface Patterning on Localized Changes in the Tribology of Human Stratum Corneum. *Langmuir*, **2019**, 35, 15573-15584 4
- 610 Biological design of materials. **2019**, 27-97 3
- 609 Phragmites Communis Leaves with Anisotropy, Superhydrophobicity and Self-Cleaning Effect and Biomimetic Polydimethylsiloxane (PDMS) Replicas. **2019**, 9, 541 4
- 608 Hydrophobic nanostructures fabricated by ferric nitrate etching method on single crystalline silicon surface. **2019**, 583, 123999 2

607	Biological adhesion behavior of superhydrophobic polymer coating. 2019 , 161-177	4
606	Robust adhesion of droplets via heterogeneous dynamic petal effects. 2019 , 557, 737-745	6
605	Superhydrophobic surface with lotus/petal effect and its improvement on fatigue resistance of heat-resistant steel. 2019 , 137, 105315	8
604	Introduction. 2019 , 1-26	
603	Advances in Sustainable Polymers. 2019 ,	5
602	Nanostructured and oriented metal-organic framework films enabling extreme surface wetting properties. 2019 , 10, 1994-2003	10
601	Understanding the correlations between the mechanical robustness, coating structures and surface composition for highly-/super-hydrophobic ceramic coatings. 2019 , 378, 124929	3
600	Plasma Nano-Texturing of Polymers for Wettability Control: Why, What and How. 2019 , 9, 640	11
599	Effect of Airborne Hydrocarbons on the Wettability of Phase Change Nanoparticle Decorated Surfaces. 2019 , 13, 13430-13438	7
598	Plants and architecture: the role of biology and biomimetics in materials development for buildings. 2019 , 11, 178-211	9
597	A Novel Offset and Finite-Gain Compensated Switched-Capacitor Amplifier with Input Correlated Level Shifting. 2019 , 8, 986	
596	Hierarchical Rose Petal Surfaces Delay the Early-Stage Bacterial Biofilm Growth. <i>Langmuir</i> , 2019 , 35, 14670-14680	4 13
595	Self-Adjusting Lubricant-Infused Porous Hydrophobic Sticky Surfaces: Programmable Time Delay Switch for Smart Control of the Drop's Slide. 2019 , 11, 43681-43688	1
594	Roughness-dependent wetting behavior of vapor-deposited metallic thin films. 2019 , 100, 022804	11
593	Fabrication of a flexible transparent superomniphobic polydimethylsiloxane surface with a micropillar array.. 2019 , 9, 26165-26171	8
592	Fundamentals of superhydrophobic surfaces. 2019 , 3-29	3
591	Dynamics of droplet impingement on bioinspired surface: insights into spreading, anomalous stickiness and break-up. 2019 , 475, 20190260	9
590	Superhydrophobic, compressible, and reusable polyvinyl alcohol-wrapped silver nanowire composite sponge for continuous oil-water separation. 2019 , 583, 124028	18

589	Wetting Transition on Liquid-Repellent Surfaces Probed by Surface Force Measurements and Confocal Imaging. <i>Langmuir</i> , 2019 , 35, 13275-13285	4	7
588	Design and fabrication of superwetting fiber-based membranes for oil/water separation applications. 2019 , 364, 292-309		174
587	Biomimetic fabrication and photoelectric properties of superhydrophobic ZnO nanostructures on flexible PDMS substrates replicated from rose petal. 2019 , 125, 1		13
586	Water super-repellent behavior of semicircular micro/nanostructured surfaces. 2019 , 11, 3725-3732		12
585	Mimicking from Rose Petal to Lotus Leaf: Biomimetic Multiscale Hierarchical Particles with Tunable Water Adhesion. 2019 , 11, 7431-7440		27
584	Achieving an acid resistant surface on magnesium alloy via bio-inspired design. 2019 , 478, 150-161		34
583	Ascendant bioinspired antireflective materials: Opportunities and challenges coexist. 2019 , 103, 1-68		46
582	Simple fabrication method of flexible and translucent high-aspect ratio superhydrophobic polymer tube using a repeatable replication and nondestructive detachment process. 2019 , 361, 975-981		18
581	Self-Cleaning: From Bio-Inspired Surface Modification to MEMS/Microfluidics System Integration. 2019 , 10,		24
580	Tuning the Morphology of Microparticles from Spray Drying of Cellulose Nanocrystal Suspensions by Hydrophobic Lignin. 2019 , 7, 5376-5384		17
579	Topographical alterations render bacterial biofilms susceptible to chemical and mechanical stress. 2018 , 7, 220-232		20
578	Multiple Superwetable Nanofiber Arrays Prepared by a Facile Dewetting Strategy via Controllably Localizing a Low-Energy Compound. 2019 , 29, 1900060		6
577	Combination of active behaviors and passive structures contributes to the cleanliness of housefly wing surfaces: A new insight for the design of cleaning materials. 2019 , 180, 473-480		1
576	Interspecific variations in the surface wettability and morphological traits of petals across 125 plant species. 2019 , 257, 151417		2
575	Coating Architects: Manipulating Multiscale Structures To Optimize Interfacial Properties for Coating Applications. 2019 , 1, 2249-2266		11
574	3D nanofabrication using controlled-acceleration-voltage electron beam lithography with nanoimprinting technology. 2019 , 8, 253-266		3
573	Dip-dip-dry: Solvent-induced tuning of polylactic acid surface properties. 2019 , 578, 123591		2
572	Smart Copolymer-Functionalized Flexible Surfaces with Photoswitchable Wettability: From Superhydrophobicity with "Rose Petal" Effect to Superhydrophilicity. 2019 , 11, 25436-25444		37

571	Parahydrophobicity and stick-slip wetting dynamics of vertically aligned carbon nanotube forests. 2019 , 152, 474-481	9
570	Superamphiphobic Surfaces with Controllable Adhesion Fabricated by Femtosecond Laser Bessel Beam on PTFE. 2019 , 6, 1900550	23
569	Environmentally benign non-wettable textile treatments: A review of recent state-of-the-art. 2019 , 270, 216-250	52
568	Nanostructures and wetting properties controlled by reactive ion etching of fluorinated ethylene propylene. 2019 , 574, 228-238	5
567	Surface-Embedding of Functional Micro-/Nanoparticles for Achieving Versatile Superhydrophobic Interfaces. 2019 , 1, 661-673	85
566	Superhydrophobicity: advanced biological and biomedical applications. 2019 , 7, 3110-3137	52
565	Graphene tailored by FeO nanoparticles: low-adhesive and durable superhydrophobic coatings.. 2019 , 9, 16235-16245	3
564	One-step tailoring surface roughness and surface chemistry to prepare superhydrophobic polyvinylidene fluoride (PVDF) membranes for enhanced membrane distillation performances. 2019 , 553, 99-107	43
563	Dynamic Wetting Properties of Mesh Substrates with Tunable Water Adhesion. 2019 , 20, 1918-1921	1
562	The role of viscous and capillary forces in the prediction of critical conditions defining super-hydrophobic and hydrophilic characteristics. 2019 , 207, 527-541	6
561	Synthesis and characterization of superhydrophobic surfaces prepared from silica and alumina nanoparticles on a polyurethane polymer matrix. 2019 , 135, 205-212	11
560	Power generation and longevity improvement of renewable energy systems via slippery surfaces □ A review. 2019 , 143, 922-938	8
559	Size-dependent superwettability adjustment strategy for preparing superhydrophilic and superhydrophobic solid particles. 2019 , 487, 304-314	2
558	Hydrophobic metal-organic frameworks: Potential toward emerging applications. 2019 , 7, 050701	26
557	Preparation and property of extremely stable superhydrophobic carbon fibers with core-shell structure. 2019 , 150, 284-291	25
556	The Principle and Physical Chemistry of Soft Interface. 2019 , 3-25	
555	Distributed Bragg Reflectors for GaN-Based Vertical-Cavity Surface-Emitting Lasers. 2019 , 9, 1593	25
554	Fabrication of superhydrophobic surfaces with tunable water droplet adhesion force by a two-step method. 2019 , 45, 14389-14396	4

553	A review of femtosecond laser-structured superhydrophobic or underwater superoleophobic porous surfaces/materials for efficient oil/water separation.. 2019 , 9, 12470-12495	58
552	Fabrication of a hydrophobic three-dimensional hybrid structure using an UV-curable electron beam resist. 2019 , 58, SDDJ02	1
551	A multifunctional polymer composite coating assisted with pore-forming agent: Preparation, superhydrophobicity and corrosion resistance. 2019 , 132, 370-378	28
550	Facile preparation of isotactic polypropylene microporous membranes with bioinspired hierarchical morphology for nano-scale water-in-oil emulsion separation. 2019 , 581, 224-235	24
549	K-Index: A Descriptor, Predictor, and Correlator of Complex Nanomorphology to Other Material Properties. 2019 , 13, 3677-3690	11
548	Fabrication of Superhydrophobic Hierarchical Surfaces by Square Pulse Electrodeposition: Copper-Based Layers on Gold/Silicon (100) Substrates. 2019 , 84, 368-373	7
547	A biodegradable polymer-based common chemical avenue for optimizing switchable, chemically reactive and tunable adhesive superhydrophobicity. 2019 , 7, 9120-9129	21
546	Facile construction of robust superhydrophobic cotton textiles for effective UV protection, self-cleaning and oil-water separation. 2019 , 570, 172-181	52
545	Microfluidics Assisted Fabrication of Three-Tier Hierarchical Microparticles for Constructing Bioinspired Surfaces. 2019 , 13, 3638-3648	27
544	High-Efficiency Omnidirectional Broadband Light-Management Coating Using the Hierarchical Ordered-Disordered Nanostructures with Ultra-Mechanochemical Resistance. 2019 , 11, 12978-12985	9
543	Robust superhydrophobic dual layer nanofibrous composite membranes with a hierarchically structured amorphous polypropylene skin for membrane distillation. 2019 , 7, 11282-11297	30
542	A Laser Scanning Method to Control the Location, Shape, Contact Angle and Sliding of Water Droplet on Superhydrophobic Surface. 2019 , 21, 1801375	7
541	Effect of surface morphologies and chemistry of paper on deposited collagen. 2019 , 484, 461-469	2
540	Electrospun Nanofiber Membranes Incorporating PDMS-Aerogel Superhydrophobic Coating with Enhanced Flux and Improved Antiwettability in Membrane Distillation. 2019 , 53, 4948-4958	64
539	Beetle-inspired wettable materials: from fabrications to applications. 2019 , 6, 100034	20
538	Atmosphere-Mediated Superhydrophobicity of Rationally Designed Micro/Nanostructured Surfaces. 2019 , 13, 4160-4173	97
537	A novel method to fabricate organic-free superhydrophobic surface on titanium substrates by removal of surface hydroxyl groups. 2019 , 479, 1089-1097	15
536	Self-Healing Structured Graphene Surface with Reversible Wettability for Oil/Water Separation. 2019 , 2, 1505-1515	17

535	Superwettability-Based Interfacial Chemical Reactions. 2019 , 31, e1800718	74
534	Bioinspired Superwettability Micro/Nanoarchitectures: Fabrications and Applications. 2019 , 29, 1808012	80
533	Icephobic nanocoatings for infrastructure protection. 2019 , 281-302	0
532	The petal effect of parahydrophobic surfaces offers low receding contact angles that promote effective boiling. 2019 , 135, 403-412	37
531	Separation Mechanism and Construction of Surfaces with Special Wettability for Oil/Water Separation. 2019 , 11, 11006-11027	237
530	Bioinspired Superhydrophobic Papillae with Tunable Adhesive Force and Ultralarge Liquid Capacity for Microdroplet Manipulation. 2019 , 29, 1900266	47
529	Achieving of bionic super-hydrophobicity by electrodepositing nano-Ni-pyramids on the picosecond laser-ablated micro-Cu-cone surface. 2019 , 363, 170-178	19
528	Fabrication of superhydrophobic and superoleophilic teflon surfaces using irradiation by nanosecond infrared laser. 2019 , 699, 012057	
527	Experimental Investigation of Copper Mesh Substrate with Selective Wettability to Separate Oil/Water Mixture. 2019 , 12, 4564	2
526	Biodegradable Polylactide/TiO Composite Fiber Scaffolds with Superhydrophobic and Superadhesive Porous Surfaces for Water Immobilization, Antibacterial Performance, and Deodorization. 2019 , 11,	5
525	Sessile Droplet Freezing on Hydrophobic Structured Surfaces under Cold Ambient Conditions. <i>Langmuir</i> , 2019 , 35, 16401-16406	4 9
524	Theoretical and Experimental Studies on the Controllable Pancake Bouncing Behavior of Droplets. <i>Langmuir</i> , 2019 , 35, 17000-17008	4 10
523	Fabrication of bio-inspired 3D nanoimprint mold using acceleration-voltage-modulation electron-beam lithography. 2019 , 8, 289-297	2
522	Control of tip nanostructure on superhydrophobic shape memory arrays toward reversibly adjusting water adhesion. 2019 , 2, 753-762	6
521	Gradient structure based dual-robust superhydrophobic surfaces with high-adhesive force. 2019 , 463, 427-434	29
520	Recent advances of bioinspired functional materials with specific wettability: from nature and beyond nature. 2019 , 4, 52-76	132
519	Bio-inspired superhydrophobic and superoleophilic nanofibrous membranes for non-aqueous solvent and oil separation from water. 2019 , 210, 587-599	38
518	Superhydrophobic Metal-Organic Framework Membrane with Self-Repairing for High-Efficiency Oil/Water Emulsion Separation. 2019 , 7, 2709-2717	39

517	A droplet actuation technique for a lab-on-chip device using partial wetting surface without external force. 2019 , 285, 482-490	3
516	Controlling burst effect with PLA/PVA coaxial electrospun scaffolds loaded with BMP-2 for bone guided regeneration. 2019 , 97, 602-612	35
515	Designing bioinspired parahydrophobic surfaces by electrodeposition of poly(3,4-ethylenedioxyppyrrrole) and poly(3,4-propylenedioxyppyrrrole) with mixed hydrocarbon and fluorocarbon chains. 2019 , 110, 76-84	5
514	Minireview: Laser-Induced Formation of Microbubbles-Biomedical Implications. <i>Langmuir</i> , 2019 , 35, 10139-10150	5
513	Facile fabrication of superhydrophobic filter paper with high water adhesion. 2019 , 236, 732-735	17
512	Facile preparation of diverse alumina surface structures by anodization and superhydrophobic surfaces with tunable water droplet adhesion. 2019 , 779, 219-228	15
511	Hierarchical Structures for Superhydrophobic and Superoleophobic Surfaces. <i>Langmuir</i> , 2019 , 35, 10689-10703	56
510	Oil/water separation on structure-controllable Cu mesh: Transition of superhydrophilic-superoleophilic to superhydrophobic-superoleophilic without chemical modification. 2019 , 358, 416-426	22
509	Reversible transition between adhesive and antiadhesive performances by stretching/recovery on superhydrophobic TPU/CNTs composite membrane surface. 2019 , 471, 900-903	7
508	Synthesis of low surface-energy polyepichlorohydrin triazoles thin film. 2019 , 539, 481-489	5
507	Two-step fabrication of superhydrophobic surfaces with antiadhesion. 2019 , 113, 273-280	11
506	Superhydrophobic and fluorescent properties of fluorinated polypyrene surfaces using various polar linkers prepared via electropolymerization. 2019 , 135, 65-76	9
505	Superhydrophobic Plant Leaves: The Variation in Surface Morphologies and Wettability during the Vegetation Period. <i>Langmuir</i> , 2019 , 35, 1047-1053	4 12
504	Electrospun Fibrous Membranes with Dual-Scaled Porous Structure: Super Hydrophobicity, Super Lipophilicity, Excellent Water Adhesion, and Anti-Icing for Highly Efficient Oil Adsorption/Separation. 2019 , 11, 5073-5083	74
503	Variations in surface structures and wettability in the genus <i>Pachnoda</i> Burmeister. 2019 , 8, 181-189	2
502	Fabrication of a superhydrophobic surface using a fused deposition modeling (FDM) 3D printer with poly lactic acid (PLA) filament and dip coating with silica nanoparticles. 2019 , 467-468, 979-991	54
501	Self-cleaning performance of superhydrophobic hot-embossed fluoropolymer films for photovoltaic modules. 2019 , 189, 188-196	41
500	Replicating and resolving wetting and adhesion characteristics of a Rose petal. 2019 , 561, 9-17	43

499	Reducing Adhesion for Dispensing Tiny Water/Oil Droplets and Gas Bubbles by Femtosecond Laser-Treated Needle Nozzles: Superhydrophobicity, Superoleophobicity, and Superaerophobicity. 2019 , 5, 241-249	14
498	Slippery Lubricant-Infused Surfaces: Properties and Emerging Applications. 2019 , 29, 1802317	91
497	Superhydrophobic surfaces-based redox-induced electricity from water droplets for self-powered wearable electronics. 2019 , 56, 547-554	30
496	The verification of icephobic performance on biomimetic superhydrophobic surfaces and the effect of wettability and surface energy. 2019 , 466, 503-514	31
495	Engineering Fully Organic and Biodegradable Superhydrophobic Materials. 2019 , 6, 1801202	27
494	Electrolytic colouring method for preparing robust coloured superhydrophobic surfaces with good corrosion resistance. 2019 , 14, 5-10	3
493	Robust raspberry-like all-polymer particles for the construction of superhydrophobic surface with high water adhesive force. 2019 , 54, 1898-1912	12
492	Transmittance and self-cleaning polymethylsiloxane coating with superhydrophobic surfaces. 2020 , 36, 574-582	4
491	Study on oil-water separation of selective-wettability meshes with different Micro/Nano structures. 2020 , 584, 124026	4
490	Shape memory superhydrophobic surface with switchable transition between "Lotus Effect" to "Rose Petal Effect" 2020 , 382, 122989	70
489	Quick and Easy Electroless Deposition and Alkanethiol Treatment To Form a Superhydrophobic Surface. 2020 , 97, 184-189	1
488	Icephobic performance of one-step silicone-oil-infused slippery coatings: Effects of surface energy, oil and nanoparticle contents. 2020 , 558, 251-258	22
487	One step electrochemical fabricating of the biomimetic graphene skins with superhydrophobicity and superoleophilicity for highly efficient oil-water separation. 2020 , 236, 116293	15
486	Bioinspired process using anisotropic silica particles and fatty acid for superhydrophobic cotton fabrics. 2020 , 27, 545-559	9
485	Strong cellulose hydrogel as underwater superoleophobic coating for efficient oil/water separation. 2020 , 229, 115467	37
484	Fabrication of transparent icephobic surfaces with self-reparability: Effect of structuring and thickness of the lubricant-elastomer layer. 2020 , 504, 144061	20
483	Self-Regulated Super-Hydrophobic Cu/CuO Electrode Film Deposited by One-Step High-Power Sputtering. 2020 , 6, 1900891	6
482	Hydrodynamics and mechanism of hydrophobic foam column tray: Contact angle hysteresis effect. 2020 , 66, e16793	6

481	Endothelialized microrods for minimally invasive in situ neovascularization. 2019 , 12, 015011	5
480	Flexible SERS substrate based on Ag nanodendrite-coated carbon fiber cloth: simultaneous detection for multiple pesticides in liquid droplet. 2020 , 412, 1159-1167	19
479	Anomalous dispersion of bioinspired flower-like microparticles for oil/water separation. 2020 , 31, 095712	2
478	Delayed Capillary Flow of Elastomers: An Efficient Method for Fabrication and Nanofunctionalization of Flexible, Foldable, Twistable, and Stretchable Electrodes from Pyrolyzed Paper. 2020 , 6, 1900826	12
477	Metal ions weaken the hydrophobicity and antibiotic resistance of NCIB 3610 biofilms. 2020 , 6, 1	31
476	Tough, Ultralight, and Water-Adhesive Graphene/Natural Rubber Latex Hybrid Aerogel with Sandwichlike Cell Wall and Biomimetic Rose-Petal-Like Surface. 2020 , 12, 1378-1386	15
475	From lotus effect to petal effect: Tuning the water adhesion of non-wetting rare earth oxide coatings. 2020 , 40, 1692-1702	5
474	Avoiding snow and ice accretion on building integrated photovoltaics [challenges, strategies, and opportunities. 2020 , 206, 110306	24
473	Superhydrophobic coatings for steel pipeline protection in oil and gas industries: A comprehensive review. 2020 , 83, 103544	26
472	Interfacial Crystallization within Liquid Marbles. 2020 , 5, 62	5
471	Recent advances in superhydrophobic composites based on clay minerals. 2020 , 198, 105793	7
470	Structural, thermal and surface properties of sticky hydrophobic silica films: Effect of hydrophilic and hydrophobic precursor compositions. 2020 , 761, 138076	6
469	Preparation of an amphiphobic and electrically conductive coating with mushroom structure on flexible polymer substrate. 2020 , 180, 109579	2
468	Superhydrophobic Self-Healing Coatings Comprised of Hemispherical Particles Arrays Decorated by Fluorocarbon-Coated Nanoscale Fe ₂ O ₃ Rods and SiO ₂ Particles. 2020 , 3, 10342-10348	5
467	Investigation on <i>Mecynorhina torquata</i> Drury, 1782 (Coleoptera, Cetoniidae, Goliathini) cuticle: Surface properties, chitin and chitosan extraction. 2020 , 164, 1164-1173	3
466	Investigating the wetting phenomena and fabrication of sticky, para-hydrophobic cerium oxide coating. 2020 , 40, 5749-5757	2
465	Statistical Heuristic Wettability Analysis of Randomly Textured Surfaces. <i>Langmuir</i> , 2020 , 36, 14361-14371	1
464	Magnetically Superamphiphobic Nanoparticles for Magnetic Response Surface Preparation. <i>Langmuir</i> , 2020 , 36, 14318-14323	4

463	Ultrathin and High-Stress-Resolution Liquid-Metal-Based Pressure Sensors with Simple Device Structures. 2020 , 12, 55390-55398	12
462	Biomimetic fog collection and its influencing factors. 2020 , 44, 20495-20519	7
461	Template-free electrodeposition of ultra-high adhesive superhydrophobic Zn/Zn stearate coating with ordered hierarchical structure from deep eutectic solvent. 2020 , 403, 126267	8
460	Heterogeneous Wettability Surfaces: Principle, Construction, and Applications. 2020 , 1, 2000028	14
459	One-step fabrication of Salvinia-inspired superhydrophobic surfaces with High adhesion. 2020 , 590, 124517	5
458	Characterization of intermediate wetting states on micro-grooves by water droplet contact line. 2020 , 91, 69-78	4
457	Influence of alkyl spacer in nanostructure shape control by templateless electropolymerization. 2020 , 146, 105698	2
456	Bioinspired microcone-array-based living biointerfaces: enhancing the anti-inflammatory effect and neuronal network formation. 2020 , 6, 58	9
455	Development of a facile and bi-functional superhydrophobic suspension and its applications in superhydrophobic coatings and aerogels in high-efficiency oil/water separation. 2020 , 22, 7424-7434	16
454	Polymer Thin-Film Dewetting-Mediated Growth of Wettability-Controlled Titania Nanorod Arrays for Highly Responsive, Water-Stable Self-powered UV Photodetectors. 2020 , 2, 2895-2905	8
453	A Nanoengineered Stainless Steel Surface to Combat Bacterial Attachment and Biofilm Formation. 2020 , 9,	
452	Condensed and Melting Droplet Behavior on Superhydrophobic Surfaces. 2020 ,	1
451	How drain flies manage to almost never get washed away. 2020 , 10, 17829	1
450	Bioinspired Self-Assembled 3D Patterned Polymer Textures as Skin Coatings Models: Tribology and Tactile Behavior. 2020 , 24, 100151	0
449	Prewetting Polypropylene-Wood Pulp Fiber Composite Nonwoven Fabric for Oil-Water Separation. 2020 , 12, 46923-46932	10
448	Designing Re-Entrant Geometry: Construction of a Superamphiphobic Surface with Large-Sized Particles. 2020 , 12, 49155-49164	9
447	Objective quantification of surface roughness parameters affecting superhydrophobicity.. 2020 , 10, 31251-31260	
446	Structure and Colloidal Stability of Adsorption Layers of Macrocyclic, Linear, Comb, Star, and Dendritic Macromolecules. 2020 , 53, 7322-7334	2

445	Breath Figures. 2020 ,	3	
444	Nonwoven Materials Produced by Melt Electrospinning of Polypropylene Filled with Calcium Carbonate. 2020 , 12,	3	
443	Microstructure control of the wettability and adhesion of Al alloy surfaces.. 2020 , 10, 38788-38797	2	
442	Functional Superhydrophobic Surfaces with Spatially Programmable Adhesion. 2020 , 12,	0	
441	Bioinspired surfaces with strong water adhesion from electrodeposited poly(thieno[3,4-b]thiophene) with various branched alkyl chains. 2020 , 27, 1	0	
440	Wettability Transition for Laser Textured Surfaces: A Comprehensive Review. 2020 , 21, 100802	26	
439	Roles of chemistry modification for laser textured metal alloys to achieve extreme surface wetting behaviors. 2020 , 192, 108744	51	
438	Effect of topography and chemical treatment on the hydrophobicity and antibacterial activities of micropatterned aluminium surfaces. 2020 , 8, 025017	2	
437	Omniphobic PVDF nanofibrous membrane for superior anti-wetting performance in direct contact membrane distillation. 2020 , 608, 118226	37	
436	Superhydrophobic modification and characterization of cashmere fiber surfaces by wet coating techniques of silica nanoparticles. 2020 , 19, 100533	7	
435	Influence of spacer in the formation of nanorings by templateless electropolymerization. 2020 , 17, 100278	1	
434	A cellulose nanoarchitectonic: Multifunctional and robust superhydrophobic coating toward rapid and intelligent water-removing purpose. 2020 , 243, 116444	7	
433	A novel superhydrophilic/superoleophobic nanocomposite PDMS-NH ₂ /PFONa-SiO ₂ coated-mesh for the highly efficient and durable separation of oil and water. 2020 , 394, 125859	20	
432	Surface modification of PLA nets intended for agricultural applications. 2020 , 598, 124787	10	
431	Bio-Inspired Passion Fruit-like FeO@C Nanospheres Enabling High-Stability Magnetorheological Performances. <i>Langmuir</i> , 2020 , 36, 7706-7714	4	7
430	Dynamic Self-Repairing Hybrid Liquid-in-Solid Protective Barrier for Cementitious Materials. 2020 , 12, 31922-31932	2	
429	Anisotropic, adhesion-switchable, and thermal-responsive superhydrophobicity on the femtosecond laser-structured shape-memory polymer for droplet manipulation. 2020 , 400, 125930	30	
428	Fabrication and characterization of cauliflower-like silica nanoparticles with hierarchical structure through ion beam irradiation. 2020 , 289, 121528	0	

427	Lotus Effect and Friction: Does Nonsticky Mean Slippery?. 2020 , 5,	14
426	Superhydrophobic Polymer Coatings. 2020 , 75-93	
425	Tunable Adhesion on Superhydrophobic Copper Surfaces Using a Facile Controllable Dewetting Approach. 2020 , 7, 1902144	0
424	Natural Antireflective Microstructure of Blue Mussel Shells and Biomimetic Replication. <i>Langmuir</i> , 2020 , 36, 4065-4070	4
423	Laser induced graphene printing of spatially controlled super-hydrophobic/hydrophilic surfaces. 2020 , 162, 570-578	26
422	Light-induced assembly of living bacteria with honeycomb substrate. 2020 , 6, eaaz5757	13
421	Recent Advances in Protective Coatings for Cultural HeritageAn Overview. 2020 , 10, 217	27
420	Facile Fabrication of Biomimetic Water Pinning Microstructures on Polyethylene Surfaces with Robust Superhydrophobic Wetting State. 2020 , 17, 644-651	2
419	Ultra-stable aqueous foams induced by interfacial co-assembly of highly hydrophobic particles and hydrophilic polymer. 2020 , 579, 628-636	10
418	Vertically aligned carbon nanotubes (VACNT) surfaces coated with polyethylene for enhanced dew harvesting. 2020 , 107, 107837	3
417	Natural Architectures for Tissue Engineering and Regenerative Medicine. 2020 , 11,	7
416	Bioinspired surfaces with strong water adhesion by electropolymerization of thieno[3,4-b]thiophene with mixed hydrocarbon/short fluorocarbon chains. 2020 , 236, 109574	0
415	Mechanical durable ceria superhydrophobic coating fabricated by simple hot-press sintering. 2020 , 529, 147113	3
414	Fabrication and characterization of superhydrophobic PDMS composite membranes for efficient ethanol recovery via pervaporation. 2020 , 241, 116675	22
413	Progress in biomimetic leverages for marine antifouling using nanocomposite coatings. 2020 , 8, 3701-3732	67
412	Wetting Properties of Graphene Aerogels. 2020 , 10, 1916	8
411	Robust superhydrophobic fluorinated fibrous silica sponge with fire retardancy for selective oil absorption in harsh environment. 2020 , 241, 116700	10
410	A Pragmatic Device Based on a Double-Sided Functional Structure for Efficient Water Harvesting. 2020 , 4, 1900094	4

409	Microstructure-controllable nanocomplexes bulk possessed with durable superhydrophobicity. 2020 , 389, 124420	17
408	Peanut Leaf-Inspired Hybrid Metal-Organic Framework with Humidity-Responsive Wettability: toward Controllable Separation of Diverse Emulsions. 2020 , 12, 6309-6318	12
407	Fibre-based oleogels: effect of the structure of insoluble fibre on its physical properties. 2020 , 11, 1349-1361	6
406	Antifogging UV curable coatings based on hierarchical composite particles through electrostatic interactions. 2020 , 589, 124458	3
405	Biomimetic Superlyophobic Metallic Surfaces: Focusing on Their Fabrication and Applications. 2020 , 17, 1-33	15
404	Evaluation of grit-blasting as a pre-treatment for carbon-fibre thermoplastic composite to aluminium bonded joints tested at static and dynamic loading rates. 2020 , 185, 107765	21
403	Bioinspired Smart Liquid Directional Transport Control. <i>Langmuir</i> , 2020 , 36, 667-681	4 15
402	Nanogenerators with Superwetting Surfaces for Harvesting Water/Liquid Energy. 2020 , 30, 1908252	50
401	Controlling the wettability of plastic by thermally embedding coated aluminium oxide nanoparticles into the surface. 2020 , 567, 45-53	11
400	Superhydrophobic Coatings Based on Siloxane Resin and Calcium Hydroxide Nanoparticles for Marble Protection. 2020 , 10, 334	17
399	Mechanical robustness of monolayer nanoparticle-covered liquid marbles. 2020 , 16, 4632-4639	6
398	Recent development of super-wettable materials and their applications in oil-water separation. 2020 , 266, 121624	73
397	Integrating Aesthetics Education into Chemistry Education: Students Perceive, Appreciate, Explore, and Create the Beauty of Chemistry in Scientific Photography Activity. 2020 , 97, 1556-1565	1
396	Controllable synthesis of grown titanate hierarchical microspheres and subsequent chemical modifications for superhydrophobic and oil-water separation properties.. 2020 , 10, 11182-11187	2
395	Thermodynamic analysis of steady wetting state of droplet on single microstructure surface. 2020 , 597, 124797	5
394	Current Status and Future Prospects of Applying Bioinspired Superhydrophobic Materials for Conservation of Stone Artworks. 2020 , 10, 353	5
393	Nanofibers with a tunable wettability by electrospinning and physical crosslinking of poly(2-n-propyl-2-oxazoline). 2020 , 192, 108747	15
392	Bioinspired Multiscale Wrinkling Patterns on Curved Substrates: An Overview. 2020 , 12, 101	37

391	Advances in the Fabrication of Superhydrophobic Polymeric Surfaces by Polymer Molding Processes. 2020 , 59, 9343-9363	21
390	Multifunctional Highly Oleophobic and Superhydrophilic Fabric Coatings Prepared by Facile Photopolymerization. 2020 , 4, 2000049	9
389	Long-Lasting Superhydrophilic and Instant Hydrophobic Micropatterned Stainless Steel Surface by Thermally-Induced Surface Layers. 2021 , 8, 435-444	1
388	Preparation and properties of silane-modified cardanolbenzoxazine for hydrophobic coating. 2021 , 53, 296-310	0
387	In-situ construction of superhydrophobic PVDF membrane via NaCl-H ₂ O induced polymer incipient gelation for membrane distillation. 2021 , 274, 117762	2
386	Facile preparation and strong adhesive strength of honeycomb polyurethane films with small pore diameter. 2021 , 138, 49657	2
385	Green manufacturing of nanostructured Al-Based sustainable self-cleaning metallic surfaces. 2021 , 278, 123373	11
384	The influence of nanostructure on the wetting transition of polyvinylidene fluoride nanoweb: from the petal effect to the lotus effect. 2021 , 91, 752-765	2
383	Design of multi-scale textured surfaces for unconventional liquid harnessing. 2021 , 43, 62-83	16
382	Efficient fabrication of lightweight polyethylene foam with robust and durable superhydrophobicity for self-cleaning and anti-icing applications. 2021 , 407, 127100	28
381	Superwetting Shape Memory Microstructure: Smart Wetting Control and Practical Application. 2021 , 33, e2001718	38
380	Surface characteristics and wettability of superhydrophobic silanized inorganic glass coating surfaces textured with a picosecond laser. 2021 , 537, 147808	17
379	Physicochemical and magnetic properties of functionalized lanthanide oxides with enhanced hydrophobicity. 2021 , 542, 148563	2
378	Porous and reactive polymeric interfaces: an emerging avenue for achieving durable and functional bio-inspired wettability. 2021 , 9, 824-856	8
377	Bioinspired transparent and antibacterial electronic skin for sensitive tactile sensing. 2021 , 81, 105669	37
376	Mechanical and wetting properties of 25%NiCr-75%Cr ₂ C ₃ cermet coated on low carbon steel using HVOF thermal spray technique. 2021 , 602, 412409	4
375	Evaluation of a novel and highly hydrophobic acrylonitrile-butadiene-styrene membrane for direct contact membrane distillation: Electroblowing/air-assisted electrospraying techniques. 2021 , 500, 114893	12
374	Fabrication of a Ni/SiC composite coating on steel surface with excellent corrosion inhibition performance. 2021 , 290, 116987	4

373	3D-Printed Bioinspired Cassie-Baxter Wettability for Controllable Microdroplet Manipulation. 2021 , 13, 1979-1987	18
372	Efficient and economical approach for flexible photothermal icephobic copper mesh with robust superhydrophobicity and active deicing property. 2021 , 17, 1901-1911	11
371	Fabrication of superhydrophobic and self cleaning PVA-silica fiber coating on 304L SS surfaces by electrospinning. 2021 , 138, 50118	6
370	Bioinspired superwetting surfaces for biosensing. 2021 , 2, 20200053	15
369	Tunable wettability of polymer films by partial engulfment of nanoparticles. 2021 , 5,	1
368	Anti-Wetting Polymeric Coatings. 2021 ,	
367	Superhydrophobic, superamphiphobic and SLIPS materials as anti-corrosion and anti-biofouling barriers. 2021 , 45, 15170-15179	15
366	Robust superhydrophobicity: mechanisms and strategies. 2021 , 50, 4031-4061	86
365	Hierarchical Cu ₂ O/CuO/TiO ₂ composite films with high superhydrophobicity and strong adhesion. 2021 , 37, 1223-1230	3
364	Adhesion behaviors on four special wettable surfaces: natural sources, mechanisms, fabrications and applications. 2021 , 17, 4895-4928	8
363	Gecko foot-inspired reduced graphene oxide surface with multi-resistant, nonpolar/polar separation and reliable adhesion utility. 2021 , 56, 7372-7385	1
362	Superhydrophobic and Self-Cleaning Coatings for the Protection of the Cultural Heritage: A Case Study Using TiO ₂ Nanoparticles. 2021 , 209-232	
361	Bioinspired Superoleophobic Materials for Oil/Water Separation. 2021 , 253-276	0
360	A strategy for preparing controllable, superhydrophobic, strongly sticky surfaces using SiO@PVDF raspberry core-shell particles.. 2021 , 11, 23631-23636	4
359	The effects of bio-inspired micro/nano scale structures on anti-icing properties. 2021 , 17, 447-466	6
358	Bioinspired Metal-Intermetallic Laminated Composites for the Fabrication of Superhydrophobic Surfaces with Responsive Wettability. 2021 , 13, 5834-5843	3
357	A simple and energy-saving route for the fabrication of superhydrophobic surfaces based on modified hyperbranched polyethyleneimine and nano silica. 2021 , 45, 3692-3698	3
356	Examples of Implemented Technological Bio-Inspired Surfaces. 2021 , 259-293	

355	Review on the recent development of durable superhydrophobic materials for practical applications. 2021 , 13, 11734-11764		24
354	Photo-switchable smart superhydrophobic surface with controllable superwettability. 2021 , 12, 5303-5309		3
353	Large-Scale and Low-Cost Preparation of Ordered Honeycomb-Patterned Film by Solvent Evaporation-Induced Phase Separation Method. 2021 , 60, 898-907		1
352	Superhydrophobic Textiles Using Nanoparticles. 2021 , 1-37		0
351	Densely packed open microspheres by soft template electropolymerization of benzotrithiophene-based monomers. 2021 , 369, 137677		3
350	Two-Step Fabrication of Durable, Flexible, and Fluorine-Free Superhydrophobic SiO ₂ -Silane@Fabric for Self-Cleaning Application. 2021 , 6, 1669-1684		4
349	The Surfaces of the L. (Carob) Leaflet: Insights from Physics and Chemistry. <i>Langmuir</i> , 2021 , 37, 2011-2028		2
348	Preparation of a temperature-sensitive superhydrophobic self-cleaning SiO ₂ -TiO ₂ @PDMS coating with photocatalytic activity. 2021 , 408, 126853		13
347	Tribological properties of superhydrophobic aluminium surfaces with extremely high and very low water adhesion. 2021 , 33, 246		2
346	Tulip-Shaped Pattern Imprinting for Omni-Phobic Surfaces Using Partially Cured Photopolymer. 2021 , 11, 1747		2
345	Magnetic-Responsive Superhydrophobic Surface of Magnetorheological Elastomers Mimicking from Lotus Leaves to Rose Petals. <i>Langmuir</i> , 2021 , 37, 2312-2321	4	14
344	Superhydrophobic/Oleophobic Visible/Transparent Antireflective Nanostructured Anodic HfO ₂ Multifunctional Coatings for Potential Solar Panel Applications. 2021 , 4, 1754-1765		5
343	Biaxial nanowrinkling in cholesteric surfaces: Egg carton surfaces through chiral anchoring. 2021 , 41, 100372		2
342	Study of the Classical Cassie Theory and Wenzel Theory Used in Nanoscale. 2021 , 18, 398-408		4
341	Directionally Guided Droplets on a Modular Bottom-Up Anisotropic Locally Ordered Nickel Nanocone Superhydrophobic Surface. 2021 , 13, 13848-13860		1
340	Electrospinning Janus Nanofibrous Membrane for Unidirectional Liquid Penetration and Its Applications. 2021 , 37, 337-354		7
339	Thermally Stimulated Wettability Transformations on One-Cycle Atomic Layer Deposition-Coated Cellulosic Paper: Applications for Droplet Manipulation and Heat Patterned Paper Fluidics. 2021 , 13, 13802-13812		5
338	Laser processing of micro/nano biomimetic structures. 2021 , 16, 327		2

337	Potential of Superhydrophobic Surface for Blood-Contacting Medical Devices. 2021 , 22,	7
336	Self-Cleaning Coatings and Surfaces of Modern Building Materials for the Removal of Some Air Pollutants. 2021 , 14,	8
335	Gaseous Plastron on Natural and Biomimetic Surfaces for Resisting Marine Biofouling. 2021 , 26,	4
334	Hydrophobic N-halamine based POSS block copolymer porous films with antibacterial and resistance of bacterial adsorption performances. 2021 , 410, 128407	7
333	Mechanically improved superhydrophobic nanofibrous polystyrene/high-impact polystyrene membranes for promising membrane distillation application. 2021 , 138, 50917	3
332	Tunable Hydrophobicity via Dimensionally Confined Polymerization of Organometallic Adducts. 2021 , 133, 14048-14055	0
331	Controllable surface morphology transition from inter-connected pores to flower-like structures for super-hydrophobic poly (L-lactic acid) films. 2021 , 412, 127032	4
330	Electrospun polylactic acid nanofiber membranes containing Capparis spinosa L. extracts for potential wound dressing applications. 2021 , 138, 50800	4
329	Tunable Hydrophobicity via Dimensionally Confined Polymerization of Organometallic Adducts. 2021 , 60, 13929-13936	3
328	Elementary autonomous surface microfluidic devices based on laser-fabricated wetting gradient microtextures that drive directional water flows. 2021 , 29, 12616-12624	2
327	Data-driven approach to optimize composition and process parameters of hydrophobic coating formulation. 2021 , 23, 100972	1
326	Rose Pistil Stigma: Hierarchical Superhydrophobic Surfaces with Hydrophilic Microtips for Microdroplet Manipulation. <i>Langmuir</i> , 2021 , 37, 4129-4136	4 4
325	CONSTRUCTION OF A HYDROPHOBIC COMPOSITE COATING WITH WATERBORNE ACRYLIC RESIN AND FLOWER-SHAPED ZnO. 2021 , 28, 2150045	
324	From rose petal to bone scaffolds: Using nature to fabricate osteon-like scaffolds for bone tissue engineering applications. 2021 , 47, 21633-21633	3
323	Superhydrophobic MoS ₂ Nanosheet/TiO ₂ Nanoparticle Antiwear Coatings. 2021 , 4, 5503-5511	1
322	Porosity-induced mechanically robust superhydrophobicity by the sintering and silanization of hydrophilic porous diatomaceous earth. 2021 , 589, 242-251	3
321	Peptide-Based Electrospun Fibers: Current Status and Emerging Developments. 2021 , 11,	2
320	Fabrication of a Composite Coating by Laser, Nanoparticles Self-Assembly and Electrodeposition. 1032, 84-90	

319	Bio-inspired Fog Harvesting Materials: Basic Research and Bionic Potential Applications. 2021 , 18, 501-533	9
318	Smart Bionic Surfaces with Switchable Wettability and Applications. 2021 , 18, 473-500	2
317	Designing and 3D Printing an Improved Method of Measuring Contact Angle in the Middle School Classroom. 2021 , 98, 1997-2004	2
316	Fabrication of micro/nano hydrophobic surfaces by a soft molding method using polyurethane-based elastomer. 009524432110153	0
315	Biomimetic construction peanut-leaf structure on ammonium polyphosphate surface: Improving its compatibility with poly(lactic acid) and flame-retardant efficiency simultaneously. 2021 , 412, 128737	16
314	Controlling water adhesion on superhydrophobic surfaces with bi-functional polymers. 2021 , 616, 126307	3
313	Spontaneous Adsorption-Induced -like Micropillars with High Adhesion. <i>Langmuir</i> , 2021 , 37, 6728-6735	4 5
312	Recent Progress in Development of Wearable Pressure Sensors Derived from Biological Materials. 2021 , 10, e2100460	5
311	Large-Scale Spraying Fabrication of Robust Fluorine-Free Superhydrophobic Coatings Based on Dual-Sized Silica Particles for Effective Antipollution and Strong Buoyancy. <i>Langmuir</i> , 2021 , 37, 6042-6051	38
310	Flexibility-Patterned Liquid-Repelling Surfaces. 2021 , 13, 29092-29100	1
309	Expanding Biomaterial Surface Topographical Design Space through Natural Surface Reproduction. 2021 , 33, e2102084	8
308	Stimuli-responsive surfaces for switchable wettability and adhesion. 2021 , 18, 20210162	9
307	Switchable wettability control of titanium via facile nanosecond laser-based surface texturing. 2021 , 24, 101122	11
306	Convenient and large-scale fabrication of cost-effective superhydrophobic aluminum alloy surface with excellent reparability. <i>Langmuir</i> , 2021 , 37, 7810-7820	4 1
305	Bioinspired magnetically driven liquid manipulation as microrobot. 2021 , 2, 100439	6
304	Super Wear Resistant Nanostructured Superhydrophobic Surface. 1	0
303	Controllable surficial and internal hierarchical structures of porous poly (L-lactic acid) membranes for hydrophobicity and potential application in oil-water separation. 2021 , 24, 101147	0
302	High-throughput analysis of contact angle goniometry data using DropPy. 2021 , 14, 100665	

301	Tunable Adhesive Self-Cleaning Coating with Superhydrophobicity and Photocatalytic Activity. 2021 , 11,	1
300	Biomimetic Water-Repelling Surfaces with Robustly Flexible Structures. 2021 , 13, 31310-31319	4
299	Biomimetic Approach for the Elaboration of Highly Hydrophobic Surfaces: Study of the Links between Morphology and Wettability. 2021 , 6,	1
298	Adsorption and Desorption of Polymers on Bioinspired Chemically Structured Substrates. 2021 , 13, 30086-30097	
297	Research Progress on Corrosion Resistance of Magnesium Alloys with Bio-inspired Water-repellent Properties: A Review. 2021 , 18, 735-763	5
296	Drag reduction methods at solid-liquid interfaces. 1	3
295	Analysis of the acid and alkali resistance of superhydrophobic paper mulch. 2021 , 28, 8705-8718	0
294	Intelligent Surfaces Thermally Switchable between the Highly Rough and Entirely Smooth States. 2021 , 39, 1609	2
293	Wettability Difference Induced Out-of-Plane Unidirectional Droplet Transport for Efficient Fog Harvesting. 2021 , 13, 35079-35085	3
292	Laser texturing of a St. Jude Medical mechanical heart valve prosthesis: the proof of concept. 2021 ,	
291	Dynamic characteristics of droplet impingement on carbon nanotube array surfaces with varying wettabilities. 2021 , 554, 149359	3
290	A multifunctional graphene composite coating with switchable wettability. 2021 , 415, 128862	13
289	Innovative fouling-resistant materials for industrial heat exchangers: a review. 2021 ,	0
288	Rose petal topography mimicked poly(dimethylsiloxane) substrates for enhanced corneal endothelial cell behavior. 2021 , 126, 112147	1
287	Shape-Deformed Mushroom-like Reentrant Structures for Robust Liquid-Repellent Surfaces. 2021 , 13, 33618-33626	3
286	Design and applications of surfaces that control the accretion of matter. 2021 , 373,	26
285	Small Structure, Large Effect: Functional Surfaces Inspired by Salvinia Leaves. 2021 , 2, 2100079	9
284	Creating superhydrophobic, abrasion-resistant and breathable coatings from water-borne polydimethylsiloxane-polyurethane Co-polymer and fumed silica. 2021 , 596, 479-492	3

283	Multifunctional superhydrophobic surface with dynamically controllable micro/nanostructures for droplet manipulation and friction control. 2021 , 417, 127944	8
282	Design, Development, and Outlook of Superwettability Membranes in Oil/Water Emulsions Separation. 2021 , 8, 2100799	6
281	Construction of waterborne superhydrophobic coatings with controlled water-droplet adhesion. 2022 , 139, 51482	2
280	A facile one-step route to fabricate bio-inspired superhydrophobic matrix with high corrosion inhibition to Cu metal. 2021 , 25, 101189	4
279	Nanomaterials and their applications on bio-inspired wearable electronics. 2021 , 32,	6
278	Acoustic Droplet Printing Tumor Organoids for Modeling Bladder Tumor Immune Microenvironment within a Week. 2021 , 10, e2101312	3
277	Fluorosilane Water-Repellent Coating for the Protection of Marble, Wood and Other Materials. 2021 , 4, 2668-2675	0
276	Optimal design of micro-topography on natural leaf surface. 2021 , 11, 095019	0
275	Polyimide based super-wettable membranes/materials for high performance oil/water mixture and emulsion separation: A review. 2021 , 297, 102525	9
274	Recent progress in superhydrophobic coating on Mg alloys: A general review. 2021 , 9, 1471-1486	12
273	Tuning Water Adhesion of Superhydrophobic Surface via Facile Laser-Chemical Hybrid Process. 1-8	0
272	Mechanically Switchable Wetting Petal Effect in Self-Patterned Nanocolumnar Films on Poly(dimethylsiloxane). 2021 , 11,	1
271	Simple fabrication of asphalt-based superhydrophobic surface with controllable wetting transition from Cassie-Baxter to Wenzel wetting state. 2021 , 625, 126927	6
270	Biomimicked hierarchical 2D and 3D structures from natural templates: applications in cell biology. 2021 , 16,	0
269	Ultrasonic vibration assisted laser (UVAL) treatment of copper for superhydrophobicity. 2021 , 421, 127386	3
268	Laser-Induced Fluorinated Graphene for Superhydrophobic Surfaces with Anisotropic Wetting and Switchable Adhesion. 2021 , 574, 151339	1
267	Structured aluminium surfaces with tunable wettability fabricated by a green approach. 2021 , 300, 130186	
266	Fabrication of super-wetting copper foam based on laser ablation for selective and efficient oil-water separation. 2021 , 424, 127650	4

265	Preparation of stable and durable superhydrophobic surface on Zr-based bulk metallic glass. 2021 , 127654	6
264	Rare earth doped organic/organic hybrid polyhedral oligomeric silsesquioxane phosphors applied for flexible sheet and anti-counterfeiting. 2021 , 11, 1732-1738	4
263	Water-repellent hierarchical microstructured PTFE films via micro powder hot embossing. 2021 , 297, 117261	2
262	Anti-corrosion superhydrophobic surfaces of Al alloy based on micro-protrusion array structure fabricated by laser direct writing. 2021 , 881, 160649	12
261	A high-flux polystyrene-reinforced styrene-acrylonitrile/polyacrylonitrile nanofibrous membrane for desalination using direct contact membrane distillation. 2021 , 638, 119744	4
260	Biotope synthesis and photocatalysis performance of multilayer porous ZnWO ₄ nano-photocatalyst with rose petals as template. 2021 , 629, 127459	0
259	Two-dimensional coordination polymers containing permethylated motifs - promising candidates for 2D emerging materials. Structural, behavioral and functional particularities. 2021 , 168, 105039	1
258	Surface microfabrication using coaxial waterjet assisted laser-induced plasma micromachining. 2021 , 144, 107446	3
257	Direct observation of wetting behavior of water drops on single micro-scale roughness surfaces of rose petal effect. 2021 , 603, 539-549	0
256	Water-repellent surfaces of metallic glasses: fabrication and application. 2021 , 12, 100164	4
255	Near-infrared light accurately controllable superhydrophobic surface from water sticking to repelling. 2022 , 427, 131718	11
254	A bioinspired approach to fabricate fluorescent nanotubes with strong water adhesion by soft template electropolymerization and post-grafting. 2022 , 606, 236-247	3
253	Evaporation-induced alterations in oscillation and flow characteristics of a sessile droplet on a rose-mimetic surface. 2021 , 17, 1487-1496	
252	Remarkable bactericidal traits of a metal-ceramic composite coating elated by hierarchically structured surface. 2021 , 24, 101942	1
251	Wettability of a microgrid-structured polymer film with microfabrication utilizing the stick-slip phenomenon. 2017 , 134, 45140	3
250	Characterization of Rose Petals and Fabrication and Characterization of Superhydrophobic Surfaces with High and Low Adhesion. 2016 , 213-241	1
249	Lotus Versus Rose: Biomimetic Surface Effects. 2012 , 25-40	41
248	Roughness-Induced Superomniphobic Surfaces: Lessons from Nature. 2012 , 11-18	1

247	Characterization of Rose Petals and Fabrication and Characterization of Superhydrophobic Surfaces with High and Low Adhesion. 2012 , 189-206	4
246	Antifouling Self-Cleaning Surfaces. 2015 , 1-29	2
245	A review on biological and biomimetic materials and their applications. 2020 , 126, 1	27
244	Superhydrophobic coatings based on raspberry-like nanoparticles and their applications on cotton. 2020 , 602, 125039	4
243	Effect of initial wetting state on plastron recovery through heating. 2020 , 156, 119705	4
242	Phase and morphology controllable synthesis of superhydrophobic Sb ₂ O ₃ via a solvothermal method. 2017 , 721, 149-156	13
241	Metallic glass nanotube arrays: Preparation and surface characterizations. 2018 , 21, 178-185	17
240	Superhydrophobic mGO/PDMS hybrid coating on polyester fabric for oil/water separation. 2018 , 115, 172-180	39
239	Advanced Materials with Special Wettability toward Intelligent Oily Wastewater Remediation. 2021 , 13, 67-87	57
238	Cotton Modified with Silica Nanoparticles, N,F Codoped TiO ₂ Nanoparticles, and Octadecyltrimethoxysilane for Textiles with Self-Cleaning and Visible Light-Based Cleaning Properties. 2021 , 4, 877-885	5
237	Raindrops on roses.	1
236	Wettability control of polymeric microstructures replicated from laser-patterned stamps. 2020 , 10, 22428	5
235	A 2D approach to surface-tension-confined fluidics on parylene C. 2017 , 7, 15964-15970	8
234	Geometrical effect, optimal design and controlled fabrication of bio-inspired micro/nanotextures for superhydrophobic surfaces. 2017 , 4, 092001	6
233	Two-Step Electrodeposited 3D Ni Nanocone Supported Au Nanoball Arrays as SERS Substrate. 2020 , 167, 142502	3
232	Influence of cuticle nanostructuring on the wetting behaviour/states on cicada wings. 2012 , 7, e35056	40
231	A bioinspired strategy for poly(3,4-ethylenedioxyppyrrrole) films with strong water adhesion. 2020 , 92, 315-322	1
230	Superhydrophobic surface coating on electrospun polypropylene membrane to treat high salinity water in membrane distillation. 2020 , 82, 2948-2961	13

229	BIOINSPIRED FABRICATION OF FUNCTIONAL POLYMER PHOTONIC CRYSTALS. 2010 , 00, 1253-1261	5
228	Multi-layered masks to combat COVID-19. 2020 , 152, 9-11	5
227	A Review: Natural Superhydrophobic Surfaces and Applications. 2020 , 11, 110-149	5
226	Annealing Temperature Dependence on the Physicochemical Properties of Copper Oxide Thin Films. 2011 , 32, 1331-1335	20
225	Evaluation of 3D Printer Accuracy in Producing Fractal Structure. 2017 , 66, 383-389	2
224	Bioinspired multiscale interfacial materials with superwettability. 2016 , 65, 186801	3
223	Fabrication and Application of Reversibly Switchable Surfaces: Super-non-wetting to Super-wetting. 2013 , 1, 248-270	1
222	Surface Modification Method of Stainless Steel using Electrochemical Etching. 2014 , 31, 353-358	3
221	Laser Micromachining of Magnetoactive Elastomers as Enabling Technology for Magneto-responsive Surfaces. 2101045	3
220	Thermally stable and durable superhydrophobic surfaces on stainless steel sheets with microholes via acid pretreatment and modification with self-assembled monolayers. 2021 , 25, 1	0
219	Superhydrophobic brass surfaces with tunable water adhesion fabricated by laser texturing followed by heat treatment and their anti-corrosion ability. 2021 , 151596	1
218	Facile Fabrication of Durable Superhydrophobic Aluminum Alloy Surfaces by HS-WEDM and Chemical Modification.	1
217	Fabrication of Thermoplastic Polyurethane Foams with Wrinkled Pores and Superior Energy Absorption Properties by CO ₂ Foaming and Fast Chilling. 2100600	1
216	Preparation and Self-Cleaning Performance of Carbon-Based Superhydrophobic Coatings Based on Non-Fluorine and Non-Toxic Corn Straw. 2021 , 26,	
215	Plasma-Assisted Deposition of TiO ₂ 3D Nanomembranes: Selective Wetting, Superomniphobicity, and Self-Cleaning. 2021 , 8, 2100767	1
214	Superhydrophobic materials: The petal effect. 2008 ,	
213	Preparation and Surface Wettability of Hydrophilic Polymer Dome and Hydrophobic Polymer Pillar Hybrid Structures. 2012 , 33, 437-442	
212	Epidermal Features of the <i>Nelumbo nucifera</i> Tissues and Lotus Effect. 2012 , 42, 95-103	1

- 211 Photoinduced Reversible Topographical Changes on Diarylethene Microcrystalline Surface with Wetting Property. **2013**, 41-60
- 210 Encyclopedia of Polymers and Composites. **2013**, 1-21
- 209 DESIGN AND MANIPULATION OF MICROSTRUCTURES ON MICROINJECTION-COMPRESSION MOLDED SUPERHYDROPHOBIC SURFACES. **2013**, 013, 1285-1290
- 208 Wetting Dynamics on Biological Surfaces. **2014**, 14, 149-156
- 207 Micro-patterning on Thin Ceramic Sheet by Micro Powder Imprinting Process. **2015**, 56, 265-269 2
- 206 Chapter 16:Superwettability of Polymer Surfaces. **2016**, 523-554
- 205 Fabrication of a Superhydrophobic Film with Self-Cleaning Property on Magnesium Alloy and its Corrosion Resistance Properties. **2016**, 279-283
- 204 Encyclopedia of Nanotechnology. **2016**, 3489-3497 1
- 203 Collaborative environmental DNA sampling from petal surfaces of flowering cherry *Cerasus* \square *yedoensis* 'Somei-yoshino' across the Japanese archipelago.
- 202 References. **2017**, 111-182
- 201 Superhydrophobic Interfaces for High-Performance/Advanced Application. **2019**, 411-457 0
- 200 Review of femtosecond laser induced surface periodic structure. **2019**,
- 199 Expanding Biomaterial Surface Topographical Design Space through Natural Surface Reproduction.
- 198 Production of Bio-Polymer Structures by Soft Molding Method with Biomimetic Approach.
- 197 Nature inspired emerging sensing technology: Recent progress and perspectives. **2021**, 146, 100647 3
- 196 Mimicking nature to control bio-material surface wetting and adhesion. 1-24 15
- 195 Applications of the Porous Structures Obtained with the Breath-Figures Self-Assembly. **2020**, 207-228
- 194 Waterborne superhydrophobic coatings for the conservation of the cultural heritage. **2020**, 229-247

193	Laser Surface Structuring of Metals and Functionalization. 2021 , 979-1016	
192	Laser Surface Structuring of Metals and Functionalization. 2020 , 1-38	0
191	Research Progress of Bio-Inspired Materials with Special Wettability. 2020 , 10, 216-233	
190	Relation Between Surface Wettability and Droplet Behaviors, and Hysteresis Number. 2020 , 117-131	
189	Core-Shell Nanofibers of Polyvinyl Alcohol/Poly(lactic Acid) Containing TiO ₂ Nanotubes for Natural Sunlight Driven Photocatalysis. 2100482	0
188	An ecological perspective on water shedding from leaves. 2021 ,	3
187	Study of Nanoimprinting Plant Structures with Super Water Repellency. 2020 , 33, 205-213	1
186	Hydrophobicity and Adhesion of Aggregated Diamond Particles. 2021 , 218, 2000355	1
185	Preparation of superhydrophobic glass surface with high adhesion. 2022 , 633, 127861	0
184	Preparation of low adhesion superhydrophobic self-cleaning surface of 316L stainless steel. 2021 ,	0
183	Rose petal effect: A subtle combination of nano-scale roughness and chemical variability.	0
182	Preparation and Wetting Mechanism of Laser-Etched Composite Self-Assembled 1H,1H,2H,2H-Perfluorodecyltriethoxysilane Superhydrophobic Surface Coating. 2100568	2
181	Multiscale ultrafast laser texturing of marble for reduced surface wetting. 2021 , 577, 151850	1
180	Temperature-triggered switchable superwettability on a robust paint for controllable photocatalysis. 2021 , 100669	3
179	Michael Addition Reaction Assisted Derivation of Functional and Durable Superhydrophobic Interfaces.	2
178	Recent Advances in Photocatalysis Based on Bioinspired Superwettabilities. 14751-14771	12
177	The kapok petal: superhydrophobic surface induced by microscale trichomes. 2021 ,	1
176	Nonwetting Nanostructured Hemostatic Material for Bleeding Control with Minimal Adhesion. 2021 , 8, 2101412	1

175	Surface and Interface Investigations of Matrix-Fillers in Heterogeneous Amorphous Semiconductors.. 2021 , 6, 34075-34085	
174	Recent Developments in Artificial Super-Wettable Surfaces Based on Bioinspired Polymeric Materials for Biomedical Applications.. 2022 , 14,	3
173	Wetting properties and surface energy of four different amorphous alloys compared to the corresponding crystalline alloys. 2022 , 278, 125674	0
172	Fabrication of superhydrophobic polyvinylidene fluoride-co-hexafluoropropylene films enabled by nanoimprint lithography. 2022 , 311, 131555	0
171	A substrate-independent isocyanate-modified polydimethylsiloxane coating harvesting mechanical durability, self-healing ability and low surface energy with anti-corrosion/biofouling potential. 2022 , 579, 152186	1
170	Superhydrophobic palmitic acid modified Cu(OH) ₂ /CuS nanocomposite-coated copper foam for efficient separation of oily wastewater. 2022 , 637, 128249	1
169	Programmable Transition between Adhesive/Anti-Adhesive Performances on Porous PVDF Spheres Supported by Shape Memory PLLA.. 2022 , 14,	0
168	A novel biomimetic nanocomposite exhibiting petal wetting phenomenon: fabrication and experimental investigations. 2022 , 10, 015005	
167	PI-SiO ₂ /NiI ₂ colorimetric humidity sensor with fast response and recovery. 2022 , 71, 020701	
166	Environmental-friendly superhydrophobic bioactive nanocoatings. 2022 , 77-110	
165	Superhydrophobic fibers with strong adhesion to water for oil/water separation. 2022 , 131, 104166	1
164	Superhydrophobic and superamphiphobic materials for the conservation of natural stone: An overview. 2022 , 320, 126175	5
163	Surface topography effects on dynamic behavior of water droplet over a micro-structured surface using an improved-VOF based lattice Boltzmann method. 2022 , 350, 118509	
162	A well-designed polystyrene/polycarbonate membrane for highly saline water desalination using DCMD process. 2022 , 528, 115604	3
161	Spraying pressure-tuning for the fabrication of the tunable adhesion superhydrophobic coatings between Lotus effect and Petal effect and their anti-icing performance. 2022 , 434, 134710	2
160	Unravelling the anisotropic wetting properties of banana leaves with water and human urine. 2022 , 29, 101742	
159	Self-Adaptive Surface with Tunable Superamphiphobicity Fabricated by Femtosecond Laser Induced Backward Transfer. 2102347	1
158	Nanoimprinting of Biomimetic Nanostructures. 2022 , 2, 17-40	1

157	Interlaced wetting surfaces with switchable wettability for manipulating underwater oil droplets. 2022 , 437, 135007	2
156	Basic Evaluation for Sliding Behavior of Silicone Sheet with Surface Topography Using Equation of Motion. 2022 , 86-89	
155	Experimental determination of wetting behavior under non-atmospheric conditions relevant to reservoirs: a practical guide. 2022 , 4, 1	0
154	Rapid Quantitative Determination of Multiple Pesticide Residues in Mango Fruits by Surface-Enhanced Raman Spectroscopy. 2022 , 10, 442	0
153	Emerging Separation Applications of Surface Superwettability.. 2022 , 12,	2
152	?????????????????????. 2022 ,	
151	One-Step Fabrication of Superhydrophobic Surfaces with Wettability Gradient Using Three-Dimensional Printing. 1	0
150	Saturated Surface Charging on Micro/Nanoporous Polytetrafluoroethylene for Droplet Manipulation. 2022 , 5, 3342-3351	1
149	Self-Cleaning Biomimetic Surfaces-The Effect of Microstructure and Hydrophobicity on Conidia Repellence.. 2022 , 15,	0
148	Wrinkling pattern formation with periodic nematic orientation: From egg cartons to corrugated surfaces.. 2022 , 105, 034702	0
147	Evolution of and Disparity among Biomimetic Superhydrophobic Surfaces with Gecko, Petal, and Lotus Effect.. 2022 , e2200349	4
146	Mechanically durable, super-repellent 3D printed microcell/nanoparticle surfaces. 1	1
145	Tunable Nanoporous Structures with Rose Petal Effect by Soft-Template Electropolymerization of Benzotrithiophene Monomers. 2022 , 7,	1
144	Bioinspired and biomimetic micro- and nanostructures in biomedicine.. 2022 ,	3
143	How much biology is in the product? Role and relevance of biological evolution and function for bio-inspired design.. 2022 , 1	1
142	Precise Controlling of Friction and Adhesion on Reprogrammable Shape Memory Micropillars.. 2022 , ,	2
141	Design of a Venation-like Patterned Surface with Hybrid Wettability for Highly Efficient Fog Harvesting.. 2022 ,	3
140	A toilless quasi-superhydrophobic surface of round cake, microsphere and spindle with high contact angle and high adhesion. 2022 , 641, 128583	1

139	Superhydrophobic copper foam modified with hierarchical stearic acid/CuSiO ₃ /Cu(OH) ₂ nanocomposites for efficient water/oil separation. 2022 , 10, 107618	0
138	Facile method to convert petal effect surface to lotus effect surface for superhydrophobic polydimethylsiloxane. 2022 , 30, 101901	1
137	Study of repellence on polymeric surfaces with two individually adjustable pore hierarchies. 2022 , 437, 135287	0
136	Ultrasonication-induced and diluent-assisted suspension polymerization for size-controllable synthesis of polydimethylsiloxane droplets. 2022 , 644, 128827	0
135	Fabrication of porous micro/nano structured Cr coating with superhydrophobic and ultrahigh adhesion properties by plasma reverse sputtering process. 2022 , 201, 111049	0
134	Hydrophobicity and Macroscale Tribology Behavior of Stearic Acid/Hydroxypropyl Methylcellulose Dual-Layer Composite.. 2021 , 14,	2
133	Bioinspired and Post-Functionalized 3D-Printed Surfaces with Parahydrophobic Properties.. 2021 , 6,	0
132	Flashover Characteristics of Insulating Stick with Hydrophobic Coatings under Artificial Rain. 2021 ,	
131	Femtosecond laser micro/nano fabrication for bioinspired superhydrophobic or underwater superoleophobic surfaces. 2021 , 28, 3882-3906	5
130	Asymmetrical ring-shaped colloidal particles for self-assembly and superhydrophobic coatings.. 2022 ,	0
129	Interfacial wettability and mass transfer characterizations for gas-liquid-solid triple-phase catalysis. 20210046	2
128	Formation of Nanotubular Structures with Petal Effect by Soft-Template Electropolymerization of Benzotrithiophene with Hydrophilic Carboxyl Group. 1	
127	An Ultra Facile Debonding Method to Develop Superhydrophobic Surface Based on Polymer Composite Film. 2200087	0
126	Characterization of critical roughness indicators by digital image processing to predict contact angles on hydrophobic surfaces. 2022 , 285, 125858	
125	Control of the wetting properties of stainless steel by ultrashort laser texturing using multi-parallel beam processing. 2022 , 153, 108187	1
124	Superhydrophobic 304 Stainless Steel Mesh for the Removal of High-Density Polyethylene Microplastics.. <i>Langmuir</i> , 2022 ,	4 0
123	Bio-Inspired Multifunctional Superhydrophobic Coatings for Corrosion Resistance. 2022 , 559-575	
122	Wodyetia Bifurcate Structured Fibrous Fabrics with Durable Superhydrophobicity for High-Efficiency Oil-Water Separation.	

121	Bioinspired Smart Surfaces and Droplet Dynamics-A Brief Review.		
120	Role of Surface Topography in the Superhydrophobic Effect-Experimental and Numerical Studies.. 2022 , 15,	1	
119	Biomimicking of phyto-based super-hydrophobic surfaces towards prospective applications: a review. 2022 , 57, 8569-8596	0	
118	Superhydrophobic nanocomposite coatings based on different polysiloxane matrices designed for electrical insulators. 2022 , 168, 106867	1	
117	Adhesion behaviors of water droplets on bioinspired superhydrophobic surfaces.. 2022 ,	1	
116	Designing energy-efficient separation membranes: Knowledge from nature for a sustainable future. 2022 , 2, 100031	2	
115	Soft-Template Electropolymerization of 3,4-(2,3-Naphtylenedioxy)Thiophene-2-Acetic Acid Esters Favoring Dimers: Controlling the Surface Nanostructure by Side Ester Groups.		
114	Soft-Template Electropolymerization of 3,4-(2,3-Naphtylenedioxy)Thiophene-2-Acetic Acid Esters Favoring Dimers: Controlling the Surface Nanostructure by Side Ester Groups.		
113	Dog nose inspired high-performance NH ₃ gas sensor of biomass carbon materials with pleated structure derived from rose tea.	0	
112	Effects of Biomimetic Micropatterned Surfaces on the Adhesion and Morphology of Cervical Cancer Cells.		
111	Bioinspired hydrophobic surfaces: An overview. 2022 ,	0	
110	Long-Lasting Self-Healing Surface Dewettability through the Rapid Regeneration of Surface Morphologies. <i>Langmuir</i> ,	4	0
109	3D-printed bionic superhydrophobic surface with petal-like microstructures for droplet manipulation, oil-water separation, and drag reduction. 2022 , 219, 110765	0	
108	Role of chemistry in bio-inspired liquid wettability.	6	
107	Multi-Scale Structure and Directional Hydrophobicity of Titanium Alloy Surface Using Electrical Discharge. 2022 , 13, 937		
106	Self-powered sensing systems with learning capability. 2022 ,	2	
105	Biomimetic Self-Adhesive Structures for Wearable Sensors. 2022 , 12, 431		
104	Metal surface wettability modification by nanosecond laser surface texturing: A review. 2022 , 8, 95-120	0	

103	High-Strength, Flexible, Hydrophobic, Sound-Absorbing, and Flame-Retardant Poly(vinyl alcohol)/Polyelectrolyte Complex Aerogels.		0
102	Self-assembled single-crystal bimodal porous GaN exhibiting a petal effect: application as a sensing platform and substrate for optical devices.		
101	Slippery Mechanism for Enhancing Separation and Anti-fouling of the Superhydrophobic Membrane in a Water-in-Oil Emulsion: Evaluating Water Adhesion of the Membrane Surface. <i>Langmuir</i> , 2022 , 38, 8312-8323	4	2
100	Designing triple-layer superhydrophobic/hydrophobic/hydrophilic nanofibrous membrane via electrohydrodynamic technique for enhanced anti-fouling and anti-wetting in wastewater treatment by membrane distillation. 2022 , 100030		1
99	Biomimetic Modification of Water-Borne Polymer Coating with Carnauba Wax for Controlled Release of Urea. 2022 , 23, 7422		0
98	Molecular Dynamics Simulation on the Wettability of Nanoscale Wrinkles: High Water Adhesion of Rose Petals. <i>Langmuir</i> ,	4	1
97	Droplet bouncing on topological nonwetting surfaces via laser fabrication.		
96	Gradient Droplet Arrays by Acceleration-Mode Dip-Coating. 2200667		
95	Superhydrophobic PDMS coated 304 stainless-steel mesh for the removal of HDPE microplastics. 2022 , 170, 107009		2
94	Robust photothermal self-healing superhydrophobic coating based on carbon nanosphere/carbon nanotube composite. 2022 , 221, 110897		1
93	Dynamic behavior of impinging drops on water repellent surfaces: Machine learning-assisted approach to predict maximum spreading. 2022 , 110743		0
92	Wodyetia bifurcate structured carbon fabrics with durable superhydrophobicity for high-efficiency oil-water separation. 2022 , 129688		2
91	Floating Hydrogel Beads Made by Droplet Impact. 2203355		
90	Construction of Highly Hydrophobic and Fast Endothermic Surfaces Using Candle Soot and Nano-TiO ₂ .		
89	Bioinspired materials for droplet manipulation: Principles, methods and applications. 2022 , 1, 11-37		9
88	Laser-Induced Fast Assembly of Wettability-Finely-Tunable Superhydrophobic Surfaces for Lossless Droplet Transfer. 2022 , 14, 36246-36257		0
87	Bioinspired Oil/Water Separation Materials. 2022 , 215-246		
86	The Transitional Wettability on Bamboo-Leaf-like Hierarchical-Structured Si Surface Fabricated by Microgrinding. 2022 , 12, 2888		

85	Bionic superhydrophobic surfaces based on topography of copper oxides.	
84	Anisotropic Wettability of Bioinspired Surface Characterized by Friction Force. 2022 , 7, 108	
83	Achieving Superhydrophobicity of Zr-Based Metallic Glass Surfaces with Tunable Adhesion by Nanosecond Laser Ablation and Annealing.	0
82	Biomimetic superhydrophobic metal/nonmetal surface manufactured by etching methods: A mini review. 10,	0
81	Tuning up sol-gel process to achieve highly durable superhydrophobic coating. 2022 , 33, 102282	2
80	Achieving superhydrophobic surfaces with tunable roughness on building materials via nanosecond laser texturing of silane/siloxane coatings. 2022 , 58, 104979	1
79	Droplet and bubble wetting behaviors: The roles of surface wettability and roughness. 2022 , 653, 130008	0
78	Fabrication of a superhydrophobic micron-nanoscale hierarchical structured surface for delayed icing and reduced frosting. 2022 , 34, 102353	1
77	Recent development of membranes modified with natural compounds: Preparation methods and applications in water treatment. 2022 , 302, 122101	0
76	Research progress on eco-friendly superhydrophobic materials in environment, energy and biology. 2022 , 58, 11201-11219	0
75	Robust and durable liquid-repellent surfaces.	5
74	Superhydrophobic Stearic Acid Deposited by Dip-Coating on AISI 304 Stainless Steel: Electrochemical Behavior in a Saline Solutions. 2022 , 25,	0
73	Inspired by the Nature: A Post-printed Strategy to Efficiently Elaborate Parahydrophobic Surfaces. 2022 , 7, 122	0
72	In-Situ Raman Monitoring of Trace Antibiotics in Different Harsh Water Environments.	0
71	A Superhydrophilic, Light/Microwave-Absorbing Coating with Remarkable Antibacterial Efficacy. 2022 , 14, 42468-42482	0
70	A review on nature-inspired gating membranes: from concept to design and applications.	2
69	Superhydrophilic/Superhydrophobic patterned surfaces: From simplified fabrication to emerging applications. 2022 , 5, 035002	0
68	Drainage of infiltrated rainwater in wall assemblies: Test method, experimental quantification, and recommendations. 2022 , 46, 1022-1056	0

67	3D-Printed Parahydrophobic Functional Textile with a Hierarchical Nanomicroscale Structure.	0
66	Bioinspired superwetting materials for water manipulation. 2022 , 1, 139-169	6
65	Rose-like CrFe robust super-hydrophobic surfaces with high adhesion and corrosion resistance. 2022 , 57, 18640-18654	0
64	Nanoengineered Textiles for Outdoor Personal Cooling and Drying. 2209029	1
63	High-Performance Directional Water Transport Using a Two-Dimensional Periodic Janus Gradient Structure. 2200812	1
62	Biology and nature: Bionic superhydrophobic surface and principle. 10,	0
61	Thermodynamic analysis on wetting state transitions of rough surfaces with 3D irregular microstructure. 2022 , 34, 102378	0
60	Facile preparation of superhydrophobic/superoleophilic diatomite porous ceramics for efficient oil-water separation. 2022 , 130, 867-874	0
59	Design and Properties of Antimicrobial Biomaterials Surfaces. 2202073	0
58	Recent advances in photonic crystal-based sensors. 2023 , 475, 214909	2
57	A simple model of heating and evaporation of droplets on a superhydrophobic surface. 2023 , 201, 123568	0
56	Removal of dyes, oils, alcohols, heavy metals and microplastics from water with superhydrophobic materials. 2023 , 311, 137148	1
55	Hierarchical structure design of electrospun membrane for enhanced membrane distillation treatment of shrimp aquaculture wastewater. 2023 , 306, 122591	0
54	Fabrication of Superhydrophobic Surfaces with Controllable Adhesion Force via Pre-Loaded Pressure. 2022 ,	0
53	Control of the Hydrophobic Properties of Polyester Fabric Coatings Deposited Using Polytetrafluoroethylene Telomers and Silica Nanoparticles. 2022 , 56, 872-880	0
52	Advances in the Fabrication and Characterization of Superhydrophobic Surfaces Inspired by the Lotus Leaf. 2022 , 7, 196	0
51	Drilling fluid adhesion resistance of electroless plating nickel phosphorus (Ni-P) alloy coating deposited on laser-textured surface of bit waterways. 2022 , 108081	0
50	Biomimetic PMMA coating surface and its application on inhibition of bacterial attachment and anti-biofilm performance. 2023 , 36, 102548	0

- 49 Janus fibrous membrane with directional liquid transport capacity for wound healing promotion. **2023**, 455, 140853 ○
- 48 Tailoring micro/nano-materials with special wettability for biomedical devices. **2023**, 2, 15-30 ○
- 47 Drop impact dynamics on solid surfaces. **2022**, 121, 210501 2
- 46 A review of superwetting membranes and nanofibers for efficient oil/water separation. ○
- 45 Durable and regenerative superhydrophobic surface using porous nanochannels. **2022**, 140527 1
- 44 Drop impact on a sticky porous surface with gas discharge: transformation of drops into bubbles. **2022**, 953, ○
- 43 3D printing of micro/nano-hierarchical structures with various structural stiffness for controlling friction and deformation. **2022**, 103368 ○
- 42 Self-Healing Superwetting Surfaces, Their Fabrications, and Properties. ○
- 41 A Review on Preparation of Superhydrophobic and Superoleophobic Surface by Laser Micromachining and Its Hybrid Methods. **2023**, 13, 20 ○
- 40 A Manganese(II) 3D Metal-Organic Framework with Siloxane-Spaced Dicarboxylic Ligand: Synthesis, Structure, and Properties. **2023**, 11, 21 ○
- 39 Fluid manipulation via multifunctional lubricant infused slippery surfaces: principle, design and applications. ○
- 38 Superhydrophobic modification of cellulosic paper-based materials: Fabrication, properties, and versatile applications. **2023**, 305, 120570 1
- 37 Rose-petal-inspired fabrication of conductive superhydrophobic/superoleophilic carbon with high adhesion to water from orange peels for efficient oil adsorption from oil-water emulsion. **2023**, 661, 130920 ○
- 36 Design of Nanostructured Surfaces for Efficient Condensation by Controlling Condensation Modes. **2023**, 14, 50 ○
- 35 Advances in Bioinspired Superhydrophobic Surfaces Made from Silicones: Fabrication and Application. **2023**, 15, 543 ○
- 34 Fabrication of a Rose-Petal-Inspired Micro/Nanostructured Surface via the Ultraviolet Nanoimprint Lithography and Roll-Press Methods. **2022**, 35, 117-123 ○
- 33 Biomass tannic acid intermediated surface functionalization of ammonium polyphosphate for enhancing fire safety and smoke suppression of thermoplastic polyurethane. **2023**, 187, 111897 ○
- 32 The preparation of slippery liquid-infused surface and the droplets bounce behavior. ○

- 31 Stone rubbing inspired biomimetic multiscale surface with highly robust superhydrophobicity. **2023**, 38, 102806 ○
- 30 A facile fabrication of acid-proof membranes with superhydrophobic high adhesion in air. **2023**, 664, 131185 ○
- 29 Droplet Impact Dynamics on Biomimetic Replica of Yellow Rose Petals: Rebound to Micropinning Transition. ○
- 28 Design and preparation of SQ-based superhydrophobic coatings with different substituents for multifunctional applications. **2023**, 457, 129285 ○
- 27 Hydrophobic Multifunctional Flexible Sensors with a Rapid Humidity Response for Long-Term Respiratory Monitoring. **2023**, 11, 2375-2386 ○
- 26 Tribological Behavior of Bioinspired Surfaces. **2023**, 8, 62 ○
- 25 Long-chain cellulose esters from recycling textile waste as highly effective superhydrophobic additive: synthesis and evaluation. **2023**, 30, 2913-2928 ○
- 24 Patterned Hydrophobic Liquid Crystalline Fibers Fabricated from Defect Arrays of Reactive Mesogens via Electric Field Modulation. **2023**, 15, 8387-8392 ○
- 23 Wetting of porous thin films exhibiting large contact angles. **2023**, 158, 094701 ○
- 22 Bionic surface diode for droplet steering. **2023**, 2, 1 ○
- 21 All-perfluoropolymer, nonlinear stability-assisted monolithic surface combines topology-specific superwettability with ultradurability. **2023**, 4, 100389 ○
- 20 A review on applications of functional superhydrophobic surfaces prepared by laser biomimetic manufacturing. **2023**, 58, 3421-3459 ○
- 19 Application of Functionalized Carbon Nanotubes in Biomimetic/Bioinspired Systems. **2023**, 257-279 ○
- 18 Research Progress in Superhydrophobic Titanium-Based Implants for Antibacterial Applications. **2023**, 13, 419 ○
- 17 Spreading of Impacting Water Droplet on Surface with Fixed Microstructure and Different Wetting from Superhydrophilicity to Superhydrophobicity. **2023**, 15, 719 ○
- 16 Temperature dependence of adhesion properties at liquid-aluminum/solid interfaces. **2023**, 35, 165101 ○
- 15 Bio-Inspired Micro/Nanostructures for Functional Applications: A Mini-Review. **2023**, 32, 31-38 ○
- 14 Pattern formation, structure and functionalities of wrinkled liquid crystal surfaces: A soft matter biomimicry platform. 3, ○

- 13 Superhydrophobic and Superoleophobic Surfaces: Key Points, Challenges and Applications. **2023**, 13, 551 ○
- 12 A Hybrid Approach to Surface Engineering Based on Laser Texturing and Coating. **2023**, 7, 59 ○
- 11 Recent advances in preparation of metallic superhydrophobic surface by chemical etching and its applications. **2023**, ○
- 10 Petals Reduce Attachment of Insect Pollinators: A Case Study of the Plant *Dahlia pinnata* and the Fly *Eristalis tenax*. **2023**, 14, 285 ○
- 9 Regulating droplet impact symmetry by surface engineering. **2023**, 2, ○
- 8 Contact Angle on Rough Curved Surfaces and Its Implications in Porous Media. **2023**, 39, 4507-4517 ○
- 7 Design of a self-cleanable multilevel anticounterfeiting interface through covalent chemical modulation. ○
- 6 Anti-Icing Property of Superhydrophobic Nanostructured Brass via Deposition of Silica Nanoparticles and Nanolaser Treatment. **2023**, 13, 1139 ○
- 5 Dynamic motion of air bubble on micro-structured surfaces by novel dynamic wettability evaluation method under liquid media. ○
- 4 Droplet interface in additive manufacturing: From process to application. **2023**, 2, ○
- 3 Breath-Figure Self-Assembly, a Versatile Method of Manufacturing Functional Polymer Surfaces. **2023**, 355-394 ○
- 2 Bioinspired Superwetting Open Microfluidics: From Concepts, Phenomena to Applications. ○
- 1 Green and effective fabrication of porous surfaces with adjustable cell structure by foaming at incomplete healed polymer-polymer interface. **2023**, 645, 743-751 ○