

# Proposal of Brillouin optical correlation-domain reflect

Optics Express

16, 12148

DOI: [10.1364/oe.16.012148](https://doi.org/10.1364/oe.16.012148)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Brillouin Optical Correlation Domain Analysis in Linear Configuration. IEEE Photonics Technology Letters, 2008, 20, 2150-2152.	2.5	35
2	Stable Entire-Length Measurement of Fiber Strain Distribution by Brillouin Optical Correlation-Domain Reflectometry with Polarization Scrambling and Noise-Floor Compensation. Applied Physics Express, 0, 2, 062403.	2.4	18
3	Simple distributed optical fiber sensor based on Brillouin amplification of microwave photonic signals. Journal of China Universities of Posts and Telecommunications, 2009, 16, 24-28.	0.8	1
4	Measurement range enlargement in Brillouin optical correlation-domain reflectometry based on temporal gating scheme. Optics Express, 2009, 17, 9040.	3.4	84
5	One-End-Access High-Speed Distributed Strain Measurement with 13-mm Spatial Resolution Based on Brillouin Optical Correlation-Domain Reflectometry. IEEE Photonics Technology Letters, 2009, 21, 474-476.	2.5	77
6	Polarization Beat Length Distribution Measurement in Single-Mode Optical Fibers with Brillouin Optical Correlation-Domain Reflectometry. Applied Physics Express, 2009, 2, 046502.	2.4	6
7	Dependence of the Brillouin Frequency Shift on Temperature in a Tellurite Glass Fiber and a Bismuth-Oxide Highly-Nonlinear Fiber. Applied Physics Express, 2009, 2, 112402.	2.4	24
8	Single-ended distributed temperature or strain sensor based on stimulated Brillouin scattering. , 2009, , .		0
9	Distributed strain measurement using a tellurite glass fiber with Brillouin optical correlation-domain reflectometry. Optics Communications, 2010, 283, 2438-2441.	2.1	41
10	Experimental study of Brillouin scattering in perfluorinated polymer optical fiber at telecommunication wavelength. Applied Physics Letters, 2010, 97, .	3.3	136
11	Measurement range enlargement in Brillouin optical correlation-domain reflectometry based on double-modulation scheme. Optics Express, 2010, 18, 5926.	3.4	65
12	Experimental study on stimulated Rayleigh scattering in optical fibers. Optics Express, 2010, 18, 22958.	3.4	69
13	Potential of Brillouin scattering in polymer optical fiber for strain-insensitive high-accuracy temperature sensing. Optics Letters, 2010, 35, 3985.	3.3	101
14	Single-End-Access Correlation-Domain Distributed Fiber-Optic Sensor Based on Stimulated Brillouin Scattering. Journal of Lightwave Technology, 2010, 28, 2736-2742.	4.6	31
15	Operation of Brillouin Optical Correlation-Domain Reflectometry: Theoretical Analysis and Experimental Validation. Journal of Lightwave Technology, 2010, , .	4.6	45
16	Brillouin Gain Spectrum Characterization in Perfluorinated Graded-Index Polymer Optical Fiber With 62.5- $\mu\text{m}$ Core Diameter. IEEE Photonics Technology Letters, 2011, 23, 1863-1865.	2.5	30
17	Core Alignment of Butt Coupling Between Single-Mode and Multimode Optical Fibers by Monitoring Brillouin Scattering Signal. Journal of Lightwave Technology, 2011, 29, 2616-2620.	4.6	20
18	Variable-frequency lock-in detection for the suppression of beat noise in Brillouin optical correlation domain analysis. Optics Express, 2011, 19, 18721.	3.4	17

#	ARTICLE	IF	CITATIONS
19	Observation of stimulated Brillouin scattering in polymer optical fiber with pump-probe technique. Optics Letters, 2011, 36, 2378.	3.3	39
20	Fresnel Reflection Spectra at Multimode Optical Fiber Ends with Heterodyne Detection. Applied Physics Express, 2011, 4, 012501.	2.4	1
21	Determination of thermal residual strain in cabled optical fiber with high spatial resolution by Brillouin optical time-domain reflectometry. Optics and Lasers in Engineering, 2011, 49, 1111-1117.	3.8	10
22	Measurement of Acoustic Velocity in Poly(methyl methacrylate)-Based Polymer Optical Fiber for Brillouin Frequency Shift Estimation. Applied Physics Express, 2011, 4, 102501.	2.4	18
23	Brillouin Scattering in Polymer Optical Fibers: Fundamental Properties and Potential Use in Sensors. Polymers, 2011, 3, 886-898.	4.5	21
24	Influence of core diameter and length of polymer optical fiber on Brillouin scattering properties. Proceedings of SPIE, 2012, , .	0.8	0
25	Brillouin gain spectrum dependence on large strain in perfluorinated graded-index polymer optical fiber. Optics Express, 2012, 20, 21101.	3.4	64
26	Dependences of Brillouin frequency shift on strain and temperature in optical fibers doped with rare-earth ions. Journal of Applied Physics, 2012, 112, 043109.	2.5	14
27	Brillouin scattering in plastic optical fibers: Fundamental properties and sensing applications. , 2012, , .		0
28	Brillouin frequency shift dependences on temperature and strain in PMMA-based polymer optical fibers estimated by acoustic velocity measurement. , 2012, , .		0
29	Dependences of Brillouin frequency shift on strain and temperature in optical fibers doped with rare-earth ions. Proceedings of SPIE, 2012, , .	0.8	0
30	Drastic enhancement of Brillouin Stokes signal using pulsed pump and low-power erbium-doped fiber amplifier. Proceedings of SPIE, 2012, , .	0.8	0
31	Dependence of Brillouin Frequency Shift on Temperature and Strain in Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 Td (metha Physics Express, 2012, 5, 032502.	2.4	11
32	Characterization of Brillouin Gain Spectra in Polymer Optical Fibers Fabricated by Different Manufacturers at 1.32 and 1.55 $\mu\text{m}$ . IEEE Photonics Technology Letters, 2012, 24, 1496-1498.	2.5	10
33	Binary amplitude shift keying based signal processing for brillouin optical correlation domain analysis. Journal of the Korean Physical Society, 2012, 61, 1975-1980.	0.7	2
34	Enhancement of Brillouin Scattering Signal in Perfluorinated Graded-Index Polymer Optical Fibers. Applied Sciences (Switzerland), 2012, 2, 46-60.	2.5	2
35	Low-coherence interferometric fiber sensor with improved resolution using stepper motor assisted optical ruler. Optical Fiber Technology, 2013, 19, 223-226.	2.7	15
36	Fiber distributed Brillouin sensing with optical correlation domain techniques. Optical Fiber Technology, 2013, 19, 700-719.	2.7	46

#	ARTICLE	IF	CITATIONS
37	Distributed discrimination of strain and temperature based on Brillouin dynamic grating in an optical fiber. Photonic Sensors, 2013, 3, 332-344.	5.0	6
38	Characterization of Stimulated Brillouin Scattering in Polymer Optical Fibers Based on Lock-in-Free Pump-Probe Technique. Journal of Lightwave Technology, 2013, 31, 3162-3166.	4.6	11
39	Observation and characterization of stimulated Brillouin gain spectra in plastic optical fibers. Proceedings of SPIE, 2013, , .	0.8	0
40	L-BOFDA: a new sensor technique for distributed Brillouin sensing. , 2013, , .		15
41	Enhancement of Brillouin scattering signal in pumped erbium-doped optical fiber. Proceedings of SPIE, 2013, , .	0.8	0
42	Characterized Brillouin scattering in silica optical fiber tapers based on Brillouin optical correlation domain analysis. Optics Express, 2013, 21, 6497.	3.4	4
43	All-optical generation of Brillouin dynamic grating based on multiple acoustic modes in a single-mode dispersion-shifted fiber. Optics Express, 2013, 21, 14771.	3.4	15
44	Brillouin scattering signal in polymer optical fiber enhanced by exploiting pulsed pump with multimode-fiber-assisted coupling technique. Optics Letters, 2013, 38, 1467.	3.3	28
45	Brillouin gain spectrum dependences on temperature and strain in erbium-doped optical fibers with different erbium concentrations. Applied Physics Letters, 2013, 102, 191906.	3.3	11
46	Polarisation state optimisation in observing Brillouin scattering signal in polymer optical fibres. Electronics Letters, 2013, 49, 56-57.	1.0	16
47	Observation of stimulated Brillouin scattering in silica graded-index multimode optical fibre based on pump-probe technique. Electronics Letters, 2013, 49, 366-367.	1.0	2
48	Potential Applicability of Brillouin Scattering in Partially Chlorinated Polymer Optical Fibers to High-Precision Temperature Sensing. Applied Physics Express, 2013, 6, 052501.	2.4	6
49	Broad and Flat Brillouin Gain Spectrum in Optical Fiber Obtained by Modulating Driving Current of Laser Diode. Japanese Journal of Applied Physics, 2013, 52, 058003.	1.5	9
50	Stimulated Brillouin scattering in multi-mode optical fibers: Toward plastic-fiber-based BOTDA. , 2013, , .		0
51	Potential applicability of Brillouin scattering in partially chlorinated plastic optical fibers to high-precision temperature sensing. , 2013, , .		0
52	Bandwidth-adjustable ultra-flat Brillouin scattering spectrum in optical fiber. , 2013, , .		0
53	Enhancement of Brillouin signal in plastic optical fibers using pulsed pump with multimode-fiber-assisted coupling. , 2013, , .		0
54	Brillouin scattering properties in partially chlorinated plastic optical fibers estimated with ultrasonic pulse-echo technique. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
55	Recent achievements in BOCDA/BOCDR. , 2014, , .		8
56	Suppression of ghost correlation peak in Brillouin optical correlation-domain reflectometry. Applied Physics Express, 2014, 7, 112501.	2.4	7
57	Fresnel-assisted self-heterodyne detection for Brillouin gain spectrum characterisation in polymer optical fibres. Electronics Letters, 2014, 50, 1153-1155.	1.0	11
58	Spiral Propagation of Polymer Optical Fiber Fuse Accompanied by Spontaneous Burst and Its Real-Time Monitoring Using Brillouin Scattering. IEEE Photonics Journal, 2014, 6, 1-7.	2.0	10
59	Ultra-Sensitive Strain and Temperature Sensing Based on Modal Interference in Perfluorinated Polymer Optical Fibers. IEEE Photonics Journal, 2014, 6, 1-7.	2.0	40
60	Simplified Configuration of Brillouin Optical Correlation-Domain Reflectometry. IEEE Photonics Journal, 2014, 6, 1-7.	2.0	10
61	Alternative Implementation of Simplified Brillouin Optical Correlation-Domain Reflectometry. IEEE Photonics Journal, 2014, 6, 1-8.	2.0	8
62	Distributed Brillouin Sensing With Centimeter-Order Spatial Resolution in Polymer Optical Fibers. Journal of Lightwave Technology, 2014, 32, 3999-4003.	4.6	59
63	Ultra-Simple Setup for Distributed Brillouin Sensing. , 2014, , .		0
64	Discriminative strain and temperature measurement using Brillouin scattering and fluorescence in erbium-doped optical fiber. Optics Express, 2014, 22, 24706.	3.4	17
65	Observation of Brillouin gain spectrum in tapered polymer optical fiber. Journal of Applied Physics, 2014, 115, 173108.	2.5	14
66	Brillouin frequency shift hopping in polymer optical fiber. Applied Physics Letters, 2014, 105, .	3.3	23
67	Fiber-Optic Interferometry Using Narrowband Light Source and Electrical Spectrum Analyzer: Influence on Brillouin Measurement. Journal of Lightwave Technology, 2014, 32, 4734-4740.	4.6	8
68	Discriminative measurement of strain and temperature using Brillouin scattering and fluorescence in erbium-doped optical fiber. , 2014, , .		0
69	Distributed strain and temperature sensing based on Brillouin scattering in plastic optical fibers. , 2014, , .		0
70	First observation of fiber fuse phenomenon in polymer optical fibers. , 2014, , .		0
71	Wide-range temperature dependences of Brillouin scattering properties in polymer optical fiber. Japanese Journal of Applied Physics, 2014, 53, 042502.	1.5	32
72	Brillouin optical correlation domain reflectometry with double frequency modulation and phase modulation. , 2014, , .		4

#	ARTICLE	IF	CITATIONS
73	Evaluation of Brillouin frequency shift and its temperature dependence in poly(pentafluorostyrene)-based polymer optical fibers by ultrasonic pulse-echo technique. Proceedings of SPIE, 2014, , .	0.8	0
74	First observation of Brillouin scattering in tapered plastic optical fiber. , 2014, , .		1
75	Dependence of Brillouin frequency shift on temperature in poly(pentafluorostyrene)-based polymer optical fibers estimated by acoustic velocity measurement. IEICE Electronics Express, 2014, 11, 20140285-20140285.	0.8	2
76	Brillouin signal amplification in pumped erbium-doped optical fiber. IEICE Electronics Express, 2014, 11, 20140627-20140627.	0.8	2
77	Measurement of large-strain dependence of optical propagation loss in perfluorinated polymer fibers for use in seismic diagnosis. IEICE Electronics Express, 2014, 11, 20140707-20140707.	0.8	21
78	Strain and temperature sensing based on multimode interference in partially chlorinated polymer optical fibers. IEICE Electronics Express, 2015, 12, 20141173-20141173.	0.8	17
79	Brillouin scattering in multi-core optical fibers for sensing applications. Scientific Reports, 2015, 5, 11388.	3.3	38
80	Polarization scrambling in Brillouin optical correlation-domain reflectometry using polymer fibers. Applied Physics Express, 2015, 8, 062501.	2.4	4
81	Brillouin optical correlation domain analysis with more than 1 million effective sensing points based on differential measurement. Optics Express, 2015, 23, 33241.	3.4	59
82	Brillouin Scattering in Optical Fibers and Its Application to Distributed Sensors. , 2015, , .		6
83	Simplified BOTDA System Based on Direct Modulation of a Laser Diode With an Extended Measurement Range. Journal of Lightwave Technology, 2015, 33, 1979-1984.	4.6	4
84	Plastic optical fiber tapering without using external heat source. , 2015, , .		0
85	High-performance Brillouin optical correlation-domain reflectometry. , 2015, , .		1
86	Simplified Brillouin Optical Correlation-Domain Reflectometry Using Polymer Optical Fiber. IEEE Photonics Journal, 2015, 7, 1-7.	2.0	14
87	Influence of polarization scrambling on Brillouin optical correlation-domain reflectometry using plastic fibers. Proceedings of SPIE, 2015, , .	0.8	0
88	Polymer optical fiber tapering without the use of external heat source and its application to refractive index sensing. Applied Physics Express, 2015, 8, 072501.	2.4	15
89	Simplified correlation-domain Brillouin sensor using plastic optical fiber. Proceedings of SPIE, 2015, , .	0.8	0
90	Brillouin optical correlation domain reflectometry with lock-in detection scheme. Proceedings of SPIE, 2015, , .	0.8	0

#	ARTICLE	IF	CITATIONS
91	Optical pulse compression reflectometry: proposal and proof-of-concept experiment. Optics Express, 2015, 23, 512.	3.4	75
92	Thermal Memory Effect in Polymer Optical Fibers. IEEE Photonics Technology Letters, 2015, 27, 1394-1397.	2.5	10
93	Incoherent Brillouin Optical Time-Domain Reflectometry With Random State Correlated Brillouin Spectrum. IEEE Photonics Journal, 2015, 7, 1-7.	2.0	13
94	Modal-interference-based temperature sensing using plastic optical fibers: markedly enhanced sensitivity near glass-transition temperature. , 2015, , .		0
95	Drastic sensitivity enhancement of temperature sensing based on modal interference in plastic optical fibers. Proceedings of SPIE, 2015, , .	0.8	0
96	Temperature dependence of Brillouin frequency shift in polymers controlled by plasticization effect. Journal of Applied Physics, 2015, 117, .	2.5	4
97	Drastic sensitivity enhancement of temperature sensing based on multimodal interference in polymer optical fibers. Applied Physics Express, 2015, 8, 072502.	2.4	19
98	Brillouin optical correlation domain reflectometry with temporal gating scheme and apodization scheme. , 2015, , .		2
99	Propagation mechanism of polymer optical fiber fuse. Scientific Reports, 2015, 4, 4800.	3.3	22
100	Dependence of Brillouin frequency shift on water absorption ratio in polymer optical fibers. Journal of Applied Physics, 2016, 119, 223102.	2.5	2
101	Optical correlation-domain reflectometry without optical frequency shifter. Applied Physics Express, 2016, 9, 032702.	2.4	24
102	Operation of slope-assisted Brillouin optical correlation-domain reflectometry: comparison of system output with actual frequency shift distribution. Optics Express, 2016, 24, 29190.	3.4	32
103	Proposal of Brillouin optical frequency-domain reflectometry (BOFDR). Optics Express, 2016, 24, 29994.	3.4	72
104	Brillouin Scattering in Plastic Optical Fibers and its Applications to High-Speed Distributed Sensing., 2016, , .		0
105	Ultrahigh-speed distributed Brillouin reflectometry. Light: Science and Applications, 2016, 5, e16184-e16184.	16.6	166
106	Imaging 3D strain field monitoring during hydraulic fracturing processes. Proceedings of SPIE, 2016, , .	0.8	0
107	Measurement of the optical path length difference in an interferometer using a sinusoidally frequency-modulated light source. Applied Optics, 2016, 55, 2904.	2.1	1
108	Simplified optical correlation-domain reflectometry without reference path. Applied Optics, 2016, 55, 3925.	2.1	20

#	ARTICLE	IF	CITATIONS
109	Ultrasonic welding of polymer optical fibres onto composite materials. Electronics Letters, 2016, 52, 1472-1474.	1.0	8
110	Phase-shifted Brillouin dynamic gratings using single pump phase-modulation: proof of concept. Optics Express, 2016, 24, 11218.	3.4	7
111	High resolution monitoring of strain fields in concrete during hydraulic fracturing processes. Optics Express, 2016, 24, 3894.	3.4	16
112	Observation of Brillouin gain spectrum in optical fibers in telecommunication band: Effect of pump wavelength. IEICE Electronics Express, 2016, 13, 20151066-20151066.	0.8	3
113	Going beyond 1000000 resolved points in a Brillouin distributed fiber sensor: theoretical analysis and experimental demonstration. Light: Science and Applications, 2016, 5, e16074-e16074.	16.6	140
114	Brillouin optical correlation domain reflectometry with lock-in detection scheme. Applied Physics Express, 2016, 9, 072501.	2.4	12
115	Observation of Backward Guided-Acoustic-Wave Brillouin Scattering in Optical Fibers Using Pump-Probe Technique. IEEE Photonics Journal, 2016, 8, 1-7.	2.0	10
116	Slope-Assisted Brillouin Optical Correlation-Domain Reflectometry: Proof of Concept. IEEE Photonics Journal, 2016, 8, 1-7.	2.0	37
117	Dynamic Strain Measurement Using Small Gain Stimulated Brillouin Scattering in STFT-BOTDR. IEEE Sensors Journal, 2017, 17, 2718-2724.	4.7	27
118	Slope-Assisted Brillouin Optical Correlation-Domain Reflectometry Using Polymer Optical Fibers With High Propagation Loss. Journal of Lightwave Technology, 2017, 35, 2306-2310.	4.6	32
119	Characterization of depolarized GAWBS for optomechanical sensing of liquids outside standard fibers. , 2017, , .		4
120	Cross Effect of Strain and Temperature on Brillouin Frequency Shift in Polymer Optical Fibers. Journal of Lightwave Technology, 2017, 35, 2481-2486.	4.6	11
121	Polymer optical fiber tapering using hot water. Applied Physics Express, 2017, 10, 062502.	2.4	0
122	Slope-assisted Brillouin optical correlation-domain reflectometry using high-loss plastic optical fibers. Proceedings of SPIE, 2017, , .	0.8	0
123	Dynamic Distributed Brillouin Optical Fiber Sensing Based on Dual-Modulation by Combining Single Frequency Modulation and Frequency-Agility Modulation. IEEE Photonics Journal, 2017, 9, 1-8.	2.0	16
124	Experimental demonstration of a Brillouin optical frequency-domain reflectometry (BOFDR) sensor. , 2017, , .		2
125	Brillouin Backscattering Light Properties of Chaotic Laser Injecting Into an Optical Fiber. IEEE Photonics Journal, 2017, 9, 1-10.	2.0	7
126	Measurement sensitivity dependencies on incident power and spatial resolution in slope-assisted Brillouin optical correlation-domain reflectometry. Sensors and Actuators A: Physical, 2017, 268, 68-71.	4.1	10



#	ARTICLE	IF	CITATIONS
127	Plastic optical fiber fuse and its impact on sensing applications. Proceedings of SPIE, 2017, , .	0.8	0
128	Distributed Fiber-Optic Vibration Sensing Based on Phase Extraction From Optical Reflectometry. Journal of Lightwave Technology, 2017, 35, 3281-3288.	4.6	63
129	Operation of power-based BOCDR: Measurement sensitivity influenced by spatial resolution. , 2017, , .		0
130	Detection of world's shortest hot spots in silica and plastic optical fibers by slope-assisted Brillouin optical correlation-domain reflectometry. , 2017, , .		0
131	Long-term stability improvement of Brillouin measurement in plastic optical fibers by fresnel suppression using amorphous fluoropolymer. , 2017, , .		0
132	Proposal of signal processing based on machine learning in Brillouin optical correlation domain analysis/ reflectometry. , 2017, , .		3
133	Experimental study on depolarized GAWBS spectrum for optomechanical sensing of liquids outside standard fibers. Optics Express, 2017, 25, 2239.	3.4	57
134	Tailored pump compensation for Brillouin optical time-domain analysis with distributed Brillouin amplification. Optics Express, 2017, 25, 14098.	3.4	18
135	Single-end-access distributed strain sensing with wide dynamic range using higher-speed Brillouin optical correlation-domain reflectometry. Japanese Journal of Applied Physics, 2017, 56, 072501.	1.5	12
136	Clarification of strain-temperature cross-sensitivity effect on Brillouin frequency shift in plastic optical fibers. , 2017, , .		0
137	Strain Dynamic Range Enlargement of Slope-Assisted BOTDA by Using Brillouin Phase-Gain Ratio. Journal of Lightwave Technology, 2017, 35, 4451-4458.	4.6	45
138	Single-end-access strain and temperature sensing based on multimodal interference in polymer optical fibers. IEICE Electronics Express, 2017, 14, 20161239-20161239.	0.8	18
139	Distributed Brillouin Sensing: Correlation-Domain Techniques. , 2018, , 1-31.		0
140	Displacement sensing based on modal interference in polymer optical fibers with partially applied strain. Japanese Journal of Applied Physics, 2018, 57, 058002.	1.5	7
141	Fast Acquirable Long-Range Measurement With Frequency-Swept Probe BOTDA. Journal of Lightwave Technology, 2018, 36, 885-890.	4.6	3
142	Long-term stability enhancement of Brillouin measurement in polymer optical fibers using amorphous fluoropolymer. Japanese Journal of Applied Physics, 2018, 57, 018001.	1.5	2
143	Hydrostatic pressure dependence of Brillouin frequency shift in polymer optical fibers. Applied Physics Express, 2018, 11, 012502.	2.4	9
144	Detection of 2-mm-long strained section in silica fiber using slope-assisted Brillouin optical correlation-domain reflectometry. Japanese Journal of Applied Physics, 2018, 57, 020303.	1.5	14

#	ARTICLE	IF	CITATIONS
145	Phase-detected Brillouin optical correlation-domain reflectometry. <i>Optical Review</i> , 2018, 25, 473-485.	2.0	8
146	Strain dependence of perfluorinated polymer optical fiber Bragg grating measured at different wavelengths. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 038002.	1.5	12
147	Simultaneous temperature sensing using distributed cascading fiber Bragg grating-based single-ended Brillouin optical time-domain analyzer. <i>Laser Physics</i> , 2018, 28, 125101.	1.2	4
148	Distributed Brillouin scattering optical fiber strain sensor technology. , 2018, , .		1
149	Recent Progress in Fast Distributed Brillouin Optical Fiber Sensing. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1820.	2.5	39
150	Highly Sensitive Slope-Assisted BOCDR Utilizing Polarization-Maintaining Fiber. , 2018, , .		0
151	Dual-Probe Linearly Configured BOFDA System With Enlarged Modulation Amplitude. <i>Journal of Lightwave Technology</i> , 2018, 36, 5203-5209.	4.6	3
152	Multimodal Interference in Perfluorinated Polymer Optical Fibers: Application to Ultrasensitive Strain and Temperature Sensing. <i>IEICE Transactions on Electronics</i> , 2018, E101.C, 602-610.	0.6	19
153	Distributed strain measurement and possible breakage detection of optical-fiber-embedded composite structure using slope-assisted Brillouin optical correlation-domain reflectometry. <i>Applied Physics Express</i> , 2018, 11, 072501.	2.4	8
154	Recent Advances in Brillouin Optical Correlation-Domain Reflectometry. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1845.	2.5	13
155	A Brief Review of Specialty Optical Fibers for Brillouin-Scattering-Based Distributed Sensors. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1996.	2.5	20
156	Bending-loss-independent operation of slope-assisted Brillouin optical correlation-domain reflectometry. <i>Scientific Reports</i> , 2018, 8, 7844.	3.3	8
157	Brillouin optical correlation domain analysis based on chaotic laser with suppressed time delay signature. <i>Optics Express</i> , 2018, 26, 6962.	3.4	31
158	Chaotic Brillouin optical correlation-domain analysis. <i>Optics Letters</i> , 2018, 43, 1722.	3.3	50
159	Single-shot BOTDA based on an optical chirp chain probe wave for distributed ultrafast measurement. <i>Light: Science and Applications</i> , 2018, 7, 32.	16.6	158
160	Humidity-induced Brillouin frequency shift in perfluorinated polymer optical fibers. <i>Optics Express</i> , 2018, 26, 22307.	3.4	11
161	Spatially Resolved Brillouin Spectral Hole Burning in PMF and SMF. <i>IEEE Photonics Journal</i> , 2018, 10, 1-8.	2.0	1
162	Distributed Brillouin Sensing Using Polymer Optical Fibers. , 2018, , 97-135.		1

#	ARTICLE	IF	CITATIONS
163	Distributed Dynamic Strain Measurement Based on Dual-Slope-Assisted Brillouin Optical Correlation Domain Analysis. <i>Journal of Lightwave Technology</i> , 2019, 37, 4573-4583.	4.6	20
164	Suppression of Systematic Errors in Brillouin Optical Correlation Domain Analysis Based on Injection-Locking. <i>Journal of Lightwave Technology</i> , 2019, 37, 4421-4425.	4.6	23
165	Temperature and Crack Measurement Using Distributed Optic-Fiber Sensor Based on Raman Loop Configuration and Fiber Loss. <i>IEEE Photonics Journal</i> , 2019, 11, 1-13.	2.0	8
166	Distributed Strain Measurement Using Power-Based Brillouin Sensor with Three Folded Dynamic Range. <i>Proceedings (mdpi)</i> , 2019, 15, .	0.2	0
167	Infrared- Thermometer-Based Detection of Optical Fiber Breakage in Structure. , 2019, , .		1
168	Dynamic Strain Measurements Based on High-Speed Single-End-Access Brillouin Optical Correlation Domain Analysis. <i>Journal of Lightwave Technology</i> , 2019, 37, 2557-2567.	4.6	15
169	Trade-off relation between strain dynamic range and spatial resolution in slope-assisted Brillouin optical correlation-domain reflectometry. <i>Measurement Science and Technology</i> , 2019, 30, 075204.	2.6	8
170	Analysis of Phase-Shift Pulse Brillouin Optical Time-Domain Reflectometry. <i>Sensors</i> , 2019, 19, 1497.	3.8	18
171	Observation of multimodal interference in millimeter-long polymer optical fibers. <i>IEICE Electronics Express</i> , 2019, 16, 20190135-20190135.	0.8	3
172	Distributed temperature sensing based on slope-assisted Brillouin optical correlation-domain reflectometry with over 10Åkm measurement range. <i>Electronics Letters</i> , 2019, 55, 276-278.	1.0	7
173	Recent Advances in Brillouin Optical Time Domain Reflectometry. <i>Sensors</i> , 2019, 19, 1862.	3.8	77
174	Enhancement of Strain/Temperature Measurement Range and Spatial Resolution in Brillouin Optical Correlation Domain Analysis Based on Convexity Extraction Algorithm. <i>IEEE Access</i> , 2019, 7, 32128-32136.	4.2	6
175	Brillouin Optical Correlation-Domain Technologies Based on Synthesis of Optical Coherence Function as Fiber Optic Nerve Systems for Structural Health Monitoring. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 187.	2.5	41
176	First demonstration of Brillouin optical correlation-domain reflectometry based on external modulation scheme. <i>Japanese Journal of Applied Physics</i> , 2019, 58, 068004.	1.5	14
177	Brillouin optical correlation domain analysis using an injection-locked laser diode for distortion suppression. , 2019, , .		0
178	Noise-Suppressed Distributed Brillouin Sensing Using Plastic Optical Fibers. , 2019, , .		0
180	Optic fiber temperature sensor based on cascading fiber Bragg gratings. <i>AIP Advances</i> , 2019, 9, 015206.	1.3	0
181	Cross correlation peak-seeking technique of BOTDR based on the incomplete Brillouin spectrum. <i>Optics Communications</i> , 2019, 438, 1-5.	2.1	4

#	ARTICLE	IF	CITATIONS
182	Proposal of external modulation scheme for fiber-optic correlation-domain distributed sensing. Applied Physics Express, 2019, 12, 022005.	2.4	16
183	Strain resolution enhancement in Rayleigh-OTDR based DSS system using LWT-MPSO scheme. Optik, 2019, 176, 102-113.	2.9	3
184	Strain Resolution and Spatial Resolution Improvement of BOCDR-Based DSS System Using Particle Swarm Optimization Algorithm. Lecture Notes in Electrical Engineering, 2020, , 179-192.	0.4	2
185	Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. Journal of Lightwave Technology, 2020, 38, 946-952.	4.6	18
186	Measurement range enlargement in Brillouin optical correlation-domain reflectometry based on chirp modulation scheme. Applied Physics Express, 2020, 13, 082003.	2.4	9
187	Distributed Fiberoptic Sensor for Simultaneous Temperature and Strain Monitoring Based on Brillouin Scattering Effect in Polyimide-Coated Fibers. International Journal of Optics, 2020, 2020, 1-5.	1.4	6
188	Recent progress in slope-assisted Brillouin optical correlation-domain reflectometry. Optical Fiber Technology, 2020, 59, 102312.	2.7	6
189	Optical link monitoring in fibre-to-the-x passive optical network (FTTx PON): A comprehensive survey. Optical Switching and Networking, 2020, 39, 100596.	2.0	19
190	Fiber-optic distributed measurement of polarization beat length using slope-assisted Brillouin optical correlation-domain reflectometry. Optical Review, 2020, 27, 542-547.	2.0	2
191	Effect of laser temperature control on Brillouin optical correlation-domain reflectometry. Applied Physics Express, 2020, 13, 052001.	2.4	6
192	Prevention of false peak detection of Brillouin gain spectrum by using peak tracking and trend analysis. Electronics and Communications in Japan, 2020, 103, 3-9.	0.5	1
193	Multi-scale load identification system based on distributed optical fiber and local FBG-based vibration sensors. Optik, 2020, 219, 165159.	2.9	15
194	50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. Journal of Lightwave Technology, 2020, 38, 5199-5204.	4.6	16
195	Spatial Resolution Enhancement of Brillouin Optical Correlation-Domain Reflectometry Using Convolutional Neural Network: Proof of Concept. IEEE Access, 2021, 9, 124701-124710.	4.2	8
196	A Study on Thermal Detection Based on Support Vector Machine Using Dynamic Time Warping and Application to Optical Fiber Sensor. IEEE Sensors Journal, 2021, 21, 6325-6334.	4.7	3
197	Distributed measurement of the Brillouin dynamic grating spectrum using the correlation-domain method with a fixed correlation peak position. OSA Continuum, 2021, 4, 990.	1.8	2
198	Recent developments in polymer optical fiber strain sensors: A short review. Journal of Optics (India), 2021, 50, 299-313.	1.7	16
199	Simultaneous Measurement of Distributed Temperature and Strain through Brillouin Frequency Shift Using a Common Communication Optical Fiber. International Journal of Optics, 2021, 2021, 1-6.	1.4	4

#	ARTICLE	IF	CITATIONS
200	Effects of Differential Measurement Scheme on Brillouin Optical Correlation-Domain Analysis. <i>Journal of Lightwave Technology</i> , 2021, 39, 2609-2617.	4.6	13
201	Brillouin optical correlation-domain reflectometry based on arbitrary waveform modulation: a theoretical study. <i>Optics Express</i> , 2021, 29, 13794.	3.4	5
202	Improvement of Strain Measurement Accuracy and Resolution by Dual-Slope-Assisted Chaotic Brillouin Optical Correlation Domain Analysis. <i>Journal of Lightwave Technology</i> , 2021, 39, 3312-3318.	4.6	6
203	Error compensation in Brillouin optical correlation-domain reflectometry by combining bidirectionally measured frequency shift distributions. <i>Applied Physics Express</i> , 2021, 14, 052006.	2.4	4
204	Fast Acquirable Brillouin Optical Time-Domain Reflectometry Based on Bipolar-Chirped Pulse Pair. <i>Journal of Lightwave Technology</i> , 2021, 39, 3941-3949.	4.6	10
205	Coherent Optical Fiber Sensing Based on a Frequency Shifting Loop. <i>Journal of Lightwave Technology</i> , 2021, 39, 4118-4123.	4.6	7
206	Slope-Assisted Brillouin-Based Distributed Fiber-Optic Sensing Techniques. <i>Advanced Devices &amp; Instrumentation</i> , 2021, 2021, .	6.5	3
207	Distributed polymer optical fiber sensors: a review and outlook. <i>Photonics Research</i> , 2021, 9, 1719.	7.0	47
208	Computed tomography for distributed Brillouin sensing. <i>Optics Express</i> , 2021, 29, 35067.	3.4	2
209	Low-cost Brillouin optical correlation-domain reflectometry involving merely one fibre amplifier. <i>Electronics Letters</i> , 2019, 55, 754-756.	1.0	7
210	Comparison of solution approaches for distributed humidity sensing in perfluorinated graded-index polymer optical fibers. , 2019, , .		2
211	Enhancement of Brillouin Scattering Signal in Optical Fibers by Use of Pulsed Pump Light. <i>Applied Physics Express</i> , 2012, 5, 032501.	2.4	8
212	Brillouin optical correlation-domain reflectometry theory using stochastic representation of spontaneous Brillouin scattering light. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020, 37, 2157.	2.1	10
213	Brillouin characterization of slimmed polymer optical fibers for strain sensing with extremely wide dynamic range. <i>Optics Express</i> , 2018, 26, 28030.	3.4	6
214	Enhancing strain dynamic range of slope-assisted BOTDA by manipulating Brillouin gain spectrum shape. <i>Optics Express</i> , 2018, 26, 32599.	3.4	23
215	Analysis of Brillouin dynamic grating localized by intensity-modulated correlation-domain technique for distributed fiber sensing. <i>Optics Express</i> , 2020, 28, 6981.	3.4	14
216	Measurement error induced by the power-frequency delay of the light source in optical correlation-domain distributed Brillouin sensors. <i>Optics Letters</i> , 2018, 43, 5078.	3.3	15
217	Noise suppression technique for distributed Brillouin sensing with polymer optical fibers. <i>Optics Letters</i> , 2019, 44, 2097.	3.3	9

#	ARTICLE	IF	CITATIONS
218	Enhanced stability and sensitivity of slope-assisted Brillouin optical correlation-domain reflectometry using polarization-maintaining fibers. <i>OSA Continuum</i> , 2019, 2, 874.	1.8	3
219	Characterization of cascaded forward Brillouin scattering seeded by backward stimulated Brillouin scattering in optical fibers. <i>IEICE Electronics Express</i> , 2020, 17, 20200139-20200139.	0.8	5
220	Dynamic Strain Measurement with Bandwidth Allocation by Using Random Accessibility of BOCDR. <i>IEICE Transactions on Communications</i> , 2019, E102.B, 1069-1076.	0.7	3
221	Pilot demonstration of correlation-domain distributed temperature sensing using forward Brillouin scattering. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 088002.	1.5	9
222	Two-end-access BOCDR for systematic error compensation. , 2021, , .		0
223	Fast Peak Searching Method for Brillouin Gain Spectrum Using Positive-slope Inflection Point. <i>Journal of Lightwave Technology</i> , 2021, , 1-1.	4.6	2
224	Economic Evaluation of Optical Fiber Composite Low-Voltage Cable Technology Application in China: An Input-Output Analysis. <i>Mathematical Problems in Engineering</i> , 2021, 2021, 1-18.	1.1	0
225	Neural network-assisted signal processing in Brillouin optical correlation-domain sensing for potential high-speed implementation. <i>Optics Express</i> , 2021, 29, 35474.	3.4	10
226	Polarization Beat Length Distribution Measurement in Single-Mode Optical Fibers with Brillouin Optical Correlation-Domain Reflectometry. , 2009, , .		1
227	Stable Entire-Length Measurement of Fiber Strain Distribution by Brillouin Optical Correlation-Domain Reflectometry Based on Polarization Scrambling Scheme. , 2009, , .		0
228	Spatial Resolution Limitation by Rayleigh Scattering-Induced Noise in Brillouin Optical Correlation-Domain Reflectometry. , 2010, , .		1
229	Optimized Polarization State for Self-Heterodyne-Based Brillouin Measurement in Plastic Optical Fibers. , 2013, , .		0
230	Stimulierte Brillouin-Streuung. , 2014, , 283-430.		0
231	Brillouin Light Scattering in Plastic Fibers. , 2014, , .		0
232	Ultra-Sensitive Strain and Temperature Sensing Based on Single-Mode-Multimode-Single-Mode Structure Comprising Perfluorinated Plastic Optical Fibers. , 2014, , .		0
233	Proposal and Experimental Verification of Brillouin Optical Correlation Domain Reflectometry with Lock-in Detection Scheme. , 2015, , .		0
234	Beyond-Nominal-Resolution Distributed Strain Sensing by Slope-Assisted Brillouin Optical Correlation-Domain Reflectometry. , 2016, , .		0
235	Single-End-Access Strain and Temperature Sensing Based on Multimodal Interference in Plastic Optical Fibers. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
236	Principle of Brillouin dynamic grating and its applications in optical fiber sensing. Wuli Xuebao/Acta Physica Sinica, 2017, 66, 075201.	0.5	1
237	Effects of asymmetric frequency modulation in optical correlation-domain distributed Brillouin sensors. , 2018, , .		0
238	Widest-Ever Dynamic Range of Brillouin Strain Sensing Using Slimmed Plastic Optical Fibers. , 2018, , .		0
239	Enhancement of Strain Measurement Dynamic Range in Basic BOCDR System with Background Noise Reduction by Simple Filtering Calculation Scheme. , 2018, , .		1
240	Distributed Brillouin Sensing: Correlation-Domain Techniques. , 2019, , 1781-1811.		0
241	Brillouin Optical Correlation-Domain Reflectometry: State-of-the-Art and Future Challenges. , 2019, , .		0
242	Real-time strain measurement using slope-assisted Brillouin optical correlation-domain analysis with polarization maintaining fiber and its human interactive sound effector application. , 2019, , .		3
243	Prevention of False Peak Detection of Brillouin Gain Spectrum by Using Peak Tracking and Trend Analysis. IEEJ Transactions on Fundamentals and Materials, 2019, 139, 539-544.	0.2	0
244	Simultaneous Strain and Temperature Measurement Based on Chaotic Brillouin Optical Correlation-Domain Analysis in Large-Effective-Area Fibers. Photonic Sensors, 2021, 11, 377-386.	5.0	5
245	Non-Degraded Operation of BOCDR Using Thermally Uncontrolled DFB Laser. , 2021, , .		0
246	Optical Fiber Sensors for Monitoring Railway Infrastructures: A Review towards Smart Concept. Symmetry, 2021, 13, 2251.	2.2	22
247	Spatial resolution of BOCDR based on frequency modulation by arbitrary-shaped waveforms. , 2021, , .		0
248	Fiber-optic temperature sensor based on inline core-cladding-mode Machâ€Zehnder interferometry with dynamically controllable sensing length. Applied Physics Express, 2022, 15, 022002.	2.4	0
249	Brillouin Optical Correlation Domain Analysis Using Orthogonally Polarized Probe Sidebands. Journal of Lightwave Technology, 2022, 40, 894-899.	4.6	5
250	Temperature and strain sensitivities of surface and hybrid acoustic wave Brillouin scattering in optical microfibers. Chinese Physics B, 2022, 31, 094208.	1.4	1
251	Wide-Dynamic-Range Brillouin Optical Correlation-Domain Reflectometry With 20-kHz Sampling Rate. IEEE Sensors Journal, 2022, 22, 6644-6650.	4.7	11
252	Dynamic strain measurement in Brillouin optical correlation-domain sensing facilitated by dimensionality reduction and support vector machine. Optics Express, 2022, 30, 15616.	3.4	7
253	Characterization of Engineering-Suitable Optical Fiber Sensors Packaged with Glass Fiber-Reinforced Polymers. Symmetry, 2022, 14, 973.	2.2	3

#	ARTICLE	IF	CITATIONS
254	Proposal of Polarization Optical Correlation-Domain Reflectometry (POCDR). Journal of Lightwave Technology, 2022, 40, 5708-5715.	4.6	1
255	A Study on Peak Determinations by Analyzing Spectral Intensity Trends for Brillouin Optical Time Domain Reflectometry. IEJ Transactions on Electrical and Electronic Engineering, 2022, 17, 1260-1266.	1.4	1
256	Distributed temperature-strain sensor based on inter-mode Kerr four-wave mixing of PMF: proposal and proof-of-concept. Applied Physics Express, 0, , .	2.4	0
257	Characterization of modal interference in multi-core polymer optical fibers and its application to temperature sensing. Applied Physics Express, 2022, 15, 072002.	2.4	4
258	SBS-based fiber sensors. Semiconductors and Semimetals, 2022, , 1-52.	0.7	1
259	Super-simplified optical correlation-domain reflectometry. Japanese Journal of Applied Physics, 2022, 61, 078005.	1.5	3
260	Measurement Accuracy Evaluation of High-Speed BOCDR with Wide Strain Dynamic Range. , 2022, , .		0
261	Simplest-Ever Configuration of Fiber-Optic Correlation-Domain Reflectometry. , 2022, , .		0
262	Distributed Temperature Sensing Using Gas-filled Conjoined-tube Anti-resonant Fiber. , 2022, , .		0
263	Total spectral power-based method for estimating Brillouin frequency shift in optical fibers. Japanese Journal of Applied Physics, 2023, 62, 018002.	1.5	2
264	Machine learning assisted BOFDA for simultaneous temperature and strain sensing in a standard optical fiber. Optics Express, 2023, 31, 5027.	3.4	6
265	Recent Advances of Brillouin Optical Correlation-Domain Analysis for Enhanced Sensing Accuracy. Journal of Lightwave Technology, 2023, 41, 4176-4186.	4.6	0
266	Large dynamic strain measurement via slope-assisted Brillouin optical time domain reflectometry using a frequency equalizer. Optics Letters, 2023, 48, 1407.	3.3	1
267	Swallow Neural Network-Empowered High-Speed Brillouin Optical Correlation-Domain Reflectometry: Optimization and Real-Time Operation. IEEE Transactions on Instrumentation and Measurement, 2023, 72, 1-12.	4.7	2
268	Proposal of compressed sensing-assisted Brillouin optical correlation-domain reflectometry for effective repetition rate enhancement. Applied Physics Express, 2023, 16, 032005.	2.4	4
269	Influence of reference path length on self-heterodyne-based Brillouin observation. Electronics Letters, 2023, 59, .	1.0	1
270	Machine Learning Approaches in Brillouin Distributed Fiber Optic Sensors. Sensors, 2023, 23, 6187.	3.8	3
271	Learning-based Analysis of Speckle Patterns for Distributed Optical Fiber Sensing. , 2023, , .		0



#	ARTICLE	IF	CITATIONS
272	Distribution and Quasi-Simultaneous Measurement of Room-Temperature, High-Temperature, and Low-Temperature Sections Using a Single Optical Fiber with BOCDR. IEEJ Transactions on Sensors and Micromachines, 2023, 143, 246-250.	0.1	0
273	Study of backward Brillouin scattering in gas-filled anti-resonant fibers. APL Photonics, 2023, 8, .	5.7	3
274	Guideline for improving spatial resolution in direct-modulation Brillouin optical correlation-domain reflectometry. Japanese Journal of Applied Physics, 2023, 62, 088001.	1.5	1
275	åÿ°ä°Žåšè° fâ^râ;â;f éç'çŽ±çš,,â_f é±Eæ;Šå...%ç;â...³åÿÿââ°,æŠ€æœ±. Zhongguo Jiguang/Chinese Journal of Lasers, 2023, 50, 1306005		
276	Fiber-optic temperature probe based on low-coherence Brillouin optical correlation-domain reflectometry. Optical Fiber Technology, 2023, 81, 103435.	2.7	2
277	Systematic-error suppression in low-coherence Brillouin optical correlation-domain reflectometry. Scientific Reports, 2023, 13, .	3.3	1
278	Proof-of-concept demonstration of double-slope-assisted Brillouin optical correlation-domain reflectometry. Japanese Journal of Applied Physics, 2023, 62, 108005.	1.5	1
279	High-Spatial-Resolution Dynamic Strain Measurement Based on Brillouin Optical Correlation-Domain Sensors. Photonics, 2023, 10, 1255.	2.0	0
280	Simplified setup for Brillouin scattering observation using variable reflectivity mirror and its polarisation characteristics. Electronics Letters, 2023, 59, .	1.0	0
281	Modified Expression for Spatial Resolution in Optical Correlation-Domain Reflectometry. IEEE Transactions on Instrumentation and Measurement, 2024, 73, 1-11.	4.7	1
282	Brillouin Distributed Optical Fiber Sensing Based on Disordered Signals. Progress in Optical Science and Photonics, 2024, , 219-248.	0.5	0
283	Chaos Brillouin Distributed Optical Fiber Sensing. Progress in Optical Science and Photonics, 2024, , 147-217.	0.5	0
285	Rayleigh-based accurate estimation of modulation amplitude in Brillouin optical correlation-domain reflectometry. , 2023, , .		0
286	Strain and temperature dependences of Brillouin frequency shift in ZBLAN fiber. , 2023, , .		0
287	Comprehensive evaluation of spatial resolution in Brillouin optical correlation-domain reflectometry. , 2023, , .		0
288	Proposal of Second Harmonic Detection Method in Brillouin Optical Correlation Domain Reflectometry. , 2023, , .		0
289	Investigation of guidelines for improving spatial resolution in direct-modulation BOCDR. , 2023, , .		0
290	Effect of light source linewidth on spectral broadening in external-modulation BOCDR. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
291	Fiber-optic temperature sensing probe using low-coherence light source. , 2023, , .		0
292	Development of Low-Cost SDH-BOTDR using Directly Modulated Laser. , 2023, , .		0
293	Extension of measurement range in OCDR based on double-modulation scheme. , 2023, , .		0
294	High-resolution low-coherence Brillouin optical correlation-domain reflectometry with suppressed systematic error. , 2023, , .		0
295	Fiber-tip temperature sensing probe based on standard Brillouin optical correlation-domain reflectometry with sinusoidal modulation. Japanese Journal of Applied Physics, 2024, 63, 020907.	1.5	0