

CITATION REPORT

List of articles citing

A rapid bootstrap algorithm for the RAxML Web servers

DOI: 10.1080/10635150802429642
Systematic Biology, 2008, 57, 758-71.

Source: <https://exaly.com/paper-pdf/44074181/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2244	XLII. Descriptions of new Reptiles and Batrachians obtained by Mr. H. O. Forbes in New Guinea. 1888 , 1, 343-346		3
2243	The skink <i>Mabuya ivensii</i> : new records from Zambia and Zaire, and the status of the subspecies <i>septemlineata</i> Laurent 1964 and the genus <i>Lubuya</i> Horton 1972. 1993 , 14, 105-115		3
2242	Evolution of the gene network underlying wing polyphenism in ants. 2002 , 297, 249-52		321
2241	Phylogenetic relationships among zooxanthellae (<i>Symbiodinium</i>) associated to excavating sponges (<i>Cliona</i> spp.) reveal an unexpected lineage in the Caribbean. 2008 , 49, 554-60		31
2240	ITS2 data corroborate a monophyletic chlorophycean DO-group (<i>Sphaeropleales</i>). 2008 , 8, 218		53
2239	The <i>Caenorhabditis</i> globin gene family reveals extensive nematode-specific radiation and diversification. 2008 , 8, 279		28
2238	Biodiversity of the genus <i>Cladophialophora</i> . 2008 , 61, 175-91		142
2237	Evolution of CDC42, a putative virulence factor triggering meristematic growth in black yeasts. 2008 , 61, 121-9		4
2236	Molecular systematics of the three mitochondrial protein-coding genes of malaria parasites: corroborative and new evidence for the origins of human malaria. 2008 , 19, 471-8		26
2235	A diversity of uncharacterized reverse transcriptases in bacteria. 2008 , 36, 7219-29		71
2234	The ant genus <i>Stenamma</i> Westwood (Hymenoptera: Formicidae) redefined, with a description of a new genus <i>Propodilobus</i> . 2009 , 2221, 41-57		10
2233	Phylogenetic relationships, taxonomy, and morphological evolution in Dipsacaceae (Dipsacales) inferred by DNA sequence data. 2009 , 58, 1075-1091		36
2232	The impact of outgroup choice and missing data on major seed plant phylogenetics using genome-wide EST data. 2009 , 4, e5764		38
2231	Evolutionary insights from a genetically divergent hantavirus harbored by the European common mole (<i>Talpa europaea</i>). 2009 , 4, e6149		91
2230	Molecular phylogeny, classification, and biogeography of West Indian racer snakes of the Tribe <i>Alsophiini</i> (Squamata, Dipsadidae, Xenodontinae). 2009 , 2067, 1-28		27
2229	Load Balance in the Phylogenetic Likelihood Kernel. 2009 ,		9
2228	' <i>Candidatus</i> <i>Planktophilia limnetica</i> ', an actinobacterium representing one of the most numerically important taxa in freshwater bacterioplankton. 2009 , 59, 2864-9		53

2227	Neocampanella, a new corticioid fungal genus, and a note on <i>Dendrothele bispora</i> . 2009 , 87, 875-882	7
2226	Large-scale sequence analysis of M gene of influenza A viruses from different species: mechanisms for emergence and spread of amantadine resistance. 2009 , 53, 4457-63	72
2225	Pathway evolution by horizontal transfer and positive selection is accommodated by relaxed negative selection upon upstream pathway genes in purple bacterial carotenoid biosynthesis. 2009 , 191, 7500-8	15
2224	Conflicting mitochondrial and nuclear phylogenies for the widely disjunct <i>Emys</i> (Testudines: Emydidae) species complex, and what they tell us about biogeography and hybridization. <i>Systematic Biology</i> , 2009 , 58, 1-20	8.4 91
2223	Genetic evidence that an endosymbiont-derived endoplasmic reticulum-associated protein degradation (ERAD) system functions in import of apicoplast proteins. 2009 , 284, 33683-91	145
2222	Emended description of the genus <i>Polynucleobacter</i> and the species <i>Polynucleobacter necessarius</i> and proposal of two subspecies, <i>P. necessarius</i> subsp. <i>necessarius</i> subsp. nov. and <i>P. necessarius</i> subsp. <i>asymbioticus</i> subsp. nov. 2009 , 59, 2002-9	74
2221	Morphology, molecular characterisation and systematic position of <i>Hemiplectus muscorum</i> Zell, 1991 (Nematoda: Plectida). 2009 , 11, 719-737	2
2220	Characterization of Imjin virus, a newly isolated hantavirus from the Ussuri white-toothed shrew (<i>Crocidura lasiura</i>). 2009 , 83, 6184-91	90
2219	Molecular characterization of the plant virus genus <i>Ourmiavirus</i> and evidence of inter-kingdom reassortment of viral genome segments as its possible route of origin. 2009 , 90, 2525-2535	87
2218	The ESCRT-related CHMP1A and B proteins mediate multivesicular body sorting of auxin carriers in <i>Arabidopsis</i> and are required for plant development. 2009 , 21, 749-66	165
2217	Complete genome sequence of <i>Capnocytophaga ochracea</i> type strain (VPI 2845). 2009 , 1, 101-9	12
2216	Molecular epidemiology of HIV-1 in St Petersburg, Russia: predominance of subtype A, former Soviet Union variant, and identification of intrasubtype subclusters. 2009 , 51, 332-9	30
2215	In-depth analysis of the origins of HIV type 1 subtype C in South America. 2009 , 25, 951-9	12
2214	The complete plastid genome sequence of the secondarily nonphotosynthetic alga <i>Cryptomonas paramecium</i> : reduction, compaction, and accelerated evolutionary rate. 2009 , 1, 439-48	49
2213	Concatenated analysis sheds light on early metazoan evolution and fuels a modern "urmetazoon" hypothesis. 2009 , 7, e20	208
2212	Phylogenomics of unusual histone H2A Variants in Bdelloid rotifers. 2009 , 5, e1000401	19
2211	Distribution and phylogeny of light-oxygen-voltage-blue-light-signaling proteins in the three kingdoms of life. 2009 , 191, 7234-42	79
2210	Testing species-level diversification hypotheses in Madagascar: the case of microendemic <i>Brookesia</i> leaf chameleons. <i>Systematic Biology</i> , 2009 , 58, 641-56	8.4 61

2209	High ratio of bacteriochlorophyll biosynthesis genes to chlorophyll biosynthesis genes in bacteria of humic lakes. 2009 , 75, 7221-8	18
2208	Unexpected dynamic gene family evolution in algal actins. 2009 , 26, 249-53	7
2207	Positive selection in AvrP4 avirulence gene homologues across the genus <i>Melampsora</i> . 2009 , 276, 2913-22	26
2206	Old fossils-young species: evolutionary history of an endemic gastropod assemblage in Lake Malawi. 2009 , 276, 2837-46	55
2205	Nymphalid butterflies diversify following near demise at the Cretaceous/Tertiary boundary. 2009 , 276, 4295-302	294
2204	Gourds afloat: a dated phylogeny reveals an Asian origin of the gourd family (Cucurbitaceae) and numerous oversea dispersal events. 2009 , 276, 843-51	205
2203	Evidence of CD8+ T-cell-mediated selective pressure on human immunodeficiency virus type 1 nef in HLA-B*57+ elite suppressors. 2009 , 83, 88-97	52
2202	The decay of the chromosomally encoded ccdO157 toxin-antitoxin system in the <i>Escherichia coli</i> species. 2009 , 181, 1557-66	37
2201	<i>Cystobasidiopsis nirenbergiae</i> , a new agaricostilbomycete (Pucciniomycotina). 2009 , 113, 960-6	8
2200	Monophyly of the ring-forming group in Diplopoda (Myriapoda, Arthropoda) based on SSU and LSU ribosomal RNA sequences. 2009 , 19, 1297-1303	8
2199	Molecular detection and phylogenetic analysis of the catechol 1,2-dioxygenase gene from <i>Gordonia</i> spp. 2009 , 32, 291-300	26
2198	Cyanobacterial contribution to the genomes of the plastid-lacking protists. 2009 , 9, 197	34
2197	FGFRL1 is a neglected putative actor of the FGF signalling pathway present in all major metazoan phyla. 2009 , 9, 226	18
2196	An EST screen from the annelid <i>Pomatoceros lamarckii</i> reveals patterns of gene loss and gain in animals. 2009 , 9, 240	34
2195	The genome sequence of the protostome <i>Daphnia pulex</i> encodes respective orthologues of a neurotrophin, a Trk and a p75NTR: evolution of neurotrophin signaling components and related proteins in the bilateria. 2009 , 9, 243	17
2194	Assessing what is needed to resolve a molecular phylogeny: simulations and empirical data from emydid turtles. 2009 , 9, 56	41
2193	Mitochondrial genome sequence and gene order of <i>Sipunculus nudus</i> give additional support for an inclusion of Sipuncula into Annelida. 2009 , 10, 27	49
2192	Phylogeny and mitochondrial gene order variation in Lophotrochozoa in the light of new mitogenomic data from Nemertea. 2009 , 10, 364	42

2191	Host switch during evolution of a genetically distinct hantavirus in the American shrew mole (<i>Neurotrichus gibbsii</i>). 2009 , 388, 8-14	65
2190	<i>Chlamydomonas</i> CAV2 encodes a voltage- dependent calcium channel required for the flagellar waveform conversion. 2009 , 19, 133-9	78
2189	Cloning and spatiotemporal expression of zebrafish neuronal nicotinic acetylcholine receptor alpha 6 and alpha 4 subunit RNAs. 2009 , 238, 980-92	28
2188	DNA variation within Juncaceae: comparison of impact of organelle regions on phylogeny. 2009 , 278, 169-186	11
2187	Detection of <i>Batrachochytrium dendrobatidis</i> in endemic salamander species from central Texas. 2009 , 6, 20-6	21
2186	Wild bird's-eye view of influenza virus A(H1N1) phylogenetic evolution. 2009 , 6, 346-50	2
2185	The relative ages of ectomycorrhizal mushrooms and their plant hosts estimated using Bayesian relaxed molecular clock analyses. 2009 , 7, 13	124
2184	Increasing phylogenetic resolution at low taxonomic levels using massively parallel sequencing of chloroplast genomes. 2009 , 7, 84	372
2183	The evolution of novel fungal genes from non-retroviral RNA viruses. 2009 , 7, 88	83
2182	From Africa via Europe to South America: migrational route of a species-rich genus of Neotropical lowland rain forest trees (<i>Guatteria</i> , Annonaceae). 2009 , 36, 2338-2352	58
2181	Explosive evolution of an ancient group of Cyphophthalmi (Arachnida: Opiliones) in the Balkan Peninsula. 2009 , 37, 90-102	26
2180	Out of the Andes: patterns of diversification in clearwing butterflies. 2009 , 18, 1716-29	116
2179	Phylogeographic and demographic effects of Pleistocene climatic fluctuations in a montane salamander, <i>Plethodon fourchensis</i> . 2009 , 18, 2243-62	72
2178	Phylogeography and ecological niche modelling implicate coastal refugia and trans-alpine dispersal of a New Zealand fungus beetle. 2009 , 18, 5126-42	53
2177	Comparative genomic and phylogeographic analysis of <i>Mycobacterium leprae</i> . 2009 , 41, 1282-9	293
2176	The RAB family GTPase Rab1A from <i>Plasmodium falciparum</i> defines a unique paralog shared by chromalveolates and rhizaria. 2009 , 56, 348-56	22
2175	The distribution of Elongation Factor-1 Alpha (EF-1alpha), Elongation Factor-Like (EFL), and a non-canonical genetic code in the ulvophyceae: discrete genetic characters support a consistent phylogenetic framework. 2009 , 56, 367-72	20
2174	Morphological and molecular characterization of a new protist family, Sandmanniellidae n. fam. (Ciliophora, Colpodea), with description of <i>Sandmanniella terricola</i> n. g., n. sp. from the Chobe floodplain in Botswana. 2009 , 56, 472-83	12

2173	A global phylogeny of apple snails: Gondwanan origin, generic relationships, and the influence of outgroup choice (Caenogastropoda: Ampullariidae). 2009 , 98, 61-76	71
2172	Higher and lower-level relationships of the deep-sea fish order Alepocephaliformes (Teleostei: Otocephala) inferred from whole mitogenome sequences. 2009 , 98, 923-936	23
2171	Molecular phylogeny of the Cobitoidea (Teleostei: Cypriniformes) revisited: position of enigmatic loach <i>Ellopostoma</i> resolved with six nuclear genes. 2009 , 75, 2197-208	29
2170	Unringing a bell: metazoan phylogenomics and the partition bootstrap. 2010 , 26, 444-452	36
2169	A sex-linked SCAR marker in <i>Bryonia dioica</i> (Cucurbitaceae), a dioecious species with XY sex-determination and homomorphic sex chromosomes. 2009 , 22, 214-24	17
2168	Ascomycetes associated with ectomycorrhizas: molecular diversity and ecology with particular reference to the Helotiales. 2009 , 11, 3166-78	116
2167	The genome and structural proteome of an ocean siphovirus: a new window into the cyanobacterial 'mobilome'. 2009 , 11, 2935-51	97
2166	Eyespot evolution: phylogenetic insights from <i>Junonia</i> and related butterfly genera (Nymphalidae: Junoniini). 2009 , 11, 489-97	49
2165	' <i>Glomus intraradices</i> DAOM197198', a model fungus in arbuscular mycorrhiza research, is not <i>Glomus intraradices</i> . 2009 , 183, 1176-1187	215
2164	Phylogenetic relationships among iguanian lizards using alternative partitioning methods and TSHZ1: a new phylogenetic marker for reptiles. 2009 , 50, 391-6	15
2163	Reconstructing the phylogenetic relationships of the earth's most diverse clade of freshwater fishes--order Cypriniformes (Actinopterygii: Ostariophysi): a case study using multiple nuclear loci and the mitochondrial genome. 2009 , 51, 500-14	115
2162	Molecular systematics of the Cyprinoidea (Teleostei: Cypriniformes), the world's largest clade of freshwater fishes: further evidence from six nuclear genes. 2009 , 52, 544-9	71
2161	Plastid and nuclear DNA markers reveal intricate relationships at subfamilial and tribal levels in the soapberry family (Sapindaceae). 2009 , 51, 238-58	108
2160	The first comprehensive molecular phylogeny of Bryozoa (Ectoprocta) based on combined analyses of nuclear and mitochondrial genes. 2009 , 52, 225-33	62
2159	Sandokanid phylogeny based on eight molecular markers--the evolution of a southeast Asian endemic family of Laniatores (Arachnida, Opiliones). 2009 , 52, 432-47	41
2158	Interrelationships of chromalveolates within a broadly sampled tree of photosynthetic protists. 2009 , 53, 202-11	30
2157	Looks can deceive: molecular phylogeny of a family of flatworm ectoparasites (Monogenea: Capsalidae) does not reflect current morphological classification. 2009 , 52, 705-14	56
2156	Molecular phylogeny of the assassin bugs (Hemiptera: Reduviidae), based on mitochondrial and nuclear ribosomal genes. 2009 , 53, 287-99	106

2155	Paraphyly of <i>Cinclodes fuscus</i> (Aves: Passeriformes: Furnariidae): implications for taxonomy and biogeography. 2009 , 53, 547-55	23
2154	New insights to the molecular phylogenetics and generic assessment in the Rhacophoridae (Amphibia: Anura) based on five nuclear and three mitochondrial genes, with comments on the evolution of reproduction. 2009 , 53, 509-22	60
2153	Simultaneous alignment and folding of 28S rRNA sequences uncovers phylogenetic signal in structure variation. 2009 , 53, 758-71	14
2152	A 454 sequencing approach for large scale phylogenomic analysis of the common emperor scorpion (<i>Pandinus imperator</i>). 2009 , 53, 826-34	74
2151	Evolution of drug resistance in multiple distinct lineages of H5N1 avian influenza. 2009 , 9, 169-78	41
2150	Divergence date estimation and a comprehensive molecular tree of extant cetaceans. 2009 , 53, 891-906	293
2149	Phylogeny of rock-inhabiting fungi related to Dothideomycetes. 2009 , 64, 123-133S7	154
2148	A Phylogeny and Revised Circumscription for <i>Kairoa</i> (Monimiaceae), with the Description of a New Species from Papua New Guinea. 2009 , 14, 71-81	2
2147	A polyphasic approach to the taxonomy of the <i>Alternaria infectoria</i> species-group. 2009 , 46, 642-56	66
2146	Molecular systematics and evolution of the recently discovered "Parnassian" butterfly (<i>Parnassius davydovi</i> Churkin, 2006) and its allied species (Lepidoptera, Papilionidae). 2009 , 441, 80-8	12
2145	Chronology of the extant African elephant species and case study of the species identification of the small African elephant with the molecular phylogenetic method. 2009 , 441, 176-86	7
2144	The RJL family of small GTPases is an ancient eukaryotic invention probably functionally associated with the flagellar apparatus. 2009 , 442, 63-72	24
2143	Recent relaxation of purifying selection on the tandem-repetitive early-stage histone H3 gene in brooding sea stars. 2009 , 2, 113-8	6
2142	The phylogenetic position of <i>Thermophis</i> (Serpentes: Colubridae), an endemic snake from the Qinghai-Xizang Plateau, China. 2009 , 43, 479-488	9
2141	How Many Bootstrap Replicates Are Necessary?. 2009 , 184-200	216
2140	Tracing the HIV-1 subtype B mobility in Europe: a phylogeographic approach. 2009 , 6, 49	94
2139	Panorama phylogenetic diversity and distribution of type A influenza viruses based on their six internal gene sequences. 2009 , 6, 137	22
2138	Genetic diversity and phylogeography of Seewis virus in the Eurasian common shrew in Finland and Hungary. 2009 , 6, 208	39

2137	Evolution of the M gene of the influenza A virus in different host species: large-scale sequence analysis. 2009 , 6, 67	89
2136	Chapter 6. Phylogenetic Relationships of Harpyionycterine Megabats (Chiroptera: Pteropodidae). 2009 , 331, 183-204	3
2135	A Case Study of the Molecular Genetical Diagnosis of a Small African Elephant (<i>Loxodontasp.</i>) <i>Nana</i> Kept at Asahiyama Zoo. 2009 , 34, 171-177	1
2134	DNA phylogeny reveals polyphyly of <i>Phoma</i> section <i>Peyronellaea</i> and multiple taxonomic novelties. 2009 , 101, 363-82	144
2133	Microbial Ecology of Fe (hydr)oxide Mats and Basaltic Rock from Vailulu'u Seamount, American Samoa. 2009 , 26, 581-596	55
2132	Evolution of the unique freshwater cave-dwelling tube worm <i>Marifugia cavatica</i> (Annelida: Serpulidae). 2009 , 7, 389-401	30
2131	Plant DNA barcodes and a community phylogeny of a tropical forest dynamics plot in Panama. 2009 , 106, 18621-6	476
2130	The first complete mitochondrial genome sequences of <i>Amblypygi</i> (Chelicerata: Arachnida) reveal conservation of the ancestral arthropod gene order. 2009 , 52, 456-66	13
2129	Probing marine <i>Gammarus</i> (Amphipoda) taxonomy with DNA barcodes. 2009 , 7, 365-379	84
2128	Multi-locus phylogeny of Pleosporales: a taxonomic, ecological and evolutionary re-evaluation. 2009 , 64, 85-102S5	221
2127	The molecular phylogeny of freshwater Dothideomycetes. 2009 , 64, 145-153S4	96
2126	Phylogenetic lineages in the Capnodiales. 2009 , 64, 17-47S7	246
2125	Molecular characterization of the Calvin cycle enzyme phosphoribulokinase in the stramenopile alga <i>Vaucheria litorea</i> and the plastid hosting mollusc <i>Elysia chlorotica</i> . 2009 , 2, 1384-96	27
2124	A molecular phylogenetic reappraisal of the Hysteriaceae, Mytiliniaceae and Gloniaceae (Pleosporomycetidae, Dothideomycetes) with keys to world species. 2009 , 64, 49-83S3	76
2123	Comprehensive phylogeny of the family Sparidae (Perciformes: Teleostei) inferred from mitochondrial gene analyses. 2009 , 84, 153-70	50
2122	Molecular Phylogeny of the Family Callianassidae Based on Preliminary Analyses of Two Mitochondrial Genes. 2009 , 327-342	19
2121	Using the Multiple Analysis Approach to Reconstruct Phylogenetic Relationships among Planktonic Foraminifera from Highly Divergent and Length-polymorphic SSU rDNA Sequences. 2009 , 3, 155-77	25
2120	Complete genome sequence of <i>Halorhabdus utahensis</i> type strain (AX-2). 2009 , 1, 218-25	21

2119	Unravelling Mycosphaerella: do you believe in genera?. 2009 , 23, 99-118	134
2118	Complete genome sequence of Beutenbergia cavernae type strain (HKI 0122). 2009 , 1, 21-8	11
2117	Complete genome sequence of Cryptobacterium curtum type strain (12-3). 2009 , 1, 93-100	13
2116	Complete genome sequence of Desulfomicrobium baculatum type strain (X). 2009 , 1, 29-37	30
2115	Complete genome sequence of Acidimicrobium ferrooxidans type strain (ICP). 2009 , 1, 38-45	27
2114	Complete genome sequence of Sanguibacter keddiei type strain (ST-74). 2009 , 1, 110-8	10
2113	Complete genome sequence of Catenulispora acidiphila type strain (ID 139908). 2009 , 1, 119-25	19
2112	Complete genome sequence of Leptotrichia buccalis type strain (C-1013-b). 2009 , 1, 126-32	17
2111	Complete genome sequence of Saccharomonospora viridis type strain (P101). 2009 , 1, 141-9	21
2110	Complete genome sequence of Actinosynnema mirum type strain (101). 2009 , 1, 46-53	32
2109	Complete genome sequence of Pedobacter heparinus type strain (HIM 762-3). 2009 , 1, 54-62	19
2108	Complete genome sequence of Halogeometricum borinquense type strain (PR3). 2009 , 1, 150-9	22
2107	Complete genome sequence of Anaerococcus prevotii type strain (PC1). 2009 , 1, 159-65	18
2106	Complete genome sequence of Atopobium parvulum type strain (IPP 1246). 2009 , 1, 166-73	21
2105	Complete genome sequence of Eggerthella lenta type strain (IPP VPI 0255). 2009 , 1, 174-82	31
2104	Complete genome sequence of Kangiella koreensis type strain (SW-125). 2009 , 1, 226-33	10
2103	Complete genome sequence of Jonesia denitrificans type strain (Prevot 55134). 2009 , 1, 262-9	10
2102	Complete genome sequence of Rhodothermus marinus type strain (R-10). 2009 , 1, 283-90	20

2101	Complete genome sequence of <i>Streptobacillus moniliformis</i> type strain (9901). 2009 , 1, 300-7	16
2100	Complete genome sequence of <i>Brachybacterium faecium</i> type strain (Schefferle 6-10). 2009 , 1, 3-11	19
2099	Complete genome sequence of <i>Pirellula staleyi</i> type strain (ATCC 27377). 2009 , 1, 308-16	26
2098	Complete genome sequence of <i>Kytococcus sedentarius</i> type strain (541). 2009 , 1, 12-20	94
2097	Complete genome sequence of <i>Thermanaerovibrio acidaminovorans</i> type strain (Su883). 2009 , 1, 254-61	19
2096	Complete genome sequence of <i>Slackia heliotrinireducens</i> type strain (RHS 1). 2009 , 1, 234-41	16
2095	Complete genome sequence of <i>Desulfotomaculum acetoxidans</i> type strain (5575). 2009 , 1, 242-53	33
2094	Complete genome sequence of <i>Stackebrandtia nassauensis</i> type strain (LLR-40K-21). 2009 , 1, 234-41	16
2093	Salisapiliaceae - a new family of oomycetes from marsh grass litter of southeastern North America. 2010 , 25, 109-16	43
2092	Complete genome sequence of <i>Planctomyces limnophilus</i> type strain (M290). 2010 , 3, 47-56	28
2091	Permanent draft genome sequence of <i>Dethiosulfovibrio peptidovorans</i> type strain (SEBR 4207). 2010 , 3, 85-92	8
2090	Complete genome sequence of <i>Ferrimonas balearica</i> type strain (PAT). 2010 , 3, 174-82	9
2089	Non-contiguous finished genome sequence of <i>Aminomonas paucivorans</i> type strain (GLU-3). 2010 , 3, 285-93	8
2088	Complete genome sequence of <i>Ilyobacter polytropus</i> type strain (CuHbu1). 2010 , 3, 304-14	7
2087	Complete genome sequence of <i>Nocardiopsis dassonvillei</i> type strain (IMRU 509). 2010 , 3, 325-36	27
2086	Complete genome sequence of <i>Veillonella parvula</i> type strain (Te3). 2010 , 2, 57-65	29
2085	Complete genome sequence of <i>Kribbella flavida</i> type strain (IFO 14399). 2010 , 2, 186-93	10
2084	Complete genome sequence of <i>Conexibacter woesei</i> type strain (ID131577). 2010 , 2, 212-9	15

2083	Complete genome sequence of <i>Thermocrinis albus</i> type strain (HI 11/12). 2010 , 2, 194-202	14
2082	Complete genome sequence of <i>Meiothermus silvanus</i> type strain (VI-R2). 2010 , 3, 37-46	16
2081	Complete genome sequence of <i>Olsenella uli</i> type strain (VPI D76D-27C). 2010 , 3, 76-84	27
2080	<i>Ophiostoma</i> spp. associated with pine- and spruce-infesting bark beetles in Finland and Russia. 2010 , 25, 72-93	49
2079	Complete genome sequence of <i>Acidaminococcus fermentans</i> type strain (VR4). 2010 , 3, 1-14	19
2078	Complete genome sequence of <i>Meiothermus ruber</i> type strain (21). 2010 , 3, 26-36	28
2077	Complete genome sequence of <i>Acetohalobium arabaticum</i> type strain (Z-7288). 2010 , 3, 57-65	16
2076	Complete genome sequence of <i>Ignisphaera aggregans</i> type strain (AQ1.S1). 2010 , 3, 66-75	13
2075	Complete genome sequence of <i>Vulcanisaeta distributa</i> type strain (IC-017). 2010 , 3, 117-25	8
2074	Complete genome sequence of <i>Arcanobacterium haemolyticum</i> type strain (11018). 2010 , 3, 126-35	7
2073	Complete genome sequence of <i>Thermosediminibacter oceani</i> type strain (JW/IW-1228P). 2010 , 3, 108-16	10
2072	Complete genome sequence of <i>Spirochaeta smaragdinae</i> type strain (SEBR 4228). 2010 , 3, 136-44	15
2071	Complete genome sequence of 'Thermobaculum terrenum' type strain (YNP1). 2010 , 3, 153-62	9
2070	Complete genome sequence of <i>Syntrophothermus lipocalidus</i> type strain (TGB-C1). 2010 , 3, 268-75	10
2069	Complete genome sequence of <i>Desulfarculus baarsii</i> type strain (2st14). 2010 , 3, 276-84	27
2068	Complete genome sequence of <i>Intrasporangium calvum</i> type strain (7 KIP). 2010 , 3, 294-303	4
2067	Complete genome sequence of <i>Methanothermus fervidus</i> type strain (V24S). 2010 , 3, 315-24	14
2066	Complete genome sequence of <i>Thermaerobacter marianensis</i> type strain (7p75a). 2010 , 3, 337-45	7

2065	Complete genome sequence of <i>Xylanimonas cellulositytica</i> type strain (XIL07). 2010 , 2, 1-8	8
2064	Complete genome sequence of <i>Alicyclobacillus acidocaldarius</i> type strain (104-IA). 2010 , 2, 9-18	20
2063	Complete genome sequence of <i>Sphaerobacter thermophilus</i> type strain (S 6022). 2010 , 2, 49-56	20
2062	Complete genome sequence of <i>Streptosporangium roseum</i> type strain (NI 9100). 2010 , 2, 29-37	25
2061	Complete genome sequence of <i>Chitinophaga pinensis</i> type strain (UQM 2034). 2010 , 2, 87-95	57
2060	Complete genome sequence of <i>Sulfurospirillum deleyianum</i> type strain (5175). 2010 , 2, 149-57	24
2059	Complete genome sequence of <i>Haloterrigena turkmenica</i> type strain (4k). 2010 , 2, 107-16	28
2058	Complete genome sequence of <i>Haliangium ochraceum</i> type strain (SMP-2). 2010 , 2, 96-106	53
2057	Complete genome sequence of <i>Geodermatophilus obscurus</i> type strain (G-20). 2010 , 2, 158-67	49
2056	Complete genome sequence of <i>Nakamurella multipartita</i> type strain (Y-104). 2010 , 2, 168-75	28
2055	Complete genome sequence of <i>Spirosoma linguale</i> type strain (1). 2010 , 2, 176-85	35
2054	Complete genome sequence of <i>Segniliparus rotundus</i> type strain (CDC 1076). 2010 , 2, 203-11	9
2053	Complete genome sequence of <i>Sebaldella termitidis</i> type strain (NCTC 11300). 2010 , 2, 220-7	16
2052	Complete genome sequence of <i>Thermosphaera aggregans</i> type strain (M11TL). 2010 , 2, 245-59	12
2051	Complete genome sequence of <i>Brachyspira murdochii</i> type strain (56-150). 2010 , 2, 260-9	18
2050	Complete genome sequence of <i>Aminobacterium colombiense</i> type strain (ALA-1). 2010 , 2, 280-9	27
2049	Complete genome sequence of <i>Arcobacter nitrofigilis</i> type strain (CI). 2010 , 2, 300-8	32
2048	Complete genome sequence of <i>Coralimargarita akajimensis</i> type strain (04OKA010-24). 2010 , 2, 290-9	18

2047	Complete genome sequence of <i>Thermobispora bispora</i> type strain (R51). 2010 , 2, 318-26	18
2046	Molecular Phylogenetic and Morphological Evidence Supports Recognition of <i>Gereaua</i> , a New Endemic Genus of Sapindaceae from Madagascar. 2010 , 35, 172-180	13
2045	Complete genome sequence of <i>Desulfohalobium retbaense</i> type strain (HR(100)). 2010 , 2, 38-48	17
2044	Complete genome sequence of <i>Archaeoglobus profundus</i> type strain (AV18). 2010 , 2, 327-46	20
2043	A supermatrix-based molecular phylogeny of the family Drosophilidae. 2010 , 92, 25-38	99
2042	Complete genome sequence of <i>Denitrovibrio acetiphilus</i> type strain (N2460). 2010 , 2, 270-9	11
2041	Microbial Ecology of Activated Sludge. 2010 , 9,	76
2040	<i>Verrucostoma</i> , a new genus in the bionectriaceae from the Bonin Islands, Japan. 2010 , 102, 418-29	17
2039	Phylogenetic Search Algorithms for Maximum Likelihood. 2010 , 547-577	3
2038	Hypotheses from mitochondrial DNA: congruence and conflict between DNA sequences and morphology in Dolichopodinae systematics (Diptera:Dolichopodidae). 2010 , 24, 32	10
2037	Patterns of habitat affinity and Austral/Holarctic parallelism in dictynoid spiders (Araneae:Entelegynae). 2010 , 24, 238	14
2036	Phylogenetic placement of a new hoplonemertean species commensal on ascidians. 2010 , 24, 616	17
2035	Complete genome sequence of <i>Gordonia bronchialis</i> type strain (3410). 2010 , 2, 19-28	19
2034	Orchestrating the Phylogenetic Likelihood Function on Emerging Parallel Architectures. 2010 , 85-115	5
2033	Seewis virus: phylogeography of a shrew-borne hantavirus in Siberia, Russia. 2010 , 10, 585-91	40
2032	Amylocorticiales ord. nov. and Jaapiales ord. nov.: early diverging clades of agaricomycetidae dominated by corticioid forms. 2010 , 102, 865-80	131
2031	Phylogeny, evolution, and systematics of the <i>Galea musteloides</i> complex (Rodentia: Caviidae). 2010 , 91, 243-259	25
2030	Phylogeny and taxonomy of <i>Aspicilia</i> and Megasporaceae. 2010 , 102, 1339-49	43

2029	Are there true cosmopolitan sipunculan worms? A genetic variation study within <i>Phascolosoma perlucens</i> (Sipuncula, Phascolosomatidae). 2010 , 157, 1417-1431	30
2028	Actin gene family dynamics in cryptomonads and red algae. 2010 , 71, 169-79	4
2027	Relationship between soil properties and patterns of bacterial beta-diversity across reclaimed and natural boreal forest soils. 2010 , 59, 563-73	72
2026	Comparative genomic analysis of mammalian NKG2D ligand family genes provides insights into their origin and evolution. 2010 , 62, 441-50	19
2025	Molecular and genetic characterization of novel S-RNases from a natural population of <i>Nicotiana glauca</i> . 2010 , 29, 735-46	11
2024	Auxin-related gene families in abiotic stress response in <i>Sorghum bicolor</i> . 2010 , 10, 533-46	184
2023	Mycoparasitism between <i>Squamanita paradoxa</i> and <i>Cystoderma amianthinum</i> (Cystodermateae, Agaricales). 2010 , 51, 456-461	15
2022	Bacterial community diversity in paper mills processing recycled paper. 2010 , 37, 1061-9	12
2021	<i>Ogataea cecidiorum</i> sp. nov., a methanol-assimilating yeast isolated from galls on willow leaves. 2010 , 98, 93-101	19
2020	Phylogenies from genetic and morphological characters do not support a revision of Gigasporaceae (Glomeromycota) into four families and five genera. 2010 , 20, 483-96	36
2019	Mycorrhizal specificity, preference, and plasticity of six slipper orchids from South Western China. 2010 , 20, 559-68	31
2018	Phylogeny, molecular ecology and taxonomy of southern Iberian lineages of <i>Triops mauritanicus</i> (Crustacea: Notostraca). 2010 , 10, 409-440	38
2017	Establishing species and species boundaries in <i>Sabellastarte</i> Krøyer, 1856 (Annelida: Sabellidae): an integrative approach. 2010 , 10, 351-371	18
2016	<i>Lactarius volemus</i> sensu lato (Russulales) from northern Thailand: morphological and phylogenetic species concepts explored. 2010 , 45, 99-130	49
2015	The neglected hypogeous fungus <i>Hydnotrya bailii</i> Soehner (1959) is a widespread sister taxon of <i>Hydnotrya tulasnei</i> (Berk.) Berk. & Broome (1846). 2010 , 9, 195-203	16
2014	Placement of <i>Medeolaria farlowii</i> in the Leotiomycetes, and comments on sampling within the class. 2010 , 9, 361-368	13
2013	The phylogenetic position of <i>Obolarina dryophila</i> (Xylariales). 2010 , 9, 501-507	14
2012	Physicochemical evolution and positive selection of the gymnosperm matK proteins. 2010 , 89, 81-9	4

2011	Historical genetics on a sediment core from a Kenyan lake: intraspecific genotype turnover in a tropical rotifer is related to past environmental changes. 2010 , 43, 939-954	31
2010	MHC screening for marsupial conservation: extremely low levels of class II diversity indicate population vulnerability for an endangered Australian marsupial. 2010 , 11, 269-278	13
2009	Barcoding bushmeat: molecular identification of Central African and South American harvested vertebrates. 2010 , 11, 1389-1404	78
2008	DNA evidence for the hybridization of wild turtles in Taiwan: possible genetic pollution from trade animals. 2010 , 11, 2061-2066	32
2007	Ochroconis calidifluminalis, a sibling of the neurotropic pathogen O. gallopava, isolated from hot spring. 2010 , 170, 21-30	14
2006	Phylogenetic investigations in the downy mildew genus Bremia reveal several distinct lineages and a species with a presumably exceptional wide host range. 2010 , 128, 81-89	22
2005	A conserved segmental duplication within ELA. 2010 , 41 Suppl 2, 186-95	6
2004	DNA profiling of host-herbivore interactions in tropical forests. 2010 , 35, 18-32	41
2003	Phylogenetic analysis of the latitude-niche breadth hypothesis in the butterfly subfamily Nymphalinae. 2010 , 35, 768-774	7
2002	Characterization of ISBth4, a functional new IS231 variant from Bacillus thuringiensis MEX312. 2010 , 63, 46-52	2
2001	Ultrastructure and molecular phylogenetic position of a novel phagotrophic stramenopile from low oxygen environments: Rictus lutensis gen. et sp. nov. (Bicosoecida, incertae sedis). 2010 , 161, 264-78	33
2000	A fully resolved phylogeny of the social amoebas (Dictyostelia) based on combined SSU and ITS rDNA sequences. 2010 , 161, 539-48	21
1999	En route to a genome-based classification of Archaea and Bacteria?. 2010 , 33, 175-82	251
1998	Introducing W.A.T.E.R.S.: a workflow for the alignment, taxonomy, and ecology of ribosomal sequences. 2010 , 11, 317	26
1997	Evolutionary diversification of cryophilic Grylloblatta species (Grylloblattodea: Grylloblattidae) in alpine habitats of California. 2010 , 10, 163	33
1996	Evolution of nectarivory in phyllostomid bats (Phyllostomidae Gray, 1825, Chiroptera: Mammalia). 2010 , 10, 165	97
1995	Rapid ecological isolation and intermediate genetic divergence in lacustrine cyclic parthenogens. 2010 , 10, 166	6
1994	Phylogenetics and biogeography of a spectacular Old World radiation of butterflies: the subtribe Mycalesina (Lepidoptera: Nymphalidae: Satyrini). 2010 , 10, 172	27

1993	Revisiting the taxonomy of the Rattini tribe: a phylogeny-based delimitation of species boundaries. 2010 , 10, 184	150
1992	Filoviruses are ancient and integrated into mammalian genomes. 2010 , 10, 193	126
1991	Molecular evolution of glutamine synthetase II: Phylogenetic evidence of a non-endosymbiotic gene transfer event early in plant evolution. 2010 , 10, 198	24
1990	The worldwide holoparasitic Apodanthaceae confidently placed in the Cucurbitales by nuclear and mitochondrial gene trees. 2010 , 10, 219	27
1989	Phylogenomics reveals subfamilies of fungal nonribosomal peptide synthetases and their evolutionary relationships. 2010 , 10, 26	160
1988	How common is ecological speciation in plant-feeding insects? A 'Higher' Nematinae perspective. 2010 , 10, 266	82
1987	Complete plastome sequences of <i>Equisetum arvense</i> and <i>Isoetes flaccida</i> : implications for phylogeny and plastid genome evolution of early land plant lineages. 2010 , 10, 321	100
1986	Moving towards a complete molecular framework of the Nematoda: a focus on the Enoplida and early-branching clades. 2010 , 10, 353	41
1985	The globin gene family of the cephalochordate amphioxus: implications for chordate globin evolution. 2010 , 10, 370	25
1984	Ribonucleotide reduction - horizontal transfer of a required function spans all three domains. 2010 , 10, 383	48
1983	Low endemism, continued deep-shallow interchanges, and evidence for cosmopolitan distributions in free-living marine nematodes (order Enoplida). 2010 , 10, 389	50
1982	Functional evolution of the trace amine associated receptors in mammals and the loss of TAAR1 in dogs. 2010 , 10, 51	27
1981	Characterization of the tandem CWCH2 sequence motif: a hallmark of inter-zinc finger interactions. 2010 , 10, 53	22
1980	Transcriptome analysis reveals nuclear-encoded proteins for the maintenance of temporary plastids in the dinoflagellate <i>Dinophysis acuminata</i> . 2010 , 11, 366	80
1979	MLTreeMap--accurate Maximum Likelihood placement of environmental DNA sequences into taxonomic and functional reference phylogenies. 2010 , 11, 461	93
1978	In silico reversal of repeat-induced point mutation (RIP) identifies the origins of repeat families and uncovers obscured duplicated genes. 2010 , 11, 655	29
1977	The Hawaiian Rhodophyta Biodiversity Survey (2006-2010): a summary of principal findings. 2010 , 10, 258	79
1976	The Puf family of RNA-binding proteins in plants: phylogeny, structural modeling, activity and subcellular localization. 2010 , 10, 44	62

1975	Some considerations for analyzing biodiversity using integrative metagenomics and gene networks. 2010 , 5, 47	41
1974	Molecular and morphological evidence for a sister group relationship of the classes Armophorea and Litostomatea (Ciliophora, Intramacronucleata, Lamellicorticata infraphyl. nov.), with an account on basal litostomateans. 2010 , 46, 298-309	37
1973	Chemical characterization of <i>Phoma pomorum</i> isolated from Danish maize. 2010 , 136, 310-7	9
1972	Closing the mitochondrial circle on paraphyly of the Monogenea (Platyhelminthes) infers evolution in the diet of parasitic flatworms. 2010 , 40, 1237-45	63
1971	Genomic characterization of a novel human papillomavirus (HPV-117) with a high viral load in a persisting wart. 2010 , 399, 129-133	16
1970	Natural attenuation of dengue virus type-2 after a series of island outbreaks: a retrospective phylogenetic study of events in the South Pacific three decades ago. 2010 , 405, 505-12	62
1969	Angiosperm phylogeny inferred from sequences of four mitochondrial genes. 2010 , 48, 391-425	127
1968	Temporal and spatial expression of CCN genes in zebrafish. 2010 , 239, 1755-67	18
1967	Probing enzyme promiscuity of SGNH hydrolases. 2010 , 11, 2158-67	60
1966	Identification of wastewater bacteria involved in the degradation of triclocarban and its non-chlorinated congener. 2010 , 183, 766-72	35
1965	An introduction to a novel population genetic approach for HIV characterization. 2010 , 10, 1155-64	2
1964	Phylogenetic relationships of catostomid fishes (Actinopterygii: Cypriniformes) based on mitochondrial ND4/ND5 gene sequences. 2010 , 54, 1028-34	28
1963	Assessing the molluscan hypothesis Serialia (Monoplacophora+Polyplacophora) using novel molecular data. 2010 , 54, 187-93	58
1962	A three-genome phylogeny of <i>Momordica</i> (Cucurbitaceae) suggests seven returns from dioecy to monoecy and recent long-distance dispersal to Asia. 2010 , 54, 553-60	117
1961	Phylogenetics of Coenonymphina (Nymphalidae: Satyrinae) and the problem of rooting rapid radiations. 2010 , 54, 386-94	25
1960	The evolutionary diversification of parrots supports a taxon pulse model with multiple trans-oceanic dispersal events and local radiations. 2010 , 54, 984-94	55
1959	<i>Livistona</i> palms in Australia: ancient relics or opportunistic immigrants?. 2010 , 54, 512-23	52
1958	Phylogenetic relationships, subdivision, and biogeography of the cyprinid tribe Labeonini (sensu Teleostei: Cypriniformes), with comments on the implications of lips and associated structures in the labeonin classification. 2010 , 54, 254-65	30

- 1957 Nearly complete rRNA genes assembled from across the metazoan animals: effects of more taxa, a structure-based alignment, and paired-sites evolutionary models on phylogeny reconstruction. **2010**, 55, 1-17 73
- 1956 Phylogeny of ladybirds (Coleoptera: Coccinellidae): are the subfamilies monophyletic?. **2010**, 54, 833-48 71
- 1955 Fourteen nuclear genes provide phylogenetic resolution for difficult nodes in the turtle tree of life. **2010**, 55, 1189-94 74
- 1954 Molecular phylogeny of euglyphid testate amoebae (Cercozoa: Euglyphida) suggests transitions between marine supralittoral and freshwater/terrestrial environments are infrequent. **2010**, 55, 113-122 46
- 1953 Molecular systematics of the bubblegum coral genera (Paragorgiidae, Octocorallia) and description of a new deep-sea species. **2010**, 55, 123-135 42
- 1952 Complex patterns of continental speciation: molecular phylogenetics and biogeography of sub-Saharan puddle frogs (Phrynobatrachus). **2010**, 55, 883-900 44
- 1951 Conflicting signal within a single gene confounds syllid phylogeny (Syllidae, Annelida). **2010**, 55, 1128-38 12
- 1950 Phylogeny and evolution of the Meliphagoidea, the largest radiation of Australasian songbirds. **2010**, 55, 1087-102 59
- 1949 Biogeography of the genus *Craterocephalus* (Teleostei: Atherinidae) in Australia. **2010**, 55, 968-84 41
- 1948 DNA-based taxonomy of larval stages reveals huge unknown species diversity in neotropical seed weevils (genus *Conotrachelus*): relevance to evolutionary ecology. **2010**, 56, 281-93 26
- 1947 Identification of new molecular markers for assembling the eukaryotic tree of life. **2010**, 55, 1177-82 12
- 1946 Erosion of phylogenetic signal in tunicate mitochondrial genomes on different levels of analysis. **2010**, 55, 860-70 28
- 1945 The first internal molecular phylogeny of the animal phylum Entoprocta (Kamptozoa). **2010**, 56, 370-9 25
- 1944 Two aspects along the continuum of pigeon evolution: A South-Pacific radiation and the relationship of pigeons within Neoaves. **2010**, 56, 698-706 23
- 1943 A phylogenetic analysis of armored scale insects (Hemiptera: Diaspididae), based upon nuclear, mitochondrial, and endosymbiont gene sequences. **2010**, 57, 992-1003 45
- 1942 Phylogeny and species boundaries of the endemic species complex, *Eliurus antsingy* and *E. carletoni* (Rodentia: Muroidea: Nesomyidae), in Madagascar using mitochondrial and nuclear DNA sequence data. **2010**, 57, 11-22 6
- 1941 Biogeography of circum-Antarctic springtails. **2010**, 57, 48-58 37
- 1940 Including secondary structure, fossils and molecular dating in the centipede tree of life. **2010**, 57, 301-13 81

1939	Expressed sequence tags reveal Proctotrupomorpha (minus Chalcidoidea) as sister to Aculeata (Hymenoptera: Insecta). 2010 , 57, 101-12	29
1938	Molecular phylogeny of the genus <i>Luzula</i> DC. (Juncaceae, Monocotyledones) based on plastome and nuclear ribosomal regions: a case of incongruence, incomplete lineage sorting and hybridisation. 2010 , 57, 536-51	22
1937	Increasing taxon sampling using both unidentified environmental sequences and identified cultures improves phylogenetic inference in the Prorodontida (Ciliophora, Prostomatea). 2010 , 57, 937-41	26
1936	Pulmonate phylogeny based on 28S rRNA gene sequences: a framework for discussing habitat transitions and character transformation. 2010 , 57, 1017-25	21
1935	Molecular phylogenetics of porcini mushrooms (<i>Boletus</i> section <i>Boletus</i>). 2010 , 57, 1276-92	103
1934	High-throughput bacterial SNP typing identifies distinct clusters of <i>Salmonella</i> Typhi causing typhoid in Nepalese children. 2010 , 10, 144	61
1933	Difference in larval type explains patterns of nonsynonymous substitutions in two ancient paralogs of the histone H3 gene in sea stars. 2010 , 12, 222-30	4
1932	Multiple lines of evidence support the recognition of a very rare bird species: the Príncipe thrush. 2010 , 282, no-no	13
1931	454 Pyrosequencing and Sanger sequencing of tropical mycorrhizal fungi provide similar results but reveal substantial methodological biases. 2010 , 188, 291-301	430
1930	Molecular evidence that phylogenetically diverged ciliates are active in microbial mats of deep-sea cold-seep sediment. 2010 , 57, 76-86	57
1929	A morphologically simple species of <i>Acrasis</i> (Heterolobosea, Excavata), <i>Acrasis helenhemmesae</i> n. sp. 2010 , 57, 346-53	18
1928	Discovering exceptional diversifications at continental scales: the case of the endemic families of neotropical suboscine passerines. 2010 , 64, 2004-19	40
1927	Reconstructing reticulation history in a phylogenetic framework and the potential of allopatric speciation driven by polyploidy in an agamic complex in <i>Crataegus</i> (Rosaceae). 2010 , 64, 3593-608	33
1926	Song divergence by sensory drive in Amazonian birds. 2010 , 64, 2820-39	119
1925	Fungal diversity in oxygen-depleted regions of the Arabian Sea revealed by targeted environmental sequencing combined with cultivation. 2010 , 71, 399-412	104
1924	Expression profile of PIN, AUX/LAX and PGP auxin transporter gene families in <i>Sorghum bicolor</i> under phytohormone and abiotic stress. 2010 , 277, 2954-69	101
1923	Introducing mother's curse: low male fertility associated with an imported mtDNA haplotype in a captive colony of brown hares. 2010 , 19, 36-43	54
1922	<i>Burkholderia</i> species are ancient symbionts of legumes. 2010 , 19, 44-52	185

1921	Evolutionary transitions in symbioses: dramatic reductions in bathymetric and geographic ranges of Zoanthidea coincide with loss of symbioses with invertebrates. 2010 , 19, 2587-98	33
1920	Seeing red: the origin of grain pigmentation in US weedy rice. 2010 , 19, 3380-93	62
1919	Multilocus analysis of honeyeaters (Aves: Meliphagidae) highlights spatio-temporal heterogeneity in the influence of biogeographic barriers in the Australian monsoonal zone. 2010 , 19, 2980-94	65
1918	Evidence of extreme habitat stability in a Southeast Asian biodiversity hotspot based on the evolutionary analysis of neotenic net-winged beetles. 2010 , 19, 4800-11	43
1917	A global meta-analysis of Tuber ITS rDNA sequences: species diversity, host associations and long-distance dispersal. 2010 , 19, 4994-5008	146
1916	Biogeography and diversification of the Pacific ant genus <i>Lordomyrma</i> Emery. 2010 , 37, 624-634	29
1915	Darwin's Galapagos gourd: providing new insights 175 years after his visit. 2010 , 37, 975-978	22
1914	When Thailand was an island – the phylogeny and biogeography of mite harvestmen (Opiliones, Cyphophthalmi, Stylocellidae) in Southeast Asia. 2010 , 37, 1114-1130	45
1913	Trans-Atlantic, trans-Pacific and trans-Indian Ocean dispersal in the small Gondwanan Laurales family Hernandiaceae. 2010 , 37, 1214-1226	55
1912	Biogeography of the Monimiaceae (Laurales): a role for East Gondwana and long-distance dispersal, but not West Gondwana. 2010 , 37, 1227-1238	84
1911	Phylogeny of magpie-robins and shamas (Aves: Turdidae: Copsychus and Trichixos): implications for island biogeography in Southeast Asia. 2010 , 37, no-no	7
1910	Gondwanan radiation of the Southern Hemisphere crayfishes (Decapoda: Parastacidae): evidence from fossils and molecules. 2010 , 37, 2275-2290	59
1909	Genome characteristics of a generalist marine bacterial lineage. 2010 , 4, 784-98	275
1908	Nitrogen and phosphorus enrichment alter the composition of ammonia-oxidizing bacteria in salt marsh sediments. 2010 , 4, 933-44	37
1907	The obligate endobacteria of arbuscular mycorrhizal fungi are ancient heritable components related to the Mollicutes. 2010 , 4, 862-71	106
1906	Microbial nitrate-dependent cyclohexane degradation coupled with anaerobic ammonium oxidation. 2010 , 4, 1290-301	43
1905	Chemical phylogenetics of histone deacetylases. 2010 , 6, 238-243	564
1904	Phylogenetic relationships in the genus <i>Cyprinella</i> (Actinopterygii: Cyprinidae) based on mitochondrial and nuclear gene sequences. 2010 , 55, 77-98	37

1903	Phylogeny and biogeography of Philippine bent-toed geckos (Gekkonidae: Cyrtodactylus) contradict a prevailing model of Pleistocene diversification. 2010 , 55, 699-710	92
1902	Molecular phylogeny of the subtribe Melinidinae (Poaceae: Panicoideae: Paniceae) and evolutionary trends in the homogenization of inflorescences. 2010 , 56, 355-69	28
1901	Range-wide genetic differentiation among North American great gray owls (<i>Strix nebulosa</i>) reveals a distinct lineage restricted to the Sierra Nevada, California. 2010 , 56, 212-21	21
1900	Polymorphism and divergence within the ascidian genus <i>Ciona</i> . 2010 , 56, 718-26	63
1899	Effects of parameter estimation on maximum-likelihood bootstrap analysis. 2010 , 56, 642-8	2
1898	The first molecular phylogeny of cladobranchian opisthobranchs (Mollusca, Gastropoda, Nudibranchia). 2010 , 56, 931-41	75
1897	Systematics of the subfamily Danioninae (Teleostei: Cypriniformes: Cyprinidae). 2010 , 57, 189-214	103
1896	New insights into diversity and evolution of deep-sea Mytilidae (Mollusca: Bivalvia). 2010 , 57, 71-83	65
1895	Evolution of diversity in <i>Albugo</i> is driven by high host specificity and multiple speciation events on closely related Brassicaceae. 2010 , 57, 812-20	45
1894	Molecular systematics of <i>Selenops</i> spiders (Araneae: Selenopidae) from North and Central America: implications for Caribbean biogeography. 2010 , 101, 288-322	43
1893	A multilocus approach to harvestman (Arachnida: Opiliones) phylogeny with emphasis on biogeography and the systematics of Laniatores. 2010 , 26, 408-437	95
1892	Evaluating hypotheses on the origin and diversification of the ringneck snake <i>Diadophis punctatus</i> (Colubridae: Dipsadinae). 2010 , 158, 629-640	5
1891	Seasonal population dynamics and trophic role of planktonic nanoflagellates in coastal surface waters of the Southern Baltic Sea. 2010 , 12, 364-77	51
1890	Streptomycetes contributing to atmospheric molecular hydrogen soil uptake are widespread and encode a putative high-affinity [NiFe]-hydrogenase. 2010 , 12, 821-9	102
1889	Karst pools in subsurface environments: collectors of microbial diversity or temporary residence between habitat types. 2010 , 12, 1061-74	41
1888	The genome of <i>Syntrophomonas wolfei</i> : new insights into syntrophic metabolism and biohydrogen production. 2010 , 12, 2289-301	120
1887	Gamma- and epsilonproteobacterial ectosymbionts of a shallow-water marine worm are related to deep-sea hydrothermal vent ectosymbionts. 2010 , 12, 2312-26	22
1886	Phylogenetic position, systematic status, and divergence time of the Procarididea (Crustacea: Decapoda). 2010 , 39, 198-212	48

- 1885 Molecular phylogeny of the fishes traditionally referred to Cyprinini sensu stricto (Teleostei: Cypriniformes). **2010**, 39, 527-550 26
- 1884 Convergent camouflage and the non-monophyly of headragons (Syngnathidae: Teleostei): suggestions for a revised taxonomy of syngnathids. **2010**, 39, 551-558 18
- 1883 Morphology and molecular relationships of *Leptofaucha rhodymenioides* (Rhodymeniales, Rhodophyta), a new record for Japan. **2010**, 58, 116-131 8
- 1882 Nucleomorph genome diversity and its phylogenetic implications in cryptomonad algae. **2010**, 58, 230-237 17
- 1881 Systematic revision of acoels with 9+0 sperm ultrastructure (Convolutida) and the influence of sexual conflict on morphology. **2010**, 48, 9-32 17
- 1880 Phylogenetic position of Sipuncula derived from multi-gene and phylogenomic data and its implication for the evolution of segmentation. **2010**, 48, 197 28
- 1879 Conspicuousness is correlated with toxicity in marine opisthobranchs. **2010**, 23, 1509-18 68
- 1878 Testing hybridization hypotheses and evaluating the evolutionary potential of hybrids in mangrove plant species. **2010**, 23, 2249-61 24
- 1877 The molecular basis of white pericarps in African domesticated rice: novel mutations at the Rc gene. **2010**, 23, 2747-53 29
- 1876 Major clades and phylogenetic relationships between lichenized and non-lichenized lineages in Ostropales (Ascomycota: Lecanoromycetes). **2010**, 59, 1483-1494 67
- 1875 Phylogenetic relationships within the tropical clade of Orobanchaceae. **2010**, 59, 416-426 11
- 1874 A phylogeny of the Areae (Araceae) implies that *Typhonium*, *Sauromatum*, and the Australian species of *Typhonium* are distinct clades. **2010**, 59, 439-447 23
- 1873 The phylogenetic position of milkweeds (Apocynaceae subfamilies Secamonoideae and Asclepiadoideae): Evidence from the nucleus and chloroplast. **2010**, 59, 1016-1030 20
- 1872 Intercontinentally disjunct species are derived rather than relictual in the moss genus *Daltonia* (Bryophyta). **2010**, 59, 459-465 8
- 1871 A taxonomic revision of the Paramo Tapaculo *Scytalopus canus* Chapman (Aves: Rhinocryptidae), with description of a new subspecies from Ecuador and Peru. **2010**, 2354, 56 16
- 1870 Description and molecular phylogeny of *Tethya leysae* sp. nov. (Porifera, Demospongiae, Hadromerida) from the Canadian Northeast Pacific with remarks on the use of microtomography in sponge taxonomy. **2010**, 2422, 1 12
- 1869 Molecular phylogeny, morphology and bioacoustics reveal five additional species of arboreal microhylid frogs of the genus *Anodonthyla* from Madagascar. **2010**, 79, 1-32 28
- 1868 A new microphthalmic stygobitic Graptodytes Seidlitz from Morocco, with a molecular phylogeny of the genus (Coleoptera, Dytiscidae). **2010**, 2641, 1 23

1867	The genome sequence of <i>Methanohalophilus mahii</i> SLP(T) reveals differences in the energy metabolism among members of the Methanosarcinaceae inhabiting freshwater and saline environments. 2010 , 2010, 690737	31
1866	Chaperone requirements for biosynthesis of the trypanosome variant surface glycoprotein. 2010 , 5, e8468	32
1865	Molecular phylogeny of the small ermine moth genus <i>Yponomeuta</i> (Lepidoptera, Yponomeutidae) in the palaeartic. 2010 , 5, e9933	12
1864	Guidelines for identifying homologous recombination events in influenza A virus. 2010 , 5, e10434	60
1863	Phylogenetic and evolutionary patterns in microbial carotenoid biosynthesis are revealed by comparative genomics. 2010 , 5, e11257	74
1862	<i>Arabidopsis thaliana</i> PGR7 encodes a conserved chloroplast protein that is necessary for efficient photosynthetic electron transport. 2010 , 5, e11688	15
1861	Comparative genomic evidence for a complete nuclear pore complex in the last eukaryotic common ancestor. 2010 , 5, e13241	110
1860	Baseline prediction of combination therapy outcome in hepatitis C virus 1b infected patients by discriminant analysis using viral and host factors. 2010 , 5, e14132	22
1859	Phylogenetic generic classification of parmelioid lichens (Parmeliaceae, Ascomycota) based on molecular, morphological and chemical evidence. 2010 , 59, 1735-1753	136
1858	The reticulate origin of modern plane trees (<i>Platanus</i> , Platanaceae): A nuclear marker puzzle. 2010 , 59, 134-147	21
1857	Molecular phylogeny of tribe Schismatoglottideae (Araceae) based on two plastid markers and recognition of a new tribe, Philonotieae, from the neotropics. 2010 , 59, 117-124	15
1856	The oaks of western Eurasia: Traditional classifications and evidence from two nuclear markers. 2010 , 59, 351-366	145
1855	A Clustering Optimization Strategy for Molecular Taxonomy Applied to Planktonic Foraminifera SSU rDNA. 2010 , 6, 97-112	27
1854	Maximum Likelihood Analyses of 3,490 rbcL Sequences: Scalability of Comprehensive Inference versus Group-Specific Taxon Sampling. 2010 , 6, 73-90	5
1853	Five new species of <i>Lithospermum</i> L. (Boraginaceae tribe Lithospermeae) in Andean South America: Another radiation in the Amotape-Huancabamba Zone. 2010 , 59, 1161-1179	17
1852	A New Lineage-Based Tribal Classification of the Family Caryophyllaceae. 2010 , 171, 185-198	103
1851	ArcS, the cognate sensor kinase in an atypical Arc system of <i>Shewanella oneidensis</i> MR-1. 2010 , 76, 3263-74	89
1850	<i>Physcomitrella patens</i> : a model to investigate the role of RAC/ROP GTPase signalling in tip growth. 2010 , 61, 1917-37	43

1849	Effects of Korean Red Ginseng on Dry Mouth: A Randomized, Double-Blind, Placebo-Controlled Trial. 2010 , 34, 183-191	13
1848	SOMBRERO, BEARSKIN1, and BEARSKIN2 regulate root cap maturation in Arabidopsis. 2010 , 22, 640-54	124
1847	Hylodesmus singaporensis gen. et sp. nov., a new autosporic subaerial green alga (Scenedesmaceae, Chlorophyta) from Singapore. 2010 , 60, 1224-1235	38
1846	Convergent evolution of sequestrate forms in Amanita under Mediterranean climate conditions. 2010 , 102, 675-88	49
1845	Live birth among Iguanian lizards predates Pliocene–Pleistocene glaciations. 2010 , 6, 216-8	34
1844	Taxonomic Revision of the Endangered Hawaiian Red-flowered Sandalwoods (<i>Santalum</i>) and Discovery of an Ancient Hybrid Species. 2010 , 35, 827-838	15
1843	Acarospora rosulata in Europe, North America and Asia. 2010 , 42, 291-296	2
1842	Limnohabitans planktonicus sp. nov. and Limnohabitans parvus sp. nov., planktonic betaproteobacteria isolated from a freshwater reservoir, and emended description of the genus Limnohabitans. 2010 , 60, 2710-2714	63
1841	The clinical spectrum of <i>Exophiala jeanselmei</i> , with a case report and in vitro antifungal susceptibility of the species. 2010 , 48, 318-327	38
1840	Strigolactone regulation of shoot branching in chrysanthemum (<i>Dendranthema grandiflorum</i>). 2010 , 61, 3069-78	99
1839	Newly resolved relationships in an early land plant lineage: Bryophyta class Sphagnopsida (peat mosses). 2010 , 97, 1511-31	45
1838	Searching for mesophilic Thermotogales bacteria: "mesotogas" in the wild. 2010 , 76, 4896-900	42
1837	. 2010 ,	1
1836	The evolution of Cayaponia (Cucurbitaceae): Repeated shifts from bat to bee pollination and long-distance dispersal to Africa 2-5 million years ago. 2010 , 97, 1129-41	20
1835	Novel hantavirus in the flat-skulled shrew (<i>Sorex roboratus</i>). 2010 , 10, 593-7	39
1834	A narrow group of monophyletic <i>Tulasnella</i> (Tulasnellaceae) symbiont lineages are associated with multiple species of <i>Chiloglottis</i> (Orchidaceae): Implications for orchid diversity. 2010 , 97, 1313-27	59
1833	Revisiting the insect mitochondrial molecular clock: the mid-Aegean trench calibration. 2010 , 27, 1659-72	577
1832	Polynucleobacter cosmopolitanus sp. nov., free-living planktonic bacteria inhabiting freshwater lakes and rivers. 2010 , 60, 166-173	40

1831	Multiple aquatic invasions by an endemic, terrestrial Hawaiian moth radiation. 2010 , 107, 5903-6	32
1830	<i>Herpetomonas trimorpha</i> sp. nov. (Trypanosomatidae, Kinetoplastida), a parasite of the biting midge <i>Culicoides truncorum</i> (Ceratopogonidae, Diptera). 2010 , 60, 2236-2246	27
1829	Broadly sampled multigene analyses yield a well-resolved eukaryotic tree of life. <i>Systematic Biology</i> , 2010 , 59, 518-33	8.4 191
1828	Complete mitochondrial genome of <i>Tetraophasis szechenyii</i> Madarász, 1885 (Aves: Galliformes: Phasianidae), and its genetic variation as inferred from the mitochondrial DNA Control Region. 2010 , 44, 2955-2964	5
1827	Isolating Nuclear Genes and Identifying Lineages without Monophyly: An Example of Closely Related Species from Southern Madagascar. 2010 , 171, 761-771	8
1826	<i>Wolbachia</i> infection and mitochondrial diversity in the canine heartworm (<i>Dirofilaria immitis</i>). 2010 , 21, 227-33	4
1825	Two new species of dictyostelid cellular slime molds from Alaska. 2010 , 102, 588-95	13
1824	Evolutionary divergence of duplicate copies of the growth hormone gene in suckers (Actinopterygii: catostomidae). 2010 , 11, 1090-102	17
1823	<i>Plasmodium falciparum</i> erythrocyte membrane protein 1 diversity in seven genomes--divide and conquer. 2010 , 6, e1000933	245
1822	Proteorhodopsin phototrophy promotes survival of marine bacteria during starvation. 2010 , 8, e1000358	153
1821	Redescription of <i>Lineus acutifrons</i> Southern, 1913 (Nemertea: Pilidiophora) and comments on its phylogenetic position. 2010 , 44, 2363-2378	13
1820	Two new unusual <i>Leucoagaricus</i> species (Agaricaceae) from tropical China with blue-green staining reactions. 2010 , 102, 1141-52	20
1819	Molecular Phylogenetic Placement of the Recently Described Armored Scale Insect <i>Abgrallaspis aguacatae</i> and Several Congeners (Hemiptera: Diaspididae). 2010 , 103, 30-38	3
1818	HIV-1 transmitting couples have similar viral load set-points in Rakai, Uganda. 2010 , 6, e1000876	79
1817	Complete genome sequence of <i>Cellulomonas flavigena</i> type strain (134). 2010 , 3, 15-25	31
1816	The GMOD Drupal bioinformatic server framework. 2010 , 26, 3119-24	21
1815	Homology of complete genome sequences for dengue virus type-1, from dengue-fever- and dengue-haemorrhagic-fever-associated epidemics in Hawaii and French Polynesia. 2010 , 104, 225-35	15
1814	Remototrachyna, a newly recognized tropical lineage of lichens in the Hypotrachyna clade (Parmeliaceae, Ascomycota), originated in the Indian subcontinent. 2010 , 97, 579-90	55

1813	Characterization of Nipah virus from naturally infected <i>Pteropus vampyrus</i> bats, Malaysia. 2010 , 16, 1990-3	92
1812	Phylogeny and circumscription of Sapindaceae revisited: molecular sequence data, morphology and biogeography support recognition of a new family, Xanthoceraceae. 2010 , 143, 148-159	58
1811	Highlights of the Didymellaceae: A polyphasic approach to characterise <i>Phoma</i> and related pleosporalean genera. 2010 , 65, 1-60	356
1810	Taxonomic revision transferring species in <i>Kuklospora</i> to <i>Acaulospora</i> (Glomeromycota) and a description of <i>Acaulospora colliculosa</i> sp. nov. from field collected spores. 2010 , 102, 1497-509	32
1809	Molecular Identification of Anaerobic Rumen Fungi. 2010 , 297-313	9
1808	Capsid gene divergence in rabbit hemorrhagic disease virus. 2010 , 91, 174-81	28
1807	Advances in the use of DNA barcodes to build a community phylogeny for tropical trees in a Puerto Rican forest dynamics plot. 2010 , 5, e15409	120
1806	Diversity of fungal endophytes in leaves and stems of wild rubber trees (<i>Hevea brasiliensis</i>) in Peru. 2010 , 3, 240-254	211
1805	Population structure of the social amoeba <i>Dictyostelium rosarium</i> based on rDNA. 2010 , 3, 379-385	3
1804	A revised classification of the Sphacelariales (Phaeophyceae) inferred from a psbC and rbcL based phylogeny. 2010 , 45, 308-326	17
1803	Are spurred cyathia a key innovation? Molecular systematics and trait evolution in the slipper spurge (<i>Pedilanthus</i> clade: Euphorbia, Euphorbiaceae). 2010 , 97, 493-510	25
1802	Conservation of shh cis-regulatory architecture of the coelacanth is consistent with its ancestral phylogenetic position. 2010 , 1, 11	14
1801	Phylogeny and Phylogenetic Nomenclature of the Campanulidae based on an Expanded Sample of Genes and Taxa. 2010 , 35, 425-441	70
1800	The position of gnetales among seed plants: overcoming pitfalls of chloroplast phylogenomics. 2010 , 27, 2855-63	69
1799	Phylogeography of <i>Chelonus insularis</i> (Hymenoptera: Braconidae) and <i>Campoletis sonorensis</i> (Hymenoptera: Ichneumonidae), Two Primary Neotropical Parasitoids of the Fall Armyworm (Lepidoptera: Noctuidae). 2010 , 103, 742-749	6
1798	The evolution and loss of oil-offering flowers: new insights from dated phylogenies for angiosperms and bees. 2010 , 365, 423-35	94
1797	Molecular phylogenetics, temporal diversification, and principles of evolution in the mustard family (Brassicaceae). 2010 , 27, 55-71	258
1796	New algorithms and methods to estimate maximum-likelihood phylogenies: assessing the performance of PhyML 3.0. <i>Systematic Biology</i> , 2010 , 59, 307-21	8.4 10954

1795	Complete mitochondrial genome of a Pleistocene jawbone unveils the origin of polar bear. 2010 , 107, 5053-7	114
1794	Gene identification and proteomic analysis of the esterases of the cotton bollworm, <i>Helicoverpa armigera</i> . 2010 , 40, 1-16	65
1793	Identification of CYP genes in <i>Mytilus</i> (mussel) and <i>Crassostrea</i> (oyster) species: first approach to the full complement of cytochrome P450 genes in bivalves. 2010 , 69 Suppl, S1-3	44
1792	Critical assessment of the <i>Lactarius gerardii</i> species complex (Russulales). 2010 , 114, 271-83	45
1791	Dissecting the major American snake radiation: A molecular phylogeny of the Dipsadidae Bonaparte (Serpentes, Caenophidia). 2010 , 333, 48-55	57
1790	The phylogenetic position of the 'living fossils' <i>Neoglyphea</i> and <i>Laurentaeglyphea</i> (Decapoda: Glypheidea). 2010 , 333, 755-9	13
1789	Quantitative detection and typing of hepatitis D virus in human serum by real-time polymerase chain reaction and melting curve analysis. 2010 , 67, 172-9	15
1788	Respiratory proteins in <i>Sipunculus nudus</i> —implications for phylogeny and evolution of the hemerythrin family. 2010 , 155, 171-7	6
1787	Reconstructing mammalian phylogenies: a detailed comparison of the cytochrome B and cytochrome oxidase subunit I mitochondrial genes. 2010 , 5, e14156	110
1786	<i>Tubariomyces</i> , a new genus of <i>Inocybaceae</i> from the Mediterranean region. 2010 , 102, 1389-97	28
1785	Multilocus species identification and fungal DNA barcoding: insights from blue stain fungal symbionts of the mountain pine beetle. 2010 , 10, 946-59	81
1784	Epidemic dynamics revealed in dengue evolution. 2010 , 27, 811-8	85
1783	Novel microbial diversity retrieved by autonomous robotic exploration of the world's deepest vertical phreatic sinkhole. 2010 , 10, 201-13	27
1782	Comprehensive gene and taxon coverage elucidates radiation patterns in moths and butterflies. 2010 , 277, 2839-48	237
1781	Flower heating following anthesis and the evolution of gall midge pollination in <i>Schisandraceae</i> . 2010 , 97, 1220-8	18
1780	A new African lineage of the <i>Daphnia obtusa</i> group (Cladocera: Daphniidae) disrupts continental vicariance patterns. 2010 , 32, 937-949	39
1779	A molecular phylogeny and classification of <i>Verbenaceae</i> . 2010 , 97, 1647-63	57
1778	Phylogenetics of <i>Puya</i> (Bromeliaceae): Placement, major lineages, and evolution of Chilean species. 2010 , 97, 337-56	60

1777	Revising Species Limits in a Group of Myrmeciza Antbirds Reveals a Cryptic Species Within M. Laemosticta (Thamnophilidae) La Revisi3n de los L3mites entre Especies en un Grupo de Hormigueros del G3nero Myrmeciza Revela una Especie Cr3ptica en M. laemosticta (Thamnophilidae). 2010 , 112, 718-730	15
1776	The complete mitochondrial genome of the Sichuan hot-spring keel-back (Thermophis zhaoermii; Serpentes: Colubridae) and a mitogenomic phylogeny of the snakes. 2010 , 21, 8-18	23
1775	Cucumber (Cucumis sativus) and melon (C. melo) have numerous wild relatives in Asia and Australia, and the sister species of melon is from Australia. 2010 , 107, 14269-73	273
1774	Fossil and Extant Western Hemisphere Boragineae, and the Polyphyly of Trigonotideae Riedl (Boraginaceae: Boraginoideae). 2010 , 35, 409-419	29
1773	Conservation Genetics of Cyprinid Fishes (Genus Dionda) in Southwestern North America. II. Expansion of the Known Range of the Manantial Roundnose Minnow, <i>Dionda argentosa</i> . 2010 , 55, 576-581	4
1772	Hybrid MPI/Pthreads parallelization of the RAxML phylogenetics code. 2010 ,	30
1771	Phylogenetic signal in mitochondrial and nuclear markers in sea anemones (Cnidaria, Actiniaria). 2010 , 50, 371-88	34
1770	Origin and putative colonization routes for invasive rodent taxa in the Democratic Republic of Congo. 2011 , 46, 133-145	5
1769	Extensive Phylogeographic and Morphological Diversity in <i>Diporiphora nobbi</i> (Agamidae) Leads to a Taxonomic Review and a New Species Description. 2011 , 45, 530-546	7
1768	Maximum likelihood phylogenetic reconstruction using gene order encodings. 2011 ,	1
1767	A New Species of <i>Hericium</i> from Sikkim Himalaya (India). 2011 , 32, 285-293	11
1766	Complete mitochondrial genome of a new vole <i>Proedromys liangshanensis</i> (Rodentia: Cricetidae) and phylogenetic analysis with related species: are there implications for the validity of the genus <i>Proedromys</i> ?. 2011 , 22, 28-34	20
1765	Episodic radiations in the fly tree of life. 2011 , 108, 5690-5	549
1764	Phylogenetic utility of nuclear introns in interfamilial relationships of Caniformia (order Carnivora). <i>Systematic Biology</i> , 2011 , 60, 175-87	8.4 36
1763	A New Amazonian Section of <i>Protium</i> (Burseraceae) including both Edaphic Specialist and Generalist Taxa. <i>Studies in Neotropical Burseraceae XVI.</i> 2011 , 36, 939-949	20
1762	Rapid diversification and not clade age explains high diversity in neotropical <i>Adelpha</i> butterflies. 2011 , 278, 1777-85	50
1761	Phylogenetic characterization of three morphs of mussels (Bivalvia, Mytilidae) inhabiting isolated marine environments in Palau Islands. 2011 , 28, 568-79	16
1760	On the amphi-Atlantic <i>Siphonaria pectinata</i> (Linnaeus, 1758) (Gastropoda: Heterobranchia: Siphonariidae): invader from the east or endemic?. 2011 , 77, 196-201	12

1759	Phylogeny and nomenclature of the genus <i>Talaromyces</i> and taxa accommodated in <i>Penicillium</i> subgenus <i>Biverticillium</i> . 2011 , 70, 159-83	260
1758	Taxonomy of <i>Penicillium</i> section <i>Citrina</i> . 2011 , 70, 53-138	101
1757	Phylogeny of <i>Penicillium</i> and the segregation of <i>Trichocomaceae</i> into three families. 2011 , 70, 1-51	333
1756	A new species of <i>Lepiota</i> from China. 2011 , 103, 820-30	18
1755	The family <i>Agaricaceae</i> : phylogenies and two new white-spored genera. 2011 , 103, 494-509	47
1754	Taxonomy of <i>Pluteus eugraptus</i> and morphologically similar taxa. 2011 , 103, 646-55	7
1753	Phylogenetic analyses using molecular markers reveal ecological lineages in <i>Medetera</i> (Diptera: <i>Dolichopodidae</i>). 2011 , 143, 662-673	5
1752	Persistence in peripheral refugia promotes phenotypic divergence and speciation in a rainforest frog. 2011 , 178, 561-78	42
1751	Carboxylesterases and Lipases from Metagenomes. 2011 , 499-506	1
1750	Phylogeny, adaptive radiation, and historical biogeography in <i>Bromeliaceae</i> : insights from an eight-locus plastid phylogeny. 2011 , 98, 872-95	290
1749	<i>Acremonium</i> phylogenetic overview and revision of <i>Gliomastix</i> , <i>Sarocladium</i> , and <i>Trichothecium</i> . 2011 , 68, 139-62	160
1748	The evolutionary and biogeographic history of the armoured harvestmen <i>Laniatores</i> phylogeny based on ten molecular markers, with the description of two new families of <i>Opiliones</i> (Arachnida). 2011 , 25, 106	94
1747	Characterization of a venom peptide from a crassispirid gastropod. 2011 , 58, 672-80	14
1746	A diversity of Antibiotic-resistant <i>Staphylococcus</i> spp. in a Public Transportation System. 2011 , 2, 202-9	10
1745	A New Gekko from Sibuyan Island, Central Philippines. 2011 , 67, 460-476	10
1744	Phylogenetic analysis of protein sequence data using the Randomized Accelerated Maximum Likelihood (RAXML) Program. 2011 , Chapter 19, Unit19.11	33
1743	Applying DNA barcoding for the study of geographical variation in host-parasitoid interactions. 2011 , 11, 46-59	26
1742	Phylogeny of the clusioid clade (<i>Malpighiales</i>): evidence from the plastid and mitochondrial genomes. 2011 , 98, 306-25	88

1741	Intragenomic variation in the ITS rDNA region obscures phylogenetic relationships and inflates estimates of operational taxonomic units in genus <i>Laetiporus</i> . 2011 , 103, 731-40	137
1740	Geographic location and phylogeny are the main determinants of the size of the geographical range in aquatic beetles. 2011 , 11, 344	38
1739	FluReF, an automated flu virus reassortment finder based on phylogenetic trees. 2011 , 12 Suppl 2, S3	10
1738	Morphological, chromosomal, and genic differences between sympatric <i>Rattus rattus</i> and <i>Rattus satarae</i> in South India. 2011 , 92, 659-670	8
1737	Phylogenetic relationships of <i>Yunnanobryon</i> (Musci: Regmatodontaceae). 2011 , 114, 547	1
1736	Identification and isolation of a spiroplasma pathogen from diseased freshwater prawns, <i>Macrobrachium rosenbergii</i> , in China: A new freshwater crustacean host. 2011 , 318, 1-6	49
1735	Novel cDNA sequences of aryl hydrocarbon receptors and gene expression in turtles (<i>Chrysemys picta</i> and <i>Pseudemys scripta</i>) exposed to different environments. 2011 , 154, 305-17	5
1734	<i>Ralstonia</i> species mediate Fe-oxidation in circumneutral, metal-rich subsurface fluids of Henderson mine, CO. 2011 , 284, 339-350	24
1733	Phylogeny of the Pluteaceae (Agaricales, Basidiomycota): taxonomy and character evolution. 2011 , 115, 1-20	63
1732	The molecular phylogeny of the white blister rust genus <i>Pustula</i> reveals a case of underestimated biodiversity with several undescribed species on ornamentals and crop plants. 2011 , 115, 214-9	24
1731	Molecular phylogeny of the Blastocladiomycota (Fungi) based on nuclear ribosomal DNA. 2011 , 115, 381-92	34
1730	Rock-inhabiting fungi originated during periods of dry climate in the late Devonian and middle Triassic. 2011 , 115, 987-96	88
1729	<i>Cladophialophora psammophila</i> , a novel species of Chaetothyriales with a potential use in the bioremediation of volatile aromatic hydrocarbons. 2011 , 115, 1019-29	62
1728	<i>Exophiala sideris</i> , a novel black yeast isolated from environments polluted with toxic alkyl benzenes and arsenic. 2011 , 115, 1030-7	62
1727	Aneuraceae (Metzgeriales) and tulasnelloid fungi (Basidiomycota): a model for early steps in fungal symbiosis. 2011 , 115, 839-51	14
1726	Novel active kinetoplastids associated with hypersaline anoxic basins in the Eastern Mediterranean deep-sea. 2011 , 58, 1040-1048	31
1725	Novel lineages of Southern Ocean deep-sea foraminifera revealed by environmental DNA sequencing. 2011 , 58, 1996-2003	28
1724	Molecular Systematics of the Leptodeirini (Colubroidea: Dipsadidae) Revisited: Species-tree Analyses and Multi-locus Data. 2011 , 2011, 407-417	13

1723	Phylogenetic Relationships of Muehlenbeckia, Fallopiopsis, and Reynoutria (Polygonaceae) Investigated with Chloroplast and Nuclear Sequence Data. 2011 , 172, 1053-1066	18
1722	Evolutionary origins of the estrogen signaling system: insights from amphioxus. 2011 , 127, 176-88	43
1721	Crystal structures and enzymatic properties of a triamine/agmatine aminopropyltransferase from <i>Thermus thermophilus</i> . 2011 , 408, 971-86	20
1720	Amphi-Atlantic distributions and cryptic species in Sacoglossan sea slugs. 2011 , 77, 401-412	33
1719	Phylogeography and molecular epidemiology of Papaya ringspot virus. 2011 , 159, 132-40	50
1718	Origin and evolutionary analysis of the plant-specific TIFY transcription factor family. 2011 , 98, 128-36	130
1717	Evaluating phylogenetic informativeness and data-type usage for new protein-coding genes across Vertebrata. 2011 , 61, 300-7	27
1716	Phylogeography, geographic structure, genetic variation, and potential species boundaries in Philippine slender toads. 2011 , 61, 333-50	29
1715	Molecular systematics of the Middle American genus <i>Hypopachus</i> (Anura: Microhylidae). 2011 , 61, 265-77	10
1714	Phylogeny of iguanian lizards inferred from 29 nuclear loci, and a comparison of concatenated and species-tree approaches for an ancient, rapid radiation. 2011 , 61, 363-80	159
1713	Additional gene data and increased sampling give new insights into the phylogenetic relationships of Neogastropoda, within the caenogastropod phylogenetic framework. 2011 , 61, 425-35	42
1712	Evolutionary history of the Corallinales (Corallinophycidae, Rhodophyta) inferred from nuclear, plastidial and mitochondrial genomes. 2011 , 61, 697-713	98
1711	Molecular phylogeny and diversification of the "Haenydra" lineage (Hydraenidae, genus <i>Hydraena</i>), a north-Mediterranean endemic-rich group of rheophilic Coleoptera. 2011 , 61, 772-83	22
1710	Mitochondrial and nuclear DNA phylogenies reveal a complex evolutionary history in the Australasian robins (Passeriformes: Petroicidae). 2011 , 61, 726-38	20
1709	Phylogeny of the mega-diverse Gelechioidea (Lepidoptera): adaptations and determinants of success. 2011 , 61, 801-9	60
1708	Genomic organization of the glutathione S-transferase family in insects. 2011 , 61, 924-32	56
1707	Complete genome sequence of the filamentous gliding predatory bacterium <i>Herpetosiphon aurantiacus</i> type strain (114-95(T)). 2011 , 5, 356-70	35
1706	DNA barcoding to support conservation: species identification, genetic structure and biogeography of fishes in the Murray - Darling River Basin, Australia. 2011 , 62, 887	23

1705	<i>Sphingomonas rubra</i> sp. nov., isolated from bioreactor wastewater. 2011 , 61, 1028-1032	10
1704	Mortierellomycotina subphyl. nov., based on multi-gene genealogies. 2011 , 115, 353-363	43
1703	Molecular phylogeny of the marine sand-dwelling dinoflagellate <i>Herdmania litoralis</i> and an emended description of the closely related planktonic genus <i>Archaeoperidinium</i> Jørgensen. 2011 , 46, 98-112	32
1702	The use of phylogeny to interpret cross-cultural patterns in plant use and guide medicinal plant discovery: an example from <i>Pterocarpus</i> (Leguminosae). 2011 , 6, e22275	85
1701	Discovery of cryptic species among North American pine-feeding Chionaspis scale insects (Hemiptera: Diaspididae). 2011 , 104, 47-62	32
1700	Angiosperm phylogeny: 17 genes, 640 taxa. 2011 , 98, 704-30	493
1699	<i>Platychrysis moestrupii</i> sp. nov. (Prymnesiophyceae): a new dimorphic, sand-dwelling haptophyte species from southeastern Australia. 2011 , 50, 608-615	8
1698	A molecular phylogeny of the Chalcidoidea (Hymenoptera). 2011 , 6, e27023	92
1697	Phylogenetic position of the brown algae-associated lichenized fungus <i>Verrucaria tavaresiae</i> (Verrucariaceae). 2011 , 114, 563	12
1696	Revisiting photobiont diversity in the lichen family Verrucariaceae (Ascomycota). 2011 , 46, 399-415	102
1695	References. 2011 , r1-r178	3
1694	Phylogenetic classification of <i>Trametes</i> (Basidiomycota, Polyporales) based on a five-marker dataset. 2011 , 60, 1567-1583	79
1693	Molecular phylogenetics of the Mesoamerican bamboo <i>Olmeca</i> (Poaceae, Bambuseae): Implications for taxonomy. 2011 , 60, 89-98	18
1692	Phylogeny of Polygoneae (Polygonaceae: Polygonoideae). 2011 , 60, 1653-1666	26
1691	Molecular systematics and character evolution in Caryophyllaceae. 2011 , 60, 1637-1652	98
1690	Phylogenetic relationships in the order Cucurbitales and a new classification of the gourd family (Cucurbitaceae). 2011 , 60, 122-138	123
1689	<i>Consolida</i> and <i>Aconitella</i> are an annual clade of <i>Delphinium</i> (Ranunculaceae) that diversified in the Mediterranean basin and the Irano-Turanian region. 2011 , 60, 1029-1040	43
1688	Phylogeny and divergence times of <i>Bactridinae</i> (Arecaceae, Palmae) based on plastid and nuclear DNA sequences. 2011 , 60, 485-498	32

1687	Revisiting the wax plants (<i>Hoya</i> , <i>Marsdenieae</i> , <i>Apocynaceae</i>): Phylogenetic tree using the <i>matK</i> gene and <i>psbA-trnH</i> intergenic spacer. 2011 , 60, 4-14	11
1686	Phylogenetic characterization of episymbiotic bacteria hosted by a hydrothermal vent limpet (<i>Lepetodrilidae</i> , <i>vetigastropoda</i>). 2011 , 220, 118-27	7
1685	Sorting out <i>Lalos</i> : description of new species and additional taxonomic data on megophryid frogs from northern Indochina (genus <i>Leptolalax</i> , <i>Megophryidae</i> , <i>Anura</i>). 2011 , 3147, 1	48
1684	The genus <i>Aphelocheirus</i> Westwood, 1833 (<i>Hemiptera</i> : <i>Aphelocheiridae</i>) in the Iberian Peninsula. 2011 , 2771, 1	10
1683	Molecular and morphological analyses confirm two new species of the <i>Hydraena emarginata</i> flaga clade (<i>Coleoptera</i> , <i>Hydraenidae</i>) from Spain and France. 2011 , 2760, 29	9
1682	Review of the native Hawaiian leafhopper genus <i>Nesophrosyne</i> (<i>Hemiptera</i> : <i>Cicadellidae</i> : <i>Deltocephalinae</i>) with description of eight new species associated with <i>Broussaisia arguta</i> (<i>Hydrangeaceae</i>). 2011 , 2805, 1	9
1681	The iPlant Collaborative: Cyberinfrastructure for Plant Biology. 2011 , 2, 34	306
1680	Structured multiple endosymbiosis of bacteria and archaea in a ciliate from marine sulfidic sediments: a survival mechanism in low oxygen, sulfidic sediments?. 2011 , 2, 55	49
1679	Potential for Nitrogen Fixation and Nitrification in the Granite-Hosted Subsurface at Henderson Mine, CO. 2011 , 2, 254	18
1678	Involvement of Type IV Pili in Pathogenicity of Plant Pathogenic Bacteria. 2011 , 2, 706-35	43
1677	Tidying up international nucleotide sequence databases: ecological, geographical and sequence quality annotation of its sequences of mycorrhizal fungi. 2011 , 6, e24940	46
1676	The relationship between diet breadth and geographic range size in the butterfly subfamily <i>Nymphalinae</i> --a study of global scale. 2011 , 6, e16057	34
1675	Geographic proximity not a prerequisite for invasion: Hawaii not the source of California invasion by light brown apple moth (<i>Epiphyas postvittana</i>). 2011 , 6, e16361	8
1674	CORE: a phylogenetically-curated 16S rDNA database of the core oral microbiome. 2011 , 6, e19051	132
1673	<i>Gelechiidae</i> moths are capable of chemically dissolving the pollen of their host plants: first documented sporopollenin breakdown by an animal. 2011 , 6, e19219	13
1672	Uniparental inheritance of chloroplast DNA is strict in the isogamous volvoclean <i>Gonium</i> . 2011 , 6, e19545	13
1671	Widespread occurrence of secondary lipid biosynthesis potential in microbial lineages. 2011 , 6, e20146	65
1670	Novel insights into the diversity of catabolic metabolism from ten haloarchaeal genomes. 2011 , 6, e20237	60

1669	Comprehensive molecular sampling yields a robust phylogeny for geometrid moths (Lepidoptera: Geometridae). 2011 , 6, e20356	64
1668	Informational gene phylogenies do not support a fourth domain of life for nucleocytoplasmic large DNA viruses. 2011 , 6, e21080	56
1667	Phylogenomic evidence for a myxococcal contribution to the mitochondrial fatty acid beta-oxidation. 2011 , 6, e21989	5
1666	Codivergence of mycoviruses with their hosts. 2011 , 6, e22252	37
1665	Comprehensive phylogenetic reconstruction of amoebzoa based on concatenated analyses of SSU-rDNA and actin genes. 2011 , 6, e22780	71
1664	Paraholcoglossum and Tsiorchis, two new orchid genera established by molecular and morphological analyses of the Holcoglossum alliance. 2011 , 6, e24864	11
1663	RAxML and FastTree: comparing two methods for large-scale maximum likelihood phylogeny estimation. 2011 , 6, e27731	124
1662	An earthworm riddle: systematics and phylogeography of the Spanish lumbricid <i>Postandrilus</i> . 2011 , 6, e28153	31
1661	<i>Lepiota maculans</i> , an Unusual Mushroom Rediscovered after 105 years. 2011 , 10, 267-274	5
1660	Shared ancestry between a newfound mole-borne hantavirus and hantaviruses harbored by cricetid rodents. 2011 , 85, 7496-503	61
1659	A new species of deep-sea <i>Dendronotus</i> Alder & Hancock (Mollusca:Nudibranchia) from California, with an expanded phylogeny of the genus. 2011 , 25, 60	11
1658	Complete genome sequence of <i>Leadbetterella byssophila</i> type strain (4M15). 2011 , 4, 2-12	15
1657	Complete genome sequence of <i>Hydrogenobacter thermophilus</i> type strain (TK-6). 2011 , 4, 131-43	8
1656	Complete genome sequence of <i>Paludibacter propionigenes</i> type strain (WB4). 2011 , 4, 36-44	24
1655	Complete genome sequence of <i>Bacteroides helcogenes</i> type strain (P 36-108). 2011 , 4, 45-53	7
1654	Complete genome sequence of <i>Weeksella virosa</i> type strain (9751). 2011 , 4, 81-90	8
1653	Complete genome sequence of <i>Desulfobulbus propionicus</i> type strain (1pr3). 2011 , 4, 100-10	39
1652	Complete genome sequence of <i>Marivirga tractuosa</i> type strain (H-43). 2011 , 4, 154-62	15

1651	Complete genome sequence of <i>Desulfurococcus mucosus</i> type strain (O7/1). 2011 , 4, 173-82	9
1650	Complete genome sequence of <i>Cellulophaga lytica</i> type strain (LIM-21). 2011 , 4, 221-32	23
1649	Non-contiguous finished genome sequence of <i>Bacteroides coprosuis</i> type strain (PC139). 2011 , 4, 233-43	4
1648	Complete genome sequence of <i>Rhodospirillum rubrum</i> type strain (S1). 2011 , 4, 293-302	31
1647	Complete genome sequence of the extremely halophilic <i>Halanaerobium praevalens</i> type strain (GSL). 2011 , 4, 312-21	24
1646	Complete genome sequence of <i>Nitratifactor salsuginis</i> type strain (E9I37-1). 2011 , 4, 322-30	10
1645	Draft genome sequence of strain HIMB100, a cultured representative of the SAR116 clade of marine Alphaproteobacteria. 2011 , 5, 269-78	20
1644	Complete genome sequence of <i>Mahella australiensis</i> type strain (50-1 BON). 2011 , 4, 331-41	6
1643	Complete genome sequence of <i>Treponema succinifaciens</i> type strain (6091). 2011 , 4, 361-70	20
1642	Complete genome sequence of <i>Syntrophobotulus glycolicus</i> type strain (FlGlyRT). 2011 , 4, 371-380	9
1641	Complete genome sequence of the hyperthermophilic chemolithoautotroph <i>Pyrolobus fumarii</i> type strain (1A). 2011 , 4, 381-92	10
1640	Complete genome sequence of <i>Staphylothermus hellenicus</i> P8. 2011 , 5, 12-20	5
1639	Complete genome sequence of the acetate-degrading sulfate reducer <i>Desulfobacca acetoxidans</i> type strain (ASRB2). 2011 , 4, 393-401	19
1638	Complete genome sequence of the thermophilic, hydrogen-oxidizing <i>Bacillus tusciae</i> type strain (T2) and reclassification in the new genus, <i>Kyrpidia</i> gen. nov. as <i>Kyrpidia tusciae</i> comb. nov. and emendation of the family Alicyclobacillaceae da Costa and Rainey, 2010. 2011 , 5, 121-34	35
1637	Complete genome sequence of the gliding, heparinolytic <i>Pedobacter saltans</i> type strain (113). 2011 , 5, 30-40	11
1636	Non-contiguous finished genome sequence of the opportunistic oral pathogen <i>Prevotella multisaccharivorax</i> type strain (PPPA20). 2011 , 5, 41-9	2
1635	Complete genome sequence of <i>Tolomonas auensis</i> type strain (TA 4). 2011 , 5, 112-20	4
1634	Complete genome sequence of <i>Hirschia baltica</i> type strain (IFAM 1418(T)). 2011 , 5, 287-97	8

1633	Complete genome sequence of the halophilic and highly halotolerant <i>Chromohalobacter salexigens</i> type strain (1H11(T)). 2011 , 5, 379-88	28
1632	Genome sequence of the filamentous, gliding <i>Thiothrix nivea</i> neotype strain (JP2(T)). 2011 , 5, 398-406	9
1631	Complete genome sequence of the thermophilic sulfur-reducer <i>Desulfurobacterium thermolithotrophum</i> type strain (BSA(T)) from a deep-sea hydrothermal vent. 2011 , 5, 407-15	10
1630	Waterborne <i>Exophiala</i> species causing disease in cold-blooded animals. 2011 , 27, 46-72	158
1629	Complete genome sequence of <i>Calditerrivibrio nitroreducens</i> type strain (Yu37-1). 2011 , 4, 54-62	9
1628	Complete genome sequence of <i>Truepera radiovictrix</i> type strain (RQ-24). 2011 , 4, 91-9	37
1627	Complete genome sequence of <i>Bacteroides salanitronis</i> type strain (BL78). 2011 , 4, 191-9	8
1626	Complete genome sequence of <i>Odoribacter splanchnicus</i> type strain (1651/6). 2011 , 4, 200-9	62
1625	Complete genome sequence of <i>Oceanithermus profundus</i> type strain (506). 2011 , 4, 210-20	3
1624	Complete genome sequence of <i>Tsukamurella paurometabola</i> type strain (no. 33). 2011 , 4, 342-51	8
1623	Non-contiguous finished genome sequence and contextual data of the filamentous soil bacterium <i>Ktedonobacter racemifer</i> type strain (SOSP1-21). 2011 , 5, 97-111	72
1622	Complete genome sequence of <i>Isosphaera pallida</i> type strain (IS1B). 2011 , 4, 63-71	40
1621	Complete genome sequence of <i>Cellulophaga algicola</i> type strain (IC166). 2011 , 4, 72-80	22
1620	Complete genome sequence of <i>Riemerella anatipestifer</i> type strain (ATCC 11845T). 2011 , 4, 144-153	26
1619	Complete genome sequence of the thermophilic sulfur-reducer <i>Hippea maritima</i> type strain (MH(2)). 2011 , 4, 303-11	6
1618	Complete genome sequence of <i>Haliscomenobacter hydrossis</i> type strain (O). 2011 , 4, 352-60	17
1617	Complete genome sequence of the gliding freshwater bacterium <i>Fluviicola taffensis</i> type strain (RW262). 2011 , 5, 21-9	19
1616	Genome sequence of the moderately thermophilic halophile <i>Flexistipes sinusarabici</i> strain (MAS10). 2011 , 5, 86-96	8

1615	A molecular phylogenetic study of the <i>Ephedra distachya</i> / <i>E. sinica</i> complex in Eurasia. 2011 , 41, 203-215	6
1614	Genetic and pathogenic relatedness of <i>Pseudoperonospora cubensis</i> and <i>P. humuli</i> . 2011 , 101, 805-18	36
1613	Complete genome sequence of <i>Deinococcus maricopensis</i> type strain (LB-34). 2011 , 4, 163-72	11
1612	Testing Darwin's naturalization hypothesis in the Azores. 2011 , 14, 389-96	104
1611	Good to the bone: microbial community thrives within bone cavities of a bison carcass at Yellowstone National Park. 2011 , 13, 2403-15	8
1610	Diversity and distribution of microbial long-chain fatty acid biosynthetic genes in the marine environment. 2011 , 13, 684-95	30
1609	Novel groups of Gammaproteobacteria catalyse sulfur oxidation and carbon fixation in a coastal, intertidal sediment. 2011 , 13, 758-74	96
1608	DNA-, rRNA- and mRNA-based stable isotope probing of aerobic methanotrophs in lake sediment. 2011 , 13, 1153-67	103
1607	On the suitability of short reads of 16S rRNA for phylogeny-based analyses in environmental surveys. 2011 , 13, 3000-9	44
1606	A new molecular phylogeny offers hope for a stable family level classification of the Noctuoidea (Lepidoptera). 2011 , 40, 158-173	150
1605	Phylogenetic relationships of Western Mediterranean subterranean Trechini groundbeetles (Coleoptera: Carabidae). 2011 , 40, 282-295	26
1604	Another step towards understanding the slit-limpets (Fissurellidae, Fissurelloidea, Vetigastropoda, Gastropoda): a combined five-gene molecular phylogeny. 2011 , 40, 238-259	13
1603	The phylogeny and limits of Elateridae (Insecta, Coleoptera): is there a common tendency of click beetles to soft-bodiedness and neoteny?. 2011 , 40, 364-378	60
1602	Molecular and morphological phylogeny of Diplazontinae (Hymenoptera, Ichneumonidae). 2011 , 40, 379-402	18
1601	Phylogenetic position of the Ohiya rat (<i>Srilankamys ohiensis</i>) based on mitochondrial and nuclear gene sequence analysis. 2011 , 40, 545-553	6
1600	Gene flow and inter-sterility between allopatric and sympatric populations of <i>Heterobasidion abietinum</i> and <i>H. parviporum</i> in Europe. 2011 , 41, 243-252	7
1599	Phylogeography of the Eurasian green woodpecker (<i>Picus viridis</i>). 2011 , 38, 311-325	36
1598	The geography of speciation in narrow-range endemics of the <i>Hydraena</i> lineage (Coleoptera, Hydraenidae, Hydraena). 2011 , 38, 502-516	43

1597	Early evolutionary history of the flowering plant family Annonaceae: steady diversification and boreotropical geodispersal. 2011 , 38, 664-680	145
1596	Inter-basin exchange and repeated headwater capture across the Sierra Madre Occidental inferred from the phylogeography of Mexican stonerollers. 2011 , 38, 1406-1421	23
1595	Phylogeography of the fiscal shrike (<i>Lanius collaris</i>): a novel pattern of genetic structure across the arid zones and savannas of Africa. 2011 , 38, 2210-2222	27
1594	Macroevolutionary patterns in the diversification of parrots: effects of climate change, geological events and key innovations. 2011 , 38, 2176-2194	43
1593	Molecular phylogeography of Jerdon's pitviper (<i>Protobothrops jerdonii</i>): importance of the uplift of the Tibetan plateau. 2011 , 38, 2326-2336	22
1592	Root hair-specific expansins modulate root hair elongation in rice. 2011 , 66, 725-34	110
1591	Do mycorrhizal symbioses cause rarity in orchids?. 2011 , 99, 858-869	81
1590	Mining the plant-herbivore interface with a leafmining <i>Drosophila</i> of <i>Arabidopsis</i> . 2011 , 20, 995-1014	56
1589	Biogeography and morphological evolution in a Pacific island ant radiation. 2011 , 20, 114-30	31
1588	Replicated hybrid zones of <i>Xiphophorus</i> swordtails along an elevational gradient. 2011 , 20, 342-56	71
1587	Comparative phylogeography, genetic differentiation and contrasting reproductive modes in three fungal symbionts of a multipartite bark beetle symbiosis. 2011 , 20, 584-600	43
1586	A phylogeographic, demographic and historical analysis of the short-tailed pit viper (<i>Gloydus brevicaudus</i>): evidence for early divergence and late expansion during the Pleistocene. 2011 , 20, 1905-22	55
1585	When did plants become important to leaf-nosed bats? Diversification of feeding habits in the family Phyllostomidae. 2011 , 20, 2217-28	75
1584	Species delimitation in fungal endophyte diversity studies and its implications in ecological and biogeographic inferences. 2011 , 20, 3001-13	149
1583	Phylogeographic analyses of the southern leopard frog: the impact of geography and climate on the distribution of genetic lineages vs. subspecies. 2011 , 20, 5295-312	17
1582	Evolution of the <i>Alx</i> homeobox gene family: parallel retention and independent loss of the vertebrate <i>Alx3</i> gene. 2011 , 13, 343-51	26
1581	Tail regression induced by elevated retinoic acid signaling in amphioxus larvae occurs by tissue remodeling, not cell death. 2011 , 13, 427-35	8
1580	JENUFA GEN. NOV.: A NEW GENUS OF COCCOID GREEN ALGAE (CHLOROPHYCEAE, INCERTAE SEDIS) PREVIOUSLY RECORDED BY ENVIRONMENTAL SEQUENCING(1). 2011 , 47, 928-38	34

1579	Petal-specific subfunctionalization of an APETALA3 paralog in the Ranunculales and its implications for petal evolution. 2011 , 191, 870-883	55
1578	Invasion potential and host shifts of Australian and African ectomycorrhizal fungi in mixed eucalypt plantations. 2011 , 192, 179-187	44
1577	Cenozoic extinctions account for the low diversity of extant gymnosperms compared with angiosperms. 2011 , 192, 997-1009	142
1576	Morphology, morphometrics, and molecular characterization of <i>Bryophrya gemmea</i> n. sp. (Ciliophora, Colpodea): implications for the phylogeny and evolutionary scenario for the formation of oral ciliature in the order Colpodida. 2011 , 58, 22-36	10
1575	Description of <i>Leptopharynx bromelicola</i> n. sp. and characterization of the genus <i>Leptopharynx</i> Mermod, 1914 (Protista, Ciliophora). 2011 , 58, 134-51	13
1574	Intraclass evolution and classification of the Colpodea (Ciliophora). 2011 , 58, 397-415	22
1573	Distribution anomalies in avian haemosporidian parasites in the southern Lesser Antilles. 2011 , 42, 570-584	23
1572	Evolution in extreme environments: replicated phenotypic differentiation in livebearing fish inhabiting sulfidic springs. 2011 , 65, 2213-28	95
1571	Evidence for repeated acquisition and loss of complex body-form characters in an insular clade of Southeast Asian semi-fossorial skinks. 2011 , 65, 2641-63	38
1570	Genetic diversity of cyanobacteria in four eutrophic lakes. 2011 , 78, 336-48	25
1569	Unresolved molecular phylogenies of gibbons and siamangs (Family: Hylobatidae) based on mitochondrial, Y-linked, and X-linked loci indicate a rapid Miocene radiation or sudden vicariance event. 2011 , 58, 447-55	42
1568	Evolutionary origins and diversification of dragon lizards in Australia's tropical savannas. 2011 , 58, 257-70	42
1567	The Lusitania Province as a center of diversification: the phylogeny of the genus <i>Microlipophrys</i> (Pisces: Blenniidae). 2011 , 58, 409-13	11
1566	Evolution of the hymenopteran megara diation. 2011 , 60, 73-88	144
1565	Evolution of a Neotropical marine fish lineage (Subfamily Chaenopsinae, Suborder Blennioidei) based on phylogenetic analysis of combined molecular and morphological data. 2011 , 60, 236-48	18
1564	Monophyly and interrelationships of Snook and Barramundi (<i>Centropomidae</i> sensu Greenwood) and five new markers for fish phylogenetics. 2011 , 60, 463-71	35
1563	Identification of cryptic species of <i>Miniopterus</i> bats (Chiroptera: Miniopteridae) from Madagascar and the Comoros using bioacoustics overlaid on molecular genetic and morphological characters. 2011 , 104, 284-302	23
1562	How to kill two genera with one tree: clarifying generic circumscriptions in an endemic Malagasy clade of Sapindaceae. 2011 , 165, 223-234	17

1561	Affinities in C3Cyperus lineages (Cyperaceae) revealed using molecular phylogenetic data and carbon isotope analysis. 2011 , 167, 19-46	37
1560	The Supramap project: linking pathogen genomes with geography to fight emergent infectious diseases. 2011 , 27, 61-66	19
1559	On the evolution of raptorial legs - an insect example (Hemiptera: Reduviidae: Phymatinae). 2011 , 27, 138-149	16
1558	Inference of phylogenetic relationships within Fabriciidae (Sabellida, Annelida) using molecular and morphological data. 2011 , 27, 356-379	14
1557	The Hawaiian amphibious caterpillar guild: new species of Hyposmocoma (Lepidoptera: Cosmopterigidae) confirm distinct aquatic invasions and complex speciation patterns. 2011 , 162, 15-42	8
1556	Two new decapod (Crustacea, Malacostraca) complete mitochondrial genomes: bearings on the phylogenetic relationships within the Decapoda. 2011 , 162, 471-481	24
1555	A molecular phylogeny of Equatorial African Lacertidae, with the description of a new genus and species from eastern Democratic Republic of the Congo. 2011 , 163, 913-942	20
1554	Systematics and spicule evolution in dictyonal sponges (Hexactinellida: Sceptrolophora) with description of two new species. 2011 , 163, 1003-1025	19
1553	Identity of epibiotic bacteria on symbiontid euglenozoans in O ₂ -depleted marine sediments: evidence for symbiont and host co-evolution. 2011 , 5, 231-43	37
1552	Patterns of fungal diversity and composition along a salinity gradient. 2011 , 5, 379-88	119
1551	Spatial distribution of ammonia-oxidizing bacteria and archaea across a 44-hectare farm related to ecosystem functioning. 2011 , 5, 1213-25	106
1550	Phylogenetic and metabolic diversity of bacteria associated with cystic fibrosis. 2011 , 5, 20-9	142
1549	Evidence for a core gut microbiota in the zebrafish. 2011 , 5, 1595-608	659
1548	Competition and phylogeny determine community structure in Müllerian co-mimics. 2011 , 469, 84-8	85
1547	The radiation of Satyrini butterflies (Nymphalidae: Satyrinae): a challenge for phylogenetic methods. 2011 , 161, 64-87	54
1546	Nucleotide sequence data confirm diagnosis and local endemism of variable morphospecies of Andean astroblepid catfishes (Siluriformes: Astroblepidae). 2011 , 162, 90-102	17
1545	Identification of legume RopGEF gene families and characterization of a Medicago truncatula RopGEF mediating polar growth of root hairs. 2011 , 65, 230-43	22
1544	Recent avian influenza virus A/H5N1 evolution in vaccinated and unvaccinated poultry from farms in Southern Vietnam, January-March 2010. 2011 , 58, 537-43	19

1543	Strain diversity of <i>Borrelia burgdorferi</i> in ticks dispersed in North America by migratory birds. 2011 , 36, 24-9	13
1542	Xanthidae MacLeay, 1838 (Decapoda: Brachyura: Xanthoidea) systematics: A multi-gene approach with support from adult and zoeal morphology. 2011 , 250, 407-448	33
1541	Expanding character sampling for ciliate phylogenetic inference using mitochondrial SSU-rDNA as a molecular marker. 2011 , 162, 85-99	30
1540	Phylogenetic validation of the genera <i>Angomonas</i> and <i>Strigomonas</i> of trypanosomatids harboring bacterial endosymbionts with the description of new species of trypanosomatids and of proteobacterial symbionts. 2011 , 162, 503-24	99
1539	<i>Subulatomonas tetraspora</i> nov. gen. nov. sp. is a member of a previously unrecognized major clade of eukaryotes. 2011 , 162, 762-73	27
1538	Development and validation of a hepatitis B virus DNA sequencing assay for assessment of antiviral resistance, viral genotype and surface antigen mutation status. 2011 , 177, 31-7	27
1537	Presence of the oral bacterium <i>Capnocytophaga canimorsus</i> in the tooth plaque of canines. 2011 , 149, 437-45	12
1536	Phylogenetic structure in African HIV-1 subtype C revealed by selective sequential pruning. 2011 , 415, 30-8	12
1535	The long-term consequences of hybridization between the two <i>Daphnia</i> species, <i>D. galeata</i> and <i>D. dentifera</i> , in mature habitats. 2011 , 11, 209	28
1534	Detecting the symplesiomorphy trap: a multigene phylogenetic analysis of terebelliform annelids. 2011 , 11, 369	44
1533	Cleaning up the 'Bigmessidae': molecular phylogeny of scleractinian corals from Faviidae, Merulinidae, Pectiniidae and Trachyphylliidae. 2011 , 11, 37	77
1532	The complete mitochondrial genome of <i>Flustra foliacea</i> (Ectoprocta, Cheilostomata) - compositional bias affects phylogenetic analyses of lophotrochozoan relationships. 2011 , 12, 572	20
1531	The Ras related GTPase Miro is not required for mitochondrial transport in <i>Dictyostelium discoideum</i> . 2011 , 90, 342-55	33
1530	<i>Cotterillia bromelicola</i> nov. gen., nov. spec., a gonostomatid ciliate (Ciliophora, Hypotricha) from tank bromeliads (Bromeliaceae) with de novo originating dorsal kineties. 2011 , 47, 29-50	53
1529	Morphological and molecular phylogeny of dileptid and tracheliid ciliates: resolution at the base of the class Litostomatea (Ciliophora, Rhynchostomatia). 2011 , 47, 295-313	29
1528	A new view of insect-crustacean relationships II. Inferences from expressed sequence tags and comparisons with neural cladistics. 2011 , 40, 289-302	48
1527	Life-history traits maintain the genomic integrity of sympatric species of the spruce budworm (<i>Choristoneura fumiferana</i>) group on an isolated forest island. 2011 , 1, 119-31	10
1526	Cryptic grey-bellied dunnart (<i>Sminthopsis griseoventer</i>) discovered in South Australia: genetic, morphological and subfossil analyses show the value of collecting voucher material. 2011 , 59, 127	7

1525	Freshwater ascomycetes: two new species of <i>Lindgomyces</i> (Lindgomycetaceae, Pleosporales, Dothideomycetes) from Japan and USA. 2011 , 103, 1421-32	22
1524	How the worm got its pharynx: phylogeny, classification and Bayesian assessment of character evolution in Acoela. <i>Systematic Biology</i> , 2011 , 60, 845-71	8.4 54
1523	Conservation of biotrophy in Hygrophoraceae inferred from combined stable isotope and phylogenetic analyses. 2011 , 103, 280-90	37
1522	A molecular approach to the phylogenetic status of the aeolid genus <i>Babakina</i> Roller, 1973 (Nudibranchia). 2011 , 77, 417-422	15
1521	Using genetic distances in addition to ITS molecular phylogeny to identify potential species in the <i>Parmotrema reticulatum</i> complex: a case study. 2011 , 43, 569-583	23
1520	Monoamine neurotransmitters as substrates for novel tick sulfotransferases, homology modeling, molecular docking, and enzyme kinetics. 2011 , 6, 176-84	10
1519	A guide to the natural history of freshwater lake bacteria. 2011 , 75, 14-49	914
1518	Prevalence, polyphasic identification, and molecular phylogeny of dagger and needle nematodes infesting vineyards in southern Spain. 2011 , 129, 427-453	43
1517	Phylogenetic investigations in the genus <i>Pseudoperonospora</i> reveal overlooked species and cryptic diversity in the <i>P. cubensis</i> species cluster. 2011 , 129, 135-146	69
1516	Molecular phylogenetic analysis of <i>Peronosclerospora</i> (Oomycetes) reveals cryptic species and genetically distinct species parasitic to maize. 2011 , 130, 521-528	28
1515	The origin of tiger salamander (<i>Ambystoma tigrinum</i>) populations in California, Oregon, and Nevada: introductions or relicts?. 2011 , 12, 355-370	23
1514	Phylogeographic analysis of nuclear and mtDNA supports subspecies designations in the ostrich (<i>Struthio camelus</i>). 2011 , 12, 423-431	22
1513	The CO ₂ -concentrating mechanism of <i>Synechococcus</i> WH5701 is composed of native and horizontally-acquired components. 2011 , 109, 59-72	30
1512	Characterization of <i>Hymenobacter</i> isolates from Victoria Upper Glacier, Antarctica reveals five new species and substantial non-vertical evolution within this genus. 2011 , 15, 45-57	70
1511	Two sebacinoid ectomycorrhizae on Chinese pine. 2011 , 21, 105-15	7
1510	<i>Acaulospora brasiliensis</i> comb. nov. and <i>Acaulospora alpina</i> (Glomeromycota) from upland Scotland: morphology, molecular phylogeny and DNA-based detection in roots. 2011 , 21, 577-587	15
1509	Phylogenetic relationships among New World <i>Scrophularia</i> L. (Scrophulariaceae): new insights inferred from DNA sequence data. 2011 , 291, 69-89	19
1508	Imbalanced diversification of two Mediterranean sister genera (<i>Bellis</i> and <i>Bellium</i> , Asteraceae) within the same time frame. 2011 , 295, 109-118	6

1507	Phylogenetics and predictive distribution modeling provide insights into the geographic divergence of <i>Eriosyce</i> subgen. <i>Neoporteria</i> (Cactaceae). 2011 , 297, 113-128	24
1506	Anatomical and ITS rDNA-based phylogenetic identification of two new West African resupinate theleporoid species. 2011 , 52, 363-375	7
1505	Description of <i>Scottnema lindsayae</i> Timm, 1971 (Rhabditida: Cephalobidae) from Taylor Valley, Antarctica and its phylogenetic relationship. 2011 , 34, 1-12	14
1504	Molecular characterization of <i>Morchella</i> species from the Western Himalayan region of India. 2011 , 62, 1245-52	21
1503	Worms without borders: genetic diversity patterns in four Brazilian Ototyphlonemertes species (Nemertea, Hoplonemertea). 2011 , 158, 2109-2124	19
1502	Phylogenetic and functional analysis of the vertebrate cytochrome p450 2 family. 2011 , 72, 56-71	38
1501	Molecular characterization of two endothelin pathways in East African cichlid fishes. 2011 , 73, 355-68	14
1500	Characterization, gene cloning, and heterologous expression of α -mannanase from a thermophilic <i>Bacillus subtilis</i> . 2011 , 49, 86-93	29
1499	Cryptic diversity of <i>Plasmopara viticola</i> (Oomycota, Peronosporaceae) in North America. 2011 , 11, 3-7	22
1498	Comparative phylogeography of the centipedes <i>Cryptops pictus</i> and <i>C. niuensis</i> (Chilopoda) in New Caledonia, Fiji and Vanuatu. 2011 , 11, 61-74	18
1497	Mixed colonies and hybridisation of <i>Messor</i> harvester ant species (Hymenoptera: Formicidae). 2011 , 11, 107-134	14
1496	<i>Zangia</i> , a new genus of Boletaceae supported by molecular and morphological evidence. 2011 , 49, 125-143	72
1495	The phylogenetic position of the lichenicolous ascomycete <i>Capronia peltigerae</i> . 2011 , 49, 225-233	25
1494	SSU rRNA reveals major trends in oomycete evolution. 2011 , 49, 93-100	51
1493	A molecular, morphological and ecological re-appraisal of Venturiales-a new order of Dothideomycetes. 2011 , 51, 249-277	74
1492	<i>Astrosphaeriella</i> is polyphyletic, with species in <i>Fissuroma</i> gen. nov., and <i>Neoastrosphaeriella</i> gen. nov.. 2011 , 51, 135-154	57
1491	A reappraisal of Microthyriaceae. 2011 , 51, 189-248	73
1490	Capnodiaceae. 2011 , 51, 103-134	93

1489	Complete mitogenome sequence of the Chinese medaka <i>Oryzias sinensis</i> (Teleostei: Belontiiformes) and its phylogenetic analysis. 2011 , 33, 307-312	8
1488	Recent outbreaks of downy mildew on grape ivy (<i>Parthenocissus tricuspidata</i> , Vitaceae) in Germany are caused by a new species of <i>Plasmopara</i> . 2011 , 10, 415-422	19
1487	Species recognition in <i>Pluteus</i> and <i>Volvopluteus</i> (Pluteaceae, Agaricales): morphology, geography and phylogeny. 2011 , 10, 453-479	25
1486	Dynamic distribution patterns of ribosomal DNA and chromosomal evolution in <i>Paphiopedilum</i> , a lady's slipper orchid. 2011 , 11, 126	53
1485	Mitochondrial genome sequences illuminate maternal lineages of conservation concern in a rare carnivore. 2011 , 11, 10	56
1484	The taming of an impossible child: a standardized all-in approach to the phylogeny of Hymenoptera using public database sequences. 2011 , 9, 55	50
1483	Molecular evolution of Azagny virus, a newfound hantavirus harbored by the West African pygmy shrew (<i>Crociodura obscurior</i>) in CÔte d'Ivoire. 2011 , 8, 373	51
1482	Phylogenetic analysis reveals wide distribution of globin X. 2011 , 6, 54	12
1481	Developmental evolution of flowering plant pollen tube cell walls: callose synthase (CaLS) gene expression patterns. 2011 , 2, 14	30
1480	PICS-Ord: unlimited coding of ambiguous regions by pairwise identity and cost scores ordination. 2011 , 12, 10	14
1479	Eukaryote-to-eukaryote gene transfer gives rise to genome mosaicism in euglenids. 2011 , 11, 105	44
1478	A supermatrix analysis of genomic, morphological, and paleontological data from crown Cetacea. 2011 , 11, 112	131
1477	Genome fluctuations in cyanobacteria reflect evolutionary, developmental and adaptive traits. 2011 , 11, 187	121
1476	Speciation in little: the role of range and body size in the diversification of Malagasy mantellid frogs. 2011 , 11, 217	88
1475	The mitochondrial genome of <i>Sinentomon erythranum</i> (Arthropoda: Hexapoda: Protura): an example of highly divergent evolution. 2011 , 11, 246	24
1474	A holistic phylogeny of the coronin gene family reveals an ancient origin of the tandem-coronin, defines a new subfamily, and predicts protein function. 2011 , 11, 268	45
1473	Phylogenetic relationships within the speciose family Characidae (Teleostei: Ostariophysi: Characiformes) based on multilocus analysis and extensive ingroup sampling. 2011 , 11, 275	212
1472	A dated phylogeny and collection records reveal repeated biome shifts in the African genus <i>Coccinia</i> (Cucurbitaceae). 2011 , 11, 28	48

1471	Molecular phylogeny of the higher and lower taxonomy of the <i>Fusarium</i> genus and differences in the evolutionary histories of multiple genes. 2011 , 11, 322	71
1470	Diversification of CYCLOIDEA-like genes in Dipsacaceae (Dipsacales): implications for the evolution of capitulum inflorescences. 2011 , 11, 325	31
1469	Whole mitochondrial genome sequencing of domestic horses reveals incorporation of extensive wild horse diversity during domestication. 2011 , 11, 328	75
1468	Diversification of land plants: insights from a family-level phylogenetic analysis. 2011 , 11, 341	82
1467	Non-monophyly and intricate morphological evolution within the avian family Cettiidae revealed by multilocus analysis of a taxonomically densely sampled dataset. 2011 , 11, 352	23
1466	An expanded phylogeny of social amoebas (Dictyostelia) shows increasing diversity and new morphological patterns. 2011 , 11, 84	45
1465	On the phylogeny of Mustelidae subfamilies: analysis of seventeen nuclear non-coding loci and mitochondrial complete genomes. 2011 , 11, 92	48
1464	Differential phylogenetic expansions in BAHD acyltransferases across five angiosperm taxa and evidence of divergent expression among <i>Populus</i> paralogues. 2011 , 12, 236	85
1463	The <i>Cryptosporidium parvum</i> kinome. 2011 , 12, 478	30
1462	Enrichment of a microbial community performing anaerobic oxidation of methane in a continuous high-pressure bioreactor. 2011 , 11, 137	38
1461	Molecular architecture of muscles in an acoel and its evolutionary implications. 2011 , 316, 427-39	13
1460	Cloning of estrogen receptor alpha and aromatase cDNAs and gene expression in turtles (<i>Chrysemys picta</i> and <i>Pseudemys scripta</i>) exposed to different environments. 2011 , 154, 213-25	3
1459	Increased prevalence of a rare mutant of pandemic H1N1 influenza virus in a Eurasian region. 2011 , 11, 227-31	
1458	Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). 2011 , 58, 53-70	54
1457	The phylogeny of advanced snakes (Colubroidea), with discovery of a new subfamily and comparison of support methods for likelihood trees. 2011 , 58, 329-42	221
1456	Molecular phylogeny and evolution of symbiosis in a clade of Indopacific nudibranchs. 2011 , 58, 116-23	14
1455	Phylogenetics and phylogeography of the monocot genus <i>Baldellia</i> (Alismataceae): Mediterranean refugia, suture zones and implications for conservation. 2011 , 58, 33-42	17
1454	Against expectation: a short sequence with high signal elucidates cone snail phylogeny. 2011 , 58, 383-9	11

- 1453 Utility of microsatellites and mitochondrial DNA for species delimitation in the spruce budworm (*Choristoneura fumiferana*) species complex (Lepidoptera: Tortricidae). **2011**, 58, 232-43 40
- 1452 Modular organizations of novel cetacean papillomaviruses. **2011**, 59, 34-42 41
- 1451 Phylogeny of Philippine slender skinks (Scincidae: Brachymeles) reveals underestimated species diversity, complex biogeographical relationships, and cryptic patterns of lineage diversification. **2011**, 59, 53-65 62
- 1450 Late Miocene diversification of the genus *Hydrochus* (Coleoptera, Hydrochidae) in the west Mediterranean area. **2011**, 59, 377-85 22
- 1449 Phylogeny of the genus *Turris*: correlating molecular data with radular anatomy and shell morphology. **2011**, 59, 263-70 12
- 1448 Phylogeny and classification of the Litostomatea (Protista, Ciliophora), with emphasis on free-living taxa and the 18S rRNA gene. **2011**, 59, 510-22 49
- 1447 Molecular phylogeny and biogeography of the spider ants, genus *Leptomymex* Mayr (Hymenoptera: Formicidae). **2011**, 59, 281-92 23
- 1446 Local-scale environmental variation generates highly divergent lineages associated with stream drainages in a terrestrial salamander, *Plethodon caddoensis*. **2011**, 59, 399-411 22
- 1445 Molecular systematics of two enigmatic genera *Psittacella* and *Pezoporus* illuminate the ecological radiation of Australo-Papuan parrots (Aves: Psittaciformes). **2011**, 59, 675-84 24
- 1444 Complex patterns of speciation in cosmopolitan "rock posy" lichens--discovering and delimiting cryptic fungal species in the lichen-forming *Rhizoplaca melanophthalma* species-complex (Lecanoraceae, Ascomycota). **2011**, 59, 587-602 76
- 1443 Phylogenetic relationships and the temporal context for the diversification of African characins of the family Alestidae (Ostariophysi: Characiformes): evidence from DNA sequence data. **2011**, 60, 385-97 28
- 1442 Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. **2011**, 60, 358-72 73
- 1441 Toward the resolution of an explosive radiation--a multilocus phylogeny of oceanic dolphins (Delphinidae). **2011**, 60, 345-57 70
- 1440 Pliocene diversification within the South American Forest falcons (Falconidae: Micrastur). **2011**, 60, 398-407 17
- 1439 Species delimitation in taxonomically difficult lichen-forming fungi: an example from morphologically and chemically diverse *Xanthoparmelia* (Parmeliaceae) in North America. **2011**, 60, 317-32 72
- 1438 Phylogeny of the gudgeons (Teleostei: Cyprinidae: Gobioninae). **2011**, 61, 103-24 67
- 1437 Genetic structure of *Graphocephala atropunctata* (Hemiptera: Cicadellidae) populations across its natural range in California reveals isolation by distance. **2011**, 104, 279-87 9
- 1436 Smoke signals and seed dormancy: where next for MAX2?. **2011**, 6, 1418-22 17

1435	Enterovirus co-infections and onychomadesis after hand, foot, and mouth disease, Spain, 2008. 2011 , 17, 2223-31	85
1434	Phylogenetic Relationships and Relictualism of Rock-Crawlers (Grylloblattodea: Grylloblattidae) in Cave and Mountain Habitats of Korea. 2011 , 104, 337-347	8
1433	Understanding angiosperm diversification using small and large phylogenetic trees. 2011 , 98, 404-14	143
1432	<i>Nocardiosis arvandica</i> sp. nov., isolated from sandy soil. 2011 , 61, 1189-1194	24
1431	Construction and phenotypic characterization of HIV type 1 functional envelope clones of subtypes G and F. 2011 , 27, 889-901	11
1430	Rerooting the evolutionary tree of malaria parasites. 2011 , 108, 13183-7	57
1429	A Re-Evaluation of Gasteroid and Cyphelloid Species of Entolomataceae from Eastern North America. 2011 , 16, 293-310	31
1428	Phylogenetic relationships among arecoid palms (Arecaceae: Arecoideae). 2011 , 108, 1417-32	73
1427	Relationships within the Araceae: comparison of morphological patterns with molecular phylogenies. 2011 , 98, 654-68	105
1426	Genomic characterization of ten novel cutaneous human papillomaviruses from keratotic lesions of immunosuppressed patients. 2011 , 92, 1585-1594	41
1425	Persistence of host defence behaviour in the absence of avian brood parasitism. 2011 , 7, 670-3	32
1424	Eastward from Africa: palaeocurrent-mediated chameleon dispersal to the Seychelles islands. 2011 , 7, 225-8	56
1423	Anti-predator defence drives parallel morphological evolution in flea beetles. 2011 , 278, 2133-41	43
1422	The RNA-binding protein Rrm4 is essential for efficient secretion of endochitinase Cts1. 2011 , 10, M111.011213	44
1421	Non-lignified helical cell wall thickenings in root cortical cells of Aspleniaceae (Polypodiales): histology and taxonomical significance. 2011 , 107, 195-207	17
1420	Short report: Genetic diversity of Thottapalayam virus, a Hantavirus harbored by the Asian house shrew (<i>Suncus murinus</i>) in Nepal. 2011 , 85, 540-5	21
1419	Seasonal changes of freshwater ammonia-oxidizing archaeal assemblages and nitrogen species in oligotrophic alpine lakes. 2011 , 77, 1937-45	82
1418	Different regions of HIV-1 subtype C env are associated with placental localization and in utero mother-to-child transmission. 2011 , 85, 7142-52	21

1417	A conserved coatomer-related complex containing Sec13 and Seh1 dynamically associates with the vacuole in <i>Saccharomyces cerevisiae</i> . 2011 , 10, M110.006478		95
1416	Isolation and characterization of a psychropiezophilic alphaproteobacterium. 2011 , 77, 8145-53		38
1415	Characterization of the core elements of the NF- κ B signaling pathway of the sea anemone <i>Nematostella vectensis</i> . 2011 , 31, 1076-87		41
1414	Parallel Evolution and Horizontal Gene Transfer of the <i>pst</i> Operon in Firmicutes from Oligotrophic Environments. 2011 , 2011, 781642		30
1413	Evolution of the actin gene family in testate lobose amoebae (Arcellinida) is characterized by two distinct clades of paralogs and recent independent expansions. 2011 , 28, 223-36		21
1412	Frequent pseudogenization and loss of the plastid-encoded sulfate-transport gene <i>cysA</i> throughout the evolution of liverworts. 2011 , 98, 1263-75		13
1411	Comparative performance of supertree algorithms in large data sets using the soapberry family (Sapindaceae) as a case study. <i>Systematic Biology</i> , 2011 , 60, 32-44	8.4	22
1410	Recombination in hepatitis C virus genotype 1 evaluated by phylogenetic and population-genetic methods. 2011 , 92, 279-86		4
1409	<i>Acheilognathus changtingensis</i> sp. nov., a new species of the cyprinid genus <i>Acheilognathus</i> (Teleostei: Cyprinidae) from Southeastern China based on morphological and molecular evidence. 2011 , 28, 158-67		10
1408	Survey of branch support methods demonstrates accuracy, power, and robustness of fast likelihood-based approximation schemes. <i>Systematic Biology</i> , 2011 , 60, 685-99	8.4	565
1407	The complex evolutionary dynamics of ancient and recent polyploidy in <i>Leucaena</i> (Leguminosae; Mimosoideae). 2011 , 98, 2064-76		14
1406	A comparative genomic analysis of diverse clonal types of enterotoxigenic <i>Escherichia coli</i> reveals pathovar-specific conservation. 2011 , 79, 950-60		106
1405	Interspecies interactions that result in <i>Bacillus subtilis</i> forming biofilms are mediated mainly by members of its own genus. 2011 , 108, E1236-43		75
1404	Asymmetric single-strand conformation polymorphism: an accurate and cost-effective method to amplify and sequence allelic variants. 2011 , 98, 1061-7		13
1403	Phylogenetic and population genetic analyses of diploid <i>Leucaena</i> (Leguminosae; Mimosoideae) reveal cryptic species diversity and patterns of divergent allopatric speciation. 2011 , 98, 2049-63		27
1402	Complex Biogeographic History of <i>Lanius</i> Shrikes and its Implications for the Evolution of Defenses against Avian Brood Parasitism. 2011 , 113, 385-394		7
1401	Intercontinental dispersal by a microendemic burrowing reptile (Dibamidae). 2011 , 278, 2568-74		22
1400	Diversification of an Endemic Southeast Asian Genus: Phylogenetic Relationships of the Spiderhunters (Nectariniidae: Arachnothera) Diversification d'un genre endémique de l'Asie du Sud-Est: les relations phylogénétiques d'Arachnothères (Nectariniidae : Arachnothera). 2011 , 128, 777-788		20

1399	Eocene habitat shift from saline to freshwater promoted Tethyan amphipod diversification. 2011 , 108, 14533-8	111
1398	Let them fall where they may: congruence analysis in massive phylogenetically messy data sets. 2011 , 28, 2773-85	39
1397	Species delimitation and evolution in morphologically and chemically diverse communities of the lichen-forming genus <i>Xanthoparmelia</i> (Parmeliaceae, Ascomycota) in western North America. 2011 , 98, 175-88	68
1396	The plant cell wall-decomposing machinery underlies the functional diversity of forest fungi. 2011 , 333, 762-5	417
1395	The complete mitogenome of the snakehead <i>Channa argus</i> (Perciformes: Channoidei): genome characterization and phylogenetic implications. 2011 , 22, 120-9	23
1394	Selection for higher gene copy number after different types of plant gene duplications. 2011 , 3, 1369-80	22
1393	The inclusion of downy mildews in a multi-locus-dataset and its reanalysis reveals a high degree of paraphyly in <i>Phytophthora</i> . 2011 , 2, 163-71	35
1392	Fleming's penicillin producing strain is not <i>Penicillium chrysogenum</i> but <i>P. rubens</i> . 2011 , 2, 87-95	138
1391	The devil in the details: interactions between the branch-length prior and likelihood model affect node support and branch lengths in the phylogeny of the Psoraceae. <i>Systematic Biology</i> , 2011 , 60, 541-61 ^{8.4}	35
1390	A new species of <i>Antherospora</i> supports the systematic placement of its host plant. 2011 , 2, 135-42	19
1389	Regulation of stomatal tropism and infection by light in <i>Cercospora zeaе-maydis</i> : evidence for coordinated host/pathogen responses to photoperiod?. 2011 , 7, e1002113	43
1388	Performance, accuracy, and Web server for evolutionary placement of short sequence reads under maximum likelihood. <i>Systematic Biology</i> , 2011 , 60, 291-302	8.4 335
1387	MISFITS: evaluating the goodness of fit between a phylogenetic model and an alignment. 2011 , 28, 143-52	16
1386	ERAD components in organisms with complex red plastids suggest recruitment of a preexisting protein transport pathway for the periplastid membrane. 2011 , 3, 140-50	53
1385	Phylogenomic analysis of the uracil-DNA glycosylase superfamily. 2011 , 28, 1307-17	24
1384	Testing the phylogenetic utility of MCM7 in the Ascomycota. 2011 , 1, 63-94	46
1383	Phylogenetic analysis of oligochaete Tubificinae (Annelida:Clitellata) based on mitochondrial sequence data. 2011 , 25, 208	8
1382	A functional phylogenomic view of the seed plants. 2011 , 7, e1002411	117

1381	Amoebae and Legionella pneumophila in saline environments. 2011 , 9, 37-52		18
1380	A phylogenetic analysis of pygmy perches (Teleostei: Percichthyidae) with an assessment of the major historical influences on aquatic biogeography in southern Australia. <i>Systematic Biology</i> , 2011 , 60, 797-812	8.4	25
1379	Incorporating DNA barcodes into a multi-year inventory of the fishes of the hyperdiverse Lower Congo River, with a multi-gene performance assessment of the genus Labeo as a case study. 2011 , 22 Suppl 1, 52-70		18
1378	Genome-scale phylogenetics: inferring the plant tree of life from 18,896 gene trees. <i>Systematic Biology</i> , 2011 , 60, 117-25	8.4	92
1377	Interspecific sex in grass smuts and the genetic diversity of their pheromone-receptor system. 2011 , 7, e1002436		49
1376	Complete genome sequence of Thermomonospora curvata type strain (B9). 2011 , 4, 13-22		24
1375	Phylogenomic analysis of polyketide synthase-encoding genes in Trichoderma. 2012 , 158, 147-154		67
1374	A phylogenetic analysis of the brassicales clade based on an alignment-free sequence comparison method. 2012 , 3, 192		28
1373	Consumption of lysozyme-rich milk can alter microbial fecal populations. 2012 , 78, 6153-60		70
1372	Androglobin: a chimeric globin in metazoans that is preferentially expressed in Mammalian testes. 2012 , 29, 1105-14		77
1371	The genomes of the fungal plant pathogens Cladosporium fulvum and Dothistroma septosporum reveal adaptation to different hosts and lifestyles but also signatures of common ancestry. 2012 , 8, e1003088		189
1370	Denitrification likely catalyzed by endobionts in an allogromiid foraminifer. 2012 , 6, 951-60		61
1369	Characterization of bean necrotic mosaic virus: a member of a novel evolutionary lineage within the Genus Tospovirus. 2012 , 7, e38634		41
1368	Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. 2012 , 8, e1003037		387
1367	A new species of Rhopalosiphum (Hemiptera, Aphididae) on Chusquea tomentosa (Poaceae, Bambusoideae) from Costa Rica. 2012 , 59-73		4
1366	Molecular phylogeny of the Trechus brucki group, with description of two new species from the Pyreneo-Cantabrian area (France, Spain) (Coleoptera, Carabidae, Trechinae). 2012 , 11-51		13
1365	Shivasia gen. nov. for the Australasian smut Ustilago solida that historically shifted through five different genera. 2012 , 3, 143-54		13
1364	Population genomics of the Wolbachia endosymbiont in Drosophila melanogaster. 2012 , 8, e1003129		135

1363	Bayesian sampling of evolutionarily conserved RNA secondary structures with pseudoknots. 2012 , 28, 2242-8	6
1362	Highly dynamic exon shuffling in candidate pathogen receptors ... what if brown algae were capable of adaptive immunity?. 2012 , 29, 1263-76	25
1361	A Systematic Study Reveals that <i>Xylella fastidiosa</i> Strains from Pecan Are Part of <i>X. fastidiosa</i> subsp. <i>multiplex</i> . 2012 , 96, 1123-1134	17
1360	<i>Afrocantharellus</i> gen. stat. nov. is part of a rich diversity of African Cantharellaceae. 2012 , 3, 25-38	23
1359	ImOSM: intermittent evolution and robustness of phylogenetic methods. 2012 , 29, 663-73	11
1358	Genomic basis of endosymbiont-conferred protection against an insect parasitoid. 2012 , 22, 106-14	73
1357	Barley ROP binding kinase1 is involved in microtubule organization and in basal penetration resistance to the barley powdery mildew fungus. 2012 , 159, 311-20	41
1356	Navigating the tip of the genomic iceberg: Next-generation sequencing for plant systematics. 2012 , 99, 349-64	386
1355	Cross-species transmission in the speciation of the currently known murinae-associated hantaviruses. 2012 , 86, 11171-82	24
1354	Differentiation of <i>Xylella fastidiosa</i> strains via multilocus sequence analysis of environmentally mediated genes (MLSA-E). 2012 , 78, 1385-96	25
1353	T-REX: a web server for inferring, validating and visualizing phylogenetic trees and networks. 2012 , 40, W573-9	317
1352	Miocene dispersal drives island radiations in the palm tribe Trachycarpeae (<i>Arecaceae</i>). <i>Systematic Biology</i> , 2012 , 61, 426-42	8.4 58
1351	Diversity and phylogenetic relationships of <i>Wolbachia</i> in <i>Drosophila</i> and other native Hawaiian insects. 2012 , 6, 273-83	11
1350	Identification of novel positive-strand RNA viruses by metagenomic analysis of archaea-dominated Yellowstone hot springs. 2012 , 86, 5562-73	92
1349	<i>Arabidopsis</i> ECERIFERUM2 is a component of the fatty acid elongation machinery required for fatty acid extension to exceptional lengths. 2012 , 160, 1164-74	100
1348	<i>Kiricephalus coarctatus</i> in an Eastern Indigo Snake (<i>Drymarchon couperi</i>); endoscopic removal, identification, and phylogeny. 2012 , 32, 107-12	5
1347	Determinants of the DNA binding specificity of class I and class II TCP transcription factors. 2012 , 287, 347-356	38
1346	Antifungal susceptibility and phylogeny of opportunistic members of the order mucorales. 2012 , 50, 66-75	103

1345	Phylogenetic analysis of mitochondrial outer membrane β -barrel channels. 2012 , 4, 110-25	14
1344	Genes involved in the evolution of herbivory by a leaf-mining, Drosophilid fly. 2012 , 4, 900-16	49
1343	Phylogeographic structure, outbreeding depression, and reluctant virgin oviposition in the bean thrips, <i>Caliothrips fasciatus</i> (Pergande) (Thysanoptera: Thripidae), in California. 2012 , 102, 698-709	16
1342	Phylogeny, divergence times, and historical biogeography of New World Dryopteris (Dryopteridaceae). 2012 , 99, 730-50	56
1341	Hornwort pyrenoids, carbon-concentrating structures, evolved and were lost at least five times during the last 100 million years. 2012 , 109, 18873-8	80
1340	Comparative analysis of genome sequences covering the seven Cronobacter species. 2012 , 7, e49455	96
1339	Molecular identification of commercialized medicinal plants in southern Morocco. 2012 , 7, e39459	94
1338	Dynamic evolution of telomeric sequences in the green algal order Chlamydomonadales. 2012 , 4, 248-64	37
1337	PHYLOGENY, BIOGEOGRAPHY AND CHARACTER EVOLUTION OF DORSTENIA (MORACEAE). 2012 , 69, 413-440	9
1336	Melothria domingensis (Cucurbitaceae), an endangered Caribbean endemic, is a Cayaponia. 2012 , 45-60	1
1335	Systematics of Eriogonoideae s. s. (Polygonaceae). 2012 , 37, 723-737	19
1334	Structural and functional analysis of the archaeal endonuclease Nob1. 2012 , 40, 3259-74	54
1333	Genome sequence of the moderately thermophilic, amino-acid-degrading and sulfur-reducing bacterium Thermovirga lienii type strain (Cas60314(T)). 2012 , 6, 230-9	21
1332	Evolution and taxonomic split of the model grass Brachypodium distachyon. 2012 , 109, 385-405	133
1331	Rapid expansion of a HIV-1 subtype F cluster of recent origin among men who have sex with men in Galicia, Spain. 2012 , 59, e49-51	23
1330	Genome sequence of the orange-pigmented seawater bacterium Owenweeksia hongkongensis type strain (UST20020801(T)). 2012 , 7, 120-30	11
1329	Complete genome sequence of the moderately thermophilic mineral-sulfide-oxidizing firmicute Sulfobacillus acidophilus type strain (NAL(T)). 2012 , 6, 1-13	20
1328	Complete genome sequence of the termite hindgut bacterium Spirochaeta coccoides type strain (SPN1(T)), reclassification in the genus Sphaerochaeta as Sphaerochaeta coccoides comb. nov. and emendations of the family Spirochaetaceae and the genus Sphaerochaeta. 2012 , 6, 194-209	46

1327	Permanent draft genome sequence of the gliding predator <i>Saprospira grandis</i> strain Sa g1 (= HR1). 2012 , 6, 210-9	1
1326	Integrating multi-origin expression data improves the resolution of deep phylogeny of ray-finned fish (Actinopterygii). 2012 , 2, 665	12
1325	Genome sequence of the soil bacterium <i>Saccharomonospora azurea</i> type strain (NA-128(T)). 2012 , 6, 220-9	10
1324	Complete genome sequence of the facultatively anaerobic, appendaged bacterium <i>Muricauda ruestringensis</i> type strain (B1(T)). 2012 , 6, 185-93	8
1323	<i>Plectosphaerella</i> species associated with root and collar rots of horticultural crops in southern Italy. 2012 , 28, 34-48	81
1322	Genome sequence of strain HIMB624, a cultured representative from the OM43 clade of marine Betaproteobacteria. 2012 , 6, 11-20	27
1321	Complete genome sequence of <i>Polynucleobacter necessarius</i> subsp. <i>asymbioticus</i> type strain (QLW-P1DMWA-1(T)). 2012 , 6, 74-83	27
1320	Complete genome sequence of the aerobic, heterotroph <i>Marinithermus hydrothermalis</i> type strain (T1(T)) from a deep-sea hydrothermal vent chimney. 2012 , 6, 21-30	6
1319	Complete genome sequence of the aquatic bacterium <i>Runella slithyformis</i> type strain (LSU 4(T)). 2012 , 6, 145-54	16
1318	Genome sequence of the ocean sediment bacterium <i>Saccharomonospora marina</i> type strain (XMU15(T)). 2012 , 6, 265-75	3
1317	Complete genome sequence of the thermophilic sulfate-reducing ocean bacterium <i>Thermodesulfator indicus</i> type strain (CIR29812(T)). 2012 , 6, 155-64	9
1316	Genome sequence of the homoacetogenic bacterium <i>Holophaga foetida</i> type strain (TMBS4(T)). 2012 , 6, 174-84	23
1315	Complete genome sequence of the orange-red pigmented, radioresistant <i>Deinococcus proteolyticus</i> type strain (MRP(T)). 2012 , 6, 240-50	7
1314	Genome sequence of the flexirubin-pigmented soil bacterium <i>Niabella soli</i> type strain (JS13-8(T)). 2012 , 7, 210-20	0
1313	Genome sequence of the Antarctic rhodopsins-containing flavobacterium <i>Gillisia limnaea</i> type strain (R-8282(T)). 2012 , 7, 107-19	9
1312	New penicillin-producing <i>Penicillium</i> species and an overview of section <i>Chrysogena</i> . 2012 , 29, 78-100	101
1311	Complete genome sequencing and analysis of <i>Saprospira grandis</i> str. Lewin, a predatory marine bacterium. 2012 , 6, 84-93	19
1310	Complete genome sequence of the facultatively chemolithoautotrophic and methylotrophic alpha Proteobacterium <i>Starkeya novella</i> type strain (ATCC 8093(T)). 2012 , 7, 44-58	12

- 1309 Evidence for persistence and a major range extension of the smooth-coated otter (*Lutrogale perspicillata maxwelli*; Mustelidae, Carnivora) in Iraq. **2012**, 61, 172-176 3
- 1308 DNA barcoding reveals cryptic diversity within commercially exploited Indo-Malay Carangidae (Teleostei: Perciformes). **2012**, 7, e49623 57
- 1307 Complete genome sequence of the sulfur compounds oxidizing chemolithoautotroph *Sulfuricurvum kujiense* type strain (YK-1(T)). **2012**, 6, 94-103 31
- 1306 Species diversity and genetic differentiation of stygofauna (Syncarida:Bathynellacea) across an alluvial aquifer in north-eastern Australia. **2012**, 60, 152 12
- 1305 The phylogenetic position of some Philippine "babblers" spans the muscicapoid and sylvioid bird radiations. **2012**, 65, 799-804 17
- 1304 Molecular phylogeny and character evolution of the chthamloid barnacles (Cirripedia: Thoracica). **2012**, 65, 329-34 7
- 1303 *Trogia venenata* (Agaricales), a novel poisonous species which has caused hundreds of deaths in southwestern China. **2012**, 11, 937-945 19
- 1302 Phylogenetically diverse groups of *Bradyrhizobium* isolated from nodules of *Crotalaria* spp., *Indigofera* spp., *Erythrina brucei* and *Glycine max* growing in Ethiopia. **2012**, 65, 595-609 43
- 1301 The morphology and phylogeny of two euplotid ciliates, *Diophrys blakeneyensis* spec. nov. and *Diophrys oligothrix* Borror, 1965 (Protozoa, Ciliophora, Euplotida). **2012**, 62, 2757-2773 6
- 1300 Synthesizing phylogenetic knowledge for ecological research. **2012**, 93, S4-S13 44
- 1299 Phylogeny, integration and expression of sigma virus-like genes in *Drosophila*. **2012**, 65, 251-8 28
- 1298 Diversification of the newly recognized lichen-forming fungal lineage *Montanelia* (Parmeliaceae, Ascomycota) and its relation to key geological and climatic events. **2012**, 99, 2014-26 43
- 1297 Phylogeographic study of *Apodemus ilex* (Rodentia: Muridae) in Southwest China. **2012**, 7, e31453 33
- 1296 A New Species of *Tetramicra* (Orchidaceae: Laeliinae) from Baracoa, Eastern Cuba. **2012**, 37, 883-892
- 1295 A new monozoic tapeworm, *Lobulovarium longiovatum* n. g., n. sp. (Cestoda: Caryophyllidea), from barbs *Puntius* spp. (Teleostei: Cyprinidae) in the Indomalayan region. **2012**, 83, 1-13 3
- 1294 Quaternary palaeoenvironmental oscillations drove the evolution of the Eurasian *Carassius auratus* complex (Cypriniformes, Cyprinidae). **2012**, 39, 2264-2278 39
- 1293 Phylogenetic resolution and systematics of the Asian tree frogs, *Rhacophorus* (Rhacophoridae, Amphibia). **2012**, 41, 557-570 12
- 1292 Understanding phylogenetic incongruence: lessons from phyllostomid bats. **2012**, 87, 991-1024 62

1291	Plant facilitation occurs between species differing in their associated arbuscular mycorrhizal fungi. 2012 , 196, 835-844	70
1290	Evolutionary adaptation of plant annexins has diversified their molecular structures, interactions and functional roles. 2012 , 196, 695-712	99
1289	Phylogenetic affinities of evolutionarily enigmatic African galliforms: the Stone Partridge <i>Ptilopachus petrosus</i> and Nahan's Francolin <i>Francolinus nahani</i> , and support for their sister relationship with New World quails. 2012 , 154, 768-780	18
1288	An original mode of symbiosis in open ocean plankton. 2012 , 109, 18000-5	87
1287	Phylogeny of the Polycentropodidae (Insecta: Trichoptera) based on protein-coding genes reveal non-monophyletic genera. 2012 , 65, 126-35	19
1286	Revealing cryptic parasite diversity in a definitive host: echinostomes in muskrats. 2012 , 98, 1148-55	42
1285	Miocene and Pliocene dominated diversification of the lichen-forming fungal genus <i>Melanohalea</i> (Parmeliaceae, Ascomycota) and Pleistocene population expansions. 2012 , 12, 176	58
1284	Plastome sequences of two New World bamboos-- <i>Arundinaria gigantea</i> and <i>Cryptochloa strictiflora</i> (Poaceae)--extend phylogenomic understanding of Bambusoideae. 2012 , 99, 1951-61	50
1283	Intestinal microbiota associated with differential feed conversion efficiency in chickens. 2012 , 96, 1361-9	179
1282	A comparative study of mammalian diversification pattern. 2012 , 8, 486-97	13
1281	Phylogeography of Northern Populations of the Black-Tailed Rattlesnake (<i>Crotalus molossus</i> Baird And Girard, 1853), With the Revalidation of <i>C. ornatus</i> Hallowell, 1854. 2012 , 26, 19-57	22
1280	Phylogenetic analysis of four nuclear protein-encoding genes largely corroborates the traditional classification of <i>Bivalvia</i> (Mollusca). 2012 , 65, 64-74	50
1279	Generating plant DNA barcodes for trees in long-term forest dynamics plots. 2012 , 858, 441-58	3
1278	Miocene divergence, phenotypically cryptic lineages, and contrasting distribution patterns in common lichen-forming fungi (Ascomycota: Parmeliaceae). 2012 , 107, 920-937	58
1277	Two frog species or one? A multi-marker approach to assessing the distinctiveness of genetic lineages in the Northern Leopard Frog, <i>Rana pipiens</i> . 2012 , 13, 1167-1182	4
1276	Population genetic analysis of <i>Ensis directus</i> unveils high genetic variation in the introduced range and reveals a new species from the NW Atlantic. 2012 , 159, 2209-2227	8
1275	<i>Henneguya mauritaniensis</i> n. sp. (Myxozoa) from the arterial bulb of <i>Pagrus caeruleostictus</i> (Valenciennes, 1830) off Mauritania. 2012 , 111, 1287-94	11
1274	Morphological and molecular identification of the ectomycorrhizal association of <i>Lactarius fumosibrunneus</i> and <i>Fagus grandifolia</i> var. <i>mexicana</i> trees in eastern Mexico. 2012 , 22, 583-8	11

1273	Infrageneric variation in partner specificity: multiple ectomycorrhizal symbionts associate with <i>Gnetum gnemon</i> (Gnetophyta) in Papua New Guinea. 2012 , 22, 663-8	17
1272	Morphometric studies and taxonomic delimitation in <i>Menonvillea scapigera</i> and related species (Cremolobeae: Brassicaceae). 2012 , 298, 1961-1976	3
1271	Validation of DNA barcoding as an efficient tool for taxon identification and detection of species diversity in Italian conifers. 2012 , 131, 1337-1353	31
1270	Are voluntary wheel running and open-field behavior correlated in mice? Different answers from comparative and artificial selection approaches. 2012 , 42, 830-44	33
1269	Diversity and community composition of ectomycorrhizal fungi in a dry deciduous dipterocarp forest in Thailand. 2012 , 21, 2287-2298	43
1268	Phylogenetic and population genetic analyses of <i>Phaeosphaeria nodorum</i> and its close relatives indicate cryptic species and an origin in the Fertile Crescent. 2012 , 49, 882-95	36
1267	Changes in the caecal microflora of chickens following <i>Clostridium perfringens</i> challenge to induce necrotic enteritis. 2012 , 159, 155-62	99
1266	Species status and population structure of mussels (Mollusca: Bivalvia: <i>Mytilus</i> spp.) in the Wadden Sea of Lower Saxony (Germany). 2012 , 12, 387-402	8
1265	Proteomics reveals plastid- and periplastid-targeted proteins in the chlorarachniophyte alga <i>Bigelowiella natans</i> . 2012 , 4, 1391-406	28
1264	Host-plants shape insect diversity: phylogeny, origin, and species diversity of native Hawaiian leafhoppers (Cicadellidae: Nesophrosyne). 2012 , 65, 705-17	41
1263	A very short, functionally constrained sequence diagnoses cone snails in several <i>Conasprella</i> clades. 2012 , 65, 335-8	4
1262	Molecular phylogeny of the cyprinid tribe Labeonini (Teleostei: Cypriniformes). 2012 , 65, 362-79	36
1261	Phylogeny and cryptic diversification in Southeast Asian flying geckos. 2012 , 65, 351-61	25
1260	Genealogical analyses of multiple loci of litostomatean ciliates (Protista, Ciliophora, Litostomatea). 2012 , 65, 397-411	28
1259	Radiation and functional diversification of alpha keratins during early vertebrate evolution. 2012 , 29, 995-1004	62
1258	Ranking viruses: measures of positional importance within networks define core viruses for rational polyvalent vaccine development. 2012 , 28, 1624-32	13
1257	Systematics of the poorly known treefrog (Anura: Arthroleptidae), with a description of its call. 2012 , 61, 113-127	5
1256	Next-generation sequencing for rodent barcoding: species identification from fresh, degraded and environmental samples. 2012 , 7, e48374	75

1255	Phylogenomic analysis resolves the interordinal relationships and rapid diversification of the laurasiatherian mammals. <i>Systematic Biology</i> , 2012 , 61, 150-64	8.4	84
1254	Rapid identification of <i>Pseudallescheria</i> and <i>Scedosporium</i> strains by using rolling circle amplification. 2012 , 78, 126-33		39
1253	<i>Indofevillea Jiroi</i> (Cucurbitaceae), a New Floral Oil Producing Species from Northeastern Myanmar. 2012 , 17, 323-332		2
1252	Blue-light-receptive cryptochrome is expressed in a sponge eye lacking neurons and opsin. 2012 , 215, 1278-86		65
1251	Residues required for activity in <i>Escherichia coli</i> o-succinylbenzoate synthase (OSBS) are not conserved in all OSBS enzymes. 2012 , 51, 6171-81		11
1250	Microbial communities involved in methane production from hydrocarbons in oil sands tailings. 2012 , 46, 9802-10		89
1249	Diversification and the adaptive radiation of the vangas of Madagascar. 2012 , 279, 2062-71		69
1248	Cat's Eyes and Popcorn Flowers: Phylogenetic Systematics of the Genus <i>Cryptantha</i> s. l. (Boraginaceae). 2012 , 37, 738-757		36
1247	Delving into the loss of heterostyly in Rubiaceae: Is there a similar trend in tropical and non-tropical climate zones?. 2012 , 14, 161-167		10
1246	Molecular phylogeny of extant horseshoe crabs (<i>Xiphosura</i> , Limulidae) indicates Paleogene diversification of Asian species. 2012 , 62, 21-6		48
1245	Supermatrices, supertrees and serendipitous scaffolding: inferring a well-resolved, genus-level phylogeny of Styphelioideae (Ericaceae) despite missing data. 2012 , 62, 146-58		13
1244	Phylogeny, diversification rates and species boundaries of Mesoamerican firs (<i>Abies</i> , Pinaceae) in a genus-wide context. 2012 , 62, 263-74		54
1243	Evolution of arid zone birds in Australia: leapfrog distribution patterns and mesic-arid connections in quail-thrush (<i>Cinclosoma</i> , Cinclosomatidae). 2012 , 62, 286-95		19
1242	Expanded phylogenetic and dating analyses of the apples and their relatives (Pyreae, Rosaceae). 2012 , 63, 230-43		78
1241	Analysis of DNA sequences of six chloroplast and nuclear genes suggests incongruence, introgression, and incomplete lineage sorting in the evolution of <i>Lespedeza</i> (Fabaceae). 2012 , 62, 346-58		40
1240	Phylogeny, diversity, and species delimitation of the North American Round-Nosed Minnows (Teleostei: <i>Dionda</i>), as inferred from mitochondrial and nuclear DNA sequences. 2012 , 62, 427-46		23
1239	Phylogenetic and functional analyses of the cytochrome P450 family 4. 2012 , 62, 458-71		29
1238	RNA polymerase beta subunit (<i>rpoB</i>) gene and the 16S-23S rRNA intergenic transcribed spacer region (ITS) as complementary molecular markers in addition to the 16S rRNA gene for phylogenetic analysis and identification of the species of the family Mycoplasmataceae. 2012 , 62, 515-28		51

1237	Phylogenetic relationships of rock-wallabies, <i>Petrogale</i> (Marsupialia: Macropodidae) and their biogeographic history within Australia. 2012 , 62, 640-52	41
1236	The timing and the mode of evolution of wild grapes (<i>Vitis</i>). 2012 , 62, 736-47	73
1235	Phylogeny of <i>Cercis</i> based on DNA sequences of nuclear ITS and four plastid regions: implications for transatlantic historical biogeography. 2012 , 62, 816-25	22
1234	The Great American Biotic Interchange in frogs: multiple and early colonization of Central America by the South American genus <i>Pristimantis</i> (Anura: Craugastoridae). 2012 , 62, 954-72	70
1233	Mountain-associated clade endemism in an ancient frog family (Nyctibatrachidae) on the Indian subcontinent. 2012 , 62, 839-47	40
1232	Suprageneric systematics of flea beetles (Chrysomelidae: Alticinae) inferred from multilocus sequence data. 2012 , 62, 793-805	23
1231	A phylogeny of Delphinieae (Ranunculaceae) shows that <i>Aconitum</i> is nested within <i>Delphinium</i> and that Late Miocene transitions to long life cycles in the Himalayas and Southwest China coincide with bursts in diversification. 2012 , 62, 928-42	73
1230	Historical biogeography of the North American glacier ice worm, <i>Mesenchytraeus solifugus</i> (Annelida: Oligochaeta: Enchytraeidae). 2012 , 63, 577-84	19
1229	A new species of leopard frog (Anura: Ranidae) from the urban northeastern US. 2012 , 63, 445-55	16
1228	The highly conserved spermatophyte cell wall DUF642 protein family: phylogeny and first evidence of interaction with cell wall polysaccharides in vitro. 2012 , 63, 510-20	24
1227	Phylogeographic relationships among Asian eggplants and new perspectives on eggplant domestication. 2012 , 63, 685-701	92
1226	Expanding character sampling for the molecular phylogeny of euplotid ciliates (Protozoa, Ciliophora) using three markers, with a focus on the family Uronychiidae. 2012 , 63, 598-605	38
1225	Speciation in chestnut-shouldered fairy-wrens (<i>Malurus</i> spp.) and rapid phenotypic divergence in variegated fairy-wrens (<i>Malurus lamberti</i>): a multilocus approach. 2012 , 63, 668-78	18
1224	Testing the phylogenetic affinities of Southeast Asia's rarest geckos: Flap-legged geckos (<i>Luperosaurus</i>), Flying geckos (<i>Ptychozoon</i>) and their relationship to the pan-Asian genus <i>Gekko</i> . 2012 , 63, 915-21	21
1223	Out of Asia: natricine snakes support the Cenozoic Beringian Dispersal Hypothesis. 2012 , 63, 825-33	61
1222	<i>Brunfelsia</i> (Solanaceae): a genus evenly divided between South America and radiations on Cuba and other Antillean islands. 2012 , 64, 1-11	31
1221	Systematics of the grey mullets (Teleostei: Mugiliformes: Mugilidae): molecular phylogenetic evidence challenges two centuries of morphology-based taxonomy. 2012 , 64, 73-92	108
1220	Molecular phylogeny of African bush-shrikes and allies: tracing the biogeographic history of an explosive radiation of corvid birds. 2012 , 64, 93-105	18

1219	What lies beneath: molecular phylogenetics and ancestral state reconstruction of the ancient subterranean Australian Parabathynellidae (Syncarida, Crustacea). 2012 , 64, 130-44	27
1218	Phylogenetic relationships among the Caribbean members of the <i>Cliona viridis</i> complex (Porifera, Demospongiae, Hadromerida) using nuclear and mitochondrial DNA sequences. 2012 , 64, 271-84	22
1217	Phylogenetics and evolution of host-plant use in leaf-mining sawflies (Hymenoptera: Tenthredinidae: Heterarthrinae). 2012 , 64, 331-41	42
1216	Molecular phylogeny of Aphyocharacinae (Characiformes, Characidae) with morphological diagnoses for the subfamily and recognized genera. 2012 , 64, 297-307	19
1215	Reticulate evolution on a global scale: a nuclear phylogeny for New World Dryopteris (Dryopteridaceae). 2012 , 64, 563-81	44
1214	Nearly complete rRNA genes from 371 Animalia: updated structure-based alignment and detailed phylogenetic analysis. 2012 , 64, 603-17	42
1213	A multi-locus phylogeny reveals a complex pattern of diversification related to climate and habitat heterogeneity in southern African white-eyes. 2012 , 64, 633-44	28
1212	Evolutionary informatics: unifying knowledge about the diversity of life. 2012 , 27, 94-103	88
1211	Phylogenetic Placement of Species within the Genus <i>Botrychium</i> s.s. (Ophioglossaceae) on the Basis of Plastid Sequences, Amplified Fragment Length Polymorphisms, and Flow Cytometry. 2012 , 173, 516-531	16
1210	Essential role of <i>Dkk3</i> for head formation by inhibiting Wnt/ β -catenin and Nodal/ <i>Vg1</i> signaling pathways in the basal chordate amphioxus. 2012 , 14, 338-50	29
1209	Further photomorphs in the lichen family Lobariaceae from Reunion (Mascarene archipelago) with notes on the phylogeny of <i>Dendriscoaulon</i> cyanomorphs. 2012 , 115, 243-254	25
1208	Diagnosis of Asian Raiamas (Teleostei: Cyprinidae: Chedrina) with comments on chedrin relationships and previously proposed diagnostic characters for <i>Opsaridium</i> and <i>Raiamas</i> . 2012 , 59, 328-341	4
1207	Diversification rates and the latitudinal gradient of diversity in mammals. 2012 , 279, 4148-55	47
1206	<i>Leucosporidium drummii</i> sp. nov., a member of the Microbotryomycetes isolated from soil. 2012 , 62, 728-734	16
1205	Genomic insights into syntrophy: the paradigm for anaerobic metabolic cooperation. 2012 , 66, 429-52	344
1204	Morphology and molecular relationships of <i>Leptofaucha leptophylla</i> comb. nov. (Rhodymeniales, Rhodophyta) from Japan. 2012 , 51, 479-488	5
1203	New molecular data on Pyrenulaceae from Sri Lanka reveal two well-supported groups within this family. 2012 , 44, 639-647	28
1202	Global history of the ancient monocot family Araceae inferred with models accounting for past continental positions and previous ranges based on fossils. 2012 , 195, 938-950	118

1201	Microbial diversity under extreme euxinia: Mahoney Lake, Canada. 2012 , 10, 223-35		38
1200	Cyanobacterial diversity and activity in modern conical microbialites. 2012 , 10, 384-401		42
1199	Molecular systematics of the caracaras and allies (Falconidae: Polyborinae) inferred from mitochondrial and nuclear sequence data. 2012 , 154, 520-532		29
1198	Evolution and diversification of the CYC/TB1 gene family in Asteraceae--a comparative study in Gerbera (Mutisieae) and sunflower (Heliantheae). 2012 , 29, 1155-66		91
1197	Distribution models and a dated phylogeny for Chilean Oxalis species reveal occupation of new habitats by different lineages, not rapid adaptive radiation. <i>Systematic Biology</i> , 2012 , 61, 823-34	8.4	64
1196	Phylogenies reveal predictive power of traditional medicine in bioprospecting. 2012 , 109, 15835-40		156
1195	Unraveling reticulate evolution in North American Dryopteris (Dryopteridaceae). 2012 , 12, 104		38
1194	Fungal catalases: function, phylogenetic origin and structure. 2012 , 525, 170-80		57
1193	Rap1gap2 regulates axon outgrowth in olfactory sensory neurons. 2012 , 50, 272-82		1
1192	Chikungunya virus as a causative agent of fever of unknown origin in Finnish travellers to tropics. 2012 , 54, 289-90		4
1191	The genome of the xerotolerant mold <i>Wallemia sebi</i> reveals adaptations to osmotic stress and suggests cryptic sexual reproduction. 2012 , 49, 217-26		83
1190	<i>Microbotryum heliospermae</i> , a new anther smut fungus parasitic on <i>Heliosperma pusillum</i> in the mountains of the European Alpine System. 2012 , 116, 185-95		28
1189	Molecular and phenotypic characterization of <i>Sebacina vermifera</i> strains associated with orchids, and the description of <i>Piriformospora williamsii</i> sp. nov. 2012 , 116, 204-13		55
1188	A molecular phylogeny of thermophilic fungi. 2012 , 116, 489-502		91
1187	No evidence for intra-segment recombination of 2009 H1N1 influenza virus in swine. 2012 , 494, 242-5		12
1186	The complete mitochondrial genome of <i>Pauropus longiramus</i> (Myriapoda: Pauropoda): implications on early diversification of the myriapods revealed from comparative analysis. 2012 , 505, 57-65		15
1185	Reconstructing the origin and elaboration of insect-trapping inflorescences in the Araceae. 2012 , 99, 1666-79		23
1184	Out of Florida: mtDNA reveals patterns of migration and Pleistocene range expansion of the Green Anole lizard (<i>Anolis carolinensis</i>). 2012 , 2, 2274-84		30

1183	Evolutionary and biogeographic history of the subfamily Neoplecostominae (Siluriformes: Loricariidae). 2012 , 2, 2438-49	24
1182	Separating the wheat from the chaff: mitigating the effects of noise in a plastome phylogenomic data set from <i>Pinus</i> L. (Pinaceae). 2012 , 12, 100	82
1181	Evolution and loss of long-fringed petals: a case study using a dated phylogeny of the snake gourds, <i>Trichosanthes</i> (Cucurbitaceae). 2012 , 12, 108	17
1180	Molecules and fossils reveal punctuated diversification in Caribbean "faviid" corals. 2012 , 12, 123	14
1179	A comparative analysis of Y chromosome and mtDNA phylogenies of the <i>Hylobates</i> gibbons. 2012 , 12, 150	24
1178	Molecular circumscription and major evolutionary lineages of the fern genus <i>Dryopteris</i> (Dryopteridaceae). 2012 , 12, 180	45
1177	Evaluating multiple criteria for species delimitation: an empirical example using Hawaiian palms (Arecaceae: <i>Pritchardia</i>). 2012 , 12, 23	30
1176	The fester locus in <i>Botryllus schlosseri</i> experiences selection. 2012 , 12, 249	6
1175	Systematics, biogeography, and character evolution of the legume tribe Fabeae with special focus on the middle-Atlantic island lineages. 2012 , 12, 250	121
1174	The evolution of cardiolipin biosynthesis and maturation pathways and its implications for the evolution of eukaryotes. 2012 , 12, 32	29
1173	Evolution of the eukaryotic dynactin complex, the activator of cytoplasmic dynein. 2012 , 12, 95	31
1172	Horizontal transfer of expressed genes in a parasitic flowering plant. 2012 , 13, 227	73
1171	Patterns and architecture of genomic islands in marine bacteria. 2012 , 13, 347	30
1170	Comparative genomic analysis and phylogenetic position of <i>Theileria equi</i> . 2012 , 13, 603	79
1169	The SLEEPER genes: a transposase-derived angiosperm-specific gene family. 2012 , 12, 192	27
1168	Comparative description of ten transcriptomes of newly sequenced invertebrates and efficiency estimation of genomic sampling in non-model taxa. 2012 , 9, 33	97
1167	Neogene-dominated diversification in neotropical montane lichens: dating divergence events in the lichen-forming fungal genus <i>Oropogon</i> (Parmeliaceae). 2012 , 99, 1764-77	36
1166	Phylogeography of the Teiid Lizard <i>Kentropyx calcarata</i> and the Sphaerodactylid <i>Gonatodes humeralis</i> (Reptilia: Squamata): Testing A Geological Scenario for the Lower Amazonian Tocantins Basins, Amazonia, Brazil. 2012 , 68, 272	7

1165	Meta-analyses of environmental sequence data identify anoxia and salinity as parameters shaping ciliate communities. 2012 , 10, 277-288	28
1164	Cyclic peptides arising by evolutionary parallelism via asparaginyl-endopeptidase-mediated biosynthesis. 2012 , 24, 2765-78	106
1163	Isolation and survey of novel fluoroacetate-degrading bacteria belonging to the phylum Synergistetes. 2012 , 80, 671-84	36
1162	Phylogenomics and a posteriori data partitioning resolve the Cretaceous angiosperm radiation Malpighiales. 2012 , 109, 17519-24	238
1161	Fighting outbreaks with bacterial genomics: case review and workflow proposal. 2012 , 15, 341-51	10
1160	Major histocompatibility complex class II compatibility, but not class I, predicts mate choice in a bird with highly developed olfaction. 2012 , 279, 4457-63	69
1159	Phylogeny of Oriental voles (Rodentia: Muridae: Arvicolinae): molecular and morphological evidence. 2012 , 29, 610-22	10
1158	A mitochondrial genome phylogeny of termites (Blattodea: Termitoidae): robust support for interfamilial relationships and molecular synapomorphies define major clades. 2012 , 65, 163-73	107
1157	Phylogeny of bent-toed geckos (<i>Cyrtodactylus</i>) reveals a west to east pattern of diversification. 2012 , 65, 992-1003	92
1156	Molecular phylogenetics of <i>Echinopsis</i> (Cactaceae): Polyphyly at all levels and convergent evolution of pollination modes and growth forms. 2012 , 99, 1335-49	54
1155	<i>Lactarius</i> subg. <i>Plinthogalus</i> : the European taxa and American varieties of <i>L. lignyotus</i> re-evaluated. 2012 , 104, 1490-501	16
1154	Plastomes of Bryophytes, Lycophytes and Ferns. 2012 , 89-102	6
1153	Extreme mitochondrial population subdivision in southern Appalachian paleoendemic spiders (Araneae: Hypochilidae: Hypochilus), with implications for species delimitation. 2012 , 40, 167-181	28
1152	Divergence and phylogeny of Firmicutes from the Cuatro Ciñegas Basin, Mexico: a window to an ancient ocean. 2012 , 12, 674-84	37
1151	Diversification of filter-feeding nudibranchs: two remarkable new species of <i>Melibe</i> (Opisthobranchia: Tethyiidae) from the tropical western Pacific. 2012 , 10, 333-349	1
1150	Potential importance of physiologically diverse benthic foraminifera in sedimentary nitrate storage and respiration. 2012 , 117, n/a-n/a	55
1149	Congruence and indifference between two molecular markers for understanding oral evolution in the Marynidae sensu lato (Ciliophora, Colpodea). 2012 , 48, 297-304	8
1148	Endophytic fungi isolated from <i>Khaya</i> anthotheca in Ghana. 2012 , 5, 298-308	21

1147	Intact polar and core glycerol dibiphytanyl glycerol tetraether lipids in the Arabian Sea oxygen minimum zone: I. Selective preservation and degradation in the water column and consequences for the TEX86. 2012 , 98, 228-243	87
1146	Characterization of Aquilegia Polycomb Repressive Complex 2 homologs reveals absence of imprinting. 2012 , 507, 54-60	5
1145	Beyond barcoding: a mitochondrial genomics approach to molecular phylogenetics and diagnostics of blowflies (Diptera: Calliphoridae). 2012 , 511, 131-42	116
1144	Brain infecting kudoids of Australia's coral reefs, including a description of <i>Kudoa lemniscati</i> n. sp. (Myxosporaea: Kudoidae) from <i>Lutjanus lemniscatus</i> (Perciformes: Lutjanidae) off Ningaloo Reef, Western Australia. 2012 , 61, 333-42	25
1143	Host specificity and local infection dynamics of <i>Kudoa leptacanthae</i> n. sp. (Multivalvulida: Kudoidae) from the pericardial cavity of two <i>Zoramia</i> spp. (Perciformes: Apogonidae) at Lizard Island lagoon, Queensland, Australia. 2012 , 61, 697-706	12
1142	A Broad Phylogenetic Analysis of Boraginaceae: Implications for the Relationships of <i>Mertensia</i> . 2012 , 37, 758-783	36
1141	Using multiple analytical methods to improve phylogenetic hypotheses in <i>Minaria</i> (Apocynaceae). 2012 , 65, 915-25	11
1140	Cryptic diversity among the achaetous <i>Marionina</i> (Annelida, Clitellata, Enchytraeidae). 2012 , 10, 509-525	13
1139	Clinical relevance of novel Otarine herpesvirus-3 in California sea lions (<i>Zalophus californianus</i>): lymphoma, esophageal ulcers, and strandings. 2012 , 43, 85	16
1138	The essentials of computational molecular evolution. 2012 , 855, 111-52	23
1137	Affinities of the <i>Boletus chromapes</i> group to <i>Royoungia</i> and the description of two new genera, <i>Harrya</i> and <i>Australopilus</i> . 2012 , 25, 418	36
1136	Relationships between soil organic matter, nutrients, bacterial community structure, and the performance of microbial fuel cells. 2012 , 46, 1914-22	79
1135	The analysis of near full-length genome sequences of HIV type 1 subtype A viruses from Russia supports the monophyly of major intrasubtype clusters. 2012 , 28, 1340-3	9
1134	Two new species of <i>Pluteus</i> (Pluteaceae, Agaricales) from India and additional observations on <i>Pluteus chrysaegis</i> . 2012 , 11, 869-878	13
1133	Books Received 2011/2012. 2012 , 98, 1155-1155	
1132	<i>Geodermatophilus arenarius</i> sp. nov., a xerophilic actinomycete isolated from Saharan desert sand in Chad. 2012 , 16, 903-9	44
1131	Revised phylogeny of African sand lizards (Pedioplanis), with the description of two new species from south-western Angola. 2012 , 61, 91-112	23
1130	Diversity and endemism of ciliates inhabiting Neotropical phytotelmata. 2012 , 10, 195-205	34

1129	Survey of heritable endosymbionts in southern Mexico populations of the fruit fly species <i>Anastrepha striata</i> and <i>A. ludens</i> . 2012 , 65, 711-8	17
1128	Comparative genomics of <i>Ceriporiopsis subvermispora</i> and <i>Phanerochaete chrysosporium</i> provide insight into selective ligninolysis. 2012 , 109, 5458-63	225
1127	Complete coding sequence and molecular epidemiological analysis of Sindbis virus isolates from mosquitoes and humans, Finland. 2012 , 93, 1984-1990	23
1126	Insulin-Like Peptides. 2012 , 63-92	50
1125	A molecular phylogenetic analysis of the vampire moths and their fruit-piercing relatives (Lepidoptera: Erebidae: Calpinae). 2012 , 65, 786-91	25
1124	Life cycle completion of parasite <i>Ascogregarina taiwanensis</i> (Apicomplexa: Lecudinidae) in non-native host <i>Ochlerotatus japonicus</i> (Diptera: Culicidae). 2012 , 49, 1109-17	8
1123	Phylogenetic analysis of <i>Hyaella</i> colonization in lakes recovering from acidification and metal contamination. 2012 , 90, 624-629	6
1122	Molecular phylogeny and insular biogeography of the lowland tailorbirds of Southeast Asia (Cisticolidae: Orthotomus). 2012 , 65, 54-63	18
1121	Molecular phylogeny of the Entomophthoromycota. 2012 , 65, 682-94	56
1120	Estimating divergence dates and evaluating dating methods using phylogenomic and mitochondrial data in squamate reptiles. 2012 , 65, 974-91	82
1119	A time-calibrated molecular phylogeny of the precious corals: reconciling discrepancies in the taxonomic classification and insights into their evolutionary history. 2012 , 12, 246	25
1118	Rather than by direct acquisition via lateral gene transfer, GHF5 cellulases were passed on from early Pratylenchidae to root-knot and cyst nematodes. 2012 , 12, 221	27
1117	MicroRNAs and essential components of the microRNA processing machinery are not encoded in the genome of the ctenophore <i>Mnemiopsis leidyi</i> . 2012 , 13, 714	34
1116	Towards a natural classification of Botryosphaeriales. 2012 , 57, 149-210	144
1115	A Novel Ciliate (Ciliophora: Hypotrichida) Isolated from Bathyal Anoxic Sediments. 2012 , 145-154	2
1114	Description of <i>Alpheus cedrici</i> sp. n., a strikingly coloured snapping shrimp (Crustacea, Decapoda, Alpheidae) from Ascension Island, central Atlantic Ocean. 2012 , 1-15	13
1113	The double-corolla phenotype in the Hawaiian lobelioid genus <i>Clermontia</i> involves ectopic expression of PISTILLATA B-function MADS box gene homologs. 2012 , 3, 26	11
1112	Evolutionary diversification of banded tube-dwelling anemones (Cnidaria; Ceriantharia; <i>Isarachnanthus</i>) in the Atlantic Ocean. 2012 , 7, e41091	24

1111	Broad phylogenomic sampling and the sister lineage of land plants. 2012 , 7, e29696	212
1110	A phylogenetic analysis of the globins in fungi. 2012 , 7, e31856	23
1109	First dating of a recombination event in mammalian tick-borne flaviviruses. 2012 , 7, e31981	19
1108	Primitive duplicate Hox clusters in the European eel's genome. 2012 , 7, e32231	113
1107	Accelerated evolution of mitochondrial but not nuclear genomes of Hymenoptera: new evidence from crabronid wasps. 2012 , 7, e32826	46
1106	Nitrile hydratase genes are present in multiple eukaryotic supergroups. 2012 , 7, e32867	16
1105	The diversification of the LIM superclass at the base of the metazoa increased subcellular complexity and promoted multicellular specialization. 2012 , 7, e33261	36
1104	Radiating on oceanic islands: patterns and processes of speciation in the land snail genus <i>Theba</i> (Risso 1826). 2012 , 7, e34339	19
1103	Phylogenetic relationships among the colobine monkeys revisited: new insights from analyses of complete mt genomes and 44 nuclear non-coding markers. 2012 , 7, e36274	36
1102	An evaluation of putative sympatric speciation within <i>Limnanthes</i> (Limnanthaceae). 2012 , 7, e36480	7
1101	A primary survey on bryophyte species reveals two novel classes of nucleotide-binding site (NBS) genes. 2012 , 7, e36700	46
1100	Digits lost or gained? Evidence for pedal evolution in the dwarf salamander complex (<i>Eurycea</i> , Plethodontidae). 2012 , 7, e37544	8
1099	Early events in the evolution of spider silk genes. 2012 , 7, e38084	45
1098	Molecular phylogeny and phylogeography of the Australian freshwater fish genus <i>Galaxiella</i> , with an emphasis on dwarf galaxias (<i>G. pusilla</i>). 2012 , 7, e38433	23
1097	Novel root-fungus symbiosis in Ericaceae: sheathed ericoid mycorrhiza formed by a hitherto undescribed basidiomycete with affinities to Trechisporales. 2012 , 7, e39524	50
1096	The irreversible loss of a decomposition pathway marks the single origin of an ectomycorrhizal symbiosis. 2012 , 7, e39597	82
1095	Testing the effectiveness of an international conservation agreement: marketplace forensics and CITES caviar trade regulation. 2012 , 7, e40907	37
1094	Investigating concordance among genetic data, subspecies circumscriptions and hostplant use in the nymphalid butterfly <i>Polygonia faunus</i> . 2012 , 7, e41058	12

1093	Revision of <i>Gangesia</i> (Cestoda: Proteocephalidea) in the Indomalayan region: morphology, molecules and surface ultrastructure. 2012 , 7, e46421	13
1092	Glutamine versus ammonia utilization in the NAD synthetase family. 2012 , 7, e39115	30
1091	Genome-wide comparative analysis of annexin superfamily in plants. 2012 , 7, e47801	46
1090	An anatomical description of a miniaturized acorn worm (hemichordata, enteropneusta) with asexual reproduction by paratomy. 2012 , 7, e48529	37
1089	A phylogenomic approach to vertebrate phylogeny supports a turtle-archosaur affinity and a possible paraphyletic lissamphibia. 2012 , 7, e48990	49
1088	Macroevolutionary dynamics and historical biogeography of primate diversification inferred from a species supermatrix. 2012 , 7, e49521	361
1087	Evolutionary genomics of transposable elements in <i>Saccharomyces cerevisiae</i> . 2012 , 7, e50978	65
1086	Phylogenetic classification at generic level in the absence of distinct phylogenetic patterns of phenotypical variation: a case study in graphidaceae (ascomycota). 2012 , 7, e51392	22
1085	Mitochondrial genome of the freshwater jellyfish <i>Craspedacusta sowerbyi</i> and phylogenetics of Medusozoa. 2012 , 7, e51465	22
1084	Protein Phylogenetic Analysis of Ca(2+)/cation Antiporters and Insights into their Evolution in Plants. 2012 , 3, 1	330
1083	Diversification and Expression of the PIN, AUX/LAX, and ABCB Families of Putative Auxin Transporters in <i>Populus</i> . 2012 , 3, 17	50
1082	Evidence for horizontal gene transfer of anaerobic carbon monoxide dehydrogenases. 2012 , 3, 132	56
1081	Benthic cyanobacterial mats in the high arctic: multi-layer structure and fluorescence responses to osmotic stress. 2012 , 3, 140	35
1080	The inclusion of <i>Acrophorus</i> , <i>Diacalpe</i> , <i>Nothoperanema</i> , and <i>Peranema</i> in <i>Dryopteris</i> : The molecular phylogeny, systematics, and nomenclature of <i>Dryopteris</i> subg. <i>Nothoperanema</i> (Dryopteridaceae). 2012 , 61, 1199-1216	16
1079	Phylogenetic placements of the barbin genera <i>Discherodontus</i> , <i>Chagunius</i> , and <i>Hypselobarbus</i> in the subfamily Cyprininae (Teleostei: Cypriniformes) and their relationships with other barbines. 2012 , 3586, 26	9
1078	Phylogeny, biogeography, and chromosome evolution of the amphitropical genus <i>Grindelia</i> (Asteraceae) inferred from nuclear ribosomal and chloroplast sequence data. 2012 , 61, 211-230	11
1077	Systematics of the Austral-Pacific family Goodeniaceae: Establishing a taxonomic and evolutionary framework. 2012 , 61, 419-436	12
1076	Phylogeny of tribe Rhinanthae (Orobanchaceae) with a focus on biogeography, cytology and re-examination of generic concepts. 2012 , 61, 1269-1285	18

1075	A fully resolved chloroplast phylogeny of the brassica crops and wild relatives (Brassicaceae: Brassicaceae): Novel clades and potential taxonomic implications. 2012 , 61, 980-988	38
1074	Phylogeny and a revised classification of the Chinese species of <i>Nyssa</i> (Nyssaceae) based on morphological and molecular data. 2012 , 61, 344-354	11
1073	Bristly versus juicy: Phylogenetic position and taxonomy of <i>Sphaerocoma</i> (Caryophyllaceae). 2012 , 61, 67-75	7
1072	<i>Stictonectes rebecca</i> sp. n. from the Iberian Peninsula, with notes on its phylogenetic position (Coleoptera, Dytiscidae). 2012 , 3188, 42	0
1071	Phylogeography, geographic variation, and taxonomy of the Bent-toed Gecko <i>Cyrtodactylus quadrivirgatus</i> Taylor, 1962 from Peninsular Malaysia with the description of a new swamp dwelling species. 2012 , 3406, 39	37
1070	Description of <i>Jolyelmis spangleri</i> a new species from Churupui (Chimantó Massif, Venezuela), with a description of the larva of <i>J. spangleri</i> and <i>J. reitmaieri</i> (Insecta: Coleoptera: Elmidae). 2012 , 3223, 1	4
1069	A new species of scincid lizard in the genus <i>Caledoniscincus</i> (Reptilia: Scincidae) from northwest New Caledonia. 2012 , 3229, 47	2
1068	Bothriocephalidean tapeworms (Cestoda) of freshwater fish in Africa, including erection of <i>Kirstenella</i> n. gen. and description of <i>Tetracampos martinae</i> n. sp.. 2012 , 3309, 1	27
1067	Molecular systematics of western North American cyprinids (Cypriniformes: Cyprinidae). 2012 , 3586, 281	20
1066	New species of <i>Pachytriton</i> (Caudata: Salamandridae) from the Nanling Mountain Range, southeastern China. 2012 , 3388, 1	6
1065	Resurrection of the octocorallian genus <i>Antillogorgia</i> for Caribbean species previously assigned to <i>Pseudopterogorgia</i> , and a taxonomic assessment of the relationship of these genera with <i>Leptogorgia</i> (Cnidaria, Anthozoa, Gorgoniidae). 2012 , 3505, 39	20
1064	A phylogeny and taxonomy of the Thai-Malay Peninsula Bent-toed Geckos of the <i>Cyrtodactylus pulchellus</i> complex (Squamata: Gekkonidae): combined morphological and molecular analyses with descriptions of seven new species. 2012 , 3520, 1	79
1063	Molecular Evidence for the Wide Distribution of Two Lineages of Terrestrial Green Algae (Chlorophyta) over Tropics to Temperate Zone. 2012 , 2012, 1-9	9
1062	New Australasian <i>Zalmoxidae</i> (Opiliones: Laniatores) and a new case of male polymorphism in Opiliones. 2012 , 3236, 1	16
1061	Yeast communities in <i>Sphagnum</i> phyllosphere along the temperature-moisture ecocline in the boreal forest-swamp ecosystem and description of <i>Candida sphagnicola</i> sp. nov. 2012 , 102, 29-43	34
1060	Menispermaceae and the diversification of tropical rainforests near the Cretaceous-Paleogene boundary. 2012 , 195, 470-478	65
1059	Phylogeny of the Asparagales based on three plastid and two mitochondrial genes. 2012 , 99, 875-89	65
1058	raxmlGUI: a graphical front-end for RAxML. 2012 , 12, 335-337	2029

- 1057 In silico characterization and molecular evolutionary analysis of a novel superfamily of fungal effector proteins. **2012**, 29, 3371-84 61
- 1056 Complete mitochondrial genome of the Chinese oriental vole *Eothenomys chinensis* (Rodentia: Arvicolinae). **2012**, 23, 131-3 9
- 1055 Colloidietyon--an ancient lineage in the tree of eukaryotes. **2012**, 29, 1557-68 75
- 1054 Multiple losses of flight and recent speciation in steamer ducks. **2012**, 279, 2339-46 25
- 1053 *Anzia mahaelyiensis* and *Anzia flavotenuis*, two new lichen species from Sri Lanka. **2012**, 44, 381-389 10
- 1052 Coral comparative genomics reveal expanded Hox cluster in the cnidarian-bilaterian ancestor. **2012**, 52, 835-41 32
- 1051 Diversity of the karyorelictid ciliates: *Remanella* (Protozoa, Ciliophora, Karyorelictida) inhabiting intertidal areas of Qingdao, China, with descriptions of three species. **2012**, 10, 207-219 12
- 1050 Adaptive radiation in extremophilic Dorvilleidae (Annelida): diversification of a single colonizer or multiple independent lineages?. **2012**, 2, 1958-70 17
- 1049 *Mayariochloa*, a New Monotypic Genus Segregated from *Scutachne* (Poaceae, Panicoideae, Paniceae). **2012**, 37, 105-116 6
- 1048 Molecular Phylogeny of *Dissanthelium* (Poaceae: Pooideae) and its Taxonomic Implications. **2012**, 37, 122-133 23
- 1047 Class *Cariacotrichea*, a novel ciliate taxon from the anoxic Cariaco Basin, Venezuela. **2012**, 62, 1425-1433 51
- 1046 Testing relationships among the vetigastropod taxa: a molecular approach. **2012**, 78, 12-27 36
- 1045 Migration of Norway rats resulted in the worldwide distribution of Seoul hantavirus today. **2012**, 86, 972-81 83
- 1044 Explosive radiation of the genus *Schizopera* on a small subterranean island in Western Australia (Copepoda:Harpacticoida): unravelling the cases of cryptic speciation, size differentiation and multiple invasions. **2012**, 26, 115 41
- 1043 *Corneroboletus*, a new genus to accommodate the southeastern Asian *Boletus indecorus*. **2012**, 104, 1420-32 34
- 1042 Coral-associated marine fungi form novel lineages and heterogeneous assemblages. **2012**, 6, 1291-301 106
- 1041 A comparative study of nemertean complete mitochondrial genomes, including two new ones for *Nectonemertes* cf. *mirabilis* and *Zygeupolia rubens*, may elucidate the fundamental pattern for the phylum Nemertea. **2012**, 13, 139 16
- 1040 Phylogeny and biogeography of the core babblers (Aves: Timaliidae). *Systematic Biology*, **2012**, 61, 631-58.4 91

1039	Molecular and phytochemical systematics of the subtribe Hypochaeridinae (Asteraceae, Cichorieae). 2012 , 12, 1-16	20
1038	Phylogeny and divergence time estimation of <i>Coreoleuciscus splendidus</i> populations (Teleostei: Cypriniformes) endemic to Korea based on complete mitogenome sequences. 2012 , 34, 149-156	5
1037	The phylogenetic relationships of the Andean swamp rat genus <i>Neotomys</i> (Rodentia, Cricetidae, Sigmodontinae) based on mitochondrial and nuclear markers. 2012 , 57, 277-287	19
1036	Species designation of the Bruneau Dune tiger beetle (<i>Cicindela waynei</i>) is supported by phylogenetic analysis of mitochondrial DNA sequence data. 2012 , 13, 373-380	3
1035	Habitat connectivity, more than species biology, influences genetic differentiation in a habitat specialist, the short-eared rock-wallaby (<i>Petrogale brachyotis</i>). 2012 , 13, 937-952	17
1034	Molecular phylogeny of glass sponges (Porifera, Hexactinellida): increased taxon sampling and inclusion of the mitochondrial protein-coding gene, cytochrome oxidase subunit I. 2012 , 687, 11-20	20
1033	The mitochondrial genomes of <i>Euphausia pacifica</i> and <i>Thysanoessa raschii</i> sequenced using 454 next-generation sequencing, with a phylogenetic analysis of their position in the Malacostracan family tree. 2012 , 39, 9009-21	10
1032	Multiple Copies of Genes Encoding XEGIPs are Harbored in an 85-kB Region of the Potato Genome. 2012 , 30, 1040-1046	7
1031	A distinct tymovirus infecting <i>Cassia hoffmannseggii</i> in Brazil. 2012 , 45, 190-4	8
1030	Three new <i>Tomentella</i> species from West Africa identified by anatomical and molecular data. 2012 , 11, 449-462	8
1029	<i>Genea mexicana</i> , sp. nov., and <i>Geopora tolucana</i> , sp. nov., new hypogeous Pyrenomataceae from Mexico, and the taxonomy of <i>Geopora</i> reevaluated. 2012 , 11, 711-724	9
1028	<i>Grosmannia</i> and <i>Leptographium</i> spp. associated with conifer-infesting bark beetles in Finland and Russia, including <i>Leptographium taigense</i> sp. nov. 2012 , 102, 375-99	39
1027	Phylogenetic reference data for systematics and phylotaxonomy of arbuscular mycorrhizal fungi from phylum to species level. 2012 , 193, 970-984	457
1026	ZOOSPOROGENESIS, MORPHOLOGY, ULTRASTRUCTURE, PIGMENT COMPOSITION, AND PHYLOGENETIC POSITION OF <i>TRACHYDISCUS MINUTUS</i> (EUSTIGMATOPHYCEAE, HETEROKONTOPHYTA)(1). 2012 , 48, 231-42	36
1025	Phylogenetic relationships of the <i>Rhacophorus everetti</i> -group and implications for the evolution of reproductive modes in <i>Philautus</i> (Amphibia: Anura: Rhacophoridae). 2012 , 41, 29-46	17
1024	Developmental plasticity, morphological variation and evolvability: a multilevel analysis of morphometric integration in the shape of compound leaves. 2012 , 25, 115-29	104
1023	Prevalence and diversity of Grapevine fanleaf virus in southern Spain. 2012 , 61, 1032-1042	3
1022	Evolutionary and biogeographical history of an ancient and global group of arachnids (Arachnida: Opiliones: Cyphophthalmi) with a new taxonomic arrangement. 2012 , 105, 92-130	74

1021	Investigating niche and lineage diversification in widely distributed taxa: phylogeography and ecological niche modeling of the <i>Peromyscus maniculatus</i> species group. 2012 , 35, 54-64	36
1020	Phylogenetic position of the genus <i>Proedromys</i> (Arvicolinae, Rodentia): Evidence from nuclear and mitochondrial DNA. 2012 , 42, 59-68	10
1019	Substitution saturation and nuclear paralogs of commonly employed phylogenetic markers in the Caryophyllidea, an unusual group of non-segmented tapeworms (Platyhelminthes). 2012 , 42, 259-67	46
1018	A contemporary evaluation of the acrasids (Acrasidae, Heterolobosea, Excavata). 2012 , 48, 103-23	48
1017	A genomic survey shows that the haloarchaeal type tyrosyl tRNA synthetase is not a synapomorphy of opisthokonts. 2012 , 48, 89-93	4
1016	The historical biogeography of <i>Scabiosa</i> (Dipsacaceae): implications for Old World plant disjunctions. 2012 , 39, 1086-1100	37
1015	What's on your boots: an investigation into the role we play in protist dispersal. 2012 , 39, 998-1003	12
1014	Phylogeography and molecular phylogeny of Macaronesian island <i>Tarphius</i> (Coleoptera: Zopheridae): why are there so few species in the Azores?. 2012 , 39, 1583-1595	15
1013	Using functional traits and phylogenetic trees to examine the assembly of tropical tree communities. 2012 , 100, 690-701	156
1012	SYSTEMATICS OF THE GENUS <i>ZYGNEMA</i> (ZYGNETOPHYCEAE, CHAROPHYTA) FROM CALIFORNIAN WATERSHEDS(1). 2012 , 48, 409-22	42
1011	MOLECULAR EVOLUTION OF GLUTAMINE SYNTHETASE II AND III IN THE CHROMALVEOLATES(1). 2012 , 48, 768-83	3
1010	Breaking a paradigm: cosmopolitan and abundant freshwater actinobacteria are low GC. 2012 , 4, 29-35	51
1009	Morphological and molecular characterization of <i>Paramecium</i> (<i>Viridoparamecium</i> nov. subgen.) <i>chlorelligerum</i> Kahl (Ciliophora). 2012 , 59, 548-63	28
1008	Multilocus coalescence analyses support a mtDNA-based phylogeographic history for a widespread Palearctic passerine bird, <i>Sitta europaea</i> . 2012 , 66, 2850-64	41
1007	The Pyramid Trough Wetland: environmental and biological diversity in a newly created Antarctic protected area. 2012 , 82, 356-66	26
1006	Distinctive identification of <i>Cladosporium sphaerospermum</i> and <i>Cladosporium halotolerans</i> based on physiological methods. 2012 , 50, 235-243	
1005	Caryophyllales: Evaluating phylogenetic signal in <i>trnK</i> intron versus <i>matK</i> . 2012 , 50, 387-410	11
1004	The evolution of the <i>Escherichia coli</i> phylogeny. 2012 , 12, 214-26	121

1003	Isolation and molecular identification of Sunshine virus, a novel paramyxovirus found in Australian snakes. 2012 , 12, 1436-46	30
1002	Delimitation of the Thoracosphaeraceae (Dinophyceae), including the calcareous dinoflagellates, based on large amounts of ribosomal RNA sequence data. 2012 , 163, 15-24	59
1001	COI barcoding of Nebelid testate amoebae (Amoebozoa: Arcellinida): extensive cryptic diversity and redefinition of the Hyalospheniidae Schultze. 2012 , 163, 415-34	74
1000	Nested in the Chlorellales or independent class? Phylogeny and classification of the Pedinophyceae (Viridiplantae) revealed by molecular phylogenetic analyses of complete nuclear and plastid-encoded rRNA operons. 2012 , 163, 778-805	49
999	Characterization of a novel papillomavirus species (ZcPV1) from two California sea lions (<i>Zalophus californianus</i>). 2012 , 155, 257-66	8
998	Black yeast-like fungi associated with Lethargic Crab Disease (LCD) in the mangrove-land crab, <i>Ucides cordatus</i> (Ocypodidae). 2012 , 158, 109-22	56
997	Initial sequence characterization of the rhabdoviruses of squamate reptiles, including a novel rhabdovirus from a caiman lizard (<i>Dracaena guianensis</i>). 2012 , 158, 274-9	12
996	Divergent ancestral lineages of newfound hantaviruses harbored by phylogenetically related crocidurine shrew species in Korea. 2012 , 424, 99-105	45
995	RFX2 is broadly required for ciliogenesis during vertebrate development. 2012 , 363, 155-65	78
994	A new subfamilial and tribal classification of the pantropical flowering plant family Annonaceae informed by molecular phylogenetics. 2012 , 169, 5-40	155
993	Molecular phylogenetic analysis of Podostemaceae: implications for taxonomy of major groups. 2012 , 169, 461-492	33
992	Disentangling ribbon worm relationships: multi-locus analysis supports traditional classification of the phylum Nemertea. 2012 , 28, 141-159	83
991	Systematics and evolution of syllids (Annelida, Syllidae). 2012 , 28, 234-250	49
990	Molecular phylogeny of treefrogs in the <i>Rhacophorus dugritei</i> species complex (Anura: Rhacophoridae), with descriptions of two new species. 2012 , 165, 143-162	3
989	Molecular data illuminate cryptic nudibranch species: the evolution of the Scyllaeidae (Nudibranchia: Dendronotina) with a revision of Notobryon. 2012 , 165, 311-336	29
988	Testing the Pleistocene species pump in alpine habitats: lineage diversification of flightless ground beetles (Coleoptera: Carabidae: <i>Nebria</i>) in relation to altitudinal zonation. 2012 , 107, 95-111	40
987	Phylogeography of the catfish <i>Hatcheria macraei</i> reveals a negligible role of drainage divides in structuring populations. 2012 , 21, 942-59	26
986	Speciation in the <i>Rana chensinensis</i> species complex and its relationship to the uplift of the Qinghai-Tibetan Plateau. 2012 , 21, 960-73	60

985	Multiple biogeographical barriers identified across the monsoon tropics of northern Australia: phylogeographic analysis of the brachyotis group of rock-wallabies. 2012 , 21, 2254-69	55
984	Survival and differentiation of subspecies of the land snail <i>Charpentieria itala</i> in mountain refuges in the Southern Alps. 2012 , 21, 3794-808	49
983	Vertical niche partitioning between cryptic sibling species of a cosmopolitan marine planktonic protist. 2012 , 21, 4063-73	47
982	Alternative interactions define gyrase specificity in the CcdB family. 2012 , 84, 965-78	11
981	Molecular phylogenetics of Erebidae (Lepidoptera, Noctuoidea). 2012 , 37, 102-124	119
980	Phylogeny of psychodid subfamilies (Diptera: Psychodidae) inferred from nuclear DNA sequences with a review of morphological evidence for relationships. 2012 , 37, 603-616	13
979	Molecular evidence of cycad seed predation by immature Aulacoscelidinae (Coleoptera: Orsodacnidae). 2012 , 37, 747-757	10
978	Morphological differentiation correlates with ecological but not with genetic divergence in a <i>Gehyra gecko</i> . 2012 , 25, 647-60	18
977	Phylogeny and biogeography of the parrot genus <i>Prioniturus</i> (Aves: Psittaciformes). 2012 , 50, 145-156	10
976	Rapid successions affect microbial N-acetyl-glucosamine uptake patterns during a lacustrine spring phytoplankton bloom. 2012 , 14, 794-806	74
975	Genome sequences of siphoviruses infecting marine <i>Synechococcus</i> unveil a diverse cyanophage group and extensive phage-host genetic exchanges. 2012 , 14, 540-58	69
974	Cyanobacterial construction of hot spring siliceous stromatolites in Yellowstone National Park. 2012 , 14, 1182-97	52
973	The eroded genome of a <i>Psychotria</i> leaf symbiont: hypotheses about lifestyle and interactions with its plant host. 2012 , 14, 2757-69	46
972	Sipunculan phylogeny based on six genes, with a new classification and the descriptions of two new families. 2012 , 41, 186-210	21
971	Morphology and phylogeny of a new woodruffiid ciliate, <i>Etoschophrya inornata</i> sp. n. (Ciliophora, Colpodea, Platyophryida), with an account on evolution of platyophryids. 2012 , 41, 400-416	15
970	Living Monoplacophora: morphological conservatism or recent diversification?. 2012 , 41, 471-488	17
969	Molecular phylogeny of the Athetini-Lomechusini-Ecitocharini clade of aleocharine rove beetles (Insecta). 2012 , 41, 617-636	34
968	Updating the evolutionary history of Carnivora (Mammalia): a new species-level supertree complete with divergence time estimates. 2012 , 10, 12	276

967	Divergent lineage of a novel hantavirus in the banana pipistrelle (<i>Neoromicia nanus</i>) in Côte d'Ivoire. 2012 , 9, 34	80
966	Evolution of the eukaryotic ARP2/3 activators of the WASP family: WASP, WAVE, WASH, and WHAMM, and the proposed new family members WAWH and WAML. 2012 , 5, 88	47
965	Co-circulation of two Puumala hantavirus lineages in Latvia: a Russian lineage described previously and a novel Latvian lineage. 2012 , 84, 314-8	17
964	Reclassification of an enigmatic downy mildew species on lovegrass (<i>Eragrostis</i>) to the new genus <i>Eraphthora</i> , with a key to the genera of the Peronosporaceae. 2012 , 11, 121-129	14
963	Phylogenetic placement and anatomical characterisation of two new West African <i>Tomentella</i> (Basidiomycota, Fungi) species. 2012 , 11, 171-180	13
962	The Australasian species of <i>Lactarius</i> subgenus <i>Gerardii</i> (Russulales). 2012 , 52, 141-167	17
961	Pleosporales. 2012 , 53, 1-221	222
960	Phylogeny and speciation time estimation of two <i>Koreocobitis</i> species (Teleostei; Cypriniformes; Cobitidae) endemic to Korea inferred from their complete mitogenomic sequences. 2012 , 34, 35-42	7
959	<i>Rasamsonia</i> , a new genus comprising thermotolerant and thermophilic <i>Talaromyces</i> and <i>Geosmithia</i> species. 2012 , 101, 403-21	130
958	Impact of missing data, gene choice, and taxon sampling on phylogenetic reconstruction: the Caryophyllales (angiosperms). 2012 , 298, 297-312	21
957	Microbial eukaryote life in the new hypersaline deep-sea basin Thetis. 2012 , 16, 21-34	74
956	Sympatric seagrass shrimp show similar structure and selection along the seashore: a comparison of two cryptic <i>Phycomenes zostericola</i> lineages. 2013 , 34, 30-42	2
955	Pholcid spider molecular systematics revisited, with new insights into the biogeography and the evolution of the group. 2013 , 29, 132-146	26
954	<i>Boginia virus</i> , a newfound hantavirus harbored by the Eurasian water shrew (<i>Neomys fodiens</i>) in Poland. 2013 , 10, 160	27
953	What are the common anthracnose pathogens of tropical fruits?. 2013 , 61, 165-179	74
952	Endophytic <i>Colletotrichum</i> from tropical grasses with a new species <i>C. endophytica</i> . 2013 , 61, 107-115	43
951	The ApMat marker can resolve <i>Colletotrichum</i> species: a case study with <i>Mangifera indica</i> . 2013 , 61, 117-138	76
950	The unique pseudanthium of <i>Actinodium</i> (Myrtaceae) - morphological reinvestigation and possible regulation by CYCLOIDEA-like genes. 2013 , 4, 8	13

949	Postharvest fruit rot caused by <i>Pestalotiopsis</i> sp. on grape in Korea. 2013 , 8, 111-114	10
948	Phylogenetic conservatism in plant phenology. 2013 , 101, 1520-1530	125
947	<i>Geodermatophilus saharensis</i> sp. nov., isolated from sand of the Saharan desert in Chad. 2013 , 195, 153-9	27
946	Characteristics of MHC class I genes in house sparrows <i>Passer domesticus</i> as revealed by long cDNA transcripts and amplicon sequencing. 2013 , 77, 8-21	17
945	Mosaic evolution of silk genes in <i>Aliatypus</i> trapdoor spiders (mygalomorphae, antrodiaetidae). 2013 , 76, 216-27	1
944	Vector affinity and diversity of <i>Geosmithia</i> fungi living on subcortical insects inhabiting Pinaceae species in central and northeastern Europe. 2013 , 66, 682-700	30
943	Fungal symbionts alter plant drought response. 2013 , 65, 671-8	68
942	Genetic evidence for a high diversity and wide distribution of endemic strains of the pathogenic chytrid fungus <i>Batrachochytrium dendrobatidis</i> in wild Asian amphibians. 2013 , 22, 4196-4209	90
941	Harvesting <i>Betulaceae</i> sequences from GenBank to generate a new chronogram for the family. 2013 , 172, 465-477	37
940	Quantification and relative severity of inflated branch-support values generated by alternative methods: an empirical example. 2013 , 67, 277-96	26
939	Hidden species diversity of Australian burrowing snakes (<i>Ramphotyphlops</i>). 2013 , 110, 427-441	26
938	Phylogeography of the supralittoral isopod <i>Ligia occidentalis</i> around the Point Conception marine biogeographical boundary. 2013 , 40, 2361-2372	29
937	Multilocus molecular phylogeny of <i>Gasteropelecidae</i> (Ostariophysii: Characiformes) reveals the existence of an unsuspected diversity. 2013 , 69, 1209-14	10
936	Left-right dewlap asymmetry and phylogeography of <i>Anolis lineatus</i> on Aruba and Curaçao. 2013 , 110, 409-426	13
935	Identity and phylogenetic placement of <i>Spirogyra</i> species (<i>Zygnematophyceae</i> , Charophyta) from California streams and elsewhere(1). 2013 , 49, 588-607	30
934	The complete chloroplast genome sequence of <i>Mahonia bealei</i> (<i>Berberidaceae</i>) reveals a significant expansion of the inverted repeat and phylogenetic relationship with other angiosperms. 2013 , 528, 120-31	62
933	Evolution of cave <i>Axiobregma</i> and <i>Speleobregma</i> (<i>Scalibregmatidae</i> , Annelida). 2013 , 42, n/a-n/a	12
932	Molecular phylogeny, divergence times and biogeography of spiders of the subfamily <i>Euophryinae</i> (<i>Araneae</i> : <i>Salticidae</i>). 2013 , 68, 81-92	51

931	Phylogenetic relationships of the enigmatic longtailed rattlesnakes (<i>Crotalus ericsmithi</i> , <i>C. lannomi</i> , and <i>C. stejnegeri</i>). 2013 , 69, 524-34	29
930	Protists in Arctic drift and land-fast sea ice. 2013 , 49, 229-40	44
929	Lignin-degrading peroxidases in Polyporales: an evolutionary survey based on 10 sequenced genomes. 2013 , 105, 1428-44	104
928	Into the deep: a phylogenetic approach to the bivalve subclass Protobranchia. 2013 , 69, 188-204	56
927	Phylogenetic relationships in Brassicaceae tribe Alysseae inferred from nuclear ribosomal and chloroplast DNA sequence data. 2013 , 69, 772-86	49
926	Cryptogam covers on sepulchral monuments and re-colonization of a marble surface after cleaning. 2013 , 69, 1149-1160	11
925	Molecular phylogeny of the nettle family (Urticaceae) inferred from multiple loci of three genomes and extensive generic sampling. 2013 , 69, 814-27	61
924	Metabolic potential of a single cell belonging to one of the most abundant lineages in freshwater bacterioplankton. 2013 , 7, 137-47	79
923	Oxidative stress-tolerant microalgae strains are highly efficient for biofuel feedstock production on wastewater. 2013 , 56, 284-294	93
922	Mitogenomics at the base of Metazoa. 2013 , 69, 339-51	61
921	<i>Chloropyrula uraliensis</i> gen. et sp. nov. (Trebouxiophyceae, Chlorophyta), a new green coccoid alga with a unique ultrastructure, isolated from soil in South Urals. 2013 , 51, 476-484	10
920	<i>Fomitiporia castilloi</i> sp. nov. and multiple clades around <i>F. apiahyna</i> and <i>F. texana</i> in Meso- and South America evidenced by multiloci phylogenetic inferences. 2013 , 105, 873-87	21
919	A phylogenetic overview of the antrodia clade (Basidiomycota, Polyporales). 2013 , 105, 1391-411	69
918	Phylogenetic relationships of the Gorgoderidae (Platyhelminthes: Trematoda), including the proposal of a new subfamily (Degeneriinae n. subfam.). 2013 , 112, 3063-74	37
917	A comprehensive and integrative reconstruction of evolutionary history for Anomura (Crustacea: Decapoda). 2013 , 13, 128	80
916	High genetic diversity at the regional scale and possible speciation in <i>Sebacina epigaea</i> and <i>S. incrustans</i> . 2013 , 13, 102	21
915	Hippo pathway genes developed varied exon numbers and coevolved functional domains in metazoans for species specific growth control. 2013 , 13, 76	6
914	The evolution of host associations in the parasitic wasp genus <i>Ichneumon</i> (Hymenoptera: Ichneumonidae): convergent adaptations to host pupation sites. 2013 , 13, 74	14

- 913 Convergent evolution of heat-inducibility during subfunctionalization of the Hsp70 gene family. **2013**, 13, 49 23
- 912 Comprehensive phylogenetic analysis of all species of swordtails and platies (Pisces: Genus Xiphophorus) uncovers a hybrid origin of a swordtail fish, Xiphophorus monticolus, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus, but was lost again secondarily. **2013**, 13, 25 50
- 911 Cnidarian phylogenetic relationships as revealed by mitogenomics. **2013**, 13, 5 144
- 910 The complete mitochondrial genome of Solemya velum (Mollusca: Bivalvia) and its relationships with conchifera. **2013**, 14, 409 48
- 909 Reevaluation of the evolutionary events within recA/RAD51 phylogeny. **2013**, 14, 240 22
- 908 A systematic, morphological and ecological overview of the Clavariaceae (Agaricales). **2013**, 105, 896-911 45
- 907 Phylogenetic evaluation of Geomyces and allies reveals no close relatives of Pseudogymnoascus destructans, comb. nov., in bat hibernacula of eastern North America. **2013**, 117, 638-49 188
- 906 Freshwater ascomycetes: Minutisphaera (Dothideomycetes) revisited, including one new species from Japan. **2013**, 105, 959-76 26
- 905 Monosaccharide analysis of succulent leaf tissue in Aloe. **2013**, 93, 79-87 21
- 904 Hoffmannoscypha, a novel genus of brightly coloured, cupulate Pyronemataceae closely related to Tricharina and Geopora. **2013**, 12, 675-686 12
- 903 Description and affinities of a sequestrate Lepiota (Agaricaceae) from Australia. **2013**, 12, 525-532 12
- 902 Sydowia japonica, a new name for Leptosphaerulina japonica based on morphological and molecular data. **2013**, 12, 173-183 5
- 901 Phylogeography in the northern Andes: complex history and cryptic diversity in a cloud forest frog, Pristimantis w-nigrum (Craugastoridae). **2013**, 69, 417-29 21
- 900 Two Rare Phallales Recorded from São Tomé **2013**, 34, 3 5
- 899 High altitude adaptation of the schizothoracine fishes (Cyprinidae) revealed by the mitochondrial genome analyses. **2013**, 517, 169-78 41
- 898 Unicapsula species (Myxosporae: Trilosporidae) of Australian marine fishes, including the description of Unicapsula andersenae n. sp. in five teleost families off Queensland, Australia. **2013**, 112, 2945-57 16
- 897 Brownea jaramilloi (Leguminosae: Caesalpinioideae), a new, over-looked species endemic to the Ecuadorian Amazon. **2013**, 68, 157-162 4
- 896 Geodermatophilus africanus sp. nov., a halotolerant actinomycete isolated from Saharan desert sand. **2013**, 104, 207-16 36

895	Efficient algorithms for knowledge-enhanced supertree and supermatrix phylogenetic problems. 2013 , 10, 1432-41	7
894	Genome size increases in recently diverged hornwort clades. 2013 , 56, 431-5	23
893	Utility of the phylotoxigenic relationships among trichothecene-producing <i>Fusarium</i> species for predicting their mycotoxin-producing potential. 2013 , 30, 1370-81	9
892	Anthropogenic extinction threats and future loss of evolutionary history in reef corals. 2013 , 3, 1184-93	25
891	Molecular characterization, morphology, and pathogenicity of <i>Alternaria panax</i> from araliaceous plants in Korea. 2013 , 12, 383-396	15
890	Molecular evidence for reticulate speciation in <i>Astragalus</i> (Fabaceae) as revealed by a case study from sect. <i>Dissitiflori</i> . 2013 , 91, 702-714	17
889	In silico peptide-binding predictions of passerine MHC class I reveal similarities across distantly related species, suggesting convergence on the level of protein function. 2013 , 65, 299-311	10
888	On the identity of two Antarctic brooding nemerteans: redescription of <i>Antarctonemertes valida</i> (Büger, 1893) and description of a new species in the genus <i>Antarctonemertes</i> Friedrich, 1955 (Nemertea, Hoplonemertea). 2013 , 36, 1415-1430	10
887	Biogeographical and phylogeographical relationships of the bathyal ophiuroid fauna of the Macquarie Ridge, Southern Ocean. 2013 , 36, 321-333	11
886	Isolation of potential fungal pathogens in gorgonian corals at the Tropical Eastern Pacific. 2013 , 32, 35-41	19
885	First record of <i>Biecheleria cincta</i> (Dinophyceae) from Chinese coasts, with morphological and molecular characterization of the strains. 2013 , 31, 835-845	12
884	Complete plastid genome sequence of <i>Vaccinium macrocarpon</i> : structure, gene content, and rearrangements revealed by next generation sequencing. 2013 , 9, 489-498	70
883	A reappraisal of the systematic affinities of Socotran, Arabian and East African scops owls (<i>Otus</i> , <i>Strigidae</i>) using a combination of molecular, biometric and acoustic data. 2013 , 155, 518-533	5
882	Convergent specialization – the sharing of pollinators by sympatric genera of sexually deceptive orchids. 2013 , 101, 826-835	27
881	Phylogenetic and phylogenomic overview of the Polyporales. 2013 , 105, 1350-73	199
880	A divergent clade of circular single-stranded DNA viruses from pig feces. 2013 , 158, 2157-62	33
879	Predominant archaea in marine sediments degrade detrital proteins. 2013 , 496, 215-8	398
878	Phylogeny, phylogeography, and systematics of the American pea crab genus <i>Calyptraeotheres</i> Campos, 1990, inferred from molecular markers. 2013 , 169, 27-42	13

877	Alternative splicing of the nuclear progesterin receptor in a perciform teleost generates novel mechanisms of dominant-negative transcriptional regulation. 2013 , 182, 24-40	16
876	Using DNA-barcoding for sorting out protist species complexes: a case study of the <i>Nebela tinctoria-collaris-bohemica</i> group (Amoebozoa; Arcellinida, Hyalospheniidae). 2013 , 49, 222-37	43
875	Isolation of the MAT1-1 mating type idiomorph and evidence for selfing in the Chinese medicinal fungus <i>Ophiocordyceps sinensis</i> . 2013 , 117, 599-610	23
874	Phylogeography of <i>Coreoperca whiteheadi</i> (Perciformes: Coreoperca) in China based on mitochondrial and nuclear gene sequences. 2013 , 50, 223-231	7
873	Nearly complete 28S rRNA gene sequences confirm new hypotheses of sponge evolution. 2013 , 53, 373-87	46
872	A molecular phylogeny for sub-Saharan amphisbaenians. 2013 , 62, 100-108	10
871	Molecular phylogenetic analyses identify Alpine differentiation and dysploid chromosome number changes as major forces for the evolution of the European endemic <i>Phyteuma</i> (Campanulaceae). 2013 , 69, 634-52	16
870	A Molecular Phylogeny of the Species-Rich Neotropical Genus <i>Anthurium</i> (Araceae) based on Combined Chloroplast and Nuclear DNA. 2013 , 38, 576-588	25
869	Testing a Hypothesis of Intergeneric Allopolyploidy in Vine Cacti (Cactaceae: Hylocereeae). 2013 , 38, 737-751	9
868	Dynamic transmission of West Nile virus across the United States-Mexican border. 2013 , 436, 75-80	14
867	Molecular identification of cryptic species of <i>Ceratomyxa Thlohan, 1892</i> (Myxosporea: Bivalvulida) including the description of eight novel species from apogonid fishes (Perciformes: Apogonidae) from Australian waters. 2013 , 58, 342-60	29
866	<i>Phylloporia nouraguensis</i> , an Undescribed Species on Myrtaceae from French Guiana. 2013 , 34, 15	19
865	Planistromellaceae (Botryosphaerales). 2013 , 34, 45	13
864	Molecular characterization of " <i>Candidatus Similichlamydia latridicola</i> " gen. nov., sp. nov. (Chlamydiales: " <i>Candidatus Parilichlamydiaceae</i> "), a novel Chlamydia-like epitheliocystis agent in the striped trumpeter, <i>Latris lineata</i> (Forster). 2013 , 79, 4914-20	29
863	Genome-wide evidence for speciation with gene flow in <i>Heliconius</i> butterflies. 2013 , 23, 1817-28	420
862	Temperature-dependent shifts in phenology contribute to the success of exotic species with climate change. 2013 , 100, 1407-21	104
861	The evolution of complexity in the visual systems of stomatopods: insights from transcriptomics. 2013 , 53, 39-49	38
860	Families of Dothideomycetes. 2013 , 63, 1-313	400

859	Multilocus species delimitation in a complex of morphologically conserved trapdoor spiders (mygalomorphae, antrodiaetidae, aliatypus). <i>Systematic Biology</i> , 2013 , 62, 805-23	8.4	182
858	Vegetative and reproductive development of Mediterranean <i>Gulsonia nodulosa</i> (Ceramiales, Rhodophyta) and its genetic affinities. 2013 , 52, 357-367		2
857	The sister-group relationships of the largest family of lichenized fungi, Parmeliaceae (Lecanorales, Ascomycota). 2013 , 117, 715-21		16
856	Fungal symbioses in hornworts: a chequered history. 2013 , 280, 20130207		69
855	<i>Kribbella shirazensis</i> sp. nov., isolated from Iranian soil. 2013 , 63, 3369-3374		11
854	Lineages of ectomycorrhizal fungi revisited: Foraging strategies and novel lineages revealed by sequences from belowground. 2013 , 27, 83-99		312
853	Insights into phylogeny, sex function and age of <i>Fragaria</i> based on whole chloroplast genome sequencing. 2013 , 66, 17-29		111
852	Diversity, host associations, and phylogeography of temperate aurofusarin-producing <i>Hypomyces/Cladobotryum</i> including causal agents of cobweb disease of cultivated mushrooms. 2013 , 117, 348-67		28
851	Contrasting demographic histories of two species in the lichen-forming fungal genus <i>Xanthomendoza</i> (Teloschistaceae, Ascomycota). 2013 , 116, 337		7
850	Molecular phylogeny of <i>Anaphalis</i> (Asteraceae, Gnaphalieae) with biogeographic implications in the Northern Hemisphere. 2013 , 126, 17-32		20
849	<i>Mesoaciditoga lauensis</i> gen. nov., sp. nov., a moderately thermoacidophilic member of the order Thermotogales from a deep-sea hydrothermal vent. 2013 , 63, 4724-4729		24
848	<i>Teuvoa</i> , a new lichen genus in Megasporaceae (Ascomycota: Pertusariales), including <i>Teuvoa junipericola</i> sp. nov.. 2013 , 45, 347-360		7
847	Recent evolutionary dynamism in three pulmonate gastropods from south-eastern Australia. 2013 , 128, 1-8		4
846	Distribution and evolution of the mobile vma-1b intein. 2013 , 30, 2676-87		11
845	Phytochemical, phylogenetic, and anti-inflammatory evaluation of 43 <i>Urtica</i> accessions (stinging nettle) based on UPLC-Q-TOF-MS metabolomic profiles. 2013 , 96, 170-83		77
844	Phylogenomics demonstrates that breviate flagellates are related to opisthokonts and apusomonads. 2013 , 280, 20131755		90
843	Taxonomic re-evaluation of the <i>Ceratobasidium-Rhizoctonia</i> complex and <i>Rhizoctonia butinii</i> , a new species attacking spruce. 2013 , 12, 763-776		26
842	Integrative taxonomy uncovers high levels of cryptic species diversity in <i>Hemiphyllodactylus</i> Bleeker, 1860 (Squamata: Gekkonidae) and the description of a new species from Peninsular Malaysia. 2013 , 169, 849-880		29

841	The evolution and biogeography of the austral horse fly tribe Scionini (Diptera: Tabanidae: Pangoniinae) inferred from multiple mitochondrial and nuclear genes. 2013 , 68, 516-40	26
840	<i>Pyrenula sanguinea</i> (lichenized Ascomycota: Pyrenulaceae), a new species with unique, trypethelioid ascomata and complex pigment chemistry. 2013 , 116, 350-357	11
839	Phylogenetic relationships of the Australasian shrubby everlastings <i>Ozothamnus</i> and <i>Cassinia</i> (Asteraceae: Asteroideae: Gnaphalieae). 2013 , 29, 574-588	12
838	A phylogenetic framework for evolutionary study of the nightshades (Solanaceae): a dated 1000-tip tree. 2013 , 13, 214	286
837	Whole genome duplication events in plant evolution reconstructed and predicted using myosin motor proteins. 2013 , 13, 202	37
836	Contrasted evolutionary histories of two Toll-like receptors (Tlr4 and Tlr7) in wild rodents (MURINAE). 2013 , 13, 194	48
835	Endonuclease-containing <i>Penelope</i> retrotransposons in the bdelloid rotifer <i>Adineta vaga</i> exhibit unusual structural features and play a role in expansion of host gene families. 2013 , 4, 19	17
834	A phylogenetic analysis of the grape genus (<i>Vitis</i> L.) reveals broad reticulation and concurrent diversification during neogene and quaternary climate change. 2013 , 13, 141	83
833	Characterization of cytokinin signaling and homeostasis gene families in two hardwood tree species: <i>Populus trichocarpa</i> and <i>Prunus persica</i> . 2013 , 14, 885	28
832	New phylogenomic data support the monophyly of Lophophorata and an Ectoproct-Phoronid clade and indicate that Polyzoa and Kryptrochozoa are caused by systematic bias. 2013 , 13, 253	71
831	Correlates of monoicy and dioicy in hornworts, the apparent sister group to vascular plants. 2013 , 13, 239	36
830	Distribution, Abundance and Molecular Analysis of Genus <i>Barbadocladus</i> Cranston & Krosch (Diptera, Chironomidae) in Tropical, High Altitude Andean Streams and Rivers. 2013 , 42, 607-17	4
829	Multilocus phylogeny and cryptic diversity in Asian shrew-like moles (<i>Uropsilus</i> , Talpidae): implications for taxonomy and conservation. 2013 , 13, 232	18
828	Identification of chicken intestinal microbiota correlated with the efficiency of energy extraction from feed. 2013 , 164, 85-92	109
827	Record of a <i>Zoophthora</i> sp. (Entomophthoromycota: Entomophthorales) pathogen of the irruptive noctuid moth <i>Eurois occulta</i> (Lepidoptera) in West Greenland. 2013 , 114, 292-4	7
826	Phylogenetic analyses of endoparasitic Acanthocephala based on mitochondrial genomes suggest secondary loss of sensory organs. 2013 , 66, 182-9	40
825	Cytonuclear discordance among Southeast Asian black rats (<i>Rattus rattus</i> complex). 2013 , 22, 1019-34	59
824	Genetic divergence of insular marsh rice rats in subtropical Florida. 2013 , 94, 897-910	2

823	Genetic population structure in <i>Siniperca scherzeri</i> (Perciformes: Siniperca) in China inferred from mitochondrial DNA sequences and microsatellite loci. 2013 , 51, 160-170	3
822	Relationships among the basal lineages of Noctuidae (Lepidoptera, Noctuoidea) based on eight gene regions. 2013 , 42, 488-507	39
821	Cobamide structure depends on both lower ligand availability and CobT substrate specificity. 2013 , 20, 1265-74	49
820	Experimental evidence that evolutionary relatedness does not affect the ecological mechanisms of coexistence in freshwater green algae. 2013 , 16, 1373-81	113
819	Multiple origins for Hound's tongues (<i>Cynoglossum</i> L.) and Navel seeds (<i>Omphalodes</i> Mill.)--the phylogeny of the borage family (Boraginaceae s.str.). 2013 , 68, 604-18	58
818	Phylogeny of the <i>Oenanthe lugens</i> complex (Aves, Muscicapidae: Saxicolinae): paraphyly of a morphologically cohesive group within a recent radiation of open-habitat chats. 2013 , 69, 450-61	18
817	Microbial eukaryote globins. 2013 , 63, 391-446	36
816	A dinoflagellate <i>Amylax triacantha</i> with plastids of the cryptophyte origin: phylogeny, feeding mechanism, and growth and grazing responses. 2013 , 60, 363-76	16
815	Morphology of <i>Bromeliophrya quadristicha</i> n. spec., an inhabitant of tank bromeliads (Bromeliaceae), and phylogeny of the Bromeliophryidae (Ciliophora, Tetrahymenida). 2013 , 60, 223-34	7
814	Phylogeny and establishment of a new ciliate family, Wilbertomorphidae fam. nov. (Ciliophora, Karyorelictea), a highly specialized taxon represented by <i>Wilbertomorpha colpoda</i> gen. nov., spec. nov. 2013 , 60, 480-9	13
813	Is dietary niche breadth linked to morphology and performance in Sandveld lizards <i>Nucras</i> (Sauria: Lacertidae)? 2013 , 110, 674-688	22
812	Redescriptions of three trachelocercid ciliates (Protista, Ciliophora, Karyorelictea), with notes on their phylogeny based on small subunit rRNA gene sequences. 2013 , 63, 3506-3514	11
811	A genome-wide survey of genes encoding transcription factors in the Japanese pearl oyster, <i>Pinctada fucata</i> : I. homeobox genes. 2013 , 30, 851-7	11
810	Phylogeny and Morphology of <i>Leptosphaerulina saccharicolasp.</i> nov. and <i>Pleosphaerulina oryzae</i> and Relationships with <i>Pithomyces</i> . 2013 , 34, 303-319	15
809	<i>Fredericqia deveauniensis</i> , gen. et sp. nov. (Phylloporaceae, Rhodophyta), a New Cryptogenic Species. 2013 , 34, 273-296	12
808	On the Edge: A Genetic Assessment of <i>Aplodontia rufa</i> from the Edge of their Distribution. 2013 , 73, 485-496	0
807	Chytrid Diversity of Tuscaloosa County, Alabama. 2013 , 12, 666-683	10
806	<i>Collema fasciculare</i> belongs in Arctomiaceae. 2013 , 45, 295-304	23

805	Large-scale phylogeny of chameleons suggests African origins and Eocene diversification. 2013 , 280, 20130184	78
804	Molecular systematics and historical biogeography of tree boas (<i>Corallus</i> spp.). 2013 , 66, 953-9	27
803	Phylogenetic position and delimitation of the moss family Plagiotheciaceae in the order Hypnales. 2013 , 171, 330-353	22
802	Molecular systematics and evolution of the <i>Synallaxis ruficapilla</i> complex (Aves: Furnariidae) in the Atlantic Forest. 2013 , 67, 86-94	23
801	Multilocus phylogeny reveals unexpected diversification patterns in Asian wolf snakes (genus <i>Lycodon</i>). 2013 , 42, 262-277	16
800	Surveying the microbiome of ants: comparing 454 pyrosequencing with traditional methods to uncover bacterial diversity. 2013 , 79, 525-34	89
799	Plumage evolution in relation to light environment in a novel clade of Neotropical tanagers. 2013 , 66, 112-25	38
798	Relaxed phylogenetics and the palaeoptera problem: resolving deep ancestral splits in the insect phylogeny. <i>Systematic Biology</i> , 2013 , 62, 285-97	8.4 45
797	Mitogenomics does not resolve deep molluscan relationships (yet?). 2013 , 69, 376-92	81
796	The impact of mitochondrial genome analyses on the understanding of deuterostome phylogeny. 2013 , 66, 898-905	23
795	Fixed, free, and fixed: the fickle phylogeny of extant Crinoidea (Echinodermata) and their Permian-Triassic origin. 2013 , 66, 161-81	75
794	Phylogeny and biogeography of highly diverged freshwater fish species (Leuciscinae, Cyprinidae, Teleostei) inferred from mitochondrial genome analysis. 2013 , 514, 112-24	65
793	Molecular phylogeny and historical biogeography of the Anatolian lizard <i>Apathya</i> (Squamata, Lacertidae). 2013 , 66, 992-1001	47
792	The role of canids in ritual and domestic contexts: new ancient DNA insights from complex hunter-gatherer sites in prehistoric Central California. 2013 , 40, 2176-2189	12
791	Comparative phylogeography of six herpetofauna species in Cyprus: late Miocene to Pleistocene colonization routes. 2013 , 108, 619-635	30
790	Population genomic signatures of divergent adaptation, gene flow and hybrid speciation in the rapid radiation of Lake Victoria cichlid fishes. 2013 , 22, 2848-63	156
789	Phylogeography of the widespread African puff adder (<i>Bitis arietans</i>) reveals multiple Pleistocene refugia in southern Africa. 2013 , 22, 1134-57	55
788	Multicellularity arose several times in the evolution of eukaryotes (response to DOI 10.1002/bies.201100187). 2013 , 35, 339-47	41

787	Building megaphylogenies for macroecology: taking up the challenge. 2013 , 36, 13-26	67
786	Plastid genomes and deep relationships among the commelinid monocot angiosperms. 2013 , 29, 65-87	86
785	Mazaedium evolution in the Ascomycota (Fungi) and the classification of mazaediate groups of formerly unclear relationship. 2013 , 29, 296-308	53
784	Molecular phylogeny of Abyssocladia (Cladorhizidae: Poecilosclerida) and Phelloderma (Phellodermidae: Poecilosclerida) suggests a diversification of chelae microscleres in cladorhizid sponges. 2013 , 42, 106-116	15
783	Out of the Bassian province: historical biogeography of the Australasian platycercine parrots (Aves, Psittaciformes). 2013 , 42, 13-27	16
782	Ribosomal RNA gene diversity, effective population size, and evolutionary longevity in asexual glomeromycota. 2013 , 67, 207-24	21
781	Phylogenetic diversity and structure of sebacinoid fungi associated with plant communities along an altitudinal gradient. 2013 , 83, 265-78	36
780	Morphology and Phylogenetic Position of the Freshwater Green Microalgae Chlorochytrium (Chlorophyceae) and Scotinosphaera (Scotinosphaerales, ord. nov., Ulvophyceae). 2013 , 49, 115-29	22
779	Multilocus phylogeny of the lichen-forming fungal genus Melanohalea (Parmeliaceae, Ascomycota): insights on diversity, distributions, and a comparison of species tree and concatenated topologies. 2013 , 66, 138-52	47
778	Molecular phylogeny of North American Branchiobdellida (Annelida: Clitellata). 2013 , 66, 30-42	23
777	Redescription of Parasonderia vestita (Kahl, 1928) comb. nov. (Ciliophora, Plagiopylida), with notes on its phylogeny based on SSU rRNA gene. 2013 , 49, 106-13	10
776	Phylogeny and character evolution in the bee-assassins (Insecta: Heteroptera: Reduviidae). 2013 , 66, 283-302	11
775	Systematic revision of the avian family Cisticolidae based on a multi-locus phylogeny of all genera. 2013 , 66, 790-9	8
774	Genealogy and Demographic History of a Widespread Amphibian throughout Indochina. 2013 , 104, 72-85	19
773	Angiosperm Phylogeny: A Framework for Studies of Genome Evolution. 2013 , 1-11	7
772	Revision and tribal placement of the Argentinean genus Parodiodoxa (Brassicaceae). 2013 , 299, 305-316	11
771	The identification of concerted convergence in insect heads corroborates palaeoptera. <i>Systematic Biology</i> , 2013 , 62, 250-63	8.4 25
770	Phylogenetic Relationships of New World Porcupines (Rodentia, Erethizontidae): Implications for Taxonomy, Morphological Evolution, and Biogeography. 2013 , 3769, 1-36	31

- 769 What remains after 2 months of starvation? Analysis of sequestered algae in a photosynthetic slug, *Plakobranchus ocellatus* (Sacoglossa, Opisthobranchia), by barcoding. **2013**, 237, 559-72 40
- 768 The placental mammal ancestor and the post-K-Pg radiation of placentals. **2013**, 339, 662-7 806
- 767 Chasing the Patagonian sun: comparative thermal biology of *Liolaemus* lizards. **2013**, 171, 773-88 42
- 766 A family of diatom-like silicon transporters in the siliceous loricate choanoflagellates. **2013**, 280, 20122543 36
- 765 The corona of the daffodil *Narcissus bulbocodium* shares stamen-like identity and is distinct from the orthodox floral whorls. **2013**, 74, 615-25 14
- 764 Mdm10 is an ancient eukaryotic porin co-occurring with the ERMES complex. **2013**, 1833, 3314-3325 53
- 763 Historical biogeography of Eastern Asian-Eastern North American disjunct *Melaphidina* aphids (Hemiptera: Aphididae: Eriosomatinae) on *Rhus* hosts (Anacardiaceae). **2013**, 69, 1146-58 20
- 762 Tropical oomycetes in the German Bight □Climate warming or overlooked diversity?. **2013**, 6, 152-160 25
- 761 *Lindgomyces angustiascus*, (Lindgomycetaceae, Pleosporales, Dothideomycetes), a new lignicolous species from freshwater habitats in the USA. **2013**, 54, 353-361 24
- 760 A scalable and flexible approach for investigating the genomic landscapes of phylogenetic incongruence. **2013**, 66, 1067-74 3
- 759 Evolutionary dynamics of the E1-E2 viral populations during combination therapy in non-responder patients chronically infected with hepatitis C virus subtype 1b. **2013**, 13, 1-10 4
- 758 The dynamics of GII.4 Norovirus in Ho Chi Minh City, Vietnam. **2013**, 18, 335-43 10
- 757 Complete genome sequence and molecular phylogeny of a newfound hantavirus harbored by the Doucet's musk shrew (*Crocidura douceti*) in Guinea. **2013**, 20, 118-23 37
- 756 Sphingolipid synthesis and scavenging in the intracellular apicomplexan parasite, *Toxoplasma gondii*. **2013**, 187, 43-51 20
- 755 Diversification rates have declined in the Malagasy herpetofauna. **2013**, 280, 20131109 23
- 754 Phylogenetic lineages in *Vanguerieae* (Rubiaceae) associated with *Burkholderia* bacteria in sub-Saharan Africa. **2013**, 100, 2380-7 9
- 753 Zinc co-ordination by the DHHC cysteine-rich domain of the palmitoyltransferase Swf1. **2013**, 454, 427-35 25
- 752 Fungal host specificity is not a bottleneck for the germination of *Pyroleae* species (Ericaceae) in a Bavarian forest. **2013**, 22, 1473-81 25

751	Chryseobacterium hispalense sp. nov., a plant-growth-promoting bacterium isolated from a rainwater pond in an olive plant nursery, and emended descriptions of Chryseobacterium defluvii, Chryseobacterium indologenes, Chryseobacterium wanjuae and Chryseobacterium gregarium. 2013 , 63, 4386-4395	156
750	The role of semidisorder in temperature adaptation of bacterial FlgM proteins. 2013 , 105, 2598-605	4
749	Identification and expression of multiple CYP1-like and CYP3-like genes in the bivalve mollusk Mytilus edulis. 2013 , 128-129, 101-12	57
748	A detailed investigation of the Pterocarpus clade (Leguminosae: Dalbergieae): Etaballia with radially symmetrical flowers is nested within the papilionoid-flowered Pterocarpus. 2013 , 89, 128-142	7
747	Colliding fragment islands transport independent lineages of endemic rock-crawlers (Grylloblattodea: Grylloblattidae) in the Japanese archipelago. 2013 , 66, 915-27	19
746	Molecular phylogenetic analysis of the coccidian cephalopod parasites Aggregata octopiana and Aggregata eberthi (Apicomplexa: Aggregatidae) from the NE Atlantic coast using 18S rRNA sequences. 2013 , 49, 373-80	13
745	Cochliobolus heterostrophus Llm1 - a Lae1-like methyltransferase regulates T-toxin production, virulence, and development. 2013 , 51, 21-33	19
744	Two new species of Euptychia Hübner, 1818 from the upper Amazon basin (Lepidoptera, Nymphalidae, Satyrinae). 2015 , 87-108	3
743	A new monster from southwest Oregon forests: Cryptomaster behemoth sp. n. (Opiliones, Laniatores, Travunioidea). 2016 , 11-35	6
742	A new blue-tailed Monitor lizard (Reptilia, Squamata, Varanus) of the Varanus indicus group from Mussau Island, Papua New Guinea. 2016 , 129-54	7
741	Species limits in polymorphic mimetic Eniclases net-winged beetles from New Guinean mountains (Coleoptera, Lycidae). 2016 , 15-35	15
740	Description of a new catfish genus (Siluriformes, Loricariidae) from the Tocantins River basin in central Brazil, with comments on the historical zoogeography of the new taxon. 2016 , 129-57	5
739	Combined morphological and molecular data unveils relationships of (Sabellidae, Annelida) and reveals higher diversity of this intriguing group of fan worms in Australia, including potentially introduced species. 2016 , 1-36	8
738	, a new species of hard coral from Lord Howe Island, Australia (Scleractinia, Merulinidae). 2017 , 49-66	7
737	A revision of diving beetles (Coleoptera, Dytiscidae), with the description of a new species from the central Mediterranean based on molecules and morphology. 2017 , 45-112	2
736	Two new species of crayfish of the genus from Indonesian New Guinea (Crustacea, Decapoda, Parastacidae). 2018 , 89-116	3
735	Systematics of Neotropical microteiid lizards (Gymnophthalmidae, Cercosaurinae), with the description of a new genus and species from the Andean montane forests. 2018 , 105-139	10
734	Establishment of a new genus, Wang et al., gen. nov. (Blattodea, Blaberidae, Epilamprinae) based on two species from , with details of polymorphism in species of. 2018 , 117-131	3

733	gen. & sp. n., an outstanding drywood termite with snapping soldiers from Cameroon (Isoptera, Kalotermitidae). 2018 , 91-105	3
732	The phylogeny of pholcid spiders: a critical evaluation of relationships suggested by molecular data (Araneae, Pholcidae). 2018 , 51-101	11
731	The first stygobiont species of Coleoptera from Portugal, with a molecular phylogeny of the group of genera (Dytiscidae, Hydroporinae, Hydroporini, Siettitiina). 2019 , 21-38	4
730	A new genus and a new species in the subfamily Polyzosteriinae (Blattodea, Blattidae) from China. 2019 , 852, 85-100	5
729	Host plant associations in Western Palaearctic flea beetles (Chrysomelidae, Galerucinae, Alticini): a preliminary phylogenetic assessment. 2019 , 856, 101-114	3
728	Sinopyrophorinae, a new subfamily of Elateridae (Coleoptera, Elateroidea) with the first record of a luminous click beetle in Asia and evidence for multiple origins of bioluminescence in Elateridae. 2019 , 864, 79-97	17
727	Three new species of Lederer (Lepidoptera, Crambidae) from China. 2019 , 865, 67-85	2
726	Fine-scale species delimitation: speciation in process and periodic patterns in nudibranch diversity. 2020 , 917, 15-50	7
725	The complete mitochondrial genome sequence of <i>L. Koch</i> , 1878 (Scolopendromorpha, Scolopendridae), with a comparative analysis of other centipede genomes. 2020 , 925, 73-88	3
724	An annotated checklist and integrative biodiversity discovery of barnacles (Crustacea, Cirripedia) from the Moluccas, East Indonesia. 2020 , 945, 17-83	0
723	Revision of <i>Munroe</i> (Lepidoptera, Crambidae), with the description of a new species from China. 2020 , 964, 143-159	1
722	Complete genome sequence of <i>Sulfurimonas autotrophica</i> type strain (OK10). 2010 , 3, 194-202	32
721	Complete genome sequence of <i>Methanoplanus petrolearius</i> type strain (SEBR 4847). 2010 , 3, 203-11	12
720	Complete genome sequence of <i>Riemerella anatipestifer</i> type strain (ATCC 11845). 2011 , 4, 144-53	16
719	Genome sequence of <i>Phaeobacter caeruleus</i> type strain (DSM 24564(T)), a surface-associated member of the marine <i>Roseobacter</i> clade. 2013 , 8, 403-19	12
718	Complete genome sequence of the facultatively chemolithoautotrophic and methylotrophic alpha Proteobacterium <i>Starkeya novella</i> type strain (ATCC 8093T). 2012 , 7, 44-58	15
717	Polyphasic delimitation of a filamentous marine genus, <i>Capillus</i> gen. nov. (Cyanobacteria, Oscillatoriaceae) with the description of two Brazilian species. 2018 , 33, 291-304	19
716	First finding of <i>Cryphonectria parasitica</i> causing chestnut blight on <i>Castanea sativa</i> trees in England. 2013 , 27, 1-1	7

715	A Taxonomic Revision of Aneuraceae (Marchantiophyta) from Eastern Africa with an Interactive Identification Key. 2020 , 41, 11	2
714	Fungal Biodiversity Profiles 81-90. 2019 , 40, 57	6
713	Modern Taxonomic Approaches to Identifying Diatrypaceous Fungi from Marine Habitats, with a Novel Genus Halocryptovalsa Dayarathne & K.D.Hyde, Gen. Nov.. 2020 , 41, 21	10
712	Vittaliana mangrovei Devadatha, Nikita, A.Baghela & V.V.Sarma, gen. nov, sp. nov. (Phaeosphaeriaceae), from Mangroves Near Pondicherry (India), Based on Morphology and Multigene Phylogeny. 2019 , 40, 117	6
711	Occurrence of Leaf Blight on Cosmos Caused by Alternaria cosmosa in Korea. 2015 , 31, 78-82	1
710	Species-diagnostic markers in the genus Pinus: evaluation of the chloroplast regions matK and ycf1. 2018 , 27, e016	6
709	Myrmecia israeliensis as the primary symbiotic microalga in squamulose lichens growing in European and Canary Island terricolous communities. 2018 , 18, 72-85	18
708	Evolutionary relationships between the varieties of green algae Pediastrum boryanum and P. duplex s.l. (Chlorophyceae, Hydrodictyaceae). 2018 , 18, 170-188	6
707	Evolutionary analyses on the HA gene of pandemic H1N1/09: early findings. 2010 , 5, 7-10	5
706	Phylogenetic analysis of cubilin (CUBN) gene. 2013 , 9, 29-36	4
705	Dual mode of embryonic development is highlighted by expression and function of Nasonia pair-rule genes. 2014 , 3, e01440	42
704	Punctuated evolution and transitional hybrid network in an ancestral cell cycle of fungi. 2016 , 5,	36
703	Non-classical amine recognition evolved in a large clade of olfactory receptors. 2015 , 4, e10441	29
702	A SoxB gene acts as an anterior gap gene and regulates posterior segment addition in a spider. 2018 , 7,	18
701	Reconstructing the functions of endosymbiotic Mollicutes in fungus-growing ants. 2018 , 7,	23
700	Not so sluggish: the success of the Felimare picta complex (Gastropoda, Nudibranchia) crossing Atlantic biogeographic barriers. 2016 , 4, e1561	9
699	Biogeographic barriers drive co-diversification within associated eukaryotes of the Sarracenia alata pitcher plant system. 2016 , 4, e1576	10
698	Revisiting the Zingiberales: using multiplexed exon capture to resolve ancient and recent phylogenetic splits in a charismatic plant lineage. 2016 , 4, e1584	49

697	Plastome data reveal multiple geographic origins of <i>Quercus</i> Group Ilex. 2016 , 4, e1897	54
696	Evolutionary relationships within the lamioid tribe Synandreae (Lamiaceae) based on multiple low-copy nuclear loci. 2016 , 4, e2220	3
695	Evolutionary patterns of range size, abundance and species richness in Amazonian angiosperm trees. 2016 , 4, e2402	25
694	A large and unusually colored new snake species of the genus (Squamata; Colubridae) from the Peruvian Andes. 2016 , 4, e2767	1
693	Three new karst-dwelling <i>Strauch</i> , 1887 (Squamata; Gekkoniade) from Peninsular Thailand and the phylogenetic placement of and. 2017 , 5, e2884	10
692	Catchments catch all in South African coastal lowlands: topography and palaeoclimate restricted gene flow in (Meliaceae)-a multilocus phylogeographic and distribution modelling approach. 2017 , 5, e2965	2
691	Seven new species of Night Frogs (Anura, Nyctibatrachidae) from the Western Ghats Biodiversity Hotspot of India, with remarkably high diversity of diminutive forms. 2017 , 5, e3007	16
690	Genomic comparisons of a bacterial lineage that inhabits both marine and terrestrial deep subsurface systems. 2017 , 5, e3134	25
689	Arrival and diversification of mabuyine skinks (Squamata: Scincidae) in the Neotropics based on a fossil-calibrated timetree. 2017 , 5, e3194	7
688	Accumulation and expression of multiple antibiotic resistance genes in that thrives in sewage. 2017 , 5, e3269	19
687	The fossil Osmundales (Royal Ferns)-a phylogenetic network analysis, revised taxonomy, and evolutionary classification of anatomically preserved trunks and rhizomes. 2017 , 5, e3433	23
686	Alder and the Golden Fleece: high diversity of and ectomycorrhizal fungi revealed from subsp. roots close to a Tertiary and glacial refugium. 2017 , 5, e3479	11
685	Cryptic biodiversity and phylogeographic patterns of Seychellois isopods. 2017 , 5, e3894	6
684	Phylogenetic relationships and genetic diversity of the complex in Thailand. 2018 , 6, e4263	3
683	Molecular approaches uncover cryptic diversity in intertidal isopods (Crustacea, Isopoda, Ligiidae) across the southern Africa coastline. 2018 , 6, e4658	11
682	Experimental and molecular approximation to microbial niche: trophic interactions between oribatid mites and microfungi in an oligotrophic freshwater system. 2018 , 6, e5200	1
681	A new limestone-dwelling species of (Amphibia: Anura: Microhylidae) from northern Vietnam. 2018 , 6, e5771	14
680	A comprehensive molecular phylogeny of Geometridae (Lepidoptera) with a focus on enigmatic small subfamilies. 2019 , 7, e7386	17

- 679 Molecular evidence that the Channel Islands populations of the orange-crowned warbler (; Aves: Passeriformes: Parulidae) represent a distinct evolutionary lineage. **2019**, 7, e7388 3
- 678 Searching for phylogenetic patterns of Symbiodiniaceae community structure among Indo-Pacific Merulinidae corals. **2019**, 7, e7669 8
- 677 Behavioral, morphological, and ecological trait evolution in two clades of New World Sparrows (and , Passerellidae). **2020**, 8, e9249 4
- 676 Phylogenetic Analyses Support Recognition of Ten New Genera, Ten New Species and 16 New Combinations in the Family Kallymeniaceae (Gigartinales, Rhodophyta). **2017**, 38, 79 24
- 675 Taxonomic and Phylogenetic Placement of Phaeodimeriella (Pseudoperisporiaceae, Pleosporales). **2016**, 37, 157-176 4
- 674 New and Interesting Cantharellus from Tropical Africa. **2016**, 37, 283-327 20
- 673 Introducing Melanoctona tectonaegen. et sp. nov. and Minimelanolocus yunnanensis sp. nov. (Herpotrichiellaceae, Chaetothyriales). **2016**, 37, 477-492 8
- 672 Taxonomic Rearrangement of Anthostomella (Xylariaceae) Based on a Multigene Phylogeny and Morphology. **2016**, 37, 509-538 10
- 671 A Contribution to the Taxonomy of Rhizochaete (Polyporales, Basidiomycota). **2017**, 38, 81-99 5
- 670 Novel Neoacanthostigma Species from Aquatic Habitats. **2017**, 38, 169-190 10
- 669 A New Hysteriform Dothideomycete (Gloniaceae, Pleosporomycetidae Incertae sedis), Purpurepithecium murisporum gen. et sp. nov. on Pine Cone Scales. **2017**, 38, 241-251 3
- 668 The Phylogenetic Placement of Ernakulamia cochinchinensis within Pleosporales (Dothideomycetes, Ascomycota). **2017**, 38, 435-451 5
- 667 Fungal Biodiversity Profiles 61 - 70. **2018**, 39, 381 7
- 666 Indoporus shoreae gen. et sp. nov. (Boletaceae) from Tropical India. **2018**, 39, 447 7
- 665 Complexity in Polyploid Species Origin and Establishment: Arctostaphylos mewukka (Ericaceae). **2021**, 46, 666-677
- 664 Molecular Systematics of Tribe Physarieae (Brassicaceae) Based on Nuclear ITS, LUMINIDEPENDENS, and Chloroplast ndhF. **2021**, 46, 611-627 0
- 663 Hygrophorus russula complex (Hygrophoraceae, Agaricales) in China. **2021**, 20, 1115-1134 0
- 662 (Dothideomycetes, Dictyosporiaceae), a new genus of lichenicolous fungi on s. lat. for the species complex. **2021**, 113, 1233-1252 2

- 661 Generation of knock-in lampreys by CRISPR-Cas9-mediated genome engineering. **2021**, 11, 19836
- 660 Pleistocene origin and colonization history of *Hook. f.* (Campanulaceae: Lobelioideae) across sky islands of West Central Africa. **2021**, 11, 15860-15873
- 659 - a new species from Transbaikal area (Russia, Siberia) described on the basis of molecular and morphological investigation. **2021**, 183, 95-105 0
- 658 Characteristics of the complete chloroplast genome sequences of and (Stylidiaceae). **2021**, 6, 3134-3136 0
- 657 The complete plastome of (Orchidaceae: Dendrobiinae). **2021**, 6, 3193-3195 1
- 656 The Adaptive Evolution and Gigantism Mechanisms of the Hadal Supergiant Amphipod *Alicella gigantea*. **2021**, 8, 1
- 655 Centenary shipwrecks reveal the limits of artificial habitats in protecting regional reef fish diversity. 0
- 654 One New Species and Two New Host Records of from Bamboo and Maize in Northern Thailand with Thirteen New Combinations. **2021**, 11, 3
- 653 Mitochondrial and karyotypic evidence reveals a lack of support for the genus *Nasuella* (Procyonidae, Carnivora). **2021**, 71,
- 652 Plastid phylogenomics of the Gynoxoid group (Senecioneae, Asteraceae) highlights the importance of motif-based sequence alignment amid low genetic distances. **2021**, 108, 2235-2256 1
- 651 Phylogeography of the capybara, *Hydrochoerus hydrochaeris*, in a large portion of its distribution area in South America. 1
- 650 Emersion-Associated Responses of an Intertidal Coral and Its Suitability for Transplantation to Ecologically Engineer Seawalls. **2021**, 9, 1096 0
- 649 Four new species of *Russula* subsection *Roseinae* from tropical montane forests in western Panama. **2021**, 16, e0257616 1
- 648 sp. nov., isolated from the skin of an Anderson's salamander (). **2021**, 71, 1
- 647 Phylogenetic analysis of *Engleromyces sinensis* and identification of cytochalasin D from culture. **2021**, 20, 1343-1352 0
- 646 Systematics of *Problepsis wiltshirei* (Prout, 1938), comb. nov. (Lepidoptera, Geometridae, Sterrhinae) An endemic species to the Zagros Mountains in the Middle East. 44, 175-192
- 645 RefPlantNLR is a comprehensive collection of experimentally validated plant disease resistance proteins from the NLR family. **2021**, 19, e3001124 7
- 644 Molecular-based phylogenetic placement and revision of *Micrasepalum* (Spermacoceae-Rubiaceae). 0

- 643 The morphology and phylogeny of the diatom genera *Rhizosolenia*, *Proboscia*, *Pseudosolenia* and *Neocalyptrella* from Gulf of Thailand and the Andaman Sea, with description of *Rhizosolenia loanicola* sp. nov., *Proboscia siamensis* sp. nov. and *Probosciales* ord. nov.. 1-42 2
- 642 Classification of uncultivated anammox bacteria and *Candidatus Uabimicrobium* into new classes and provisional nomenclature as *Candidatus Brocadii* classis nov. and *Candidatus Uabimicrobi* classis nov. of the phylum Planctomycetes and novel family *Candidatus Scalinduaceae* fam. nov to accommodate the genus *Candidatus Scalindua*. **2021**, 44, 126272 2
- 641 Biphasic taxonomic approaches for generic relatedness and phylogenetic relationships of *Teichosporaceae*. **2021**, 110, 199-241 0
- 640 Lipid accumulation by *Coelastrella multistriata* (Scenedesmaceae, Sphaeropleales) during nitrogen and phosphorus starvation. **2021**, 11, 19818 3
- 639 Characterization of the complete chloroplast genome sequence of Chinese endemic species of (Asteraceae: Astereae) and its phylogenetic implications. **2021**, 6, 3224-3225
- 638 Bootstrapping (Bootstrap Analysis). **2004**,
- 637 Phylogenetic investigations in the genus *Pseudoperonospora* reveal overlooked species and cryptic diversity in the *P. cubensis* species cluster. **2010**, 3-14
- 636 Molecular phylogeny of glass sponges (Porifera, Hexactinellida): increased taxon sampling and inclusion of the mitochondrial protein-coding gene, cytochrome oxidase subunit I. **2011**, 11-20
- 635 Encyclopedia of Geobiology. **2011**, 716-719
- 634 Comprehensive phylogenetic reconstruction of relationships in <i>Octocorallia</i> (Cnidaria</i>; <i>Anthozoa</i>) from the Atlantic ocean using <i>mtMutS</i> and <i>nad2</i> genes tree reconstructions.
- 633 Zřlady fylogenetickřanalřy. **2014**,
- 632 Origin and cross-century dynamics of an avian hybrid zone.
- 631 A Critical Review on the Use of Support Values in Tree Viewers and Bioinformatics Toolkits.
- 630 Nuclear and mitochondrial phylogeny of *Rossella* (Hexactinellida: Lyssacinosida, Rossellidae): a species and a species flock in the Southern Ocean. 1
- 629 Phylogeography in Response to Reproductive Strategies and Ecogeographic Isolation in Ant Species on Madagascar: Genus *Mystrium* (Formicidae: Amblyoponinae). **2016**, 11, e0146170 1
- 628 Elusive *Plasmodium* Species Complete the Human Malaria Genome Set.
- 627 High Phylogenetic Utility of an Ultraconserved Element Probe Set Designed for Arachnida. 1
- 626 The Opiliones Tree of Life: shedding light on harvestmen relationships through transcriptomics.

- 625 A simple method to test the reproducibility of the phylogenetic reconstructions: the molecular systematics of cyanobacteria as a case study. **2016**, 16, 209-217
- 624 De-novo emergence and template switching of SINE retroposons during the early evolution of passerine birds.
- 623 A new species of rain-pool frog (Dicroglossidae:) from western Thailand. **2017**, 38, 243-250 2
- 622 North Andean origin and diversification of the largest ithomiine butterfly genus. 0
- 621 A taxonomic note of the genus *Lilium* section *Martagon* in Korea. **2017**, 47, 46-50
- 620 Boosting Felsenstein's Phylogenetic Bootstrap.
- 619 Two new species of (Caryophyllaceae) from Washington State, U.S.A. **2017**, 79-102 1
- 618 Davis & Kuo (Gastropoda, Rissoidae, Amnicolidae) also in Bhutan. **2017**, 21-28 1
- 617 Parallel diversifications of *Crematosperma* and *Mosannonna* (Annonaceae), tropical rainforest trees tracking Neogene upheaval of the South American continent. 1
- 616 Multi-clonal evolution of MDR/XDRM. tuberculosis in a high prevalence setting in Papua New Guinea over three decades. 1
- 615 *Saonia flava* gen. nov., sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from coastal seawater. **2017**, 67, 3246-3250 3
- 614 Population-based analysis of ocular *Chlamydia trachomatis* in trachoma-endemic West African communities identifies genomic markers of disease severity.
- 613 (Campanulaceae), a new species from Guangxi, China. **2018**, 27-36
- 612 Mitochondrial targeting of glycolysis in a major lineage of eukaryotes. 1
- 611 Towards Resolving and Redefining Amphipyridae (Lepidoptera, Noctuoidea, Noctuidae): a Massively Polyphyletic Taxon.
- 610 Delegating sex: differential gene expression in stolonizing syllids uncovers the hormonal control of reproduction in Annelida.
- 609 Evidence for a unique DNA-dependent RNA polymerase in cereal crops.
- 608 Thirty clues to the exceptional diversification of flowering plants. 1

607 A single loss of photosynthesis in diatoms.

606 A SoxB gene acts as an anterior gap gene and regulates posterior segment addition in the spider *Parasteatoda tepidariorum*.

605 Cost-efficient high throughput capture of museum arthropod specimen DNA using PCR-generated baits. 0

604 Herbarium records reveal early flowering in response to warming in the southern hemisphere. 0

603 Indigenous and synanthropic populations of *Galanthus nivalis* L. in Baden-Württemberg. **2018**, 1,

602 Indigenous and synanthropic populations of *Galanthus nivalis* L. in Baden-Württemberg. **2018**, 1, 7

601 *Epibator insularis*, a New Species of Scincid Lizard from l'Île Walpole, New Caledonia. **2019**, 73, 143 1

600 A new species of Crocodile Newt, genus (Amphibia, Caudata, Salamandridae) from the mountains of Kachin State, northern Myanmar. **2019**, 40, 151-174 3

599 A molecular phylogeny of Schizothoracinae (Teleostei: Cypriniformes: Cyprinidae) based on 12 protein-coding mitochondrial genes and RAG1 gene analysis.

598 Extensive loss of cell cycle and DNA repair genes in an ancient lineage of bipolar budding yeasts. 1

597 Análisis de Secuencias del Gen del Citocromo Oxidasa c Región I Sugieren una Alta Cercanía Genética entre *Chelonus insularis* y *Chelonus sonorensis*. **2019**, 44, 303 0

596 Two new species of pseudoscorpions (Arachnida: Pseudoscorpiones) from a Mexican oak forest near Pico de Orizaba National Park. **2019**, 47, 95

595 Phylogenetics Study of *Salvia* L. spp. Collections from the Botanical Garden of Medicinal Plants of Wrocław Medical University. 3,

594 Freezing and water availability structure the evolutionary diversity of trees across the Americas. 1

593 , a new species of (Gentianaceae) from Xinjiang, China. **2019**, 130, 59-73 1

592 Contemporary and Historical Species Relationships Reveal Assembly Mechanism Intricacies among Co-occurring Darters (Percidae: Etheostomatinae). **2019**, 107, 464 1

591 Miocene and Pliocene speciation of *Russula* subsection *Roseinae* in temperate forests of eastern North America.

590 A New Species of Plateau Pit Viper (Reptilia: Serpentes: Gloydus) from the Upper Lancang (=Mekong) Valley in the Hengduan Mountain Region, Tibet, China. **2019**, 53, 224 1

- 589 Morphology and DNA Data Reveal a New Shrimp Species of Genus Stimpson, 1860 (Decapoda: Hippolytidae) from the Western Atlantic. **2019**, 36, 440-447
- 588 Evolutionary history of the porpoises (Phocoenidae) across the speciation continuum: a mitogenome phylogeographic perspective. 1
- 587 Multi-genomic analysis of the Cation Diffusion Facilitator transporters from algae.
- 586 Multilocus phylogeny and cryptic diversity of white-toothed shrews (Mammalia, Eulipotyphla, Crocidura) in China. 1
- 585 Taxonomic Notes on Pycnothelia Dufour and Gymnoderma Nyl. (Cladoniaceae) in Madagascan Region. **2020**, 41, 109 0
- 584 Pattern and Timing of Diversification in the African Freshwater Fish Genus Distichodus (Characiformes: Distichodontidae).
- 583 The genera and (Gastropoda, Rissosoidea, Amnicolidae and Pomatiopsidae) in Bhutan and elsewhere in the eastern Himalaya. **2020**, 929, 1-17 0
- 582 Assessment of the elite accessions of bael [*Aegle marmelos* (L.) Corr.] in Sri Lanka based on morphometric, organoleptic, and elemental properties of the fruits and phylogenetic relationships. **2020**, 15, e0233609 3
- 581 Kwanghwana miscanthi Karun., C.H.Kuo & K.D.Hyde, gen. et sp. nov. (Phaeosphaeriaceae, Pleosporales) on *Miscanthus floridulus* (Labill.) Warb. ex K.Schum. & Lauterb. (Poaceae). **2020**, 41, 119 0
- 580 First Report of the Sexual Morph of *Pseudofusicoccum adansoniae* Pavlic, T.I.Burgess & M.J.Wingf. on Para Rubber. **2020**, 41, 133 2
- 579 (*Gesneriaceae*), a new lithophilous dwelling genus and species with zigzag corolla tube from southern Vietnam. **2020**, 146, 89-107 0
- 578 *Stemmatostoma cribbi* n. sp. (Digenea: Cryptogonimidae) from Freshwater Fishes in the Wet Tropics Bioregion of Queensland, Australia. **2020**, 106, 411-417 0
- 577 A novel cypovirus found in a betabaculovirus co-infection context contains a poxvirus immune nuclease (poxin)-related gene. **2020**, 101, 667-675 1
- 576 Welcome to the Czech Republic again! Rare northern mosses and (*Amblystegiaceae*) in South Bohemia in light of their European distribution and habitat preferences. **2020**, 154, 111-136
- 575 Orange is the new white: taxonomic revision of Antarctic *Tritonia* species (Gastropoda: Nudibranchia).
- 574 Cytonuclear discordance in the crowned-sparrows, *Zonotrichia atricapilla* and *Zonotrichia leucophrys*: a mitochondrial selective sweep?.
- 573 Inferring Patterns of Hybridization and Polyploidy in the Plant Genus *Penstemon* (*Plantaginaceae*). 1
- 572 *Colletotrichum siamense* causing anthracnose-twister disease of onion (*Allium cepa*) in Sri Lanka. **2021**, 16, 1 0

- 571 Phylogeny, biogeography, and character evolution in the fern family Hypodematiaceae. **2022**, 166, 107340 2
- 570 Multilocus phylogeny and cryptic diversity of white-toothed shrews (Mammalia, Eulipotyphla, Crocidura) in China.
- 569 Pattern and Timing of Diversification in the African Freshwater Fish Genus *Distichodus* (Characiformes: Distichodontidae).
- 568 Multilocus phylogeny and cryptic diversity of white-toothed shrews (Mammalia, Eulipotyphla, Crocidura) in China.
- 567 A New Tree-Based Methodological Framework to Infer the Evolutionary History of Mesopolyploid Lineages: An Application to the Brassiceae Tribe (Brassicaceae). 1
- 566 *Mayamaea vietnamica* sp. nov.: a new, terrestrial diatom (Bacillariophyceae) species from Vietnam. **2020**, 35, 325-335 3
- 565 Morphology, Morphogenesis and Phylogenetic Position of the Soil Hypotrichous Ciliate, *Parabistichella dieckmanni* (Foissner, 1998) Foissner, 2016 (Ciliophora, Hypotrichia), with Notes on the Phylogeny of *Parabistichella*. **2021**, 68, e12832 0
- 564 Morphological and Molecular Evidence for the Occurrence of *Hodophilus variabilipes* (Clavariaceae, Agaricales) in Poland. **2021**, 55,
- 563 Swine Conjunctivitis Associated with a Novel *Mycoplasma* Species Closely Related to. **2020**, 10, 0
- 562 A new species of the genus *Smith*, 1925 (Anura, Megophryidae) from Guizhou, China. **2020**, 1008, 139-157 3
- 561 Genome-based classification of gen. nov., sp. nov., isolated from a hot spring in Turkey, with reclassification of as comb. nov. and as comb. nov. **2020**, 70, 6418-6427 0
- 560 Species delimitation of North American *Nyssa* species. 1
- 559 Taxonomy and molecular phylogeny of four karyorelictid species belonging to the genera *Apotrachelocerca* and *Tracheloraphis* (Protozoa: Ciliophora), with descriptions of two new species. **2021**, 192, 690-709 3
- 558 Deciphering reticulate evolution of the largest group of polyploid vertebrates, the subfamily cyprininae (Teleostei: Cypriniformes). **2022**, 166, 107323 2
- 557 Mitochondrial COI gene is valid to delimitate Tylenchidae (Nematoda: Tylenchomorpha) species. **2020**, 52, 1-12 5
- 556 Conservation genomics of an Australian orchid complex with implications for the taxonomic and conservation status of *Corybas dowlingii*.
- 555 Morphological and molecular analyses of a population with high intragenomic rRNA polymorphism. **2020**, 52, 1
- 554 Synergized Bootstrapping: The Whole is Faster than the Sum of Its Parts. **2020**, 227-245

- 553 Analysis of Key Research Trends in High-Performance Computing Using Topic Modeling Technique. **2020**, 401-412
- 552 Genetic diversity of *Babesia bovis* studied longitudinally under natural transmission conditions in calves in the state of Rio de Janeiro, Brazil. **2020**, 29, e021220
- 551 The genus (Catathelasmataceae, Basidiomycota) in China. **2020**, 62, 123-138 1
- 550 A Sequence-Pair-Classification-Based Method for Detecting and Correcting Under-Clustered Gene Families.
- 549 Evolutionary dynamics of transposable elements following a shared polyploidization event in the tribe Andropogoneae.
- 548 Early-life microbial intervention reduces colitis risk promoted by antibiotic-induced gut dysbiosis. 1
- 547 Episodic evolution of coadapted sets of amino acid sites in mitochondrial proteins.
- 546 Pattern and Timing of Diversification in the African Freshwater Fish Genus *Distichodus* (Characiformes: Distichodontidae).
- 545 Adding missing vines to the tree: multilocus phylogeny of New World vine snakes (Serpentes: Colubridae: *Oxybelis*), with description of a new species. **2021**, 55, 2027-2046
- 544 Two new species of *Sticta* (Peltigeraceae subfam. Lobararioideae) from the Brazilian Cerrado (Brazilian savanna). **2021**, 124,
- 543 *Passiflora organensis* FT/TFL1 gene family and their putative roles in phase transition and floral initiation. **2021**, 1 0
- 542 Independent evolutionary transitions to pueriparity across multiple timescales in the viviparous genus *Salamandra*. **2021**, 167, 107347 1
- 541 Insecticide resistance by a host-symbiont reciprocal detoxification. **2021**, 12, 6432 0
- 540 Two novel species and two new records of from freshwater habitats in China and Thailand. **2021**, 84, 79-101 2
- 539 A global phylogeny of Lycopodiaceae (Lycopodiales; lycophytes) with the description of a new genus, *Brownseya*, from Oceania. 0
- 538 Uncertainty Regarding Species Delimitation, Geographic Distribution, and the Evolutionary History of South-Central Amazonian Titi Monkey Species (*Plecturocebus*, Pitheciidae). 1
- 537 Ancestral sequences of a large promiscuous enzyme family correspond to bridges in sequence space in a network representation. **2021**, 18, 20210389
- 536 Repeated horizontal gene transfer of GALactose metabolism genes violates Dollo's law of irreversible loss. 0

- 535 Phylogeny of the species-rich *Pilea* Lindl. (Urticaceae) supports its revised delimitation and infrageneric classification, including the resurrection of *Achudemia* Blume.
- 534 A new species of (Sonerileae, Melastomataceae) from Sichuan, China. **2020**, 152, 1-14 0
- 533 Additions to Phaeosphaeriaceae (Pleosporales): gen. nov., sp. nov., sp. nov. and a new host record of from Musaceae. **2020**, 70, 59-88 2
- 532 Large-Scale Co-Phylogenetic Analysis on the Grid. 222-237
- 531 sp. nov., isolated from soil of Gaoligong Mountain, PR China. **2020**, 70, 5740-5746 1
- 530 Genetic assessment of the variation and distribution of the species of (Panpulmonata: Amphibolidae) in south-eastern Australia. **2020**, 8, e54724
- 529 Occurrence of a Natural Interspecific Hybrid between *Rhodeus pseudosericeus* and *R. notatus* in Sangcheon Stream of the Han River, Korea. **2020**, 53, 275-285
- 528 The complete chloroplast genome sequence of (Orchidaceae), a rarely medicinal orchid. **2020**, 5, 3801-3802
- 527 Two new species of the freshwater-crab genus *Demanietta* Bott, 1966 (Decapoda: Brachyura: Potamidae) from southern Myanmar. **2021**, 41,
- 526 Morphology, morphogenesis and molecular phylogeny of the new soil ciliate *Sterkiella paratricirrata* n. sp. (Ciliophora, Hypotrichia, Oxytrichidae). **2020**, 54, 2471-2488
- 525 *Lithocalla* (Ascomycota, Lecanorales), a new genus of leprose lichens containing usnic acid. **2020**, 52, 425-435 1
- 524 Human immunodeficiency virus/human parvovirus B19 co-infection in blood donors and AIDS patients in Sichuan, China. **2012**, 10, 502-14 16
- 523 Morphological and Molecular Characterization of Some Peritrichs (Ciliophora: Peritrichida) from Tank Bromeliads, Including Two New Genera: *Orborhabdostyla* and *Vorticellides*. **2010**, 48, 291-319 14
- 522 Complete genome sequence of *Syntrophobotulus glycolicus* type strain (FIGlyR). **2011**, 4, 371-80 3
- 521 Molecular rDNA phylogeny of Telotylenchidae Siddiqi, 1960 and evaluation of tail termini. **2010**, 42, 359-69 11
- 520 Molecular and Morphological Characterization of the Corn Cyst Nematode, *Heterodera zeae*, from Greece. **2012**, 44, 58-66 11
- 519 Sensitivity of Ribosomal RNA Character Sampling in the Phylogeny of Rhabditida. **2015**, 47, 337-55 9
- 518 Morphology and molecular phylogeny of two colepid species from China, *Coleps amphacanthus* Ehrenberg, 1833 and *Levicoleps biwae jejuensis* Chen et al., 2016 (Ciliophora, Prostomatida). **2016**, 37, 176-85 2

- 517 A new species of genus (Anura: Dicroglossidae) from northern Thailand. **2016**, 37, 327-337 2
- 516 *Tetrahymena pyriformis* infection in the tiger barb, *Puntius tetrazona*: Parasite characterization and pathology of infected fish. **2022**, 549, 737725
- 515 The structure of the MATE family multidrug resistance transporter and sequence comparisons suggest the existence of a new subfamily. **2021**, 118, 0
- 514 Characterization of the complete chloroplast genome of *Krapov. & W.C.Greg.*, a perennial leguminous forage. **2021**, 6, 3452-3453 0
- 513 Deep phylogeographic splits but no taxonomic structure in the disjointly distributed *Draba pacheri* (Brassicaceae), a subendemic of the Eastern Alps. **2021**, 56, 179-192
- 512 The habitat-modifying red alga *Ramicrusta* on Pacific reefs: A new generic record for the Tropical Northwestern Pacific and the description of four new species from Guam. **2021**, 16, e0259336 1
- 511 Taxonomy and systematics of a new pleurostomatid ciliate, *Pseudolitonotus spirelis* gen. et sp. n. (Protozoa, Ciliophora, Haptoria). **2022**, 4, 31 2
- 510 Progression of diabetes is associated with changes in the ileal transcriptome and ileal-colon morphology in the UC Davis Type 2 Diabetes Mellitus rat. **2021**, 9, e15102 0
- 509 Molecular Evolutionary Analyses of Tooth Genes Support Sequential Loss of Enamel and Teeth in Baleen Whales (Mysticeti). 0
- 508 Three New Species of *Placoneis* Mereschkowsky (Bacillariophyceae: Cymbellales) with Comments on Cryptic Diversity in the *P. elginensis* Group. **2021**, 13, 3276 1
- 507 The complete chloroplast genome sequence of (crassulaceae). **2021**, 6, 3338-3339
- 506 Redescription, Morphogenesis, and Molecular Phylogeny of nov. comb., With Establishment of a New Genus nov. gen. (Ciliophora, Hypotrichia).. **2021**, 12, 777540 0
- 505 (,); Novel Emergence of Black-Foot Causing Pathogen on Young Grapevines in China.. **2021**, 10, 0
- 504 gen. nov., sp. nov., isolated from the cloaca of a toad-headed turtle (). **2021**, 71, 0
- 503 Evolution of Beak and Feather Disease Virus across Three Decades of Conservation Intervention for Population Recovery of the Mauritius Parakeet. **2021**, 13, 584 3
- 502 New Species of (Trebouxiophyceae, Chlorophyta) from East Asia.. **2021**, 10, 1
- 501 Predictive Factors of Chemical and Visual Sensory Organ Size: The Roles of Sex, Environment, and Evolution. 1 0
- 500 Whole-genome sequencing of for prediction of drug resistance.. **2022**, 150, e22 2

499	Phylogenetic systematics of Ypthimoides Forster, 1964 and related taxa, with notes on the biogeographical history of Ypthimoides species.. 2022 , 168, 107390	0
498	Evolution and expression of LEAFY genes in ferns and lycophytes.. 2022 , 13, 2	2
497	Phymatolithopsis gen. nov. (Hapalidiales, Corallinophycidae, Rhodophyta) based on molecular and morpho-anatomical evidence. 2021 ,	1
496	Shell features and anatomy of the springsnail genus Radomaniola (Caenogastropoda: Hydrobiidae) show a different pace and mode of evolution over five million years.	1
495	A phylogenetic overview of the (,) with new taxa from China.. 2021 , 99, 100121	1
494	Applicability of several rooted phylogenetic network algorithms for representing the evolutionary history of SARS-CoV-2. 2021 , 21, 220	0
493	Mining the Genome of VB7 (CP047587) for MAMP Genes and Non-Ribosomal Peptide Synthetase Gene Clusters Conferring Antiviral and Antifungal Activity.. 2021 , 9,	5
492	Bacterial biofilm thickness and fungal-inhibitory bacterial richness both prevent establishment of the amphibian fungal pathogen, .. 2022 , AEM0160421	0
491	Genomic Comparison, Phylogeny and Taxonomic Reevaluation of the and Description of fam. nov. and gen. nov.. 2022 , 10,	2
490	Seedling survival simultaneously determined by conspecific, heterospecific, and phylogenetically related neighbors and habitat heterogeneity in a subtropical forest in Taiwan.. 2022 , 12, e8525	0
489	A New Monotypic Genus from the American Southwest to accommodate Semiothisa kuschea (Geometridae: Ennominae).. 2022 , 5093, 67-74	0
488	Co-Circulation of Chikungunya and Multiple DENV Serotypes and Genotypes, Western Indonesia 2015-2016.. 2022 , 14,	1
487	Efficient pollination and high reproductive success in two Brazilian Spiranthinae orchids: Insights on the evolutionary history of pollination within the Pelexia clade.	1
486	Phylogenetic relationships of Indian Memecylon L. (Melastomataceae) based on nrDNA ITS and cpDNA rbcl sequence data. 2022 , 101, 1	
485	Ancient Mitogenomes Suggest Stable Mitochondrial Clades of the Siberian Roe Deer.. 2022 , 13,	0
484	Systematics of Mukdenia and Oresitrophe (Saxifragaceae): Insights from genome skimming data.	0
483	Loss of phylogenetic diversity under landscape change.. 2022 , 153595	1
482	Phylogenetic Revision and Patterns of Host Specificity in the Fungal Subphylum Entomophthoromycotina.. 2022 , 10,	0

- 481 Genomic signatures of isolation, hybridization, and selection during speciation of island finches. 1
- 480 Phylogenetic placement of a new *Melanophilharmostes* Paulian, 1968 pill scarab (Coleoptera: Hybosoridae: Ceratocanthinae) from Cameroon: molecular results decipher misleading morphology.. **2022**, 5087, 441-450
- 479 Evaluating biohydrogen production by *Clostridium hydrogenum* sp. nov. strain CUEA01 isolated from mangrove sediments in Thailand. **2022**, 47, 9169-9182 0
- 478 Genetic variation in the symbiont partners in the endangered macrolichen *Seirophora villosa* (Teloschistaceae: Ascomycota). 1
- 477 *Mycoplasma tauri* sp. nov. isolated from the bovine genital tract.. **2021**, 45, 126292 0
- 476 *Melanodevriesia*, a new genus of endolichenic oleaginous black yeast recovered from the Inner Mongolia Region of China. **2022**, 1
- 475 Morphogenesis and molecular phylogeny of a freshwater ciliate, *Oxytricha multilineata* n. sp. (Ciliophora, Hypotrichia).. **2022**, 82, 125864 0
- 474 Redescription and phylogenetic position of the terrestrial ciliates *Gastrostylides dorsicirratu*s and *Heterourosomoida lanceolata* (Hypotricha, Dorsomarginalia).. **2021**, 82, 125859 0
- 473 The Evolution of Ecological Diversity in .. **2022**, 13, 715637 4
- 472 COI gene-based mitochondrial DNA variation of horseshoe crab (*Tachypleus gigas*) reveals high genetic variation and occurrence of distinct populations in the Bay of Bengal, India, and its comparison with other populations.
- 471 Historical biogeographical analysis of the Udoteaceae (Bryopsidales, Chlorophyta) elucidates origins of high species diversity in the Central Indo-Pacific, Western Indian Ocean and Greater Caribbean regions.. **2022**, 107412 0
- 470 Exploration of Diverse Secondary Metabolites From sp. YINM00001, Using Genome Mining and One Strain Many Compounds Approach.. **2022**, 13, 831174 1
- 469 Chloroplast Genomic Variation in *Euonymus maackii* Rupr. and Its Differentiation Time in *Euonymus*. **2022**, 13, 265 0
- 468 A new species of *Luca*, 2021 with comments on its subfamilial placement, based on morphological and molecular data.. **2022**, 1085, 145-163 2
- 467 Redescription of *Agamalieva* and *Alekperov*, 1976 (Protozoa, Hypotrichia), With Notes on Its Morphology, Morphogenesis, and Molecular Phylogeny.. **2021**, 12, 774226
- 466 sp. nov. (Bacillariophyceae) - a new monoraphid diatom species from Indonesia.. **2021**, 187, 129-140 0
- 465 Phylogenetic analysis and evolution of morphological characters in the genus *L.* (Oleaceae) in India. **2018**, 97, 1225-1239 1
- 464 New species and new record of *Alternaria* from onion leaf blight in Myanmar. **2022**, 21, 59-69 0

- 463 A high-quality assembled genome and its comparative analysis decode the adaptive molecular mechanism of the number one Chinese cotton variety CRI-12.. **2022**, 11, 1
- 462 *Tolypocladium reniformisporum* sp. nov. and *Tolypocladium cylindrosporum* (*Ophiocordycipitaceae*, *Hypocreales*) co-occurring on *Ophiocordyceps sinensis*. **2022**, 21, 199-214 1
- 461 Morpho-molecular characterization of *Brunneofissuraceae* fam. nov., *Cirsosia mangiferae* sp. nov., and *Asterina neomangiferae* nom. nov. **2022**, 21, 279-295
- 460 sp. nov. (*Pleurotheciaceae*) from a plateau lake in Yunnan Province, China.. **2022**, 10, e76842
- 459 Three New Species, Two New Records and Four New Collections of *Tubeufiaceae* from Thailand and China.. **2022**, 8, 1
- 458 *Niveoporofomes* (*Basidiomycota*, *Fomitopsidaceae*) in Tropical Africa: two additions from Afromontane forests, *Niveoporofomes oboensis* sp. nov. and *N. widdringtoniae* comb. nov. and *N. globosporus* comb. nov. from the Neotropics. **2022**, 21, 1 0
- 457 Conserved Regulatory Pathways for Stock-Scion Healing Revealed by Comparative Analysis of *Arabidopsis* and Tomato Grafting Transcriptomes.. **2021**, 12, 810465 2
- 456 Cryptic diversity down under: defining species in the subterranean amphipod genus. **2022**, 36, 113-159 0
- 455 Taxonomic Reappraisal of *Periconiaceae* with the Description of Three New Species from China.. **2022**, 8, 1
- 454 Unravelling the *Gonyaulax baltica* species complex: Cyst-theca relationship of *Impagidinium variaseptum*, *Spiniferites pseudodelicatus* sp. nov. and *S. ristingensis* (*Gonyaulacaceae*, *Dinophyceae*), with descriptions of *Gonyaulax bohaiensis* sp. nov, *G. amoyensis* sp. nov. and *G. portimonensis* sp. nov.. **2022**, 1, 1
- 453 A new monoraphid diatom species from the genus *Karayevia* sensu lato (*Bacillariophyceae*: *Stauroneidaceae*) with remarks on taxonomy and phylogeny of the genus. 1-12 0
- 452 A revised delimitation of the species-rich genus *Pilea* (*Urticaceae*) supports the resurrection of *Achudemia* and a new infrageneric classification. 1
- 451 The expanded inhibitor of apoptosis gene family in oysters possesses novel domain architectures and may play diverse roles in apoptosis following immune challenge.. **2022**, 23, 201 0
- 450 Comparative Genome Analysis of the Photosynthetic Betaproteobacteria of the Genus : Heterogeneity within Strains Assigned to and Description of sp. nov. as a New Species.. **2022**, 10, 2
- 449 The Plastome Sequences of (ABD) and subsp. (AB) Exhibit Evolutionary Changes, Structural Characterization, Comparative Analysis, Phylogenomics and Time Divergence.. **2022**, 23, 0
- 448 Morphology and taxonomy of the genus *Ramazzottius* (*Eutardigrada*; *Ramazzottiidae*) with the integrative description of *Ramazzottius kretschmanni* sp. nov. **2022**, 89, 346-370 0
- 447 Morphological description and molecular identification of n. sp. (*Myxozoa*: *Myxobolidae*) from the gill of in southwest China.. **2022**, 10, e13023 0
- 446 Genome Sequences of *Marichromatium gracile* HOL-1 and Its Purple Photosynthetic Coisolate, sp. H1R.. **2022**, e0003322

- 445 Tracking Ancestral Flowering Integrators: Evolution and Expression of PEBP Genes in Lycophytes and Ferns. 000-000
- 444 *Lepidodactylus browni* (Squamata, Gekkonidae) Placed in the Synonymy of *L. orientalis*. **2022**, 56,
- 443 Mitogenomic phylogenetics and population genetics of several taxa of agouties (*Dasyprocta* sp., Dasyproctidae, Rodentia): molecular nonexistence of some claimed endemic taxa. 1
- 442 Embracing Green Computing in Molecular Phylogenetics.. **2022**, 39,
- 441 Species Diversity and Virulence Potential of the Complex and Complex.. **2022**, 13, 841604
- 440 New species of associated with Australian terrestrial orchids in the subtribes Megastylidinae and Thelymitrinae.. **2022**, 1-25
- 439 First Report of Causing Stem Canker and Dieback of Apple Trees in Ontario, Canada.. **2022**,
- 438 Emended description of the genus *Eremochloris* (Trebouxiophyceae, Chlorophyta), with *Eremochloris kamchatica* sp. nov. from Kamchatka, Russia. 1-9
- 437 Evaluating thermal performance of closely related taxa: Support for hotter is not better, but for unexpected reasons.
- 436 Geogenomics of montane palms points to MiocenePliocene Andean segmentation related to strike-slip tectonics.
- 435 Herbarium phylogenomics: Resolving the generic status of the enigmatic *Pseudobartsia* (Orobanchaceae).
- 434 Chromosome-Scale Assembly and Characterization of the Albino Northern Snakehead, *Channa argus* var. (Teleostei: Channidae) Genome. **2022**, 9,
- 433 Insight into the biotechnology potential of *Alicyclobacillus tolerans* from whole genome sequence analysis and genome-scale metabolic network modeling.. **2022**, 106459
- 432 Population genomics supports multiple hybrid zone origins of socially hybridogenetic lineages of *Pogonomyrmex harvester* ants.. **2022**,
- 431 Ultrastructure of *Apocolpodidium etoschense* (Ciliophora) and its Systematics Enlightenment for the Class Nassophorea.. **2022**, 173, 125867
- 430 *Haplosporidium acetes* n. sp. infecting the hepatopancreas of jelly prawns *Acetes sibogae australis* from Moreton Bay, Australia.. **2022**, 107751
- 429 Delimitation of Sri Lankan cycad species inferred from combined morphological and molecular analyses. **2022**, 290, 152044
- 428 The first phylogenetic and species delimitation study of the nudibranch genus *Gymnodoris* reveals high species diversity(Gastropoda: Nudibranchia).. **2022**, 107470

- 427 Molecular Evolutionary Analyses of Tooth Genes Support Sequential Loss of Enamel and Teeth in Baleen Whales (Mysticeti).. **2022**, 107463 0
- 426 Morphology, cell division, and phylogeny of *Notohymena antarctica* Foissner, 1996 and *Engelmanniella mobilis* (Engelmann, 1862) Foissner, 1982 (Ciliophora, Hypotrichia).. **2022**, 84, 125879
- 425 Fungal diversity notes 1387-1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa.. **2021**, 111, 1-335 17
- 424 Molecular species delimitation reveals underestimated diversity in the tree genus *Nothapodytes* (Icacinaceae). **2022**, 308, 1
- 423 Description of Lepiotaceous Fungal Species of the Genera *Chlorophyllum*, *Clarkeinda*, *Macrolepiota*, *Pseudolepiota*, and *Xanthagaricus*, from Laos and Thailand. **2021**, 13, 666 0
- 422 gen. nov. sp. nov., a new dissimilatory phosphite-oxidizing anaerobic bacterium isolated from anaerobic sewage sludge. **2021**, 71, 1
- 421 Biodiversity Patterns and Ecological Preferences of the Photobionts Associated With the Lichen-Forming Genus .. **2021**, 12, 765310 0
- 420 A new coffee species from South-West Cameroon, the principal hotspot of diversity for *Coffea* L. (Coffeae, Ixoroideae, Rubiaceae) in Africa. **2021**, 43,
- 419 A new and very spiny lizard (Gymnophthalmidae:) from the Andes in northwestern Ecuador.. **2021**, 9, e12523
- 418 *Paganuccia icatuensis* (Rubiaceae), a new genus and species from Bahia, Brazil, with a key to all the genera of the tribe Spermacoceae in the Americas.
- 417 New species *Chara oryzae* and a new section *Corillionia* of *Chara* (Charales, Charophyceae) from European Mediterranean rice fields. 1-15 1
- 416 Uncovering Hidden Diversity: Three New Species of the *Keratella* Genus (Rotifera, Monogononta, Brachionidae) of High Altitude Water Systems from Central Mexico. **2021**, 13, 676 1
- 415 Looking through the FOG: microbiome characterization and lipolytic bacteria isolation from a fatberg site. **2021**, 167, 0
- 414 OUP accepted manuscript.
- 413 Three new species of (Agaricomycetes, Agaricales, Psathyrellaceae) from the Yanshan Mountains in China.. **2022**, 88, 109-121 1
- 412 Reconstructing an historical pollination syndrome: keel flowers.. **2022**, 22, 45 0
- 411 Synopsis of *Leptosphaeriaceae* and Introduction of Three New Taxa and One New Record from China. **2022**, 8, 416 0
- 410 Morpho-molecular characterisation of , with and sp. nov. and comb. nov.. **2022**, 88, 123-149

409 A GH115 β -glucuronidase structure reveals dimerization-mediated substrate binding and a proton wire potentially important for catalysis.. **2022**, 78, 658-668

408 *Chara lipkinii* (Charales, Charophyceae): a new dioecious Mediterranean species under risk of extinction in the wild and some implications for the taxonomy of the genus *Chara*. **2022**, 22, 1-12

2

407 Morphology, Morphogenesis and Molecular Phylogeny of a New Soil Ciliate, *Holostichides eastensis* nov. spec. (Ciliophora, Hypotrichia).. **2022**, 173, 125881

406 Image_1.TIF. **2018**,

405 Image_2.TIF. **2018**,

404 Image_3.TIF. **2018**,

403 Image_4.TIF. **2018**,

402 Image_5.TIF. **2018**,

401 Table_1.docx. **2018**,

400 Table_2.docx. **2018**,

399 Table_3.docx. **2018**,

398 Image1.tif. **2018**,

397 Image2.tif. **2018**,

396 Image3.tif. **2018**,

395 Table1.DOC. **2018**,

394 Table_1.xlsx. **2018**,

393 Table_2.XLSX. **2018**,

392 Data_Sheet_1.zip. **2018**,

391 Table_1.xlsx. **2018,**

390 Table_2.DOCX. **2018,**

389 Table_3.DOCX. **2018,**

388 Presentation_1.pdf. **2018,**

387 Data_Sheet_1.pdf. **2018,**

386 Table_1.doc. **2020,**

385 Table_2.doc. **2020,**

384 Data_Sheet_1.FASTA. **2019,**

383 Image_1.PDF. **2019,**

382 Image_2.PDF. **2019,**

381 Table_1.docx. **2019,**

380 Table_2.DOCX. **2019,**

379 Data_Sheet_1.DOCX. **2018,**

378 Table_1.DOCX. **2020,**

377 Image_1.jpeg. **2020,**

376 Image_2.jpeg. **2020,**

375 Data_Sheet_1.PDF. **2018,**

374 Data_Sheet_1.DOCX. **2018,**

373 Data_Sheet_1.DOCX. 2020,

372 Table_1.DOCX. 2020,

371 Table_2.XLSX. 2020,

370 Table_3.DOCX. 2020,

369 Image_1.pdf. 2018,

368 Image_2.pdf. 2018,

367 Table_1.docx. 2018,

366 Table_2.docx. 2018,

365 Table_3.docx. 2018,

364 Data_Sheet_1.ZIP. 2020,

363 Table_1.XLSX. 2020,

362 Table_2.XLSX. 2020,

361 Data_Sheet_1.PDF. 2019,

360 Data_Sheet_2.PDF. 2019,

359 Data_Sheet_3.PDF. 2019,

358 Data_Sheet_4.PDF. 2019,

357 Data_Sheet_5.PDF. 2019,

356 Table_1.XLSX. 2019,

355 Table_2.XLSX. 2019,

354 Table_3.XLSX. 2019,

353 Table_4.PDF. 2019,

352 Data_Sheet_1.pdf. 2020,

351 Data_Sheet_2.xlsx. 2020,

350 DataSheet1.pdf. 2018,

349 Data_Sheet_1.docx. 2019,

348 Data_Sheet_1.zip. 2020,

347 Table_1.DOCX. 2020,

346 Table_2.DOCX. 2020,

345 Table_3.DOCX. 2020,

344 Table_4.DOCX. 2020,

343 Table_5.xlsx. 2020,

342 Table_6.xlsx. 2020,

341 Table_7.xlsx. 2020,

340 Table_8.xlsx. 2020,

339 Data_Sheet_1.csv. 2018,

338 Data_Sheet_2.docx. 2018,

337 Data_Sheet_1.PDF. **2018,**

336 Table_1.xlsx. **2018,**

335 Data_Sheet_1.XLSX. **2018,**

334 Image_1.PDF. **2018,**

333 Image_2.PDF. **2018,**

332 Table_1.XLSX. **2019,**

331 Data_Sheet_1.xlsx. **2018,**

330 Data_Sheet_2.docx. **2018,**

329 Image_1.pdf. **2018,**

328 Image_2.pdf. **2018,**

327 Image_3.pdf. **2018,**

326 Image_4.pdf. **2018,**

325 Table_1.docx. **2018,**

324 Table_2.docx. **2018,**

323 Table_3.docx. **2018,**

322 Table_4.docx. **2018,**

321 Data_Sheet_1.DOCX. **2021,**

320 Data_Sheet_2.DOC. **2021,**

319 Image_1.TIF. 2021,

318 Image_2.TIF. 2021,

317 Image_3.TIF. 2021,

316 Image_4.JPEG. 2021,

315 Image_5.JPEG. 2021,

314 Table_1.DOC. 2021,

313 Table_2.DOC. 2021,

312 Table_3.DOCX. 2021,

311 Table_4.DOCX. 2021,

310 Table_5.CSV. 2021,

309 Table_6.XLSX. 2021,

308 Table_1.XLSX. 2020,

307 Table_2.XLSX. 2020,

306 Table_3.XLSX. 2020,

305 Table_1.xlsx. 2019,

304 Table_2.pdf. 2019,

303 Data_Sheet_1.docx. 2020,

302 Data_Sheet_2.docx. 2020,

301 Table_1.docx. 2020,

300 DataSheet1.DOCX. 2018,

299 Image1.PDF. 2018,

298 Image2.PDF. 2018,

297 Image3.PDF. 2018,

296 Image4.PDF. 2018,

295 Image5.PDF. 2018,

294 Image6.PDF. 2018,

293 Image7.PDF. 2018,

292 Table1.PDF. 2018,

291 Image_1.TIF. 2018,

290 Image_2.TIF. 2018,

289 Table_1.XLSX. 2018,

288 Table_2.xlsx. 2018,

287 Table_3.XLSX. 2018,

286 Table_1.DOCX. 2016,

285 Data_Sheet_1.PDF. 2019,

284 Table_1.XLSX. 2019,

283 Data_Sheet_1.PDF. 2019,

282 Data_Sheet_2.PDF. 2019,

281 Data_Sheet_3.PDF. 2019,

280 Data_Sheet_4.PDF. 2019,

279 Data_Sheet_5.PDF. 2019,

278 Table_1.xlsx. 2019,

277 Table_2.xlsx. 2019,

276 Image_1.jpeg. 2020,

275 Image_2.jpeg. 2020,

274 Table_1.DOCX. 2020,

273 Table_2.XLSX. 2020,

272 Image_1.TIF. 2019,

271 Image_2.TIF. 2019,

270 Image_3.TIF. 2019,

269 Image_4.TIF. 2019,

268 Image_5.TIF. 2019,

267 Table_1.DOCX. 2019,

266 Table_2.DOCX. 2019,

265 Table_3.DOCX. 2019,

264 Table_4.DOCX. 2019,

263 Table_5.DOCX. 2019,

262 Data_Sheet_1.pdf. 2018,

261 DataSheet_1.pdf. 2020,

260 DataSheet_1.pdf. 2019,

259 Data_Sheet_1.zip. 2019,

258 Data_Sheet_2.zip. 2019,

257 Data_Sheet_3.zip. 2019,

256 Data_Sheet_4.zip. 2019,

255 Data_Sheet_5.zip. 2019,

254 Data_Sheet_6.pdf. 2019,

253 Data_Sheet_7.zip. 2019,

252 Data_Sheet_8.pdf. 2019,

251 Data_Sheet_9.zip. 2019,

250 Table_1.xlsx. 2019,

249 Table_2.xlsx. 2019,

248 Table_3.xlsx. 2019,

247 Table_4.xlsx. 2019,

246 Table_5.xlsx. 2019,

245 Image_1.tif. 2019,

244 Image_2.tif. 2019,

243 Image_3.tif. 2019,

242 Image_4.tif. 2019,

241 Image_5.tif. 2019,

240 Table_1.docx. 2019,

239 Table_2.docx. 2019,

238 Table_3.docx. 2019,

237 Table_4.docx. 2019,

236 Table_5.docx. 2019,

235 Image_1.PDF. 2018,

234 Image_2.JPEG. 2018,

233 Table_1.XLSX. 2018,

232 Table_2.DOCX. 2018,

231 Table_3.XLSX. 2018,

230 Glycine betaine uptake and metabolism in marine microbial communities.. 2022,

1

- 229 A novel herpesvirus detected in 3 species of chelonians.. **2022**, 10406387221092048
- 228 Message in a Bottle-Metabarcoding enables biodiversity comparisons across ecoregions.. **2022**, 11, 2
- 227 Fleshy or dry: transcriptome analyses reveal the genetic mechanisms underlying bract development in Ephedra.. **2022**, 13, 10 0
- 226 Revising the species diversity of *Hygrophorus* section *Olivaceoumbrini* s.l. (Hygrophoraceae, Agaricales) in China. **2022**, 21, 0
- 225 Bacterial-type ferroxidase tunes iron-dependent phosphate sensing during *Arabidopsis* root development.. **2022**, 0
- 224 Draft Genome Sequence of sp. Strain MMG025, Isolated from Giant Kelp.. **2022**, e0012222
- 223 Microbiome "Inception": an Intestinal Cestode Shapes a Hierarchy of Microbial Communities Nested within the Host.. **2022**, e0067922 1
- 222 PhyloM: A Computer Program for Phylogenetic Inference from Measurement or Binary Data, with Bootstrapping. **2022**, 12, 719 1
- 221 Molecular Phylogeny and Historical Biogeography of *R. Br.* (Orchidaceae): A Case of the Vicariance Between East Asia and North America.. **2022**, 13, 850170 0
- 220 Study of Biodiversity of Algae and Cyanobacteria of Mutnovsky and Gorely Volcanoes Soils (Kamchatka Peninsula) Using a Polyphasic Approach. **2022**, 14, 375 0
- 219 Early stages of speciation with gene flow in the *Amazilia* Hummingbird () subspecies complex of Western South America.. **2022**, 12, e8895
- 218 Ecophysiology and metabolites of biofilm-forming strains of the microalgal genus *Jenufa* (Chlorophyceae). 1-10
- 217 Characterization and genomic analyses of a novel alphabaculovirus isolated from the black armyworm, *Spodoptera cosmioides* (Lepidoptera: Noctuidae).. **2022**, 316, 198797 0
- 216 The complete chloroplast genome of *Persicaria perfoliata* and comparative analysis with Four Medicinal Plants of Polygonaceae.. **2022**,
- 215 Exploring evolutionary trends within the Pennellidae (Copepoda: Siphonostomatoida) using molecular data.. **2022**, 1
- 214 Does Genome Size Increase with Water Depth in Marine Fishes?. **2022**, 1
- 213 Molecular phylogeny and morphology reveal two new graminicolous species, *Bipolaris adikaramae* sp. nov and *B. petchii* sp. nov., with new records of fungi from cultivated rice and weedy grass hosts. **2022**, 21,
- 212 Phylogeny, character evolution, and systematics of the fern family Ophioglossaceae based on Sanger sequence data, plastomes, and morphology. **2022**, 173, 107512 0

211	Identification and Pathogenicity of <i>Paramyrothecium</i> Species Associated with Leaf Spot Disease in Northern Thailand. 2022 , 11, 1445	1
210	Taxonomy of <i>Dianthus</i> (Caryophyllaceae) [b]overall phylogenetic relationships and assessment of species diversity based on a first comprehensive checklist of the genus. 196, 91-214	0
209	<i>Ottowia testudinis</i> sp. nov., isolated from the cloaca of a giant Asian pond turtle (<i>Heosemys grandis</i>). 2022 , 72,	0
208	A Survey of <i>Helicobacter pylori</i> Antibiotic-Resistant Genotypes and Strain Lineages by Whole-Genome Sequencing in China.	0
207	Three New Species of <i>Cystolepiota</i> from Laos and Thailand. 2022 , 14, 449	
206	Biotechnological potential of a new strain of <i>Cylindrotheca fusiformis</i> producing fatty acids and fucoxanthin. 2022 , 18, 101098	0
205	Molecular data resolving the systematics of the related Blattellidae genera <i>Symploce</i> , <i>Episymploce</i> , and <i>Blattella</i> (Blattodea: Blaberoidea). 80, 187-208	0
204	<i>Cryptostylis</i> species (Orchidaceae) from a broad geographic and habitat range associate with a phylogenetically narrow lineage of <i>Tulasnellaceae</i> fungi. 2022 ,	
203	Genome Sequence and Characterization of a Xanthorhodopsin-Containing, Aerobic Anoxygenic Phototrophic <i>Rhodobacter</i> Species, Isolated from Mesophilic Conditions at Yellowstone National Park. 2022 , 10, 1169	0
202	Characterization of the complete mitogenome of the endangered freshwater fish <i>Gobiobotia naktongensis</i> from the Geum River in South Korea: evidence of stream connection with the Paleo-Huanghe.	
201	High Diversity of Novel Viruses in the Tree Pathogen <i>Phytophthora castaneae</i> Revealed by High-Throughput Sequencing of Total and Small RNA. 13,	1
200	Comprehensive Analysis for GRF Transcription Factors in Sacred Lotus (<i>Nelumbo nucifera</i>). 2022 , 23, 6673	0
199	Description of <i>Desmonostoc caasicum</i> sp. nov. (Cyanobacteria) using an integrative taxonomic approach. 1-14	1
198	Phylogenomics and historical biogeography of West Indian Rock Iguanas (genus <i>Cyclura</i>). 2022 , 174, 107548	2
197	The Tracking of Moist Habitats Allowed <i>Aiphanes</i> (Arecaceae) to Cover the Elevation Gradient of the Northern Andes. 13,	0
196	Mitochondrial marker implies fishery separate management units for spotted sardinella, <i>Amblygaster sirm</i> (Walbaum, 1792) populations in the South China Sea and the Andaman Sea. 10, e13706	
195	Phylogenomics and Diversification of the Schistosomatidae Based on Targeted Sequence Capture of Ultra-Conserved Elements. 2022 , 11, 769	0
194	<i>Impatiens smetsiana</i> , another example of convergent evolution of flower morphology in <i>Impatiens</i> . 2022 , 155, 248-260	1

- 193 Prosthecate aerobic anoxygenic phototrophs *Photocaulis sulfatitolerans* gen. nov. sp. nov. and *Photocaulis rubescens* sp. nov. isolated from alpine meromictic lakes in British Columbia, Canada. **2022**, 204, 1
- 192 Studies on European rust fungi, Pucciniales: molecular phylogeny, taxonomy, and nomenclature of miscellaneous genera and species in Pucciniaceae and Coleosporiaceae. **2022**, 21, 1
- 191 The complete chloroplast genome sequence of *Lespedeza buergeri* Miq. (Fabaceae). **2022**, 7, 1249-1251
- 190 Identification and Characterization of *Calonectria* Species Associated with Plant Diseases in Southern China. **2022**, 8, 719 1
- 189 Resistance to Extreme Stresses by a Newly Discovered Japanese Tardigrade Species, *Macrobiotus kyoukenus* (Eutardigrada, Macrobiotidae). **2022**, 13, 634 1
- 188 Genome Analysis of *Enterobacter asburiae* and *Lelliottia* spp. Proliferating in Oligotrophic Drinking Water Reservoirs and Lakes. 1
- 187 Botryosphaeriaceae fungi causing canker and die-back on *Grevillea robusta* in tea plantations of Sri Lanka.
- 186 Taxonomy and molecular phylogeny of two new *Blepharisma* species (Ciliophora, Heterotrichea) from northeastern China. **2022**, 85, 125908 0
- 185 Out of chaos: Phylogenomics of Asian *Sonerileae*. **2022**, 175, 107581 0
- 184 New Contributions to the Cyrtophoria Ciliates (Protista, Ciliophora): Establishment of New Taxa and Phylogenetic Analyses Using Two Ribosomal Genes.
- 183 Updated taxonomy of Chinese *Clavaria* subg. *Syncoryne* (Clavariaceae, Agaricales): description of two new species and one newly recorded species. **2022**, 21,
- 182 The complete chloroplast genome sequence of *Aspidopterys concava* (Wall.) A. Juss. (Malpighiaceae). **2022**, 7, 1357-1359
- 181 Increased information on biodiversity from the neglected part of the North Pacific contributes to the understanding of phylogeny and taxonomy of nudibranch molluscs.
- 180 Cloning, heterologous expression and characterization of o-phthalyl-CoA decarboxylase from phthalate degrading denitrifying bacterium.
- 179 Verrucariaceae from Nepal. **2022**, 54, 139-174 1
- 178 Resolving the phylogenetic relationship between *Parmotrema crinitum* and *Parmotrema perlatum* populations. **2022**, 54, 183-194
- 177 An updated review of the genus *Strigivenifera* Hering, 1937 (Lepidoptera: Zygaenoidea: Chrysopolomidae) with the description of a new species. **2022**, 5168, 51-62
- 176 Morphological and Phylogenetic Characterization Reveals Five New Species of *Samsoniella* (Cordycipitaceae, Hypocreales). **2022**, 8, 747 0

- 175 Fungal diversity in Sahara dust: *Aspergillus sydowii* and other opportunistic pathogens. 0
- 174 *Lasiodiplodia fici* sp. nov., Causing Leaf Spot on *Ficus altissima* in China. **2022**, 11, 840 0
- 173 An expanded phylogeny of *Setaria* (Poaceae, Panicoideae, Paniceae) and its relationships within the subtribe Cenchrinae. 0
- 172 *Rhizomaticola guizhouensis* gen. et sp. nov. and Five *Rosellinia* Like Species Isolated from Decaying Wood. **2022**, 14, 703
- 171 Multi-locus phylogeny and species delimitations of the striped-back shrew group (Eulipotyphla: Soricidae): implications for cryptic diversity, taxonomy and multiple speciation patterns. **2022**, 107619
- 170 DNA Barcoding and Morphological Analyses Reveal a Cryptic Species of *Miniopterus* from India and Sri Lanka. **2022**, 24, 0
- 169 Studies in *Gyromitra* II: cryptic speciation in the *Gyromitra gigas* species complex; rediscovery of *G. ussuriensis* and *G. americanigigas* sp. nov.. **2022**, 21, 1
- 168 Molecular Systematics of the Caniform Carnivora and its Implications for Conservation. **2022**, 39-59
- 167 Narrowly defined taxa on a global scale: the phylogeny and taxonomy of the genera *Catriona* and *Tenellia* (Nudibranchia, Trinchesiidae) favours fine-scale taxonomic differentiation and dissolution of the Lumpers & splitters dilemma. 0
- 166 Nanopore metatranscriptomics reveals cryptic catfish species as potential *Shigella flexneri* vectors in Kenya. **2022**, 12,
- 165 Taxonomic Characterization, Antiviral Activity and Induction of Three New Kenalactams in *Nocardiopsis* sp. CG3. **2022**, 79,
- 164 *Trebouxia lynnae* sp. nov. (Former *Trebouxia* sp. TR9): Biology and Biogeography of an Epitome Lichen Symbiotic Microalga. **2022**, 11, 1196 1
- 163 Phylogeny and fatty acid profiles of *Aliinostoc vietnamicum* sp. nov. (Cyanobacteria) from soils of Vietnam. 1
- 162 Additions to the Inventory of the Genus *Alternaria* Section *Alternaria* (Pleosporaceae, Pleosporales) in Italy. **2022**, 8, 898 1
- 161 *Hymenasplenium tholiformis* (Aspleniaceae), a new fern species from southeastern Xizang, China based on morphological and molecular evidence. 204, 43-56 0
- 160 *Acroclymma chuxiongense* sp. nov., a new species of *Acroclymmaceae* (Pleosporales) on leaves of *Quercus*. 10,
- 159 Integrative taxonomy documents two additional cryptic *Erithacus* species on the Canary Islands (Aves).
- 158 *Paenibacillus alkalitolerans* sp. nov., a bacterium isolated from a salt lake of Turpan City in Xinjiang Province, north-west China.

- 157 Genetic Variation in *Gaultheria nummularioides* (Ericaceae: Gaultherieae) from the Sky Islands of the Himalaya-Hengduan Mountains. **2022**, 14, 652
- 156 Description of the Soil Diatom *Sellaphora terrestris* sp. nov. (Bacillariophyceae, Sellaphoraceae) from Vietnam, with Remarks on the Phylogeny and Taxonomy of *Sellaphora* and Systematic Position of *Microcostatus*. **2022**, 11, 2148
- 155 Phylogeny and species diversity in *Hygrophorus* section *Aurei* in China. **2022**, 21,
- 154 Identifying climatic drivers of hybridization in *Heuchereae* (Saxifragaceae). ○
- 153 A new genus and species of shrew-like mouse (Rodentia: Muridae) from a new center of endemism in eastern Mindanao, Philippines.
- 152 Resurrection of the diatom genus *Stephanocyclus* (Coscinodiscophyceae: Stephanodiscaceae) on the basis of an integrated molecular and morphological approach.
- 151 DNA barcoding reveals long-term speciation processes in subspecies of the *Melipona* (*Michmelia*) *seminigra* complex (Hymenoptera: Apidae). 119, 309-317
- 150 Phylogeny and Fatty Acid Profiles of New *Pinnularia* (Bacillariophyta) Species from Soils of Vietnam. **2022**, 11, 2446
- 149 Phylogenetic analysis of the predatory plant bug subfamily *Deraeocorinae* (Hemiptera: Heteroptera: Miridae) based on molecular and morphological data. ○
- 148 A new species of the genus *Achalinus* (Squamata: Xenodermidae) from Ningshan County, Shaanxi Province, China. **2022**, 5190, 127-140 1
- 147 Morphology and molecular phylogeny of three freshwater scuticociliates, with establishments of one new genus and three new species (Ciliophora, Oligohymenophorea). **2022**, 86, 125918 ○
- 146 Butanol production from Thai traditional beverage (*Sato*) factory wastewater using newly isolated *Clostridium beijerinckii* CUEA02. **2022**, 187, 108648 ○
- 145 First report of *Pseudopithomyces maydicus* causing leaf spots in strawberry. **2022**, 162, 106081 ○
- 144 Testing Phylogenetic Stability with Variable Taxon Sampling. **2022**, 167-188 ○
- 143 Description of *Rotylenchus zhongshanensis* sp. nov. (Tylenchomorpha: Hoplolaimidae) and discovery of its endosymbiont *Cardinium*. **2022**, 96, 1
- 142 Phylogeny, character evolution, and biogeography of the fern genus *Bolbitis* (Dryopteridaceae). **2023**, 178, 107633 ○
- 141 Multigene phylogeny and morphology reveal *Ophiocordyceps hydrangea* sp. nov. and *Ophiocordyceps bidouensis* sp. nov. (Ophiocordycipitaceae). 92, 109-130 ○
- 140 Diversity of Ascomycota in Jilin: Introducing Novel Woody Litter Taxa in Cucurbitariaceae. **2022**, 8, 905 ○

- 139 Genomic Sequencing and Phylogenomics of Cowpox Virus. **2022**, 14, 2134 2
- 138 A new species of *Geophagus* (Teleostei: Cichlidae): naming a cichlid species widely known in the Aquarium hobby as [*Geophagus* sp. Tapajos Red head] 0
- 137 Paleogenomes Reveal a Complex Evolutionary History of Late Pleistocene Bison in Northeastern China. **2022**, 13, 1684 0
- 136 A global phylogenomic and metabolic reconstruction of the large intestine bacterial community of domesticated cattle. **2022**, 10, 0
- 135 Biogeography of *Zehneria* (Cucurbitaceae) and a New Species from India. **2022**, 47, 738-747 0
- 134 Using Ex Situ Seedling Baiting to Capture Seedling-Associated Mycorrhizal Fungi in Medicinal Orchid *Dendrobium officinale*. **2022**, 8, 1036 0
- 133 The complete chloroplast genome of *Aristolochia hainanensis* Merr. (Aristolochiaceae). **2022**, 7, 1650-1652 0
- 132 Comparative genome analysis of commensal segmented filamentous bacteria (SFB) from turkey and murine hosts reveals distinct metabolic features. **2022**, 23, 1
- 131 Plio-Pleistocene climatic change drives allopatric speciation and population divergence within the *Scrophularia incisa* complex (Scrophulariaceae) of desert and steppe subshrubs in Northwest China. 13, 1
- 130 Complete chloroplast genome sequence and variation analysis of *Brassica oleracea* L.. **2022**, 44, 0
- 129 *Sinosenecio yangii* (Asteraceae), a new species from Guizhou, China. 210, 1-13 0
- 128 Lignicolous freshwater ascomycetes from Thailand: Introducing *Dematipyriforma muriformis* sp. nov., one new combination and two new records in Pleurotheciaceae. 93, 57-79 0
- 127 Green diatom mutants reveal an intricate biosynthetic pathway of fucoxanthin. **2022**, 119, 2
- 126 The complete chloroplast genome sequence of *Lilium concolor* var. *pulchellum*. **2022**, 7, 1639-1641 0
- 125 Phylogeny and systematics of the genus *Clonostachys*. 0
- 124 Plastome Phylogenomics Provide Insight into the Evolution of *Taxus*. **2022**, 13, 1590 0
- 123 Molecular and Morphological Investigations of Two Giant Diatom *Cymbella* Species from the Transbaikal Area (Russia, Siberia) with Comments on Their Distributions. **2022**, 11, 2445 0
- 122 Disentangling positive vs. relaxed selection in animal mitochondrial genomes. 0

- 121 Genomic characterization of *Bacillus cereus* sensu stricto 3A ES isolated from eye shadow cosmetic products. **2022**, 22, ○
- 120 *Sinosenecio yangii* (Asteraceae), a new species from Guizhou, China. 210, 1-13 ○
- 119 Morphology, morphogenesis and phylogeny of a new soil ciliate, *Bistichella sinensis* n. sp., and morphology of two oxytrichids (Ciliophora, Hypotrichia). **2022**, 86, 125934 ○
- 118 Genomic and Phylogenetic Characterization of *Rhodopseudomonas infernalis* sp. nov., Isolated from the Hell Creek Watershed (Nebraska). **2022**, 10, 2024 ○
- 117 Strong phylogenetic congruence between *Tulasnella* fungi and their associated *Drakaeinae* orchids. ○
- 116 A New Species of *Placoneis* Mereschkowsky (Bacillariophyceae: Cymbellales) from Wet Soils in Southern Vietnam. **2022**, 43, ○
- 115 Endophytic *Pestalotiopsis* species associated with *Rhododendron* in Cangshan Mountain, Yunnan Province, China. 13, ○
- 114 Morphology, morphogenesis and molecular phylogeny of *Lamtostyla granulifera sinensis* subsp. nov. (Ciliophora, Hypotrichia) from a wetland in China. **2022**, 125938 ○
- 113 A new species of crayfish of the genus *Cherax* from Indonesian New Guinea (Crustacea, Decapoda, Parastacidae). **2022**, 98, 411-425 ○
- 112 Ancient DNA Reveals Maternal Philopatry of the Northeast Eurasian Brown Bear (*Ursus arctos*) Population during the Holocene. **2022**, 13, 1961 1
- 111 First record of the invasive dwarf surf clam *Mulinia lateralis* (Say 1822) in the eastern Pacific Ocean. **2022**, 29, e22915 ○
- 110 The GEN-ERA toolbox: unified and reproducible workflows for research in microbial genomics. ○
- 109 Morpho-Phylogenetic Evidence Reveals New Species of *Fuscosporellaceae* and *Savoryellaceae* from Freshwater Habitats in Guizhou Province, China. **2022**, 8, 1138 ○
- 108 Phylogeny and Systematics of the Genus *Tolypocladium* (Ophiocordycipitaceae, Hypocreales). **2022**, 8, 1158 ○
- 107 Evaluation of hydrogen fermentation by a newly isolated alkaline tolerant *Clostridium felsineum* strain CUEA03. **2022**, ○
- 106 Endophytic Fungi Associated with *Aquilaria sinensis* (Agarwood) from China Show Antagonism against Bacterial and Fungal Pathogens. **2022**, 8, 1197 ○
- 105 Whole-genome assembly and annotation for the little yellow croaker (*Larimichthys polyactis*) provide insights into the evolution of hermaphroditism and gonochorism. ○
- 104 Comparative genomic analyses reveal genetic characteristics and pathogenic factors of *Bacillus pumilus* HM-7. 13, ○

103	Novel Species and Records of Dictyosporiaceae from Freshwater Habitats in China and Thailand. 2022 , 8, 1200	1
102	<i>Penicillium polonicum</i> a new isolate obtained from Cerrado soil as a source of carbohydrate-active enzymes produced in response to sugarcane bagasse. 2022 , 12,	0
101	A new species of <i>Megalaria</i> (Ramalinaceae, Ascomycota) from Thailand, and recognition of subgenus <i>Catillochroma</i> . 93, 149-163	0
100	Morphology and multigene phylogeny revealed “” <i>Peroneutypa aquilariae</i> “/i“ sp. nov. (Diatrypaceae, Xylariales) from ““ <i>Aquilaria sinensis</i> “/i“ in Yunnan Province, China. 2022 , 7, 1-11	0
99	Integrating morphology, molecular phylogeny and chemotaxonomy for the most effective authentication in Chinese <i>Rubia</i> with insights into origin and distribution of characteristic Rubiaceae-type cyclopeptides. 2023 , 191, 115775	0
98	Bioactivity of bacteria associated with Red Sea nudibranchs and whole genome sequence of <i>Nocardiopsis dassonvillei</i> RACA-4. 2023 , 67, 101004	0
97	Fungal Planet description sheets: 1436–1477. 2022 ,	0
96	Birth-and-death evolution of ribonuclease 9 genes in Cetartiodactyla.	0
95	Phylogeny of the asexual lineage Murrayidae (Macrobiozoidea, Eutardigrada) with the description of. 2022 , 36, 1099-1117	0
94	Bacilli in the International Space Station. 2022 , 10, 2309	0
93	A taxonomic assessment of novel and remarkable fungal species in Didymosphaeriaceae (Pleosporales, Dothideomycetes) from plant litter. 13,	0
92	Ultrastructure of <i>Diophrys appendiculata</i> and new systematic consideration of the euplotid family Uronychidae (Protista, Ciliophora). 2022 , 4, 551-568	0
91	The widely reported but poorly studied ciliate family Folliculinidae (Protozoa, Ciliophora, Heterotrichea): a revision with notes on its taxonomy, morphology and phylogenetic relationships. 2022 , 4, 471-492	0
90	The plethora of Tubeufiaceae in lakes of the northwestern Yunnan plateau, China. 13,	0
89	<i>Ulosarcina terrestrica</i> gen. nov., sp. nov., a New Ulvophycean Sarcinoid Alga from the Russian Far East. 2022 , 11, 3228	0
88	Morphology, phylogeny, mitogenomics and metagenomics reveal a new entomopathogenic fungus <i>Ophiocordyceps nujiangensis</i> (Hypocreales, Ophiocordycipitaceae) from Southwestern China. 94, 91-108	0
87	<i>Brevibacillus daliensis</i> sp. nov., Isolated From Soil in Machangqing Nature Reserve. 2023 , 80,	0
86	<i>Ephedra kardangensis</i> , a New Synonym of <i>Ephedra gerardiana</i> (Ephedraceae). 2022 , 47, 903-914	0

- 85 Extensive reorganization of the chloroplast genome of *Corydalis platycarpa*: A comparative analysis of their organization and evolution with other *Corydalis* plastomes. 13, ○
- 84 Morphological Characteristics and Phylogeny Reveal Six New Species in *Russula* Subgenus *Russula* (*Russulaceae*, *Russulales*) from Yanshan Mountains, North China. **2022**, 8, 1283 ○
- 83 Strong species structure but weak geographical structure in demersal Lake Victoria cichlids. **2022**, 12, ○
- 82 The *Macrobotus persimilis-polonicus* complex (*Eutardigrada*, *Macrobotidae*), another example of problematic species identification, with the description of four new species. ○
- 81 Divergent Serpentoviruses in Free-Ranging Invasive Pythons and Native Colubrids in Southern Florida, United States. **2022**, 14, 2726 ○
- 80 Biology, Genetic Diversity, and Ecology of *Nitzschia acidoclinata* Lange-Bertalot (*Bacillariophyta*). **2022**, 14, 1133 ○
- 79 Farming system effects on root rot pathogen complex and yield of faba bean (*vicia faba*) in Germany. 13, ○
- 78 Morphological and genetic analysis of *Ceratomyxa saurida* Zhao et al. 2015 and *Ceratomyxa mai* sp. nov. (*Myxozoa*: *Ceratomyxidae*) from the East China Sea. **2023**, 73, ○
- 77 Systematics and Phylogenetic Placement of *Panicum* L. Species within the Melinidinae Based on Morphological, Anatomical, and Molecular Data (*Poaceae*, *Panicoideae*, *Paniceae*). **2023**, 12, 399 ○
- 76 Effects of functional phylogeny of light-response-related orthologous genes on seedling survival in a subtropical forest. **2023**, 100087 ○
- 75 *Alternaria*: update on species limits, evolution, multi-locus phylogeny, and classification. **2022**, 1-61 ○
- 74 Genome-wide identification and characterization of toll-like receptor 5 (TLR5) in fishes. 13, ○
- 73 Reassessment of the subspecific status of the Australian Wet Tropics yellow-bellied glider, *Petaurus australis*. **2023**, 1 ○
- 72 Analysis of the Genetic Diversity of Two *Rhopalosiphum* Species from China and Europe Based on Nuclear and Mitochondrial Genes. **2023**, 14, 57 ○
- 71 Comparative analysis of chloroplast genomes of endangered heterostylous species *Primula wilsonii* and its closely related species. **2023**, 13, ○
- 70 Molecular insights into novel environmental strains of *Klebsiella quasipneumoniae* harboring different antimicrobial-resistance genes. 10, ○
- 69 Phylogenetic relationships and systematics of the bamboo-specialist *Amaurospiza* blue-seedeaters. ○
- 68 The evolutionary journey of freshwater crabs of the genus *Potamon* (*Decapoda*: *Brachyura*: *Potamidae*). **2023**, 180, 107690 ○

- 67 Scrophularia neesii und Scrophularia umbrosa in Deutschland \square linliche \square ologie, aber unterschiedliche Verbreitung zweier Sippen eines Autopolyploidie-Komplexes. 13, 37-52 ○
- 66 The Cladoniaceae (Lecanorales, Ascomycota) from Bulgaria. **2022**, 35, ○
- 65 Plastid Phylogenomic Analyses Reveal the Taxonomic Position of Peucedanum franchetii. **2023**, 12, 97 ○
- 64 A Six Years (2010–2016) Longitudinal Survey of the Four Serotypes of Dengue Viruses in Lao PDR. **2023**, 11, 243 ○
- 63 Toxic effect of copper on soil microalgae: experimental data and critical review. ○
- 62 Description of Paravulvulus zhongshanensis sp. nov. (Dorylaimida: Nygolaimidae) from Nanjing, China. **2023**, 97, ○
- 61 A new Ophidion (Orchidaceae, Pleurothallidinae) from the Pacific lowlands of Colombia and the unresolved phylogenetic position of Phloeophila s.l.. **2023**, 21, ○
- 60 *Alternaria*: update on species limits, evolution, multi-locus phylogeny, and classification. **2023**, 8, 1-61 ○
- 59 The complete chloroplast genome sequence of Rubus irritans Focke 1910 (Rosaceae). **2023**, 8, 177-180 ○
- 58 Phylogenetic Relationships in the Group Caespitosa of Paspalum L. (Poaceae, Panicoideae, Paspaleae). **2023**, 15, 134 ○
- 57 Additions to Rhytidhysterion (Hysteriales, Dothideomycetes) in China. **2023**, 9, 148 ○
- 56 Exploring the Potential Molecular Mechanisms of Interactions between a Probiotic Consortium and Its Coral Host. ○
- 55 A modular plasmid toolkit applied in marine Proteobacteria reveals functional insights during bacteria-stimulated metamorphosis. ○
- 54 Systematics of Ditaxinae and Related Lineages within the Subfamily Acalyphoideae (Euphorbiaceae) Based on Molecular Phylogenetics. **2023**, 12, 173 1
- 53 Taxonomic revision of the genus Delorhachis Karsch 1896 (Lepidoptera: Limacodidae). **2023**, 57, 54-129 ○
- 52 Plastid phylogenomics and molecular evolution of Thismiaceae (Dioscoreales). ○
- 51 aweMAGs: a fully automated workflow for quality assessment and annotation of eukaryotic genomes from metagenomes. ○
- 50 Unfinished \square morphogenesis Hides Different Speciation Pathways in Charophytes: Evidence from the 190-Year-Old Original Material of Chara denudata (Charales, Charophyceae). **2023**, 15, 249 ○

- 49 A polyphasic approach to the taxonomy of *Backusella* reveals two new species. **2023**, 22, ○
- 48 Evolution and Classification of Musaceae Based on Male Floral Morphology. **2023**, 12, 1602 ○
- 47 Diversity and phylogeny of seagrasses in Singapore. **2023**, 187, 103648 ○
- 46 *Beauveria australis* finds a new host in French dung beetles introduced to Australia. **2023**, 197, 107889 ○
- 45 Mycological research and citizen science: morphological features and DNA sequencing reveal seven new species records for the Greek mycobiota. 1-18 ○
- 44 An Update of the Cenchrinae (Poaceae, Panicoideae, Paniceae) and a New Genus for the Subtribe to Clarify the Dubious Position of a Species of *Panicum* L.. **2023**, 12, 749 ○
- 43 *Cladosporium* Species Associated with Fruit Trees in Guizhou Province, China. **2023**, 9, 250 ○
- 42 First draft of an annotated genome for a lichenised strain of the green alga *Diplosphaera chodatii* (Prasiolales, Trebouxiophyceae). 1-11 ○
- 41 Phylogeography of *Ramalina farinacea* (Lichenized Fungi, Ascomycota) in the Mediterranean Basin, Europe, and Macaronesia. **2023**, 15, 310 ○
- 40 Fungal diversity notes 1512–1610: taxonomic and phylogenetic contributions on genera and species of fungal taxa. **2022**, 117, 1-272 2
- 39 Diversity of the genus *Avrainvillea* (Dichotomosiphonaceae, Chlorophyta): new insights and eight new species. 1-28 ○
- 38 Roadmap to the study of gene and protein phylogeny and evolution: a practical guide. **2023**, 18, e0279597 ○
- 37 Robustness of Felsenstein's versus Transfer Bootstrap Supports with respect to Taxon Sampling. ○
- 36 Do Deep Mitochondrial DNA Divergences within Intertidal Gastropods Reveal Phylogeographic Signals from Earlier Glacial Cycles?. **2023**, 15, 346 ○
- 35 Phylogeny and systematics of the genus *Clonostachys*. 14, ○
- 34 New genera of thin homocyted cyanobacteria from Brazilian tropical and subtropical marine islands. 1-12 ○
- 33 Molecular phylogenetics coupled with morphological analyses of Arctic and Antarctic strains place *Chamaepinnularia* (Bacillariophyta) within the Sellaphoraceae. ○
- 32 Antioxidant Status and Biotechnological Potential of New *Vischeria vischeri* (Eustigmatophyceae) Soil Strains in Enrichment Cultures. **2023**, 12, 654 ○

- 31 Three sequential sex chromosome-autosome fusions in *Heliconius* butterflies. ○
- 30 Morphology, morphogenesis and molecular phylogeny of a novel saline soil ciliate, *Urosoma quadrinucleatum* n. sp. (Ciliophora, Hypotrichia). **2023**, 88, 125970 ○
- 29 Molecular Phylogeny of Cimicoidea (Heteroptera: Cimicomorpha) Revisited: Increased Taxon Sampling Reveals Evolution of Traumatic Insemination and Paragenitalia. **2023**, 14, 267 ○
- 28 A new deep-water coral species *Telestula ridgensis* sp. nov. (Scleractyonacea: Sarcodictyonidae) from the seamount of the Central Indian Ridge. **2023**, 5254, 231-244 ○
- 27 The reinstatement of *Plocamium robertiae* (Rhodophyta, Plocamiales) and an updated species inventory of the genus in South Africa. **2023**, 62, 194-202 ○
- 26 *Acinetobacter* *nematophilus* sp. nov., *Alcaligenes* *nematophilus* sp. nov., *Enterobacter* *nematophilus* sp. nov., and *Kaistia* *nematophila* sp. nov., Isolated from Soil-Borne Nematodes and Proposal for the Elevation of *Alcaligenes faecalis* subsp. *faecalis*, *Alcaligenes faecalis* subsp. *parafaecalis*, and *Alcaligenes faecalis* subsp. *phosphaticus* to the Species Level **2023**, 3, 146-168 ○
- 25 Ancient DNA of the Don-Hares Assumes the Existence of Two Distinct Mitochondrial Clades in Northeast Asia. **2023**, 14, 700 ○
- 24 Exploring More on Dictyosporiaceae: The Species Geographical Distribution and Intriguing Novel Additions from Plant Litter. **2023**, 15, 410 ○
- 23 Rhizosphere microbial community assembly and association networks strongly differ based on vegetation type at a local environment scale. 14, ○
- 22 A phylogenetic and taxonomic assessment of the *Cnemaspis alwisi* group (Reptilia: Gekkonidae) in Sri Lanka with a description of two new species from isolated misty-mountains. 73, 205-236 ○
- 21 *Ilex danxiaensis* (Aquifoliaceae), a Distinct New Tree Species Endemic to Danxia Mountain in Guangdong Province, China, Based on Molecular and Morphological Evidence. **2023**, 14, 583 ○
- 20 Yellow Fever Virus Maintained by *Sabethes* Mosquitoes during the Dry Season in Cerrado, a Semiarid Region of Brazil, in 2021. **2023**, 15, 757 ○
- 19 On the predictability of phenotypic divergence in geographic isolation. **2023**, 77, 26-35 ○
- 18 Pangenomes reveal genomic signatures of microbial adaptation to chronic soil warming. ○
- 17 *Neocamarosporium aquaticum* (Neocamarosporiaceae, Dothideomycetes), a novel fungus from salt marsh habitats. **2023**, ○
- 16 Fungal Diversity Associated with Thirty-Eight Lichen Species Revealed a New Genus of Endolichenic Fungi, *Intumescencia* gen. nov. (Teratosphaeriaceae). **2023**, 9, 423 ○
- 15 What Hides in the Heights? The Case of the Iberian Endemism *Bromus picoeuropeanus*. **2023**, 12, 1531 ○
- 14 Case report: *Sarcocystis speeri*, *Aspergillus fumigatus*, and novel *Treponema* sp. infections in an adult Atlantic spotted dolphin (*Stenella frontalis*). 10, ○

- 13 Similar Ones Are Not Related and Vice Versa New Dendronotus Taxa (Nudibranchia: Dendronotidae) from the North Atlantic Ocean Provide a Platform for Discussion of Global Marine Biodiversity Patterns **2023**, 15, 504 ○
- 12 Six decades of museum collections reveal disruption of native ant assemblages by introduced species. **2023**, ○
- 11 Evolutionary history of New World crakes (Aves: Rallidae) with emphasis on the tribe Laterallini. ○
- 10 Neotypification of *Muyocopron dipterocarpi*, a new host record on *Zanthoxylum fagara* (Rutaceae) and the potential for secondary metabolite production in Muyocopronaceae. **2023**, 0-0 ○
- 9 Identifying climatic drivers of hybridization with a new ancestral niche reconstruction method. ○
- 8 Splitting one species into 22: an unusual tripling of molecular, morphological, and geographical differentiation in the fern family Didymochlaenaceae (Polypodiales). ○
- 7 Origin and diversification of a Himalayan orchid genus *Pleione*. **2023**, 107797 ○
- 6 The phylogenetic structure and coalescent species delimitation of an endemic trapdoor spider genus, *Stasimopus* (Araneae, Mygalomorphae, Stasimopidae) in the Karoo region of South Africa. **2023**, 107798 ○
- 5 An unexpected hydratase synthesizes the green light-absorbing pigment fucoxanthin. ○
- 4 *Apostasia* Mitochondrial Genome Analysis and Monocot Mitochondria Phylogenomics. **2023**, 24, 7837 ○
- 3 Comparison of the chloroplast genomes and phylogenomic analysis of Elaeocarpaceae. 11, e15322 ○
- 2 Freshwater fungi from southern Australia: *Microvesuvius unicellularis* gen. et. sp. nov. and *Achrochaeta rivulata* sp. nov.. ○
- 1 Erythromycin resistance of clinical *Campylobacter jejuni* and *Campylobacter coli* in Shanghai, China. 14, ○