

Increased water use by ponderosa pine plantations in n compared with native forest vegetation

Forest Ecology and Management

255, 753-764

DOI: [10.1016/j.foreco.2007.09.061](https://doi.org/10.1016/j.foreco.2007.09.061)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Belowground interactions for water between trees and grasses in a temperate semiarid agroforestry system. <i>Agroforestry Systems</i> , 2008, 74, 185-197.	0.9	47
2	Testing a hypothesis of the relationship between productivity and water use efficiency in Patagonian forests with native and exotic species. <i>Forest Ecology and Management</i> , 2008, 255, 3281-3287.	1.4	22
3	Revealing the impact of forest exotic plantations on water yield in large scale watersheds in South-Central Chile. <i>Journal of Hydrology</i> , 2009, 374, 162-170.	2.3	158
4	Water flux and canopy conductance of natural versus planted forests in Patagonia, South America. <i>Trees - Structure and Function</i> , 2009, 23, 415-427.	0.9	41
5	Effects on site water balance of conversion from native mixed forest to Douglas-fir plantation in N.W. Patagonia. <i>New Forests</i> , 2009, 38, 67-80.	0.7	8
6	Are true multihost fungi the exception or the rule? Dominant ectomycorrhizal fungi on <i>Pinus sabiniana</i> differ from those on co-occurring <i>Quercus</i> species. <i>New Phytologist</i> , 2009, 182, 295-299.	3.5	86
7	Steering the solar panel: plastids influence development. <i>New Phytologist</i> , 2009, 182, 287-290.	3.5	14
8	Striking example of avatars evolving together among local communities. <i>New Phytologist</i> , 2009, 182, 293-295.	3.5	1
9	Bidirectional water flows through the soil-fungal-plant mycorrhizal continuum. <i>New Phytologist</i> , 2009, 182, 290-293.	3.5	45
11	Afforestation and reforestation with the clean development mechanism: Potentials, problems, and future directions. <i>Forest Science and Technology</i> , 2009, 5, 45-56.	0.3	5
12	Testing Binkley's hypothesis about the interaction of individual tree water use efficiency and growth efficiency with dominance patterns in open and close canopy stands. <i>Forest Ecology and Management</i> , 2009, 257, 1859-1865.	1.4	38
13	Seasonal variations in phosphorus fractions in semiarid sandy soils under different vegetation types. <i>Forest Ecology and Management</i> , 2009, 258, 1376-1382.	1.4	41
14	Effects of history of use on secondary forest regeneration in the Upper Parana Atlantic Forest (Misiones, Argentina). <i>Forest Ecology and Management</i> , 2009, 258, 1629-1642.	1.4	16
15	The Hydrology of Tropical Andean Ecosystems: Importance, Knowledge Status, and Perspectives. <i>Mountain Research and Development</i> , 2009, 29, 350-355.	0.4	110
16	Forest plantations, water availability, and regional climate change: controversies surrounding <i>Acacia mearnsii</i> plantations in the upper Palnis Hills, southern India. <i>Regional Environmental Change</i> , 2010, 10, 103-117.	1.4	23
17	Estimating water use of a black locust plantation by the thermal dissipation probe method in the semiarid region of Loess Plateau, China. <i>Journal of Forest Research</i> , 2010, 15, 241-251.	0.7	37
18	Effect of stand density and pruning on growth of ponderosa pines in NW Patagonia, Argentina. <i>Agroforestry Systems</i> , 2010, 78, 233-241.	0.9	10
19	Ecohydrological advances and applications in plant-water relations research: a review. <i>Journal of Plant Ecology</i> , 2011, 4, 3-22.	1.2	254

#	ARTICLE	IF	CITATIONS
20	Does energy dissipation increase with ecosystem succession? Testing the ecosystem exergy theory combining theoretical simulations and thermal remote sensing observations. <i>Ecological Modelling</i> , 2011, 222, 3917-3941.	1.2	31
21	Stand density and drought interaction on water relations of <i>Nothofagus antarctica</i> : contribution of forest management to climate change adaptability. <i>Trees - Structure and Function</i> , 2011, 25, 1111-1120.	0.9	23
22	Decreased rainfall interception balances increased transpiration in exotic ponderosa pine plantations compared with native cypress stands in Patagonia, Argentina. <i>Ecohydrology</i> , 2011, 4, 83-93.	1.1	19
23	Parameterization of a diagnostic carbon cycle model for continental scale application. <i>Remote Sensing of Environment</i> , 2011, 115, 1653-1664.	4.6	57
24	Managing Afforestation and Reforestation for Carbon Sequestration: Considerations for Land Managers and Policy Makers. , 2012, , 227-255.		4
25	Progress in creating a joint research agenda that allows networked long-term socio-ecological research in southern South America: Addressing crucial technological and human capacity gaps limiting its application in Chile and Argentina. <i>Austral Ecology</i> , 2012, 37, 529-536.	0.7	12
26	Salt leaching leads to drier soils in disturbed semiarid woodlands of central Argentina. <i>Oecologia</i> , 2013, 171, 1003-1012.	0.9	23
27	O uso de Água pelas plantas florestais – uma revisão. <i>Ciencia Florestal</i> , 2013, 23, .	0.1	4
28	Efectos de la invasión del ligustro, <i>Ligustrum lucidum</i> , en la dinámica hídrica de las Yungas del noroeste Argentino. <i>Bosque</i> , 2014, 35, 195-205.	0.1	21
29	Decoupling Streamflow Responses to Climate Variability and Land Use/Cover Changes in a Watershed in Northern China. <i>Journal of the American Water Resources Association</i> , 2014, 50, 1425-1438.	1.0	5
30	Soil water affects transpiration response to rainfall and vapor pressure deficit in poplar plantation. <i>New Forests</i> , 2014, 45, 235-250.	0.7	22
31	Physiological mechanism for the reduction in soil water in poplar (<i>Populus deltoides</i>) plantations in Dongting Lake wetlands. <i>Wetlands Ecology and Management</i> , 2014, 22, 25-33.	0.7	14
32	Patterns of resource use efficiency in relation to intra-specific competition, size of the trees and resource availability in ponderosa pine. <i>Forest Ecology and Management</i> , 2014, 312, 231-238.	1.4	13
33	<i>Pinus ponderosa</i> alters nitrogen dynamics and diminishes the climate footprint in natural ecosystems of Patagonia. <i>Journal of Ecology</i> , 2014, 102, 610-621.	1.9	23
34	Effects of young poplar plantations on understory plant diversity in the Dongting Lake wetlands, China. <i>Scientific Reports</i> , 2014, 4, 6339.	1.6	19
35	A shady business: pine afforestation alters the primary controls on litter decomposition along a precipitation gradient in Patagonia, Argentina. <i>Journal of Ecology</i> , 2015, 103, 1408-1420.	1.9	42
36	Discrepancy of sap flow in <i>Salix matsudana</i> grown under different soil textures in the water-wind erosion crisscross region on the Loess Plateau. <i>Plant and Soil</i> , 2015, 390, 383-399.	1.8	37
37	Ecophysiological basis of wood formation in ponderosa pine: Linking water flux patterns with wood microdensity variables. <i>Forest Ecology and Management</i> , 2015, 346, 31-40.	1.4	7

#	ARTICLE	IF	CITATIONS
38	Bioenergy Development Policy and Practice Must Recognize Potential Hydrologic Impacts: Lessons from the Americas. <i>Environmental Management</i> , 2015, 56, 1295-1314.	1.2	19
39	Examining diel patterns of soil and xylem moisture using electrical resistivity imaging. <i>Journal of Hydrology</i> , 2016, 536, 327-338.	2.3	33
40	Evaluation of plantation and early development of five alternatives to ponderosa pine in silvopastoral systems in northwest Patagonia, Argentina. <i>Agroforestry Systems</i> , 2017, 91, 981-991.	0.9	4
41	Litter microbial and soil faunal communities stimulated in the wake of a volcanic eruption in a semi-arid woodland in Patagonia, Argentina. <i>Functional Ecology</i> , 2017, 31, 245-259.	1.7	23
42	Deep soil water extraction helps to drought avoidance but shallow soil water uptake during dry season controls the inter-annual variation in tree growth in four subtropical plantations. <i>Agricultural and Forest Meteorology</i> , 2017, 234-235, 106-114.	1.9	63
43	Dynamics of evapotranspiration partitioning for apple trees of different ages in a semiarid region of northwest China. <i>Agricultural Water Management</i> , 2017, 191, 1-15.	2.4	41
44	Acacia mearnsii management in a South African National Parks: SWOT analysis using hot topics in biological invasion as a guide. <i>Journal of Mountain Science</i> , 2017, 14, 205-218.	0.8	3
45	Canopy conductance and stand transpiration of <i>Populus simonii</i> Carr in response to soil and atmospheric water deficits in farmland shelterbelt, Northwest China. <i>Agroforestry Systems</i> , 2017, 91, 1165-1180.	0.9	8
46	Transition from abstract thermodynamic concepts to perceivable ecological indicators. <i>Ecological Indicators</i> , 2018, 88, 37-42.	2.6	7
47	Evaluación del servicio ecosistémico de regulación hídrica ante escenarios de conservación de vegetación nativa y expansión de plantaciones forestales en el centro-sur de Chile. <i>Bosque</i> , 2018, 39, 277-289.	0.1	14
48	Solar radiation exposure accelerates decomposition and biotic activity in surface litter but not soil in a semiarid woodland ecosystem in Patagonia, Argentina. <i>Plant and Soil</i> , 2019, 445, 483-496.	1.8	19
49	Understory Vegetation Dynamics across a Poplar Plantation Chronosequence in Reclaimed Coastal Saline Soil. <i>Forests</i> , 2019, 10, 764.	0.9	9
50	Hydrological impacts of afforestation in the semiarid Patagonia: A modelling approach. <i>Ecohydrology</i> , 2019, 12, e2113.	1.1	14
51	Effect of stomatal control on <i>Populus simonii</i> Carr stand transpiration in farmland shelterbelt, China's semi-arid region. <i>Agroforestry Systems</i> , 2020, 94, 719-731.	0.9	6
52	Identifying trade-offs between biodiversity conservation and ecosystem services delivery for land-use decisions. <i>Scientific Reports</i> , 2020, 10, 7971.	1.6	20
53	Origin-based biomass allometric equations, biomass partitioning, and carbon concentration variations of planted and natural <i>Larix gmelinii</i> in northeast China. <i>Global Ecology and Conservation</i> , 2020, 23, e01111.	1.0	14
54	Biomass Functions and Carbon Content Variabilities of Natural and Planted <i>Pinus koraiensis</i> in Northeast China. <i>Plants</i> , 2021, 10, 201.	1.6	1
55	Water Use by Chinese Pine Is Less Conservative but More Closely Regulated Than in Mongolian Scots Pine in a Plantation Forest, on Sandy Soil, in a Semi-Arid Climate. <i>Frontiers in Plant Science</i> , 2021, 12, 635022.	1.7	3

#	ARTICLE	IF	CITATIONS
56	Effect of Land Use History on Biodiversity of Pine Plantations. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	8
57	Implications of landscape configuration on understory forage productivity: a remote sensing assessment of native forests openings. <i>Agroforestry Systems</i> , 2021, 95, 1675.	0.9	1
58	Reviewing the evidence on the roles of forests and tree-based systems in poverty dynamics. <i>Forest Policy and Economics</i> , 2021, 131, 102576.	1.5	27
59	Growth, water use, and water use efficiency of <i>Eucalyptus globulus</i> and <i>Pinus radiata</i> plantations compared with natural stands of Roble-Hualo forest in the coastal mountains of central Chile. <i>Forest Ecology and Management</i> , 2021, 501, 119676.	1.4	15
60	Exotic pine forestation shifts carbon accumulation to litter detritus and wood along a broad precipitation gradient in Patagonia, Argentina. <i>Forest Ecology and Management</i> , 2020, 460, 117902.	1.4	11
61	Ecosystem Evapotranspiration as a Response to Climate and Vegetation Coverage Changes in Northwest Yunnan, China. <i>PLoS ONE</i> , 2015, 10, e0134795.	1.1	24
62	Restructuring the Reduced Emissions from Deforestation and Forest Degradation (REDD+) Mechanism for a Post Kyoto Agreement. <i>American Journal of Climate Change</i> , 2015, 04, 69-76.	0.5	1
63	Effects of size and microclimate on whole-tree water use and hydraulic regulation in <i>Schima superba</i> trees. <i>PeerJ</i> , 2018, 6, e5164.	0.9	7
64	Higher Sensitivity of Planted Forests' Productivity Than Natural Forests to Droughts in China. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2021JG006306.	1.3	5
65	Diversidad de macroinvertebrados acuáticos en quebradas con diferente cobertura ribereña en del bosque Protector Murocomba, cantón Valencia, Ecuador. <i>Revista De Biología Tropical</i> , 2019, 67, .	0.1	5
66	Comparison of canopy transpiration between <i>Pinus sylvestris</i> var. <i>mongolica</i> and <i>Pinus tabuliformis</i> plantations in a semiarid sandy region of Northeast China. <i>Agricultural and Forest Meteorology</i> , 2022, 314, 108784.	1.9	16
67	The biodiversity and ecosystem service contributions and trade-offs of forest restoration approaches. <i>Science</i> , 2022, 376, 839-844.	6.0	188
68	<i>Pinus</i> plantations impact hillslope stability and decrease landscape resilience by changing biogeomorphic feedbacks in Chile. <i>Catena</i> , 2022, 216, 106364.	2.2	0
69	Landscape Fragmentation at Arauco Province in the Chilean Forestry Model Context (1976–2016). <i>Land</i> , 2022, 11, 1992.	1.2	3