

CITATION REPORT

List of articles citing

Bioactive Compounds and Antioxidant Capacity of Exotic Fruits and Commercial Frozen Pulpes from Brazil

DOI: 10.1177/1082013208092151

Food Science and Technology International, 2008, 14, 207-214

Source: <https://exaly.com/paper-pdf/44195143/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
123	Effects of Dissolved Oxygen in Fruit Juices and Methods of Removal. 2009 , 8, 409-423		37
122	Evaluation of antihyperglycemia and antihypertension potential of native Peruvian fruits using in vitro models. 2009 , 12, 278-91		58
121	Biometria de frutos e sementes de <i>Butia capitata</i> (Mart.) Beccari (Arecaceae), em vegeta ^o natural no Norte de Minas Gerais, Brasil. 2010 , 10, 415-419		14
120	Chemical composition and antioxidant/antidiabetic potential of Brazilian native fruits and commercial frozen pulps. 2010 , 58, 4666-74		137
119	Antioxidant properties and bioactive constituents of some rare exotic Thai fruits and comparison with conventional fruits. 2011 , 44, 2222-2232		77
118	Effect of a health claim on consumer acceptance of exotic Brazilian fruit juices: A ^o (Euterpe oleracea Mart.), Camu-camu (<i>Myrciaria dubia</i>), Caj ^o (<i>Spondias lutea</i> L.) and Uambu (<i>Spondias tuberosa</i> Arruda). 2011 , 44, 1988-1996		73
117	Chemical characterization, bioactive compounds, and antioxidant capacity of jussara (<i>Euterpe edulis</i>) fruit from the Atlantic Forest in southern Brazil. 2011 , 44, 2128-2133		77
116	Phenolic compounds and antioxidant activity of seed and skin extracts of red grape (<i>Vitis vinifera</i> and <i>Vitis labrusca</i>) pomace from Brazilian winemaking. 2011 , 44, 897-901		197
115	Fruit wine produced from cagaita (<i>Eugenia dysenterica</i> DC) by both free and immobilised yeast cell fermentation. 2011 , 44, 2391-2400		49
114	Nutritional compositions and health promoting phytochemicals of camu-camu (<i>myrciaria dubia</i>) fruit: A review. 2011 , 44, 1728-1732		78
113	Nutritional bioactive compounds and technological aspects of minor fruits grown in Brazil. 2011 , 44, 1658-1670		87
112	Chemical, antioxidant and antibacterial study of Brazilian fruits. 2011 , 46, 1529-1537		52
111	Antioxidant status in rats after long-term intake of anthocyanins and ellagitannins from blackberries. 2011 , 91, 523-31		34
110	Antioxidant, anti-acetylcholinesterase and cytotoxic activities of ethanol extracts of peel, pulp and seeds of exotic Brazilian fruits: Antioxidant, anti-acetylcholinesterase and cytotoxic activities in fruits. 2012 , 49, 334-344		63
109	Antigenotoxic effect of acute, subacute and chronic treatments with Amazonian camu-camu (<i>Myrciaria dubia</i>) juice on mice blood cells. 2012 , 50, 2275-81		25
108	Characterization of phenolic compounds in jocote (<i>Spondias purpurea</i> L.) peels by ultra high-performance liquid chromatography/electrospray ionization mass spectrometry. 2012 , 46, 557-562		77
107	Native foods from Brazilian biodiversity as a source of bioactive compounds. 2012 , 48, 170-179		91

106	Determination of carotenoids, total phenolic content, and antioxidant activity of Açaí (Eugenia stipitata McVaugh), an Amazonian fruit. 2012 , 60, 4709-17		40
105	Bioactive compounds and phenolic-linked functionality of powdered tropical fruit residues. <i>Food Science and Technology International</i> , 2012 , 18, 539-47	2.6	66
104	Potential dietary sources of ellagic acid and other antioxidants among fruits consumed in Brazil: jaboticaba (Myrciaria jaboticaba (Vell.) Berg). 2012 , 92, 1679-87		87
103	Phenolic compounds in fruits – An overview. 2012 , 47, 2023-2044		269
102	Comparative study of chemical and phenolic compositions of two species of jaboticaba: Myrciaria jaboticaba (Vell.) Berg and Myrciaria cauliflora (Mart.) O. Berg. 2013 , 54, 468-477		72
101	Impact of spouted bed drying on bioactive compounds, antimicrobial and antioxidant activities of commercial frozen pulp of camu-camu (Myrciaria dubia Mc. Vaughn). 2013 , 54, 495-500		58
100	Flavonoids, proanthocyanidins, vitamin C, and antioxidant activity of Theobroma grandiflorum (Cupuassu) pulp and seeds. 2013 , 61, 2720-8		58
99	Ellagic acid derivatives, ellagitannins, proanthocyanidins and other phenolics, vitamin C and antioxidant capacity of two powder products from camu-camu fruit (Myrciaria dubia). <i>Food Chemistry</i> , 2013 , 139, 578-88	8.5	145
98	Antioxidant properties of Brazilian tropical fruits by correlation between different assays. 2013 , 2013, 132759		11
97	Effects of diet supplementation with Camu-camu (Myrciaria dubia HBK McVaugh) fruit in a rat model of diet-induced obesity. 2013 , 85, 355-63		21
96	Ethnobotanical and ethnoecological study of Butia catarinensis Noblick & Lorenzi: contributions to the conservation of an endangered area in southern Brazil. 2013 , 27, 13-20		3
95	Clarificação de polpa de camu-camu por microfiltração. 2013 , 16, 207-215		5
94	The use of headspace solid-phase microextraction (HS-SPME) to assess the quality and stability of fruit products: an example using red mombin pulp (Spondias purpurea L.). <i>Molecules</i> , 2014 , 19, 16851-60 ^{4.8}		5
93	Processing Effects on the Antioxidant Activities of Beverage Blends Developed from Cyperus esculentus, Hibiscus sabdariffa, and Moringa oleifera Extracts. 2014 , 19, 227-33		20
92	The association between chromaticity, phenolics, carotenoids, and in vitro antioxidant activity of frozen fruit pulp in Brazil: an application of chemometrics. 2014 , 79, C510-6		43
91	Bio-guided optimization of the ultrasound-assisted extraction of compounds from Annona glabra L. leaves using the etiolated wheat coleoptile bioassay. 2014 , 21, 1578-84		19
90	Butia spp. (Arecaceae): An overview. <i>Scientia Horticulturae</i> , 2014 , 179, 122-131	4.1	30
89	Frozen pulp extracts of camu-camu (Myrciaria dubia McVaugh) attenuate the hyperlipidemia and lipid peroxidation of Type 1 diabetic rats. 2014 , 64, 1-8		31

88	Dried camu-camu (<i>Myrciaria dubia</i> H.B.K. McVaugh) industrial residue: A bioactive-rich Amazonian powder with functional attributes. 2014 , 62, 934-940		40
87	Antiproliferative, antimutagenic and antioxidant activities of a Brazilian tropical fruit juice. 2014 , 59, 1319-1324		17
86	Bioactive Compounds Found in Brazilian Cerrado Fruits. 2015 , 16, 23760-83		68
85	Physical-chemical characteristics and antioxidant potential of seed and pulp of <i>Ximenia americana</i> L. from the semiarid region of Brazil. 2015 , 14, 1743-1752		7
84	First evaluation of the antimutagenic effect of mangaba fruit in vivo and its phenolic profile identification. 2015 , 75, 216-224		29
83	Carotenoids, tocopherols and ascorbic acid content in yellow passion fruit (<i>Passiflora edulis</i>) grown under different cultivation systems. 2015 , 64, 259-263		44
82	Phenolic compounds from cambuci (<i>Campomanesia phaea</i> O. Berg) fruit attenuate glucose intolerance and adipose tissue inflammation induced by a high-fat, high-sucrose diet. 2015 , 69, 170-178		24
81	Bioactive compounds and antioxidant capacity of buriti (<i>Mauritia flexuosa</i> L.f.) from the Cerrado and Amazon biomes. <i>Food Chemistry</i> , 2015 , 177, 313-9	8.5	75
80	Bioactive compounds and antioxidant activity in pre-harvest camu-camu [<i>Myrciaria dubia</i> (H.B.K.) Mc Vaugh] fruits. <i>Scientia Horticulturae</i> , 2015 , 186, 223-229	4.1	28
79	Evaluation of phenolic-linked bioactives of camu-camu (<i>Myrciaria dubia</i> Mc. Vaugh) for antihyperglycemia, antihypertension, antimicrobial properties and cellular rejuvenation. 2015 , 77, 194-203		36
78	Chemical characterization and antioxidant capacity of the araçápera (<i>Psidium acutangulum</i>): An exotic Amazon fruit. 2015 , 75, 315-327		19
77	Antioxidant and associated capacities of Camu camu (<i>Myrciaria dubia</i>): a systematic review. 2015 , 21, 8-14		19
76	Teor de vitamina C, Caroteno e minerais em camu-camu cultivado em diferentes ambientes. 2016 , 46, 567-572		4
75	Bioactivities and Health Benefits of Wild Fruits. 2016 , 17,		73
74	Quorum Quenching and Microbial Control through Phenolic Extract of <i>Eugenia Uniflora</i> Fruits. 2016 , 81, M2538-M2544		12
73	Brazilian savannah fruits: Characteristics, properties, and potential applications. 2016 , 25, 1225-1232		16
72	Physical and antioxidant properties of flexible soy protein isolate films by incorporating chestnut (<i>Castanea mollissima</i>) bur extracts. 2016 , 71, 33-39		50
71	Effect of spray drying conditions on the physical properties of Cagaita (<i>Eugenia dysenterica</i> DC.) fruit extracts. 2016 , 97, 20-29		83

70	Developing a bio-based packaging film from soya by-products incorporated with valonea tannin. 2017 , 143, 624-633		38
69	Assessment of anti-cholinesterase activity and cytotoxicity of cagaita (<i>Eugenia dysenterica</i>) leaves. 2017 , 109, 996-1002		18
68	Postharvest behavior of camu-camu fruits based on harvesting time and nutraceutical properties. <i>Scientia Horticulturae</i> , 2017 , 217, 276-284	4.1	7
67	Heat stability and effect of pH on enzyme activity of polyphenol oxidase in buriti (<i>Mauritia flexuosa</i> Linnaeus f.) fruit extract. <i>Food Chemistry</i> , 2017 , 233, 159-163	8.5	25
66	Brazilian Native Fruits as a Source of Phenolic Compounds. 2017 , 105-124		2
65	Effects of Spray-Drying Parameters on In Vitro Functional Properties of Camu-Camu (<i>Myrciaria dubia</i> Mc. Vaugh): A Typical Amazonian Fruit. 2017 , 82, 1083-1091		14
64	Functional properties of encapsulated Cagaita (<i>Eugenia dysenterica</i> DC.) fruit extract. 2017 , 18, 15-21		21
63	Evaluation of bioactive compounds potential and antioxidant activity in some Brazilian exotic fruit residues. 2017 , 102, 84-92		41
62	Influence of physicochemical parameters on storage stability: Microbiological quality of fresh unpasteurized fruit juices. 2017 , 5, 1098-1105		15
61	POST-ACIDIFICATION AND EVALUATION OF ANTHOCYANINS STABILITY AND ANTIOXIDAN ACTIVITY IN AAI FERMENTED MILK AND YOGURTS (<i>Euterpe oleracea</i> Mart.). 2017 , 39,		4
60	Ascorbic acid and phenolic contents, antioxidant capacity and flavonoids composition of Brazilian Savannah native fruits. <i>Food Science and Technology</i> , 2017 , 37, 564-569	2	20
59	Effect of Frozen Storage on Polyphenol Oxidase, Antioxidant Content, and Color of Pawpaw (<i>Asimina triloba</i> [L.] Dunal) Fruit Pulp. 2017 , 6, 93		6
58	CHEMICAL CHARACTERIZATION AND ANTIOXIDANT CAPACITY OF GUAPEVA. 2017 , 39,		2
57	ANTIOXIDANT CAPACITY OF PEQUI (<i>Caryocar brasiliense</i> Camb.) PULP IS PRESERVED BY FREEZE-DRYING AND LIGHT-RESISTANT PACKAGING. 2017 , 39,		3
56	Recovery of polyphenols from camu-camu (<i>Myrciaria dubia</i> H.B.K. McVaugh) depulping residue by cloud point extraction. 2018 , 26, 2471-2476		14
55	Polyphenols from Brazilian native Myrtaceae fruits and their potential health benefits against obesity and its associated complications. 2018 , 19, 42-49		29
54	Gelatin/starch orally disintegrating films as a promising system for vitamin C delivery. 2018 , 79, 127-135		26
53	Biological evaluation and quantitative analysis of antioxidant compounds in pulps of the Amazonian fruits bacuri (<i>Platonia insignis</i> Mart.), ingá (<i>Inga edulis</i> Mart.), and uchi (<i>Sacoglottis uchi</i> Huber) by UHPLC-ESI-MS/MS. 2018 , 42, e12455		6

52	The Contribution of Phytochemicals to the Antioxidant Potential of Fruit Juices. 2018 , 95-128		2
51	Bioactive compounds and health benefits of some palm species traditionally used in Africa and the Americas - A review. 2018 , 224, 202-229		42
50	Potential antioxidant of brazilian coffee from the region of Cerrado. <i>Food Science and Technology</i> , 2018 , 38, 447-453	2	7
49	Chemical characterization, bioactive compounds, centesimal composition and mineral contents in abiurana, a native fruit of the Brazilian Atlantic Forest. 2018 , 1375-1382		
48	Chemical variability in the essential oil of leaves of <i>Artocarpus guineense</i> Sw.), with occurrence in the Amazon. 2018 , 12, 52		8
47	Camu-camu (<i>Myrciaria dubia</i>) from commercial cultivation has higher levels of bioactive compounds than native cultivation (Amazon Forest) and presents antimutagenic effects in vivo. 2019 , 99, 624-631		13
46	Vitamin C in camu-camu [<i>Myrciaria dubia</i> (H.B.K.) McVaugh]: evaluation of extraction and analytical methods. 2019 , 115, 160-166		30
45	Camu-camu harvested with reddish-green peel preserves its physicochemical characteristics and antioxidant compounds during cold storage. 2019 , 22,		
44	Determination of Phenolic Compounds, Procyanidins, and Antioxidant Activity in Processed L. Leaves. 2019 , 8,		18
43	Aroma and soluble solid contents of the uvaia-a native Atlantic rainforest fruit-are negatively affected by early harvest. 2019 , 43, e12881		4
42	Fruit Agroindustrial Wastes for Preparing Beverages for Medicinal Purposes by Supercritical Fluid Extraction Technology: Andes Berry (<i>Rubus glaucus</i> benth) Case. 2019 , 151-177		1
41	Bioactive compounds and in vitro antioxidant activity of pulps from fruits from the Brazilian atlantic forest. 2019 , 42, e44503		0
40	Antioxidant Activity of an Industrial Cupuassu Seed By-product: Molecular Modeling of Phenolic Compounds. 2019 , 42, 397-406		1
39	Assessment of chemical and bioactive properties of native fruits from the Brazilian Cerrado. 2019 , 49, 381-392		10
38	Bacaba-de-leque (<i>Oenocarpus distichus</i> Mart.) oil extraction using supercritical CO2 and bioactive compounds determination in the residual pulp. 2019 , 144, 81-90		33
37	From byproduct to a functional ingredient: Camu-camu (<i>Myrciaria dubia</i>) seed extract as an antioxidant agent in a yogurt model. 2020 , 103, 1131-1140		17
36	Camu-camu seed (<i>Myrciaria dubia</i>) - From side stream to an antioxidant, antihyperglycemic, antiproliferative, antimicrobial, antihemolytic, anti-inflammatory, and antihypertensive ingredient. <i>Food Chemistry</i> , 2020 , 310, 125909	8.5	30
35	Metabolite Profiling by UPLC-MS, NMR, and Antioxidant Properties of Amazonian Fruits: Mamey Apple (<i>Mammea Americana</i>), Camapu (<i>Physalis Angulata</i>), and Uxi (<i>Endopleura Uchi</i>). <i>Molecules</i> , 2020 , 25,	4.8	10

34	Chemical composition and anti-inflammatory activity of essential oil and ethanolic extract of <i>Campomanesia phaea</i> (O. Berg.) Landrum leaves. 2020 , 252, 112562		12
33	Bioactives From Agri-Food Wastes: Present Insights and Future Challenges. <i>Molecules</i> , 2020 , 25,	4.8	126
32	Evaluation of oxidative stability of soybean methyl biodiesel using extract of cagaite leaves (<i>Eugenia dysenterica</i> DC.) as additive. 2020 , 152, 1079-1085		12
31	Chemical characterization of <i>Eugenia stipitata</i> : A native fruit from the Amazon rich in nutrients and source of bioactive compounds. 2021 , 139, 109904		5
30	Physicochemical, microbiological, functional and sensory properties of frozen pulp of orange and orange-red chilito (<i>Solanum betaceum</i> Cav.) fruits. <i>Scientia Horticulturae</i> , 2021 , 276, 109736	4.1	5
29	Caracterizaç�o do fruto cru�o vermelho (<i>Sicana odorifera</i> Naudin) e acompanhamento da estabilidade de seus compostos bioativos durante o armazenamento congelado. 24,		0
28	Effects of Camu-Camu (<i>Myrciaria dubia</i>) Powder on the Physicochemical and Kinetic Parameters of Deteriorating Microorganisms and <i>Salmonella enterica</i> Subsp. <i>enterica</i> Serovar Typhimurium in Refrigerated Vacuum-Packed Ground Beef. 2021 , 11, 252		0
27	Analysis of particles collisions in a newly designed rotating dryer and its impact on the Camu-Camu (<i>Myrciaria dubia</i>) pulp drying. 1-12		0
26	Long-term supplementation with phenolic compounds from jaboticaba (<i>Plinia jaboticaba</i> (Vell.) Berg) reduces adiposopathy and improves glucose, lipid, and energy metabolism. 2021 , 143, 110302		2
25	Frugivory and Seed predation of <i>Jacaratia spinosa</i> (Caricaceae) by <i>Sumichrasti</i> Vesper Rat, <i>Nyctomys sumichrasti</i> (Rodentia: Cricetidae). 2021 , 7, 225		
24	Classical Food Quality Attributes and the Metabolic Profile of Cambuci, a Native Brazilian Atlantic Rainforest Fruit. <i>Molecules</i> , 2021 , 26,	4.8	0
23	Organic cultivation practices enhanced antioxidant activities and secondary metabolites in giant granadilla (<i>Passiflora quadrangularis</i> L.). <i>PLoS ONE</i> , 2021 , 16, e0255059	3.7	3
22	Convective drying of cambuci, a native fruit from the Brazilian Atlantic Forest: Effect of pretreatments with ethanol and freezing. <i>Journal of Food Process Engineering</i> , 2021 , 44, e13822	2.4	0
21	Sustainable use of tropical fruits? Challenges and opportunities of applying the waste-to-value concept to international value chains. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-13	11.5	3
20	Mel�o cru�o (<i>Sicana sphaerica</i> Vell.) and �aracujina (<i>Sicana odorifera</i> Naud.): chemical composition, carotenoids, vitamins and minerals in native fruits from the Brazilian Atlantic forest. <i>Fruits</i> , 2015 , 70, 341-349	0.3	7
19	EUGENIA DYSENTERICA MART. EX DC. (CAGAITA): PLANTA BRASILEIRA COM POTENCIAL TERAP�UTICO. <i>Infarma: Pharmaceutical Sciences</i> , 2015 , 27, 49-95	0.1	12
18	�leos essenciais de uvaia (<i>Eugenia pyriformis</i> Cambess): avaliaç�o das atividades microbiana e antioxidante. <i>Eletica Quimica</i> , 2009 , 34, 7-16	2.6	13
17	Flavan-3-ol, flavanone, flavone, flavonol, phenolic acid, and stilbene contents of four <i>Butia</i> species (<i>Arecaceae</i>). <i>Fruits</i> , 2018 , 73, 125-137	0.3	5

16	The impact of global climate change on the number and replacement of provisioning ecosystem services of Brazilian Cerrado plants. <i>Environmental Monitoring and Assessment</i> , 2021 , 193, 731	3.1	2
15	Camu-camu [<i>Myrciaria dubia</i> (HBK) McVaugh]: A review of properties and proposals of products for integral valorization of raw material. <i>Food Chemistry</i> , 2022 , 372, 131290	8.5	4
14	Umbu Fruit Peel as Source of Antioxidant, Antimicrobial and α -Amylase Inhibitor Compounds.. <i>Molecules</i> , 2022 , 27,	4.8	1
13	Biological activities, chromatographic profile and thermal stability of organic and conventional goji berry. <i>Journal of Food Measurement and Characterization</i> , 2022 , 16, 1263	2.8	0
12	Cytological aspects of <i>Butia capitata</i> (Arecaceae) fruit maturation and senescence. <i>Scientia Horticulturae</i> , 2022 , 297, 110938	4.1	0
11	Active compounds from the industrial residue of dry camu-camu. <i>Food Science and Technology</i> , 2022 , 42,	2	1
10	Thermal and oxidative stability of ethyl soybean biodiesel with cagaite (<i>Eugenia dysenterica</i> DC.) leaves extract as additive. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022 , 217, 1035-1042	4.1	1
9	Evaluation of sensory and antioxidant properties of arabi wine as an effect of yeast type, must filtration and fermentation temperature. <i>Chemical Papers</i> , 2022 , 76, 1035-1042	1.9	0
8	Nutraceutical Potential of Bioactive Compounds of DC in Metabolic Alterations.. <i>Molecules</i> , 2022 , 27,	4.8	1
7	Energy and lipid contents, and polyphenols composition of pequi pulp according to the fruit native area. 2023 , 53,		1
6	Small molecules putative structure elucidation in endemic Colombian fruits: CFM-ID approach. 2022 , 25, 2604-2616		0
5	Antalya Sera Koşullarında Yetiştirilen Farklı <i>Passiflora</i> Türleri ve Genotiplerinin Pomolojik Ve Biyokimyasal Özelliklerinin Belirlenmesi.		0
4	Antioxidant Capacity through Electrochemical Methods and Chemical Composition of <i>Oenocarpus bataua</i> and <i>Gustavia macarenensis</i> from the Ecuadorian Amazon. 2023 , 12, 318		0
3	Vegetables and their by-products: total phenolic compound content, total flavonoids, and antioxidant activity. 2023 , 41,		0
2	<i>Spondias</i> sp: Shedding Light on Its Vast Pharmaceutical Potential. 2023 , 28, 1862		0
1	Palm sap sugar an unconventional source of sugar exploration for bioactive compounds and its role on functional food development. 2023 , 9, e14788		0