

CITATION REPORT

List of articles citing

Urinary angiotensinogen as a potential biomarker of severity of chronic kidney diseases

DOI: 10.1016/j.jash.2008.04.008

Journal of the American Society of Hypertension, 2008
, 2, 349-54.

Source: <https://exaly.com/paper-pdf/44208168/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
121	Increased urinary angiotensinogen is precedent to increased urinary albumin in patients with type 1 diabetes. 2009 , 338, 478-80		99
120	Urinary angiotensinogen as a novel biomarker of the intrarenal renin-angiotensin system status in hypertensive patients. 2009 , 53, 344-50		165
119	Does the intrarenal reactive oxygen species/angiotensinogen/renin-Angiotensin system axis play an important role in the progression of chronic kidney disease?. 2009 , 36, 748-9		1
118	Angiotensin II Type 1 Receptor Blockers Reduce Urinary Angiotensinogen Excretion and the Levels of Urinary Markers of Oxidative Stress and Inflammation in Patients with Type 2 Diabetic Nephropathy. 2009 , 4, 97-102		53
117	Two-dimensional difference gel electrophoresis urinary proteomic profile in the search of nonimmune chronic allograft dysfunction biomarkers. 2010 , 89, 548-58		35
116	Urinary angiotensinogen is correlated with blood pressure in men (Bogalusa Heart Study). 2010 , 28, 1422-8		56
115	Major role for ACE-independent intrarenal ANG II formation in type II diabetes. 2010 , 298, F37-48		72
114	Urinary angiotensinogen accurately reflects intrarenal Renin-Angiotensin system activity. 2010 , 31, 318-25		75
113	Urinary angiotensinogen as a predictive marker in patients with immunoglobulin A nephropathy. 2011 , 15, 720-726		16
112	Urinary proteomics analysis for renal injury in hypertensive disorders of pregnancy with iTRAQ labeling and LC-MS/MS. 2011 , 5, 300-10		42
111	Relationship between urinary angiotensinogen and salt sensitivity of blood pressure in patients with IgA nephropathy. 2011 , 58, 205-11		36
110	Intratubular renin-angiotensin system in hypertension. 2011 , 57, 355-62		170
109	Urinary angiotensinogen as a biomarker of nephropathy in childhood. 2011 , 2011, 206835		4
108	Studies on Renal Disorders. 2011 ,		3
107	Effect of losartan on proteinuria and urinary angiotensinogen excretion in non-diabetic patients with chronic kidney disease. 2011 , 87, 664-9		10
106	Urotensin II levels in patients with chronic kidney disease and kidney transplants. 2012 , 117, 22-7		5
105	Potential role of urinary angiotensinogen in predicting antiproteinuric effects of angiotensin receptor blocker in non-diabetic chronic kidney disease patients: a preliminary report. 2012 , 88, 210-6		12

104	The origin and the clinical significance of urinary angiotensinogen in proteinuric IgA nephropathy patients. 2012 , 44, 448-57	18
103	Association between urinary angiotensinogen levels and renal and cardiovascular prognoses in patients with type 2 diabetes mellitus. 2012 , 3, 318-324	34
102	Renal sympathetic denervation suppresses de novo podocyte injury and albuminuria in rats with aortic regurgitation. 2012 , 125, 1402-13	91
101	The relation between urinary angiotensinogen and proteinuria in renal AA amyloidosis patients. 2012 , 19, 28-32	18
100	Increased urinary excretion of angiotensinogen is associated with risk of chronic kidney disease. 2012 , 27, 3176-81	49
99	Urinary angiotensinogen as a biomarker of chronic kidney disease: ready for prime time?. 2012 , 27, 3010-3	9
98	Urinary angiotensinogen excretion and ambulatory blood pressure. 2012 , 30, 2000-6	16
97	Sexual dimorphism in urinary angiotensinogen excretion during chronic angiotensin II-salt hypertension. 2012 , 9, 207-18	22
96	Augmented intrarenal and urinary angiotensinogen in hypertension and chronic kidney disease. 2013 , 465, 3-12	29
95	The link between the renin-angiotensin-aldosterone system and renal injury in obesity and the metabolic syndrome. 2012 , 14, 160-9	92
94	Urinary angiotensinogen levels in relation to renal involvement of Henoch-Schonlein purpura in children. 2012 , 17, 53-7	8
93	Elevated urinary angiotensinogen a marker of intrarenal renin angiotensin system in hypertensive renal transplant recipients: does it play a role in development of proteinuria in hypertensive renal transplant patients?. 2012 , 25, 13-8	11
92	Urinary angiotensinogen as a marker of intrarenal angiotensin II activity in adolescents with primary hypertension. 2013 , 28, 1113-9	14
91	A link between the intrarenal renin angiotensin system and hypertension in autosomal dominant polycystic kidney disease. 2013 , 38, 218-25	34
90	Renal System in Safety Pharmacology. 2013 , 99-184	
89	Urinary angiotensinogen level is correlated with proteinuria in renal transplant recipients. 2013 , 45, 935-9	10
88	Oxidative stress/angiotensinogen/renin-angiotensin system axis in patients with diabetic nephropathy. 2013 , 14, 23045-62	51
87	The renin-angiotensin system from conception to old age: the good, the bad and the ugly. 2013 , 40, 743-52	14

86	The angiotensin II type 1 receptor blocker olmesartan preferentially improves nocturnal hypertension and proteinuria in chronic kidney disease. 2013 , 36, 262-9	20
85	Translational studies on augmentation of intratubular renin-angiotensin system in hypertension. 2013 , 3, 321-325	23
84	Cardinal role of the intrarenal renin-angiotensin system in the pathogenesis of diabetic nephropathy. 2013 , 61, 256-64	41
83	Urinary angiotensinogen, related factors and clinical implications in normotensive autosomal dominant polycystic kidney disease patients. 2014 , 36, 717-21	7
82	Urinary angiotensinogen can be useful for screening patients with polycystic kidney disease. 2014 , 85, 714	1
81	The authors reply. 2014 , 85, 713-4	1
80	Circadian rhythm of plasma and urinary angiotensinogen in healthy volunteers and in patients with chronic kidney disease. 2014 , 15, 505-8	13
79	Cholecalciferol administration blunts the systemic renin-angiotensin system in essential hypertensives with hypovitaminosis D. 2014 , 15, 82-7	34
78	Poor glycemic control and decreased renal function are associated with increased intrarenal RAS activity in Type 2 diabetes mellitus. 2014 , 105, 40-6	13
77	Urinary excretion of RAS, BMP, and WNT pathway components in diabetic kidney disease. 2014 , 2, e12010	10
76	Blood Pressure and Arterial Wall Mechanics in Cardiovascular Diseases. 2014 ,	16
75	Investigation of urinary angiotensinogen in renal transplant recipients. 2014 , 46, 489-91	5
74	Clinical relevance of urinary angiotensinogen and renin as potential biomarkers in patients with overt proteinuria. 2014 , 164, 400-10	5
73	Urinary angiotensinogen and salt sensitivity of blood pressure: the challenge of finding biomarkers of salt-sensitivity. 2015 , 33, 1368-70	3
72	Circulating and intrarenal renin-angiotensin systems in healthy men and nonpregnant women. 2015 , 3, e12586	9
71	Comparison of intrarenal renin-angiotensin system activity in diabetic versus non-diabetic patients with overt proteinuria. 2015 , 20, 279-85	4
70	Urine angiotensinogen and salt-sensitivity and potassium-sensitivity of blood pressure. 2015 , 33, 1394-400	8
69	Salt-Sensitive Hypertension: Perspectives on Intrarenal Mechanisms. 2015 , 11, 38-48	39

68	Urinary Biomarkers for Screening for Renal Scarring in Children with Febrile Urinary Tract Infection: Pilot Study. 2015 , 194, 766-71		19
67	Association between urinary angiotensinogen, hypertension and proteinuria in pregnant women with preeclampsia. 2015 , 16, 514-20		12
66	Changes in urinary angiotensinogen posttreatment in pediatric IgA nephropathy patients. 2015 , 30, 975-82		7
65	Renin and the (pro)renin receptor in the renal collecting duct: Role in the pathogenesis of hypertension. 2015 , 42, 14-21		23
64	Early urinary angiotensinogen excretion in critically ill neonates. 2015 , 16, 1010-20		1
63	Increased urinary Angiotensinogen/Creatinine (AGT/Cr) ratio may be associated with reduced renal function in autosomal dominant polycystic kidney disease patients. 2015 , 16, 86		17
62	Urine matrix metalloproteinase-7 and risk of kidney disease progression and mortality in type 2 diabetes. 2015 , 29, 1024-31		15
61	Biomarkers of AKI: a review of mechanistic relevance and potential therapeutic implications. 2015 , 10, 147-55		166
60	Disturbed circadian rhythm of the intrarenal renin-angiotensin system: relevant to nocturnal hypertension and renal damage. 2015 , 19, 231-9		30
59	A local renal renin-angiotensin system activation via renal uptake of prorenin and angiotensinogen in diabetic rats. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2016 , 9, 1-10	3-4	12
58	Urinary Angiotensinogen Could Be a Prognostic Marker of the Renoprotection of Olmesartan in Metabolic Syndrome Patients. 2016 , 17,		4
57	Comparative Effects of Direct Renin Inhibitor and Angiotensin Receptor Blocker on Albuminuria in Hypertensive Patients with Type 2 Diabetes. A Randomized Controlled Trial. 2016 , 11, e0164936		8
56	Overexpression of Intrarenal Renin-Angiotensin System in Human Acute Tubular Necrosis. 2016 , 41, 746-756		21
55	Augmented circadian rhythm of the intrarenal renin-angiotensin systems in anti-thymocyte serum nephritis rats. 2016 , 39, 312-20		16
54	Acute Kidney Injury: Tubular Markers and Risk for Chronic Kidney Disease and End-Stage Kidney Failure. 2016 , 41, 144-50		20
53	Biochemical evaluation of the renin-angiotensin system: the good, bad, and absolute?. 2016 , 310, H137-52		162
52	Impaired endogenous nighttime melatonin secretion relates to intrarenal renin-angiotensin system activation and renal damage in patients with chronic kidney disease. 2016 , 20, 878-884		31
51	Urinary angiotensinogen excretion is associated with blood pressure in obese young adults. 2016 , 38, 203-8		7

50	Vitamin D receptor activation with calcitriol for reducing urinary angiotensinogen in patients with type 2 diabetic chronic kidney disease. 2016 , 38, 222-7	23
49	Atrial natriuretic peptide attenuation of renal ischemia-reperfusion injury after major surgery. 2016 , 201, 213-8	11
48	Urine RAS components in mice and people with type 1 diabetes and chronic kidney disease. 2017 , 313, F487-F494	26
47	Urinary Angiotensinogen and Renin Excretion are Associated with Chronic Kidney Disease. 2017 , 42, 145-155	14
46	Reno-Cerebral Reflex Activates the Renin-Angiotensin System, Promoting Oxidative Stress and Renal Damage After Ischemia-Reperfusion Injury. 2017 , 27, 415-432	42
45	Intrarenal renin-angiotensin system activity is augmented after initiation of dialysis. 2017 , 40, 364-370	9
44	Night-time activation of the intrarenal renin-angiotensin system due to nocturnal hypertension is associated with renal arteriosclerosis in normotensive IgA nephropathy patients. 2018 , 41, 334-341	3
43	Independent regulation of renin-angiotensin-aldosterone system in the kidney. 2018 , 22, 1231-1239	57
42	Urinary angiotensinogen level is correlated with blood pressure level and proteinuria in patients with masked hypertension. 2018 , 40, 644-649	1
41	Calcitriol Reduces Albuminuria and Urinary Angiotensinogen Level in Renal Transplant Recipients. 2018 , 50, 1342-1347	3
40	Angiotensin II Attenuates the Bioactivities of Human Endothelial Progenitor Cells via Downregulation of α 2-Adrenergic Receptor. 2018 , 2018, 7453161	5
39	The elevated levels of urinary angiotensinogen are correlated with the severity of idiopathic membranous nephropathy. 2018 , 19, 357	2
38	Tailoring surgical interventions to treat obstructive sleep apnoea: one size does not fit all. 2018 , 14, e84-e93	7
37	Urinary angiotensinogen level is increased in renal transplant recipients with masked hypertension and is correlated with left ventricular mass index and albuminuria in these patients. 2018 , 32, e13375	4
36	Urinary angiotensinogen: an indicator of active antineutrophil cytoplasmic antibody-associated glomerulonephritis. 2019 , 34, 838-847	2
35	Urinary angiotensinogen antedates the development of stage 3 CKD in patients with type 1 diabetes mellitus. 2019 , 7, e14242	6
34	Increased heart rate is associated with intrarenal renin-angiotensin system activation in chronic kidney disease patients. 2019 , 23, 1109-1118	3
33	Diagnostic Indicators of Superimposed Preeclampsia in Women With CKD. 2019 , 4, 842-853	15

32	Decreased Ang-(1-7) and Downregulated Intrarenal RAS May Contribute to the Direct Podocyte Injury With Proteinuria in Preeclampsia. 2019 , 26, 1146-1157		3
31	The Intrarenal Renin-angiotensin System Is Activated Immediately after Kidney Donation in Kidney Transplant Donors. <i>Internal Medicine</i> , 2019 , 58, 643-648	1.1	2
30	The pivotal role of melatonin in ameliorating chronic kidney disease by suppression of the renin-angiotensin system in the kidney. 2019 , 42, 761-768		20
29	Serum and urinary SOD3 in patients with type 2 diabetes: comparison with early chronic kidney disease patients and association with development of diabetic nephropathy. 2019 , 316, F32-F41		3
28	Gut microbiota and inflammation in chronic kidney disease and their roles in the development of cardiovascular disease. 2019 , 42, 123-140		45
27	The Urinary Angiotensinogen to Urinary Albumin Ratio Reflects Whether the Renin-angiotensin System in the Kidney Is Activated due to Filtration of Plasma Angiotensinogen through the Damaged Glomeruli or the Production of Angiotensinogen in the Proximal Tubules. <i>Internal Medicine</i> , 2020 , 59, 257-264	1.1	1
26	Relationship of obstructive sleep apnoea severity and subclinical systemic atherosclerosis. 2020 , 55,		7
25	Urinary angiotensinogen as a surrogate marker predicting the antiproteinuric effects of angiotensin receptor blockers in patients with overt proteinuria: a multicenter prospective study. 2020 , 21, 180		1
24	Coregulation Analysis of Mechanistic Biomarkers in Autosomal Dominant Polycystic Kidney Disease. 2021 , 22,		1
23	Sudden death in individuals with obstructive sleep apnoea: a systematic review and meta-analysis. 2021 , 8,		3
22	Baseline Urinary Angiotensinogen Excretion Predicts Deterioration of the Kidney Function in Patients with Chronic Kidney Disease. <i>Internal Medicine</i> , 2021 , 60, 2201-2206	1.1	0
21	Urinary Angiotensinogen as a Biomarker for Renal Disease. 2016 , 301-325		1
20	Chronotherapy with a Renin-angiotensin System Inhibitor Ameliorates Renal Damage by Suppressing Intrarenal Renin-angiotensin System Activation. <i>Internal Medicine</i> , 2020 , 59, 2237-2244	1.1	2
19	Angiotensin II blockade and renal protection. <i>Current Pharmaceutical Design</i> , 2013 , 19, 3033-42	3.3	53
18	Angiotensinogen and interleukin-18 as markers of chronic kidney damage in children with a history of hemolytic uremic syndrome. <i>Physiological Research</i> , 2017 , 66, 251-261	2.1	1
17	Angiotensinogen Expression Is Enhanced in the Progression of Glomerular Disease. <i>International Journal of Clinical Medicine</i> , 2011 , 2, 378-387	0.3	17
16	Tratamiento de la lesión renal aguda en cuidados intensivos (excluyendo la depuración renal). <i>EMC - Anestesia-Reanimación</i> , 2021 , 47, 1-14	0.1	
15	In Vivo Methodologies Used to Assess Renal Function and Injury. 2010 , 263-303		

14	The Renin Angiotensin System. 2011 , 323-335		
13	Salt and Multiorgan Damage in Hypertension: Vascular Stiffening and Cardiorenal Structural Dysfunction Responses. 2014 , 215-228		
12	Acute Kidney Injury: New Biomarkers. <i>Korean Journal of Medicine</i> , 2015 , 88, 363	0.5	
11	Urinary Angiotensinogen as a Biomarker for Renal Disease. 2015 , 1-25		
10	Urinary angiotensinogen as a surrogate marker predicting the antiproteinuric effects of angiotensin receptor blockers in patients with overt proteinuria: a multicenter prospective study.		
9	Urinary angiotensinogen as a surrogate marker predicting the antiproteinuric effects of angiotensin receptor blockers in patients with overt proteinuria.		
8	Urinary Angiotensinogen as a Novel Biomarker of Intrarenal Renin-Angiotensin System in Chronic Kidney Disease. 2011 , 6, 108-116		22
7	Gestione del danno renale acuto in terapia intensiva (esclusa epurazione renale). <i>EMC - Anestesia-Rianimazione</i> , 2021 , 26, 1-12	0	
6	Angiotensinogen and Risk of Stroke Events in Patients with Type 2 Diabetes Mellitus.. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022 , 15, 419-425	3.4	
5	Effect of intrarenal renin-angiotensin-aldosterone system on renal function in patients after cardiac surgery.. <i>Medicine (United States)</i> , 2022 , 101, e28854	1.8	
4	Kidney Angiotensin in Cardiovascular Disease: Formation and Drug Targeting. <i>Pharmacological Reviews</i> , 2022 , 74, 462-505	22.5	1
3	Urinary Angiotensinogen in Patients With Type 1 Diabetes With Microalbuminuria: Gender Differences and Effect of Intensive Insulin Therapy. 2022 ,	0	
2	View of the Renin-Angiotensin System in Acute Kidney Injury Induced by Renal Ischemia-Reperfusion Injury. 2022 , 2022, 1-10	0	
1	Association between burnout and adherence with mask usage and additional COVID-19 prevention behaviours: findings from a large-scale, demographically representative survey of US adults. 2023 , 13, e066226	0	