

Rapid preparation method of bulk nanostructured YbO₃ improved thermoelectric performance

Applied Physics Letters

93,

DOI: 10.1063/1.3054158

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Effect of low nitrogen concentrations on the electronic properties of InAs . Physical Review B, 2009, 80, . | 1.1 | 27 |
| 2 | Improving thermoelectric performance of caged compounds through light-element filling. Applied Physics Letters, 2009, 95, . | 1.5 | 167 |
| 3 | High thermoelectric performance of triple-filled n -type skutterudites $(\text{Sr,Ba,Yb})_{x}\text{Co}_{4}\text{Sb}_{12}$. Journal Physics D: Applied Physics, 2009, 42, 225405. | 1.3 | 63 |
| 4 | Solubility study of Yb in n -type skutterudites $\text{Yb}_{x}\text{Co}_{4}\text{Sb}_{12}$. Physical Review B, 2009, 80, . | 1.1 | 104 |
| 5 | Charge-Compensated n -Type Skutterudites. Journal of Electronic Materials, 2010, 39, 2122-2126. | 1.0 | 23 |
| 6 | Improved Thermoelectric Performance and Mechanical Properties of Nanostructured Melt-Spun $\text{Pb}_{2}\text{Zn}_{4}\text{Sb}_{3}$. Journal of Electronic Materials, 2010, 39, 1159-1165. | 1.0 | 27 |
| 7 | Solvothermal Synthesis, Structure and Optical Property of Nanosized CoSb_{3} Skutterudite. Nanoscale Research Letters, 2010, 5, 1698-1705. | 3.1 | 19 |
| 8 | Enhancement of Thermoelectric Figure of Merit by a Bulk Nanostructuring Approach. Advanced Functional Materials, 2010, 20, 357-376. | 7.8 | 795 |
| 9 | Rapid synthesis of high thermoelectric performance higher manganese silicide with in-situ formed nano-phase of MnSi . Intermetallics, 2011, 19, 404-408. | 1.8 | 123 |
| 10 | Thermoelectric properties of P -type Yb-filled skutterudite $\text{Yb}_{x}\text{Fe}_{y}\text{Co}_{4-y}\text{Sb}_{12}$. Intermetallics, 2011, 19, 1390-1393. | 1.8 | 45 |
| 11 | Advances in Thermoelectric Energy Conversion Nanocomposites. , 0, , . | | 1 |
| 12 | Thermoelectric Properties of $x\text{PbTe}/\text{Yb}_{0.2}\text{Co}_{4}\text{Sb}_{12}$ Hot-Pressed Samples. Journal of Inorganic and Organometallic Polymers and Materials, 2011, 21, 858-861. | 1.9 | 1 |
| 13 | Enhanced thermoelectric performance and novel nanopores in AgSbTe_{2} prepared by melt spinning. Journal of Solid State Chemistry, 2011, 184, 109-114. | 1.4 | 59 |
| 14 | Thermoelectric Properties of Triple-Filled $\text{Ba}_{x}\text{Yb}_{y}\text{In}_{z}\text{Co}_{4}\text{Sb}_{12}$ Skutterudites. Journal of Electronic Materials, 2011, 40, 570-576. | 1.0 | 41 |
| 15 | Compositional dependence of the thermoelectric properties of $(\text{Sr}_{x}\text{Ba}_{1-x}\text{Yb})_{z}\text{Co}_{4}\text{Sb}_{12}$. Condensed Matter, 2011, 23, 275601. | 0.7 | 32 |
| 16 | Thermoelectric Properties of CoSb_{3} Nanoparticle Films. Advanced Materials Research, 0, 347-353, 3448-3455. | 0.3 | 0 |
| 17 | Correlation of thermoelectric and microstructural properties of p -type $\text{CeFe}_{4}\text{Sb}_{12}$ melt-spun ribbons using a rapid screening method. Applied Physics Letters, 2011, 98, 142106. | 1.5 | 15 |
| 18 | On the best bandstructure for thermoelectric performance: A Landauer perspective. Journal of Applied Physics, 2012, 111, . | 1.1 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | - Effect of Vacancy Distribution on the Thermoelectric Properties of Gallium and Indium Chalcogenides. , 2012, , 173-182. | | 1 |
| 20 | Nanostructured Thermoelectric Materials. , 2012, , 1-50. | | 6 |
| 21 | Thermoelectric properties of YbxCo4Sb12 system. Journal of Rare Earths, 2012, 30, 456-459. | 2.5 | 11 |
| 22 | Enhanced thermoelectric properties of Ba-filled skutterudites by grain size reduction and Ag nanoparticle inclusion. Journal of Materials Chemistry, 2012, 22, 2958-2964. | 6.7 | 87 |
| 23 | Fabrication and thermal aging behavior of skutterudites with silica-based composite protective coatings. Journal of Alloys and Compounds, 2012, 527, 247-251. | 2.8 | 31 |
| 24 | Thermoelectric properties in double-filled skutterudites InxNdyCo4Sb12. Solid State Communications, 2012, 152, 2193-2196. | 0.9 | 6 |
| 25 | Improved power factor of polyaniline nanocomposites with exfoliated graphene nanoplatelets (GNPs). Journal of Materials Chemistry A, 2013, 1, 10450. | 5.2 | 96 |
| 26 | Creation of Yb2O3 Nanoprecipitates Through an Oxidation Process in Bulk Yb-Filled Skutterudites. Journal of Electronic Materials, 2013, 42, 382-388. | 1.0 | 15 |
| 27 | Rapid preparation of CeFe4Sb12 skutterudite by melt spinning: rich nanostructures and high thermoelectric performance. Journal of Materials Chemistry A, 2013, 1, 12657. | 5.2 | 101 |
| 28 | Improved oxidation resistance of thermoelectric skutterudites coated with composite glass. Ceramics International, 2013, 39, 4551-4557. | 2.3 | 38 |
| 29 | Heat Transfer in Thermoelectric Materials and Devices. Journal of Heat Transfer, 2013, 135, . | 1.2 | 119 |
| 30 | Electrical and thermal properties of Fe substituted double-filled Ba Yb Fe Co4Sb12 skutterudites. Journal of Solid State Chemistry, 2013, 197, 440-446. | 1.4 | 11 |
| 31 | Thermoelectric properties of Ag-doped Cu2Se and Cu2Te. Journal of Materials Chemistry A, 2013, 1, 12478. | 5.2 | 253 |
| 32 | High temperature thermoelectric and magnetic properties of InxNdyCo4Sb12 skutterudites. Physica B: Condensed Matter, 2013, 408, 79-82. | 1.3 | 8 |
| 33 | Fast Preparation and Low-Temperature Thermoelectric Properties of CoSb3. Journal of Electronic Materials, 2013, 42, 109-113. | 1.0 | 15 |
| 34 | Lower Thermal Conductivity and Higher Thermoelectric Performance of Fe-Substituted and Ce, Yb Double-Filled p-Type Skutterudites. Journal of Electronic Materials, 2013, 42, 1622-1627. | 1.0 | 23 |
| 35 | Fabrication and Evaluation of a Skutterudite-Based Thermoelectric Module for High-Temperature Applications. Journal of Electronic Materials, 2013, 42, 1369-1374. | 1.0 | 36 |
| 36 | Rational Design of Advanced Thermoelectric Materials. Advanced Energy Materials, 2013, 3, 549-565. | 10.2 | 264 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | High performance Bi ₂ Te ₃ nanocomposites prepared by single-element-melt-spinning spark-plasma sintering. <i>Journal of Materials Science</i> , 2013, 48, 2745-2760. | 1.7 | 96 |
| 38 | Investigation of skutterudite Mg ₃ Co ₄ Sb ₁₂ : High pressure synthesis and thermoelectric properties. <i>Journal of Applied Physics</i> , 2013, 113, 113703. | 1.1 | 35 |
| 39 | Effects of indium-filling and synthesis pressure on the thermoelectric properties of CoSb ₃ . <i>Modern Physics Letters B</i> , 2014, 28, 1450118. | 1.0 | 6 |
| 40 | Nanostructuring of p- and n-type skutterudites reaching figures of merit of approximately 1.3 and 1.6, respectively. <i>Acta Materialia</i> , 2014, 76, 434-448. | 3.8 | 102 |
| 41 | Lattice thermal conductivity of filled skutterudites: An anharmonicity perspective. <i>Journal of Applied Physics</i> , 2014, 116, . | 1.1 | 11 |
| 42 | Ultra-fast synthesis and thermoelectric properties of Te doped skutterudites. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17914-17918. | 5.2 | 90 |
| 43 | Hierarchically structured TiO ₂ for Ba-filled skutterudite with enhanced thermoelectric performance. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20629-20635. | 5.2 | 50 |
| 44 | Recent advances in thermoelectric materials and solar thermoelectric generators – a critical review. <i>RSC Advances</i> , 2014, 4, 46860-46874. | 1.7 | 122 |
| 45 | Synthesis of iodine filled CoSb ₃ with extremely low thermal conductivity. <i>Journal of Alloys and Compounds</i> , 2014, 615, 177-180. | 2.8 | 34 |
| 46 | Thermoelectric properties of In _{0.2} Co ₄ Sb ₁₂ skutterudites with embedded PbTe or ZnO nanoparticles. <i>Journal of Alloys and Compounds</i> , 2014, 589, 513-523. | 2.8 | 25 |
| 47 | Thermoelectric property enhancement in Yb-doped n-type skutterudites Yb _x Co ₄ Sb ₁₂ . <i>Acta Materialia</i> , 2014, 75, 316-321. | 3.8 | 52 |
| 48 | Electrical and thermal transport properties of Yb _x Co ₄ Sb ₁₂ filled skutterudites with ultrahigh carrier concentrations. <i>AIP Advances</i> , 2015, 5, . | 0.6 | 31 |
| 49 | Concepts for medium-high to high temperature thermoelectric heat-to-electricity conversion: a review of selected materials and basic considerations of module design. <i>Translational Materials Research</i> , 2015, 2, 025001. | 1.2 | 93 |
| 50 | Fast fabrication and enhancement of thermoelectric power factor of p-type nanostructured CoSb ₃ (1+ δ) (δ =0.00, 0.01 and 0.02) using solvothermal synthesis and evacuating-and-encapsulating sintering. <i>Ceramics International</i> , 2015, 41, 7989-7995. | 2.3 | 29 |
| 51 | Temperature dependent solubility of Yb in Yb δ -CoSb ₃ skutterudite and its effect on preparation, optimization and lifetime of thermoelectrics. <i>Journal of Materiomics</i> , 2015, 1, 75-84. | 2.8 | 88 |
| 52 | Skutterudites as thermoelectric materials: revisited. <i>RSC Advances</i> , 2015, 5, 41653-41667. | 1.7 | 293 |
| 53 | Polymer based graphene/titanium dioxide nanocomposite (GTNC): an emerging and efficient thermoelectric material. <i>Dalton Transactions</i> , 2015, 44, 19248-19255. | 1.6 | 33 |
| 54 | Enhanced thermoelectric performance of p-type filled skutterudites via the coherency strain fields from spinodal decomposition. <i>Acta Materialia</i> , 2015, 98, 405-415. | 3.8 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | One pot green synthesis of graphene-iron oxide nanocomposite (GINC): an efficient material for enhancement of thermoelectric performance. RSC Advances, 2015, 5, 10358-10364. | 1.7 | 34 |
| 56 | Toward High-Thermoelectric Performance Large-Size Nanostructured BiSbTe Alloys via Optimization of Sintering Temperature Distribution. Advanced Energy Materials, 2016, 6, 1600595. | 10.2 | 51 |
| 57 | High-performance n-type YbxCo4Sb12: from partially filled skutterudites towards composite thermoelectrics. NPG Asia Materials, 2016, 8, e285-e285. | 3.8 | 102 |
| 58 | Thermoelectric Nanocomposites for Thermal Energy Conversion. Nanoscience and Technology, 2016, , 371-443. | 1.5 | 5 |
| 59 | Clathrate thermoelectrics. Materials Science and Engineering Reports, 2016, 108, 1-46. | 14.8 | 160 |
| 60 | Thermoelectric materials step up. Nature Materials, 2016, 15, 691-692. | 13.3 | 236 |
| 61 | Recent advances in high-performance bulk thermoelectric materials. International Materials Reviews, 2016, 61, 379-415. | 9.4 | 394 |
| 62 | Melt spinning synthesis of p-type skutterudites: Drastically speed up the process of high performance thermoelectrics. Scripta Materialia, 2016, 116, 26-30. | 2.6 | 27 |
| 63 | The Influence of Synthesis Procedure on the Microstructure and Thermoelectric Properties of p-Type Skutterudite Ce0.6Fe2Co2Sb12. Journal of Electronic Materials, 2016, 45, 1397-1407. | 1.0 | 5 |
| 64 | Super-rapid Preparation of Nanostructured Nd x Fe3CoSb12 Compounds and Their Improved Thermoelectric Performance. Journal of Electronic Materials, 2016, 45, 1271-1277. | 1.0 | 14 |
| 65 | Multi-Scale Microstructural Thermoelectric Materials: Transport Behavior, Non-Equilibrium Preparation, and Applications. Advanced Materials, 2017, 29, 1602013. | 11.1 | 234 |
| 66 | Rapid preparation of In _x Co ₄ Sb ₁₂ with a record-breaking <i>ZT</i> = 1.5: the role of the In overfilling fraction limit and Sb overstoichiometry. Journal of Materials Chemistry A, 2017, 5, 3541-3546. | 5.2 | 55 |
| 67 | Panosopic approach for high-performance Te-doped skutterudite. NPG Asia Materials, 2017, 9, e352-e352. | 3.8 | 44 |
| 68 | Filling fraction of Yb in CoSb3 Skutterudite studied by electron microscopy. Applied Physics Letters, 2017, 110, . | 1.5 | 7 |
| 69 | Advances in thermoelectric materials research: Looking back and moving forward. Science, 2017, 357, . | 6.0 | 1,613 |
| 71 | Grain boundary engineering with nano-scale InSb producing high performance In Ce Co4Sb12+ skutterudite thermoelectrics. Journal of Materiomics, 2017, 3, 273-279. | 2.8 | 33 |
| 72 | Optimization of segmented thermoelectric generator using Taguchi and ANOVA techniques. Scientific Reports, 2017, 7, 16746. | 1.6 | 46 |
| 73 | Enhanced thermoelectric figure of merit of Co4Sb11.5Te0.5 via a two-pronged strategy combining grain refinement and nano-inclusions. Materials Letters, 2018, 223, 190-193. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 74 | Realization of non-equilibrium process for high thermoelectric performance Sb-doped GeTe. Science Bulletin, 2018, 63, 717-725. | 4.3 | 49 |
| 75 | Significant enhancement in thermoelectric performance of nanostructured higher manganese silicides synthesized employing a melt spinning technique. Nanoscale, 2018, 10, 1970-1977. | 2.8 | 36 |
| 76 | High thermoelectric performance in Bi _{0.46} Sb _{1.54} Te ₃ nanostructured with ZnTe. Energy and Environmental Science, 2018, 11, 1520-1535. | 15.6 | 239 |
| 77 | Simple and efficient synthesis of nanograin structured single phase filled skutterudite for high thermoelectric performance. Acta Materialia, 2018, 142, 8-17. | 3.8 | 44 |
| 78 | Thermodynamic, Structural and Thermoelectric Properties of AgSbTe ₂ Thick Films Developed by Melt Spinning. Nanomaterials, 2018, 8, 474. | 1.9 | 10 |
| 79 | Effect of partial Yb filling on thermoelectric properties of skutterudite compound RhSb ₃ . Japanese Journal of Applied Physics, 2019, 58, 081006. | 0.8 | 5 |
| 80 | PbO-SiO ₂ -based glass doped with B ₂ O ₃ and Na ₂ O for coating of thermoelectric materials. Journal of Materials Research, 2019, 34, 3563-3572. | 1.2 | 7 |
| 81 | Si-Based Materials for Thermoelectric Applications. Materials, 2019, 12, 1943. | 1.3 | 10 |
| 82 | Observation of Square-Planar Distortion in Lanthanide-Doped Skutterudite Crystals. Journal of Physical Chemistry C, 2019, 123, 14632-14638. | 1.5 | 1 |
| 83 | Fracture structure and thermoelectric enhancement of Cu ₂ Se with substitution of nanostructured Ag ₂ Se. Physical Chemistry Chemical Physics, 2019, 21, 13569-13577. | 1.3 | 18 |
| 84 | Coherent magnetic nano-inclusions induce charge localization in half-Heusler alloys leading to high-T _c ferromagnetism and enhanced thermoelectric performance. Journal of Materials Chemistry A, 2019, 7, 11095-11103. | 5.2 | 27 |
| 85 | New insights into the role of dislocation engineering in N-type filled skutterudite CoSb ₃ . Journal of Materials Chemistry C, 2019, 7, 13622-13631. | 2.7 | 25 |
| 86 | Thermoelectrics. SpringerBriefs in Materials, 2019, , . | 0.1 | 10 |
| 87 | Material Candidates and Structures II: Skutterudites, Zintl Phase, and Clathrates. SpringerBriefs in Materials, 2019, , 91-112. | 0.1 | 0 |
| 88 | Melt spinning: A rapid and cost effective approach over ball milling for the production of nanostructured p-type Si ₈₀ Ge ₂₀ with enhanced thermoelectric properties. Journal of Alloys and Compounds, 2019, 781, 344-350. | 2.8 | 6 |
| 89 | Enhanced Thermoelectric Performance of Yb-Single-Filled Skutterudite by Ultralow Thermal Conductivity. Chemistry of Materials, 2019, 31, 862-872. | 3.2 | 62 |
| 90 | Thermoelectric properties and EPR analysis of Fe doped Cu ₁₂ Sb ₄ S ₁₃ . Journal of Solid State Chemistry, 2019, 269, 547-552. | 1.4 | 5 |
| 91 | Enhancement of Thermoelectric Figure of Merit of p-type Nb _{0.9} Ti _{0.1} FeSb Half-Heusler Compound by Nanostructuring. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 2000419. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 92 | Synthesis and characterization of bulk Siâ€“Ti nanocomposite and comparisons of approaches for enhanced thermoelectric properties in nanocomposites composed of Si and various metal silicides. Journal of Applied Physics, 2020, 128, 095101. | 1.1 | 1 |
| 93 | Nanosize La-filled CoSb3 skutterudite fabricated by electrospinning. SN Applied Sciences, 2020, 2, 1. | 1.5 | 1 |
| 94 | A review of CoSb3-based skutterudite thermoelectric materials. Journal of Advanced Ceramics, 2020, 9, 647-673. | 8.9 | 105 |
| 95 | New synthesis route of highly porous InxCo4Sb12 with strongly reduced thermal conductivity. Journal of Materials Science, 2020, 55, 13658-13674. | 1.7 | 11 |
| 96 | Phase Formation Behavior and Thermoelectric Transport Properties of P-Type YbxFe3CoSb12 Prepared by Melt Spinning and Spark Plasma Sintering. Materials, 2020, 13, 87. | 1.3 | 9 |
| 97 | Theoretical and experimental evaluation of thermoelectric performance of alkaline earth filled skutterudite compounds. Journal of Solid State Chemistry, 2020, 284, 121201. | 1.4 | 5 |
| 98 | Review of rapid fabrication methods of skutterudite materials. Materials Today: Proceedings, 2021, 44, 3475-3482. | 0.9 | 6 |
| 99 | Controlling reaction process to realize high thermoelectric performance in filled skutterudites. Journal of Alloys and Compounds, 2021, 861, 157971. | 2.8 | 4 |
| 100 | Progress of hybrid nanocomposite materials for thermoelectric applications. Materials Advances, 2021, 2, 1927-1956. | 2.6 | 22 |
| 101 | Thermoelectric properties of skutterudites. , 2021, , 69-123. | | 2 |
| 102 | Synthesis and Performance of Large-Scale Cost-Effective Environment-Friendly Nanostructured Thermoelectric Materials. Nanomaterials, 2021, 11, 1091. | 1.9 | 22 |
| 103 | Effect of hot pressing on the microstructure and thermoelectric properties of TGZM-grown YbFe-doped CoSb3 skutterudite. Ceramics International, 2021, 47, 8949-8958. | 2.3 | 7 |
| 104 | Multiple-Filling-Induced Full-Spectrum Phonon Scattering and Band Convergence Leading to High-Performance n-Type Skutterudites. ACS Applied Materials & Interfaces, 2021, 13, 29809-29819. | 4.0 | 17 |
| 105 | Low-dimensional and nanocomposite thermoelectric materials. , 2021, , 147-182. | | 0 |
| 106 | Thermoelectric Properties of p-Type Skutterudite Nanocomposites. Lecture Notes in Nanoscale Science and Technology, 2014, , 271-299. | 0.4 | 1 |
| 107 | Nanostructure Features, Phase Relationships and Thermoelectric Properties of Melt-Spun and Spark-Plasma-Sintered Skutterudites. Acta Physica Polonica A, 2018, 133, 879-883. | 0.2 | 4 |
| 108 | Design and Preparation of High-Performance Bulk Thermoelectric Materials with Defect Structures. Journal of the Korean Ceramic Society, 2017, 54, 75-85. | 1.1 | 25 |
| 109 | Microstructure and thermoelectric properties of p-type filled skutterudite Ce0.3Fe1.5Co2.5Sb12 prepared by melt-spinning method. Wuli Xuebao/Acta Physica Sinica, 2010, 59, 6666. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 110 | Effects of melt spinning process on microstructure and thermoelectric properties of n-type InSb compounds. Wuli Xuebao/Acta Physica Sinica, 2010, 59, 2860. | 0.2 | 8 |
| 112 | Thermoelectric Properties of Scaled-Up Double-Filled (Ba,Yb) _y Co ₄ Sb ₁₂ Skutterudites. Advances in Condensed Matter Physics, 2015, 04, 10-17. | 0.1 | 0 |
| 113 | Nanostructured Bulk Thermoelectric Materials for Energy Harvesting. NIMS Monographs, 2022, , 199-231. | 0.1 | 5 |
| 114 | Effect of evolution for dispersed phase on thermoelectric performance of Yb _{0.2} (CoSb _{2.875} Te _{0.125}) ₄ . EPJ Applied Physics, 2022, 97, 9. | 0.3 | 0 |
| 116 | Nanostructure Approach Enhancing the Thermoelectric Performance of a p-Type HMS-CrSi ₂ Composite Synthesized by the MS-SPS Technique. ACS Applied Energy Materials, 2022, 5, 4698-4706. | 2.5 | 7 |
| 117 | High homogeneity and ultralow lattice thermal conductivity in Se/Te-doped skutterudites obtained by self-propagating high-temperature synthesis and pulse plasma sintering. Journal of Alloys and Compounds, 2022, 909, 164796. | 2.8 | 9 |
| 118 | High-performance low-cost sulfide/selenide thermoelectric devices. , 2022, , 329-376. | | 2 |
| 119 | Phase-Boundary Mapping to Engineer Defects in Thermoelectric Materials. , 2022, 1, . | | 8 |
| 120 | Rapid fabrication of Se-modified skutterudites obtained via self-propagating high-temperature synthesis and pulse plasma sintering route. Ceramics International, 2023, 49, 9560-9565. | 2.3 | 2 |
| 121 | Filled Sb-Based Skutterudites from 1996-2022. Crystals, 2022, 12, 1843. | 1.0 | 9 |
| 122 | Accelerated Discovery of Advanced Thermoelectric Materials via Transfer Learning. Advanced Energy Materials, 0, , . | 10.2 | 0 |
| 123 | Physics and technology of thermoelectric materials and devices. Journal Physics D: Applied Physics, 2023, 56, 333001. | 1.3 | 10 |