IKDC or KOOS? Which Measures Symptoms and Disabil Articular Cartilage Repair Patients?

American Journal of Sports Medicine 36, 1695-1704

DOI: 10.1177/0363546508317718

Citation Report

#	Article	IF	CITATIONS
1	Midterm Results of Surgical Treatment for Adult Osteochondritis Dissecans of the Knee. American Journal of Sports Medicine, 2009, 37, 125-130.	4.2	51
2	Return to Sports Participation after Articular Cartilage Repair in the Knee. American Journal of Sports Medicine, 2009, 37, 167-176.	4.2	198
3	Treatment Selection in Articular Cartilage Lesions of the Knee. American Journal of Sports Medicine, 2009, 37, 148-155.	4.2	195
4	Effect of Accelerated Weightbearing after Matrix-Associated Autologous Chondrocyte Implantation on the Femoral Condyle on Radiographic and Clinical Outcome after 2 Years. American Journal of Sports Medicine, 2009, 37, 88-96.	4.2	93
5	Differences in Physician and Patient Ratings of Items Used to Assess Hip Disorders. American Journal of Sports Medicine, 2009, 37, 1508-1512.	4.2	57
6	Recommendations and Treatment Outcomes for Patellofemoral Articular Cartilage Defects with Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2009, 37, 33-41.	4.2	134
7	Validation of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for the treatment of focal cartilage lesions. Osteoarthritis and Cartilage, 2009, 17, 1434-1439.	1.3	184
8	Outcome after knee dislocations: a 2–9Âyears follow-up of 85 consecutive patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2009, 17, 1013-1026.	4.2	161
9	The Long-term Effect of 2 Postoperative Rehabilitation Programs After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2009, 37, 1958-1966.	4.2	87
10	Full-thickness cartilage lesion do not affect knee function in patients with ACL injury. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 298-303.	4.2	20
11	Autologous chondrocyte implantation versus microfracture for knee cartilage injury: a prospective randomized trial, with 2-year follow-up. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 486-495.	4.2	125
12	Effectiveness of autologous chondrocyte implantation in cartilage repair of the knee: a systematic review of controlled trials. Osteoarthritis and Cartilage, 2010, 18, 857-863.	1.3	88
13	IKDC or KOOS. American Journal of Sports Medicine, 2010, 38, 1395-1404.	4.2	80
14	Clinical Outcome and Return to Competition after Microfracture in the Athlete's Knee. Cartilage, 2010, 1, 113-120.	2.7	46
15	Treatment of Chondral Defects in the Athlete's Knee. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2010, 26, 841-852.	2.7	165
16	Autologous Chondrocyte Implantation. Journal of Bone and Joint Surgery - Series A, 2010, 92, 2220-2233.	3.0	318
17	Guidelines for the Design and Conduct of Clinical Studies in Knee Articular Cartilage Repair. Cartilage, 2011, 2, 100-121.	2.7	50
18	Radiological Assessment of Accelerated versus Traditional Approaches to Postoperative Rehabilitation following Matrix-Induced Autologous Chondrocyte Implantation. Cartilage, 2011, 2, 60-72.	2.7	33

#	ARTICLE	IF	Citations
19	Clinical and Magnetic Resonance Imaging–Based Outcomes to 5 Years After Matrix-Induced Autologous Chondrocyte Implantation to Address Articular Cartilage Defects in the Knee. American Journal of Sports Medicine, 2011, 39, 753-763.	4.2	146
20	Qual o melhor questionário para avaliar os aspectos fÃsicos de pacientes com osteoartrite no joelho na população brasileira?. Revista Brasileira De Ortopedia, 2011, 46, 256-261.	0.3	15
21	WHAT IS THE BEST QUESTIONNAIRE FOR MONITORING THE PHYSICAL CHARACTERISTICS OF PATIENTS WITH KNEE OSTEOARTHRITIS IN THE BRAZILIAN POPULATION?. Revista Brasileira De Ortopedia, 2011, 46, 256-261.	0.6	10
22	Minimum 5-year results of focal articular prosthetic resurfacing for the treatment of full-thickness articular cartilage defects in the knee. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1135-1143.	2.4	63
23	The use of the Tegner Activity Scale for articular cartilage repair of the knee: a systematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 604-614.	4.2	43
24	Activity Profile of Members of an Online Health Community After Articular Cartilage Repair of the Knee. Sports Health, 2011, 3, 275-282.	2.7	8
25	ICRS Recommendation Document. Cartilage, 2011, 2, 122-136.	2.7	114
26	Microfracture in Football (Soccer) Players. Cartilage, 2012, 3, 18S-24S.	2.7	28
27	Treatment of Chronic Patellar Tendinopathy with Autologous Bone Marrow Stem Cells: A 5-Year-Followup. Stem Cells International, 2012, 2012, 1-5.	2.5	106
28	Return to Athletic Activity After Osteochondral Allograft Transplantation in the Knee. American Journal of Sports Medicine, 2012, 40, 1053-1059.	4.2	196
29	Activity Levels Are Higher After Osteochondral Autograft Transfer Mosaicplasty Than After Microfracture for Articular Cartilage Defects of the Knee. Journal of Bone and Joint Surgery - Series A, 2012, 94, 971-978.	3.0	163
30	Long-Term Evaluation of Autologous Chondrocyte Implantation. Cartilage, 2012, 3, 342-350.	2.7	13
31	Longitudinal Documentation of Serum Cartilage Oligomeric Matrix Protein and Patient-Reported Outcomes in Collegiate Soccer Athletes Over the Course of an Athletic Season. American Journal of Sports Medicine, 2012, 40, 2583-2589.	4.2	20
32	Validation of the Knee Injury and Osteoarthritis Outcome Score Subscales for Patients With Articular Cartilage Lesions of the Knee. American Journal of Sports Medicine, 2012, 40, 2264-2272.	4.2	73
33	A Randomized Trial Comparing Accelerated and Traditional Approaches to Postoperative Weightbearing Rehabilitation After Matrix-Induced Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2012, 40, 1527-1537.	4.2	92
34	Treatment of isolated chondral and osteochondral defects in the knee by autologous matrix-induced chondrogenesis (AMIC). Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 2109-2115.	4.2	138
35	Avaliação funcional do joelho em portadores da sÃndrome da dor femoropatelar (SDFP): comparação entre as escalas KOS e IKDC. Revista Brasileira De Medicina Do Esporte, 2012, 18, 400-403.	0.2	6
36	Is valgus unloader bracing effective in normally aligned individuals: implications for post-surgical protocols following cartilage restoration procedures. Knee Surgery, Sports Traumatology, Arthroscopy, 2013, 21, 2661-2666.	4.2	18

#	Article	IF	CITATIONS
37	Results and Outcomes of Unicompartmental Knee Arthroplasty. Orthopedic Clinics of North America, 2013, 44, 287-300.	1.2	13
38	Factors Predictive of Outcome 5 Years After Matrix-Induced Autologous Chondrocyte Implantation in the Tibiofemoral Joint. American Journal of Sports Medicine, 2013, 41, 1245-1254.	4.2	50
39	Human Cartilage Repair with a Photoreactive Adhesive-Hydrogel Composite. Science Translational Medicine, 2013, 5, 167ra6.	12.4	270
40	Knee Injury and Osteoarthritis Outcome Score or International Knee Documentation Committee Subjective Knee Form: Which Questionnaire Is Most Useful to Monitor Patients With an Anterior Cruciate Ligament Rupture in the Short Term?. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, 701-715.	2.7	96
41	Ensuring face validity in patient-related outcome scores â€" A matter of content. Knee, 2013, 20, 72-78.	1.6	14
42	The Feasibility of a 3-Month Active Rehabilitation Program for Patients With Knee Full-Thickness Articular Cartilage Lesions: The Oslo Cartilage Active Rehabilitation and Education Study. Journal of Orthopaedic and Sports Physical Therapy, 2013, 43, 310-324.	3.5	35
43	Clinical Outcomes Assessment for Articular Cartilage Restoration. Journal of Knee Surgery, 2013, 26, 031-040.	1.6	8
44	A Comparison of the Responsiveness of 4 Commonly Used Patient-Reported Outcome Instruments at 5 Years After Matrix-Induced Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2013, 41, 2791-2799.	4.2	39
45	Development of the Knee Numericâ€Entity Evaluation Score (<scp>KNEES</scp> – <scp>ACL</scp>): A conditionâ€specific questionnaire. Scandinavian Journal of Medicine and Science in Sports, 2013, 23, e293-301.	2.9	19
46	Accelerated Weightbearing Rehabilitation After Matrix-Induced Autologous Chondrocyte Implantation in the Tibiofemoral Joint. American Journal of Sports Medicine, 2013, 41, 2314-2324.	4.2	45
47	Correlation Between Clinical and Radiological Outcomes After Matrix-Induced Autologous Chondrocyte Implantation in the Femoral Condyles. American Journal of Sports Medicine, 2014, 42, 1857-1864.	4.2	28
48	Measuring Physical Activity and Sports Participation After Autologous Cartilage Implantation: A Systematic Review. Journal of Sport Rehabilitation, 2014, 23, 171-181.	1.0	4
49	Reduced knee joint loading with lateral and medial wedge insoles for management of knee osteoarthritis: a protocol for a randomized controlled trial. BMC Musculoskeletal Disorders, 2014, 15, 405.	1.9	13
50	Implantation of matrix-induced autologous chondrocyte (MACI®) grafts using carbon dioxide insufflation arthroscopy. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 219-225.	4.2	11
51	Revision ACL Reconstruction., 2014,,.		9
52	Development of a Valid and Reliable Knee Articular Cartilage Condition–Specific Study Methodological Quality Score. Orthopaedic Journal of Sports Medicine, 2014, 2, 232596711351260.	1.7	6
53	Effect of Accelerated Weightbearing After Matrix-Associated Autologous Chondrocyte Implantation on the Femoral Condyle. American Journal of Sports Medicine, 2015, 43, 146-153.	4.2	37
54	BST-CarGel® Treatment Maintains Cartilage Repair Superiority over Microfracture at 5 Years in a Multicenter Randomized Controlled Trial. Cartilage, 2015, 6, 62-72.	2.7	163

#	ARTICLE	IF	Citations
55	Prospective Clinical and Radiologic Evaluation of Patellofemoral Matrix-Induced Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2015, 43, 1362-1372.	4.2	49
56	Cartilage issues in football—today's problems and tomorrow's solutions. British Journal of Sports Medicine, 2015, 49, 590-596.	6.7	36
57	Evaluation and analysis of graft hypertrophy by means of arthroscopy, biochemical MRI and osteochondral biopsies in a patient following autologous chondrocyte implantation for treatment of a full-thickness-cartilage defect of the knee. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 819-830.	2.4	11
59	Meniscal allograft transplantation in a symptomatic meniscal deficient knee: a systematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 270-279.	4.2	91
60	Post-operative rehabilitation and nutrition in osteoarthritis. F1000Research, 2014, 3, 116.	1.6	7
61	IKDC Subjective Knee Form and Marx Activity Rating Scale are suitable to evaluate all orthopaedic sports medicine knee conditions: a systematic review. Journal of ISAKOS, 2016, 1, 25-31.	2.3	13
62	Knee Donor Site Morbidity Following Harvest ofÂMedialÂFemoral Trochlea Osteochondral FlapsÂforÂCarpal Reconstruction. Journal of Hand Surgery, 2016, 41, 610-614.e1.	1.6	49
63	Gel-type autologous chondrocyte implantation for cartilage repair in patients with prior ACL reconstruction: A retrospective two year follow-up. Knee, 2016, 23, 241-245.	1.6	5
64	Accelerated Return to Sport After Osteochondral Autograft Plug Transfer. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711770241.	1.7	29
65	Focal articular prosthetic resurfacing for the treatment of full-thickness articular cartilage defects in the knee: 12-year follow-up of two cases and review of the literature. Archives of Orthopaedic and Trauma Surgery, 2017, 137, 1307-1317.	2.4	25
66	Return to running following knee osteochondral repair using an anti-gravity treadmill: A case report. Physical Therapy in Sport, 2017, 26, 35-40.	1.9	8
67	Patient-defined desired outcome, success criteria, and expectation in outpatient physical therapy: a longitudinal assessment. Health and Quality of Life Outcomes, 2017, 15, 29.	2.4	22
68	Condyle-Specific Matching Does Not Improve Midterm Clinical Outcomes of Osteochondral Allograft Transplantation in the Knee. Journal of Bone and Joint Surgery - Series A, 2017, 99, 1614-1620.	3.0	28
69	Similar Outcomes After Osteochondral Allograft Transplantation in Anterior Cruciate Ligament-Intact and -Reconstructed Knees: A Comparative Matched-Group Analysis With Minimum 2-Year Follow-Up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 2198-2207.	2.7	27
70	Autologous Chondrocyte Implantation Improves Knee-Specific Functional Outcomes and Health-Related Quality of Life in Adolescent Patients. American Journal of Sports Medicine, 2017, 45, 70-76.	4.2	38
71	A Prospective Clinical and Radiological Evaluation at 5 Years After Arthroscopic Matrix-Induced Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2017, 45, 59-69.	4.2	76
72	Two-Year Outcomes of a Randomized Trial Investigating a 6-Week Return to Full Weightbearing After Matrix-Induced Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2017, 45, 838-848.	4.2	32
73	Comparing the Chinese versions of two knee-specific questionnaires (IKDC and KOOS): reliability, validity, and responsiveness. Health and Quality of Life Outcomes, 2017, 15, 238.	2.4	22

#	Article	IF	Citations
74	KNEES-ACL has superior responsiveness compared to the most commonly used patient-reported outcome measures for anterior cruciate ligament injury. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2438-2446.	4.2	16
75	Return to sport and knee functional scores after anterior cruciate ligament reconstruction: 2 to 10 years' follow-up. Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 2018, 12, 22-29.	1.0	5
76	Return to Play Following Cartilage Injuries. , 2018, , 593-610.		2
77	Osteochondral Allograft Transplantation of the Knee in Patients Aged 40 Years and Older. American Journal of Sports Medicine, 2018, 46, 581-589.	4.2	45
78	Graft-Recipient Anteroposterior Mismatch Does Not Affect the Midterm Clinical Outcomes of Osteochondral Allograft Transplantation of the Femoral Condyle. American Journal of Sports Medicine, 2018, 46, 2441-2448.	4.2	13
79	High Resiliency Linked to Short-Term Patient Reported Outcomes and Return to Duty Following Arthroscopic Knee Surgery. Military Medicine, 2020, 185, 112-116.	0.8	11
80	Failures, Reoperations, and Improvement in Knee Symptoms Following Matrix-Assisted Autologous Chondrocyte Transplantation: A Meta-Analysis of Prospective Comparative Trials. Cartilage, 2021, 13, 1022S-1035S.	2.7	21
81	Pedi-IKDC or KOOS-child: which questionnaire should be used in children with knee disorders?. BMC Musculoskeletal Disorders, 2019, 20, 240.	1.9	31
82	Defining Failure in Articular Cartilage Surgery. , 2019, , 69-82.		0
83	Clinically Meaningful Improvement After Treatment of Cartilage Defects of the Knee With Osteochondral Grafts. American Journal of Sports Medicine, 2019, 47, 71-81.	4.2	33
84	Determination of normal KOOS and WOMAC values in a healthy population. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 541-548.	4.2	49
85	Osteochondral Allograft Transplantation of the Knee in Patients with an Elevated Body Mass Index. Cartilage, 2019, 10, 214-221.	2.7	24
86	Osteochondritis Dissecans of the Knee: Short-Term Outcomes of a Hybrid Technique to Restore a Partially Salvageable Progeny Fragment. Cartilage, 2020, 11, 300-308.	2.7	6
87	Matrix-Associated Autologous Chondrocyte Implantation with Spheroid Technology Is Superior to Arthroscopic Microfracture at 36 Months Regarding Activities of Daily Living and Sporting Activities after Treatment. Cartilage, 2021, 13, 437S-448S.	2.7	21
88	Minimum 10-Year Clinical and Radiological Outcomes of a Randomized Controlled Trial Evaluating 2 Different Approaches to Full Weightbearing After Matrix-Induced Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2020, 48, 133-142.	4.2	32
89	Twenty-Two-Year Outcome of Cartilage Repair Surgery by Perichondrium Transplantation. Cartilage, 2020, , 194760352095814.	2.7	5
90	SF-36 Physical Component Score Is Predictive of Achieving a Clinically Meaningful Improvement after Osteochondral Allograft Transplantation of the Femur. Cartilage, 2021, 13, 853S-859S.	2.7	2
91	Comparison of Bone Marrow Aspirate Concentrate and Allogenic Human Umbilical Cord Blood Derived Mesenchymal Stem Cell Implantation on Chondral Defect of Knee: Assessment of Clinical and Magnetic Resonance Imaging Outcomes at 2-Year Follow-Up. Cell Transplantation, 2020, 29, 096368972094358.	2.5	23

#	Article	IF	Citations
92	Prospective Outcomes of Cryopreserved Osteochondral Allograft for Patellofemoral Cartilage Defects at Minimum 2-Year Follow-up. Cartilage, 2021, 13, 1014S-1021S.	2.7	10
93	Synthetic Biphasic Scaffolds versus Microfracture for Articular Cartilage Defects of the Knee: A Retrospective Comparative Study. Cartilage, 2021, 13, 1002S-1013S.	2.7	11
94	Simple Knee Value: a simple evaluation correlated to existing knee PROMs. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 1952-1959.	4.2	14
95	Quadriceps Strength Influences Patient Function More Than Single Leg Forward Hop During Late-Stage ACL Rehabilitation. International Journal of Sports Physical Therapy, 2021, 16, 145-155.	1.3	12
96	Objective and Subjective Analysis of the Knee Joint Function Using Lower Extremity Assessment Protocol after Anterior Cruciate Ligament Reconstruction. The Korean Journal of Sports Medicine, 2021, 39, 34-41.	0.2	1
97	The Application of Computerized Adaptive Testing to the International Knee Documentation Committee Subjective Knee Evaluation Form. American Journal of Sports Medicine, 2021, 49, 2426-2431.	4.2	4
98	Outcomes of Revision ACL. , 2014, , 255-263.		1
99	Measuring Outcomes in Knee Articular Cartilage Pathology. Journal of Knee Surgery, 2021, 34, 011-019.	1.6	3
100	Post-operative rehabilitation in osteoarthritis. F1000Research, 2014, 3, 116.	1.6	5
101	What is the Profile of Individuals Joining the KNEEguru Online Health Community? A Cross-Sectional Mixed-Methods Study. Journal of Medical Internet Research, 2016, 18, e84.	4.3	11
103	Arabic version of the international knee documentation committee subjective knee form (IKDC): Translation and validation. Journal of Back and Musculoskeletal Rehabilitation, 2021, , 1-7.	1.1	2
105	Clinical Outcome Assessment of Repaired Articular Cartilage. , 2020, , 315-325.		О
107	The Knee Injury and Osteoarthritis Outcome Score: shortcomings in evaluating knee function in persons undergoing ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3594-3598.	4.2	6
108	Four cases report: Treatment of knee joint cartilage defects using autologous chondrocyte patch implantation. Frontiers in Surgery, 0, 9, .	1.4	0
109	Study of functional outcome of tibial plateau fractures treated with anatomical contoured locking compression plate. Indian Journal of Orthopaedics Surgery, 2021, 7, 280-290.	0.1	0
110	Evaluating Psychometric Properties of the International Knee Documentation Committee Subjective Knee Form in a Heterogeneous Sample of Post-Operative Patients. International Journal of Sports Physical Therapy, 2023, 18, .	1.3	1
111	Macro and microscopic assessment of the state of the graft after arthroscopic reconstruction of the anterior cruciate ligament of the knee joint with a quadriceps tendon autograft. Endoscopic Surgery, 2023, 29, 44.	0.2	0
112	Responsiveness of Patient-Reported Outcome Measures After Large Knee Articular Cartilage Transplantation: A Systematic Review and Meta-analysis. American Journal of Sports Medicine, 0, , .	4.2	0