

Reversal mechanisms in perpendicularly magnetized nanowires

Physical Review B

78,

DOI: [10.1103/physrevb.78.024414](https://doi.org/10.1103/physrevb.78.024414)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Effect of microstructure on magnetic properties and anisotropy distributions in Co/Pd thin films and nanostructures. Physical Review B, 2009, 80, .	3.2	49
2	Patterned media with composite structure for writability at high areal recording density. Journal of Applied Physics, 2009, 105, .	2.5	29
3	Probing activation energy barrier distribution for reversal of strongly exchange-coupled magnetic multilayer thin films. Applied Physics Letters, 2009, 95, .	3.3	12
4	Analytical treatment of synchronization of spin-torque oscillators by microwave magnetic fields. European Physical Journal B, 2009, 68, 221-231.	1.5	32
5	Magnetization reorientation in antiferromagnetically coupled Co films and (Co/Pd) multilayers. Applied Physics Letters, 2009, 95, .	3.3	21
6	Coercivity tuning in Co/Pd multilayer based bit patterned media. Applied Physics Letters, 2009, 95, 232505.	3.3	90
7	Spin dynamics and mode structure in nanomagnet arrays: Effects of size and thickness on linewidth and damping. Physical Review B, 2009, 79, .	3.2	96
8	Characterizing magnetic field-coupled computing devices by the Extraordinary Hall-effect. , 2009, , .		10
9	Challenges and promises in the fabrication of bit patterned media. , 2010, , .		5
10	Development of vortex state in circular magnetic nanodots: Theory and experiment. Physical Review B, 2010, 81, .	3.2	35
11	Fabrication, Magnetic, and R/W Properties of Nitrogen-Ion-Implanted Co/Pd and CoCrPt Bit-Patterned Medium. IEEE Transactions on Magnetics, 2010, 46, 2020-2023.	2.1	16
12	On-chip Extraordinary Hall-effect sensors for characterization of nanomagnetic logic devices. Solid-State Electronics, 2010, 54, 1027-1032.	1.4	25
13	Coupled oscillations in noncollinear microscale rectangular magnets. Physical Review B, 2010, 82, .	3.2	12
14	Bit patterned media based on block copolymer directed assembly with narrow magnetic switching field distribution. Applied Physics Letters, 2010, 96, .	3.3	106
15	Anisotropic magnetostatic interactions in arrays of ellipsoidal shaped Ni ₈₀ Fe ₂₀ magnets. Journal of Applied Physics, 2010, 108, 113915.	2.5	2
16	Formation of magnetic dots in an ultrathin Co film forced by a patterned buffer. Europhysics Letters, 2010, 89, 37003.	2.0	5
17	Roughness induced magnetic inhomogeneity in Co/Ni multilayers: Ferromagnetic resonance and switching properties in nanostructures. Journal of Applied Physics, 2010, 108, .	2.5	54
18	Intrinsic defects in perpendicularly magnetized multilayer thin films and nanostructures. Physical Review B, 2010, 82, .	3.2	31

#	ARTICLE	IF	CITATIONS
19	Local variation of ultrathin Co film magnetization orientation induced by a structured buffer: Magnetic dots. Physical Review B, 2011, 83, .	3.2	7
20	Magnetic nanostructures for advanced technologies: fabrication, metrology and challenges. Journal Physics D: Applied Physics, 2011, 44, 303001.	2.8	82
21	Co/Pt multilayer dot switching experiments with sub-nanosecond pulse field. Journal of Applied Physics, 2011, 109, 07B904.	2.5	10
23	Exploration of the Direct Use of Anodized Alumina as a Mold for Nanoimprint Lithography to Fabricate Magnetic Nanostructure over Large Area. Journal of Nanotechnology, 2011, 2011, 1-5.	3.4	2
24	Thermally activated transitions in a system of two single domain ferromagnetic particles. Journal of Applied Physics, 2011, 109, 07D339.	2.5	3
25	Calculation of spin wave spectra in magnetic nanograins and patterned multilayers with perpendicular anisotropy. Journal of Applied Physics, 2011, 109, 113903.	2.5	10
26	Perpendicularly Magnetized Monodomain Dots Induced in a Co Layer by a Structured Buffer. IEEE Transactions on Magnetics, 2011, 47, 2632-2635.	2.1	1
27	Spin Dynamics in Ferromagnetic Resonance for Nano-Sized Magnetic Dot Arrays: Metrology and Insight Into Magnetization Dynamics. IEEE Transactions on Magnetics, 2011, 47, 2387-2390.	2.1	13
28	Fabrication and magnetic properties of small FePt dot arrays. Journal Physics D: Applied Physics, 2011, 44, 185002.	2.8	8
29	Effect of disorder studied with ferromagnetic resonance for arrays of tangentially magnetized submicron Permalloy disks fabricated by nanosphere lithography. Journal of Applied Physics, 2011, 109, 013906.	2.5	10
30	Decoupling nucleation and domain-wall propagation regimes in (Co/Pd) \times multilayer nanostructures. Physical Review B, 2011, 84, .	3.2	19
31	Effect of interactions on edge property measurements in magnetic multilayers. Journal of Applied Physics, 2011, 109, 043904-043904-8.	2.5	10
32	Calculation of individual bit island switching field distribution in perpendicular magnetic bit patterned media. Journal of Applied Physics, 2011, 109, 07B758.	2.5	11
33	Dry-etching damage to magnetic anisotropy of Co-Pt dot arrays characterized using anomalous Hall effect. Journal of Applied Physics, 2012, 111, .	2.5	15
34	Correlation between Switching Field and Microstructure of Individual Co/Pt Dots. Japanese Journal of Applied Physics, 2012, 51, 103002.	1.5	0
35	Magnetic properties of antidots in conventional and spin-reoriented antiferromagnetically coupled layers. Journal of Applied Physics, 2012, 111, 07B921.	2.5	3
36	Angular dependence and temperature effect on switching field distribution of Co/Pd based bit patterned media. Journal of Applied Physics, 2012, 111, 07B917.	2.5	3
37	Multiscale micromagnetism of Co-Pd multilayers. Journal of Applied Physics, 2012, 111, 07C724.	2.5	4

#	ARTICLE	IF	CITATIONS
38	Magnetic and First-Order Reversal Curve Investigations of Antiferromagnetically Coupled Nanostructures of Co/Pd Multilayers. IEEE Transactions on Magnetics, 2012, 48, 3410-3413.	2.1	3
39	Magnetization reversal by confined droplet growth in soft/hard hybrid nanodisks with perpendicular anisotropy. Physical Review B, 2012, 85, .	3.2	18
40	Colloidal domain lithography in multilayers with perpendicular anisotropy: an experimental study and micromagnetic simulations. Nanotechnology, 2012, 23, 475303.	2.6	6
41	Nanomagnet Logic from Partially Irradiated Co/Pt Nanomagnets. IEEE Nanotechnology Magazine, 2012, 11, 97-104.	2.0	24
42	Understanding magnetic properties of arrays of small FePt dots with perpendicular anisotropy. Journal of Magnetism and Magnetic Materials, 2012, 324, 3737-3740.	2.3	7
43	Thermal stability of patterned Co/Pd nanodot arrays. Applied Physics Letters, 2012, 100, .	3.3	22
44	Inducing vortex formation in multilayered circular dots using remanent curves. Applied Physics Letters, 2012, 101, 192404.	3.3	7
45	Spatial control of magnetic anisotropy for current induced domain wall injection in perpendicularly magnetized CoFeB/MgO nanostructures. Applied Physics Letters, 2012, 100, 192411.	3.3	16
46	Measurement of the nucleation and domain depinning field in a single Co/Pt multilayer dot by Anomalous Hall effect. Journal of Magnetism and Magnetic Materials, 2012, 324, 1277-1280.	2.3	16
47	Study of magnetization reversal of Co/Pd bit-patterned media by micro-magnetic simulation. Journal of Magnetism and Magnetic Materials, 2012, 324, 1575-1580.	2.3	9
48	Bimodal properties of a patterned magnetic nanostructure: Separation of individual components's contributions. Journal of Magnetism and Magnetic Materials, 2013, 345, 82-88.	2.3	3
49	Micromagnetic Studies of Lateral TMR Memory Cell Driven by Spin Polarized Current or by Magnetic Field. IEEE Transactions on Magnetics, 2013, 49, 4421-4424.	2.1	3
50	Resonance properties of bi-component arrays of magnetic dots magnetized perpendicular to their planes. Journal of Applied Physics, 2013, 114, .	2.5	6
51	Systolic Pattern Matching Hardware With Out-of-Plane Nanomagnet Logic Devices. IEEE Nanotechnology Magazine, 2013, 12, 399-407.	2.0	31
52	Magnetic nanostructures for non-volatile memories. Microelectronic Engineering, 2013, 110, 474-478.	2.4	4
53	Tuning of the nucleation field in nanowires with perpendicular magnetic anisotropy. Journal of Applied Physics, 2013, 113, 163902.	2.5	21
54	Competing Interactions in Patterned and Self-Assembled Magnetic Nanostructures. Springer Tracts in Modern Physics, 2013, , 189-234.	0.1	14
55	Heat-assisted effects in ferromagnetic nanoparticles. Journal of Physics: Conference Series, 2013, 478, 012022.	0.4	0

#	ARTICLE	IF	CITATIONS
56	Process-induced damage and its recovery for a CoFeB/MgO magnetic tunnel junction with perpendicular magnetic easy axis. Japanese Journal of Applied Physics, 2014, 53, 103001.	1.5	17
57	Laser-induced ultrafast spin dynamics in di-, tri- and tetranuclear nickel clusters, and the M process. Physical Review B, 2014, 90, .	3.2	14
58	Influence of shape, size and internal structure on magnetic properties of core-edge nanodots with perpendicular anisotropy. Journal of Applied Physics, 2014, 116, 193905.	2.5	4
59	Atomistic modeling of magnetization reversal modes in $\text{Co}_{1-x}\text{Pt}_x$ nanodots with magnetically soft edges. Physical Review B, 2014, 90, .	3.2	14
60	Optically induced spin wave dynamics in $[\text{Co}/\text{Pd}]_8$ antidot lattices with perpendicular magnetic anisotropy. Applied Physics Letters, 2014, 105, .	3.3	26
61	Standing spin-wave mode structure and linewidth in partially disordered hexagonal arrays of perpendicularly magnetized sub-micron Permalloy discs. Journal of Applied Physics, 2014, 116, 113909.	2.5	3
62	Bit patterned media optimization at 1 Tdot/in ² by post-annealing. Journal of Applied Physics, 2014, 116, .	2.5	12
63	The influence of ion-milling damage to magnetic properties of $\text{Co}_{80}\text{Pt}_{20}$ patterned perpendicular media. Journal Physics D: Applied Physics, 2014, 47, 105001.	2.8	3
64	A Self-Aligned Two-Step Reactive Ion Etching Process for Nanopatterning Magnetic Tunnel Junctions on 300 mm Wafers. IEEE Transactions on Magnetics, 2014, 50, 1-3.	2.1	8
65	The impact of structural relaxation on spin polarization and magnetization reversal of individual nano structures studied by spin-polarized scanning tunneling microscopy. Journal of Physics Condensed Matter, 2014, 26, 394008.	1.8	6
66	Size dependence of magnetic switching in perpendicularly magnetized MgO/Co/Pt pillars close to the spin reorientation transition. Applied Physics Letters, 2014, 104, 012404.	3.3	6
67	Magnetic force microscopy investigation of the magnetization reversal of permalloy particles at high temperatures. Physics of the Solid State, 2014, 56, 1817-1823.	0.6	7
68	An Array of Ferromagnetic Nanoislands Nondestructively Patterned <i>via</i> a Local Phase Transformation by Low-Energy Proton Irradiation. ACS Nano, 2014, 8, 4698-4704.	14.6	23
69	Domain-wall structure in thin films with perpendicular anisotropy: Magnetic force microscopy and polarized neutron reflectometry study. Physical Review B, 2014, 90, .	3.2	21
70	Reversal mechanism, switching field distribution, and dipolar frustrations in Co/Pt bit pattern media based on auto-assembled anodic alumina hexagonal nanobump arrays. Physical Review B, 2014, 89, .	3.2	36
71	Towards an understanding of microstructure of patterned FePt dots by magnetometry using pulse fields. Journal of Magnetism and Magnetic Materials, 2014, 349, 5-8.	2.3	2
72	Magnetic properties of $\text{La}_{1-x}\text{Fe}_x\text{Pt}/\text{Fe}$ exchange-coupled composite nanodots. Journal Physics D: Applied Physics, 2014, 47, 245001.	2.8	7
75	Converse magnetoelectric effect via strain-driven magnetization reorientations in ultrathin ferromagnetic films on ferroelectric substrates. Physical Review B, 2015, 92, .	3.2	11

#	ARTICLE	IF	CITATIONS
76	Tailoring the magnetodynamic properties of nanomagnets using magnetocrystalline and shape anisotropies. <i>Physical Review B</i> , 2015, 92, .	3.2	15
77	Influence of magnetic surface anisotropy on spin wave reflection from the edge of ferromagnetic film. <i>Physical Review B</i> , 2015, 92, .	3.2	40
78	Reversal and thermal stability of ordered moments in nano-rings of perpendicular anisotropy Co/Pd multilayers. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 295005.	2.8	3
79	Size dependence of switching behavior in single epitaxial Co/Pt multilayer nanodots. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 07MC01.	1.5	2
80	Magnetostatic effects on switching in small magnetic tunnel junctions. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	14
81	Structure-induced spin reorientation in magnetic nanostructures. <i>Physical Review B</i> , 2016, 94, .	3.2	2
82	Size and voltage dependence of effective anisotropy in sub-100-nm perpendicular magnetic tunnel junctions. <i>Physical Review B</i> , 2016, 94, .	3.2	19
83	Role of patterning induced defect on the switching field in magnetic nanostructure. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	2.3	3
84	Design of Stochastic Computing Circuits Using Nanomagnetic Logic. <i>IEEE Nanotechnology Magazine</i> , 2016, 15, 179-187.	2.0	6
85	Magnetic transition from dot to antidot regime in large area Co/Pd nanopatterned arrays with perpendicular magnetization. <i>Nanotechnology</i> , 2017, 28, 085302.	2.6	24
86	Observation of stable Néel skyrmions in cobalt/palladium multilayers with Lorentz transmission electron microscopy. <i>Nature Communications</i> , 2017, 8, 14761.	12.8	222
87	Magnetic-field-angle dependence of coercivity in CoFeB/MgO magnetic tunnel junctions with perpendicular easy axis. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	18
88	Localized detection of reversal nucleation generated by high moment magnetic nanoparticles using a large-area magnetic sensor. <i>Journal of Applied Physics</i> , 2017, 122, 123901.	2.5	19
89	Exchange Bias in the [CoO/Co/Pd] ₁₀ Antidot Large Area Arrays. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 33250-33256.	8.0	20
90	Enhanced Hall effect in Co/Pd multilayered nanodomes with perpendicular anisotropy. <i>AIP Advances</i> , 2017, 7, .	1.3	5
91	A magnetic shift register with out-of-plane magnetized layers. <i>Nanotechnology</i> , 2017, 28, 385201.	2.6	0
92	Anisotropy Induced Switching Field Distribution in High-Density Patterned Media. <i>Spin</i> , 2017, 07, 1750005.	1.3	1
93	Size and temperature dependence of M-H loop for Pt/CoFe/IrMn heterojunction. <i>AIP Advances</i> , 2018, 8, 056012.	1.3	1

#	ARTICLE	IF	CITATIONS
94	Switching Field Distribution of MnGa Bit Patterned Film Fabricated by Ion Beam Irradiation. IEEE Transactions on Magnetics, 2018, 54, 1-7.	2.1	3
95	Free-layer size dependence of anisotropy field in nanoscale CoFeB/MgO magnetic tunnel junctions. Applied Physics Express, 2018, 11, 043001.	2.4	6
96	Thermal stability of L10-FePt nanodots patterned by self-assembled block copolymer lithography. Nanotechnology, 2018, 29, 465301.	2.6	5
97	Domain-Wall Motion Driven by Laplace Pressure in Co/Fe/B Nanodots with Perpendicular Anisotropy. Physical Review Applied, 2018, 9, .	2.6	2
98	Anomalous in-plane coercivity behaviour in hexagonal arrangements of ferromagnetic antidot thin films. Journal of Magnetism and Magnetic Materials, 2019, 491, 165572.	2.3	14
99	Soft X-ray magnetic scattering studies of 3D magnetic morphology along buried interfaces in NiFe/CoPd/NiFe nanostructures. Scientific Reports, 2019, 9, 14823.	3.3	5
100	Magnetic reversal in perpendicularly magnetized antidot arrays with intrinsic and extrinsic defects. Scientific Reports, 2019, 9, 13276.	3.3	15
101	Ion Irradiation for Planar Patterning of Magnetic Materials. Crystals, 2019, 9, 27.	2.2	8
102	Tuning Nanohole Sizes in Ni Hexagonal Antidot Arrays: Large Perpendicular Magnetic Anisotropy for Spintronic Applications. ACS Applied Nano Materials, 2019, 2, 1866-1875.	5.0	34
103	Probing edge condition of nanoscale CoFeB/MgO magnetic tunnel junctions by spin-wave resonance. Applied Physics Letters, 2020, 117, 202404.	3.3	3
104	Acoustic-Wave-Induced Ferromagnetic-Resonance-Assisted Spin-Torque Switching of Perpendicular Magnetic Tunnel Junctions with Anisotropy Variation. Physical Review Applied, 2020, 14, .	3.8	19
105	Characterisation of a perpendicular nanomagnetic cell and design of reversible XOR gates based on perpendicular nanomagnetic cells. IET Circuits, Devices and Systems, 2020, 14, 17-24.	1.4	1
106	Magnetic Tunability of Permalloy Artificial Spin Ice Structures. Physical Review Applied, 2020, 13, .	3.8	21
107	Origin of the Resistance-Area-Product Dependence of Spin-Transfer-Torque Switching in Perpendicular Magnetic Random-Access Memory Cells. Physical Review Applied, 2020, 13, .	3.8	22
108	Scaling magnetic tunnel junction down to single-digit nanometers—Challenges and prospects. Applied Physics Letters, 2020, 116, .	3.3	49
109	FORC Diagrams in Magnetic Thin Films. , 2021, , 629-650.		0
110	3D Nanomagnetic Logic. , 2021, , 259-296.		0
111	Weakly coupled synthetic antiferromagnetic nanodisks with perpendicular magnetic anisotropy for lab-on-chip devices. Applied Physics Letters, 2021, 119, .	3.3	5

#	ARTICLE	IF	CITATIONS
112	Enhancement the perpendicular magnetic anisotropy of nanopatterned hard/soft bilayer magnetic antidot arrays for spintronic application. Nanotechnology, 2020, 31, 485708.	2.6	18
113	Antiferromagnetic-ferromagnetic phase domain development in nanopatterned FeRh islands. Physical Review Materials, 2018, 2, .	2.4	13
114	Correlation between Switching Field and Microstructure of Individual Co/Pt Dots. Japanese Journal of Applied Physics, 2012, 51, 103002.	1.5	1
115	Higher Resolution Scanning Probe Methods for Magnetic Imaging. , 2015, , 463-487.		1
116	Influence of Ga+ milling on the spin waves modes in a Co ₂ MnSi Heusler magnonic crystal. Journal of Applied Physics, 2022, 131, .	2.5	2
117	Magnetic anisotropy in the exchange-biased laser-patterned thin Co/CoO films. Nanotechnology, 2022, 33, 495707.	2.6	1
118	External-Field-Robust Stochastic Magnetic Tunnel Junctions Using a Free Layer with Synthetic Antiferromagnetic Coupling. Physical Review Applied, 2022, 18, .	3.8	3
119	Nonlinear conductance in nanoscale CoFeB/MgO magnetic tunnel junctions with perpendicular easy axis. Physical Review B, 2023, 107, .	3.2	1
120	Magnetic coercivity control via buffer layer roughness in Pt/Co multilayers. Journal of Magnetism and Magnetic Materials, 2023, 585, 171124.	2.3	1
121	Machine-learning recognition of Dzyaloshinskii-Moriya interaction from magnetometry. Physical Review Research, 2023, 5, .	3.6	0
122	Static and dynamic magnetic properties of circular and square cobalt nanodots in hexagonal cells. Physical Chemistry Chemical Physics, 2024, 26, 5621-5632.	2.8	0
123	Tuning the coercivity of synthetic antiferromagnetic nanoplatelets with perpendicular anisotropy by varying the Co _{1-x} B _x alloy composition. Journal of Applied Physics, 2024, 135, .	2.5	0