

Cell colonization in degradable 3D porous matrices

Cell Adhesion and Migration

2, 9-16

DOI: [10.4161/cam.2.1.5884](https://doi.org/10.4161/cam.2.1.5884)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The stress relaxation characteristics of composite matrices etched to produce nanoscale surface features. <i>Biomaterials</i> , 2009, 30, 703-710.	5.7	29
2	Laminar Implantation of a Collagen-Elastin Matrix Improves Infraorbital Contour in Aesthetic Facial Surgery. <i>Plastic and Reconstructive Surgery</i> , 2010, 126, 1756-1760.	0.7	2
3	Magnetic micro-manipulations to probe the local physical properties of porous scaffolds and to confine stem cells. <i>Biomaterials</i> , 2010, 31, 1586-1595.	5.7	51
4	Stem Cells Grown in Osteogenic Medium on PLGA, PLGA/HA, and Titanium Scaffolds for Surgical Applications. <i>Bioinorganic Chemistry and Applications</i> , 2010, 2010, 1-12.	1.8	29
5	Extracellular-Signal-Related Kinase 1/2 Is Responsible for Inhibition of Osteogenesis in Three-Dimensional Cultured MC3T3-E1 Cells. <i>Tissue Engineering - Part A</i> , 2010, 16, 3485-3494.	1.6	8
6	Modified 3D-Fibrin Matrices in Tissue Engineering for Stimulation of Angiogenesis and Wound Healing. , 2010, , 1-26.		0
7	Skin Tissue Engineering. , 2011, , 467-499.		15
8	The Fiber Diameter of Synthetic Bioresorbable Extracellular Matrix Influences Human Fibroblast Morphology and Fibronectin Matrix Assembly. <i>Plastic and Reconstructive Surgery</i> , 2011, 127, 2312-2320.	0.7	44
9	Three-dimensional culture of rat BMSCs in a porous chitosan-gelatin scaffold: A promising association for bone tissue engineering in oral reconstruction. <i>Archives of Oral Biology</i> , 2011, 56, 1-15.	0.8	89
10	Mesenchymal stem cell (MSC) and endothelial progenitor cell (EPC) growth and adhesion in six different bone graft substitutes. <i>European Journal of Trauma and Emergency Surgery</i> , 2011, 37, 635-644.	0.8	19
11	A Three-Dimensional Polycaprolactone Scaffold Combined with a Drug Delivery System Consisting of Electrospun Nanofibers. <i>Journal of Pharmaceutical Sciences</i> , 2011, 100, 424-430.	1.6	56
12	Cryogenically fabricated three-dimensional chitosan scaffolds with pore size-controlled structures for biomedical applications. <i>Carbohydrate Polymers</i> , 2011, 85, 817-823.	5.1	40
13	Magnetic Hydroxyapatite Bone Substitutes to Enhance Tissue Regeneration: Evaluation In Vitro Using Osteoblast-Like Cells and In Vivo in a Bone Defect. <i>PLoS ONE</i> , 2012, 7, e38710.	1.1	96
14	Covalent RGD Modification of the Inner Pore Surface of Polycaprolactone Scaffolds. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2012, 23, 941-953.	1.9	17
15	Control of stem cell fate and function by engineering physical microenvironments. <i>Integrative Biology (United Kingdom)</i> , 2012, 4, 1008-1018.	0.6	226
16	Biomedical production of implants by additive electro-chemical and physical processes. <i>CIRP Annals - Manufacturing Technology</i> , 2012, 61, 635-655.	1.7	255
17	Macroporous StarPEG-Heparin Cryogels. <i>Biomacromolecules</i> , 2012, 13, 2349-2358.	2.6	64
18	Nanostructured porous silicon micropatterns as a tool for substrate-conditioned cell research. <i>Nanoscale Research Letters</i> , 2012, 7, 396.	3.1	15

#	ARTICLE	IF	CITATIONS
19	Engineering of silicon surfaces at the micro- and nanoscales for cell adhesion and migration control. <i>International Journal of Nanomedicine</i> , 2012, 7, 623.	3.3	13
20	Microvascular Guidance: A Challenge to Support the Development of Vascularised Tissue Engineering Construct. <i>Scientific World Journal</i> , The, 2012, 2012, 1-10.	0.8	23
21	Mesenchymal stem cells associated with porous chitosan-gelatin scaffold: A potential strategy for alveolar bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 2775-2786.	2.1	39
22	Increased matrix synthesis by fibroblasts with decreased proliferation on synthetic chitosan-gelatin porous structures. <i>Biotechnology and Bioengineering</i> , 2012, 109, 1314-1325.	1.7	33
23	Compressive elasticity of three-dimensional nanofiber matrix directs mesenchymal stem cell differentiation to vascular cells with endothelial or smooth muscle cell markers. <i>Acta Biomaterialia</i> , 2012, 8, 1440-1449.	4.1	132
24	Injectable polyurethane composite scaffolds delay wound contraction and support cellular infiltration and remodeling in rat excisional wounds. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 450-461.	2.1	29
25	Chitosan/gelatin porous scaffolds containing hyaluronic acid and heparan sulfate for neural tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2013, 24, 999-1014.	1.9	62
26	The first systematic analysis of 3D rapid prototyped poly(μ -caprolactone) scaffolds manufactured through BioCell printing: the effect of pore size and geometry on compressive mechanical behaviour and <i>in vitro</i> hMSC viability. <i>Biofabrication</i> , 2013, 5, 045004.	3.7	116
27	Subdermal Tissue Regeneration. , 2013, , 161-172.		0
28	Control of three-dimensional substrate stiffness to manipulate mesenchymal stem cell fate toward neuronal or glial lineages. <i>Acta Biomaterialia</i> , 2013, 9, 5170-5180.	4.1	166
29	Tuning three-dimensional collagen matrix stiffness independently of collagen concentration modulates endothelial cell behavior. <i>Acta Biomaterialia</i> , 2013, 9, 4635-4644.	4.1	300
30	Study of the hydrothermal transformation of wood-derived calcium carbonate into 3D hierarchically organized hydroxyapatite. <i>Chemical Engineering Journal</i> , 2013, 217, 150-158.	6.6	27
31	Cell and Gene Transfer Strategies for Vascularization During Skin Wound Healing. , 2013, , 637-695.		3
32	Human adipose-derived stem cells and three-dimensional scaffold constructs: A review of the biomaterials and models currently used for bone regeneration. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013, 101B, 187-199.	1.6	59
33	Human Endothelial-Like Differentiated Precursor Cells Maintain Their Endothelial Characteristics When Cocultured with Mesenchymal Stem Cell and Seeded onto Human Cancellous Bone. <i>Mediators of Inflammation</i> , 2013, 2013, 1-12.	1.4	12
34	Microfluidic devices for developing tissue scaffolds. , 2013, , 363-387.		1
35	Thiol-acrylate nanocomposite foams for critical size bone defect repair: A novel biomaterial. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101, 3531-3541.	2.1	22
36	High biocompatibility and improved osteogenic potential of novel Ca-P/titania composite scaffolds designed for regeneration of load-bearing segmental bone defects. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 1612-1619.	2.1	25

#	ARTICLE	IF	CITATIONS
37	The use of PLDLA/PCL-T scaffold to repair osteochondral defects in vivo. <i>Materials Research</i> , 2013, 16, 105-115.	0.6	3
38	Skin Equivalent Tissue-Engineered Construct: Co-Cultured Fibroblasts/ Keratinocytes on 3D Matrices of Sericin Hope Cocoons. <i>PLoS ONE</i> , 2013, 8, e74779.	1.1	63
39	Natural and Synthetic Biodegradable Polymers: Different Scaffolds for Cell Expansion and Tissue Formation. <i>International Journal of Artificial Organs</i> , 2014, 37, 187-205.	0.7	238
40	Three-dimensional self-assembling peptide matrix enhances the formation of embryoid bodies and their neuronal differentiation. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 1991-2000.	2.1	16
41	Stem cells in a three-dimensional scaffold environment. <i>SpringerPlus</i> , 2014, 3, 80.	1.2	76
42	Mass transfer aspects of 3D cell cultures in tissue engineering. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2014, 9, 318-329.	0.8	14
43	Plasma Modification of PCL Porous Scaffolds Fabricated by Solvent Casting/Particulate Leaching for Tissue Engineering. <i>Plasma Processes and Polymers</i> , 2014, 11, 184-195.	1.6	70
44	Sericin-carboxymethyl cellulose porous matrices as cellular wound dressing material. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 1928-1940.	2.1	63
45	Modeling Pressure Drop Using Generalized Scaffold Characteristics in an Axial-Flow Bioreactor for Soft Tissue Regeneration. <i>Annals of Biomedical Engineering</i> , 2014, 42, 1319-1330.	1.3	15
46	Synthesis and 3D Printing of Biodegradable Polyurethane Elastomer by a Water-Based Process for Cartilage Tissue Engineering Applications. <i>Advanced Healthcare Materials</i> , 2014, 3, 1578-1587.	3.9	166
47	Human Adipose-Derived Stromal/Stem Cell Isolation, Culture, and Osteogenic Differentiation. <i>Methods in Enzymology</i> , 2014, 538, 67-88.	0.4	11
48	Adipose mesenchymal stem cells in the field of bone tissue engineering. <i>World Journal of Stem Cells</i> , 2014, 6, 144.	1.3	75
49	He/O ₂ Atmospheric Pressure Plasma Jet Treatments of PCL Scaffolds for Tissue Engineering and Regenerative Medicine. <i>Plasma Processes and Polymers</i> , 2015, 12, 1451-1458.	1.6	18
51	3D Printing of Scaffolds for Tissue Regeneration Applications. <i>Advanced Healthcare Materials</i> , 2015, 4, 1742-1762.	3.9	692
52	Influence of Poly-L-Lactic Acid Scaffold's Pore Size on the Proliferation and Differentiation of Dental Pulp Stem Cells. <i>Brazilian Dental Journal</i> , 2015, 26, 93-98.	0.5	29
53	Therapeutic immunomodulation with mesenchymal stromal cells: the need for in vivo clues. <i>International Journal of Translational Science</i> , 2015, 2015, 1-17.	0.2	0
54	Anisotropic temperature sensitive chitosan-based injectable hydrogels mimicking cartilage matrix. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2015, 103, 1149-1160.	1.6	54
55	Control of Stem Cell Behavior by Fine Tuning the Supramolecular Assemblies of Low Molecular Weight Gelators. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4517-4521.	7.2	96

#	ARTICLE	IF	CITATIONS
56	Microstructure Evolution and Mechanical Properties Improvement in Liquid-Phase-Sintered Hydroxyapatite by Laser Sintering. <i>Materials</i> , 2015, 8, 1162-1175.	1.3	21
57	Stem cell regenerative therapy in alveolar cleft reconstruction. <i>Archives of Oral Biology</i> , 2015, 60, 1517-1532.	0.8	25
58	Three-dimensional culture of mesenchymal stem cells. <i>Tissue Engineering and Regenerative Medicine</i> , 2015, 12, 211-221.	1.6	13
59	Recent advances in silicon-based neural microelectrodes and microsystems: a review. <i>Sensors and Actuators B: Chemical</i> , 2015, 215, 300-315.	4.0	80
60	An <i>In Vitro</i> Comparison of the Incorporation, Growth, and Chondrogenic Potential of Human Bone Marrow versus Adipose Tissue Mesenchymal Stem Cells in Clinically Relevant Cell Scaffolds Used for Cartilage Repair. <i>Cartilage</i> , 2015, 6, 252-263.	1.4	37
61	Fractal Structure of Hydrogels Modulates Stem Cell Behavior. <i>ACS Macro Letters</i> , 2015, 4, 1056-1061.	2.3	27
62	Glacier Moraine Formationâ€Mimicking Colloidal Particle Assembly in Microchanneled, Bioactive Hydrogel for Guided Vascular Network Construction. <i>Advanced Healthcare Materials</i> , 2015, 4, 195-201.	3.9	13
63	In Vitro and In Vivo Characterization of Pentaerythritol Triacrylate-co-Trimethylolpropane Nanocomposite Scaffolds as Potential Bone Augments and Grafts. <i>Tissue Engineering - Part A</i> , 2015, 21, 320-331.	1.6	22
64	Silk fibroinâ€keratin based 3D scaffolds as a dermal substitute for skin tissue engineering. <i>Integrative Biology (United Kingdom)</i> , 2015, 7, 53-63.	0.6	139
65	Characterization of novel akermanite:poly- μ -caprolactone scaffolds for human adipose-derived stem cells bone tissue engineering. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, 389-404.	1.3	35
66	Knitting for heart valve tissue engineering. <i>Global Cardiology Science & Practice</i> , 2016, 2016, e201631.	0.3	4
67	Applications of Computational Modelling and Simulation of Porous Medium in Tissue Engineering. <i>Computation</i> , 2016, 4, 7.	1.0	12
68	Synthesis of novel polyesters for potential applications in skin tissue engineering. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 733-741.	1.6	9
69	Development of an Injectable Calcium Phosphate/Hyaluronic Acid Microparticles System for Platelet Lysate Sustained Delivery Aiming Bone Regeneration. <i>Macromolecular Bioscience</i> , 2016, 16, 1662-1677.	2.1	24
70	Ultrastructural investigation on fibroblast interaction with collagen scaffold. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 272-282.	2.1	19
71	Stem cellâ€based pulp tissue engineering: variables enrolled in translation from the bench to the bedside, a systematic review of literature. <i>International Endodontic Journal</i> , 2016, 49, 543-550.	2.3	46
72	Hybrid elastin-like recombinamer-fibrin gels: physical characterization and in vitro evaluation for cardiovascular tissue engineering applications. <i>Biomaterials Science</i> , 2016, 4, 1361-1370.	2.6	17
73	Surface micro- and nano-texturing of stainless steel by femtosecond laser for the control of cell migration. <i>Scientific Reports</i> , 2016, 6, 36296.	1.6	94

#	ARTICLE	IF	CITATIONS
74	Cross-linked silk sericinâ€“gelatin 2D and 3D matrices for prospective tissue engineering applications. RSC Advances, 2016, 6, 105125-105136.	1.7	41
75	A Material Conferring Hemocompatibility. Scientific Reports, 2016, 6, 26848.	1.6	11
76	Application potential of bone marrow mesenchymal stem cell (BMSCs) based tissue-engineering for spinal cord defect repair in rat fetuses with spina bifida aperta. Journal of Materials Science: Materials in Medicine, 2016, 27, 77.	1.7	37
77	Evaluation of physicochemical and biological properties of chitosan/poly (vinyl alcohol) polymer blend membranes and their correlation for Vero cell growth. Carbohydrate Polymers, 2016, 137, 576-583.	5.1	15
78	Cryogel-supported stem cell factory for customized sustained release of bispecific antibodies for cancer immunotherapy. Scientific Reports, 2017, 7, 42855.	1.6	51
79	Paving the Way Toward Complex Blood-Brain Barrier Models Using Pluripotent Stem Cells. Stem Cells and Development, 2017, 26, 857-874.	1.1	40
80	The physics and chemistry of silica-in-silicates nanocomposite hydrogels and their phycocompatibility. Journal of Materials Chemistry B, 2017, 5, 2931-2940.	2.9	7
81	Reconstruction of mandibular defects with autogenous bone and decellularized bovine bone grafts with freeze-dried bone marrow stem cell paracrine factors. Oncology Letters, 2017, 13, 1811-1818.	0.8	23
82	Antibiotic incorporation in jet-sprayed nanofibrillar biodegradable scaffolds for wound healing. International Journal of Pharmaceutics, 2017, 532, 802-812.	2.6	18
83	Bi-functional oxidized dextranâ€“based hydrogel inducing microtumors: An in vitro three-dimensional lung tumor model for drug toxicity assays. Journal of Tissue Engineering, 2017, 8, 204173141771839.	2.3	13
84	Highly defined 3D printed chitosan scaffolds featuring improved cell growth. Biomedical Materials (Bristol), 2017, 12, 045009.	1.7	77
85	6.20 Skin Tissue Engineering âˆ†. , 2017, , 334-382.		3
86	3D Cell Culturing and Possibilities for Myometrial Tissue Engineering. Annals of Biomedical Engineering, 2017, 45, 1746-1757.	1.3	15
87	Recent advances in multiaxial electrospinning for drug delivery. European Journal of Pharmaceutics and Biopharmaceutics, 2017, 112, 1-17.	2.0	211
88	Chitosan for cardiac tissue engineering and regeneration. , 2017, , 115-143.		3
89	Electrospun Zein/Gelatin Scaffold-Enhanced Cell Attachment and Growth of Human Periodontal Ligament Stem Cells. Materials, 2017, 10, 1168.	1.3	47
90	Chitosan/gelatin scaffolds support bone regeneration. Journal of Materials Science: Materials in Medicine, 2018, 29, 59.	1.7	56
91	Scaffolds for epithelial tissue engineering customized in elastomeric molds. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2018, 106, 880-890.	1.6	7

#	ARTICLE	IF	CITATIONS
92	An improvement of silk-based scaffold properties using collagen type I for skin tissue engineering applications. <i>Polymer Bulletin</i> , 2018, 75, 685-700.	1.7	10
93	Bioprinted chitosan-gelatin thermosensitive hydrogels using an inexpensive 3D printer. <i>Biofabrication</i> , 2018, 10, 015002.	3.7	91
94	Branched peptides integrate into self-assembled nanostructures and enhance biomechanics of peptidic hydrogels. <i>Acta Biomaterialia</i> , 2018, 66, 258-271.	4.1	50
95	Graphene Family Nanomaterials: Properties and Potential Applications in Dentistry. <i>International Journal of Biomaterials</i> , 2018, 2018, 1-12.	1.1	49
96	Conducting Polymer Scaffolds Based on Poly(3,4-ethylenedioxythiophene) and Xanthan Gum for Live-Cell Monitoring. <i>ACS Omega</i> , 2018, 3, 7424-7431.	1.6	55
97	3D Powder Printed Bioglass and β -Tricalcium Phosphate Bone Scaffolds. <i>Materials</i> , 2018, 11, 13.	1.3	71
98	Electrospun Nanofibers for Drug Delivery and Biosensing. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 4183-4205.	2.6	114
99	Enriched Mechanical Strength and Bone Mineralisation of Electrospun Biomimetic Scaffold Laden with Ylang Ylang Oil and Zinc Nitrate for Bone Tissue Engineering. <i>Polymers</i> , 2019, 11, 1323.	2.0	13
100	Microporous scaffolds support assembly and differentiation of pancreatic progenitors into β -cell clusters. <i>Acta Biomaterialia</i> , 2019, 96, 111-122.	4.1	34
101	T-Shaped Microfluidic Junction Processing of Porous Alginate-Based Films and Their Characteristics. <i>Polymers</i> , 2019, 11, 1386.	2.0	8
102	Synthesis and characterization of gold/silica hybrid nanoparticles incorporated gelatin methacrylate conductive hydrogels for H9C2 cardiac cell compatibility study. <i>Composites Part B: Engineering</i> , 2019, 177, 107415.	5.9	51
103	Tri-layered functionally graded membrane for potential application in periodontal regeneration. <i>Materials Science and Engineering C</i> , 2019, 103, 109812.	3.8	27
104	Injectable chitosan/ β -glycerophosphate hydrogels with sustained release of BMP-7 and ornidazole in periodontal wound healing of class III furcation defects. <i>Materials Science and Engineering C</i> , 2019, 99, 919-928.	3.8	61
105	Characterization of Collagen/Lipid Nanoparticle- α -Curcumin Cryostructures for Wound Healing Applications. <i>Macromolecular Bioscience</i> , 2019, 19, e1800446.	2.1	15
106	Intrinsic Cellular Responses of Human Wharton's Jelly Mesenchymal Stem Cells Influenced by O ₂ -Plasma-Modified and Unmodified Surface of Alkaline-Hydrolyzed 2D and 3D PCL Scaffolds. <i>Journal of Functional Biomaterials</i> , 2019, 10, 52.	1.8	1
107	Type of endothelial cells affects HepaRG cell acetaminophen metabolism in both 2D and 3D porous scaffold cultures. <i>Journal of Applied Toxicology</i> , 2019, 39, 461-472.	1.4	16
108	Characterization of designed directional polylactic acid 3D scaffolds for neural differentiation of human dental pulp stem cells. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 268-275.	0.8	12
109	Role of nanofibers on MSCs fate: Influence of fiber morphologies, compositions and external stimuli. <i>Materials Science and Engineering C</i> , 2020, 107, 110218.	3.8	30

#	ARTICLE	IF	CITATIONS
110	Three-dimensional porous scaffolds based on agarose/chitosan/graphene oxide composite for tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2020, 146, 222-231.	3.6	68
111	Enhanced function of chondrocytes in a chitosan-based hydrogel to regenerate cartilage tissues by accelerating degradability of the hydrogel via a hydrolysable crosslinker. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48893.	1.3	6
112	Collagen scaffold-mediated delivery of NLC/siRNA as wound healing materials. <i>Journal of Drug Delivery Science and Technology</i> , 2020, 55, 101421.	1.4	19
113	Graphene oxide/alginate/silk fibroin composite as a novel bionanostructure with improved blood compatibility, less toxicity and enhanced mechanical properties. <i>Carbohydrate Polymers</i> , 2020, 248, 116802.	5.1	82
114	Osteogenic differentiation of bone marrow mesenchymal stem cells on chitosan/gelatin scaffolds: gene expression profile and mechanical analysis. <i>Biomedical Materials (Bristol)</i> , 2020, 15, 064101.	1.7	10
115	Surface modification of PLA scaffold using radio frequency (RF) nitrogen plasma in tissue engineering application. <i>Surface Topography: Metrology and Properties</i> , 2020, 8, 015012.	0.9	12
116	Double-layer PLLA/PEO_Chitosan nanofibrous mats containing Hypericum perforatum L. as an effective approach for wound treatment. <i>Polymers for Advanced Technologies</i> , 2021, 32, 1493-1506.	1.6	14
117	Investigation of the biological activity, mechanical properties and wound healing application of a novel scaffold based on lignin-agarose hydrogel and silk fibroin embedded zinc chromite nanoparticles. <i>RSC Advances</i> , 2021, 11, 17914-17923.	1.7	68
118	Microfluidic devices for developing tissue scaffolds. , 2021, , 413-435.		1
119	Development of Skin-On-A-Chip Platforms for Different Utilizations: Factors to Be Considered. <i>Micromachines</i> , 2021, 12, 294.	1.4	26
120	Scaffold-based developmental tissue engineering strategies for ectodermal organ regeneration. <i>Materials Today Bio</i> , 2021, 10, 100107.	2.6	14
121	Fabrication and evaluation of polycaprolactone/olive oil scaffolds by phase inversion for tissue engineering. <i>European Polymer Journal</i> , 2021, 150, 110394.	2.6	5
122	Stem cell-based approaches in cardiac tissue engineering: controlling the microenvironment for autologous cells. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111425.	2.5	33
123	Conditioning the microenvironment for soft tissue regeneration in a cell free scaffold. <i>Scientific Reports</i> , 2021, 11, 13310.	1.6	5
124	Hybrid Bionanocomposite Containing Magnesium Hydroxide Nanoparticles Embedded in a Carboxymethyl Cellulose Hydrogel Plus Silk Fibroin as a Scaffold for Wound Dressing Applications. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 33840-33849.	4.0	77
125	Physicochemical and pharmacological investigations of polyvinylpyrrolidone - tetrahydroxyborate hydrogel containing the local anesthetic lidocaine. <i>Journal of Molecular Liquids</i> , 2021, 335, 116526.	2.3	1
126	Preparation and characterization of a novel polysialic acid/gelatin composite hydrogels cross-linked by tannic acid to improve wound healing after cesarean section dressing. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2021, 32, 1927-1943.	1.9	9
127	Hybrid functionalized coatings on Metallic Biomaterials for Tissue Engineering. <i>Surface and Coatings Technology</i> , 2021, 422, 127508.	2.2	26

#	ARTICLE	IF	CITATIONS
128	Poly(glycerol sebacate)/poly(ethylene glycol)/Gelatin Hybrid Hydrogels as Biocompatible Biomaterials for Cell Proliferation and Spreading. <i>Macromolecular Bioscience</i> , 2021, 21, e2100248.	2.1	7
130	Synthesis and characterization of a chitosan/gelatin transparent film crosslinked with a combination of EDC/NHS for corneal epithelial cell culture scaffold with potential application in cornea implantation. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2022, 71, 568-578.	1.8	7
131	Biofabrication Strategies for Tissue Engineering. <i>Computational Methods in Applied Sciences</i> (Springer), 2011, , 137-176.	0.1	24
132	3D porous collagen scaffolds reinforced by glycation with ribose for tissue engineering application. <i>Biomedical Materials</i> (Bristol), 2017, 12, 055002.	1.7	25
134	Collagen-Hydroxyapatite Scaffolds Induce Human Adipose Derived Stem Cells Osteogenic Differentiation In Vitro. <i>PLoS ONE</i> , 2016, 11, e0151181.	1.1	104
135	Biomaterials from Chitosan Processed by Electrospinning. <i>NanoWorld Journal</i> , 2019, 05, .	0.8	3
136	Healing Pattern in Calvarial Bone Defects Following Bone Regeneration in Rats Guided by Chitosan Scaffold and Adipose Tissue-Derived Mesenchymal Stem Cells. <i>The Open Tissue Engineering and Regenerative Medicine Journal</i> , 2012, 5, 25-34.	2.6	4
137	Polycaprolactone Electrospun Scaffolds Produce an Enrichment of Lung Cancer Stem Cells in Sensitive and Resistant EGFRm Lung Adenocarcinoma. <i>Cancers</i> , 2021, 13, 5320.	1.7	4
139	Electrospun silk nanofibers promoted the in vitro expansion potential of CD 133+ cells derived from umbilical cord blood. <i>Gene</i> , 2022, 809, 146005.	1.0	1
141	Design and characterization of an in vivo injectable hydrogel with effervescently generated porosity for regenerative medicine applications. <i>Acta Biomaterialia</i> , 2022, 140, 324-337.	4.1	25
142	Environmental bacteria engineered piezoelectric bio-organic energy harvester towards clinical applications. <i>Nano Energy</i> , 2022, 93, 106843.	8.2	12
143	Biphasic scaffolds of polyvinyl alcohol with silk fibroin for oral and maxillofacial surgery based on mimicking materials design: fabrication, characterization, properties. <i>Journal of Materials Science</i> , 2022, 57, 2131-2148.	1.7	6
144	Promoting in-vivo bone regeneration using facile engineered load-bearing 3D bioactive scaffold. <i>Biomedical Materials</i> (Bristol), 2022, 17, 034101.	1.7	3
145	Effects of the 3D Geometry Reconstruction on the Estimation of 3D Porous Scaffold Permeability. , 2021, 2021, 4403-4407.		1
146	Ultrasound induced, easy-to-store porous poly(amino acid) based electrospun scaffolds. <i>Journal of Molecular Liquids</i> , 2022, 359, 119243.	2.3	7
149	Trabecular Titanium for Orthopedic Applications: Balancing Antimicrobial with Osteoconductive Properties by Varying Silver Contents. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 41751-41763.	4.0	3
150	Manufacturing of Zinc Oxide Nanoparticle (ZnO NP)-Loaded Polyvinyl Alcohol (PVA) Nanostructured Mats Using Ginger Extract for Tissue Engineering Applications. <i>Nanomaterials</i> , 2022, 12, 3040.	1.9	9
151	In Vitro and In Vivo Biocompatible and Controlled Resveratrol Release Performances of HEMA/Alginate and HEMA/Gelatin IPN Hydrogel Scaffolds. <i>Polymers</i> , 2022, 14, 4459.	2.0	7

#	ARTICLE	IF	CITATIONS
152	The solvent chosen for the manufacturing of electrospun polycaprolactone scaffolds influences cell behavior of lung cancer cells. Scientific Reports, 2022, 12, .	1.6	0
153	Formation of PLGAâ€“PEDOT: PSS Conductive Scaffolds by Supercritical Foaming. Materials, 2023, 16, 2441.	1.3	3
158	Polymeric and biological membranes for organ-on-a-chip devices. Microsystems and Nanoengineering, 2023, 9, .	3.4	3