

CITATION REPORT

List of articles citing

Genetic structures at the origin of acquisition of the beta-lactamase bla KPC gene

DOI: 10.1128/aac.01451-07

Antimicrobial Agents and Chemotherapy, 2008, 52, 1257-63.

Source: <https://exaly.com/paper-pdf/44544622/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
420	Multiresistant Enterobacteriaceae: new threat of an old problem. 2008 , 6, 657-69		72
419	Cyclobutanone mimics of penicillins: effects of substitution on conformation and hemiketal stability. 2008 , 73, 6970-82		33
418	The KQ element, a complex genetic region conferring transferable resistance to carbapenems, aminoglycosides, and fluoroquinolones in <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 3427-9	5.9	56
417	Arrival of <i>Klebsiella pneumoniae</i> producing KPC carbapenemase in the United Kingdom. 2008 , 62, 1261-4		109
416	Do CTX-M beta-lactamases hydrolyse ertapenem?. 2008 , 62, 1155-6		20
415	In vitro activity of ME1036 versus other beta-lactams against penicillin-resistant <i>Streptococcus pneumoniae</i> serotypes exhibiting higher amoxicillin than penicillin MIC. 2008 , 62, 1156-8		4
414	Plasmid-encoded carbapenem-hydrolyzing beta-lactamase OXA-48 in an imipenem-susceptible <i>Klebsiella pneumoniae</i> strain from Belgium. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 3463-4	5.9	56
413	<i>Klebsiella pneumoniae</i> Carbapenemase, Canada. 2009 , 15, 827-9		28
412	Characterization of blaKPC-containing <i>Klebsiella pneumoniae</i> isolates detected in different institutions in the Eastern USA. 2009 , 63, 427-37		176
411	Molecular epidemiology of KPC-producing <i>Klebsiella pneumoniae</i> isolates in the United States: clonal expansion of multilocus sequence type 258. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 3365-70	5.9	421
410	Emergence of KPC-producing <i>Pseudomonas aeruginosa</i> in Trinidad and Tobago. 2009 , 47, 2670-1		53
409	Genetic organization of transposase regions surrounding blaKPC carbapenemase genes on plasmids from <i>Klebsiella</i> strains isolated in a New York City hospital. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 1998-2004	5.9	127
408	Novel genetic environment of the carbapenem-hydrolyzing beta-lactamase KPC-2 among Enterobacteriaceae in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 4333-8	5.9	153
407	Surveillance of carbapenem-resistant <i>Pseudomonas aeruginosa</i> isolates from Puerto Rican Medical Center Hospitals: dissemination of KPC and IMP-18 beta-lactamases. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 1660-4	5.9	72
406	First descriptions of blaKPC in <i>Raoultella</i> spp. (<i>R. planticola</i> and <i>R. ornithinolytica</i>): report from the SENTRY Antimicrobial Surveillance Program. 2009 , 47, 4129-30		81
405	In vitro activity of the {beta}-lactamase inhibitor NXL104 against KPC-2 carbapenemase and Enterobacteriaceae expressing KPC carbapenemases. 2009 , 64, 326-9		145
404	The spread of <i>Klebsiella pneumoniae</i> carbapenemases: a tale of strains, plasmids, and transposons. 2009 , 49, 1739-41		49

403	First report on a hyperepidemic clone of KPC-3-producing <i>Klebsiella pneumoniae</i> in Israel genetically related to a strain causing outbreaks in the United States. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 818-20	5.9	142
402	Emergence in Italy of <i>Klebsiella pneumoniae</i> sequence type 258 producing KPC-3 Carbapenemase. 2009 , 47, 3793-4		91
401	Emergence of <i>Klebsiella pneumoniae</i> ST258 with KPC-2 in Poland. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 4565-7	5.9	54
400	Detection of plasmid-mediated KPC-producing <i>Klebsiella pneumoniae</i> in Ottawa, Canada: evidence of intrahospital transmission. 2009 , 47, 1920-2		38
399	Regional dissemination of KPC-producing <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 4511-3	5.9	38
398	Phenotypic and enzymatic comparative analysis of the novel KPC variant KPC-5 and its evolutionary variants, KPC-2 and KPC-4. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 557-62	5.9	106
397	Interspecies spread of <i>Klebsiella pneumoniae</i> carbapenemase gene in a single patient. 2009 , 49, 1736-8		77
396	Carbapenemases in Enterobacteriaceae: Activity, Epidemiology, and Laboratory Detection. 2009 , 31, 55-62		28
395	Outbreak of infections due to KPC-2-producing <i>Klebsiella pneumoniae</i> in a hospital in Crete (Greece). 2009 , 58, 213-9		106
394	Emergence of clonally related <i>Klebsiella pneumoniae</i> isolates of sequence type 258 producing plasmid-mediated KPC carbapenemase in Norway and Sweden. 2009 , 63, 654-8		128
393	The real threat of <i>Klebsiella pneumoniae</i> carbapenemase-producing bacteria. 2009 , 9, 228-36		1105
392	Risk factors and clinical impact of <i>Klebsiella pneumoniae</i> carbapenemase-producing <i>K. pneumoniae</i> . 2009 , 30, 1180-5		229
391	[KPC carbapenemases: what is at stake in clinical microbiology?]. 2010 , 58, 39-45		13
390	GES extended-spectrum β -lactamases in <i>Acinetobacter baumannii</i> isolates in Belgium. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 4872-8	5.9	74
389	Detection of KPC in <i>Acinetobacter</i> spp. in Puerto Rico. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 1354-7	5.9	152
388	First outbreak of <i>Klebsiella pneumoniae</i> carbapenemase (KPC)-producing <i>K. pneumoniae</i> in Germany. 2010 , 29, 563-70		67
387	Hospital outbreak caused by <i>Klebsiella pneumoniae</i> producing KPC-2 beta-lactamase resistant to colistin. 2010 , 76, 70-3		105
386	Emergence of KPC-producing <i>Klebsiella pneumoniae</i> in Italy. 2010 , 3, 40		29

385	Characterization of antimicrobial resistance in <i>Salmonella enterica</i> food and animal isolates from Colombia: identification of a qnrB19-mediated quinolone resistance marker in two novel serovars. <i>FEMS Microbiology Letters</i> , 2010 , 313, 10-9	2.9	43
384	Transfer of carbapenem-resistant plasmid from <i>Klebsiella pneumoniae</i> ST258 to <i>Escherichia coli</i> in patient. 2010 , 16, 1014-7		103
383	Emergence of KPC-producing <i>Pseudomonas aeruginosa</i> in the United States. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3072	5.9	69
382	Plasmid pKpQIL encoding KPC-3 and TEM-1 confers carbapenem resistance in an extremely drug-resistant epidemic <i>Klebsiella pneumoniae</i> strain. 2010 , 65, 243-8		67
381	Detection of the new metallo-beta-lactamase VIM-19 along with KPC-2, CMY-2 and CTX-M-15 in <i>Klebsiella pneumoniae</i> . 2010 , 65, 1604-7		57
380	Susceptibility profiles, molecular epidemiology, and detection of KPC-producing <i>Escherichia coli</i> isolates from the New York City vicinity. 2010 , 48, 4604-7		22
379	Evaluation of a DNA microarray, the check-points ESBL/KPC array, for rapid detection of TEM, SHV, and CTX-M extended-spectrum beta-lactamases and KPC carbapenemases. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3086-92	5.9	76
378	A simple phenotypic method for the differentiation of metallo-beta-lactamases and class A KPC carbapenemases in <i>Enterobacteriaceae</i> clinical isolates. 2010 , 65, 1664-71		156
377	Clonal dissemination of <i>Klebsiella pneumoniae</i> carbapenemase KPC-3 in Long Beach, California. 2010 , 48, 623-5		15
376	In vivo acquisition of a plasmid-mediated bla(KPC-2) gene among clonal isolates of <i>Serratia marcescens</i> . 2010 , 48, 2546-9		20
375	Genetic factors associated with elevated carbapenem resistance in KPC-producing <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 4201-7	5.9	118
374	Complete nucleotide sequence of <i>Klebsiella pneumoniae</i> multidrug resistance plasmid pKP048, carrying blaKPC-2, blaDHA-1, qnrB4, and armA. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3967-9 ^{5.9}		92
373	Emergence of clonally related <i>Klebsiella pneumoniae</i> isolates of sequence type 258 producing KPC-2 carbapenemase in Belgium. 2010 , 65, 361-2		19
372	Antimicrobial susceptibility patterns of KPC-producing or CTX-M-producing <i>Enterobacteriaceae</i> . 2010 , 16, 61-5		42
371	Complete nucleotide sequence of KPC-3-encoding plasmid pKpQIL in the epidemic <i>Klebsiella pneumoniae</i> sequence type 258. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 4493-6	5.9	90
370	Carbapenem-resistant KPC-2-producing <i>Escherichia coli</i> in a Tel Aviv Medical Center, 2005 to 2008. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 2687-91	5.9	33
369	<i>Neisseria meningitidis</i> with reduced susceptibility to quinolones in Singapore. 2010 , 65, 362-4		7
368	Emergence of bla KPC-3-Tn4401a associated with a pKPN3/4-like plasmid within ST384 and ST388 <i>Klebsiella pneumoniae</i> clones in Spain. 2010 , 65, 1608-14		66

367	Worldwide diversity of <i>Klebsiella pneumoniae</i> that produce beta-lactamase blaKPC-2 gene. 2010 , 16, 1349-56	249
366	Detection of a common plasmid carrying blaKPC-2 in Enterobacteriaceae isolates from distinct cities in China. 2010 , 16, 297-301	9
365	In vivo selection of imipenem-resistant <i>Klebsiella pneumoniae</i> producing extended-spectrum beta-lactamase CTX-M-15 and plasmid-encoded DHA-1 cephalosporinase. 2010 , 35, 265-8	18
364	Emergence of <i>Klebsiella pneumoniae</i> of a novel sequence type (ST383) producing VIM-4, KPC-2 and CMY-4 β -lactamases. 2010 , 36, 573-4	26
363	Relationship between autolysis and teicoplanin activity against <i>Staphylococcus epidermidis</i> . 2010 , 36, 574-5	
362	Resistance to cephalosporins and carbapenems in Gram-negative bacterial pathogens. 2010 , 300, 371-9	302
361	Alarming β -lactamase-mediated resistance in multidrug-resistant Enterobacteriaceae. 2010 , 13, 558-64	296
360	Detection and treatment options for <i>Klebsiella pneumoniae</i> carbapenemases (KPCs): an emerging cause of multidrug-resistant infection. 2010 , 65, 1119-25	357
359	[Carbapenemases in enterobacteriaceae]. 2010 , 17 Suppl 4, S154-62	19
358	The accessory genome of <i>Pseudomonas aeruginosa</i> . 2010 , 74, 621-41	183
357	Detection of the KPC gene in <i>Escherichia coli</i> , <i>Klebsiella pneumoniae</i> , <i>Pseudomonas aeruginosa</i> , and <i>Acinetobacter baumannii</i> during a PCR-based nosocomial surveillance study in Puerto Rico. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 2968-70	5.9 72
356	Outbreak of <i>Salmonella enterica</i> serotype Infantis producing ArmA 16S RNA methylase and CTX-M-15 extended-spectrum β -lactamase in a neonatology ward in Constantine, Algeria. 2011 , 38, 135-9	29
355	KPC-2 carbapenemase-producing <i>Klebsiella pneumoniae</i> isolates from patients with Cystic Fibrosis. 2011 , 10, 140-2	14
354	The CTX-M conundrum: dissemination of plasmids and <i>Escherichia coli</i> clones. 2011 , 17, 83-97	160
353	Clinical impact and molecular basis of antimicrobial resistance in non-baumannii <i>Acinetobacter</i> . 2011 , 6, 495-511	42
352	Status report on carbapenemases: challenges and prospects. 2011 , 9, 555-70	76
351	Intercontinental spread from Israel to Colombia of a KPC-3-producing <i>Klebsiella pneumoniae</i> strain. 2011 , 17, 52-6	47
350	KPC-2 producing <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> co-infection in a catheter-related infection. 2011 , 17, 380-2	7

349	Clonal dissemination of <i>Klebsiella pneumoniae</i> ST258 harbouring KPC-2 in Argentina. 2011 , 17, 1520-4		80
348	Genetic diversity of carbapenem-hydrolysing β -lactamases in <i>Acinetobacter baumannii</i> from Romanian hospitals. 2011 , 17, 1524-8		31
347	Analysis of antibiotic resistance regions in Gram-negative bacteria. 2011 , 35, 820-55		228
346	Occurrence of KPC-2-producing <i>Klebsiella pneumoniae</i> strains in hospital wastewater. 2011 , 77, 281		52
345	Rapid detection of blaKPC carbapenemase genes by internally controlled real-time PCR assay using bactec blood culture bottles. 2011 , 49, 2480-4		25
344	Wide dissemination of <i>Pseudomonas aeruginosa</i> producing beta-lactamase blaKPC-2 gene in Colombia. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5350-3	5.9	57
343	Novel genetic environment of the plasmid-mediated KPC-3 gene detected in <i>Escherichia coli</i> and <i>Citrobacter freundii</i> isolates from China. 2011 , 30, 575-80		24
342	KPC-2-producing <i>Klebsiella pneumoniae</i> isolated from a Czech patient previously hospitalized in Greece and in vivo selection of colistin resistance. 2011 , 56, 361-5		16
341	Functional characterization of Tn4401, a Tn3-based transposon involved in blaKPC gene mobilization. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5370-3	5.9	116
340	An update of the evolving epidemic of blaKPC-2-carrying <i>Klebsiella pneumoniae</i> in Greece (2009-10). 2011 , 66, 1510-3		141
339	Plasmid comparison and molecular analysis of <i>Klebsiella pneumoniae</i> harbouring bla(KPC) from New York City and Toronto. 2011 , 66, 1273-7		40
338	CO2-dependent methicillin-resistant <i>Staphylococcus aureus</i> . 2011 , 66, 676-7		1
337	Molecular characteristics of KPC-producing Enterobacteriaceae at the early stage of their dissemination in Poland, 2008-2009. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5493-9	5.9	71
336	Dissemination and Molecular Epidemiology of KPC-Producing <i>Klebsiella pneumoniae</i> Collected in Puerto Rico Medical Center Hospitals during a 1-Year Period. 2011 , 2011, 1-8		3
335	CTX-M-93, a CTX-M variant lacking penicillin hydrolytic activity. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 1861-6	5.9	20
334	Outbreak of <i>Klebsiella pneumoniae</i> carbapenemase 2-producing <i>K. pneumoniae</i> with high qnr prevalence in a Chinese hospital. 2011 , 60, 977-982		29
333	Plasmid-mediated carbapenem-hydrolysing β -lactamase KPC-2 in a <i>Klebsiella pneumoniae</i> isolate from Switzerland. 2011 , 66, 675-6		14
332	Emergence of <i>Klebsiella pneumoniae</i> coproducing KPC-2 and 16S rRNA methylase ArmA in Poland. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 443-6	5.9	27

331	Transfer of KPC-2 Carbapenemase from <i>Klebsiella pneumoniae</i> to <i>Escherichia coli</i> in a patient: first case in Europe. 2011 , 49, 2040-2		26
330	Molecular dissection of an outbreak of carbapenem-resistant enterobacteriaceae reveals Intergenous KPC carbapenemase transmission through a promiscuous plasmid. 2011 , 2, e00204-11		134
329	Dissemination of blaKPC-2 by the spread of <i>Klebsiella pneumoniae</i> clonal complex 258 clones (ST258, ST11, ST437) and plasmids (IncFII, IncN, IncL/M) among Enterobacteriaceae species in Brazil. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 3579-83	5.9	142
328	A carbapenem-resistant <i>Klebsiella pneumoniae</i> epidemic clone in Jerusalem: sequence type 512 carrying a plasmid encoding aac(6) Φ Ib. 2012 , 67, 898-901		52
327	Detection of blaKPC-2 in a carbapenem-resistant <i>Kluyvera georgiana</i> . 2012 , 67, 2776-7		14
326	Genetic contexts of blaNDM-1. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 6065-7; author reply 6071	5.9	47
325	Carbapenem-resistant Gram-negative bacilli in Canada 2009-10: results from the Canadian Nosocomial Infection Surveillance Program (CNISP). 2012 , 67, 1359-67		72
324	Genetic characteristics of one highly multi-drug-resistant strain of <i>Klebsiella ozaenae</i> . 2012 , 61, 1303-1305		5
323	Molecular characterization of newly emerged blaKPC-2-producing <i>Klebsiella pneumoniae</i> in Singapore. 2012 , 50, 475-6		42
322	Partial excision of blaKPC from Tn4401 in carbapenem-resistant <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 1635-8	5.9	29
321	Environmental KPC-producing <i>Escherichia coli</i> isolates in Portugal. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 1662-3	5.9	49
320	Role of ISKpn7 and deletions in blaKPC gene expression. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 4753-9	5.9	90
319	Emergence of resistance to fosfomycin used as adjunct therapy in KPC <i>Klebsiella pneumoniae</i> bacteraemia: report of three cases. 2012 , 67, 2777-9		55
318	Origin and evolution of antibiotic resistance: the common mechanisms of emergence and spread in water bodies. <i>Frontiers in Microbiology</i> , 2012 , 3, 18	5.7	222
317	<i>Klebsiella pneumoniae</i> carbapenemase (KPC)-producing <i>Klebsiella pneumoniae</i> : a review of epidemiological and clinical aspects. 2012 , 12, 663-71		32
316	Characterization of a novel <i>Klebsiella pneumoniae</i> sequence type 476 carrying both bla KPC-2 and bla IMP-4. 2012 , 31, 1867-72		23
315	Rapid evolution and spread of carbapenemases among Enterobacteriaceae in Europe. 2012 , 18, 413-31		599
314	Carbapenemases in <i>Klebsiella pneumoniae</i> and other Enterobacteriaceae: an evolving crisis of global dimensions. 2012 , 25, 682-707		777

313	Detection of <i>P. aeruginosa</i> harboring bla CTX-M-2, bla GES-1 and bla GES-5, bla IMP-1 and bla SPM-1 causing infections in Brazilian tertiary-care hospital. 2012 , 12, 176	58
312	Bloodstream infections caused by carbapenemase-producing <i>Klebsiella pneumoniae</i> : a clinical perspective. 2012 , 10, 1393-404	44
311	Emergence of <i>Escherichia coli</i> sequence type 410 (ST410) with KPC-2 β -lactamase. 2012 , 39, 247-50	42
310	Nosocomial outbreak of <i>Klebsiella pneumoniae</i> harbouring bla(KPC-3) in France subsequent to a patient transfer from Italy. 2012 , 39, 448-9	12
309	Isolation of methicillin-resistant <i>Staphylococcus aureus</i> sequence type 9 in pigs in Taiwan. 2012 , 39, 449-51	8
308	First clonal spread of KPC-producing <i>Pseudomonas aeruginosa</i> in Buenos Aires, Argentina. 2012 , 12, 2003-5	7
307	The role of international travel in the worldwide spread of multiresistant Enterobacteriaceae. 2012 , 67, 2090-100	189
306	Extraintestinal pathogenic <i>Escherichia coli</i> : an update on antimicrobial resistance, laboratory diagnosis and treatment. 2012 , 10, 1165-76	93
305	First Canadian outbreak of Enterobacteriaceae-expressing <i>Klebsiella pneumoniae</i> carbapenemase type 3. 2012 , 23, 117-20	14
304	Overview of the epidemiology and the threat of <i>Klebsiella pneumoniae</i> carbapenemases (KPC) resistance. 2012 , 5, 133-41	50
303	Multidrug resistance genes, including bla(KPC) and bla(CTX)-M-2, among <i>Klebsiella pneumoniae</i> isolated in Recife, Brazil. 2012 , 45, 572-8	37
302	Inter-hospital outbreak of <i>Klebsiella pneumoniae</i> producing KPC-2 carbapenemase in Ireland. 2012 , 67, 2367-72	25
301	Rapid detection of <i>Klebsiella pneumoniae</i> carbapenemase genes in enterobacteriaceae directly from blood culture bottles by real-time PCR. 2012 , 137, 627-32	19
300	"Silent" dissemination of <i>Klebsiella pneumoniae</i> isolates bearing K. pneumoniae carbapenemase in a long-term care facility for children and young adults in Northeast Ohio. 2012 , 54, 1314-21	65
299	Identification of bla KPC-2 on different plasmids of three <i>Morganella morganii</i> isolates. 2012 , 31, 797-803	10
298	Hyperendemic clone of KPC producing <i>Klebsiella pneumoniae</i> ST 258 in Buenos Aires hospitals. 2012 , 12, 499-501	8
297	In vivo transmission of a plasmid containing the KPC-2 gene in a single patient. 2013 , 1, 35-38	0
296	Emergence of <i>Pseudomonas aeruginosa</i> with KPC-type carbapenemase in a teaching hospital: an 8-year study. 2013 , 62, 1565-1570	9

295	Emergence of bla-Tn4401a in <i>Klebsiella pneumoniae</i> ST512 in the municipal wastewater treatment plant and in the university hospital of a town in central Italy. 2013 , 1, 217-220		14
294	Complete nucleotide sequence of a blaKPC-harboring IncI2 plasmid and its dissemination in New Jersey and New York hospitals. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 5019-25	5.9	68
293	The establishment of a duplex real-time PCR assay for rapid and simultaneous detection of blaNDM and blaKPC genes in bacteria. 2013 , 12, 30		16
292	Characterization of carbapenemases, extended spectrum β -lactamases and molecular epidemiology of carbapenem-non-susceptible <i>Enterobacter cloacae</i> in a Chinese hospital in Chongqing. 2013 , 14, 1-7		37
291	Carbapenemases: a worldwide threat. 2013 , 11, 643-4		1
290	Promoter deletions of <i>Klebsiella pneumoniae</i> carbapenemase (KPC)-encoding genes (blaKPC-2) and efflux pump (AcrAB) on β -lactam susceptibility in KPC-producing Enterobacteriaceae. <i>FEMS Microbiology Letters</i> , 2013 , 348, 120-6	2.9	7
289	Enterobacteriaceae that produce newer β -lactamases. 2013 , 56-69		
288	Complete nucleotide sequence of the first KPC-2- and SHV-12-encoding IncX plasmid, pKpS90, from <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 618-20	5.9	34
287	Update of the molecular epidemiology of KPC-2-producing <i>Klebsiella pneumoniae</i> in Brazil: spread of clonal complex 11 (ST11, ST437 and ST340). 2013 , 68, 312-6		95
286	Carbapenem-resistant <i>Klebsiella pneumoniae</i> harbouring blaKPC-3 and blaVIM-2 from central Italy. 2013 , 75, 218-21		20
285	The route of antimicrobial resistance from the hospital effluent to the environment: focus on the occurrence of KPC-producing <i>Aeromonas</i> spp. and Enterobacteriaceae in sewage. 2013 , 76, 80-5		114
284	Carbapenemase-producing Enterobacteriaceae: now that the storm is finally here, how will timely detection help us fight back?. 2013 , 8, 27-39		44
283	A nosocomial outbreak of KPC-2-producing <i>Klebsiella pneumoniae</i> in a Chinese hospital: dissemination of ST11 and emergence of ST37, ST392 and ST395. 2013 , 19, E509-15		85
282	Extended spectrum β -lactamases, carbapenemases and mobile genetic elements responsible for antibiotics resistance in Gram-negative bacteria. 2013 , 39, 113-22		54
281	Dissemination of the KPC-2 carbapenemase in non- <i>Klebsiella pneumoniae</i> enterobacterial isolates from Colombia. 2013 , 42, 59-62		17
280	Complete sequence of two KPC-harboring plasmids from <i>Pseudomonas aeruginosa</i> . 2013 , 68, 1757-62		45
279	Clinical significance of infections caused by plasmid-mediated AmpC β -lactamases and extended-spectrum β -lactamase-producing <i>Escherichia coli</i> . 2013 , 41, 287-91		4
278	β -lactamase-mediated Resistance: A Biochemical, Epidemiological and Genetic Overview. 2013 , 19, 164-208		52

277	BLIP-II is a highly potent inhibitor of <i>Klebsiella pneumoniae</i> carbapenemase (KPC-2). <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 3398-401	5.9	9
276	First outbreak of KPC-2-producing <i>Klebsiella pneumoniae</i> sequence type 258 in a hospital in South Korea. 2013 , 51, 3877-9		27
275	KPC-4 Is encoded within a truncated Tn4401 in an IncL/M plasmid, pNE1280, isolated from <i>Enterobacter cloacae</i> and <i>Serratia marcescens</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 37-41	5.9	45
274	Polyclonal outbreak of KPC-3-producing <i>Enterobacter cloacae</i> at a single hospital in Montreal, Quebec, Canada. 2013 , 51, 2406-8		18
273	Modified Hodge test versus indirect carbapenemase test: prospective evaluation of a phenotypic assay for detection of <i>Klebsiella pneumoniae</i> carbapenemase (KPC) in <i>Enterobacteriaceae</i> . 2013 , 51, 1291-3		36
272	Complete sequence of a bla(KPC-2)-harboring IncFII(K1) plasmid from a <i>Klebsiella pneumoniae</i> sequence type 258 strain. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 1542-5	5.9	46
271	"Stormy waters ahead": global emergence of carbapenemases. <i>Frontiers in Microbiology</i> , 2013 , 4, 48	5.7	280
270	Epidemiology and molecular characterization of bacteremia due to carbapenem-resistant <i>Klebsiella pneumoniae</i> in transplant recipients. 2013 , 13, 2619-33		88
269	Complete nucleotide sequences of blaKPC-4- and blaKPC-5-harboring IncN and IncX plasmids from <i>Klebsiella pneumoniae</i> strains isolated in New Jersey. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 269-76	5.9	68
268	Rapid expansion of KPC-2-producing <i>Klebsiella pneumoniae</i> isolates in two Texas hospitals due to clonal spread of ST258 and ST307 lineages. 2013 , 19, 295-7		45
267	Antibiotic resistance shaping multi-level population biology of bacteria. <i>Frontiers in Microbiology</i> , 2013 , 4, 15	5.7	118
266	Prevalencia de bacterias Gram negativas portadoras del gen blaKPC en hospitales de Colombia. 2013 , 34, 81		5
265	Virulence of <i>Klebsiella pneumoniae</i> isolates harboring bla KPC-2 carbapenemase gene in a <i>Caenorhabditis elegans</i> model. 2013 , 8, e67847		27
264	[Surveillance of carbapenem-resistant enterobacteria in stool cultures in a university hospital in Santiago, Chile]. 2013 , 30, 103-6		2
263	Epidemiology of carbapenemase-producing <i>Enterobacteriaceae</i> and <i>Acinetobacter baumannii</i> in Mediterranean countries. 2014 , 2014, 305784		99
262	Tn4401 carrying blaKPC is inserted within another insertion in pKpQIL and related plasmids. 2014 , 52, 4448-9		15
261	Complete Genome Sequence of a <i>Klebsiella pneumoniae</i> Isolate with Chromosomally Encoded Carbapenem Resistance and Colibactin Synthesis Loci. 2014 , 2,		9
260	In vivo multiclonal transfer of bla(KPC-3) from <i>Klebsiella pneumoniae</i> to <i>Escherichia coli</i> in surgery patients. 2014 , 20, O633-5		35

259	Carbapenem-resistant <i>Enterobacter cloacae</i> isolates producing KPC-3, North Dakota, USA. 2014 , 20, 1583-5		22
258	Population structure of KPC-producing <i>Klebsiella pneumoniae</i> isolates from midwestern U.S. hospitals. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 4961-5	5.9	61
257	Emergence of KPC-producing <i>Klebsiella pneumoniae</i> in Uruguay: infection control and molecular characterization. 2014 , 2, 58-63		18
256	Carbapenem Resistance in Non-Fermentative Bacterial Species and in Enterobacteriaceae Isolates from Hospitalized Patients in Different Health-Care Settings. 2014 , 87, 235-41		
255	Mix and match of KPC-2 encoding plasmids in Enterobacteriaceae-comparative genomics. 2014 , 79, 255-60		28
254	Comparative analysis of the complete genome of KPC-2-producing <i>Klebsiella pneumoniae</i> Kp13 reveals remarkable genome plasticity and a wide repertoire of virulence and resistance mechanisms. 2014 , 15, 54		83
253	Microbiological and Genetic Characterization of Carbapenem-Resistant <i>Klebsiella pneumoniae</i> Isolated From Pediatric Patients. 2014 , 3, e10-4		13
252	Molecular dissection of the evolution of carbapenem-resistant multilocus sequence type 258 <i>Klebsiella pneumoniae</i> . 2014 , 111, 4988-93		230
251	Characterization of KPC-2-producing <i>Escherichia coli</i> , <i>Citrobacter freundii</i> , <i>Enterobacter cloacae</i> , <i>Enterobacter aerogenes</i> , and <i>Klebsiella oxytoca</i> isolates from a Chinese Hospital. 2014 , 20, 264-9		18
250	First report of KPC-2 Carbapenemase-producing <i>Klebsiella pneumoniae</i> in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2961-3	5.9	21
249	Characterization of the blaKPC-2 and blaKPC-3 genes and the novel blaKPC-15 gene in <i>Klebsiella pneumoniae</i> . 2014 , 63, 981-987		8
248	Expansion and evolution of a virulent, extensively drug-resistant (polymyxin B-resistant), QnrS1-, CTX-M-2-, and KPC-2-producing <i>Klebsiella pneumoniae</i> ST11 international high-risk clone. 2014 , 52, 2530-5		83
247	In memoriam: John P. Quinn, MD. 2014 , 58, 748-50		
246	Virulence and transferability of resistance determinants in a novel <i>Klebsiella pneumoniae</i> sequence type 1137 in China. 2014 , 20, 150-5		20
245	ISEcp1-mediated transposition of blaKPC into the chromosome of a clinical isolate of <i>Acinetobacter baumannii</i> from Puerto Rico. 2014 , 63, 1644-1648		19
244	Antibiotic-resistant gram-negative bacterial infections in patients with cancer. 2014 , 59 Suppl 5, S335-9		70
243	Complete nucleotide sequences of two blaKPC-2-bearing IncN Plasmids isolated from sequence type 442 <i>Klebsiella pneumoniae</i> clinical strains four years apart. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2958-60	5.9	15
242	Identification of the first imported KPC-3 <i>Klebsiella pneumoniae</i> from the USA to Taiwan. 2014 , 44, 431-5		7

241	Integron-borne transmission of VEB-1 extended-spectrum β -lactamase in <i>Pseudomonas aeruginosa</i> in a tertiary care hospital in India. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 6966-9	5.9	7
240	Epidemic <i>Klebsiella pneumoniae</i> ST258 is a hybrid strain. 2014 , 5, e01355-14		141
239	First isolate of KPC-2-producing <i>Klebsiella pneumoniae</i> sequence type 23 from the Americas. 2014 , 52, 3483-5		36
238	Carbapenemase-producing <i>Klebsiella pneumoniae</i> : molecular and genetic decoding. 2014 , 22, 686-96		281
237	Emergence of a multiresistant KPC-3 and VIM-1 carbapenemase-producing <i>Escherichia coli</i> strain in Spain. 2014 , 69, 1792-5		29
236	Complete sequence of a KPC-producing IncN multidrug-resistant plasmid from an epidemic <i>Escherichia coli</i> sequence type 131 strain in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2422-5	5.9	53
235	KPC-3 carbapenemase harbored in FIIK plasmid from <i>Klebsiella pneumoniae</i> ST512 and <i>Escherichia coli</i> ST43 in the same patient. 2014 , 20, 377-82		9
234	Characterization of carbapenem-resistant <i>Acinetobacter baumannii</i> in Brazil (2008-2011): countrywide spread of OXA-23-producing clones (CC15 and CC79). 2014 , 79, 468-72		56
233	Molecular survey of the dissemination of two blaKPC-harboring IncFIA plasmids in New Jersey and New York hospitals. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2289-94	5.9	49
232	Carbapenemase-producing <i>Klebsiella pneumoniae</i> . 2014 , 6, 80		18
231	The Tn3-family of Replicative Transposons. 2015 , 3,		53
230	Molecular characterization of multidrug-resistant <i>Klebsiella pneumoniae</i> isolates. 2015 , 46, 759-68		26
229	[Molecular characterization of an outbreak of carbapenem-resistant <i>Klebsiella pneumoniae</i> in a tertiary care hospital in Medellín, Colombia]. 2015 , 35, 496-504		7
228	The Tn3-family of Replicative Transposons. 2015 , 693-726		8
227	Complete sequences of KPC-2-encoding plasmid p628-KPC and CTX-M-55-encoding p628-CTXM coexisted in <i>Klebsiella pneumoniae</i> . <i>Frontiers in Microbiology</i> , 2015 , 6, 838	5.7	41
226	Natural Variants of the KPC-2 Carbapenemase have Evolved Increased Catalytic Efficiency for Ceftazidime Hydrolysis at the Cost of Enzyme Stability. 2015 , 11, e1004949		63
225	In vivo horizontal dissemination of the bla gene carried on diverse genetic platforms among clinical isolates of Enterobacteriaceae. 2015 , 3, 210-213		5
224	An outbreak of infections caused by extensively drug-resistant <i>Klebsiella pneumoniae</i> strains during a short period of time in a Chinese teaching hospital: epidemiology study and molecular characteristics. 2015 , 82, 240-4		20

223	Insertion Sequence IS26 Reorganizes Plasmids in Clinically Isolated Multidrug-Resistant Bacteria by Replicative Transposition. 2015 , 6, e00762		177
222	Evaluation of antimicrobial combinations against colistin-resistant carbapenemase (KPC)-producing <i>Klebsiella pneumoniae</i> . 2015 , 27, 348-52		2
221	Molecular epidemiology of <i>Klebsiella pneumoniae</i> carbapenemase-producing Enterobacteriaceae in different facilities in Southern Brazil. 2015 , 43, 137-40		9
220	Emergence of blaKPC carbapenemase genes in Australia. 2015 , 45, 130-6		38
219	Dissemination of high-risk clones of extensively drug-resistant <i>Pseudomonas aeruginosa</i> in colombia. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2421-5	5.9	42
218	<i>Klebsiella pneumoniae</i> carbapenemase (KPC)-producing <i>K. pneumoniae</i> at a single institution: insights into endemicity from whole-genome sequencing. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1656-63	5.9	107
217	pKBS13, a KPC-2-encoding plasmid from <i>Klebsiella pneumoniae</i> sequence type 833, carrying Tn4401b inserted into an Xer site-specific recombination locus. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5226-31	5.9	9
216	Emergence and spread of KPC-2-producing <i>Pseudomonas aeruginosa</i> isolates in a Brazilian teaching hospital. 2015 , 3, 304-306		11
215	Carbapenemase-Producing <i>Klebsiella pneumoniae</i> , a Key Pathogen Set for Global Nosocomial Dominance. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5873-84	5.9	441
214	Population Structure of <i>Klebsiella pneumoniae</i> Causing Bloodstream Infections at a New York City Tertiary Care Hospital: Diversification of Multidrug-Resistant Isolates. 2015 , 53, 2060-7		49
213	Emerging broad-spectrum resistance in <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> : Mechanisms and epidemiology. 2015 , 45, 568-85		430
212	First report of a clinical, multidrug-resistant Enterobacteriaceae isolate coharboring fosfomycin resistance gene fosA3 and carbapenemase gene blaKPC-2 on the same transposon, Tn1721. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 338-43	5.9	31
211	The role of epidemic resistance plasmids and international high-risk clones in the spread of multidrug-resistant Enterobacteriaceae. 2015 , 28, 565-91		449
210	Molecular epidemiology of KPC-2-producing Enterobacteriaceae (non- <i>Klebsiella pneumoniae</i>) isolated from Brazil. 2015 , 82, 326-30		24
209	Carbapenemase-producing Gram-negative bacteria: current epidemics, antimicrobial susceptibility and treatment options. 2015 , 10, 407-25		72
208	Impact of carbapenem resistance on epidemiology and outcomes of nonbacteremic <i>Klebsiella pneumoniae</i> infections. 2015 , 43, 1076-80		13
207	Outbreak of KPC-3 Producing Carbapenem-Resistant <i>Klebsiella pneumoniae</i> in a US Pediatric Hospital. 2015 , 4, 330-8		24
206	Identification and characterization of genetic structures coding for carbapenemases in Enterobacteria from Central Greece. 2015 , 81, 47-9		1

205	Increasing resistance rate to carbapenem among blood culture isolates of <i>Klebsiella pneumoniae</i> , <i>Acinetobacter baumannii</i> and <i>Pseudomonas aeruginosa</i> in a university-affiliated hospital in China, 2004-2011. 2015 , 68, 115-20		19
204	Detection of KPC Carbapenemase in Isolated From Clinical Samples Using Modified Hodge Test and Boronic Acid Phenotypic Methods and Their Comparison With the Polymerase Chain Reaction. 2016 , 9, e27249		7
203	[Clonal relationship and detection of blaKPC gene in strains of <i>Klebsiella pneumoniae</i> resistant to carbapenems, at a hospital in Venezuela]. 2016 , 33, 524-530		1
202	Structural and Functional Aspects of Class A Carbapenemases. 2016 , 17, 1006-28		71
201	Global Dissemination of Carbapenemase-Producing <i>Klebsiella pneumoniae</i> : Epidemiology, Genetic Context, Treatment Options, and Detection Methods. <i>Frontiers in Microbiology</i> , 2016 , 7, 895	5-7	357
200	Genome Sequencing of Four Multidrug-Resistant Isolates from Hospitalized Patients in Brazil. <i>Frontiers in Microbiology</i> , 2016 , 7, 1649	5-7	7
199	Carbapenem-Resistant, Gram-Negative Bacilli. 2016 , 93-119		0
198	Detection of antimicrobial resistance genes in betalactamase- and carbapenemase-producing <i>Klebsiella pneumoniae</i> by patient surveillance cultures at an intensive care unit in Rio de Janeiro, Brazil. 2016 , 52, 284-292		5
197	An Outbreak of Infections Caused by a <i>Klebsiella pneumoniae</i> ST11 Clone Coproducing <i>Klebsiella pneumoniae</i> Carbapenemase-2 and RmtB in a Chinese Teaching Hospital. 2016 , 129, 2033-9		27
196	The Rasputin Effect: When Commensals and Symbionts Become Parasitic. 2016 ,		6
195	Characterization of the genetic environment of the blaKPC-2 gene among <i>Klebsiella pneumoniae</i> isolates from a Chinese Hospital. 2016 , 20, 384-8		27
194	Detection of Carbapenemase Genes in Aquatic Environments in Rio de Janeiro, Brazil. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 4380-3	5-9	30
193	Tackling antimicrobial resistance in lower urinary tract infections: treatment options. 2016 , 14, 621-32		12
192	Emergence of carbapenemase-producing urinary isolates at a tertiary care hospital in Dhaka, Bangladesh. 2016 , 28, 94-98		15
191	Results from the Canadian Nosocomial Infection Surveillance Program on Carbapenemase-Producing Enterobacteriaceae, 2010 to 2014. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6787-6794	5-9	43
190	The spread of KPC-producing Enterobacteriaceae in Spain: WGS analysis of the emerging high-risk clones of <i>Klebsiella pneumoniae</i> ST11/KPC-2, ST101/KPC-2 and ST512/KPC-3. 2016 , 71, 3392-3399		50
189	A cluster of KPC-2 and VIM-2-producing <i>Klebsiella pneumoniae</i> ST833 isolates from the pediatric service of a Venezuelan Hospital. 2016 , 16, 595		16
188	Nested Russian Doll-Like Genetic Mobility Drives Rapid Dissemination of the Carbapenem Resistance Gene blaKPC. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3767-78	5-9	166

187	Horizontal Transfer of Carbapenemase-Encoding Plasmids and Comparison with Hospital Epidemiology Data. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 4910-9	5.9	45
186	Characterization of KPC-encoding plasmids from two endemic settings, Greece and Italy. 2016 , 71, 2824-30		29
185	Molecular dissection of blaKPC-2-bearing plasmids evolving in Klebsiella pneumoniae isolated at one teaching hospital in Shanghai, China. <i>FEMS Microbiology Letters</i> , 2016 , 363,	2.9	2
184	Chromobacterium spp. harbour Ambler class A β -lactamases showing high identity with KPC. 2016 , 71, 1493-6		15
183	Molecular typing and genetic environment of the blaKPC gene in Chilean isolates of Klebsiella pneumoniae. 2016 , 4, 28-34		16
182	Escherichia coli: an old friend with new tidings. 2016 , 40, 437-463		132
181	Klebsiella pneumoniae Isolate from a New York City Hospital Belonging to Sequence Type 258 and Carrying blaKPC-2 and blaVIM-4. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 1924-7	5.9	11
180	KPC-Like Carbapenemase-Producing Enterobacteriaceae Colonizing Patients in Europe and Israel. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 60, 1912-7	5.9	31
179	Double Copies of bla(KPC-3)::Tn4401a on an IncX3 Plasmid in Klebsiella pneumoniae Successful Clone ST512 from Italy. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 646-9	5.9	21
178	Selection of KPC-2-producing Providencia stuartii during treatment for septicemia. 2016 , 84, 95-96		6
177	Diversity of the Genetic Environment of the blaKPC-2 Gene Among Klebsiella pneumoniae Clinical Isolates in a Chinese Hospital. 2016 , 22, 15-21		15
176	Outbreak of KPC-2-producing Enterobacteriaceae caused by clonal dissemination of Klebsiella pneumoniae ST307 carrying an IncX3-type plasmid harboring a truncated Tn4401a. 2017 , 87, 343-348		35
175	Discharge of KPC-2 genes from the WWTPs contributed to their enriched abundance in the receiving river. 2017 , 581-582, 136-143		34
174	KPC-3-producing ST167 Escherichia coli from mussels bought at a retail market in Tunisia. 2017 , 72, 2403-2404		16
173	Emergence and Evolution of Multidrug-Resistant Klebsiella pneumoniae with both and Integrated in the Chromosome. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	35
172	Circulation of -Carrying IncX3 Plasmids among Citrobacter freundii Isolates in an Italian Hospital. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	13
171	Frequent Tn Misannotation in the Genetic Background of. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	2
170	Promoter characterization and expression of the blaKPC-2 gene in Escherichia coli, Pseudomonas aeruginosa and Acinetobacter baumannii. 2017 , 72, 1597-1601		5

169	Molecular characterization of KPC-producing <i>Klebsiella pneumoniae</i> isolated from patients in a Public Hospital in Caracas, Venezuela. 2017 , 35, 411-416		3
168	Multiregional dissemination of KPC-producing <i>Klebsiella pneumoniae</i> ST258/ST512 genotypes in Poland, 2010-14. 2017 , 72, 1610-1616		17
167	Enhanced <i>Klebsiella pneumoniae</i> Carbapenemase Expression from a Novel Tn Deletion. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	38
166	The emergence of carbapenem resistant in Malaysia: correlation between microbiological trends with host characteristics and clinical factors. 2017 , 6, 5		23
165	Chromosomal Integration of the <i>Klebsiella pneumoniae</i> Carbapenemase Gene, , in <i>Klebsiella</i> Species Is Elusive but Not Rare. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	31
164	Co-occurrence of mcr-1 and blaKPC-2 in a clinical isolate of <i>Escherichia coli</i> in Brazil. 2017 , 72, 2404-2406		23
163	Molecular Characterization of Carbapenemase-Producing <i>Pseudomonas aeruginosa</i> of Czech Origin and Evidence for Clonal Spread of Extensively Resistant Sequence Type 357 Expressing IMP-7 Metallo- β -Lactamase. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	27
162	Covert dissemination of carbapenemase-producing <i>Klebsiella pneumoniae</i> (KPC) in a successfully controlled outbreak: long- and short-read whole-genome sequencing demonstrate multiple genetic modes of transmission. 2017 , 72, 3025-3034		48
161	Translocation of Carbapenemase Gene both Internal and External to Transposons Occurs via Novel Structures of Tn and Exhibits Distinct Movement Patterns. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	15
160	Occurrence of bla mediated cephalosporin resistance in <i>Escherichia coli</i> and their transcriptional response against cephalosporin stress: a report from India. 2017 , 16, 13		10
159	IncX3 plasmid harboring a non-Tn4401 genetic element (NTE) in a hospital-associated clone of KPC-2-producing <i>Klebsiella pneumoniae</i> ST340/CG258. 2017 , 89, 164-167		16
158	Molecular Characterization of OXA-48-Like-Producing Enterobacteriaceae in the Czech Republic and Evidence for Horizontal Transfer of pOXA-48-Like Plasmids. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	47
157	Non-molecular detection of carbapenemases in Enterobacteriaceae clinical isolates. 2017 , 23, 1-11		37
156	First Description of KPC-2-Producing <i>Escherichia coli</i> and ST15 OXA-48-Positive <i>Klebsiella pneumoniae</i> in Tunisia. 2017 , 23, 365-375		31
155	Characterization of CTX-M enzymes, quinolone resistance determinants, and antimicrobial residues from hospital sewage, wastewater treatment plant, and river water. 2017 , 136, 62-69		62
154	Low biological cost of carbapenemase-encoding plasmids following transfer from <i>Klebsiella pneumoniae</i> to <i>Escherichia coli</i> . 2017 , 72, 85-89		27
153	Evaluation of enteromicroflora of common crane (<i>Grus grus</i>) as a potential reservoir of bacterial antimicrobial resistance. 2017 , 72, 1098-1100		3
152	Factors associated with acquisition of carbapenem-resistant Enterobacteriaceae. 2017 , 25, e2935		4

151	[KPC: Klebsiella pneumoniae carbapenemase, main carbapenemase in Enterobacteriaceae]. 2017 , 34, 476-484		5
150	Anti-Restriction Protein, KlcA, Promotes Dissemination of Carbapenem Resistance. 2017 , 7, 150		14
149	Extensively Drug-Resistant Causing Nosocomial Bloodstream Infections in China: Molecular Investigation of Antibiotic Resistance Determinants, Informing Therapy, and Clinical Outcomes. <i>Frontiers in Microbiology</i> , 2017 , 8, 1230	5.7	35
148	Molecular and epidemiological characterization of carbapenemase-producing Enterobacteriaceae in Norway, 2007 to 2014. 2017 , 12, e0187832		38
147	Infection prevention and control measures and tools for the prevention of entry of carbapenem-resistant into healthcare settings: guidance from the European Centre for Disease Prevention and Control. 2017 , 6, 113		121
146	Clinically Relevant Plasmid-Host Interactions Indicate that Transcriptional and Not Genomic Modifications Ameliorate Fitness Costs of Carbapenemase-Carrying Plasmids. 2018 , 9,		35
145	Molecular characterisation of carbapenem-resistant Enterobacter cloacae complex in Colombia: bla and the changing landscape 2018 , 13, 184-189		4
144	Characterization of KPC-Encoding Plasmids from Enterobacteriaceae Isolated in a Czech Hospital. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	12
143	Occurrence of bla on an IncI1 plasmid in multidrug-resistant Escherichia coli from a tertiary referral hospital in India. 2018 , 14, 78-82		9
142	Antibody-Mediated Killing of Carbapenem-Resistant ST258 by Human Neutrophils. 2018 , 9,		25
141	Pharmacological aspects and spectrum of action of ceftazidime-avibactam: a systematic review. 2018 , 46, 165-181		26
140	Extended-spectrum β -lactamase-producing and carbapenemase-producing Enterobacteriaceae. 2018 , 4,		21
139	TETyper: a bioinformatic pipeline for classifying variation and genetic contexts of transposable elements from short-read whole-genome sequencing data. 2018 , 4,		14
138	Carbapenem-Resistant Enterobacteriaceae Infections: Taiwan Aspects. <i>Frontiers in Microbiology</i> , 2018 , 9, 2888	5.7	26
137	CG258 Klebsiella pneumoniae isolates without β -lactam resistance at the onset of the carbapenem-resistant Enterobacteriaceae epidemic in New York City. 2019 , 74, 17-21		3
136	Escherichia coli, a Versatile Pathogen. 2018 ,		2
135	Extensively Drug-Resistant Escherichia coli Sequence Type 1642 Carrying an IncX3 Plasmid Containing the blaKPC-2 Gene Associated with Transposon Tn4401a. 2018 , 38, 17-22		9
134	Further Spread of a -Harboring Untypeable Plasmid in in China. <i>Frontiers in Microbiology</i> , 2018 , 9, 1938	5.7	12

133	Detection of carbapenemases with a newly developed commercial assay using Matrix Assisted Laser Desorption Ionization-Time of Flight. 2018 , 146, 37-39		16
132	Mobile Genetic Elements Associated with Antimicrobial Resistance. 2018 , 31,		642
131	Characterization of NDM-Encoding Plasmids From Recovered From Czech Hospitals. <i>Frontiers in Microbiology</i> , 2018 , 9, 1549	5.7	38
130	GET_PHYLOMARKERS, a Software Package to Select Optimal Orthologous Clusters for Phylogenomics and Inferring Pan-Genome Phylogenies, Used for a Critical Geno-Taxonomic Revision of the Genus. <i>Frontiers in Microbiology</i> , 2018 , 9, 771	5.7	57
129	Diversity among bla-containing plasmids in Escherichia coli and other bacterial species isolated from the same patients. 2018 , 8, 10291		19
128	Molecular characterization of KPC-2-positive isolates from a neurosurgical centre in Argentina. 2018 , 24, 32-34		1
127	Current Trends in Antimicrobial Resistance of Escherichia coli. 2018 , 416, 181-211		28
126	Can octapeptin antibiotics combat extensively drug-resistant (XDR) bacteria?. 2018 , 16, 485-499		11
125	Antimicrobial Resistance. 2019 ,		1
124	Hypervirulence and carbapenem resistance: two distinct evolutionary directions that led high-risk clones to epidemic success. 2019 , 19, 825-837		14
123	Distribution and molecular characterization of beta-lactamases in Gram-negative bacteria in Colombia, 2001-2016. 2019 , 39, 199-220		7
122	Klebsiella pneumoniae and Klebsiella quasipneumoniae define the population structure of blaKPC-2Klebsiella: a 5 year retrospective genomic study in Singapore. 2019 , 74, 3205-3210		14
121	Changing epidemiology of KPC-producing Klebsiella pneumoniae in Argentina: Emergence of hypermucoviscous ST25 and high-risk clone ST307. 2019 , 18, 238-242		29
120	Pandemic spread of bla among Klebsiella pneumoniae ST11 in China is associated with horizontal transfer mediated by IncFII-like plasmids. 2019 , 54, 117-124		40
119	Comparative Analysis of Expression in Tn Transposons and the Tn-Tn Chimera. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	7
118	Novel patterns in the molecular epidemiology of KPC-producing Klebsiella pneumoniae in Tucumán, Argentina. 2019 , 19, 183-187		7
117	MALDI-TOF MS based procedure to detect KPC-2 directly from positive blood culture bottles and colonies. 2019 , 159, 120-127		18
116	Carbapenem-Resistant : Microbiology Key Points for Clinical Practice. 2019 , 12, 437-446		20

115	First Report of Whole-Genome Sequence of Colistin-Resistant subsp. Producing KPC-9 in India. 2019 , 25, 489-493		4
114	Occurrence of diverse aminoglycoside modifying enzymes with co-existing extended-spectrum- β -lactamases within Enterobacteriaceae isolated in India. 2020 , 21, 369-374		0
113	Population Structure of KPC-2-Producing Isolated from Surveillance Rectal Swabs in Brazil. 2020 , 26, 652-660		3
112	Plasmid diversity among genetically related <i>Klebsiella pneumoniae</i> bla and bla isolates collected in the Dutch national surveillance. 2020 , 10, 16778		12
111	Molecular Epidemiology of Carbapenemases in from Humans, Animals, Food and the Environment. 2020 , 9,		18
110	Frequency and diversity of <i>Stenotrophomonas</i> spp. carrying bla in recreational coastal waters. 2020 , 185, 116210		4
109	A Nosocomial Respiratory Infection Outbreak of Carbapenem-Resistant ST131 With Multiple Transmissible Carrying Plasmids. <i>Frontiers in Microbiology</i> , 2020 , 11, 2068	5.7	5
108	Antimicrobial resistance in <i>Aeromonas</i> species isolated from aquatic environments in Brazil. 2021 , 131, 169-181		2
107	Amino Acid Replacement at Position 228 Induces Fluctuation in the Loop of KPC-3 and Reduces the Affinity against Oxymino Cephalosporins: Kinetic and Molecular Dynamics Studies. 2020 , 10, 1474		0
106	The Hydric Environment: A Hub for Clinically Relevant Carbapenemase Encoding Genes. 2020 , 9,		3
105	The efficacy of mesenchymal stem cell therapy in experimental sepsis induced by carbapenem-resistant <i>K. pneumoniae</i> in neutropenic mice model. 2020 , 39, 1739-1744		2
104	Genomic Epidemiology of Complex, Multispecies, Plasmid-Borne Carbapenemase in in the United Kingdom from 2009 to 2014. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	9
103	Carbapenemases: Transforming into a Yet More Dangerous Menace. 2020 , 10,		49
102	Concomitant carriage of KPC-producing and non-KPC-producing <i>Klebsiella pneumoniae</i> ST512 within a single patient. 2020 , 75, 2087-2092		5
101	Characterization of KPC-Producing in an Intensive Care Unit of a Brazilian Tertiary Hospital. <i>Frontiers in Microbiology</i> , 2020 , 11, 956	5.7	9
100	Role of plasmid carrying in mediating antibiotic resistance among clinical isolates from Egypt. 2020 , 10, 170		1
99	Genetics of Acquired Antibiotic Resistance Genes in spp. <i>Frontiers in Microbiology</i> , 2020 , 11, 256	5.7	31
98	Epidemiology of β -Lactamase-Producing Pathogens. 2020 , 33,		178

97	Metadata Analysis of -Bearing Plasmids Inspired by the Sequencing Evidence for Horizontal Transfer of Antibiotic Resistance Genes Between Polluted River and Wild Birds. <i>Frontiers in Microbiology</i> , 2020 , 11, 352	5.7	12
96	First detection of <i>Klebsiella quasipneumoniae</i> producing OXA-181 carbapenemase in Malaysia. 2020 , 26, 1058-1061		1
95	Acquired Genetic Elements that Contribute to Antimicrobial Resistance in Frequent Gram-Negative Causative Agents of Healthcare-Associated Infections. 2020 , 360, 631-640		2
94	Whole genome sequencing of carbapenem-resistant : evolutionary analysis for outbreak investigation. 2020 , 15, 203-212		3
93	Genetic Factors Associated with Enhanced Expression in Tn/Tn Chimeras. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	4
92	Distribution of carbapenem resistant <i>Acinetobacter baumannii</i> with bla and induction of ADC-30 in response to beta-lactam antibiotics. 2020 , 171, 128-133		5
91	Mobile genetic elements associated with carbapenemase genes in South American Enterobacterales. 2020 , 24, 231-238		12
90	Characterization of the Genetic Background of KPC-2-Producing with Insertion Elements Disrupting the Porin Gene. 2020 , 26, 1050-1057		4
89	The Current Burden of Carbapenemases: Review of Significant Properties and Dissemination among Gram-Negative Bacteria. 2020 , 9,		51
88	Characterization of the genetic environment of blaKPC in <i>Escherichia coli</i> isolates from hospitals in China. <i>FEMS Microbiology Letters</i> , 2020 , 367,	2.9	0
87	Clonal relatedness in the acquisition of intestinal carriage and transmission of multidrug resistant (MDR) <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> and its risk factors among preterm infants admitted to the neonatal intensive care unit (NICU). 2021 , 62, 129-137		3
86	Polyphasic characterization of carbapenem-resistant <i>Klebsiella pneumoniae</i> clinical isolates suggests vertical transmission of the blaKPC-3 gene. 2021 , 16, e0247058		1
85	Conjugative plasmids interact with insertion sequences to shape the horizontal transfer of antimicrobial resistance genes. 2021 , 118,		39
84	Molecular Characterization of Carbapenem Resistant in Malaysia Hospital. 2021 , 10,		3
83	An Update on Wastewater Multi-Resistant Bacteria: Identification of Clinical Pathogens Such as O25b:H4-B2-ST131-Producing CTX-M-15 ESBL and KPC-3 Carbapenemase-Producing. 2021 , 9,		3
82	Sequence analysis of tyrosine recombinases allows annotation of mobile genetic elements in prokaryotic genomes. 2021 , 17, e9880		4
81	First IncHI2 Plasmid Carrying , , and Double Copies of in a Multidrug-Resistant <i>Escherichia coli</i> Human Isolate. 2021 , 6, e0030221		3
80	Prevalence of the NTE-I on IncF Plasmids Among Hypervirulent Isolates in Jiangxi Province, South China. <i>Frontiers in Microbiology</i> , 2021 , 12, 622280	5.7	1

79	An Outbreak of Carbapenem-Resistant in an Intensive Care Unit of a Major Teaching Hospital in Chongqing, China. 2021 , 11, 656070	7
78	Resistance Phenotype and Molecular Epidemiology of Carbapenem-Resistant Isolates in Shanghai. 2021 , 27, 1312-1318	3
77	Evidence of an epidemic spread of KPC-producing Enterobacterales in Czech hospitals. 2021 , 11, 15732	1
76	Propagation of blaKPC-2 within two sequence types of Escherichia coli in a tertiary referral hospital of northeast India. 2021 , 24, 101283	
75	Whole-Genome Sequencing (WGS) of Carbapenem-Resistant Isolated in Long-Term Care Facilities in the Northern Italian Region. 2021 , 9,	2
74	Emergence of the New KPC-49 Variant Conferring an ESBL Phenotype with Resistance to Ceftazidime-Avibactam in the ST131-H30R1 High-Risk Clone. 2021 , 10,	7
73	Carbapenem Resistance-Encoding and Virulence-Encoding Conjugative Plasmids in Klebsiella pneumoniae. 2021 , 29, 65-83	43
72	Tn transposition in the course of natural transformation enables horizontal antibiotic resistance spread in. 2021 , 167,	4
71	Genetic environment of the KPC gene in Acinetobacter baumannii ST2 clone from Puerto Rico and genomic insights into its drug resistance. 2016 , 65, 784-792	28
70	KPC-2 producing ST101 Klebsiella pneumoniae from bloodstream infection in India. 2018 , 67, 927-930	6
69	Quantitative assessment of insertion sequence impact on bacterial genome architecture. 2016 , 2, e000062	40
68	Whole-genome sequencing resolves a polyclonal outbreak by extended-spectrum beta-lactam and carbapenem-resistant in a Portuguese tertiary-care hospital. 2019 , 7,	10
67	Plasmid diversity among genetically related Klebsiella pneumoniae blaKPC-2 and blaKPC-3 isolates collected in the Dutch national surveillance.	1
66	GET_PHYLOMARKERS, a software package to select optimal orthologous clusters for phylogenomics and inferring pan-genome phylogenies, used for a critical geno-taxonomic revision of the genus Stenotrophomonas.	1
65	Genomic epidemiology of a complex, multi-species plasmid-borne blaKPC carbapenemase outbreak in Enterobacterales in the UK, 2009-2014.	1
64	Molecular characterization of Klebsiella pneumoniae carbapenemase (KPC)-producing Enterobacteriaceae in Ontario, Canada, 2008-2011. 2014 , 9, e116421	26
63	Co-Carriage of blaKPC-2 and blaNDM-1 in Clinical Isolates of Pseudomonas aeruginosa Associated with Hospital Infections from India. 2015 , 10, e0145823	32
62	Nosocomial meningitis caused by Klebsiella pneumoniae producing carbapenemase, with initial cerebrospinal fluid minimal inflammatory response. 2014 , 72, 398-9	6

61	First report of <i>Raoultella ornithinolytica</i> carrying blaKPC-2 isolated from a dipteran muscoid collected in a garbage from a public hospital in Rio de Janeiro, Brazil. 2019 , 61, e32	5
60	The KPC type beta-lactamases: new enzymes that confer resistance to carbapenems in Gram-negative bacilli. 2009 , 47, 537-43	14
59	Carbapenemase-producing <i>Klebsiella pneumoniae</i> in the Czech Republic in 2011. 2013 , 18, 20626	23
58	Emergence of New Non-Clonal Group 258 High-Risk Clones among <i>Klebsiella pneumoniae</i> Carbapenemase-Producing <i>K. pneumoniae</i> Isolates, France. 2020 , 26, 1212-1220	16
57	First report of <i>Klebsiella pneumoniae</i> carbapenemase-producing <i>Pseudomonas aeruginosa</i> isolated from burn patients in Iran: phenotypic and genotypic methods. 2014 , 9, Doc06	10
56	First report of OXA-48-producing <i>Klebsiella pneumoniae</i> strains in Iran. 2014 , 9, Doc07	14
55	Species Transferability of Carbapenemase-2 Isolated from a High-Risk Clone of ST410. 2020 , 30, 974-981	1
54	A structural, epidemiological & genetic overview of carbapenemases (KPCs). 2016 , 144, 21-31	9
53	KPC-2-producing <i>Klebsiella pneumoniae</i> ST11 in a Children's Hospital in Poland. 2017 , 66, 401-404	4
52	Translating genomics into practice for real-time surveillance and response to carbapenemase-producing Enterobacteriaceae: evidence from a complex multi-institutional KPC outbreak. 2018 , 6, e4210	35
51	Characterization of -Carrying Plasmid pR31-KPC from a Strain Isolated in China. 2021 , 10,	2
50	Detection and Characterization of Antimicrobial Resistance Genes in Pathogenic Bacteria *. 2011 , 1239-1261	2
49	Clinical Issues of Resistance: Problematic Microbes: Enterobacteriaceae. 2012 , 651-678	
48	Nested Russian Doll-like Genetic Mobility Drives Rapid Dissemination of the Carbapenem Resistance Gene blaKPC.	
47	Opportunistic Pathogens of Humans. 2016 , 301-357	
46	Molecular characterization of KPC-producing <i>Klebsiella pneumoniae</i> isolated from patients in a Public Hospital in Caracas, Venezuela. 2017 , 35, 411-416	
45	Real-time genomic and epidemiological investigation of a multi-institution outbreak of KPC-producing Enterobacteriaceae: a translational study.	1
44	TETyper: a bioinformatic pipeline for classifying variation and genetic contexts of transposable elements from short-read whole-genome sequencing data.	

43	Diversity of Antimicrobial-Resistant <i>Aeromonas</i> Species Isolated from Aquatic Environments in Brazil.	0
42	Within patient genetic diversity of bla harboring <i>Klebsiella pneumoniae</i> in a Colombian hospital and identification of a new NTE platform. 2021 , 11, 21409	1
41	Molecular Analysis of -Harboring Plasmids: Tn Interplasmid Transposition and Tn-Carrying ColRNAI Plasmid Mobilization from <i>Klebsiella pneumoniae</i> to <i>Citrobacter europaeus</i> and <i>Morganella morganii</i> in a Single Patient. 2021 , e0085021	0
40	Emergence of Ceftazidime- and Avibactam-Resistant <i>Klebsiella pneumoniae</i> Carbapenemase-Producing <i>Pseudomonas aeruginosa</i> in China. 2021 , e0078721	8
39	Pooled Plasmid Sequencing Reveals the Relationship Between Mobile Genetic Elements and Antimicrobial Resistance Genes in Clinically Isolated <i>Klebsiella pneumoniae</i> . 2020 , 18, 539-548	4
38	Replicative transposition contributes to the evolution and dissemination of KPC-2-producing plasmid in. 2021 , 1-124	1
37	Complete Genome Sequences of and , KPC-2-Producers Serially Isolated from a Single Patient. 2021 , 10,	1
36	Ceftazidime/Avibactam-Resistant subsp. Isolates in a Tertiary Italian Hospital: Identification of a New Mutation of the Carbapenemase Type 3 (KPC-3) Gene Conferring Ceftazidime/Avibactam Resistance. 2021 , 9,	0
35	Overcoming the rising incidence and evolving mechanisms of antibiotic resistance by novel drug delivery approaches - An overview.. 2021 , 181, 114078	2
34	Occurrence of blaOXA-48 type carbapenemase in <i>Escherichia coli</i> with coexisting resistance determinants: A report from India. 2022 , 26, 101459	
33	Inter-species geographic signatures for tracing horizontal gene transfer and long-term persistence of carbapenem resistance.	
32	Microbial Characteristics and Genomic Analysis of an ST11 Carbapenem-Resistant Strain Carrying Conjugative Drug-Resistant Plasmid.. 2021 , 9, 809753	1
31	A retrospective study on molecular epidemiology trends of carbapenem resistant in a teaching hospital in Malaysia.. 2022 , 10, e12830	0
30	Description of a new non-Tn4401 element (NTE-Ile) harbored on IncQ plasmid in <i>Citrobacter werkmanii</i> from recreational coastal water.. 2022 ,	1
29	Inter-species geographic signatures for tracing horizontal gene transfer and long-term persistence of carbapenem resistance.. 2022 , 14, 37	2
28	Table_1.DOCX. 2018 ,	
27	Table_2.DOCX. 2018 ,	
26	Presentation_1.pdf. 2018 ,	

25 Table_1.DOCX. **2018**,

24 Table_2.DOCX. **2018**,

23 Data_Sheet_1.PDF. **2020**,

22 Data_Sheet_2.PDF. **2020**,

21 Emergence of a Hypervirulent Tigecycline-Resistant Strain Co-producing and With an Uncommon Sequence Type ST464 in Southwestern China.. *Frontiers in Microbiology*, **2022**, 13, 868705 5.7 1

20 KPC-3-, GES-5-, and VIM-1-Producing Enterobacterales Isolated from Urban Ponds. *International Journal of Environmental Research and Public Health*, **2022**, 19, 5848 4.6 0

19 Genomic surveillance of carbapenem-resistant *Klebsiella* in Wales reveals persistent spread of *K. pneumoniae* ST307 and adaptive evolution of pOXA-48-like plasmids.

18 Genomic Analysis of KPC-2-Producing *Klebsiella pneumoniae* ST11 Isolates at the Respiratory Department of a Tertiary Care Hospital in Beijing, China. *Frontiers in Microbiology*, 13, 5.7 0

17 Molecular Diagnostics. **2010**,

16 A synergistic arrangement of two unrelated IS elements facilitates adjacent deletion in *Micrococcus luteus* ATCC49732. *FEMS Microbiology Letters*, 2.9

15 In Silico Analysis and PCR Characterization of non-Tn4401 Transposable Elements in *Pseudomonas aeruginosa*. 0

14 MDR carbapenemase-producing *Klebsiella pneumoniae* of the hypervirulence-associated ST23 clone in Poland, 2009–19. 0

13 Transmission of Carbapenem-resistant *Klebsiella pneumoniae* in US hospitals. 0

12 Identification of a Novel IncHI1B Plasmid in MDR *Klebsiella pneumoniae* 200 from Swine in China. **2022**, 11, 1225 0

11 Assessment of antibiotic resistance profile of bacteria isolated from Ghaghara River, India. 0

10 Identification of KPC-112 from an ST15 *Klebsiella pneumoniae* Strain Conferring Resistance to Ceftazidime-Avibactam. 0

9 Characterisation of Non-Carbapenemase-Producing Carbapenem-Resistant *Klebsiella pneumoniae* Based on Their Clinical and Molecular Profile in Malaysia. **2022**, 11, 1670 0

8 Outbreak of *Klebsiella pneumoniae* ST11 Resistant To Ceftazidime-Avibactam Producing KPC-31 and the Novel Variant KPC-115 during COVID-19 Pandemic in Argentina. **2022**, 10, 1

- 7 Emergence and clonal dissemination of KPC-3-producing *Pseudomonas aeruginosa* in China with an IncP-2 megaplasmid. o
- 6 Implication of different replicons in the spread of the VIM-1-encoding integron, In110, in Enterobacterales from Czech hospitals. 13, o
- 5 Evaluation of Disk Potentiation Test (DPT) and Double Disk Synergy Test (DDST) for The Detection of Metallo-β-lactamases (MBLs) in Clinical Isolates of Bangladesh. o
- 4 Carbapenem-Resistant *Klebsiella pneumoniae*: Virulence Factors, Molecular Epidemiology and Latest Updates in Treatment Options. **2023**, 12, 234 o
- 3 Editorial: Mobile genetic elements as dissemination drivers of multidrug-resistant Gram-negative bacteria. 13, o
- 2 Prevalence of Extended Spectrum Beta Lactamase (ESBL)-Producing *E. coli*: A Systematic Overview. **2023**, 1-19 o
- 1 Worldwide Dissemination of blaKPC Gene by Novel Mobilization Platforms in *Pseudomonas aeruginosa*: A Systematic Review. **2023**, 12, 658 o