

# Addictions Biology: Haplotype-Based Analysis for 130 C

Alcohol and Alcoholism

43, 505-515

DOI: [10.1093/alcalc/agn032](https://doi.org/10.1093/alcalc/agn032)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Common Genetic Origins for EEG, Alcoholism and Anxiety: The Role of CRH-BP. PLoS ONE, 2008, 3, e3620.	1.1	90
2	Supplementing High-Density SNP Microarrays for Additional Coverage of Disease-Related Genes: Addiction as a Paradigm. PLoS ONE, 2009, 4, e5225.	1.1	27
3	GABRG1 and GABRA2 as Independent Predictors for Alcoholism in Two Populations. Neuropsychopharmacology, 2009, 34, 1245-1254.	2.8	82
4	ERGR: An ethanol-related gene resource. Nucleic Acids Research, 2009, 37, D840-D845.	6.5	37
5	Unraveling the molecular mechanisms of alcohol dependence. Trends in Genetics, 2009, 25, 49-55.	2.9	41
6	Negative emotionality: monoamine oxidase B gene variants modulate personality traits in healthy humans. Journal of Neural Transmission, 2009, 116, 1323-1334.	1.4	38
7	Further evidence of association between amphetamine response and SLC6A2 gene variants. Psychopharmacology, 2009, 206, 501-511.	1.5	41
8	Genetical genomic determinants of alcohol consumption in rats and humans. BMC Biology, 2009, 7, 70.	1.7	148
9	COMT Val158Met and cognition: main effects and interaction with educational attainment. Genes, Brain and Behavior, 2009, 8, 36-42.	1.1	35
10	Heroin addiction in African Americans: a hypothesis-driven association study. Genes, Brain and Behavior, 2009, 8, 531-540.	1.1	101
12	Association study of tardive dyskinesia and five DRD4 polymorphisms in schizophrenia patients. Pharmacogenomics Journal, 2009, 9, 168-174.	0.9	29
13	Associations of glutamate decarboxylase genes with initial sensitivity and age-at-onset of alcohol dependence in the Irish Affected Sib Pair Study of Alcohol Dependence. Drug and Alcohol Dependence, 2009, 101, 80-87.	1.6	29
14	Amygdala Function and 5-HTT Gene Variants in Adolescent Anxiety and Major Depressive Disorder. Biological Psychiatry, 2009, 65, 349-355.	0.7	105
15	Pro-Opiomelanocortin Gene Variation Related to Alcohol or Drug Dependence: Evidence and Replications Across Family- and Population-based Studies. Biological Psychiatry, 2009, 66, 128-136.	0.7	31
16	Association of the 5' upstream regulatory region of the $\alpha 7$ nicotinic acetylcholine receptor subunit gene (CHRNA7) with schizophrenia. Schizophrenia Research, 2009, 109, 102-112.	1.1	93
17	Association study of the gamma-aminobutyric acid type a receptor $\beta 2$ subunit gene with schizophrenia. Schizophrenia Research, 2009, 114, 33-38.	1.1	12
18	Association of a polymorphism in the NRXN3 gene with the degree of smoking in schizophrenia: A preliminary study. World Journal of Biological Psychiatry, 2009, 10, 929-935.	1.3	41
19	Genetic study of BDNF, DRD3, and their interaction in tardive dyskinesia. European Neuropsychopharmacology, 2009, 19, 317-328.	0.3	45

#	ARTICLE	IF	CITATIONS
20	Evaluation of genetic variability in the dopamine receptor D2 in relation to behavioral inhibition and impulsivity/sensation seeking: An exploratory study with d-amphetamine in healthy participants.. <i>Experimental and Clinical Psychopharmacology</i> , 2009, 17, 374-383.	1.3	98
21	Assessment of 193 Candidate Genes for Retinopathy in African Americans With Type 1 Diabetes. <i>JAMA Ophthalmology</i> , 2009, 127, 605.	2.6	20
22	Association of the orphan nuclear receptor NR4A1 with tardive dyskinesia. <i>Psychiatric Genetics</i> , 2010, 20, 39-43.	0.6	13
23	Protein kinase C isozymes as regulators of sensitivity to and self-administration of drugs of abuse-studies with genetically modified mice. <i>Behavioural Pharmacology</i> , 2010, 21, 493-499.	0.8	17
24	Polymorphisms in Dopamine Transporter (SLC6A3) are Associated with Stimulant Effects of d-Amphetamine: An Exploratory Pharmacogenetic Study Using Healthy Volunteers. <i>Behavior Genetics</i> , 2010, 40, 255-261.	1.4	24
25	Tryptophan-hydroxylase 2 haplotype association with borderline personality disorder and aggression in a sample of patients with personality disorders and healthy controls. <i>Journal of Psychiatric Research</i> , 2010, 44, 1075-1081.	1.5	61
26	Interpretation of custom designed Illumina genotype cluster plots for targeted association studies and next-generation sequence validation. <i>BMC Research Notes</i> , 2010, 3, 39.	0.6	22
27	Alcohol Biomarkers in Applied Settings: Recent Advances and Future Research Opportunities. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 955-967.	1.4	136
28	Replicated association of the <i>NR4A3</i> gene with smoking behaviour in schizophrenia and in bipolar disorder. <i>Genes, Brain and Behavior</i> , 2010, 9, 910-917.	1.1	22
29	A population-specific HTR2B stop codon predisposes to severe impulsivity. <i>Nature</i> , 2010, 468, 1061-1066.	13.7	272
30	Search for genetic markers and functional variants involved in the development of opiate and cocaine addiction and treatment. <i>Annals of the New York Academy of Sciences</i> , 2010, 1187, 184-207.	1.8	83
31	Alcoholism and Alternative Splicing of Candidate Genes. <i>International Journal of Environmental Research and Public Health</i> , 2010, 7, 1448-1466.	1.2	18
32	Genome-wide association identifies candidate genes that influence the human electroencephalogram. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8695-8700.	3.3	69
33	Bacterial Contamination of Blood DNA Samples is Associated with Donor's Health Condition. <i>Biopreservation and Biobanking</i> , 2010, 8, 127-131.	0.5	1
34	More Aroused, Less Fatigued: Fatty Acid Amide Hydrolase Gene Polymorphisms Influence Acute Response to Amphetamine. <i>Neuropsychopharmacology</i> , 2010, 35, 613-622.	2.8	29
35	Interaction of FKBP5, a Stress-Related Gene, with Childhood Trauma Increases the Risk for Attempting Suicide. <i>Neuropsychopharmacology</i> , 2010, 35, 1674-1683.	2.8	265
36	Acute Intravenous Synaptamine Complex Variant KB220a, $\epsilon$ Normalizes $\epsilon$ -Neurological Dysregulation in Patients during Protracted Abstinence from Alcohol and Opiates as Observed Using Quantitative Electroencephalographic and Genetic Analysis for Reward Polymorphisms: Part 1, Pilot Study with 2 Case Reports. <i>Postgraduate Medicine</i> , 2010, 122, 188-213.	0.9	47
37	The Influence of GABRA2, Childhood Trauma, and Their Interaction on Alcohol, Heroin, and Cocaine Dependence. <i>Biological Psychiatry</i> , 2010, 67, 20-27.	0.7	134

#	ARTICLE	IF	CITATIONS
38	Do dopaminergic gene polymorphisms affect mesolimbic reward activation of music listening response? Therapeutic impact on Reward Deficiency Syndrome (RDS). <i>Medical Hypotheses</i> , 2010, 74, 513-520.	0.8	41
39	Association study of BDNF and DRD3 genes in schizophrenia diagnosis using matched case-control and family based study designs. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1412-1418.	2.5	18
40	Lack of association between HTR4 gene polymorphisms and schizophrenia in case-control and family-based samples. <i>Psychiatry Research</i> , 2010, 175, 176-178.	1.7	6
41	BDNF gene polymorphism (Val66Met) predicts amygdala and anterior hippocampus responses to emotional faces in anxious and depressed adolescents. <i>NeuroImage</i> , 2010, 53, 952-961.	2.1	103
42	Chronic Cigarette Smoking: Implications for Neurocognition and Brain Neurobiology. <i>International Journal of Environmental Research and Public Health</i> , 2010, 7, 3760-3791.	1.2	179
43	Experimental models for anxiolytic drug discovery in the era of omesandomics. <i>Expert Opinion on Drug Discovery</i> , 2011, 6, 755-769.	2.5	12
44	The AVPR1A Gene and Substance Use Disorders: Association, Replication, and Functional Evidence. <i>Biological Psychiatry</i> , 2011, 70, 519-527.	0.7	45
45	BDNF Polymorphism Predicts General Intelligence after Penetrating Traumatic Brain Injury. <i>PLoS ONE</i> , 2011, 6, e27389.	1.1	75
47	Striatal Signal Transduction and Drug Addiction. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 60.	0.9	36
48	Functional Polymorphism of the Mu-Opioid Receptor Gene (OPRM1) Influences Reinforcement Learning in Humans. <i>PLoS ONE</i> , 2011, 6, e24203.	1.1	21
50	Different Phenotypic and Genotypic Presentations in Alcohol Dependence: Age at Onset Matters. <i>Journal of Studies on Alcohol and Drugs</i> , 2011, 72, 752-762.	0.6	36
51	Haplotype-Based Study of the Association of Alcohol-Metabolizing Genes With Alcohol Dependence in Four Independent Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 304-316.	1.4	47
52	Limited Associations of Dopamine System Genes With Alcohol Dependence and Related Traits in the Irish Affected Sib Pair Study of Alcohol Dependence (IASPSAD). <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 376-385.	1.4	38
53	Neurotransmitter and Neuromodulator Genes Associated With a History of Depressive Symptoms in Individuals With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 496-505.	1.4	32
54	A Candidate Gene Association Study of Alcohol Consumption in Young Women*. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 550-558.	1.4	28
55	OPRM1 gene variants modulate amphetamine-induced euphoria in humans. <i>Genes, Brain and Behavior</i> , 2011, 10, 199-209.	1.1	44
56	Functional genetic variants that increase synaptic serotonin and 5-HT3 receptor sensitivity predict alcohol and drug dependence. <i>Molecular Psychiatry</i> , 2011, 16, 1139-1146.	4.1	90
57	Family-based association analysis of alcohol dependence in the COGA sample and replication in the Australian twin-family study. <i>Journal of Neural Transmission</i> , 2011, 118, 1293-1299.	1.4	18

#	ARTICLE	IF	CITATIONS
58	Genome-Wide Association Studies of Alcohol Dependence and Substance Use Disorders. <i>Current Psychiatry Reports</i> , 2011, 13, 147-155.	2.1	72
59	Variation in <i>NGFB</i> is associated with primary affective disorders in women. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 401-412.	1.1	8
60	Analysis of 94 Candidate Genes and 12 Endophenotypes for Schizophrenia From the Consortium on the Genetics of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 930-946.	4.0	241
61	Confirmation of prior evidence of genetic susceptibility to alcoholism in a genome-wide association study of comorbid alcoholism and bipolar disorder. <i>Psychiatric Genetics</i> , 2011, 21, 294-306.	0.6	59
62	Genetic Variability of Smoking Persistence in African Americans. <i>Cancer Prevention Research</i> , 2011, 4, 729-734.	0.7	11
63	The influence of three genes on whether adolescents use contraception, USA 1994–2002. <i>Population Studies</i> , 2011, 65, 253-271.	1.1	17
64	Genome-wide association and genetic functional studies identify <i>AUTS2</i> gene ( <i>AUTS2</i> ) in the regulation of alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7119-7124.	3.3	258
65	Haplotype block structure of the genomic region of the mu opioid receptor gene. <i>Journal of Human Genetics</i> , 2011, 56, 147-155.	1.1	31
66	Neurogenetics and Clinical Evidence for the Putative Activation of the Brain Reward Circuitry by a Neuroadaptagen: Proposing an Addiction Candidate Gene Panel Map. <i>Journal of Psychoactive Drugs</i> , 2011, 43, 108-127.	1.0	47
67	Gene-Centric Analysis of Serum Cotinine Levels in African and European American Populations. <i>Neuropsychopharmacology</i> , 2012, 37, 968-974.	2.8	7
68	Nerve growth factor $\beta$ polypeptide ( <i>NGFB</i> ) genetic variability: association with the methadone dose required for effective maintenance treatment. <i>Pharmacogenomics Journal</i> , 2012, 12, 319-327.	0.9	23
69	Fatty-acid amide hydrolase polymorphisms and post-traumatic stress disorder after penetrating brain injury. <i>Translational Psychiatry</i> , 2012, 2, e75-e75.	2.4	29
70	Variation in the Corticotropin-Releasing Hormone Receptor 1 ( <i>CRHR1</i> ) Gene Influences fMRI Signal Responses during Emotional Stimulus Processing. <i>Journal of Neuroscience</i> , 2012, 32, 3253-3260.	1.7	55
71	Leptin Regulates Dopamine Responses to Sustained Stress in Humans. <i>Journal of Neuroscience</i> , 2012, 32, 15369-15376.	1.7	48
72	Cannabinoid Receptor Genotype Moderation of the Effects of Childhood Physical Abuse on Anhedonia and Depression. <i>Archives of General Psychiatry</i> , 2012, 69, 732-40.	13.8	75
73	Interaction Between <i>FKBP5</i> and Childhood Trauma and Risk of Aggressive Behavior. <i>Archives of General Psychiatry</i> , 2012, 69, 62.	13.8	126
74	Genetic predictors of cue- and stress-induced cigarette craving: An exploratory study.. <i>Experimental and Clinical Psychopharmacology</i> , 2012, 20, 40-46.	1.3	7
75	Common and specific liability to addiction: Approaches to association studies of opioid addiction. <i>Drug and Alcohol Dependence</i> , 2012, 123, S33-S41.	1.6	48

#	ARTICLE	IF	CITATIONS
76	Estimating ancestral proportions in a multi-ethnic US sample: implications for studies of admixed populations. <i>Human Genomics</i> , 2012, 6, 2.	1.4	18
77	Custom genotyping for substance addiction susceptibility genes in Jordanians of Arab descent. <i>BMC Research Notes</i> , 2012, 5, 497.	0.6	26
78	Association of COL25A1 with Comorbid Antisocial Personality Disorder and Substance Dependence. <i>Biological Psychiatry</i> , 2012, 71, 733-740.	0.7	19
79	Oxytocin Gene Polymorphisms Influence Human Dopaminergic Function in a Sex-Dependent Manner. <i>Biological Psychiatry</i> , 2012, 72, 198-206.	0.7	87
80	Confluence of genes, environment, development, and behavior in a post Genome-Wide Association Study world. <i>Development and Psychopathology</i> , 2012, 24, 1195-1214.	1.4	43
81	Striatal Dopamine Release and Genetic Variation of the Serotonin 2C Receptor in Humans. <i>Journal of Neuroscience</i> , 2012, 32, 9344-9350.	1.7	41
82	Multi-species data integration and gene ranking enrich significant results in an alcoholism genome-wide association study. <i>BMC Genomics</i> , 2012, 13, S16.	1.2	28
83	Pathway based analysis of genotypes in relation to alcohol dependence. <i>Pharmacogenomics Journal</i> , 2012, 12, 342-348.	0.9	18
84	Association study of <i>GRIK1</i> gene polymorphisms in schizophrenia: case-control and family-based studies. <i>Human Psychopharmacology</i> , 2012, 27, 345-351.	0.7	14
85	Genetics of dopamine receptors and drug addiction. <i>Human Genetics</i> , 2012, 131, 803-822.	1.8	93
86	The genetics of the opioid system and specific drug addictions. <i>Human Genetics</i> , 2012, 131, 823-842.	1.8	129
87	The Relationship Between rs3779084 in the Dopa Decarboxylase (DDC) Gene and Alcohol Consumption is Mediated by Drinking Motives in Regular Smokers. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 162-170.	1.4	13
88	Adenosine and Glutamate Signaling in Neuron-Glial Interactions: Implications in Alcoholism and Sleep Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1117-1125.	1.4	69
89	Two HPA axis genes, CRHBP and FKBP5, interact with childhood trauma to increase the risk for suicidal behavior. <i>Journal of Psychiatric Research</i> , 2012, 46, 72-79.	1.5	149
90	<i>CYP2B6</i> SNPs are associated with methadone dose required for effective treatment of opioid addiction. <i>Addiction Biology</i> , 2013, 18, 709-716.	1.4	88
91	BDNF Val <sup>66</sup> Met genotype is associated with drug-seeking phenotypes in heroin-dependent individuals: a pilot study. <i>Addiction Biology</i> , 2013, 18, 836-845.	1.4	36
92	Efficient techniques for genotype-phenotype correlational analysis. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 41.	1.5	0
93	The genetics of alcohol dependence. <i>Annals of the New York Academy of Sciences</i> , 2013, 1282, 39-70.	1.8	84

#	ARTICLE	IF	CITATIONS
94	Genetic Influences on the Development of Alcoholism. <i>Current Psychiatry Reports</i> , 2013, 15, 412.	2.1	62
95	Comparison of gene expression profiles in the blood, hippocampus and prefrontal cortex of rats. In <i>Silico Pharmacology</i> , 2013, 1, 15.	1.8	39
96	Association of genetic variation in pharmacodynamic factors with methadone dose required for effective treatment of opioid addiction. <i>Pharmacogenomics</i> , 2013, 14, 755-768.	0.6	44
97	Multi-view biclustering for genotype-phenotype association studies of complex diseases. , 2013, , .		7
98	Independent effects of 5â€² and 3â€² functional variants in the serotonin transporter gene on suicidal behavior in the context of childhood trauma. <i>Journal of Psychiatric Research</i> , 2013, 47, 900-907.	1.5	17
99	Prefrontal white matter impairment in substance users depends upon the catechol-o-methyl transferase (COMT) val158met polymorphism. <i>NeuroImage</i> , 2013, 69, 62-69.	2.1	23
100	DRD2 polymorphisms modulate reward and emotion processing, dopamine neurotransmission and openness to experience. <i>Cortex</i> , 2013, 49, 877-890.	1.1	106
101	Array-Based Profiling of <sc>DNA</sc> Methylation Changes Associated with Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, E108-15.	1.4	83
102	Candidate Gene Studies of a Promising Intermediate Phenotype: Failure to Replicate. <i>Neuropsychopharmacology</i> , 2013, 38, 802-816.	2.8	69
103	Impulsiveness mediates the association between <i>GABRA2</i> SNPs and lifetime alcohol problems. <i>Genes, Brain and Behavior</i> , 2013, 12, 525-531.	1.1	46
104	DRD2/ANKK1 Taq1A polymorphism (rs1800497) has opposing effects on D2/3 receptor binding in healthy controls and patients with major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2095-2101.	1.0	51
105	Gray Matter Volume in Adolescent Anxiety: An Impact of the Brain-Derived Neurotrophic Factor Val66Met Polymorphism?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 184-195.	0.3	96
106	A Genome-Wide Association Study of Behavioral Disinhibition. <i>Behavior Genetics</i> , 2013, 43, 363-373.	1.4	119
107	Associations between prefrontal Î³-aminobutyric acid concentration and the tryptophan hydroxylase isoform 2 gene, a panic disorder risk allele in women. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1707-1717.	1.0	12
108	Genetic Analysis of a Population Heavy Drinking Phenotype Identifies Risk Variants in Whites. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 206-210.	0.7	1
109	A large-scale candidate gene analysis of mood disorders. <i>Psychiatric Genetics</i> , 2013, 23, 47-55.	0.6	17
110	A preliminary study suggests that nicotine and prefrontal dopamine affect corticoâ€²striatal areas in smokers with performance feedback. <i>Genes, Brain and Behavior</i> , 2013, 12, 554-563.	1.1	7
111	Increased risk of major depression by childhood abuse is not modified by <i>CNR1</i> genotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 224-226.	1.1	6

#	ARTICLE	IF	CITATIONS
112	A variant on the kappa opioid receptor gene (OPRK1) is associated with stress response and related drug craving, limbic brain activation and cocaine relapse risk. <i>Translational Psychiatry</i> , 2013, 3, e292-e292.	2.4	49
113	Age-modulated association between prefrontal NAA and the BDNF gene. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1185-1193.	1.0	5
114	Gene-Environment Correlation: Difficulties and a Natural Experiment-Based Strategy. <i>American Journal of Public Health</i> , 2013, 103, S167-S173.	1.5	25
115	The Functional DRD3 Ser9Gly Polymorphism (rs6280) Is Pleiotropic, Affecting Reward as Well as Movement. <i>PLoS ONE</i> , 2013, 8, e54108.	1.1	60
116	Indirect Effect of Corticotropin-Releasing Hormone Receptor 1 Gene Variation on Negative Emotionality and Alcohol Use via Right Ventrolateral Prefrontal Cortex. <i>Journal of Neuroscience</i> , 2014, 34, 4099-4107.	1.7	44
117	Dopaminergic pathway polymorphisms and heroin addiction: further support for association of <i>CSNK1E</i> variants. <i>Pharmacogenomics</i> , 2014, 15, 2001-2009.	0.6	27
118	Adenosine and Glutamate in Neuroglial Interaction: Implications for Circadian Disorders and Alcoholism. <i>Advances in Neurobiology</i> , 2014, 11, 103-119.	1.3	14
119	Pharmacogenomics of neuropsychiatric disorders: analysis of genetic variability in 162 identified neuroreceptors using 1000 Genomes Project data. <i>Pharmacogenomics</i> , 2014, 15, 1575-1587.	0.6	4
120	Genetics of Alcoholism. <i>Current Psychiatry Reports</i> , 2014, 16, 518.	2.1	11
121	Genetic basis of delay discounting in frequent gamblers: examination of a priori candidates and exploration of a panel of dopamine-related loci. <i>Brain and Behavior</i> , 2014, 4, 812-821.	1.0	28
122	Comparing the utility of homogeneous subtypes of cocaine use and related behaviors with DSM-IV cocaine dependence as traits for genetic association analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 148-156.	1.1	27
123	Drug Addiction and Stress-Response Genetic Variability: Association Study in African Americans. <i>Annals of Human Genetics</i> , 2014, 78, 290-298.	0.3	55
124	Gamma-Aminobutyric Acid System Genes—No Evidence for a Role in Alcohol Use and Abuse in a Community-Based Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 938-947.	1.4	14
125	Preliminary evidence for the role of HTR2A variants in binge eating in young women. <i>Psychiatric Genetics</i> , 2014, 24, 28-33.	0.6	14
126	Association Study of <i>GABRG2</i> Polymorphisms with Suicidal Behaviour in Schizophrenia Patients with Alcohol Use Disorder. <i>Neuropsychobiology</i> , 2014, 69, 154-158.	0.9	12
127	Rule breaking mediates the developmental association between <i>GABRA2</i> and adolescent substance abuse. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1372-1379.	3.1	27
128	Association of <i>OPRD1</i> polymorphisms with heroin dependence in a large case-control series. <i>Addiction Biology</i> , 2014, 19, 111-121.	1.4	70
129	FAAH selectively influences placebo effects. <i>Molecular Psychiatry</i> , 2014, 19, 385-391.	4.1	77



#	ARTICLE	IF	CITATIONS
130	Genetics and genomics of alcohol sensitivity. <i>Molecular Genetics and Genomics</i> , 2014, 289, 253-269.	1.0	47
131	Multiview Comodeling to Improve Subtyping and Genetic Association of Complex Diseases. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 548-554.	3.9	3
132	Multi-view singular value decomposition for disease subtyping and genetic associations. <i>BMC Genetics</i> , 2014, 15, 73.	2.7	23
133	Valence-Specific Effects of <i>BDNF</i> Val <sup>66</sup> Met Polymorphism on Dopaminergic Stress and Reward Processing in Humans. <i>Journal of Neuroscience</i> , 2014, 34, 5874-5881.	1.7	54
134	Identification of methylation quantitative trait loci (mQTLs) influencing promoter DNA methylation of alcohol dependence risk genes. <i>Human Genetics</i> , 2014, 133, 1093-1104.	1.8	39
135	Stress-related genes and heroin addiction: A role for a functional FKBP5 haplotype. <i>Psychoneuroendocrinology</i> , 2014, 45, 67-76.	1.3	62
136	Effect of GABRA2 Genotype on Development of Incentive-Motivation Circuitry in a Sample Enriched for Alcoholism Risk. <i>Neuropsychopharmacology</i> , 2014, 39, 3077-3086.	2.8	47
137	FKBP5 Moderates Alcohol Withdrawal Severity: Human Genetic Association and Functional Validation in Knockout Mice. <i>Neuropsychopharmacology</i> , 2014, 39, 2029-2038.	2.8	54
138	Glutamate and ATP at the Interface of Metabolism and Signaling in the Brain. <i>Advances in Neurobiology</i> , 2014, , .	1.3	10
139	Rare Nonsynonymous Exonic Variants in Addiction and Behavioral Disinhibition. <i>Biological Psychiatry</i> , 2014, 75, 783-789.	0.7	41
140	Aggression, <i>DRD1</i> polymorphism, and lesion location in penetrating traumatic brain injury. <i>CNS Spectrums</i> , 2014, 19, 382-390.	0.7	15
141	Synaptic Plasticity and Signal Transduction Gene Polymorphisms and Vulnerability to Drug Addictions in Populations of European or African Ancestry. <i>CNS Neuroscience and Therapeutics</i> , 2015, 21, 898-904.	1.9	21
142	Resting-state functional connectivity and presynaptic monoamine signaling in Alcohol Dependence. <i>Human Brain Mapping</i> , 2015, 36, 4808-4818.	1.9	24
143	GENÉTICA MOLECULAR DEL ALCOHOLISMO. <i>Revista Facultad De Medicina</i> , 2015, 63, 483-494.	0.0	1
144	Variations in opioid receptor genes in neonatal abstinence syndrome. <i>Drug and Alcohol Dependence</i> , 2015, 155, 253-259.	1.6	55
145	Candidate Gene-Environment Interaction Research. <i>Perspectives on Psychological Science</i> , 2015, 10, 37-59.	5.2	310
146	Genome-Wide Association Study of Behavioral Disinhibition in a Selected Adolescent Sample. <i>Behavior Genetics</i> , 2015, 45, 375-381.	1.4	55
147	Overlapping Dopaminergic Pathway Genetic Susceptibility to Heroin and Cocaine Addictions in African Americans. <i>Annals of Human Genetics</i> , 2015, 79, 188-198.	0.3	33

#	ARTICLE	IF	CITATIONS
148	Functional $\mu$ opioid receptor polymorphism ( <i>OPRM1</i> A <sup>118</sup> G) associated with heroin use outcomes in Caucasian males: A pilot study. <i>American Journal on Addictions</i> , 2015, 24, 329-335.	1.3	35
149	Susceptibility loci for heroin and cocaine addiction in the serotonergic and adrenergic pathways in populations of different ancestry. <i>Pharmacogenomics</i> , 2015, 16, 1329-1342.	0.6	15
150	Adenosine and Glutamate in Neuroglial Interaction. , 2015, , 321-327.		0
151	Investigation of the genetic interaction between <i>BDNF</i> and <i>DRD3</i> genes in suicidal behaviour in psychiatric disorders. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 171-179.	1.3	14
152	Effects of the Mu Opioid Receptor Polymorphism ( <i>OPRM1</i> A118G) on Pain Regulation, Placebo Effects and Associated Personality Trait Measures. <i>Neuropsychopharmacology</i> , 2015, 40, 957-965.	2.8	125
153	Genome-Wide Association Study of Copy Number Variations (CNVs) with Opioid Dependence. <i>Neuropsychopharmacology</i> , 2015, 40, 1016-1026.	2.8	39
154	Genetic Variation in the Vesicular Monoamine Transporter 1 ( <i>VMAT1/SLC18A1</i> ) Gene and Alcohol Withdrawal Severity. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 474-481.	1.4	11
155	The pattern of substance use disorder in the United Arab Emirates in 2015: results of a National Rehabilitation Centre cohort study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2016, 11, 19.	1.0	47
156	Predicting substance use in emerging adulthood: A genetically informed study of developmental transactions between impulsivity and family conflict. <i>Development and Psychopathology</i> , 2016, 28, 673-688.	1.4	39
157	Susceptibility effects of GABA receptor subunit alpha-2 ( <i>GABRA2</i> ) variants and parental monitoring on externalizing behavior trajectories: Risk and protection conveyed by the minor allele. <i>Development and Psychopathology</i> , 2016, 28, 15-26.	1.4	25
158	Variants of opioid system genes are associated with non-dependent opioid use and heroin dependence. <i>Drug and Alcohol Dependence</i> , 2016, 168, 164-169.	1.6	14
159	<i>FAAH</i> Gene Variation Moderates Stress Response and Symptom Severity in Patients with Posttraumatic Stress Disorder and Comorbid Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 2426-2434.	1.4	70
160	African-specific variability in the acetylcholine muscarinic receptor M4: association with cocaine and heroin addiction. <i>Pharmacogenomics</i> , 2016, 17, 995-1003.	0.6	12
161	<i>GABBR1</i> and <i>SLC6A1</i> , Two Genes Involved in Modulation of <i>GABA</i> Synaptic Transmission, Influence Risk for Alcoholism: Results from Three Ethnically Diverse Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 93-101.	1.4	20
162	Reduced brain activation during inhibitory control in children with COMT Val/Val genotype. <i>Brain and Behavior</i> , 2016, 6, e00577.	1.0	5
163	Temperament and externalizing behavior as mediators of genetic risk on adolescent substance use.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 565-575.	2.0	33
165	Association Study of Serotonin 3 Receptor Subunit Gene Variants in Antipsychotic-Induced Weight Gain. <i>Neuropsychobiology</i> , 2016, 74, 169-175.	0.9	4
166	Association of Superoxide Dismutase 2 ( <i>SOD2</i> ) Genotype with Gray Matter Volume Shrinkage in Chronic Alcohol Users: Replication and Further Evaluation of an Addiction Gene Panel. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw033.	1.0	8

#	ARTICLE	IF	CITATIONS
167	Minimal SNP overlap among multiple panels of ancestry informative markers argues for more international collaboration. <i>Forensic Science International: Genetics</i> , 2016, 23, 25-32.	1.6	40
168	Glutamatergic and GABAergic susceptibility loci for heroin and cocaine addiction in subjects of African and European ancestry. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 118-123.	2.5	17
169	Mechanisms in the relation between GABRA2 and adolescent externalizing problems. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 67-80.	2.8	6
170	Roles of Response Inhibition and Gene-Environment Interplay in Pathways to Adolescents' Externalizing Problems. <i>Journal of Research on Adolescence</i> , 2017, 27, 258-277.	1.9	11
171	Association study between the neurexin1 gene and tardive dyskinesia. <i>Human Psychopharmacology</i> , 2017, 32, e2568.	0.7	9
172	A dopamine receptor genetic variant enhances perceptual speed in cognitive healthy subjects. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 254-261.	1.8	5
173	Brain-derived neurotrophic factor Val66Met genotype modulates amygdala habituation. <i>Psychiatry Research - Neuroimaging</i> , 2017, 263, 85-92.	0.9	22
175	The interaction between monoamine oxidase A and punitive discipline in the development of antisocial behavior: Mediation by maladaptive social information processing. <i>Development and Psychopathology</i> , 2017, 29, 1235-1252.	1.4	13
176	Addiction and the Role of Circadian Genes. <i>Journal of Studies on Alcohol and Drugs</i> , 2017, 78, 645-653.	0.6	10
177	The $\mu$ -opioid receptor nonsynonymous variant 118A>G is associated with prolonged abstinence from heroin without agonist treatment. <i>Pharmacogenomics</i> , 2017, 18, 1387-1391.	0.6	17
178	Affiliation with substance-using peers: Examining gene-environment correlations among parent monitoring, polygenic risk, and children's impulsivity. <i>Developmental Psychobiology</i> , 2017, 59, 561-573.	0.9	28
179	Beyond risk: Prospective effects of GABA Receptor Subunit Alpha-2 ( <i>GABRA2</i> ) – Positive Peer Involvement on adolescent behavior. <i>Development and Psychopathology</i> , 2017, 29, 711-724.	1.4	9
180	Pathways to Youth Behavior: The Role of Genetic, Neural, and Behavioral Markers. <i>Journal of Research on Adolescence</i> , 2018, 28, 26-39.	1.9	9
181	Genetic variations in genes of the stress response pathway are associated with prolonged abstinence from heroin. <i>Pharmacogenomics</i> , 2018, 19, 333-341.	0.6	12
182	Association study of BDNF and DRD3 genes with alcohol use disorder in Schizophrenia. <i>Neuroscience Letters</i> , 2018, 671, 1-6.	1.0	11
183	Oxytocin Genotype Moderates the Impact of Social Support on Psychiatric Distress in Alcohol-Dependent Patients. <i>Alcohol and Alcoholism</i> , 2018, 53, 57-63.	0.9	6
184	The OPRM1 A118G polymorphism: converging evidence against associations with alcohol sensitivity and consumption. <i>Neuropsychopharmacology</i> , 2018, 43, 1530-1538.	2.8	22
185	Neurotransmitter Pathway Genes in Cognitive Decline During Aging: Evidence for <i>GNG4</i> and <i>KCNQ2</i> Genes. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2018, 33, 153-165.	0.9	24

#	ARTICLE	IF	CITATIONS
186	Association Analysis Between Genetic Variation in GATA Binding Protein 4 (GATA4) and Alcohol Use Disorder. <i>Alcohol and Alcoholism</i> , 2018, 53, 361-367.	0.9	3
187	Dopamine gene variants in opioid addiction: comparison of dependent patients, nondependent users and healthy controls. <i>Pharmacogenomics</i> , 2018, 19, 95-104.	0.6	15
188	Effects on gene expression and behavior of untagged short tandem repeats: the case of arginine vasopressin receptor 1a (AVPR1a) and externalizing behaviors. <i>Translational Psychiatry</i> , 2018, 8, 72.	2.4	11
189	Severity of alcohol dependence is associated with the fatty acid amide hydrolase Pro129Thr missense variant. <i>Addiction Biology</i> , 2018, 23, 474-484.	1.4	45
190	Serotonin functioning and adolescents' alcohol use: A genetically informed study examining mechanisms of risk. <i>Development and Psychopathology</i> , 2018, 30, 213-233.	1.4	2
191	Negative Urgency Mediates the Relation Between Genetically Influenced Serotonin Functioning and Alcohol Problems. <i>Clinical Psychological Science</i> , 2018, 6, 106-122.	2.4	19
192	Dimensional Traits of Schizotypy Associated With Glycine Receptor <i>GLRA1</i> Polymorphism: An Exploratory Candidate-Gene Association Study. <i>Journal of Personality Disorders</i> , 2018, 32, 421-432.	0.8	7
193	A case-control genome wide association study of substance use disorder (SUD) identifies novel variants on chromosome 7p14.1 in patients from the United Arab Emirates (UAE). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 180, 68-79.	1.1	3
194	Polygenic risk, family cohesion, and adolescent aggression in Mexican American and European American families: Developmental pathways to alcohol use. <i>Development and Psychopathology</i> , 2018, 30, 1715-1728.	1.4	32
195	The major depressive disorder GWAS-supported variant rs10514299 in <i>TMEM161B-MEF2C</i> predicts putamen activation during reward processing in alcohol dependence. <i>Translational Psychiatry</i> , 2018, 8, 131.	2.4	17
196	Alcohol Metabolizing Polygenic Risk for Alcohol Consumption in European American College Students. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 627-634.	0.6	4
198	Exploratory locomotion, a predictor of addiction vulnerability, is oligogenic in rats selected for this phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13107-13115.	3.3	33
199	Adverse effect of catechol-O-methyltransferase (COMT) Val158Met met/met genotype in methamphetamine-related executive dysfunction. <i>Addictive Behaviors</i> , 2019, 98, 106023.	1.7	7
200	<i>VMAT2</i> gene ( <i>SLC18A2</i> ) variants associated with a greater risk for developing opioid dependence. <i>Pharmacogenomics</i> , 2019, 20, 331-341.	0.6	8
201	COMT Val158Met Polymorphism, Cardiometabolic Risk, and Nadir CD4 Synergistically Increase Risk of Neurocognitive Impairment in Men Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, e148-e157.	0.9	8
202	Off-target phenotypes in forensic DNA phenotyping and biogeographic ancestry inference: A resource. <i>Forensic Science International: Genetics</i> , 2019, 38, 93-104.	1.6	15
203	Heroin delay discounting and impulsivity: Modulation by <i>DRD1</i> genetic variation. <i>Addiction Biology</i> , 2020, 25, e12777.	1.4	8
204	Further evidence for the association of <i>GAL</i> , <i>GALR1</i> and <i>NPY1R</i> variants with opioid dependence. <i>Pharmacogenomics</i> , 2020, 21, 903-917.	0.6	1

#	ARTICLE	IF	CITATIONS
205	COMT val158met genotype alters the effects of methamphetamine dependence on dopamine and dopamine-related executive function: preliminary findings. <i>Psychiatry Research</i> , 2020, 292, 113269.	1.7	6
206	Effects of <i>TPH2</i> gene variation and childhood trauma on the clinical and circuit-level phenotype of functional movement disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 814-821.	0.9	35
207	Genetic variation in alcohol dehydrogenase is associated with neurocognition in men with HIV and history of alcohol use disorder: preliminary findings. <i>Journal of NeuroVirology</i> , 2020, 26, 214-225.	1.0	5
208	Serotonin system genes contribute to the susceptibility to obesity in Black adolescents. <i>Obesity Science and Practice</i> , 2021, 7, 441-449.	1.0	1
209	Leptin Gene and Leptin Receptor Gene Polymorphisms in Alcohol Use Disorder: Findings Related to Psychopathology. <i>Frontiers in Psychiatry</i> , 2021, 12, 723059.	1.3	3
210	FAAH and CNR1 Polymorphisms in the Endocannabinoid System and Alcohol-Related Sleep Quality. <i>Frontiers in Psychiatry</i> , 2021, 12, 712178.	1.3	2
211	A systems omics-based approach to decode substance use disorders and neuroadaptations. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 130, 61-80.	2.9	2
212	Catechol-O-methyltransferase val158met genotype modulates sustained attention in both the drug-free state and in response to amphetamine. <i>Psychiatric Genetics</i> , 2010, 20, 85-92.	0.6	51
213	Association Analysis of 94 Candidate Genes and Schizophrenia-Related Endophenotypes. <i>PLoS ONE</i> , 2012, 7, e29630.	1.1	124
214	A genome-wide association study of cocaine use disorder accounting for phenotypic heterogeneity and gene-environment interaction. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 34-44.	1.4	27
215	Complementary and Alternative Medicine (CAM). <i>Journal of Clinical Psychiatry</i> , 2009, 70, 4-6.	1.1	102
216	Neurobiological underpinnings of suicidal behavior: Integrating data from clinical and biological studies. <i>European Journal of Psychiatry</i> , 2009, 23, .	0.7	7
217	Detecting Polymorphisms in G Protein-Coupled Receptor Genes. <i>NeuroMethods</i> , 2011, , 35-47.	0.2	0
218	Polygenic and multi locus heritability of alcoholism: Novel therapeutic targets to overcome psychological deficits. <i>Journal of Systems and Integrative Neuroscience</i> , 2020, 7, .	0.6	2
219	Strong and weak cross-inheritance of substance use disorders in a nationally representative sample. <i>Molecular Psychiatry</i> , 2022, 27, 1742-1753.	4.1	4
220	Differential association between the GLP1R gene variants and brain functional connectivity according to the severity of alcohol use. <i>Scientific Reports</i> , 2022, 12, .	1.6	6
221	The world is double helical: DNA, RNA, and proteins, in a few easy pieces. , 2024, , 131-146.		0