Recruitment of the Complete hTREX Complex Is Require Herpesvirus Intronless mRNA Nuclear Export and Virus

PLoS Pathogens 4, e1000194

DOI: 10.1371/journal.ppat.1000194

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Varicella-Zoster Virus IE4 Protein Interacts with SR Proteins and Exports mRNAs through the TAP/NXF1 Pathway. PLoS ONE, 2009, 4, e7882. | 2.5 | 27 |
| 2 | The Cellular RNA Export Receptor TAP/NXF1 Is Required for ICP27-Mediated Export of Herpes Simplex Virus 1 RNA, but the TREX Complex Adaptor Protein Aly/REF Appears To Be Dispensable. Journal of Virology, 2009, 83, 6335-6346. | 3.4 | 48 |
| 3 | Chapter 6 Posttranscriptional Gene Regulation in Kaposi's Sarcomaâ€Associated Herpesvirus. Advances in Applied Microbiology, 2009, 68, 241-261. | 2.4 | 19 |
| 4 | Identification of a response element in a herpesvirus saimiri mRNA recognized by the ORF57 protein. Journal of General Virology, 2009, 90, 596-601. | 2.9 | 8 |
| 5 | Epstein-Barr Virus Protein EB2 Contains an N-Terminal Transferable Nuclear Export Signal That Promotes Nucleocytoplasmic Export by Directly Binding TAP/NXF1. Journal of Virology, 2009, 83, 12759-12768. | 3.4 | 31 |
| 6 | Nucleolar disruption impairs Kaposi's sarcomaâ€associated herpesvirus ORF57â€mediated nuclear export of intronless viral mRNAs. FEBS Letters, 2009, 583, 3549-3556. | 2.8 | 26 |
| 7 | Virus-mediated mRNA decay by hyperadenylation. Genome Biology, 2009, 10, 234. | 9.6 | 6 |
| 8 | SR proteins SRp20 and 9G8 contribute to efficient export of herpes simplex virus 1 mRNAs. Virology, 2010, 401, 155-164. | 2.4 | 55 |
| 9 | Requirement of UAP56, URH49, RBM15, and OTT3 in the expression of Kaposi sarcoma-associated herpesvirus ORF57. Virology, 2010, 407, 206-212. | 2.4 | 10 |
| 10 | Nucleolar proteomics and viral infection. Proteomics, 2010, 10, 4077-4086. | 2.2 | 59 |
| 11 | Kaposi's sarcoma-associated herpesvirus ORF57 protein interacts with PYM to enhance translation of viral intronless mRNAs. EMBO Journal, 2010, 29, 1851-1864. | 7.8 | 60 |
| 12 | In Search of a Function for BCLAF1. Scientific World Journal, The, 2010, 10, 1450-1461. | 2.1 | 56 |
| 13 | ICP27 Phosphorylation Site Mutants Display Altered Functional Interactions with Cellular Export Factors Aly/REF and TAP/NXF1 but Are Able To Bind Herpes Simplex Virus 1 RNA. Journal of Virology, 2010, 84, 2212-2222. | 3.4 | 22 |
| 14 | Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein Binds and Protects a Nuclear Noncoding RNA from Cellular RNA Decay Pathways. PLoS Pathogens, 2010, 6, e1000799. | 4.7 | 65 |
| 15 | The Cellular DExD/H-Box RNA-Helicases UAP56 and URH49 Exhibit a CRM1-Independent Nucleocytoplasmic Shuttling Activity. PLoS ONE, 2011, 6, e22671. | 2.5 | 19 |
| 16 | Delineation of a core RNA element required for Kaposi's sarcoma-associated herpesvirus ORF57 binding and activity. Virology, 2011, 419, 107-116. | 2.4 | 31 |
| 17 | Kaposi's Sarcoma-Associated Herpesvirus ORF57 Promotes Escape of Viral and Human Interleukin-6 from MicroRNA-Mediated Suppression. Journal of Virology, 2011, 85, 2620-2630. | 3.4 | 67 |
| 18 | Rhesus Monkey Rhadinovirus ORF57 Induces gH and gL Glycoprotein Expression through Posttranscriptional Accumulation of Target mRNAs. Journal of Virology, 2011, 85, 7810-7817. | 3.4 | 11 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 19 | Kaposi's Sarcoma-Associated Herpesvirus ORF57 Interacts with Cellular RNA Export Cofactors RBM15 and OTT3 To Promote Expression of Viral ORF59. Journal of Virology, 2011, 85, 1528-1540. | 3.4 | 39 |
| 20 | The many roles of the highly interactive HSV protein ICP27, a key regulator of infection. Future Microbiology, 2011, 6, 1261-1277. | 2.0 | 86 |
| 21 | Mutation of a C-Terminal Motif Affects Kaposi's Sarcoma-Associated Herpesvirus ORF57 RNA Binding, Nuclear Trafficking, and Multimerization. Journal of Virology, 2011, 85, 7881-7891. | 3.4 | 16 |
| 22 | A Viral Nuclear Noncoding RNA Binds Re-localized Poly(A) Binding Protein and Is Required for Late KSHV Gene Expression. PLoS Pathogens, 2011, 7, e1002300. | 4.7 | 110 |
| 23 | Structural Basis for the Recognition of Cellular mRNA Export Factor REF by Herpes Viral Proteins HSV-1 ICP27 and HVS ORF57. PLoS Pathogens, 2011, 7, e1001244. | 4.7 | 41 |
| 24 | An Interaction between KSHV ORF57 and UIF Provides mRNA-Adaptor Redundancy in Herpesvirus Intronless mRNA Export. PLoS Pathogens, 2011, 7, e1002138. | 4.7 | 44 |
| 25 | Epstein–Barr virus protein EB2 stimulates cytoplasmic mRNA accumulation by counteracting the deleterious effects of SRp20 on viral mRNAs. Nucleic Acids Research, 2012, 40, 6834-6849. | 14.5 | 29 |
| 26 | Binding of Cellular Export Factor REF/Aly by Kaposi's Sarcoma-Associated Herpesvirus (KSHV) ORF57 Protein Is Not Required for Efficient KSHV Lytic Replication. Journal of Virology, 2012, 86, 9866-9874. | 3.4 | 18 |
| 27 | Viral Factors Reveal a Role for REF/Aly in Nuclear RNA Stability. Molecular and Cellular Biology, 2012, 32, 1260-1270. | 2.3 | 36 |
| 28 | Kaposi's Sarcoma-Associated Herpesvirus ORF57 Is Not a Bona Fide Export Factor. Journal of Virology, 2012, 86, 13089-13094. | 3.4 | 14 |
| 29 | New clues to understand the role of THO and other functionally related factors in mRNP biogenesis. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2012, 1819, 514-520. | 1.9 | 75 |
| 30 | Identification of host cell proteins which interact with herpes simplex virus type 1 tegument protein pUL37. Biochemical and Biophysical Research Communications, 2012, 417, 961-965. | 2.1 | 10 |
| 31 | KSHV Rta Promoter Specification and Viral Reactivation. Frontiers in Microbiology, 2012, 3, 30. | 3 . 5 | 91 |
| 32 | The Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein and Its Multiple Roles in mRNA Biogenesis. Frontiers in Microbiology, 2012, 3, 59. | 3.5 | 19 |
| 33 | Nuclear Imprisonment: Viral Strategies to Arrest Host mRNA Nuclear Export. Viruses, 2013, 5, 1824-1849. | 3. 3 | 57 |
| 34 | Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein: Exploiting All Stages of Viral mRNA Processing. Viruses, 2013, 5, 1901-1923. | 3.3 | 20 |
| 35 | Interplay between Polyadenylate-Binding Protein 1 and Kaposi's Sarcoma-Associated Herpesvirus ORF57 in Accumulation of Polyadenylated Nuclear RNA, a Viral Long Noncoding RNA. Journal of Virology, 2013, 87, 243-256. | 3.4 | 49 |
| 36 | The Interaction of the Cellular Export Adaptor Protein Aly/REF with ICP27 Contributes to the Efficiency of Herpes Simplex Virus 1 mRNA Export. Journal of Virology, 2013, 87, 7210-7217. | 3.4 | 18 |

| # | Article | IF | Citations |
|----|--|-------------|-----------|
| 37 | Chromatin Immunoprecipitation and Microarray Analysis Suggest Functional Cooperation between Kaposi's Sarcoma-Associated Herpesvirus ORF57 and K-bZIP. Journal of Virology, 2013, 87, 4005-4016. | 3.4 | 14 |
| 38 | Murine Leukemia Virus Uses TREX Components for Efficient Nuclear Export of Unspliced Viral Transcripts. Viruses, 2014, 6, 1135-1148. | 3.3 | 8 |
| 39 | A Novel Mechanism Inducing Genome Instability in Kaposi's Sarcoma-Associated Herpesvirus Infected Cells. PLoS Pathogens, 2014, 10, e1004098. | 4.7 | 54 |
| 40 | Competitive and Cooperative Interactions Mediate RNA Transfer from Herpesvirus Saimiri ORF57 to the Mammalian Export Adaptor ALYREF. PLoS Pathogens, 2014, 10, e1003907. | 4.7 | 23 |
| 41 | Attenuation of the suppressive activity of cellular splicing factor SRSF3 by Kaposi sarcoma–associated herpesvirus ORF57 protein is required for RNA splicing. Rna, 2014, 20, 1747-1758. | 3. 5 | 37 |
| 42 | Viral Subversion of Nucleocytoplasmic Trafficking. Traffic, 2014, 15, 127-140. | 2.7 | 106 |
| 43 | Stability of Structured Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein Is Regulated by Protein Phosphorylation and Homodimerization. Journal of Virology, 2015, 89, 3256-3274. | 3.4 | 30 |
| 44 | ORF57 Overcomes the Detrimental Sequence Bias of Kaposi's Sarcoma-Associated Herpesvirus Lytic Genes. Journal of Virology, 2015, 89, 5097-5109. | 3.4 | 11 |
| 45 | KSHV ORF57, a Protein of Many Faces. Viruses, 2015, 7, 604-633. | 3.3 | 39 |
| 46 | Selective Recruitment of Nuclear Factors to Productively Replicating Herpes Simplex Virus Genomes. PLoS Pathogens, 2015, 11, e1004939. | 4.7 | 94 |
| 47 | HITS-CLIP Analysis Uncovers a Link between the Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein and Host Pre-mRNA Metabolism. PLoS Pathogens, 2015, 11, e1004652. | 4.7 | 19 |
| 48 | Structure of the C-Terminal Domain of the Multifunctional ICP27 Protein from Herpes Simplex Virus 1. Journal of Virology, 2015, 89, 8828-8839. | 3.4 | 16 |
| 49 | Identification of the Physiological Gene Targets of the Essential Lytic Replicative Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein. Journal of Virology, 2015, 89, 1688-1702. | 3.4 | 29 |
| 50 | Activation of DNA Damage Response Induced by the Kaposi's Sarcoma-Associated Herpes Virus. International Journal of Molecular Sciences, 2016, 17, 854. | 4.1 | 6 |
| 51 | The <scp>KSHV RNA</scp> regulator <scp>ORF57</scp> : target specificity and its role in the viral life cycle. Wiley Interdisciplinary Reviews RNA, 2016, 7, 173-185. | 6.4 | 7 |
| 52 | The role of TREX in gene expression and disease. Biochemical Journal, 2016, 473, 2911-2935. | 3.7 | 165 |
| 53 | New insights into the expression and functions of the Kaposi's sarcoma-associated herpesvirus long noncoding PAN RNA. Virus Research, 2016, 212, 53-63. | 2.2 | 47 |
| 54 | Influenza A Virus NS1 Protein Promotes Efficient Nuclear Export of Unspliced Viral M1 mRNA. Journal of Virology, 2017, 91, . | 3.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Targeting the ATP-dependent formation of herpesvirus ribonucleoprotein particle assembly as an antiviral approach. Nature Microbiology, 2017, 2, 16201. | 13.3 | 38 |
| 56 | Multiple nuclear-replicating viruses require the stress-induced protein ZC3H11A for efficient growth. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E3808-E3816. | 7.1 | 35 |
| 57 | Overlapping motifs on the herpes viral proteins ICP27 and ORF57 mediate interactions with the mRNA export adaptors ALYREF and UIF. Scientific Reports, 2018, 8, 15005. | 3.3 | 12 |
| 58 | Transcriptional and Post-Transcriptional Regulation of Viral Gene Expression in the Gamma-Herpesvirus Kaposi's Sarcoma-Associated Herpesvirus. Current Clinical Microbiology Reports, 2018, 5, 219-228. | 3.4 | 3 |
| 59 | Long-Read Sequencing Revealed an Extensive Transcript Complexity in Herpesviruses. Frontiers in Genetics, 2018, 9, 259. | 2.3 | 23 |
| 60 | Towards Better Understanding of KSHV Life Cycle: from Transcription and Posttranscriptional Regulations to Pathogenesis. Virologica Sinica, 2019, 34, 135-161. | 3.0 | 55 |
| 61 | THO Complex Subunit 7 Homolog Negatively Regulates Cellular Antiviral Response against RNA Viruses by Targeting TBK1. Viruses, 2019, 11, 158. | 3.3 | 11 |
| 62 | Kaposi's sarcoma-associated herpesvirus ORF57 protein protects viral transcripts from specific nuclear RNA decay pathways by preventing hMTR4 recruitment. PLoS Pathogens, 2019, 15, e1007596. | 4.7 | 20 |
| 63 | The THO Complex as a Paradigm for the Prevention of Cotranscriptional R-Loops. Cold Spring Harbor Symposia on Quantitative Biology, 2019, 84, 105-114. | 1.1 | 30 |
| 64 | Structural identification of conserved RNA binding sites in herpesvirus ORF57 homologs: implications for PAN RNA recognition. Nucleic Acids Research, 2019, 47, 1987-2001. | 14.5 | 4 |
| 65 | Antiviral compound screening, peptide designing, and protein network construction of influenza a virus (strain a/Puerto Rico/8/1934 H1N1). Drug Development Research, 2019, 80, 106-124. | 2.9 | 6 |
| 66 | Identification of Tomato Proteins That Interact With Replication Initiator Protein (Rep) of the Geminivirus TYLCV. Frontiers in Plant Science, 2020, 11, 1069. | 3.6 | 19 |
| 67 | The Sub-Nuclear Localization of RNA-Binding Proteins in KSHV-Infected Cells. Cells, 2020, 9, 1958. | 4.1 | 3 |
| 68 | The Roles of Host 5-Methylcytosine RNA Methyltransferases during Viral Infections. International Journal of Molecular Sciences, 2020, 21, 8176. | 4.1 | 21 |
| 69 | Viral regulation of mRNA export with potentials for targeted therapy. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2021, 1864, 194655. | 1.9 | 3 |
| 70 | Crosstalk between nucleocytoplasmic trafficking and the innate immune response to viral infection. Journal of Biological Chemistry, 2021, 297, 100856. | 3.4 | 30 |
| 71 | The protein-protein interaction network of intestinal gastric cancer patients reveals hub proteins with potential prognostic value. Cancer Biomarkers, 2022, 33, 83-96. | 1.7 | 5 |
| 72 | Proteomic approaches to investigate gammaherpesvirus biology and associated tumorigenesis. Advances in Virus Research, 2021, 109, 201-254. | 2.1 | 0 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 74 | Interactions between KSHV ORF57 and the novel human TREX proteins, CHTOP and CIP29. Journal of General Virology, 2016, 97, 1904-1910. | 2.9 | 8 |
| 75 | Uncoupling of hTREX demonstrates that UAP56 and hTHO-complex recruitment onto herpesvirus saimiri intronless transcripts is required for replication. Journal of General Virology, 2009, 90, 1455-1460. | 2.9 | 11 |
| 76 | Individual influenza A virus mRNAs show differential dependence on cellular NXF1/TAP for their nuclear export. Journal of General Virology, 2010, 91, 1290-1301. | 2.9 | 75 |
| 77 | Highly Pathogenic Avian Influenza Virus Nucleoprotein Interacts with TREX Complex Adaptor Protein Aly/REF. PLoS ONE, 2013, 8, e72429. | 2.5 | 13 |
| 78 | Risk score based on expression of five novel genes predicts survival in soft tissue sarcoma. Aging, 2020, 12, 3807-3827. | 3.1 | 24 |
| 83 | Non-targeting siRNA-mediated responses are associated with apoptosis in chemotherapy-induced senescent skin cancer cells. Chemico-Biological Interactions, 2023, 369, 110254. | 4.0 | 0 |
| 85 | The regulation of antiviral innate immunity through non-m6A RNA modifications. Frontiers in Immunology, 0, 14 , . | 4.8 | 0 |