

# Recruitment of the Complete hTREX Complex Is Required for Herpesvirus Intronless mRNA Nuclear Export and Virus

PLoS Pathogens

4, e1000194

DOI: [10.1371/journal.ppat.1000194](https://doi.org/10.1371/journal.ppat.1000194)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Varicella-Zoster Virus IE4 Protein Interacts with SR Proteins and Exports mRNAs through the TAP/NXF1 Pathway. <i>PLoS ONE</i> , 2009, 4, e7882.	1.1	27
2	The Cellular RNA Export Receptor TAP/NXF1 Is Required for ICP27-Mediated Export of Herpes Simplex Virus 1 RNA, but the TREX Complex Adaptor Protein Aly/REF Appears To Be Dispensable. <i>Journal of Virology</i> , 2009, 83, 6335-6346.	1.5	48
3	Chapter 6 Posttranscriptional Gene Regulation in Kaposi's Sarcoma-Associated Herpesvirus. <i>Advances in Applied Microbiology</i> , 2009, 68, 241-261.	1.3	19
4	Identification of a response element in a herpesvirus saimiri mRNA recognized by the ORF57 protein. <i>Journal of General Virology</i> , 2009, 90, 596-601.	1.3	8
5	Epstein-Barr Virus Protein EB2 Contains an N-Terminal Transferable Nuclear Export Signal That Promotes Nucleocytoplasmic Export by Directly Binding TAP/NXF1. <i>Journal of Virology</i> , 2009, 83, 12759-12768.	1.5	31
6	Nucleolar disruption impairs Kaposi's sarcoma-associated herpesvirus ORF57-mediated nuclear export of intronless viral mRNAs. <i>FEBS Letters</i> , 2009, 583, 3549-3556.	1.3	26
7	Virus-mediated mRNA decay by hyperadenylation. <i>Genome Biology</i> , 2009, 10, 234.	13.9	6
8	SR proteins SRp20 and 9G8 contribute to efficient export of herpes simplex virus 1 mRNAs. <i>Virology</i> , 2010, 401, 155-164.	1.1	55
9	Requirement of UAP56, URH49, RBM15, and OTT3 in the expression of Kaposi sarcoma-associated herpesvirus ORF57. <i>Virology</i> , 2010, 407, 206-212.	1.1	10
10	Nucleolar proteomics and viral infection. <i>Proteomics</i> , 2010, 10, 4077-4086.	1.3	59
11	Kaposi's sarcoma-associated herpesvirus ORF57 protein interacts with PYM to enhance translation of viral intronless mRNAs. <i>EMBO Journal</i> , 2010, 29, 1851-1864.	3.5	60
12	In Search of a Function for BCLAF1. <i>Scientific World Journal, The</i> , 2010, 10, 1450-1461.	0.8	56
13	ICP27 Phosphorylation Site Mutants Display Altered Functional Interactions with Cellular Export Factors Aly/REF and TAP/NXF1 but Are Able To Bind Herpes Simplex Virus 1 RNA. <i>Journal of Virology</i> , 2010, 84, 2212-2222.	1.5	22
14	Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein Binds and Protects a Nuclear Noncoding RNA from Cellular RNA Decay Pathways. <i>PLoS Pathogens</i> , 2010, 6, e1000799.	2.1	65
15	The Cellular DExD/H-Box RNA-Helicases UAP56 and URH49 Exhibit a CRM1-Independent Nucleocytoplasmic Shuttling Activity. <i>PLoS ONE</i> , 2011, 6, e22671.	1.1	19
16	Delineation of a core RNA element required for Kaposi's sarcoma-associated herpesvirus ORF57 binding and activity. <i>Virology</i> , 2011, 419, 107-116.	1.1	31
17	Kaposi's Sarcoma-Associated Herpesvirus ORF57 Promotes Escape of Viral and Human Interleukin-6 from MicroRNA-Mediated Suppression. <i>Journal of Virology</i> , 2011, 85, 2620-2630.	1.5	67
18	Rhesus Monkey Rhadinovirus ORF57 Induces gH and gL Glycoprotein Expression through Posttranscriptional Accumulation of Target mRNAs. <i>Journal of Virology</i> , 2011, 85, 7810-7817.	1.5	11

#	ARTICLE	IF	CITATIONS
19	Kaposi's Sarcoma-Associated Herpesvirus ORF57 Interacts with Cellular RNA Export Cofactors RBM15 and OTT3 To Promote Expression of Viral ORF59. <i>Journal of Virology</i> , 2011, 85, 1528-1540.	1.5	39
20	The many roles of the highly interactive HSV protein ICP27, a key regulator of infection. <i>Future Microbiology</i> , 2011, 6, 1261-1277.	1.0	86
21	Mutation of a C-Terminal Motif Affects Kaposi's Sarcoma-Associated Herpesvirus ORF57 RNA Binding, Nuclear Trafficking, and Multimerization. <i>Journal of Virology</i> , 2011, 85, 7881-7891.	1.5	16
22	A Viral Nuclear Noncoding RNA Binds Re-localized Poly(A) Binding Protein and Is Required for Late KSHV Gene Expression. <i>PLoS Pathogens</i> , 2011, 7, e1002300.	2.1	110
23	Structural Basis for the Recognition of Cellular mRNA Export Factor REF by Herpes Viral Proteins HSV-1 ICP27 and HVS ORF57. <i>PLoS Pathogens</i> , 2011, 7, e1001244.	2.1	41
24	An Interaction between KSHV ORF57 and UIF Provides mRNA-Adaptor Redundancy in Herpesvirus Intronless mRNA Export. <i>PLoS Pathogens</i> , 2011, 7, e1002138.	2.1	44
25	Epstein-Barr virus protein EB2 stimulates cytoplasmic mRNA accumulation by counteracting the deleterious effects of SRp20 on viral mRNAs. <i>Nucleic Acids Research</i> , 2012, 40, 6834-6849.	6.5	29
26	Binding of Cellular Export Factor REF/Aly by Kaposi's Sarcoma-Associated Herpesvirus (KSHV) ORF57 Protein Is Not Required for Efficient KSHV Lytic Replication. <i>Journal of Virology</i> , 2012, 86, 9866-9874.	1.5	18
27	Viral Factors Reveal a Role for REF/Aly in Nuclear RNA Stability. <i>Molecular and Cellular Biology</i> , 2012, 32, 1260-1270.	1.1	36
28	Kaposi's Sarcoma-Associated Herpesvirus ORF57 Is Not a Bona Fide Export Factor. <i>Journal of Virology</i> , 2012, 86, 13089-13094.	1.5	14
29	New clues to understand the role of THO and other functionally related factors in mRNP biogenesis. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2012, 1819, 514-520.	0.9	75
30	Identification of host cell proteins which interact with herpes simplex virus type 1 tegument protein pUL37. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 961-965.	1.0	10
31	KSHV Rta Promoter Specification and Viral Reactivation. <i>Frontiers in Microbiology</i> , 2012, 3, 30.	1.5	91
32	The Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein and Its Multiple Roles in mRNA Biogenesis. <i>Frontiers in Microbiology</i> , 2012, 3, 59.	1.5	19
33	Nuclear Imprisonment: Viral Strategies to Arrest Host mRNA Nuclear Export. <i>Viruses</i> , 2013, 5, 1824-1849.	1.5	57
34	Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein: Exploiting All Stages of Viral mRNA Processing. <i>Viruses</i> , 2013, 5, 1901-1923.	1.5	20
35	Interplay between Polyadenylate-Binding Protein 1 and Kaposi's Sarcoma-Associated Herpesvirus ORF57 in Accumulation of Polyadenylated Nuclear RNA, a Viral Long Noncoding RNA. <i>Journal of Virology</i> , 2013, 87, 243-256.	1.5	49
36	The Interaction of the Cellular Export Adaptor Protein Aly/REF with ICP27 Contributes to the Efficiency of Herpes Simplex Virus 1 mRNA Export. <i>Journal of Virology</i> , 2013, 87, 7210-7217.	1.5	18

#	ARTICLE	IF	CITATIONS
37	Chromatin Immunoprecipitation and Microarray Analysis Suggest Functional Cooperation between Kaposi's Sarcoma-Associated Herpesvirus ORF57 and K-bZIP. <i>Journal of Virology</i> , 2013, 87, 4005-4016.	1.5	14
38	Murine Leukemia Virus Uses TREX Components for Efficient Nuclear Export of Unspliced Viral Transcripts. <i>Viruses</i> , 2014, 6, 1135-1148.	1.5	8
39	A Novel Mechanism Inducing Genome Instability in Kaposi's Sarcoma-Associated Herpesvirus Infected Cells. <i>PLoS Pathogens</i> , 2014, 10, e1004098.	2.1	54
40	Competitive and Cooperative Interactions Mediate RNA Transfer from Herpesvirus Saimiri ORF57 to the Mammalian Export Adaptor ALYREF. <i>PLoS Pathogens</i> , 2014, 10, e1003907.	2.1	23
41	Attenuation of the suppressive activity of cellular splicing factor SRSF3 by Kaposi sarcoma-associated herpesvirus ORF57 protein is required for RNA splicing. <i>Rna</i> , 2014, 20, 1747-1758.	1.6	37
42	Viral Subversion of Nucleocytoplasmic Trafficking. <i>Traffic</i> , 2014, 15, 127-140.	1.3	106
43	Stability of Structured Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein Is Regulated by Protein Phosphorylation and Homodimerization. <i>Journal of Virology</i> , 2015, 89, 3256-3274.	1.5	30
44	ORF57 Overcomes the Detrimental Sequence Bias of Kaposi's Sarcoma-Associated Herpesvirus Lytic Genes. <i>Journal of Virology</i> , 2015, 89, 5097-5109.	1.5	11
45	KSHV ORF57, a Protein of Many Faces. <i>Viruses</i> , 2015, 7, 604-633.	1.5	39
46	Selective Recruitment of Nuclear Factors to Productively Replicating Herpes Simplex Virus Genomes. <i>PLoS Pathogens</i> , 2015, 11, e1004939.	2.1	94
47	HITS-CLIP Analysis Uncovers a Link between the Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein and Host Pre-mRNA Metabolism. <i>PLoS Pathogens</i> , 2015, 11, e1004652.	2.1	19
48	Structure of the C-Terminal Domain of the Multifunctional ICP27 Protein from Herpes Simplex Virus 1. <i>Journal of Virology</i> , 2015, 89, 8828-8839.	1.5	16
49	Identification of the Physiological Gene Targets of the Essential Lytic Replicative Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein. <i>Journal of Virology</i> , 2015, 89, 1688-1702.	1.5	29
50	Activation of DNA Damage Response Induced by the Kaposi's Sarcoma-Associated Herpes Virus. <i>International Journal of Molecular Sciences</i> , 2016, 17, 854.	1.8	6
51	The KSHV RNA regulator ORF57: target specificity and its role in the viral life cycle. <i>Wiley Interdisciplinary Reviews RNA</i> , 2016, 7, 173-185.	3.2	7
52	The role of TREX in gene expression and disease. <i>Biochemical Journal</i> , 2016, 473, 2911-2935.	1.7	165
53	New insights into the expression and functions of the Kaposi's sarcoma-associated herpesvirus long noncoding PAN RNA. <i>Virus Research</i> , 2016, 212, 53-63.	1.1	47
54	Influenza A Virus NS1 Protein Promotes Efficient Nuclear Export of Unspliced Viral M1 mRNA. <i>Journal of Virology</i> , 2017, 91, .	1.5	31

#	ARTICLE	IF	CITATIONS
55	Targeting the ATP-dependent formation of herpesvirus ribonucleoprotein particle assembly as an antiviral approach. <i>Nature Microbiology</i> , 2017, 2, 16201.	5.9	38
56	Multiple nuclear-replicating viruses require the stress-induced protein ZC3H11A for efficient growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E3808-E3816.	3.3	35
57	Overlapping motifs on the herpes viral proteins ICP27 and ORF57 mediate interactions with the mRNA export adaptors ALYREF and UIF. <i>Scientific Reports</i> , 2018, 8, 15005.	1.6	12
58	Transcriptional and Post-Transcriptional Regulation of Viral Gene Expression in the Gamma-Herpesvirus Kaposi's Sarcoma-Associated Herpesvirus. <i>Current Clinical Microbiology Reports</i> , 2018, 5, 219-228.	1.8	3
59	Long-Read Sequencing Revealed an Extensive Transcript Complexity in Herpesviruses. <i>Frontiers in Genetics</i> , 2018, 9, 259.	1.1	23
60	Towards Better Understanding of KSHV Life Cycle: from Transcription and Posttranscriptional Regulations to Pathogenesis. <i>Virologica Sinica</i> , 2019, 34, 135-161.	1.2	55
61	THO Complex Subunit 7 Homolog Negatively Regulates Cellular Antiviral Response against RNA Viruses by Targeting TBK1. <i>Viruses</i> , 2019, 11, 158.	1.5	11
62	Kaposi's sarcoma-associated herpesvirus ORF57 protein protects viral transcripts from specific nuclear RNA decay pathways by preventing hMTR4 recruitment. <i>PLoS Pathogens</i> , 2019, 15, e1007596.	2.1	20
63	The THO Complex as a Paradigm for the Prevention of Cotranscriptional R-Loops. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2019, 84, 105-114.	2.0	30
64	Structural identification of conserved RNA binding sites in herpesvirus ORF57 homologs: implications for PAN RNA recognition. <i>Nucleic Acids Research</i> , 2019, 47, 1987-2001.	6.5	4
65	Antiviral compound screening, peptide designing, and protein network construction of influenza A virus (strain A/Puerto Rico/8/1934 H1N1). <i>Drug Development Research</i> , 2019, 80, 106-124.	1.4	6
66	Identification of Tomato Proteins That Interact With Replication Initiator Protein (Rep) of the Geminivirus TYLCV. <i>Frontiers in Plant Science</i> , 2020, 11, 1069.	1.7	19
67	The Sub-Nuclear Localization of RNA-Binding Proteins in KSHV-Infected Cells. <i>Cells</i> , 2020, 9, 1958.	1.8	3
68	The Roles of Host 5-Methylcytosine RNA Methyltransferases during Viral Infections. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8176.	1.8	21
69	Viral regulation of mRNA export with potentials for targeted therapy. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2021, 1864, 194655.	0.9	3
70	Crosstalk between nucleocytoplasmic trafficking and the innate immune response to viral infection. <i>Journal of Biological Chemistry</i> , 2021, 297, 100856.	1.6	30
71	The protein-protein interaction network of intestinal gastric cancer patients reveals hub proteins with potential prognostic value. <i>Cancer Biomarkers</i> , 2022, 33, 83-96.	0.8	5
72	Proteomic approaches to investigate gammaherpesvirus biology and associated tumorigenesis. <i>Advances in Virus Research</i> , 2021, 109, 201-254.	0.9	0

#	ARTICLE	IF	CITATIONS
74	Interactions between KSHV ORF57 and the novel human TREX proteins, CHTOP and CIP29. <i>Journal of General Virology</i> , 2016, 97, 1904-1910.	1.3	8
75	Uncoupling of hTREX demonstrates that UAP56 and hTHO-complex recruitment onto herpesvirus saimiri intronless transcripts is required for replication. <i>Journal of General Virology</i> , 2009, 90, 1455-1460.	1.3	11
76	Individual influenza A virus mRNAs show differential dependence on cellular NXF1/TAP for their nuclear export. <i>Journal of General Virology</i> , 2010, 91, 1290-1301.	1.3	75
77	Highly Pathogenic Avian Influenza Virus Nucleoprotein Interacts with TREX Complex Adaptor Protein Aly/REF. <i>PLoS ONE</i> , 2013, 8, e72429.	1.1	13
78	Risk score based on expression of five novel genes predicts survival in soft tissue sarcoma. <i>Aging</i> , 2020, 12, 3807-3827.	1.4	24
83	Non-targeting siRNA-mediated responses are associated with apoptosis in chemotherapy-induced senescent skin cancer cells. <i>Chemico-Biological Interactions</i> , 2023, 369, 110254.	1.7	0