CITATION REPORT List of articles citing

Dynamics of Arabidopsis dynamin-related protein 1C and a clathrin light chain at the plasma membrane

DOI: 10.1105/tpc.108.059428 Plant Cell, 2008, 20, 1363-80.

Source: https://exaly.com/paper-pdf/44728975/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
193	Actin filament dynamics are dominated by rapid growth and severing activity in the Arabidopsis cortical array. 2009 , 184, 269-80		183
192	Pre-meiotic bands and novel meiotic spindle ontogeny in quadrilobed sporocytes of leafy liverworts (Jungermannidae, Bryophyta). 2009 , 237, 41-9		5
191	Arabidopsis MPK6 is involved in cell division plane control during early root development, and localizes to the pre-prophase band, phragmoplast, trans-Golgi network and plasma membrane. 2010 , 61, 234-48		96
190	Dynamins at a glance. Journal of Cell Science, 2009, 122, 3427-31	5.3	73
189	Alterations in detergent-resistant plasma membrane microdomains in Arabidopsis thaliana during cold acclimation. <i>Plant and Cell Physiology</i> , 2009 , 50, 341-59	4.9	125
188	Plant signaling endosomes and endosome trafficking. 2010 , 57, 290-296		1
187	Endocytosis restricts Arabidopsis KNOLLE syntaxin to the cell division plane during late cytokinesis. <i>EMBO Journal</i> , 2010 , 29, 546-58	13	101
186	The rice dynamin-related protein DRP2B mediates membrane trafficking, and thereby plays a critical role in secondary cell wall cellulose biosynthesis. 2010 , 64, 56-70		61
185	Arabidopsis dynamin-related proteins DRP2B and DRP1A participate together in clathrin-coated vesicle formation during endocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 6094-9	11.5	112
184	Regulation of actin dynamics by actin-binding proteins in pollen. <i>Journal of Experimental Botany</i> , 2010 , 61, 1969-86	7	136
183	The Arabidopsis dynamin-related protein2 family is essential for gametophyte development. <i>Plant Cell</i> , 2010 , 22, 3218-31	11.6	65
182	Plant dynamin-related protein families DRP1 and DRP2 in plant development. 2010, 38, 797-806		40
181	ADP-ribosylation factor machinery mediates endocytosis in plant cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 21890-5	11.5	109
180	Characterization of the rice glup4 mutant suggests a role for the small GTPase Rab5 in the biosynthesis of carbon and nitrogen storage reserves in developing endosperm. 2010 , 60, 556-567		12
179	Computational identification of root hair-specific genes in Arabidopsis. 2010 , 5, 1407-18		11
178	ABP1 mediates auxin inhibition of clathrin-dependent endocytosis in Arabidopsis. 2010 , 143, 111-21		344
177	Membrane rafts in plant cells. 2010 , 15, 656-63		114

(2012-2011)

176	Adaptin-like protein TPLATE and clathrin recruitment during plant somatic cytokinesis occurs via two distinct pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 615-20	11.5	96
175	Subcellular and single-molecule imaging of plant fluorescent proteins using total internal reflection fluorescence microscopy (TIRFM). <i>Journal of Experimental Botany</i> , 2011 , 62, 5419-28	7	46
174	A membrane trafficking pathway regulated by the plant-specific RAB GTPase ARA6. 2011 , 13, 853-9		193
173	Clathrin-mediated endocytosis: the gateway into plant cells. 2011 , 14, 674-82		132
172	Cell plate restricted association of DRP1A and PIN proteins is required for cell polarity establishment in Arabidopsis. 2011 , 21, 1055-60		67
171	A role for Arabidopsis dynamin related proteins DRP2A/B in endocytosis; DRP2 function is essential for plant growth. 2011 , 76, 117-29		25
170	Variable-angle total internal reflection fluorescence microscopy of intact cells of Arabidopsis thaliana. 2011 , 7, 27		46
169	The AP-3 adaptor complex is required for vacuolar function in Arabidopsis. 2011 , 21, 1711-22		93
168	Organ and cell type-specific complementary expression patterns and regulatory neofunctionalization between duplicated genes in Arabidopsis thaliana. 2011 , 3, 1419-36		48
167	Single-molecule analysis of PIP2;1 dynamics and partitioning reveals multiple modes of Arabidopsis plasma membrane aquaporin regulation. <i>Plant Cell</i> , 2011 , 23, 3780-97	11.6	178
166	Bleach it, switch it, bounce it, pull it: using lasers to reveal plant cell dynamics. <i>Journal of Experimental Botany</i> , 2011 , 62, 1-7	7	45
165	Fluorescent tags to explore cell wall structure and dynamics. Frontiers in Plant Science, 2012, 3, 145	6.2	5
164	Conserved and plant-unique mechanisms regulating plant post-Golgi traffic. <i>Frontiers in Plant Science</i> , 2012 , 3, 197	6.2	45
163	Salt stress triggers enhanced cycling of Arabidopsis root plasma-membrane aquaporins. 2012 , 7, 529-32		20
162	BEX5/RabA1b regulates trans-Golgi network-to-plasma membrane protein trafficking in Arabidopsis. <i>Plant Cell</i> , 2012 , 24, 3074-86	11.6	86
161	An A/ENTH domain-containing protein functions as an adaptor for clathrin-coated vesicles on the growing cell plate in Arabidopsis root cells. <i>Plant Physiology</i> , 2012 , 159, 1013-25	6.6	44
160	Endocytosis and Vesicular Recycling in Root Hairs and Pollen Tubes. 2012 , 81-106		1
159	Constitutive expression of clathrin hub hinders elicitor-induced clathrin-mediated endocytosis and defense gene expression in plant cells. FEBS Letters. 2012. 586. 3293-8	3.8	19

158	ABP1 and ROP6 GTPase signaling regulate clathrin-mediated endocytosis in Arabidopsis roots. 2012 , 22, 1326-32		123
157	Spatio-temporal cellular dynamics of the Arabidopsis flagellin receptor reveal activation status-dependent endosomal sorting. <i>Plant Cell</i> , 2012 , 24, 4205-19	11.6	178
156	Proteomic and phosphoproteomic analysis of Picea wilsonii pollen development under nutrient limitation. 2012 , 11, 4180-90		16
155	Detergent-resistant plasma membrane proteome in oat and rye: similarities and dissimilarities between two monocotyledonous plants. 2012 , 11, 1654-65		37
154	Dynamic Behavior and Internalization of Aquaporins at the Surface of Plant Cells. 2012, 185-199		
153	Update on Methods and Techniques to Study Endocytosis in Plants. 2012 , 1-36		1
152	A membrane microdomain-associated protein, Arabidopsis Flot1, is involved in a clathrin-independent endocytic pathway and is required for seedling development. <i>Plant Cell</i> , 2012 , 24, 2105-22	11.6	142
151	Probing and tracking organelles in living plant cells. 2012 , 249 Suppl 2, S157-67		8
150	Dynamic behavior of clathrin in Arabidopsis thaliana unveiled by live imaging. 2012 , 69, 204-16		92
149	Fluorescence recovery after photobleaching reveals high cycling dynamics of plasma membrane aquaporins in Arabidopsis roots under salt stress. 2012 , 69, 894-905		95
148	Plant cell wall secretion and lipid traffic at membrane contact sites of the cell cortex. 2012 , 249 Suppl 1, S19-23		21
147	Salicylic acid interferes with clathrin-mediated endocytic protein trafficking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 7946-51	11.5	84
146	The clathrin adaptor complex AP-2 mediates endocytosis of brassinosteroid insensitive1 in Arabidopsis. <i>Plant Cell</i> , 2013 , 25, 2986-97	11.6	125
145	Adaptor protein complex 2-mediated endocytosis is crucial for male reproductive organ development in Arabidopsis. <i>Plant Cell</i> , 2013 , 25, 2970-85	11.6	81
144	Dynamic analysis of Arabidopsis AP2 Isubunit reveals a key role in clathrin-mediated endocytosis and plant development. 2013 , 140, 3826-37		104
143	Probing plasma membrane dynamics at the single-molecule level. 2013 , 18, 617-24		35
142	Cytoskeletal and membrane dynamics during higher plant cytokinesis. 2013 , 197, 1039-1057		78
141	CLASP-mediated cortical microtubule organization guides PIN polarization axis. 2013 , 495, 529-33		24

(2014-2013)

140	Smaller, faster, brighter: advances in optical imaging of living plant cells. <i>Annual Review of Plant Biology</i> , 2013 , 64, 351-75	30.7	44
139	Targeting and regulation of cell wall synthesis during tip growth in plants. <i>Journal of Integrative Plant Biology</i> , 2013 , 55, 835-46	8.3	55
138	The endocytosis of cellulose synthase in Arabidopsis is dependent on [2], a clathrin-mediated endocytosis adaptin. <i>Plant Physiology</i> , 2013 , 163, 150-60	6.6	113
137	Clathrin light chains regulate clathrin-mediated trafficking, auxin signaling, and development in Arabidopsis. <i>Plant Cell</i> , 2013 , 25, 499-516	11.6	113
136	ARP2/3 localization in Arabidopsis leaf pavement cells: a diversity of intracellular pools and cytoskeletal interactions. <i>Frontiers in Plant Science</i> , 2013 , 4, 238	6.2	31
135	Visualization of the exocyst complex dynamics at the plasma membrane of Arabidopsis thaliana. 2013 , 24, 510-20		88
134	Patterning and lifetime of plasma membrane-localized cellulose synthase is dependent on actin organization in Arabidopsis interphase cells. <i>Plant Physiology</i> , 2013 , 162, 675-88	6.6	126
133	The caspase-related protease separase (extra spindle poles) regulates cell polarity and cytokinesis in Arabidopsis. <i>Plant Cell</i> , 2013 , 25, 2171-86	11.6	30
132	Single-particle analysis reveals shutoff control of the Arabidopsis ammonium transporter AMT1;3 by clustering and internalization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 13204-9	11.5	68
131	Mediation of clathrin-dependent trafficking during cytokinesis and cell expansion by Arabidopsis stomatal cytokinesis defective proteins. <i>Plant Cell</i> , 2013 , 25, 3910-25	11.6	35
130	Identification and dynamics of Arabidopsis adaptor protein-2 complex and its involvement in floral organ development. <i>Plant Cell</i> , 2013 , 25, 2958-69	11.6	88
129	MTV1 and MTV4 encode plant-specific ENTH and ARF GAP proteins that mediate clathrin-dependent trafficking of vacuolar cargo from the trans-Golgi network. <i>Plant Cell</i> , 2013 , 25, 221	7 ⁻¹ 35	45
128	Identification of myosin XI receptors in Arabidopsis defines a distinct class of transport vesicles. <i>Plant Cell</i> , 2013 , 25, 3022-38	11.6	63
127	Molecular counting by photobleaching in protein complexes with many subunits: best practices and application to the cellulose synthesis complex. 2014 , 25, 3630-42		45
126	Endosidin 7 Specifically Arrests Late Cytokinesis and Inhibits Callose Biosynthesis, Revealing Distinct Trafficking Events during Cell Plate Maturation. <i>Plant Physiology</i> , 2014 , 165, 1019-1034	6.6	35
125	Blue-light-activated phototropin2 trafficking from the cytoplasm to Golgi/post-Golgi vesicles. <i>Journal of Experimental Botany</i> , 2014 , 65, 3263-76	7	21
124	Dynamin-related proteins in plant post-Golgi traffic. Frontiers in Plant Science, 2014, 5, 408	6.2	24
123	Regulation of Cell Wall Formation by Membrane Traffic. 2014 , 35-64		

122	The TPLATE adaptor complex drives clathrin-mediated endocytosis in plants. 2014 , 156, 691-704		167
121	Modification of plasma membrane organization in tobacco cells elicited by cryptogein. <i>Plant Physiology</i> , 2014 , 164, 273-86	6.6	25
120	Actin Filament Dynamics and their Role in Plant Cell Expansion. 2014 , 127-162		2
119	The trafficking of the cellulose synthase complex in higher plants. 2014 , 114, 1059-67		47
118	Clathrin and Membrane Microdomains Cooperatively Regulate RbohD Dynamics and Activity in Arabidopsis. <i>Plant Cell</i> , 2014 , 26, 1729-1745	11.6	128
117	Regulatory roles of phosphoinositides in membrane trafficking and their potential impact on cell-wall synthesis and re-modelling. 2014 , 114, 1049-57		21
116	Insights into the localization and function of the membrane trafficking regulator GNOM ARF-GEF at the Golgi apparatus in Arabidopsis. <i>Plant Cell</i> , 2014 , 26, 3062-76	11.6	94
115	Auxin on the Road Navigated by Cellular PIN Polarity. 2014 , 143-170		2
114	Arabidopsis dynamin-related protein 1E in sphingolipid-enriched plasma membrane domains is associated with the development of freezing tolerance. 2015 , 83, 501-14		14
113	Characterisation of detergent-insoluble membranes in pollen tubes of Nicotiana tabacum (L.). 2015 , 4, 378-99		14
112	Vesicular trafficking and salinity responses in plants. 2015 , 67, 677-86		39
111	CESA TRAFFICKING INHIBITOR inhibits cellulose deposition and interferes with the trafficking of cellulose synthase complexes and their associated proteins KORRIGAN1 and POM2/CELLULOSE SYNTHASE INTERACTIVE PROTEIN1. <i>Plant Physiology</i> , 2015 , 167, 381-93	6.6	28
110	Arabidopsis D6PK is a lipid domain-dependent mediator of root epidermal planar polarity. <i>Nature Plants</i> , 2015 , 1, 15162	11.5	36
109	The song of lipids and proteins: dynamic lipid-protein interfaces in the regulation of plant cell polarity at different scales. <i>Journal of Experimental Botany</i> , 2015 , 66, 1587-98	7	24
108	Molecular principles of membrane microdomain targeting in plants. 2015 , 20, 351-61		28
107	Endocytosis and its regulation in plants. 2015 , 20, 388-97		118
106	Polysaccharide deposition during cytokinesis: Challenges and future perspectives. 2015 , 236, 177-84		55
105	Spatiotemporal Dynamics of the BRI1 Receptor and its Regulation by Membrane Microdomains in Living Arabidopsis Cells. <i>Molecular Plant</i> , 2015 , 8, 1334-49	14.4	79

(2018-2015)

104	Salt-induced remodeling of spatially restricted clathrin-independent endocytic pathways in Arabidopsis root. <i>Plant Cell</i> , 2015 , 27, 1297-315	11.6	49
103	Osmotic Stress Modulates the Balance between Exocytosis and Clathrin-Mediated Endocytosis in Arabidopsis thaliana. <i>Molecular Plant</i> , 2015 , 8, 1175-87	14.4	68
102	At14a-Like1 participates in membrane-associated mechanisms promoting growth during drought in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 10545-50	11.5	20
101	CELLULOSE SYNTHASE INTERACTIVE1 Is Required for Fast Recycling of Cellulose Synthase Complexes to the Plasma Membrane in Arabidopsis. <i>Plant Cell</i> , 2015 , 27, 2926-40	11.6	34
100	The TWD40-2 protein and the AP2 complex cooperate in the clathrin-mediated endocytosis of cellulose synthase to regulate cellulose biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 12870-5	11.5	55
99	Single-molecule fluorescence imaging to quantify membrane protein dynamics and oligomerization in living plant cells. <i>Nature Protocols</i> , 2015 , 10, 2054-63	18.8	44
98	Differential Regulation of Clathrin and Its Adaptor Proteins during Membrane Recruitment for Endocytosis. <i>Plant Physiology</i> , 2016 , 171, 215-29	6.6	43
97	Endocytosis and Endosomal Trafficking in Plants. Annual Review of Plant Biology, 2016, 67, 309-35	30.7	141
96	FYVE1/FREE1 Interacts with the PYL4 ABA Receptor and Mediates Its Delivery to the Vacuolar Degradation Pathway. <i>Plant Cell</i> , 2016 , 28, 2291-2311	11.6	97
95	Enrichment of hydroxylated C24- and C26-acyl-chain sphingolipids mediates PIN2 apical sorting at trans-Golgi network subdomains. <i>Nature Communications</i> , 2016 , 7, 12788	17.4	42
94	Guilt by Association: A Phenotype-Based View of the Plant Phosphoinositide Network. <i>Annual Review of Plant Biology</i> , 2017 , 68, 349-374	30.7	44
93	The dynamics and endocytosis of Flot1 protein in response to flg22 in Arabidopsis. <i>Journal of Plant Physiology</i> , 2017 , 215, 73-84	3.6	20
92	Clathrin Heavy Chain Subunits Coordinate Endo- and Exocytic Traffic and Affect Stomatal Movement. <i>Plant Physiology</i> , 2017 , 175, 708-720	6.6	28
91	Clathrin regulates blue light-triggered lateral auxin distribution and hypocotyl phototropism in Arabidopsis. <i>Plant, Cell and Environment</i> , 2017 , 40, 165-176	8.4	12
90	TrackMate: An open and extensible platform for single-particle tracking. <i>Methods</i> , 2017 , 115, 80-90	4.6	1276
89	Clathrin in : Molecular Analysis and Involvement in Charasome Degradation and Constitutive Endocytosis. <i>Frontiers in Plant Science</i> , 2017 , 8, 20	6.2	11
88	Single Event Resolution of Plant Plasma Membrane Protein Endocytosis by TIRF Microscopy. <i>Frontiers in Plant Science</i> , 2017 , 8, 612	6.2	24
87	A Functional Study of AUXILIN-LIKE1 and 2, Two Putative Clathrin Uncoating Factors in Arabidopsis. <i>Plant Cell</i> , 2018 , 30, 700-716	11.6	42

86	Exploring the Spatiotemporal Organization of Membrane Proteins in Living Plant Cells. <i>Annual Review of Plant Biology</i> , 2018 , 69, 525-551	30.7	26
85	The A/ENTH Domain-Containing Protein AtECA4 Is an Adaptor Protein Involved in Cargo Recycling from the trans-Golgi Network/Early Endosome to the Plasma Membrane. <i>Molecular Plant</i> , 2018 , 11, 568	8- 583	10
84	Na ,K /H antiporters regulate the pH of endoplasmic reticulum and auxin-mediated development. <i>Plant, Cell and Environment</i> , 2018 , 41, 850-864	8.4	13
83	Vacuole Integrity Maintained by DUF300 Proteins Is Required for Brassinosteroid Signaling Regulation. <i>Molecular Plant</i> , 2018 , 11, 553-567	14.4	11
82	Variable-angle epifluorescence microscopy characterizes protein dynamics in the vicinity of plasma membrane in plant cells. <i>BMC Plant Biology</i> , 2018 , 18, 43	5.3	7
81	Inroads into Internalization: Five Years of Endocytic Exploration. <i>Plant Physiology</i> , 2018 , 176, 208-218	6.6	40
80	Protein secretion in plants: conventional and unconventional pathways and new techniques. Journal of Experimental Botany, 2017 , 69, 21-37	7	39
79	Relative Contribution of PIN-Containing Secretory Vesicles and Plasma Membrane PINs to the Directed Auxin Transport: Theoretical Estimation. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	9
78	TGNap1 is required for microtubule-dependent homeostasis of a subpopulation of the plant trans-Golgi network. <i>Nature Communications</i> , 2018 , 9, 5313	17.4	25
77	The Dynamic Chondriome: Control of Number, Shape, Size and Motility of Mitochondria. 2018 , 67-110		
76	Plant Endocytosis Requires the ER Membrane-Anchored Proteins VAP27-1 and VAP27-3. <i>Cell Reports</i> , 2018 , 23, 2299-2307	10.6	35
75	The REN4 rheostat dynamically coordinates the apical and lateral domains of Arabidopsis pollen tubes. <i>Nature Communications</i> , 2018 , 9, 2573	17.4	23
74	Root Adaptation to H2O2-Induced Oxidative Stress by ARF-GEF BEN1- and Cytoskeleton-Mediated PIN2 Trafficking. <i>Plant and Cell Physiology</i> , 2019 , 60, 255-273	4.9	20
73	Osmotic Stress Activates Two Reactive Oxygen Species Pathways with Distinct Effects on Protein Nanodomains and Diffusion. <i>Plant Physiology</i> , 2019 , 179, 1581-1593	6.6	32
72	Proteomics of Cadmium Tolerance in Plants. 2019 , 143-175		3
71	The Arabidopsis receptor kinase STRUBBELIG undergoes clathrin-dependent endocytosis. <i>Journal of Experimental Botany</i> , 2019 , 70, 3881-3894	7	10
70	Developmental control of plant Rho GTPase nano-organization by the lipid phosphatidylserine. <i>Science</i> , 2019 , 364, 57-62	33.3	100
69	Plant AP180 N-Terminal Homolog Proteins Are Involved in Clathrin-Dependent Endocytosis during Pollen Tube Growth in Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , 2019 , 60, 1316-1330	4.9	19

(2021-2019)

68	Low Water Potential and At14a-Like1 (AFL1) Effects on Endocytosis and Actin Filament Organization. <i>Plant Physiology</i> , 2019 , 179, 1594-1607	6.6	4	
67	Secretion of Phospholipase DIFunctions as a Regulatory Mechanism in Plant Innate Immunity. <i>Plant Cell</i> , 2019 , 31, 3015-3032	11.6	27	
66	A dual role for cell plate-associated PI4Klin endocytosis and phragmoplast dynamics during plant somatic cytokinesis. <i>EMBO Journal</i> , 2019 , 38,	13	32	
65	Signal Function Studies of ROS, Especially RBOH-Dependent ROS, in Plant Growth, Development and Environmental Stress. <i>Journal of Plant Growth Regulation</i> , 2020 , 39, 157-171	4.7	36	
64	Strigolactones inhibit auxin feedback on PIN-dependent auxin transport canalization. <i>Nature Communications</i> , 2020 , 11, 3508	17.4	16	
63	Non-steroidal Anti-inflammatory Drugs Target TWISTED DWARF1-Regulated Actin Dynamics and Auxin Transport-Mediated Plant Development. <i>Cell Reports</i> , 2020 , 33, 108463	10.6	4	
62	Endocytosis of BRASSINOSTEROID INSENSITIVE1 Is Partly Driven by a Canonical Tyr-Based Motif. <i>Plant Cell</i> , 2020 , 32, 3598-3612	11.6	7	
61	Differentiation of Trafficking Pathways at Golgi Entry Core Compartments and Post-Golgi Subdomains. <i>Frontiers in Plant Science</i> , 2020 , 11, 609516	6.2	6	
60	High Temporal Resolution Reveals Simultaneous Plasma Membrane Recruitment of TPLATE Complex Subunits. <i>Plant Physiology</i> , 2020 , 183, 986-997	6.6	16	
59	The Beginning of the End: Initial Steps in the Degradation of Plasma Membrane Proteins. <i>Frontiers in Plant Science</i> , 2020 , 11, 680	6.2	6	
58	Arabidopsis Flippases Cooperate with ARF GTPase Exchange Factors to Regulate the Trafficking and Polarity of PIN Auxin Transporters. <i>Plant Cell</i> , 2020 , 32, 1644-1664	11.6	26	
57	Experimental toolbox for quantitative evaluation of clathrin-mediated endocytosis in the plant model. <i>Journal of Cell Science</i> , 2020 , 133,	5.3	7	
56	In vivo single-particle tracking of the aquaporin AtPIP2;1 in stomata reveals cell type-specific dynamics. <i>Plant Physiology</i> , 2021 , 185, 1666-1681	6.6	9	
55	Single-particle tracking photoactivated localization microscopy of membrane proteins in living plant tissues. <i>Nature Protocols</i> , 2021 , 16, 1600-1628	18.8	13	
54	Systematic analysis of specific and nonspecific auxin effects on endocytosis and trafficking. <i>Plant Physiology</i> , 2021 , 186, 1122-1142	6.6	9	
53	The TPLATE complex mediates membrane bending during plant clathrin-mediated endocytosis.		1	
52	Quantitative proteomic analysis of the sugarcane defense responses incited by Acidovorax avenae subsp. avenae causing red stripe. <i>Industrial Crops and Products</i> , 2021 , 162, 113275	5.9	6	
51	Inducible depletion of PI(4,5)P by the synthetic iDePP system in Arabidopsis. <i>Nature Plants</i> , 2021 , 7, 58	7- <u>Б₽₹</u>	15	

50	AtSEC22 Regulates Cell Morphogenesis via Affecting Cytoskeleton Organization and Stabilities. <i>Frontiers in Plant Science</i> , 2021 , 12, 635732	6.2	3
49	Membrane nanodomains and transport functions in plant Plant Physiology, 2021, 187, 1839-1855	6.6	3
48	Cross-talk between clathrin-dependent post-Golgi trafficking and clathrin-mediated endocytosis in Arabidopsis root cells. <i>Plant Cell</i> , 2021 , 33, 3057-3075	11.6	7
47	Inhibition of Very Long Chain Fatty Acids Synthesis Mediates PI3P Homeostasis at Endosomal Compartments. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	O
46	Proteomic Characterization of Isolated Arabidopsis Clathrin-Coated Vesicles Reveals Evolutionarily Conserved and Plant Specific Components.		2
45	Imaging the living plant cell: from probes to quantification. Plant Cell, 2021,	11.6	2
44	Clathrin light chains regulate hypocotyl elongation by affecting the polarization of the auxin transporter PIN3 in Arabidopsis. <i>Journal of Integrative Plant Biology</i> , 2021 , 63, 1922-1936	8.3	1
43	THE DYNAMIC CHONDRIOME. 67-109		3
42	Chemical genomics: characterizing target pathways for bioactive compounds using the endomembrane trafficking network. <i>Methods in Molecular Biology</i> , 2014 , 1174, 317-28	1.4	5
41	Plasma Membrane Protein Trafficking. <i>Plant Cell Monographs</i> , 2011 , 31-56	0.6	11
40	Plasma Membrane Protein Trafficking. <i>Plant Cell Monographs</i> , 2011 , 31-56 Endocytosis and Cytoskeleton: Dynamic Encounters Shaping the Portals of Cell Entry. 2012 , 313-332	0.6	2
		11.6	2
40	Endocytosis and Cytoskeleton: Dynamic Encounters Shaping the Portals of Cell Entry. 2012 , 313-332 Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin		2
40 39	Endocytosis and Cytoskeleton: Dynamic Encounters Shaping the Portals of Cell Entry. 2012 , 313-332 Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics in tobacco pollen tubes. <i>Plant Cell</i> , 2021 , 33, 642-670 High temporal resolution reveals simultaneous plasma membrane recruitment of the TPLATE		2
40 39 38	Endocytosis and Cytoskeleton: Dynamic Encounters Shaping the Portals of Cell Entry. 2012, 313-332 Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics in tobacco pollen tubes. <i>Plant Cell</i> , 2021, 33, 642-670 High temporal resolution reveals simultaneous plasma membrane recruitment of the TPLATE complex subunits. Polarized localization and borate-dependent degradation of the Arabidopsis borate transporter	11.6	2 11 1
40 39 38 37	Endocytosis and Cytoskeleton: Dynamic Encounters Shaping the Portals of Cell Entry. 2012, 313-332 Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics in tobacco pollen tubes. <i>Plant Cell</i> , 2021, 33, 642-670 High temporal resolution reveals simultaneous plasma membrane recruitment of the TPLATE complex subunits. Polarized localization and borate-dependent degradation of the Arabidopsis borate transporter BOR1 in tobacco BY-2 cells. <i>F1000Research</i> , 2013, 2, 185 YeATS - a tool suite for analyzing RNA-seq derived transcriptome identifies a highly transcribed	11.6	1 1 3
40 39 38 37 36	Endocytosis and Cytoskeleton: Dynamic Encounters Shaping the Portals of Cell Entry. 2012, 313-332 Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics in tobacco pollen tubes. <i>Plant Cell</i> , 2021, 33, 642-670 High temporal resolution reveals simultaneous plasma membrane recruitment of the TPLATE complex subunits. Polarized localization and borate-dependent degradation of the Arabidopsis borate transporter BOR1 in tobacco BY-2 cells. <i>F1000Research</i> , 2013, 2, 185 YeATS - a tool suite for analyzing RNA-seq derived transcriptome identifies a highly transcribed putative extensin in heartwood/sapwood transition zone in black walnut. <i>F1000Research</i> , 2015, 4, 155 YeATS - a tool suite for analyzing RNA-seq derived transcriptome identifies a highly transcribed	3.6 3.6	2 11 1 3 8

32	The Dynamic Composition of an Archetypal Plant Condensate Highlights a Tug-of-War between Condensates and Cell Vertex. SSRN Electronic Journal,	1	
31	Cell biology of primary cell wall synthesis in plants. Plant Cell, 2021,	11.6	5
30	Tissue morphogenesis mediated by the Arabidopsis receptor kinase STRUBBELIG involves a clathrin-dependent process.		
29	Title: In vivo phosphatidylserine variations steer Rho GTPase signaling in a cell-context dependent manner.		
28	Evolutionary unique mechanistic framework of clathrin-mediated endocytosis in plants.		
27	Visualising endocytosis in plants: past, present, and future. <i>Journal of Microscopy</i> , 2020 , 280, 104-110	1.9	4
26	Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics in tobacco pollen tubes.		2
25	The SYP123-VAMP727 SNARE complex is involved in the delivery of inner cell wall components to the root hair shank in Arabidopsis.		1
24	Clathrin-mediated endocytosis-independent function of VAN3 ARF GTPase Activating Protein at the plasma membrane.		1
23	Potentiation of plant defense by bacterial outer membrane vesicles is mediated by membrane nanodomains. <i>Plant Cell</i> , 2021 ,	11.6	6
22	Both Clathrin-Mediated and Membrane Microdomain-Associated Endocytosis Contribute to the Cellular Adaptation to Hyperosmotic Stress in. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	0
21	Mutation in Arabidopsis MOR1 gene impairs endocytosis in stamen filament cells and results in anther indehiscence. <i>Plant Growth Regulation</i> , 1	3.2	
20	The role of clathrin in exocytosis and the mutual regulation of endo- and exocytosis in plant cells.		0
19	CV-containing vesicle budding from chloroplast inner envelope membrane is mediated by clathrin but inhibited by GAPC.		
18	Characterization of CAP1 and ECA4 adaptors participating in clathrin-mediated endocytosis.		O
17	SH3Ps recruit auxilin-like vesicle uncoating factors into clathrin-mediated endocytosis.		2
16	Developmental patterning function of GNOM ARF-GEF mediated from the plasma membrane.		0
15	Microscopic Imaging of Endosomal Trafficking of ABA Receptors <i>Methods in Molecular Biology</i> , 2022 , 2462, 59-69	1.4	

14	Proteomic characterization of isolated Arabidopsis clathrin-coated vesicles reveals evolutionarily conserved and plant-specific components <i>Plant Cell</i> , 2022 ,	11.6	5
13	Phase Separation of a Nodulin Sec14-like protein Maintains Auxin Efflux Carrier Polarity at Arabidopsis Plasma Membranes.		O
12	Clathrin Light Chains: Not to Be Taken so Lightly <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 774587	5.7	2
11	Clathrin-mediated Endocytosis Facilitates Internalization of Magnaporthe oryzae Effectors into Rice Cells.		O
10	The TPLATE complex mediates membrane bending during plant clathrin-mediated endocytosis <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4
9	The Proxitome of Arabidopsis Processing Bodies Reveals a Condensate-Membrane Interface Instructing Actin-Driven Directional Growth.		
8	Plant cytokinesis and the construction of new cell wall. FEBS Letters,	3.8	1
7	Advances in structural, spatial, and temporal mechanics of plant endocytosis. FEBS Letters,	3.8	1
6	Dynamin-Related Proteins Enhance Tomato Immunity by Mediating Pattern Recognition Receptor Trafficking. 2022 , 12, 760		1
5	CWLP and PRP940 form plasma-membrane nanodomain complexes with aquaporins, interact with PP2A and contribute to dehydration tolerance.		O
4	Ubiquitination steers SRF3 plasma membrane nano-organization to specify signaling outputs.		О
3	Localization and circulation: vesicle trafficking in regulating plant nutrient homeostasis.		O
2	Light Microscopy Technologies and the Plant Cytoskeleton. 2023 , 337-352		О
1	The selective estrogen receptor modulator clomiphene inhibits sterol biosynthesis inArabidopsis thaliana.		O