

CITATION REPORT

List of articles citing

The *Pseudomonas syringae* type III effector HopAM1 enhances virulence on water-stressed plants

DOI: 10.1094/mpmi-21-3-0361

Molecular Plant-Microbe Interactions, 2008, 21, 361-70.

Source: <https://exaly.com/paper-pdf/44866596/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
104	Breaking the barriers: microbial effector molecules subvert plant immunity. 2008 , 46, 189-215		272
103	The multilevel and dynamic interplay between plant and pathogen. 2009 , 4, 283-93		14
102	Chapter 2 Plant Pathogens as Suppressors of Host Defense. 2009 , 39-89		10
101	Cre-lox univector acceptor vectors for functional screening in protoplasts: analysis of Arabidopsis donor cDNAs encoding ABSCISIC ACID INSENSITIVE1-like protein phosphatases. 2009 , 70, 693-708		7
100	Advances in experimental methods for the elucidation of Pseudomonas syringae effector function with a focus on AvrPtoB. 2009 , 10, 777-93		18
99	Stress Signaling I: The Role of Abscisic Acid (ABA). 2009 , 33-73		10
98	A Biotic or Abiotic Stress?. 2009 , 103-122		
97	Abscisic acid in the plants-pathogen interaction. 2009 , 56, 742-752		12
96	Gene Ontology for type III effectors: capturing processes at the host-pathogen interface. 2009 , 17, 304-11		9
95	The targeting of plant cellular systems by injected type III effector proteins. 2009 , 20, 1055-63		52
94	Bacterial growth restriction during host resistance to Pseudomonas syringae is associated with leaf water loss and localized cessation of vascular activity in Arabidopsis thaliana. <i>Molecular Plant-Microbe Interactions</i> , 2009 , 22, 857-67	3.6	50
93	Genetic loci involved in rubrifacine production in the walnut pathogen Brenneria rubrifaciens. 2009 , 99, 145-51		3
92	The long and winding road: virulence effector proteins of plant pathogenic bacteria. 2010 , 67, 3425-34		20
91	A plant natriuretic peptide-like molecule of the pathogen Xanthomonas axonopodis pv. citri causes rapid changes in the proteome of its citrus host. 2010 , 10, 51		30
90	Arabidopsis and the plant immune system. 2010 , 61, 1053-66		147
89	Lessons learned from type III effector transgenic plants. 2010 , 5, 746-8		3
88	Water relations in the interaction of foliar bacterial pathogens with plants. 2011 , 49, 533-55		128

87	Microbial Effectors and Their Role in Plant Defense Suppression. 2011 , 33-52	2
86	The metabolic interface between <i>Pseudomonas syringae</i> and plant cells. 2011 , 14, 31-8	32
85	Genetic and evolutionary perspectives on the interplay between plant immunity and development. 2011 , 14, 378-84	29
84	The roles of ABA in plant-pathogen interactions. 2011 , 124, 489-99	229
83	Genetic disassembly and combinatorial reassembly identify a minimal functional repertoire of type III effectors in <i>Pseudomonas syringae</i> . 2011 , 108, 2975-80	152
82	XopR, a type III effector secreted by <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> , suppresses microbe-associated molecular pattern-triggered immunity in <i>Arabidopsis thaliana</i> . <i>Molecular Plant-Microbe Interactions</i> , 2012 , 25, 505-14	3.6 48
81	Enhancement of Plant Drought Tolerance by Microbes. 2012 , 383-413	54
80	The interaction of plant biotic and abiotic stresses: from genes to the field. 2012 , 63, 3523-43	1119
79	Reactive oxygen and oxidative stress tolerance in plant pathogenic <i>Pseudomonas</i> . 2012 , 327, 1-8	61
78	Simultaneous application of heat, drought, and virus to <i>Arabidopsis</i> plants reveals significant shifts in signaling networks. 2013 , 162, 1849-66	314
77	<i>Xanthomonas</i> type III effector XopD desumoylates tomato transcription factor SLERF4 to suppress ethylene responses and promote pathogen growth. 2013 , 13, 143-54	109
76	Guarding the green: pathways to stomatal immunity. <i>Molecular Plant-Microbe Interactions</i> , 2013 , 26, 626-38	77
75	Disease resistance or growth: the role of plant hormones in balancing immune responses and fitness costs. 2013 , 4, 155	352
74	Abscisic Acid Promotes Susceptibility to the Rice Leaf Blight Pathogen <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> by Suppressing Salicylic Acid-Mediated Defenses. 2013 , 8, e67413	105
73	Breeding for resistances to <i>Ralstonia solanacearum</i> . 2014 , 5, 715	61
72	Gate control: guard cell regulation by microbial stress. 2014 , 203, 1049-1063	58
71	Making sense of hormone-mediated defense networking: from rice to <i>Arabidopsis</i> . 2014 , 5, 611	136
70	Enhancing crop resilience to combined abiotic and biotic stress through the dissection of physiological and molecular crosstalk. 2014 , 5, 207	202

69	Abiotic and biotic stress combinations. 2014 , 203, 32-43	930
68	Influence of phenolic acids on indole acetic acid production and on the type III secretion system gene transcription in food-associated <i>Pseudomonas fluorescens</i> KM05. 2014 , 118, 651-6	7
67	Intervention of Phytohormone Pathways by Pathogen Effectors. 2014 , 26, 2285-2309	297
66	Plant Responses to Simultaneous Biotic and Abiotic Stress: Molecular Mechanisms. 2014 , 3, 458-75	361
65	Shared and unique responses of plants to multiple individual stresses and stress combinations: physiological and molecular mechanisms. 2015 , 6, 723	245
64	NAC transcription factors in plant multiple abiotic stress responses: progress and prospects. 2015 , 6, 902	236
63	Elevated Temperature Differentially Influences Effector-Triggered Immunity Outputs in <i>Arabidopsis</i> . 2015 , 6, 995	25
62	Impact of Concurrent Drought Stress and Pathogen Infection on Plants. 2015 , 203-222	6
61	A framework to gauge the epidemic potential of plant pathogens in environmental reservoirs: the example of kiwifruit canker. 2015 , 16, 137-49	55
60	A sophisticated network of signaling pathways regulates stomatal defenses to bacterial pathogens. 2015 , 8, 566-81	75
59	Plant pathogen-induced water-soaking promotes <i>Salmonella enterica</i> growth on tomato leaves. 2015 , 81, 8126-34	15
58	Global Transcriptional Analysis Reveals Unique and Shared Responses in <i>Arabidopsis thaliana</i> Exposed to Combined Drought and Pathogen Stress. 2016 , 7, 686	34
57	ABA Suppresses <i>Botrytis cinerea</i> Elicited NO Production in Tomato to Influence H ₂ O ₂ Generation and Increase Host Susceptibility. 2016 , 7, 709	33
56	Drought Stress Predominantly Endures <i>Arabidopsis thaliana</i> to <i>Pseudomonas syringae</i> Infection. 2016 , 7, 808	30
55	Killing Two Birds with One Stone: Natural Rice Rhizospheric Microbes Reduce Arsenic Uptake and Blast Infections in Rice. 2016 , 7, 1514	14
54	Effect of prior drought and pathogen stress on <i>Arabidopsis</i> transcriptome changes to caterpillar herbivory. 2016 , 210, 1344-56	38
53	Stress Management Practices in Plants by Microbes. 2016 , 85-99	3
52	Subversion of plant cellular functions by bacterial type-III effectors: beyond suppression of immunity. 2016 , 210, 51-7	67

51	Combining drought QTLs and bacterial blight Xa-genes to control bacterial blight disease under drought stress. 2016 , 233, 282-290	3
50	Effector-Triggered Immune Response in <i>Arabidopsis thaliana</i> Is a Quantitative Trait. 2016 , 204, 337-53	29
49	Phytohormone pathways as targets of pathogens to facilitate infection. 2016 , 91, 713-25	78
48	Rice pathogen <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> employs inducible hrp-dependent XopF type III effector protein for its growth, pathogenicity and for suppression of PTI response to induce blight disease. 2016 , 144, 311-323	11
47	Plants Defense and Survival Strategies versus Pathogens Anti-Defense and Infection Capabilities: The Hormone-Based Mechanisms. 2017 , 389-414	
46	Adaptation Strategies and Defence Mechanisms of Plants During Environmental Stress. 2017 , 359-413	15
45	Global profiling of phytohormone dynamics during combined drought and pathogen stress in <i>Arabidopsis thaliana</i> reveals ABA and JA as major regulators. 2017 , 7, 4017	63
44	Interactive Effects of UV-B Light with Abiotic Factors on Plant Growth and Chemistry, and Their Consequences for Defense against Arthropod Herbivores. 2017 , 8, 278	70
43	<i>Pseudomonas syringae</i> : what it takes to be a pathogen. 2018 , 16, 316-328	215
42	Defining essential processes in plant pathogenesis with <i>Pseudomonas syringae</i> pv. <i>tomato</i> DC3000 disarmed polymutants and a subset of key type III effectors. 2018 , 19, 1779-1794	18
41	Know your enemy, embrace your friend: using omics to understand how plants respond differently to pathogenic and mutualistic microorganisms. 2018 , 93, 729-746	72
40	The roles of auxin during interactions between bacterial plant pathogens and their hosts. 2018 , 69, 245-254	80
39	The role of water in plant-microbe interactions. 2018 , 93, 771-780	57
38	Prominent alterations of wild barley leaf transcriptome in response to individual and combined drought acclimation and heat shock conditions. 2018 , 163, 18-29	12
37	Oh, the places they go! A survey of phytopathogen effectors and their host targets. 2018 , 93, 651-663	63
36	<i>Arabidopsis</i> ETHYLENE RESPONSE FACTOR 8 (ERF8) has dual functions in ABA signaling and immunity. 2018 , 18, 211	23
35	An Introduced Crop Plant Is Driving Diversification of the Virulent Bacterial Pathogen <i>Erwinia tracheiphila</i> . 2018 , 9,	16
34	Plant-Pathogen Warfare under Changing Climate Conditions. 2018 , 28, R619-R634	229

33	Developing Stress-Tolerant Plants Through In Vitro Tissue Culture: Family Brassicaceae. 2018 , 327-372	7
32	XopR TTSS-effector regulates in planta growth, virulence of Indian strain of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> via suppressing reactive oxygen species production and cell wall-associated rice immune responses during blight induction. 2018 , 45, 561-574	5
31	Transgenic creeping bentgrass overexpressing Osa-miR393a exhibits altered plant development and improved multiple stress tolerance. 2019 , 17, 233-251	40
30	commandeers the host rate-limiting step in ABA biosynthesis for disease susceptibility. 2019 , 116, 20938-20946	9
29	Deep Sequencing Reveals Early Reprogramming of Root Transcriptomes Upon Infection. <i>Molecular Plant-Microbe Interactions</i> , 2019 , 32, 813-827	3.6 11
28	A host-pathogen interactome uncovers phytopathogenic strategies to manipulate plant ABA responses. 2019 , 100, 187-198	17
27	Integration of Abscisic Acid Signaling with Other Signaling Pathways in Plant Stress Responses and Development. 2019 , 8,	36
26	A role for 3 [′] O-ED-ribofuranosyladenosine in altering plant immunity. 2019 , 157, 128-134	2
25	Plant Growth-Promoting Microbes: Contribution to Stress Management in Plant Hosts. 2019 , 199-236	4
24	Infection with an asymptomatic virus in rice results in a delayed drought response. 2020 , 47, 239-249	4
23	Plant physiological and molecular mechanisms in cross-regulation of biotic-abiotic stress responses. 2020 , 21-34	1
22	Phytohormones regulate convergent and divergent responses between individual and combined drought and pathogen infection. 2020 , 40, 320-340	20
21	Advances and perspectives in the metabolomics of stomatal movement and the disease triangle. 2021 , 302, 110697	6
20	NDR1 and the Arabidopsis Plasma Membrane ATPase AHA5 are Required for Processes that Converge on Drought Tolerance and Immunity.	0
19	Shared and tailored common bean transcriptomic responses to combined fusarium wilt and water deficit. 2021 , 8, 149	1
18	Plant susceptible responses: the underestimated side of plant-pathogen interactions. 2021 ,	0
17	Plant-specific microbiome for environmental stress management: Issues and challenges. 2021 , 69-89	1
16	Tailored Responses to Simultaneous Drought Stress and Pathogen Infection in Plants. 2016 , 427-438	11

15	Virulence Strategies of Plant Pathogenic Bacteria. 2013 , 61-82	11
14	Concurrent Stresses Are Perceived as New State of Stress by the Plants: Overview of Impact of Abiotic and Biotic Stress Combinations. 2017 , 1-15	3
13	Tissue Water Status and Bacterial Pathogen Infection: How They Are Correlated?. 2017 , 165-178	2
12	Impact of Climate Change on Diseases of Cool Season Grain Legume Crops. 2010 , 99-113	3
11	Pangenomic type III effector database of the plant pathogenic spp. 2019 , 7, e7346	26
10	A phyto bacterial TIR domain effector manipulates NAD to promote virulence. 2021 ,	6
9	Plant Responses to Combined Drought and Pathogen Infection: Current Understanding on the Role of Phytohormones. 2017 , 133-149	0
8	An introduced crop plant is driving diversification of the virulent bacterial pathogen <i>Erwinia tracheiphila</i> .	
7	Drought attenuates plant defence against bacterial pathogens by suppressing the expression of CBP60g/SARD1 during combined stress.. 2022 ,	1
6	The <i>Pseudomonas syringae</i> effector AvrPtoB targets abscisic acid signaling pathway to promote its virulence in <i>Arabidopsis</i> . 2022 , 4,	
5	The nucleotide revolution: immunity at the intersection of TIR-domains, nucleotides, and Ca ²⁺ . <i>Molecular Plant-Microbe Interactions</i> ,	3.6 2
4	Beneficial and pathogenic plant-microbe interactions during flooding stress.	1
3	Interaction of UV-B with Terrestrial Ecosystem. 2022 , 341-352	0
2	Changes in Metal-Chelating Metabolites Induced by Drought and a Root Microbiome in Wheat. 2023 , 12, 1209	0
1	Diversity of methylobacterium species in the plant phytosphere and their different strategies to mitigate biotic and abiotic stress responses. 2023 , 389-410	0