
CITATION REPORT List of articles citing



DOI: 10.1017/s1092852900013754 CNS Spectrums, 2008, 13, 663-81.

Source: https://exaly.com/paper-pdf/44910690/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
870	Brain structural and functional abnormalities in mood disorders: implications for neurocircuitry models of depression. 2008 , 213, 93-118	1540
869	Bipolar Depression: Molecular Neurobiology, Clinical Diagnosis and Pharmacotherapy. 2009,	2
868	Reduced limbic connections may contraindicate subgenual cingulate deep brain stimulation for intractable depression. 2009 , 111, 780-4	22
867	The role of neuroimaging in translational cognitive neuroscience. 2009 , 20, 279-89	2
866	The complex minds of teenagers: neuroanatomy of personality differs between sexes. 2009 , 47, 599-603	64
865	Cellular mechanisms underlying affective resiliency: the role of glucocorticoid receptor- and mitochondrially-mediated plasticity. 2009 , 1293, 76-84	40
864	Structural and functional neuroimaging in Klinefelter (47,XXY) syndrome: a review of the literature and preliminary results from a functional magnetic resonance imaging study of language. 2009 , 15, 295-308	41
863	MicroRNAs in mental health: from biological underpinnings to potential therapies. 2009, 11, 173-82	77
862	[11C]Mirtazapine binding in depressed antidepressant nonresponders studied by PET neuroimaging. 2009 , 206, 133-40	10
861	Neural correlates of memory in depression measured by brain perfusion SPECT at rest. 2009, 63, 685-92	4
860	When the self becomes other: toward an integrative understanding of the processes distinguishing adaptive self-reflection from rumination. 2009 , 1167, 35-40	36
859	Bipolar and major depressive disorder: neuroimaging the developmental-degenerative divide. 2009 , 33, 699-771	383
858	Imaging phenotypes of major depressive disorder: genetic correlates. 2009 , 164, 300-30	173
857	Comparison of personality traits in patients with frontal and temporal lobe epilepsies. 2009, 15, 225-9	22
856	A preliminary study of functional connectivity in comorbid adolescent depression. 2009 , 460, 227-31	178
855	Clinical implications of a staging model for bipolar disorders. 2009 , 9, 957-66	186
854	Excitatory neurotransmitters in brain regions in interictal migraine patients. 2009 , 5, 34	73

(2010-2009)

853	[Psychosis and bipolar disordersneuro-imaging and genetics]. 2009 , 35 Suppl 5, S168-71	1
852	When grief heats up: pro-inflammatory cytokines predict regional brain activation. 2009 , 47, 891-6	93
851	The influence of negative emotions on pain: behavioral effects and neural mechanisms. 2009, 47, 987-94	357
850	Individual differences in some (but not all) medial prefrontal regions reflect cognitive demand while regulating unpleasant emotion. 2009 , 47, 852-63	143
849	Dissociation, cognitive conflict and nonlinear patterns of heart rate dynamics in patients with unipolar depression. 2009 , 33, 141-5	14
848	Genetic variation in HTR2A influences serotonin transporter binding potential as measured using PET and [11C]DASB. 2010 , 13, 715-24	28
847	Neurobiological pathways linking socioeconomic position and health. 2010 , 72, 450-61	61
846	Subgenual cingulate connectivity in children with a history of preschool-depression. 2010 , 21, 1182-8	39
845	Social cognition. 2010 , 16, 69-85	10
844	Reduced right posterior hippocampal volume in women with recurrent familial pure depressive disorder. 2010 , 184, 23-8	23
843	Human NPY promoter variation rs16147:T>C as a moderator of prefrontal NPY gene expression and negative affect. 2010 , 31, E1594-608	75
842	Neurosurgical treatment of bipolar depression: defining treatment resistance and identifying surgical targets. 2010 , 12, 691-701	19
841	Frontal lobe. 84-121	1
840	Biology of Depression and Cytokines in Cancer. 2010 , 51-79	
839	Synapse regression in depression: the role of 5-HT receptors in modulating NMDA receptor function and synaptic plasticity. 2010 , 44, 301-8	20
838	Asymmetrical contribution of brain structures to treatment-resistant depression as illustrated by effects of right subgenual cingulum stimulation. 2010 , 22, 265-77	35
837	Anatomical and functional correlates in major depressive disorder: The contribution of neuroimaging studies. 2010 , 11, 165-180	91
836	Tractographic analysis of historical lesion surgery for depression. 2010 , 35, 2553-63	67

835	Effects of duloxetine treatment on brain response to painful stimulation in major depressive disorder. 2010 , 35, 2305-17	52
834	Neuroimaging and neuropathological findings in bipolar disorder. 2011 , 5, 201-25	4
833	Anatomy of bipolar disorder and schizophrenia: a meta-analysis. 2010 , 117, 1-12	434
832	Imaging genetics of mood disorders. 2010 , 53, 810-21	7 ²
831	Pathway-based approaches to imaging genetics association studies: Wnt signaling, GSK3beta substrates and major depression. 2010 , 53, 908-17	75
830	Selective functional integration between anterior temporal and distinct fronto-mesolimbic regions during guilt and indignation. 2010 , 52, 1720-6	38
829	Group independent component analysis of resting state EEG in large normative samples. 2010 , 78, 89-99	46
828	Psychobiological differences between depression and somatization. 2010 , 68, 495-502	54
827	Trait and neurobiological correlates of individual differences in dream recall and dream content. 2010 , 92, 155-80	22
826	Met carriers of BDNF Val66Met genotype show increased N-acetylaspartate concentration in the anterior cingulate cortex. 2010 , 49, 767-71	34
825	Processing of facial emotion expression in major depression: a review. 2010 , 44, 681-96	312
824	Overcoming Antidepressant Treatment Resistance: Focus on Glutamate. 2010 , 89-100	1
823	Neuroimaging and the Pathophysiology and Treatment of Depression: Recent Advances and Future Needs. 2010 , 101-123	4
822	Altered White Matter Microstructure in Adolescents With Major Depression: A Preliminary Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2010 , 49, 173-183.e1 7.2	12
821	Neurocircuitry of mood disorders. 2010 , 35, 192-216	1118
820	Anatom del trastorno bipolar y la esquizofrenia: metaan lisis. 2011, 18, 6-17	
819	Proteomics and metabolomics analysis of a trait anxiety mouse model reveals divergent mitochondrial pathways. 2011 , 70, 1074-82	101
818	Identification of neural targets for the treatment of psychiatric disorders: the role of functional neuroimaging. 2011 , 22, 279-305, x	6

(2011-2011)

817	Familial and disease specific abnormalities in the neural correlates of the Stroop Task in Bipolar Disorder. 2011 , 56, 1677-84	55
816	Dissociable functional connectivity changes during the Stroop task relating to risk, resilience and disease expression in bipolar disorder. 2011 , 57, 576-82	81
815	Functioning of neural systems supporting emotion regulation in anxiety-prone individuals. 2011 , 54, 689-96	104
814	Phasic and sustained fear in humans elicits distinct patterns of brain activity. 2011 , 55, 389-400	223
813	Local area network inhibition: a model of a potentially important paraepileptic pathomechanism in neuropsychiatric disorders. 2011 , 22, 231-9	19
812	The prefrontal-limbic network in depression: A core pathology of synapse regression. 2011 , 93, 457-67	54
811	The human parental brain: in vivo neuroimaging. 2011 , 35, 1242-54	177
810	Altered empathic responding in major depressive disorder: relation to symptom severity, illness burden, and psychosocial outcome. 2011 , 188, 231-6	89
809	Association between flashbacks and structural brain abnormalities in posttraumatic stress disorder. 2011 , 26, 525-31	33
808	The keys to improving depression outcomes. 2011 , 21 Suppl 4, S694-702	9
807	Diagnosis of depression by MRI scans with the use of VSRAD - a promising auxiliary means of diagnosis: a report of 10 years research. 2011 , 4, 377-87	7
806	Altruism. 2011 ,	
805	Neural correlates of treatment outcome in major depression. 2011 , 14, 521-34	66
804	Kana Pick-out Test and brain perfusion imaging in Alzheimer's disease. 2011 , 23, 546-53	2
803	A functional MRI study of working memory in adolescents and young adults at genetic risk for bipolar disorder: preliminary findings. 2011 , 13, 272-86	20
802	Annual Research Review: All mothers are not created equal: neural and psychobiological perspectives on mothering and the importance of individual differences. 2011 , 52, 368-97	299
801	Structural brain changes in patients with recurrent major depressive disorder presenting with anxiety symptoms. 2011 , 21, 375-82	36
800	Investigating neural primacy in Major Depressive Disorder: multivariate Granger causality analysis of resting-state fMRI time-series data. 2011 , 16, 763-72	251

799	The 'resting-state hypothesis' of major depressive disorder-a translational subcortical-cortical framework for a system disorder. 2011 , 35, 1929-45	161
798	Ventromedial prefrontal spectroscopic abnormalities over the course of depression: a comparison among first episode, remitted recurrent and chronic patients. 2011 , 45, 427-34	99
797	Brain activation predicts treatment improvement in patients with major depressive disorder. 2011 , 45, 1214-22	41
796	P11 expression and PET in bipolar disorders. 2011 , 45, 1426-31	16
795	Double-blind randomized trial of risperidone versus divalproex in pediatric bipolar disorder: fMRI outcomes. 2011 , 193, 28-37	30
794	The attenuation of dysfunctional emotional processing with stimulant medication: an fMRI study of adolescents with ADHD. 2011 , 193, 151-60	69
793	Cellular pathology within the anterior cingulate cortex of patients with late-life depression: a morphometric study. 2011 , 194, 184-9	20
792	The genetic blueprint of major depressive disorder: contributions of imaging genetics studies. 2011 , 12, 474-88	24
791	Fronto-limbic dysfunction in mania pre-treatment and persistent amygdala over-activity post-treatment in pediatric bipolar disorder. 2011 , 216, 485-99	70
790	Serotonergic neurotransmission in the living human brain: a positron emission tomography study using [IIC]dasb and [IIC]WAY100635 in young healthy men. 2011 , 65, 624-33	30
789	Variation in NGFB is associated with primary affective disorders in women. 2011 , 156B, 401-12	7
788	Modulation of subgenual anterior cingulate cortex activity with real-time neurofeedback. 2011 , 32, 22-31	134
787	Serotonin transporter genotype modulates subgenual response to fearful faces using an incidental task. 2011 , 23, 3681-93	29
786	Increased subgenual cingulate cortex volume in pediatric bipolar disorder associated with mood stabilizer exposure. 2011 , 21, 149-55	31
785	Affective cognition and its disruption in mood disorders. 2011 , 36, 153-82	217
784	Repeated social defeat selectively increases B osB expression and histone H3 acetylation in the infralimbic medial prefrontal cortex. 2011 , 21, 262-71	53
783	Behavioral Neurobiology of Bipolar Disorder and its Treatment. 2011 ,	3
782	Functional connectivity and coactivation of the nucleus accumbens: a combined functional connectivity and structure-based meta-analysis. 2011 , 23, 2864-77	159

781	Pharmacogenetics of antidepressant response. 2011 , 11, 101-25		39
7 ⁸ 0	Brain functional connectivity during induced sadness in patients with obsessive-compulsive disorder. 2012 , 37, 231-40		14
779	Self-awareness, self-regulation, and self-transcendence (S-ART): a framework for understanding the neurobiological mechanisms of mindfulness. 2012 , 6, 296		546
778	Early life adversity is associated with brain changes in subjects at family risk for depression. 2012 , 13, 569-78		68
777	Mood dysregulation and stabilization: perspectives from emotional cognitive neuroscience. 2012 , 15, 681-94		9
776	The role of glia in late-life depression. 2012 , 24, 1878-90		29
775	Volumetric abnormalities predating the onset of schizophrenia and affective psychoses: an MRI study in subjects at ultrahigh risk of psychosis. 2012 , 38, 1083-91		73
774	The influence of polygenic risk for bipolar disorder on neural activation assessed using fMRI. <i>Translational Psychiatry</i> , 2012 , 2, e130	8.6	73
773	Reduced functional connectivity of prefrontal regions and amygdala within affect and working memory networks in pediatric bipolar disorder. 2012 , 2, 320-34		34
772	Basing psychiatric classification on scientific foundation: problems and prospects. 2012 , 24, 591-605		41
771	Regionally specific alterations in functional connectivity of the anterior cingulate cortex in major depressive disorder. <i>Psychological Medicine</i> , 2012 , 42, 2071-81	6.9	117
770	Toward clinically useful neuroimaging in depression treatment: prognostic utility of subgenual cingulate activity for determining depression outcome in cognitive therapy across studies, scanners, and patient characteristics. 2012 , 69, 913-24		164
769	Current understanding of the bi-directional relationship of major depression with inflammation. 2012 , 2, 4		47
768	Effects of arterial cannulation stress on regional cerebral blood flow in major depressive disorder. 2012 , 2, 308		2
767	Update on Deep Brain Stimulation for Treatment-Resistant Depression. 2012, 8, 175-182		
766	Power, asymmetry and anterior cingulate cortex activity in depressed males and females. 2012 , 46, 1483-91		129
765	5-HT(1A) receptor binding changes in patients with major depressive disorder before and after antidepressant treatment: a pilot [Iff]MPPF positron emission tomography study. 2012 , 203, 103-4		13
764	The neurobiology of depression in later-life: clinical, neuropsychological, neuroimaging and pathophysiological features. 2012 , 98, 99-143		188

763	Mood-stabilizing drugs: mechanisms of action. 2012 , 35, 36-46	73
762	Motor and somatosensory conversion disorder: a functional unawareness syndrome?. 2012 , 24, 141-51	37
761	Pharmacotherapy impacts functional connectivity among affective circuits during response inhibition in pediatric mania. 2012 , 226, 493-503	34
760	Measuring and manipulating brain connectivity with resting state functional connectivity magnetic resonance imaging (fcMRI) and transcranial magnetic stimulation (TMS). 2012 , 62, 2232-43	222
759	Microvascular changes in late-life schizophrenia and mood disorders: stereological assessment of capillary diameters in anterior cingulate cortex. 2012 , 38, 696-709	10
75 ⁸	Imaging treatment effects in depression. 2012 , 23, 227-52	32
757	Sleep and Affective Brain Regulation. 2012 , 6, 773-791	12
756	Evidence of a dissociation pattern in resting-state default mode network connectivity in first-episode, treatment-naive major depression patients. 2012 , 71, 611-7	460
755	Cumulative adversity and smaller gray matter volume in medial prefrontal, anterior cingulate, and insula regions. 2012 , 72, 57-64	228
754	Differences in resting-state functional magnetic resonance imaging functional network connectivity between schizophrenia and psychotic bipolar probands and their unaffected first-degree relatives. 2012 , 71, 881-9	204
753	Efficacy of transcranial magnetic stimulation targets for depression is related to intrinsic functional connectivity with the subgenual cingulate. 2012 , 72, 595-603	546
75 ²	Functional brain activation to emotionally valenced faces in school-aged children with a history of preschool-onset major depression. 2012 , 72, 1035-42	38
751	Risperidone and divalproex differentially engage the fronto-striato-temporal circuitry in pediatric mania: a pharmacological functional magnetic resonance imaging study. <i>Journal of the American 7.2 Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 157-170.e5	35
750	Guilt-selective functional disconnection of anterior temporal and subgenual cortices in major depressive disorder. 2012 , 69, 1014-21	59
749	BDNF function as a potential mediator of bipolar disorder and post-traumatic stress disorder comorbidity. 2012 , 17, 22-35	82
748	Novel insights into depression and antidepressants: a synergy between synaptogenesis and neurogenesis?. 2013 , 15, 243-91	34
747	Ketamine decreases resting state functional network connectivity in healthy subjects: implications for antidepressant drug action. 2012 , 7, e44799	182
746	Brain structural and functional correlates of resilience to Bipolar Disorder. 2011 , 5, 184	40

(2013-2012)

745	Performance monitoring and the medial prefrontal cortex: a review of individual differences and context effects as a window on self-regulation. 2012 , 6, 197	76
744	Identification of atrophy of the subgenual anterior cingulate cortex, in particular the subcallosal area, as an effective auxiliary means of diagnosis for major depressive disorder. 2012 , 5, 667-74	9
743	Mood disorders. 27-79	
742	BDNF Val66Met genotype modulates the effect of childhood adversity on subgenual anterior cingulate cortex volume in healthy subjects. 2012 , 17, 597-603	96
741	Mapping the depressed brain: a meta-analysis of structural and functional alterations in major depressive disorder. 2012 , 140, 142-8	236
740	Fronto-limbic volumetric changes in major depressive disorder. 2012 , 136, 1104-13	50
739	Effects of intranasal oxytocin and vasopressin on cooperative behavior and associated brain activity in men. 2012 , 37, 447-61	228
738	Sex differences in physiological reactivity to acute psychosocial stress in adolescence. 2012 , 37, 1135-57	100
737	The change of QEEG prefrontal cordance as a response predictor to antidepressive intervention in bipolar depression. A pilot study. 2012 , 46, 219-25	20
736	Neural correlates of cognitive flexibility in children at risk for bipolar disorder. 2012 , 46, 22-30	32
735	Endogenous opioids mediate left dorsolateral prefrontal cortex rTMS-induced analgesia. 2012 , 153, 1219-12	25 76
734	Cortisol awakening response and negative emotionality linked to asymmetry in major limbic fibre bundle architecture. 2012 , 201, 63-72	34
733	The influence of emotional associations on the neural correlates of semantic priming. 2012 , 33, 676-94	23
732	Hippocampal volumetrics in treatment-resistant depression and schizophrenia: the devil's in de-tail. 2012 , 22, 9-16	47
731	Epigenetics of the depressed brain: role of histone acetylation and methylation. 2013, 38, 124-37	261
730	Keeping the body in mind: insula functional organization and functional connectivity integrate interoceptive, exteroceptive, and emotional awareness. 2013 , 34, 2944-58	229
729	Brain structural and psychometric alterations in chronic low back pain. 2013 , 22, 1958-64	75
728	Clinical application of brain imaging for the diagnosis of mood disorders: the current state of play. 2013 , 18, 528-39	128

727	Neurogenesis and Neural Plasticity. 2013,	5
726	Brain structures associated with executive functions during everyday events in a non-clinical sample. 2013 , 218, 1017-32	66
725	Neural correlates of dysfunctional emotion regulation in major depressive disorder. A systematic review of neuroimaging studies. 2013 , 37, 2529-53	294
724	Inflammation and neurological disease-related genes are differentially expressed in depressed patients with mood disorders and correlate with morphometric and functional imaging abnormalities. 2013 , 31, 161-71	97
723	Clinical significance of frontal cortex abnormalities in Huntington's disease. 2013 , 247, 39-44	10
722	Decreased frontal lobe phosphocreatine levels in methamphetamine users. 2013 , 129, 102-9	27
721	CRP, IL-6 and depression: a systematic review and meta-analysis of longitudinal studies. 2013 , 150, 736-44	580
720	Gray matter volume in major depressive disorder: a meta-analysis of voxel-based morphometry studies. 2013 , 211, 37-46	134
719	Surgery for psychiatric disorders. 2013 , 80, S31.e17-28	42
718	Sleep deprivation increases dorsal nexus connectivity to the dorsolateral prefrontal cortex in humans. 2013 , 110, 19597-602	60
717	Modulation of affective symptoms and resting state activity by brain stimulation in a treatment-resistant case of obsessive-compulsive disorder. 2013 , 19, 360-70	62
716	To BD or not to BD: functional neuroimaging and the boundaries of bipolarity. 2013 , 13, 75-86; quiz 87	5
715	Metabolite profiles in the anterior cingulate cortex of depressed patients differentiate those taking N-acetyl-cysteine versus placebo. 2013 , 47, 347-54	20
714	Bcl-2 rs956572 polymorphism is associated with increased anterior cingulate cortical glutamate in euthymic bipolar I disorder. 2013 , 38, 468-75	58
713	Brain axial and radial diffusivity changes with age and gender in healthy adults. 2013 , 1512, 22-36	47
712	Corpus callosal morphology in early onset adolescent depression. 2013 , 145, 256-9	22
711	Widespread reductions in gray matter volume in depression. 2013 , 3, 332-9	229
710	Age of onset and corpus callosal morphology in major depression. 2013 , 150, 703-6	21

(2013-2013)

709	Aberrant stress hormone receptor balance in the human prefrontal cortex and hypothalamic paraventricular nucleus of depressed patients. 2013 , 38, 863-70	75
708	Systematic review and voxel-based meta-analysis of diffusion tensor imaging studies in bipolar disorder. 2013 , 150, 192-200	186
707	Task- and resting-state functional connectivity of brain regions related to affection and susceptible to concurrent cognitive demand. 2013 , 72, 69-82	18
706	Fetal glucocorticoid exposure is associated with preadolescent brain development. 2013 , 74, 647-55	125
7°5	DRD2 polymorphisms modulate reward and emotion processing, dopamine neurotransmission and openness to experience. 2013 , 49, 877-90	88
704	Emotional valence modulates brain functional abnormalities in depression: evidence from a meta-analysis of fMRI studies. 2013 , 37, 152-63	244
703	Neuroimaging Approaches to the Understanding of Depression and the Identification of Novel Antidepressants. 2013 , 343-411	1
702	The neurobiology of depression and antidepressant action. 2013 , 37, 2331-71	315
701	Neural correlates of rapid antidepressant response to ketamine in treatment-resistant unipolar depression: a preliminary positron emission tomography study. 2013 , 73, 1213-21	121
700	What can fear and reward learning teach us about depression?. 2013 , 14, 223-42	3
700 699	What can fear and reward learning teach us about depression?. 2013 , 14, 223-42 Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. 2013 , 7, 227-35	3
	Neural correlates of treatment response in depressed bipolar adolescents during emotion	
699	Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. 2013 , 7, 227-35 Subgenual anterior cingulate cortex activity covariation with cardiac vagal control is altered in	18
699 698	Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. 2013 , 7, 227-35 Subgenual anterior cingulate cortex activity covariation with cardiac vagal control is altered in depression. 2013 , 150, 565-70	18 55
699 698 697	Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. 2013, 7, 227-35 Subgenual anterior cingulate cortex activity covariation with cardiac vagal control is altered in depression. 2013, 150, 565-70 Anatomical correlates of self-handicapping tendency. 2013, 49, 1148-54 Training the emotional brain: improving affective control through emotional working memory	18 55 24
699698697696	Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. 2013, 7, 227-35 Subgenual anterior cingulate cortex activity covariation with cardiac vagal control is altered in depression. 2013, 150, 565-70 Anatomical correlates of self-handicapping tendency. 2013, 49, 1148-54 Training the emotional brain: improving affective control through emotional working memory training. 2013, 33, 5301-11 Identifying brain imaging correlates of clinical response to repetitive transcranial magnetic	18 55 24 206
699698697696695	Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. 2013, 7, 227-35 Subgenual anterior cingulate cortex activity covariation with cardiac vagal control is altered in depression. 2013, 150, 565-70 Anatomical correlates of self-handicapping tendency. 2013, 49, 1148-54 Training the emotional brain: improving affective control through emotional working memory training. 2013, 33, 5301-11 Identifying brain imaging correlates of clinical response to repetitive transcranial magnetic stimulation (rTMS) in major depression. 2013, 6, 54-61 Alterations in prefrontal cortical serotonin and antidepressant-like behavior in a novel	18 55 24 206 36

691	Disrupted amygdala reactivity in depressed 4- to 6-year-old children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 737-46	7.2	41
690	Childhood maltreatment is associated with altered fear circuitry and increased internalizing symptoms by late adolescence. 2013 , 110, 19119-24		263
689	Decreased NOS1 expression in the anterior cingulate cortex in depression. 2013 , 23, 2956-64		45
688	Theta signal as the neural signature of social exclusion. 2013 , 23, 2437-47		49
687	Paralimbic cortical thickness in first-episode depression: evidence for trait-related differences in mood regulation. 2013 , 170, 1477-86		85
686	Mindful attention reduces neural and self-reported cue-induced craving in smokers. 2013 , 8, 73-84		177
685	A developmental study of the feedback-related negativity from 10-17 years: age and sex effects for reward versus non-reward. 2013 , 38, 595-612		48
684	Brain-derived neurotrophic factor Val66Met polymorphism and early life adversity affect hippocampal volume. 2013 , 162B, 183-90		71
683	Global decrease of serotonin-1A receptor binding after electroconvulsive therapy in major depression measured by PET. 2013 , 18, 93-100		84
682	Increased anterior cingulate cortex and hippocampus activation in Complex PTSD during encoding of negative words. 2013 , 8, 190-200		62
681	Increased Rostral Anterior Cingulate Cortex Volume in Chronic Primary Insomnia. 2013 , 36, 991-998		82
680	The Emergence of Emotions. 2013 , 55, 115-145		3
679	Frontal-subcorticalcircuits. 59-87		
678	The neural correlates of mindful awareness: a possible buffering effect on anxiety-related reduction in subgenual anterior cingulate cortex activity. 2013 , 8, e75526		11
677	The role of self-blaming moral emotions in major depression and their impact on social-economical decision making. 2013 , 4, 310		25
676	Ventral-subgenual anterior cingulate cortex and self-transcendence. 2013 , 4, 1000		7
675	Connectivity, pharmacology, and computation: toward a mechanistic understanding of neural system dysfunction in schizophrenia. 2013 , 4, 169		65
674	Censoring distances based on labeled cortical distance maps in cortical morphometry. 2013 , 4, 155		2

673 Brain imaging. 358-367

672	Dysfunction of affective network in post ischemic stroke depression: a resting-state functional magnetic resonance imaging study. 2014 , 2014, 846830		20
671	COMT Val(158)Met genotypes differentially influence subgenual cingulate functional connectivity in healthy females. 2014 , 8, 481		5
670	Analysis of the presence or absence of atrophy of the subgenual and subcallosal cingulate cortices using voxel-based morphometry on MRI is useful to select prescriptions for patients with depressive symptoms. 2014 , 7, 513-24		5
669	. 2014,		2
668	Individual differences in posterior cortical volume correlate with proneness to pride and gratitude. 2014 , 9, 1676-83		23
667	Brain morphometric biomarkers distinguishing unipolar and bipolar depression. A voxel-based morphometry-pattern classification approach. 2014 , 71, 1222-30		173
666	Reconciling variable findings of white matter integrity in major depressive disorder. 2014 , 39, 1332-9		49
665	Resting-state cortico-thalamic-striatal connectivity predicts response to dorsomedial prefrontal rTMS in major depressive disorder. 2014 , 39, 488-98		173
664	Mindfulness and emotion regulationan fMRI study. 2014 , 9, 776-85		174
663	Electroconvulsive therapy mediates neuroplasticity of white matter microstructure in major depression. <i>Translational Psychiatry</i> , 2014 , 4, e380	8.6	86
662	Dysregulated nitric oxide signaling as a candidate mechanism of fragile X syndrome and other neuropsychiatric disorders. 2014 , 5, 239		10
661	Increased association over time between regional frontal lobe BOLD change magnitude and cardiac vagal control with sertraline treatment for major depression. 2014 , 224, 225-33		21
660	Epistatic interaction of genetic depression risk variants in the human subgenual cingulate cortex during memory encoding. <i>Translational Psychiatry</i> , 2014 , 4, e372	8.6	36
659	Lack of an association between a functional polymorphism in the neuropeptide Y gene promoter and the presence of coronary artery disease in an Iranian population. 2014 , 65, 333-40		3
658	Neuroplasticity and memory formation in major depressive disorder: an imaging genetics perspective on serotonin and BDNF. 2014 , 32, 25-49		18
657	Sex differences in mood disorders: perspectives from humans and rodent models. 2014 , 5, 17		112
656	Anxious/depressed symptoms are linked to right ventromedial prefrontal cortical thickness maturation in healthy children and young adults. 2014 , 24, 2941-50		113

655	Fronto-limbic-striatal dysfunction in pediatric and adult patients with bipolar disorder: impact of face emotion and attentional demands. <i>Psychological Medicine</i> , 2014 , 44, 1639-51	6.9	39
654	Neural response during explicit and implicit face processing varies developmentally in bipolar disorder. 2014 , 9, 1984-92		11
653	Mindfulness-Based Stress Reduction for Teens. 2014 , 189-212		1
652	Inflammation in the Pathogenesis of Depression. 2014 , 261-288		1
651	Neural responses to fearful eyes in children with conduct problems and varying levels of callous-unemotional traits. <i>Psychological Medicine</i> , 2014 , 44, 99-109	6.9	52
650	Neural correlates of effective and ineffective mood induction. 2014 , 9, 864-72		25
649	Hypothalamus-anchored resting brain network changes before and after sertraline treatment in major depression. 2014 , 2014, 915026		28
648	Influence of age of onset on limbic and paralimbic structures in depression. 2014 , 68, 812-820		16
647	Evidence for structural and functional abnormality in the subgenual anterior cingulate cortex in major depressive disorder. <i>Psychological Medicine</i> , 2014 , 44, 3263-73	6.9	48
646	Enhanced subgenual cingulate response to altruistic decisions in remitted major depressive disorder. 2014 , 4, 701-10		13
645	Major depressive disorder is associated with abnormal interoceptive activity and functional connectivity in the insula. 2014 , 76, 258-66		257
644	Probing emotional influences on cognitive control: an ALE meta-analysis of cognition emotion interactions. 2014 , 219, 995-1008		77
643	Psychological, endocrine and neural responses to social evaluation in subclinical depression. 2014 , 9, 1632-44		32
642	The role of sleep in emotional brain function. 2014 , 10, 679-708		383
641	A critical role for prefrontocortical endocannabinoid signaling in the regulation of stress and emotional behavior. 2014 , 42, 116-31		89
640	Neural correlates of rapid antidepressant response to ketamine in bipolar disorder. 2014 , 16, 119-28		59
639	Electroconvulsive therapy-induced brain plasticity determines therapeutic outcome in mood disorders. 2014 , 111, 1156-61		116
638	Individual differences in brain structure and resting-state functional connectivity associated with type A behavior pattern. 2014 , 272, 217-28		7

(2014-2014)

637	Optimization of multifocal transcranial current stimulation for weighted cortical pattern targeting from realistic modeling of electric fields. 2014 , 89, 216-25	207
636	Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. 2014 , 130, 123-36	107
635	Biofeedback-based training for stress management in daily hassles: an intervention study. 2014 , 4, 566-79	27
634	Accelerated HF-rTMS in treatment-resistant unipolar depression: Insights from subgenual anterior cingulate functional connectivity. 2014 , 15, 286-97	96
633	Social cognition in patients following surgery to the prefrontal cortex. 2014 , 224, 192-203	34
632	How affective information from faces and scenes interacts in the brain. 2014 , 9, 1481-8	37
631	Behavioral extremes of trait anxiety in mice are characterized by distinct metabolic profiles. 2014 , 58, 115-22	25
630	Developmental Resting State Functional Connectivity for Clinicians. 2014 , 1, 161-169	12
629	5-HTTLPR, anxiety and gender interaction moderates right amygdala volume in healthy subjects. 2014 , 9, 1537-45	21
628	Ventromedial prefrontal cortex and the regulation of physiological arousal. 2014 , 9, 900-8	59
627	Prefrontal mechanisms in preference and non-preference-based judgments. 2014 , 95, 151-61	3
626	Architecture and morphology of the human ventromedial prefrontal cortex. 2014 , 40, 2777-96	65
625	Neuropathological and neuromorphometric abnormalities in bipolar disorder: view from the medial prefrontal cortical network. 2014 , 42, 132-47	111
624	Synaptic modifications in the medial prefrontal cortex in susceptibility and resilience to stress. 2014 , 34, 7485-92	69
623	One left dorsolateral prefrontal cortical HF-rTMS session attenuates HPA-system sensitivity to critical feedback in healthy females. 2014 , 57, 112-21	36
622	Functional connectivity of negative emotional processing in adolescent depression. 2014 , 155, 65-74	98
621	Functional brain imaging studies of youth depression: a systematic review. 2014 , 4, 209-31	199
620	Ketamine reverses stress-induced depression-like behavior and increased GABA levels in the anterior cingulate: an 11.7 T 1H-MRS study in rats. 2014 , 51, 9-15	43

619	Abnormal structural networks characterize major depressive disorder: a connectome analysis. 2014 , 76, 567-74		217
618	Associations between maternal negative affect and adolescent's neural response to peer evaluation. 2014 , 8, 28-39		36
617	Autobiographical episodic memory in major depressive disorder. 2014 , 123, 51-60		126
616	Neuroanatomical correlates of apathy in late-life depression and antidepressant treatment response. 2014 , 166, 179-86		43
615	Anterior cingulate cortex choline levels in female adolescents with unipolar versus bipolar depression: a potential new tool for diagnosis. 2014 , 167, 25-9		11
614	The neuropsychology of self-reflection in psychiatric illness. 2014 , 54, 55-63		40
613	Using arterial spin labeling to examine mood states in youth. 2015 , 5, e00339		7
612	Cognitive control, reward-related decision making and outcomes of late-life depression treated with an antidepressant. <i>Psychological Medicine</i> , 2015 , 45, 3111-20	6.9	23
611	Partial Amelioration of Medial Visceromotor Network Dysfunction in Major Depression by Sertraline. 2015 , 77, 752-61		9
610	Neuroanatomical profiles of alexithymia dimensions and subtypes. 2015 , 36, 3805-18		38
609	A preoperative metabolic marker of parkinsonian apathy following subthalamic nucleus stimulation. 2015 , 30, 1767-76		11
608	Structural insights into aberrant cortical morphometry and network organization in psychogenic erectile dysfunction. 2015 , 36, 4469-82		16
607	Multivariate morphological brain signatures predict patients with chronic abdominal pain from healthy control subjects. 2015 , 156, 1545-1554		46
606	. 2015,		15
605	SNAP-25a/b Isoform Levels in Human Brain Dorsolateral Prefrontal Cortex and Anterior Cingulate Cortex. 2015 , 1, 220-34		5
604	Abnormal frontostriatal activity in recently abstinent cocaine users during implicit moral processing. 2015 , 9, 565		14
603	Aberrant Topological Patterns of Structural Cortical Networks in Psychogenic Erectile Dysfunction. 2015 , 9, 675		13
602	Goal or gold: overlapping reward processes in soccer players upon scoring and winning money. 2015 , 10, e0122798		11

(2015-2015)

601	in Adolescence. 2015 , 14, 46-69	14
600	Group differences in MEG-ICA derived resting state networks: Application to major depressive disorder. 2015 , 118, 1-12	77
599	Biomarker approaches in major depressive disorder evaluated in the context of current hypotheses. 2015 , 9, 277-97	47
598	Sex differences in intrinsic brain functional connectivity underlying human shyness. 2015 , 10, 1634-43	13
597	Antidepressant Effects of Electroconvulsive Therapy Correlate With Subgenual Anterior Cingulate Activity and Connectivity in Depression. 2015 , 94, e2033	30
596	Abnormal Anterior Cingulate N-Acetylaspartate and Executive Functioning in Treatment-Resistant Depression After rTMS Therapy. 2015 , 18, pyv059	49
595	Prelimbic Cortical Injections of a GABA Agonist and Antagonist: In Vivo Quantification of the Effect in the Rat Brain Using [(18)F] FDG MicroPET. 2015 , 17, 856-64	5
594	Can the effects of noninvasive brain stimulation alleviating neuropsychiatric symptoms result from a common beneficial regulation of the hypothalamic-pituitary-adrenal axis?. 2015 , 8, 173-6	8
593	The Impact of Accelerated HF-rTMS on the Subgenual Anterior Cingulate Cortex in Refractory Unipolar Major Depression: Insights From 18FDG PET Brain Imaging. 2015 , 8, 808-15	70
592	Thalamic-hippocampal-prefrontal disruption in relapsing-remitting multiple sclerosis. 2015 , 8, 440-7	38
591	Abnormal spontaneous neural activity in the anterior insular and anterior cingulate cortices in anxious depression. 2015 , 281, 339-47	36
590	Resting-state connectivity predictors of response to psychotherapy in major depressive disorder. 2015 , 40, 1659-73	92
589	Toward Affective BrainComputer Interface: Fundamentals and Analysis of EEG-Based Emotion Classification. 2015 , 315-341	O
588	Empathy for social exclusion involves the sensory-discriminative component of pain: a within-subject fMRI study. 2015 , 10, 153-64	47
587	Depresifi y cficer: una revisifi orientada a la prfitica clfiica. 2015 , 19, 166-172	3
586	Imaging predictors of remission to anti-depressant medications in major depressive disorder. 2015 , 186, 134-44	30
585	Alterations of cerebral glutamate in the euthymic state of patients with bipolar disorder. 2015 , 233, 73-80	42
584	Understanding the biophysical effects of transcranial magnetic stimulation on brain tissue: the bridge between brain stimulation and cognition. 2015 , 222, 229-59	17

583	A two-factor model of relapse/recurrence vulnerability in unipolar depression. 2015 , 124, 38-53	44
582	Temporal lobe epilepsy and affective disorders: the role of the subgenual anterior cingulate cortex. 2015 , 86, 144-51	22
581	Ventromedial prefrontal cortex thinning in preschool-onset depression. 2015 , 180, 79-86	21
580	Lithium and GSK-3[promoter gene variants influence cortical gray matter volumes in bipolar disorder. 2015 , 232, 1325-36	29
579	Ventral anterior cingulate connectivity distinguished nonpsychotic bipolar illness from psychotic bipolar disorder and schizophrenia. 2015 , 41, 133-43	63
578	Music and emotions: from enchantment to entrainment. 2015 , 1337, 212-22	102
577	Imbalance of default mode and regulatory networks during externally focused processing in depression. 2015 , 10, 744-51	61
576	Neural correlates of suicidal ideation and its reduction in depression. 2014 , 18,	34
575	Immediate cerebral metabolic changes induced by discontinuation of deep brain stimulation of subcallosal cingulate gyrus in treatment-resistant depression. 2015 , 173, 159-62	17
574	A Longitudinal (6-week) 3T (1)H-MRS Study on the Effects of Lithium Treatment on Anterior Cingulate Cortex Metabolites in Bipolar Depression. 2015 , 25, 2311-7	38
573	Genetic vulnerability, timing of short-term stress and mood regulation: A rodent diffusion tensor imaging study. 2015 , 25, 2075-85	15
572	A review of fMRI studies during visual emotive processing in major depressive disorder. 2015 , 16, 448-71	72
571	Grey matter volume differences associated with gender in children with attention-deficit/hyperactivity disorder: A voxel-based morphometry study. 2015 , 14, 32-7	20
57°	Differentiating neural systems mediating the acquisition vs. expression of goal-directed and habitual behavioral control. 2015 , 41, 1358-71	36
569	Translating depression biomarkers for improved targeted therapies. 2015 , 59, 1-15	17
568	Variations in Phase and Amplitude of Rhythmic Clock Gene Expression across Prefrontal Cortex, Hippocampus, Amygdala, and Hypothalamic Paraventricular and Suprachiasmatic Nuclei of Male and Female Rats. 2015 , 30, 417-36	54
567	Neural origins of psychosocial functioning impairments in major depression. 2015 , 2, 835-43	19
566	Resting-state functional connectivity in major depressive disorder: A review. 2015 , 56, 330-44	432

565	On the role of the extracellular space on the holistic behavior of the brain. 2015 , 26, 489-506	30
564	Subclinical depression severity is associated with distinct patterns of functional connectivity for subregions of anterior cingulate cortex. 2015 , 71, 103-11	40
563	Amygdala/hippocampal activation during the menstrual cycle: evidence for lateralization of effects across different tasks. 2015 , 67, 55-62	14
562	Mapping the relationship between subgenual cingulate cortex functional connectivity and depressive symptoms across adolescence. 2015 , 10, 961-8	21
561	The organization of the stress system and its dysregulation in depressive illness. 2015 , 20, 32-47	361
560	Empathic concern drives costly altruism. 2015 , 105, 347-56	149
559	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. 2015 , 15, 69-79	10
558	Abnormal retinoid and TrkB signaling in the prefrontal cortex in mood disorders. 2015 , 25, 75-83	56
557	Association of neuropeptide Y gene rs16147 polymorphism with metabolic syndrome in patients with documented coronary artery disease. 2015 , 42, 178-83	15
556	Circadian dysregulation of clock genes: clues to rapid treatments in major depressive disorder. 2015 , 20, 48-55	117
555	QEEG Theta Cordance in the Prediction of Treatment Outcome to Prefrontal Repetitive Transcranial Magnetic Stimulation or Venlafaxine ER in Patients With Major Depressive Disorder. 2015 , 46, 73-80	26
554	The effectiveness of prefrontal theta cordance and early reduction of depressive symptoms in the prediction of antidepressant treatment outcome in patients with resistant depression: analysis of naturalistic data. 2015 , 265, 73-82	21
553	Identifying Large-Scale Neural Networks Using fMRI. 2016 , 209-237	1
552	Neuroimaging Promises and Caveats. 2016 ,	
551	Neural correlates of hallucinations in bipolar disorder. 2016 , 38, 1-5	14
550	Changed Hub and Corresponding Functional Connectivity of Subgenual Anterior Cingulate Cortex in Major Depressive Disorder. 2016 , 10, 120	56
549	White matter neurobiology and cognitive dysfunction in major depressive disorder. 194-208	
548	Cognition and biomarkers in major depressive disorder: endophenotype or epiphenomenon?. 145-159	1

547	Disorders of Brain Development. 2016 , 39-77	О
546	What can animal models tell us about depressive disorders?. 2016 , 35-86	5
545	Social functioning in major depressive disorder. 2016 , 69, 313-32	251
544	Subgenual Cingulate Cortex Functional Connectivity in Relation to Depressive Symptoms and Cognitive Functioning in Type 1 Diabetes Mellitus Patients. 2016 , 78, 740-9	12
543	Neural Correlates of Antidepressant Treatment Response in Adolescents with Major Depressive Disorder. 2016 , 26, 705-712	44
542	NATURALISTIC COURSE OF MAJOR DEPRESSIVE DISORDER PREDICTED BY CLINICAL AND STRUCTURAL NEUROIMAGING DATA: A 5-YEAR FOLLOW-UP. 2016 , 33, 1055-1064	16
541	Prefrontal changes in the glutamate-glutamine cycle and neuronal/glial glutamate transporters in depression with and without suicide. 2016 , 82, 8-15	46
540	Reproductive Steroid Regulation of Mood and Behavior. 2016 , 6, 1135-60	83
539	Data-driven analysis of simultaneous EEG/fMRI reveals neurophysiological phenotypes of impulse control. 2016 , 37, 3114-36	13
538	Mania secondary to focal brain lesions: implications for understanding the functional neuroanatomy of bipolar disorder. 2016 , 18, 205-20	38
537	Distinct neurobiological signatures of brain connectivity in depression subtypes during natural viewing of emotionally salient films. <i>Psychological Medicine</i> , 2016 , 46, 1535-45	26
536	The impact of CACNA1C risk allele on prefrontal age-related cortical thinning in bipolar I disorder. 2016 , 26, S422-S423	
535	One-year rehospitalization rates in bipolar disorder manic patients discharged on mood stabilizers versus mood stabilizer combined with antipsychotics. 2016 , 26, S423	1
534	Towards a redefinition of dissociative spectrum dimensions inside Capgras and misidentification syndromes in bipolar disorder: case series and literature review. 2016 , 26, S423-S424	
533	Imaging the "At-Risk" Brain: Future Directions. 2016 , 22, 164-79	13
532	Structural and functional associations of the rostral anterior cingulate cortex with subjective happiness. 2016 , 134, 132-141	44
531	The Dopaminergic Midbrain Mediates an Effect of Average Reward on Pavlovian Vigor. 2016 , 28, 1303-17	20
530	Dysfunction of the cingulo-opercular network in first-episode medication-naive patients with major depressive disorder. 2016 , 200, 275-83	34

(2016-2016)

529	Prediction of Individual Response to Electroconvulsive Therapy via Machine Learning on Structural Magnetic Resonance Imaging Data. 2016 , 73, 557-64	181
528	Processing of emotional stimuli is reflected by modulations of beta band activity in the subgenual anterior cingulate cortex in patients with treatment resistant depression. 2016 , 11, 1290-8	16
527	Diagnosis and causal explanation in psychiatry. 2016 , 60, 15-24	14
526	Feelings of shame, embarrassment and guilt and their neural correlates: A systematic review. 2016 , 71, 455-471	65
525	The cortical thickness correlates of clinical manifestations in the mid-stage sporadic Parkinson's disease. 2016 , 633, 279-289	10
524	The role of genes involved in stress, neural plasticity, and brain circuitry in depressive phenotypes: Convergent findings in a mouse model of neglect. 2016 , 315, 71-4	23
523	The microRNA network is altered in anterior cingulate cortex of patients with unipolar and bipolar depression. 2016 , 82, 58-67	40
522	Adolescent brain development and depression: A case for the importance of connectivity of the anterior cingulate cortex. 2016 , 70, 271-287	47
521	Cortical thickness in bipolar disorder: a systematic review. 2016 , 18, 4-18	133
520	Expression of Serotonin2C Receptors in Pyramidal and GABAergic Neurons of Rat Prefrontal Cortex: A Comparison with Striatum. 2017 , 27, 3125-3139	16
519	Differential association of default mode network connectivity and rumination in healthy individuals and remitted MDD patients. 2016 , 11, 1792-1801	35
518	Dimensions of depressive symptoms and cingulate volumes in older adults. <i>Translational Psychiatry</i> , 8.6 2016 , 6, e788	22
517	Neural Correlates of Deficits in Humor Appreciation in Gelotophobics. 2016 , 6, 34580	14
516	Association of Neuropeptide Y Gene rs16147 Polymorphism with Cardiovascular Risk Factors, Adipokines, and Metabolic Syndrome in Patients with Obesity. 2016 , 9, 213-221	5
515	Predictive Neuroimaging Markers of Psychotherapy Response: A Systematic Review. 2016 , 24, 396-405	28
514	Towards the development of improved tests for negative symptoms of schizophrenia in a validated animal model. 2016 , 312, 93-101	14
513	Low serotonin1B receptor binding potential in the anterior cingulate cortex in drug-free patients with recurrent major depressive disorder. 2016 , 253, 36-42	19
512	Preliminary differences in resting state MEG functional connectivity pre- and post-ketamine in major depressive disorder. 2016 , 254, 56-66	27

511	Antidepressant Effects of a Single Dose of Ayahuasca in Patients With Recurrent Depression: A SPECT Study. 2016 , 36, 77-81	217
510	Interhemispheric Asymmetries and Theta Activity in the Rostral Anterior Cingulate Cortex as EEG Signature of HIV-Related Depression: Gender Matters. 2016 , 47, 96-104	8
509	Female-Specific Intergenerational Transmission Patterns of the Human Corticolimbic Circuitry. 2016 , 36, 1254-60	18
508	Disentangling introspective and exteroceptive attentional control from emotional appraisal in depression using fMRI: A preliminary study. 2016 , 248, 39-47	11
507	Relationship between neurotoxic kynurenine metabolites and reductions in right medial prefrontal cortical thickness in major depressive disorder. 2016 , 53, 39-48	92
506	Hippocampal Neuroinflammation, Functional Connectivity, and Depressive Symptoms in Multiple Sclerosis. 2016 , 80, 62-72	73
505	Early Childhood Depression and Alterations in the Trajectory of Gray Matter Maturation in Middle Childhood and Early Adolescence. 2016 , 73, 31-8	63
504	The Links Between Stress and Depression: Psychoneuroendocrinological, Genetic, and Environmental Interactions. 2016 , 28, 77-88	107
503	Subgenual anterior cingulate cortex and hippocampal volumes in depressed youth: The role of comorbidity and age. 2016 , 190, 726-732	38
502	Altered striatal intrinsic functional connectivity in pediatric anxiety. 2016 , 85, 159-68	6
501	Alterations in neural systems mediating cognitive flexibility and inhibition in mood disorders. 2016 , 37, 1335-48	20
500	Subgenual Cingulate-Amygdala Functional Disconnection and Vulnerability to Melancholic Depression. 2016 , 41, 2082-90	19
499	The anterior cingulate cortex in psychopathology and psychotherapy: effects on awareness and repression of affect. 2016 , 18, 53-68	5
498	Cortical Structure Alterations and Social Behavior Impairment in p50-Deficient Mice. 2016 , 26, 2832-49	30
497	Antidepressant actions of lateral habenula deep brain stimulation differentially correlate with CaMKII/GSK3/AMPK signaling locally and in the infralimbic cortex. 2016 , 306, 170-7	18
496	Executive Attention Impairment in Adolescents With Major Depressive Disorder. 2016 , 45, 69-83	39
495	Resting-state functional connectivity of emotion regulation networks in euthymic and non-euthymic bipolar disorder patients. 2016 , 34, 56-63	59
494	Antidepressant short-term and long-term brain effects during self-referential processing in major depression. 2016 , 247, 17-24	19

493	Connections of the dorsolateral prefrontal cortex with the thalamus: a probabilistic tractography study. 2016 , 38, 705-10	12
492	Oxytocin Facilitates Pavlovian Fear Learning in Males. 2016 , 41, 932-9	72
491	Interactions of early adversity with stress-related gene polymorphisms impact regional brain structure in females. 2016 , 221, 1667-79	21
490	Pain modulation is affected differently in medication-overuse headache and chronic myofascial pain - A multimodal MRI study. 2017 , 37, 764-779	24
489	Cortical abnormalities in adults and adolescents with major depression based on brain scans from 20 cohorts worldwide in the ENIGMA Major Depressive Disorder Working Group. 2017 , 22, 900-909	514
488	Glutamate and Gamma-Aminobutyric Acid Systems in the Pathophysiology of Major Depression and Antidepressant Response to Ketamine. 2017 , 81, 886-897	222
487	Subgenual Anterior Cingulate-Medial Orbitofrontal Functional Connectivity in Medication-Resistant Major Depression: A Neurobiological Marker for Accelerated Intermittent Theta Burst Stimulation Treatment?. 2017 , 2, 556-565	30
486	The influence of 5-HTTLPR transporter genotype on amygdala-subgenual anterior cingulate cortex connectivity in autism spectrum disorder. 2017 , 24, 12-20	12
485	Neural correlates of apathy in late-life depression: a pilot [F]FDDNP positron emission tomography study. 2017 , 17, 186-193	18
484	Computational models of Bitemporal, Bifrontal and Right Unilateral ECT predict differential stimulation of brain regions associated with efficacy and cognitive side effects. 2017 , 41, 21-29	23
483	Deep brain stimulation of the subcallosal cingulate for treatment-refractory anorexia nervosa: 1 year follow-up of an open-label trial. 2017 , 4, 285-294	90
482	A Circadian Genomic Signature Common to Ketamine and Sleep Deprivation in the Anterior Cingulate Cortex. 2017 , 82, 351-360	60
481	Accelerated high-frequency repetitive transcranial magnetic stimulation enhances motor activity in rats. 2017 , 347, 103-110	13
480	The CACNA1C risk allele rs1006737 is associated with age-related prefrontal cortical thinning in bipolar I disorder. <i>Translational Psychiatry</i> , 2017 , 7, e1086	32
479	Gardening for Therapeutic People-Plant Interactions during Long-Duration Space Missions. 2017, 2, 1-13	19
478	Structural brain abnormalities in patients with type I bipolar disorder and suicidal behavior. 2017 , 265, 9-17	18
477	Influence of Visceral Interoceptive Experience on the Brain's Response to Food Images in Anorexia Nervosa. 2017 , 79, 777-784	14
476	Opposing roles of primate areas 25 and 32 and their putative rodent homologs in the regulation of negative emotion. 2017 , 114, E4075-E4084	55

475	Emotion and the prefrontal cortex: An integrative review. 2017 , 143, 1033-1081	249
474	Increased Brain Lactate During Depressive Episodes and Reversal Effects by Lithium Monotherapy in Drug-Naive Bipolar Disorder: A 3-T 1H-MRS Study. 2017 , 37, 40-45	44
473	A data mining approach using cortical thickness for diagnosis and characterization of essential tremor. 2017 , 7, 2190	17
472	Sexually Dimorphic Changes of Hypocretin (Orexin) in Depression. 2017 , 18, 311-319	33
471	Distribution and levels of 5-HT receptors in anterior cingulate cortex of patients with bipolar disorder, major depressive disorder and schizophrenia - An autoradiography study. 2017 , 27, 504-514	13
470	High frequency stimulation of the infralimbic cortex induces morphological changes in rat hippocampal neurons. 2017 , 10, 315-323	7
469	The neurobiology of self-processing in abused depressed adolescents. 2017 , 29, 1057-1073	12
468	Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. 2017 , 60, 361-368	14
467	Automatic reward system for virtual creatures, emergent processes of emotions and physiological motivation. 2017 , 22, 51-66	5
466	Integration and Segregation of Default Mode Network Resting-State Functional Connectivity in Transition-Age Males with High-Functioning Autism Spectrum Disorder: A Proof-of-Concept Study. 2017 , 7, 558-573	28
465	Neurocircuitry of impaired affective sound processing: A clinical disorders perspective. 2017 , 83, 516-524	9
464	The Neural Basis of Aversive Pavlovian Guidance during Planning. 2017 , 37, 10215-10229	12
463	Heightened aversion to risk and loss in depressed patients with a suicide attempt history. 2017 , 7, 11228	30
462	Brain grey matter volume alterations associated with antidepressant response in major depressive disorder. 2017 , 7, 10464	16
461	Sex differences in associations between white matter microstructure and gonadal hormones in children and adolescents with prenatal alcohol exposure. 2017 , 83, 111-121	19
460	Mechanisms of action and clinical efficacy of NMDA receptor modulators in mood disorders. 2017 , 80, 555-572	26
459	Neuroimaging evidence of brain abnormalities in mastocytosis. <i>Translational Psychiatry</i> , 2017 , 7, e1197 8.6	14
458	Polymorphism rs16147 of the Neuropeptide Y Gene Modifies the Response of Cardiovascular Risk Biomarkers and Adipokines to Two Hypocaloric Diets. 2017 , 10, 63-72	7

457	Oxytocin and Anxiety Disorders. 2018 , 35, 467-498	32
456	Exercise effects on depression: Possible neural mechanisms. 2017 , 49, 2-10	84
455	Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. 2017 , 17, 1242-1254	17
454	Anomalous prefrontal-limbic activation and connectivity in youth at high-risk for bipolar disorder. 2017 , 222, 7-13	23
453	Sex differences in neural responses to subliminal sad and happy faces in healthy individuals: Implications for depression. 2017 , 95, 703-710	9
452	Amygdala-prefrontal cortical functional connectivity during implicit emotion processing differentiates youth with bipolar spectrum from youth with externalizing disorders. 2017 , 208, 94-100	19
451	Attentional bias in clinical depression and anxiety: The impact of emotional and non-emotional distracting information. 2017 , 122, 4-12	24
450	Polymorphism of neuropeptide Y gene rs16147 modifies the response to a hypocaloric diet on cardiovascular risk biomarkers and adipokines. 2017 , 30, 159-165	10
449	A dimensional approach to modeling symptoms of neuropsychiatric disorders in the marmoset monkey. 2017 , 77, 328-353	33
448	Perceived social isolation is associated with altered functional connectivity in neural networks associated with tonic alertness and executive control. 2017 , 145, 58-73	53
447	[Clinical and biological predictors of ketamine response in treatment-resistant major depression: Review]. 2017 , 43, 354-362	10
446	Subchronic vortioxetine treatment -but not escitalopram- enhances pyramidal neuron activity in the rat prefrontal cortex. 2017 , 113, 148-155	17
445	Valence of Affective Verbal Fluency: fMRI Studies on Neural Organization of Emotional Concepts Joy and Fear. 2017 , 46, 731-746	7
444	Brain structure in women at risk of postpartum psychosis: an MRI study. <i>Translational Psychiatry</i> , 2017 , 7, 1286	18
443	Alterations of Intrinsic Brain Connectivity Patterns in Depression and Bipolar Disorders: A Critical Assessment of Magnetoencephalography-Based Evidence. 2017 , 8, 41	22
442	Neural Mechanisms of Emotions and Affect. 2017 , 27-87	6
441	Epigenetic and Neural Circuitry Landscape of Psychotherapeutic Interventions. 2017 , 2017, 5491812	6
440	Translocator Protein-18 kDa (TSPO) Positron Emission Tomography (PET) Imaging and Its Clinical Impact in Neurodegenerative Diseases. 2017 , 18,	111

439	Recent Advances in Translational Magnetic Resonance Imaging in Animal Models of Stress and Depression. 2017 , 11, 150	14
438	Chronic Stress Triggers Expression of Immediate Early Genes and Differentially Affects the Expression of AMPA and NMDA Subunits in Dorsal and Ventral Hippocampus of Rats. 2017 , 10, 244	31
437	Physical Activity Modulates Common Neuroplasticity Substrates in Major Depressive and Bipolar Disorder. 2017 , 2017, 7014146	22
436	Brain-Derived Neurotrophic Factor, Depression, and Physical Activity: Making the Neuroplastic Connection. 2017 , 2017, 7260130	145
435	Common and distinct structural features of schizophrenia and bipolar disorder: The European Network on Psychosis, Affective disorders and Cognitive Trajectory (ENPACT) study. 2017 , 12, e0188000	55
434	Neurochemical correlates of rapid treatment response to electroconvulsive therapy in patients with major depression. 2017 , 42, 6-16	77
433	Search for an Appropriate Behavior within the Emotional Regulation in Virtual Creatures Using a Learning Classifier System. 2017 , 2017, 5204083	2
432	Community violence exposure correlates with smaller gray matter volume and lower IQ in urban adolescents. 2018 , 39, 2088-2097	20
431	Deep brain stimulation for treatment-resistant depression: an integrative review of preclinical and clinical findings and translational implications. 2018 , 23, 1094-1112	106
430	Frontal Lobe. 73-102	
429	Do Hostile School Environments Promote Social Deviance by Shaping Neural Responses to Social Exclusion?. 2018 , 28, 103-120	16
428	7T H-MRS in major depressive disorder: a Ketamine Treatment Study. 2018 , 43, 1908-1914	21
427	Reduced integrity of the uncinate fasciculus and cingulum in depression: A stem-by-stem analysis. 2018 , 235, 220-228	25
426	Association of BDNF Val66Met Polymorphism and Brain BDNF Levels with Major Depression and Suicide. 2018 , 21, 528-538	94
425	Internet Communication Disorder and the structure of the human brain: initial insights on WeChat addiction. 2018 , 8, 2155	43
424	Cortical Connections Position Primate Area 25 as a Keystone for Interoception, Emotion, and Memory. 2018 , 38, 1677-1698	50
423	Resting-state fMRI signals in offspring of parents with bipolar disorder at the high-risk and ultra-high-risk stages and their relations with cognitive function. 2018 , 98, 99-106	20
422	Conflict monitoring mechanism at the single-neuron level in the human ventral anterior cingulate cortex. 2018 , 175, 45-55	9

421	Effect of antidepressant treatment on peripheral inflammation markers - A meta-analysis. 2018 , 80, 217-226	107
420	Altered brain network centrality in patients with adult comitant exotropia strabismus: A resting-state fMRI study. 2018 , 46, 392-402	27
419	Disrupted functional connectivity of the amygdala is associated with depressive mood in type 2 diabetes patients. 2018 , 228, 207-215	10
418	Acute and chronic changes in brain activity with deep brain stimulation for refractory depression. 2018 , 32, 430-440	9
417	Pupil mimicry and trust - Implication for depression. 2018 , 97, 70-76	16
416	Intermittent compared to continuous real-time fMRI neurofeedback boosts control over amygdala activation. 2018 , 166, 198-208	25
415	Prospective Validation That Subgenual Connectivity Predicts Antidepressant Efficacy of Transcranial Magnetic Stimulation Sites. 2018 , 84, 28-37	182
414	Neuroimaging Mechanisms of Therapeutic Transcranial Magnetic Stimulation for Major Depressive Disorder. 2018 , 3, 211-222	46
413	Comparing and Contrasting the Cognitive Effects of Hippocampal and Ventromedial Prefrontal Cortex Damage: A Review of Human Lesion Studies. 2018 , 374, 295-318	77
412	Network Mechanisms of Clinical Response to Transcranial Magnetic Stimulation in Posttraumatic Stress Disorder and Major Depressive Disorder. 2018 , 83, 263-272	130
411	The research domain criteria framework in drug discovery for neuropsychiatric diseases: focus on negative valence. 2018 , 2, 2398212818804030	7
410	Neuroticism predicts the impact of serotonin challenges on fear processing in subgenual anterior cingulate cortex. 2018 , 8, 17889	8
409	Altered Brain Fraction Amplitude of Low Frequency Fluctuation at Resting State in Patients With Early Left and Right Bell's Palsy: Do They Have Differences?. 2018 , 12, 797	4
408	Subgenual Cingulate Deep Brain Stimulation for Treatment-Resistant Depression. 2018 , 1099-1118	O
407	A Connectomic Atlas of the Human Cerebrum-Chapter 4: The Medial Frontal Lobe, Anterior Cingulate Gyrus, and Orbitofrontal Cortex. 2018 , 15, S122-S174	10
406	A case report SPECT study and theoretical rationale for the sequential administration of ibogaine and 5-MeO-DMT in the treatment of alcohol use disorder. 2018 , 242, 121-158	9
405	Maternal Preconception Stress Alters Prefrontal Cortex Development in Long-Evans Rat Pups without Changing Maternal Care. 2018 , 394, 98-108	6
404	Trajectories and Milestones of Cortical and Subcortical Development of the Marmoset Brain From Infancy to Adulthood. 2018 , 28, 4440-4453	28

403	Dissociation between the processing of humorous and monetary rewards in the 'motivation' and 'hedonic' brains. 2018 , 8, 15425		4
402	Global long non-coding RNA expression in the rostral anterior cingulate cortex of depressed suicides. <i>Translational Psychiatry</i> , 2018 , 8, 224	8.6	30
401	The Neuroanatomical Basis of Two Subcomponents of Rumination: A VBM Study. 2018 , 12, 324		11
400	Biological and Psychological Perspectives of Resilience: Is It Possible to Improve Stress Resistance?. 2018 , 12, 326		44
399	Non-invasive vagus nerve stimulation significantly improves quality of life in patients with persistent postural-perceptual dizziness. 2018 , 265, 63-69		24
398	Subgenual anterior cingulate-insula resting-state connectivity as a neural correlate to trait and state stress resilience. 2018 , 124, 73-81		13
397	Behavioral interventions in health neuroscience. 2018 , 1428, 51-70		7
396	A bio-inspired self-responding emotional behavior system for virtual creatures. 2018 , 26, 26-40		2
395	Autonomic and Brain Morphological Predictors of Stress Resilience. 2018, 12, 228		56
394	Brain correlates of adult attachment style: A voxel-based morphometry study. 2018 , 1699, 34-43		10
393	Neural functional architecture and modulation during decision making under uncertainty in individuals with generalized anxiety disorder. 2018 , 8, e01015		37
392	Changing Brain Networks Through Non-invasive Neuromodulation. 2018 , 12, 128		46
391	Distributed performance of white matter properties in chess players: A DWI study using automated fiber quantification. 2018 , 1700, 9-18		9
390	Self-Reported Sleep Quality Modulates Amygdala Resting-State Functional Connectivity in Anxiety and Depression. 2018 , 9, 220		21
389	Functional connectivity of reflective and brooding rumination in depressed and healthy women. 2018 , 18, 884-901		15
388	Disentangling the Neural Basis of Cognitive Behavioral Therapy in Psychiatric Disorders: A Focus on Depression. 2018 , 8,		8
387	Using optimal combined moderators to define heterogeneity in neural responses to randomized conditions: Application to the effect of sleep loss on fear learning. 2018 , 181, 718-727		3
386	Brain activation patterns in response to complex triggers in the Word Association Test: results from a new study in the United States. 2018 , 63, 484-509		1

385	Central serotonin modulates neural responses to virtual violent actions in emotion regulation networks. 2018 , 223, 3327-3345	15
384	Obstructive sleep apnea and cortical thickness in females and males. 2018 , 13, e0193854	34
383	Subgenual anterior cingulate cortex controls sadness-induced modulations of cognitive and emotional network hubs. 2018 , 8, 8566	21
382	Data-Driven Clustering Reveals a Link Between Symptoms and Functional Brain Connectivity in Depression. 2019 , 4, 16-26	26
381	Abnormalities of thalamus volume and resting state functional connectivity in primary insomnia patients. 2019 , 13, 1193-1201	23
380	Dysconnectivity of Large-Scale Functional Networks in Early Psychosis: A Meta-analysis. 2019 , 45, 579-590	28
379	Modulating Emotional Experience Using Electrical Stimulation of the Medial-Prefrontal Cortex: A Preliminary tDCS-fMRI Study. 2019 , 22, 884-893	17
378	Altered Topology of the Structural Brain Network in Patients With Post-stroke Depression. 2019 , 13, 776	8
377	Evidence of decreased gap junction coupling between astrocytes and oligodendrocytes in the anterior cingulate cortex of depressed suicides. 2019 , 44, 2099-2111	19
376	Intrinsic Brain Network Biomarkers of Antidepressant Response: a Review. 2019 , 21, 87	24
375	Investigation of Gene Expression and DNA Methylation From Seven Different Brain Regions of a Crab-Eating Monkey as Determined by RNA-Seq and Whole-Genome Bisulfite Sequencing. 2019 , 10, 694	4
374	Altered biochemical metabolism and its lateralization in the cortico-striato-cerebellar circuit of unmedicated bipolar II depression. 2019 , 259, 82-90	6
373	Is resting state frontal alpha connectivity asymmetry a useful index to assess depressive symptoms? A preliminary investigation in a sample of university students. 2019 , 257, 152-159	8
372	Effects of Acupuncture on Chronic Stress-Induced Depression-Like Behavior and Its Central Neural Mechanism. 2019 , 10, 1353	18
371	Brain-based Classification of Negative Social Bias in Adolescents With Nonsuicidal Self-injury: Findings From Simulated Online Social Interaction. 2019 , 13, 81-90	14
370	Convergent neurobiological predictors of mood and anxiety symptoms and treatment response. 2019 , 19, 587-597	2
369	The Emergence of Spindles and K-Complexes and the Role of the Dorsal Caudal Part of the Anterior Cingulate as the Generator of K-Complexes. 2019 , 13, 814	4
368	Astrocyte Changes in the Prefrontal Cortex From Aged Non-suicidal Depressed Patients. 2019 , 13, 503	12

367	Different effects of high-protein/low-carbohydrate versus standard hypocaloric diet on insulin resistance and lipid profile: Role of rs16147 variant of neuropeptide Y. 2019 , 156, 107825	3
366	Effects of ketamine on circadian rhythm and synaptic homeostasis in patients with treatment-resistant depression: A protocol for mechanistic studies of its rapid and sustained antidepressant actions in humans. 2019 , 9, e01423	14
365	The cingulate cortex and limbic systems for emotion, action, and memory. 2019 , 224, 3001-3018	150
364	Cross-Species Co-analysis of Prefrontal Cortex Chronic Ethanol Transcriptome Responses in Mice and Monkeys. 2019 , 12, 197	10
363	Rumination related activity in brain networks mediating attentional switching in euthymic bipolar patients. 2019 , 7, 3	14
362	Cognitive Psychodynamics as an Integrative Framework in Counselling Psychology and Psychotherapy. 2019 ,	1
361	Blame-rebalance fMRI neurofeedback in major depressive disorder: A randomised proof-of-concept trial. 2019 , 24, 101992	7
360	Modulation of the Visual to Auditory Human Inhibitory Brain Network: An EEG Dipole Source Localization Study. 2019 , 9,	14
359	Neural substrates for anticipation and consumption of social and monetary incentives in depression. 2019 , 14, 815-826	19
358	Genetic Predisposition and Disease Expression of Bipolar Disorder Reflected in Shape Changes of the Anterior Limbic Network. 2019 , 9,	1
357	Temporal dynamics of the pharmacological MRI response to subanaesthetic ketamine in healthy volunteers: A simultaneous EEG/fMRI study. 2019 , 33, 219-229	12
356	Cognitive and attentional vulnerability to depression in youth: A review. 2019 , 71, 63-77	10
355	Increased heartbeat-evoked potential during REM sleep in nightmare disorder. 2019 , 22, 101701	21
354	Transcranial magnetic stimulation of the medial prefrontal cortex for psychiatric disorders: a systematic review. 2019 , 41, 447-457	11
353	Association of Repetitive Transcranial Magnetic Stimulation Treatment With Subgenual Cingulate Hyperactivity in Patients With Major Depressive Disorder: A Secondary Analysis of a Randomized Clinical Trial. 2019 , 2, e195578	25
352	Multimodal imaging reveals a complex pattern of dysfunction in corticolimbic pathways in major depressive disorder. 2019 , 40, 3940-3950	21
351	Depression in neurodegenerative diseases: Common mechanisms and current treatment options. 2019 , 102, 56-84	79
350	Dimethyltryptamine: Endogenous Role and Therapeutic Potential. 2019 , 51, 299-310	9

(2019-2019)

349	Postmortem brain tissue as an underutilized resource to study the molecular pathology of neuropsychiatric disorders across different ethnic populations. 2019 , 102, 195-207	6
348	Altered limbic and autonomic processing supports brain-heart axis in Takotsubo syndrome. 2019 , 40, 1183-1187	88
347	A multicenter study of ketamine effects on functional connectivity: Large scale network relationships, hubs and symptom mechanisms. 2019 , 22, 101739	20
346	Intrinsic Functional Brain Connectivity Predicts Onset of Major Depression Disorder in Adolescence: A Pilot Study. 2019 , 9, 388-398	13
345	The Effects of Family Socioeconomic Status on Psychological and Neural Mechanisms as Well as Their Sex Differences. 2018 , 12, 543	11
344	Identification of major depressive disorder and prediction of treatment response using functional connectivity between the prefrontal cortices and subgenual anterior cingulate: A real-world study. 2019 , 252, 365-372	11
343	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. 2019 , 29, 501-508	32
342	Resting-state functional connectivity and inflexibility of daily emotions in major depression. 2019 , 249, 26-34	24
341	Regionally selective knockdown of astroglial glutamate transporters in infralimbic cortex induces a depressive phenotype in mice. 2019 , 67, 1122-1137	21
340	Common and Specific Functional Activity Features in Schizophrenia, Major Depressive Disorder, and Bipolar Disorder. 2019 , 10, 52	22
339	Electroconvulsive Therapy for Depression: Neurobiological Mechanisms. 2019 , 361-373	
338	Intrinsic Frontolimbic Connectivity and Mood Symptoms in Young Adult Cannabis Users. 2019 , 7, 311	9
337	15 Deep Brain Stimulation for Emerging Psychiatric Indications. 2019 ,	1
336	Classification of Major Depressive Disorder from Resting-State fMRI. 2019 , 2019, 3511-3514	5
335	What does brain imaging tell us about itch?. 2019 , 4, e23-e23	4
334	A comparative fMRI meta-analysis of altruistic and strategic decisions to give. 2019 , 184, 227-241	49
333	Acute tryptophan loading decreases functional connectivity between the default mode network and emotion-related brain regions. 2019 , 40, 1844-1855	6
332	A ghrelin receptor and oxytocin receptor heterocomplex impairs oxytocin mediated signalling. 2019 , 152, 90-101	27

331	Aggression in BALB/cJ mice is differentially predicted by the volumes of anterior and midcingulate cortex. 2019 , 224, 1009-1019	6
330	Deep brain stimulation targets for treating depression. 2019 , 359, 266-273	56
329	Limits and reproducibility of resting-state functional MRI definition of DLPFC targets for neuromodulation. 2019 , 12, 129-138	19
328	Enrichment of rare genetic variants in astrocyte gene enriched co-expression modules altered in postmortem brain samples of schizophrenia. 2019 , 121, 305-314	9
327	Alterations in patients with major depressive disorder before and after electroconvulsive therapy measured by fractional amplitude of low-frequency fluctuations (fALFF). 2019 , 244, 92-99	24
326	Regional brain volume reductions in major depressive disorder and bipolar disorder: An analysis by voxel-based morphometry. 2019 , 34, 186-192	9
325	ROI and phobias: The effect of ROI approach on an ALE meta-analysis of specific phobias. 2019 , 40, 1814-1828	3 18
324	VGF and its C-terminal peptide TLQP-62 in ventromedial prefrontal cortex regulate depression-related behaviors and the response to ketamine. 2019 , 44, 971-981	18
323	Emotions as Regulators of Motivated Behavior. 2020 , 11-25	1
322	Opposite subgenual cingulate cortical functional connectivity and metabolic activity patterns in refractory melancholic major depression. 2020 , 14, 426-435	2
321	Inflammation, brain structure and cognition interrelations among individuals with differential risks for bipolar disorder. 2020 , 83, 192-199	9
320	Functional connectivity of the anterior cingulate cortex predicts treatment outcome for rTMS in treatment-resistant depression at 3-month follow-up. 2020 , 13, 206-214	28
319	Transcranial Magnetic and Direct Current Stimulation in the Treatment of Depression: Basic Mechanisms and Challenges of Two Commonly Used Brain Stimulation Methods in Interventional Psychiatry. 2020 , 79, 397-407	9
318	Simultaneous EEG/fMRI recorded during ketamine infusion in patients with major depressive disorder. 2020 , 99, 109838	16
317	Can't get it off my brain: Meta-analysis of neuroimaging studies on perseverative cognition. 2020 , 295, 111020	21
316	Action video game experience is associated with increased resting state functional connectivity in the caudate nucleus and decreased functional connectivity in the hippocampus. 2020 , 106, 106200	O
315	Brain structural effects of treatments for depression and biomarkers of response: a systematic review of neuroimaging studies. <i>Psychological Medicine</i> , 2020 , 50, 187-209	22
314	Assessing neurophysiological changes associated with combined transcranial direct current stimulation and cognitive-emotional training for treatment-resistant depression. 2020 , 51, 2119-2133	8

(2020-2020)

313	Brain Structural and Functional Alterations in Mice Prenatally Exposed to LPS Are Only Partially Rescued by Anti-Inflammatory Treatment. 2020 , 10,	4
312	Global Neural Activities Changes under Human Inhibitory Control Using Translational Scenario. 2020 , 10,	1
311	Neurosurgery and neuromodulation for anorexia nervosa in the 21st century: a systematic review of treatment outcomes. 2020 , 1-28	8
310	BDNF polymorphisms across the spectrum of psychiatric morbidity: A protocol for a systematic review and meta-analysis. 2020 , 99, e22875	1
309	Infralimbic cortical glutamate output is necessary for the neural and behavioral consequences of chronic stress. 2020 , 13, 100274	7
308	Static and Dynamic Changes of Amplitude of Low-Frequency Fluctuations in Cervical Discogenic Pain. 2020 , 14, 733	5
307	Non Invasive Brain Stimulation in Psychiatry and Clinical Neurosciences. 2020,	1
306	Brain responses to social feedback in internalizing disorders: A comprehensive review. 2020 , 118, 784-808	7
305	Over-activation of primate subgenual cingulate cortex enhances the cardiovascular, behavioral and neural responses to threat. 2020 , 11, 5386	25
304	The cornucopia of central disinhibition pain - An evaluation of past and novel concepts. 2020 , 145, 105041	1
303	Response to SSRI intervention and amygdala activity during self-referential processing in major depressive disorder. 2020 , 28, 102388	7
302	Cortical thickness abnormalities in long-term remitted Cushing's disease. <i>Translational Psychiatry</i> , 2020 , 10, 293	4
301	Irritability, Depressed Mood, Inattention and Spatial Working Memory in Children and Adolescents with Major Depressive Disorder With/Without Persistent Depressive Disorder. 2021 , 52, 800-807	3
300	Deep Brain Stimulation for Treatment-Resistant Depression: Towards a More Personalized Treatment Approach. 2020 , 9,	6
299	Reinforcement and Punishment Shape the Learning Dynamics in fMRI Neurofeedback. 2020 , 14, 304	5
298	Chronic Stress-induced Behaviors Correlate with Exacerbated Acute Stress-induced Cingulate Cortex and Ventral Hippocampus Activation. 2020 , 440, 113-129	11
297	Research Review: Brain network connectivity and the heterogeneity of depression in adolescence - a precision mental health perspective. 2020 , 61, 1282-1298	12
296	ERP indices of an orientation-dependent recognition of the human body schema. 2020 , 146, 107535	2

295	Reduced Thalamus Volume and Enhanced Thalamus and Fronto-Parietal Network Integration in the Chess Experts. 2020 , 30, 5560-5569	2
294	Using Brain Imaging to Improve Spatial Targeting of Transcranial Magnetic Stimulation for Depression. 2021 , 90, 689-700	33
293	The Link Between Structural and Functional Brain Abnormalities in Depression: A Systematic Review of Multimodal Neuroimaging Studies. 2020 , 11, 485	4
292	Pregenual or subgenual anterior cingulate cortex as potential effective region for brain stimulation of depression. 2020 , 10, e01591	12
291	Transient receptor potential vanilloid 1 antagonism in neuroinflammation, neuroprotection and epigenetic regulation: potential therapeutic implications for severe psychiatric disorders treatment. 2020 , 30, 39-48	9
290	Altered miRNA landscape of the anterior cingulate cortex is associated with potential loss of key neuronal functions in depressed brain. 2020 , 40, 70-84	6
289	Systematic Review of Affective Functional Magnetic Resonance Imaging in Pediatric Major Depressive Disorder. 2020 , 6, 66-82	0
288	Optogenetic Activation of Dopamine Receptor D1 and D2 Neurons in Anterior Cingulate Cortex Differentially Modulates Trigeminal Neuropathic Pain. 2020 , 57, 4060-4068	5
287	Retinoic acid and depressive disorders: Evidence and possible neurobiological mechanisms. 2020 , 112, 376-391	3
286	Brainstem volume mediates seasonal variation in depressive symptoms: A cross sectional study in the UK Biobank cohort. 2020 , 10, 3592	3
285	Convergent syndromic atrophy of pain and emotional systems in patients with irritable bowel syndrome and depressive symptoms. 2020 , 723, 134865	5
284	Emotions and brain function are altered up to one month after a single high dose of psilocybin. 2020 , 10, 2214	65
283	Prefrontal-amygdala connectivity in trait anxiety and generalized anxiety disorder: Testing the boundaries between healthy and pathological worries. 2020 , 267, 211-219	8
282	A preliminary study of resting brain metabolism in treatment-resistant depression before and after treatment with olanzapine-fluoxetine combination. 2020 , 15, e0226486	3
281	Ketamine normalizes subgenual cingulate cortex hyper-activity in depression. 2020 , 45, 975-981	36
280	Effect of prefrontal tDCS on resting brain fMRI graph measures in Alcohol Use Disorders: A randomized, double-blind, sham-controlled study. 2020 , 102, 109950	12
279	The role of the subgenual anterior cingulate cortex in dorsomedial prefrontal-amygdala neural circuitry during positive-social emotion regulation. 2020 , 41, 3100-3118	15
278	Where is Cingulate Cortex? A Cross-Species View. 2020 , 43, 285-299	57

(2021-2020)

277	Functional Neuroimaging in Psychiatry-Aiding in Diagnosis and Guiding Treatment. What the American Psychiatric Association Does Not Know. 2020 , 11, 276	16
276	The influence of COMT rs4680 on functional connectivity in healthy adults: A systematic review. 2020 , 52, 3851-3878	2
275	Longitudinal effects of rTMS on neuroplasticity in chronic treatment-resistant depression. 2021 , 271, 39-47	6
274	Enhanced cerebro-cerebellar functional connectivity reverses cognitive impairment following electroconvulsive therapy in major depressive disorder. 2021 , 15, 798-806	5
273	Subcallosal Cingulate Structural Connectivity Differs in Responders and Nonresponders to Electroconvulsive Therapy. 2021 , 6, 10-19	2
272	Distribution and overlap of entorhinal, premotor, and amygdalar connections in the monkey anterior cingulate cortex. 2021 , 529, 885-904	6
271	Smaller Volume in Left-Lateralized Brain Structures Correlates with Greater Experience of Negative Non-target Emotions in Neurodegenerative Diseases. 2021 , 31, 15-31	2
270	Diagnostic Markers of Subclinical Depression Based on Functional Connectivity. 2021 , 283-296	
269	Preface. 2021 , xi-xii	
268	Brain Imaging and the Mechanisms of Antidepressant Action. 2021 , 248-260	
26-		
267	Brain Imaging of Reward Dysfunction in Unipolar and Bipolar Disorders. 2021 , 39-48	
266	Brain Imaging of Reward Dysfunction in Unipolar and Bipolar Disorders. 2021 , 39-48 Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. 2021 , 236-247	
,		O
266	Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. 2021 , 236-247	0 5
266 265	Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. 2021 , 236-247 Brain areas associated with resilience to depression in high-risk young women. 2021 , 226, 875-888	
266 265 264	Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. 2021, 236-247 Brain areas associated with resilience to depression in high-risk young women. 2021, 226, 875-888 Variability of white matter anatomy in the subcallosal cingulate area. 2021, 42, 2005-2017	
266 265 264 263	Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. 2021, 236-247 Brain areas associated with resilience to depression in high-risk young women. 2021, 226, 875-888 Variability of white matter anatomy in the subcallosal cingulate area. 2021, 42, 2005-2017 Magnetoencephalography Studies in Mood Disorders. 2021, 192-205	

259	Mood Disorders. 2021,	
258	Neuroimaging Studies of Effects of Psychotherapy in Depression. 2021 , 261-272	
257	Stress in Fetal Life Ex Utero: Very Preterm Infants. 2021 , 279-315	
256	Calcarine as a bridge between brain function and structure in irritable bowel syndrome: A multiplex network analysis. 2021 , 36, 2408-2415	1
255	Changes in cortical gene expression in major depressive disorders: More evidence implicating inflammatory-related pathways in disease etiology. 2021 , 89-100	O
254	Neuroimaging Brain Inflammation in Mood Disorders. 2021 , 121-134	
253	An Overview of Machine Learning Applications in Mood Disorders. 2021 , 206-218	
252	Electrophysiological Biomarkers for Mood Disorders. 2021 , 175-191	1
251	Neuroanatomical Findings in Bipolar Disorder. 2021 , 16-27	
250	Imaging Glutamatergic and GABAergic Abnormalities in Mood Disorders. 2021 , 105-120	
250 249	Imaging Glutamatergic and GABAergic Abnormalities in Mood Disorders. 2021 , 105-120 Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. 2021 , 83-104	
	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in	
249	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. 2021 , 83-104	
249	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. 2021 , 83-104 Brain Imaging Methods in Mood Disorders. 2021 , 1-6	1
249 248 247	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. 2021, 83-104 Brain Imaging Methods in Mood Disorders. 2021, 1-6 Effects of Lithium on Brain Structure in Bipolar Disorder. 2021, 219-235 Brain structure and parasympathetic function during rest and stress in young adult women. 2021,	1 7
249 248 247 246	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. 2021, 83-104 Brain Imaging Methods in Mood Disorders. 2021, 1-6 Effects of Lithium on Brain Structure in Bipolar Disorder. 2021, 219-235 Brain structure and parasympathetic function during rest and stress in young adult women. 2021, 226, 1195-1207 Ketamine-50 years in use: from anesthesia to rapid antidepressant effects and neurobiological	
249 248 247 246 245	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. 2021, 83-104 Brain Imaging Methods in Mood Disorders. 2021, 1-6 Effects of Lithium on Brain Structure in Bipolar Disorder. 2021, 219-235 Brain structure and parasympathetic function during rest and stress in young adult women. 2021, 226, 1195-1207 Ketamine-50 years in use: from anesthesia to rapid antidepressant effects and neurobiological mechanisms. 2021, 73, 323-345 Deep transcriptome sequencing of subgenual anterior cingulate cortex reveals cross-diagnostic	7

241	Whole blood serotonin levels in healthy elderly are negatively associated with the functional activity of emotion-related brain regions. 2021 , 160, 108051		2
2 40	A comparison of 'pruning' during multi-step planning in depressed and healthy individuals. **Psychological Medicine*, 2021 , 1-9 6.9)	O
239	Deep Brain Stimulation of the Subgenual Cingulate Cortex for the Treatment of Chronic Low Back Pain. 2021 ,		1
238	A unified model of the pathophysiology of bipolar disorder. 2021 ,		5
237	Differences in basic psychological needs-related resting-state functional connectivity between individuals with high and low life satisfaction. 2021 , 750, 135798		
236	Suicidality Associated With Deep Brain Stimulation in Extrapyramidal Diseases: A Critical Review and Hypotheses on Neuroanatomical and Neuroimmune Mechanisms. 2021 , 15, 632249		2
235	Medial Prefrontal Cortex controlling the immobility of rats in the forced swimming test: a systematic review and meta-analysis.		
234	Allele a of the rs16147 variant of neuropeptide Y predicts early metabolic improvements after bariatric surgery with biliopancreatic diversion in morbid obese subjects. 2021 , 36, 26-34		1
233	Gender differences in geriatric syndromes as mental illness and nervous system diseases in hospitalized Thai older patients. 2021 , 21, 453-465		О
232	Human Fronto-Striatal Connectivity is Organized into Discrete Functional Subnetworks.		2
231	Subgenual cingulate resting regional cerebral blood flow in premenstrual dysphoric disorder: differential regulation by ovarian steroids and preliminary evidence for an association with expression of ESC/E(Z) complex genes. <i>Translational Psychiatry</i> , 2021 , 11, 206	5	2
230	Endocrine Factors in Key Structural and Intracellular Changes in Depression. 2021 , 32, 212-223		5
229	The Effects of Bilateral Theta-burst Stimulation on Executive Functions and Affective Symptoms in Major Depressive Disorder. 2021 , 461, 130-139		1
228	Oxytocin modulates neurocomputational mechanisms underlying prosocial reinforcement learning.		1
227	Magnetic resonance imaging in mood disorders: a bibliometric analysis from 1999 to 2020. 2021 , 9, 241-25	4	
226	Lifelong impact of extreme stress on the human brain: Holocaust survivors study. 2021 , 14, 100318		1
225	Effects of Prenatal and Early Postnatal Administration of Valproate on Behavior and Cyhtological Characteristics in Wistar Rats. 2021 , 51, 639-647		О
224	A translational perspective on the anti-anhedonic effect of ketamine and its neural underpinnings. 2021 ,		5

Systematic analysis of exonic germline and postzygotic de novo mutations in bipolar disorder. 2021 122 , 12, 3750	
From Brain Organoids to Networking Assembloids: Implications for Neuroendocrinology and Stress Medicine. 2021 , 12, 621970	
Personalized prediction of transcranial magnetic stimulation clinical response in patients with treatment-refractory depression using neuroimaging biomarkers and machine learning. 2021 , 290, 261-271 5	
Role of Quercetin in Depressive-Like Behaviors: Findings from Animal Models. 2021 , 11, 7116	
Sex-Specific Abnormalities and Treatment-Related Plasticity of Subgenual Anterior Cingulate Cortex Functional Connectivity in Chronic Pain 2021 , 2, 673538	
Proof of concept study to develop a novel connectivity-based electric-field modelling approach for individualized targeting of transcranial magnetic stimulation treatment. 2021 ,	
Neuroimaging Studies of Nonsuicidal Self-Injury in Youth: A Systematic Review. 2021 , 11,	
Ultra-high field imaging in Major Depressive Disorder: a review of structural and functional studies. 215 2021, 290, 65-73	
Key considerations in the pharmacological management of treatment-resistant depression. 2021 , 22, 2405-2415	
Classification of Adolescent Major Depressive Disorder Via Static and Dynamic Connectivity. 2021 , 25, 2604-2614	
212 Sexually divergent cortical control of affective-autonomic integration. 2021 , 129, 105238 3	
Prevalence and Predictors of Prolonged Cognitive and Psychological Symptoms Following COVID-19 in the United States. 2021 , 13, 690383	
Testing a Developmental Model of Positive Parenting, AmygdalaBubgenual Anterior Cingulate 210 Cortex Connectivity, and Depressive Symptoms in Adolescents Before and During the COVID-19 Pandemic. 2021 , 1, 291-291	
209 Anterior Cingulate Cortex Ablation Disrupts Affective Vigor and Vigilance. 2021 , 41, 8075-8087 4	
208 The PPARg System in Major Depression: Pathophysiologic and Therapeutic Implications. 2021 , 22,	
207 A narrative review on invasive brain stimulation for treatment-resistant depression. 2021 , 1	
The anterior cingulate cortex as a key locus of ketamine's antidepressant action. 2021 , 127, 531-554	

205	Effects of Biological Sex and Stress Exposure on Ventromedial Prefrontal Regulation of Mood-Related Behaviors. 2021 , 15, 737960	1
204	Pathophysiology of Takotsubo Syndrome as A Bridge to Personalized Treatment. 2021 , 11,	O
203	Exploring Signatures of Neurodegeneration in Early-Onset Older-Age Bipolar Disorder and Behavioral Variant Frontotemporal Dementia. 2021 , 12, 713388	
202	GWAS Meta-Analysis Reveals Shared Genes and Biological Pathways between Major Depressive Disorder and Insomnia. 2021 , 12,	2
201	Brain Correlates of Persistent Postural-Perceptual Dizziness: A Review of Neuroimaging Studies. 2021 , 10,	3
200	Respiratory-gated auricular vagal afferent nerve stimulation (RAVANS) modulates brain response to stress in major depression. 2021 , 142, 188-197	1
199	Urban green is more than the absence of city: Structural and functional neural basis of urbanicity and green space in the neighbourhood of older adults. 2021 , 214, 104196	0
198	Brain circuitry in major depressive disorder: The critical role of ventral anterior cingulate cortex. 2021 , 51, 134-137	1
197	Specificity of anhedonic alterations in resting-state network connectivity and structure: A transdiagnostic approach. 2021 , 317, 111349	1
196	What have we really learned from functional connectivity in clinical populations?. 2021 , 242, 118466	7
195	Personalized functional connectivity analysis in responders and nonresponders to ketamine and electroconvulsive therapy: A case series. 2021 , 29-30, 100082	
195 194		o
	electroconvulsive therapy: A case series. 2021 , 29-30, 100082 Trait and state alterations in excitatory connectivity between subgenual anterior cingulate cortex	0
194	electroconvulsive therapy: A case series. 2021 , 29-30, 100082 Trait and state alterations in excitatory connectivity between subgenual anterior cingulate cortex and cerebellum in patients with current and remitted depression. 2021 , 317, 111356	
194	electroconvulsive therapy: A case series. 2021 , 29-30, 100082 Trait and state alterations in excitatory connectivity between subgenual anterior cingulate cortex and cerebellum in patients with current and remitted depression. 2021 , 317, 111356 Individualized Functional Subnetworks Connect Human Striatum and Frontal Cortex. 2021 ,	
194 193 192	electroconvulsive therapy: A case series. 2021, 29-30, 100082 Trait and state alterations in excitatory connectivity between subgenual anterior cingulate cortex and cerebellum in patients with current and remitted depression. 2021, 317, 111356 Individualized Functional Subnetworks Connect Human Striatum and Frontal Cortex. 2021, Neuroimaging Biomarkers in Pediatric Mood Disorders. 2021, 28-38	
194 193 192	electroconvulsive therapy: A case series. 2021, 29-30, 100082 Trait and state alterations in excitatory connectivity between subgenual anterior cingulate cortex and cerebellum in patients with current and remitted depression. 2021, 317, 111356 Individualized Functional Subnetworks Connect Human Striatum and Frontal Cortex. 2021, Neuroimaging Biomarkers in Pediatric Mood Disorders. 2021, 28-38 Neuroanatomical Findings in Unipolar Depression and the Role of the Hippocampus. 2021, 7-15 Resting-State fMRI Functional Connectivity Strength Predicts Local Activity Change in the Dorsal	1

187 Imaging Genetic and Epigenetic Markers in Mood Disorders. **2021**, 135-150

186	fMRI Neurofeedback as Treatment for Depression. 2021 , 151-165		
185	Tracing the psychopathology of bipolar disorder to the functional architecture of intrinsic brain activity and its neurotransmitter modulation: a three-dimensional model. 2021 ,		5
184	A voxel-wise assessment of growth differences in infants developing autism spectrum disorder. 2021 , 29, 102551		3
183	Structuro-functional surrogates of response to subcallosal cingulate deep brain stimulation for depression. 2021 ,		8
182	Parcellation-based anatomic modeling of the default mode network. 2021, 11, e01976		4
181	Emotion Perception and Health. 2011 , 261-280		1
180	Combination of Transcranial Magnetic Stimulation (TMS) with Functional Magnetic Resonance Imaging. 2014 , 179-196		2
179	Neurocircuitry of Anxiety Disorders. 2020 , 15-41		1
178	The Pathology of Synapses in Brain Networks Implicated in Depression. 2013 , 107-132		1
177	Functional connectivity of the prefrontal cortex and amygdala is related to depression status in major depressive disorder. 2020 , 274, 897-902		9
176	Social subordination alters estradiol-induced changes in cortico-limbic brain volumes in adult female rhesus monkeys. 2020 , 114, 104592		2
175	Regional Frontal Lobe Response Magnitudes During Affective Shifting Covary With Resting Heart Rate Variability in Healthy Volunteers. 2016 , 30, 165-174		3
174	Altered white matter microstructure in adolescents with major depression: a preliminary study. Journal of the American Academy of Child and Adolescent Psychiatry, 2010 , 49, 173-83.e1	7.2	165
173	Shared roles of dorsal and subgenual anterior cingulate cortices in economic decisions.		3
172	Chronic stress exacerbates acute stress-induced neuronal activation in the anterior cingulate cortex and ventral hippocampus that correlates with behavioral deficits in mice.		1
171	Infralimbic cortical glutamate output is necessary for the neural and behavioral consequences of chronic stress.		О
170	Deep transcriptome sequencing of subgenual anterior cingulate cortex reveals disorder-specific expression changes in major psychiatric disorders.		1

(2012-2020)

169	The Genetic and Neural Circuitry Predictors of Benefit From Manualized or Open-Ended Psychotherapy. 2020 , 73, 72-84	1
168	Altered functional connectivity in posttraumatic stress disorder with versus without comorbid major depressive disorder: a resting state fMRI study. 2013 , 2, 289	16
167	Altered functional connectivity in posttraumatic stress disorder with versus without comorbid major depressive disorder: a resting state fMRI study. 2013 , 2, 289	14
166	Classification of different therapeutic responses of major depressive disorder with multivariate pattern analysis method based on structural MR scans. 2012 , 7, e40968	109
165	Multimodal brain connectivity analysis in unmedicated late-life depression. 2014 , 9, e96033	26
164	Consequences of early adverse rearing experience(EARE) on development: insights from non-human primate studies. 2017 , 38, 7-35	10
163	The neurophysiology of ketamine: an integrative review. 2020 , 31, 457-503	8
162	Validation of Chronic Restraint Stress Model in Young Adult Rats for the Study of Depression Using Longitudinal Multimodal MR Imaging. 2020 , 7,	16
161	A New Theory of Gender Dysphoria Incorporating the Distress, Social Behavioral, and Body-Ownership Networks. 2019 , 6,	3
160	[Effect of a Mediterranean-pattern diet on the metabolic response secondary to weight loss; role of the single nucleotide polymorphism (rs16147) of neuropeptide Y]. 2020 , 37, 742-749	1
159	Differences in functional brain alterations driven by right or left facial nerve efferent dysfunction: Evidence from early Bell's palsy. 2019 , 9, 427-439	2
158	The Role of Muscarinic Receptors in the Pathophysiology of Mood Disorders: A Potential Novel Treatment?. 2015 , 13, 739-49	26
157	The impact of socioeconomic status on the neural substrates associated with pleasure. 2009 , 3, 58-63	26
156	Psychedelic drugs-a new era in?psychiatry??. 2019 , 21, 139-147	27
155	Deep Brain Stimulation for Treatment Resistant Depression: The Role of the Ventral Capsule/Ventral Striatum. 2010 , 40, 477-484	1
154	Brain functional changes in facial expression recognition in patients with major depressive disorder before and after antidepressant treatment: A functional magnetic resonance imaging study. 2012 , 7, 1151-7	15
153	P300 latency as an indicator of severity in major depressive disorder. 2015 , 24, 163-7	33
152	The Biological Effects of Psychotherapy in Major Depressive Disorders: A Review of Neuroimaging Studies. 2012 , 03, 857-863	5

151	Is the GABA System Related to the Social Competence Improvement Effect of Aripiprazole? An (18)F-Fluoroflumazenil PET Study. 2013 , 10, 75-80	14
150	Ketamine modulates subgenual cingulate connectivity with the memory-related neural circuit-a mechanism of relevance to resistant depression?. 2016 , 4, e1710	28
149	Using fMRI neurofeedback to interrogate emotion, motivation, and social neurocognition. 2021, 131-160	
148	fMRI and Other Neuroimaging Methods. 2021 ,	Ο
147	Reduced age-related gray matter loss in the subgenual cingulate cortex in long-term meditators. 2021 , 1	1
146	Abnormal functional connectivity of the salience network in insomnia. 2021 , 1	O
145	Investigating EEG biomarkers of clinical response to low frequency rTMS in depression. 2021 , 6, 100250	
144	Neuroimaging studies of bipolar depression: therapeutic implications. 2009, 117-144	
143	Genetic Regulation of Emotion Brain Circuitries. 2011, 75-96	
142	Cingulate gyrus.	
142	Cingulate gyrus. Related Circuitry and Synaptic Connectivity in Psychiatric Disorders. 2015, 1-20	
141	Related Circuitry and Synaptic Connectivity in Psychiatric Disorders. 2015 , 1-20 Morphologic and Functional Connectivity Alterations in Patients with Major Depressive Disorder.	
141 140	Related Circuitry and Synaptic Connectivity in Psychiatric Disorders. 2015, 1-20 Morphologic and Functional Connectivity Alterations in Patients with Major Depressive Disorder. 2015, 33-42 Positive Association Between Posterior Subgenual Cingulate and Pituitary Volumes in Psychotic	
141 140 139	Related Circuitry and Synaptic Connectivity in Psychiatric Disorders. 2015, 1-20 Morphologic and Functional Connectivity Alterations in Patients with Major Depressive Disorder. 2015, 33-42 Positive Association Between Posterior Subgenual Cingulate and Pituitary Volumes in Psychotic Major Depression. 2015, 2, Subgenual anterior cingulate cortex controls sadness-induced modulations of cognitive and	
141 140 139	Related Circuitry and Synaptic Connectivity in Psychiatric Disorders. 2015, 1-20 Morphologic and Functional Connectivity Alterations in Patients with Major Depressive Disorder. 2015, 33-42 Positive Association Between Posterior Subgenual Cingulate and Pituitary Volumes in Psychotic Major Depression. 2015, 2, Subgenual anterior cingulate cortex controls sadness-induced modulations of cognitive and emotional network hubs. Association of BDNF Val66Met Polymorphism and Brain BDNF levels with Major Depression and	O
141 140 139 138	Related Circuitry and Synaptic Connectivity in Psychiatric Disorders. 2015, 1-20 Morphologic and Functional Connectivity Alterations in Patients with Major Depressive Disorder. 2015, 33-42 Positive Association Between Posterior Subgenual Cingulate and Pituitary Volumes in Psychotic Major Depression. 2015, 2, Subgenual anterior cingulate cortex controls sadness-induced modulations of cognitive and emotional network hubs. Association of BDNF Val66Met Polymorphism and Brain BDNF levels with Major Depression and Suicide. Data-driven clustering reveals a link between symptoms and functional brain connectivity in	O

133 Insights from Cognitive Neuroscience. **2019**, 25-52

132	The neural mechanism underlying resilience. 2019 , 27, 312	1
131	Evidence of decreased gap junction coupling between astrocytes and oligodendrocytes in the anterior cingulate cortex of depressed suicides.	
130	A preliminary study of resting brain metabolism in treatment-resistant depression before and after treatment with olanzapine-fluoxetine combination.	
129	Functional connectivity changes with rapid remission from moderate-to-severe major depressive disorder.	О
128	Assessing neurophysiological changes associated with combined transcranial direct current stimulation and cognitive emotional training for treatment-resistant depression.	
127	The Neurophysiological Substrate of the Decision-Making Process in Depressed Patients. 2020 , 09, 43-57	1
126	A Comparison of B runingDuring Multi-Step Planning in Depressed and Healthy Individuals.	
125	Gender dysphoria: Definitions, classifications, neurobiological profiles and clinical treatments. 2020 , 3, 042-050	14
124	Proof of concept study to develop a novel connectivity-based electric-field modelling approach for individualized targeting of transcranial magnetic stimulation treatment.	O
123	PET and SPECT Imaging of Non-pharmacological Interventions for Psychiatric Disorders. 2021 , 1043-1084	
122	Linear and Nonlinear EEG-Based Functional Networks in Anxiety Disorders. 2020 , 1191, 35-59	1
121	Transcranial Magnetic Stimulation in the Treatment of Anxiety Disorders. 2020, 175-190	
120	Clinical Response of Major Depressive Disorder Patients With Suicidal Ideation to Individual Target-Transcranial Magnetic Stimulation. 2021 , 12, 768819	1
119	Luxotonic signals in human prefrontal cortex as a possible substrate for effects of light on mood and cognition.	
118	Sexually divergent cortical control of affective-autonomic integration.	
117	Brain Connectomics and Severity of Internalizing Symptoms in Early Adolescence Predict Severity of Suicidal Ideation in Later Adolescence.	
116	Implicit and explicit emotional memory recall in anxiety and depression: Role of basolateral amygdala and cortisol-norepinephrine interaction. 2021 , 136, 105598	3

115	Automated pose estimation in primates. 2021 , e23348	5
114	The relationship between pre-treatment heart rate variability and response to low-frequency accelerated repetitive transcranial magnetic stimulation in major depression. 2021 , 6, 100270	
113	OUP accepted manuscript.	O
112	White matter markers and predictors for subject-specific rTMS response in major depressive disorder. 2021 , 299, 207-207	1
111	Social Acts and Anticipation of Social Feedback. 2021 , 1	
110	Variational dimensions of cingulate cortex functional connectivity and implications in neuropsychiatric disorders 2022 ,	1
109	Psychological Symptoms in COVID-19 Patients: Insights into Pathophysiology and Risk Factors of Long COVID-19 2022 , 11,	4
108	Sexual Dimorphism in the Brain Correlates of Adult-Onset Depression: A Pilot Structural and Functional 3T MRI Study 2021 , 12, 683912	O
107	Acute effects of ketamine on the pregenual anterior cingulate: linking spontaneous activation, functional connectivity, and glutamate metabolism 2022 , 1	O
106	Revisiting Hemispheric Asymmetry in Mood Regulation: Implications for rTMS for Major Depressive Disorder 2022 , 12,	o
105	Individual variation in brain network topology is linked to course of illness in major depressive disorder 2022 ,	0
104	Ultrasound as a Neurotherapeutic: A Circuit- and System-Based Interrogation. 2022 , 20, 32-35	0
103	Abnormal dynamics of resting-state functional activity and couplings in postpartum depression with and without anxiety 2022 ,	3
102	Magnetic Resonance Spectroscopy in Bipolar Disorder. 2022 , 95-113	
101	Relationships between interoceptive sensibility and resting-state functional connectivity of the insula in obsessive-compulsive disorder 2022 ,	1
100	Use of machine learning in predicting the efficacy of repetitive transcranial magnetic stimulation on treating depression based on functional and structural thalamo-prefrontal connectivity: A pilot study 2022 , 148, 88-94	
99	Cortical-Hypothalamic Integration of Autonomic and Endocrine Stress Responses 2022 , 13, 820398	1
98	Autonomic and Depression Symptoms in Parkinson's Disease: Clinical Evidence for Overlapping Physiology 2022 ,	O

97	Effects of Exercise Training on the Autonomic Nervous System with a Focus on Anti-Inflammatory and Antioxidants Effects 2022 , 11,	8
96	Diffusion tensor imaging correlates of depressive symptoms in Parkinson disease 2022,	1
95	The Emerging Role of SPECT Functional Neuroimaging in Schizophrenia and Depression 2021 , 12, 716600	
94	Repetitive Transcranial Magnetic Stimulation in Alcohol Dependence: A Randomized, Double-Blind, Sham-Controlled Proof-of-Concept Trial Targeting the Medial Prefrontal and Anterior Cingulate Cortices 2021 ,	3
93	Insight Into the Effects of Clinical Repetitive Transcranial Magnetic Stimulation on the Brain From Positron Emission Tomography and Magnetic Resonance Imaging Studies: A Narrative Review 2022 , 16, 787403	2
92	Lower Levels of GABAergic Function Markers in Corticotropin-Releasing Hormone-Expressing Neurons in the sgACC of Human Subjects With Depression 2022 , 13, 827972	
91	Childhood Threat Is Associated With Lower Resting-State Connectivity Within a Central Visceral Network 2022 , 13, 805049	O
90	Structural and Functional Neural Correlates of Treatment Response for Interpersonal Psychotherapy for Depressed Adolescents 2022 , 11,	Ο
89	Functional brain imaging in bipolar disorder. 2022 , 60-80	
88	Accelerated HF-rTMS Modifies SERT Availability in the Subgenual Anterior Cingulate Cortex: A Canine [C]DASB Study on the Serotonergic System 2022 , 11,	O
87	Long-term cortisol stress response in depression and comorbid anxiety is linked with reduced N-acetylaspartate in the anterior cingulate cortex 2022 , 1-35	0
86	Amygdala and anterior cingulate transcriptomes from individuals with bipolar disorder reveal downregulated neuroimmune and synaptic pathways 2022 , 25, 381-389	2
85	Thyroid hormones disturbances, cognitive deficits and abnormal dynamic functional connectivity variability of the amygdala in unmedicated bipolar disorder 2022 , 150, 282-291	0
84	Rapid treatments for depression: Endocannabinoid system as a therapeutic target 2022 , 104635	1
83	The Legacy of the TTASAAN Report-Premature Conclusions and Forgotten Promises: A Review of Policy and Practice Part I 2021 , 12, 749579	1
82	Association of cognitive impairment and reduced cortical thickness in prefrontal cortex and anterior cingulate cortex with treatment-resistant depression 2022 , 1	O
81	Resting-state fMRI Functional Connectivity and Mindfulness in Clinical and Non-clinical Contexts: A Review and Synthesis 2022 , 104583	1
80	Melatonin in ventricular and subarachnoid cerebrospinal fluid: Its function in the neural glymphatic network and biological significance for neurocognitive health 2022 , 605, 70-81	2

79	Oxytocin modulates neurocomputational mechanisms underlying prosocial reinforcement learning 2022 , 102253		1
78	Mechanisms of the Rapid Effects of Ketamine on Depression and Sleep Disturbances: A Narrative Review 2021 , 12, 782457		3
77	Self-blame in major depression: a randomised pilot trial comparing fMRI neurofeedback with self-guided psychological strategies. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	О
76	Transcranial Magnetic Stimulation and its Imaging Features in Patients With Depression, Post-traumatic Stress Disorder, and Traumatic Brain Injury 2022 ,		
75	Markers of elevated oxidative stress in oligodendrocytes captured from the brainstem and occipital cortex in major depressive disorder and suicide 2022 , 110559		2
74	Table_1.docx. 2019 ,		
73	Table_2.xlsx. 2019 ,		
72	Table_3.xlsx. 2019 ,		
71	Data_Sheet_1.docx. 2019 ,		
70	Data_Sheet_1.docx. 2019 ,		
69	Data_Sheet_2.zip. 2019 ,		
68	Table_1.XLSX. 2019 ,		
67	Table_10.XLSX. 2019 ,		
66	Table_11.XLSX. 2019 ,		
65	Table_12.XLSX. 2019 ,		
64	Table_13.XLSX. 2019 ,		
63	Table_14.XLSX. 2019 ,		
62	Table_15.DOCX. 2019 ,		

(2022-2019)

61	Table_2.XLSX. 2019 ,
60	Table_3.XLSX. 2019 ,
59	Table_4.XLSX. 2019 ,
58	Table_5.XLSX. 2019 ,
57	Table_6.XLSX. 2019 ,
56	Table_7.XLSX. 2019 ,
55	Table_8.XLSX. 2019 ,
54	Table_9.XLSX. 2019 ,
53	DataSheet_1.docx. 2020 ,
52	Data_Sheet_1.docx. 2019 ,
51	Image_1.TIF. 2019 ,
50	Image_2.TIF. 2019 ,
49	Table_1.pdf. 2019 ,
48	Data_Sheet_1.docx. 2019 ,
47	Combination Olanzapine and Samidorphan for the Management of Schizophrenia and Bipolar 1 Disorder in Adults: A Narrative Review. <i>Health Psychology Research</i> , 2022 , 10,
46	Cerebral Blood Flow and Core Mood Symptoms in Youth Bipolar Disorder: Evidence for Region-Symptom Specificity <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 7.2 0 2022 ,
45	Deficient prefrontal-amygdalar connectivity underlies inefficient face processing in adolescent major depressive disorder <i>Translational Psychiatry</i> , 2022 , 12, 195
44	Neurobiological Approach to Stress. 2022 , 19-84

43	Anterior default mode network and posterior insular connectivity is predictive of depressive symptom reduction following serial ketamine infusion <i>Psychological Medicine</i> , 2022 , 1-11	6.9	O
42	The ventromedial prefrontal cortex and emotion regulation: lost in translation?. <i>Journal of Physiology</i> ,	3.9	O
41	Dysfunctional Heteroreceptor Complexes as Novel Targets for the Treatment of Major Depressive and Anxiety Disorders. <i>Cells</i> , 2022 , 11, 1826	7.9	О
40	Neurodevelopment During Adolescence. <i>In Clinical Practice</i> , 2022 , 21-35	Ο	
39	Stressor-Specific Sex Differences in Amygdala-Frontal Cortex Networks. SSRN Electronic Journal,	1	
38	Functional connectivity of the medial prefrontal cortex related to mindreading abilities.		
37	70 Years of Human Cingulate Cortex Stimulation. Functions and Dysfunctions Through the Lens of Electrical Stimulation. 2022 , Publish Ahead of Print,		
36	Structural and functional biomarkers of the effect of navigational rhythmic transcranial magnetic stimulation in patients with drug-resistant depression. 2022 , 14, 12-19		
35	Using animal models for the studies of schizophrenia and depression: The value of translational models for treatment and prevention. 16,		
34	Predicting Antidepressant Effects of Ketamine: The Role of the Pregenual Anterior Cingulate Cortex as a Multimodal Neuroimaging Biomarker.		О
33	The basolateral amygdala-anterior cingulate pathway contributes to depression and its comorbidity with chronic pain.		О
32	Altruism. 2022 , 85-93		О
31	Persistent ventral anterior cingulate cortex and resolved amygdala hyper-responses to negative outcomes after depression remission: a combined cross-sectional and longitudinal study. 2022 ,		О
30	Basic psychological need satisfaction and frustration in major depressive disorder. 13,		1
29	A self-training deep neural network for early prediction of cognitive deficits in very preterm infants using brain functional connectome data. 2022 , 52, 2227-2240		4
28	Regional gene expression signatures are associated with sex-specific functional connectivity changes in depression. 2022 , 13,		O
27	Glutamatergic Neurometabolite Levels in Bipolar Disorder: A Systematic Review and Meta-analysis of Proton Magnetic Resonance Spectroscopy Studies. 2022 ,		0
26	Individualized prediction of consummatory anhedonia from functional connectome in major depressive disorder.		О

25	The left-lateralisation of citrate synthase activity in the anterior cingulate cortex of male violent suicide victims.	O
24	A systematic review on the potential use of machine learning to classify major depressive disorder from healthy controls using resting state fMRI measures. 2023 , 144, 104972	1
23	Rostral anterior cingulate connectivity in older adults with subthreshold depressive symptoms: A preliminary study. 2023 , 3, 100059	0
22	Childhood abuse and cortical gray matter volume in patients with major depressive disorder. 2023 , 319, 114990	O
21	Neuroimaging-derived biomarkers of the antidepressant effects of ketamine. 2022,	0
20	Distinct neurofunctional alterations during motivational and hedonic processing of natural and monetary rewards in depression he neuroimaging meta-analysis.	O
19	The brain activation of anxiety disorders with emotional stimulian fMRI ALE meta-analysis. 1-10	0
18	Medio-dorsal thalamic dysconnectivity in chronic knee pain: A possible mechanism for negative affect and pain comorbidity.	O
17	Effects of a probiotic add-on treatment on fronto-limbic brain structure, function, and perfusion in depression: Secondary neuroimaging findings of a randomized controlled trial. 2023 , 324, 529-538	0
16	Stressor-Specific Sex Differences in Amygdala E rontal Cortex Networks. 2023 , 12, 865	O
15	GPCR-mediated calcium and cAMP signaling determines psychosocial stress susceptibility and resiliency. 2023 , 9,	0
14	Treatment with the second-generation antipsychotic quetiapine is associated with increased subgenual ACC activation during reward processing in major depressive disorder. 2023 , 329, 404-412	O
13	A randomized controlled trial of desvenlafaxine-induced structural brain changes in the treatment of persistent depressive disorder. 2023 , 331, 111634	O
12	Distinct brain activity alterations of treatment for bipolar disorders with psychotherapy and drug therapy: activation likelihood estimation meta-analysis. 2023 , 53, 625-637	O
11	Conduct problems are associated with accelerated thinning of emotion-related cortical regions in a community-based sample of adolescents. 2023 , 330, 111614	0
10	Transcranial direct current stimulation (tDCS) in depression induces structural plasticity. 2023 , 13,	O
9	Microglial function moderates the relation between depression risk factors and depression outcomes across the life course in females.	О
8	The classic psychedelic DOI induces a persistent desynchronized state in medial prefrontal cortex.	0

7	Functional Connectivity Mapping for rTMS Target Selection in Depression. 2023, 180, 230-240	1
6	Mechanistic convergence of depression and suicidality on astrocyte fatty acid metabolism.	O
5	Neural Network Modulation of Ayahuasca: A Systematic Review of Human Studies. 2023, 2, 76-91	O
4	Emotion regulation in bipolar disorder type-I: multivariate analysis of fMRI data. 2023, 11,	O
3	Trait repetitive negative thinking in depression is associated with functional connectivity in negative thinking state, not resting state.	Ο
2	Functional connectivity analysis of childhood depressive symptoms. 2023 , 38, 103395	O
1	The basolateral amygdala-anterior cingulate pathway contributes to depression-like behaviors and comorbidity with chronic pain behaviors in male mice. 2023 , 14,	О