

CITATION REPORT

List of articles citing

Glycemic variability: a strong independent predictor of mortality in critically ill patients

DOI: 10.1097/ccm.ob013e31818b38d2
Critical Care Medicine, 2008, 36, 3008-13.

Source: <https://exaly.com/paper-pdf/45010035/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1669	Moving beyond tight glucose control to safe effective glucose control. 2008 , 12, 149		36
1668	The impact of the severity of sepsis on the risk of hypoglycaemia and glycaemic variability. 2008 , 12, R129		85
1667	The severity of sepsis: yet another factor influencing glycemic control. 2008 , 12, 194		10
1666	Sepsis and those who are "weak of heart". <i>Critical Care Medicine</i> , 2008 , 36, 3108-9	1.4	3
1665	Point of care glucose testing--need for a better mousetrap or time to rethink the hunt?. <i>Critical Care Medicine</i> , 2008 , 36, 3113-4	1.4	4
1664	Implementing the best evidence; do not forget to be a good clinician. <i>Critical Care Medicine</i> , 2008 , 36, 3106-7	1.4	2
1663	Is normalized mean blood glucose level good enough for the intensive care unit?--glycemic variability as a new independent predictor of mortality. <i>Critical Care Medicine</i> , 2008 , 36, 3104-6	1.4	14
1662	Timely selection of adequate antifungal therapy for candidemia in the critically ill: don't let the yeast rise!. <i>Critical Care Medicine</i> , 2008 , 36, 3097-8	1.4	2
1661	Laboratory testing guidelines in the intensive care unit: less red and more green. <i>Critical Care Medicine</i> , 2008 , 36, 3102-3	1.4	4
1660	How good is arterial pulse contour (LiDCO) and the esophageal Doppler monitor (HemoSonic) in measuring left ventricular stroke volume during venous occlusion?. <i>Critical Care Medicine</i> , 2008 , 36, 3103-4	1.4	1
1659	Heparin in the treatment of severe sepsis: a new look at an old therapy. <i>Critical Care Medicine</i> , 2008 , 36, 3098-9	1.4	3
1658	Managing traumatic brain injury: what is the evidence?. <i>Critical Care Medicine</i> , 2008 , 36, 3116-7	1.4	0
1657	Should we worry about chest wall influence on airway pressures during mechanical ventilation?. <i>Critical Care Medicine</i> , 2008 , 36, 3100-1	1.4	
1656	Vasopressin and the kidney: two false friends?. <i>Critical Care Medicine</i> , 2008 , 36, 3111-2	1.4	
1655	Nitric oxide inhalation and glucocorticoids--can there be a belt-and-braces approach in sepsis?. <i>Critical Care Medicine</i> , 2008 , 36, 3109-10	1.4	1
1654	Critical care services: is regionalization the answer?. <i>Critical Care Medicine</i> , 2008 , 36, 3114-6	1.4	4
1653	Article Commentary: Glucose Control and Its Implications for the General Surgeon. <i>American Surgeon</i> , 2009 , 75, 1031-1035	0.8	

1652	Could insulin sensitization be used as an alternative to intensive insulin therapy to improve the survival of intensive care unit patients with stress-induced hyperglycemia?*. <i>Critical Care Medicine</i> , 2009 , 37, 2856-2858	1.4	1
1651	Point-of-care glucose testing in critically ill patients: Visual logistics and a glycemic variability hypothesis *. <i>Critical Care Medicine</i> , 2009 , 37, 2841-2843	1.4	
1650	Update in critical care 2008. 2009 , 179, 743-58		5
1649	Glycemic variability and mortality in critically ill patients: the impact of diabetes. 2009 , 3, 1292-301		127
1648	Plasma-generating glucose monitor accuracy demonstrated in an animal model. 2009 , 3, 1411-8		12
1647	Reducing glycemic variability in intensive care unit patients: a new therapeutic target?. 2009 , 3, 1302-8		40
1646	Insulin therapy in very-low-birth-weight infants. 2009 , 360, 535; author reply 536-7		4
1645	Institutional blood glucose monitoring system for hospitalized patients: an integral component of the inpatient glucose control program. 2009 , 3, 1168-74		20
1644	Implementation of tight glucose control for critically ill surgical patients: a process improvement analysis. 2009 , 10, 523-31		6
1643	Clinical review: Intensive insulin therapy in critically ill patients: NICE-SUGAR or Leuven blood glucose target?. 2009 , 94, 3163-70		196
1642	An overview of preoperative glucose evaluation, management, and perioperative impact. 2009 , 3, 1261-9		30
1641	Glycemic control in the burn intensive care unit: focus on the role of anemia in glucose measurement. 2009 , 3, 1319-29		13
1640	Blood glucose controller for neonatal intensive care: virtual trials development and first clinical trials. 2009 , 3, 1066-81		47
1639	Perioperative and critical illness dysglycemia--controlling the iceberg. 2009 , 3, 1288-91		3
1638	Clinical benefits of tight glycaemic control: effect on the kidney. 2009 , 23, 431-9		6
1637	Clinical benefits of tight glycaemic control: focus on the intensive care unit. 2009 , 23, 421-9		25
1636	How to weigh the current evidence for clinical practice. 2009 , 23, 487-96		1
1635	Is hypoglycaemia dangerous?. 2009 , 23, 473-85		11

1634	Reducing glycaemic variability in type 1 diabetes self-management with a continuous glucose monitoring system based on wired enzyme technology. 2009 , 52, 1496-503		30
1633	Recommandations francophones pour le contrôle glycémique en réanimation (patients diabétiques et pathologie exclus). 2009 , 23, 245-257		3
1632	The assessment of glycemic variability and its impact on diabetes-related complications: an overview. 2009 , 11, 623-33		55
1631	Is reducing variability of blood glucose the real but hidden target of intensive insulin therapy?. 2009 , 13, 302		33
1630	The impact of early hypoglycemia and blood glucose variability on outcome in critical illness. 2009 , 13, R91		184
1629	Acute insulin resistance following injury. 2009 , 20, 429-35		73
1628	[Glycemic control in ICU and during the perioperative period: toward a reasonable and reasoned glycemic normalization]. 2009 , 28, 434-5		
1627	[Impact of Nice-Sugar: is there a need for another study on intensive glucose control in ICU?]. 2009 , 28, 519-21		
1626	Reply. 2009 , 54, 374		
1625	Strict glucose control in the cardiac intensive care unit poised for real time?. 2009 , 54, 373-4; author reply 374		
1624	Automatisation du contrôle strict de la glycémie en réanimation. 2009 , 18, 532-537		1
1623	Glucose control in the intensive care unit. <i>Critical Care Medicine</i> , 2009 , 37, 1769-76	1.4	123
1622	Increasing power in randomized controlled trials. <i>Critical Care Medicine</i> , 2009 , 37, 2840-1	1.4	1
1621	Could insulin sensitization be used as an alternative to intensive insulin therapy to improve the survival of intensive care unit patients with stress-induced hyperglycemia?. <i>Critical Care Medicine</i> , 2009 , 37, 2856-8	1.4	4
1620	Ventilator-associated pneumonia and mortality: the controversy continues. <i>Critical Care Medicine</i> , 2009 , 37, 2845-6	1.4	5
1619	Did we learn anything from Humpty Dumpty?. <i>Critical Care Medicine</i> , 2009 , 37, 2851-2	1.4	
1618	The role of admission blood glucose in outcome prediction of surviving patients with multiple injuries. 2009 , 67, 704-8		32
1617	Point-of-care glucose testing in critically ill patients: visual logistics and a glycemic variability hypothesis. <i>Critical Care Medicine</i> , 2009 , 37, 2841-3	1.4	3

1616	Locally Smoothed Median Absolute Difference Curves and the First Global Performance Cooperative. 2009 , 8, 45-52		7
1615	No brain, no pain: does the injured brain stack up opioids?. <i>Critical Care Medicine</i> , 2009 , 37, 2853-4	1.4	
1614	Lactate: finally ready for prime time?. <i>Critical Care Medicine</i> , 2009 , 37, 2858-9	1.4	7
1613	Consequences of ventilator asynchrony: why can't we all get along?. <i>Critical Care Medicine</i> , 2009 , 37, 2848-9	1.4	2
1612	Pulmonary artery catheter redux: physical findings in acute respiratory distress syndrome/acute lung injury. <i>Critical Care Medicine</i> , 2009 , 37, 2846-8	1.4	
1611	Is it time for intensivists to learn genomics?. <i>Critical Care Medicine</i> , 2009 , 37, 2852-3	1.4	22
1610	HLA-DR monitoring in the intensive care unit--more than a tool for the scientist in the laboratory?. <i>Critical Care Medicine</i> , 2009 , 37, 2849-50	1.4	5
1609	Blood glucose control among critically ill patients with brain injury. 2009 , 36, 436-42		24
1608	Two decades of simulation-based training: have we made progress?. <i>Critical Care Medicine</i> , 2009 , 37, 2843-4	1.4	4
1607	Aminoglycosides--engineering important patient-centered outcomes with antibiotics. <i>Critical Care Medicine</i> , 2009 , 37, 2855-6	1.4	
1606	Tight Glycemic Control - The leading role of insulin sensitivity in determining efficacy and thus outcome. 2009 , 42, 1-6		
1605	Endotoxin desynchronizes biological clocks. <i>Critical Care Medicine</i> , 2010 , 38, 977-8	1.4	1
1604	Glycemic variability in critical illness and the end of Chapter 1. <i>Critical Care Medicine</i> , 2010 , 38, 1206-8	1.4	28
1603	The ups and downs of cardiac defibrillation: integrating the shock with cardiopulmonary resuscitation for success. <i>Critical Care Medicine</i> , 2010 , 38, 1005-6	1.4	1
1602	Surgeons and their patients near the end of life. <i>Critical Care Medicine</i> , 2010 , 38, 995-6	1.4	15
1601	Glucose variability is associated with intensive care unit mortality. <i>Critical Care Medicine</i> , 2010 , 38, 838-42.	1.4	844
1600	Replacement of intravascular catheters to prevent infection: evidence still missing while the question may become irrelevant. <i>Critical Care Medicine</i> , 2010 , 38, 1208-9	1.4	1
1599	Making medics smarter. <i>Critical Care Medicine</i> , 2010 , 38, 992-3	1.4	

1598	Passive leg raising: good for everyone?. <i>Critical Care Medicine</i> , 2010 , 38, 989-90	1.4	6
1597	Cardiac preconditioning by specific ligands of Toll-like receptors: is it wither or whither?. <i>Critical Care Medicine</i> , 2010 , 38, 1003-4	1.4	2
1596	Can an ice cream headache save your life?. <i>Critical Care Medicine</i> , 2010 , 38, 1006-7	1.4	1
1595	The bridle: path to improved enteral nutrition efficiency. <i>Critical Care Medicine</i> , 2010 , 38, 984-5	1.4	5
1594	Organ donors after circulatory determination of death: not necessarily dead, and it does not necessarily matter. <i>Critical Care Medicine</i> , 2010 , 38, 1011-2	1.4	34
1593	Qualitative research: the chicken or the egg. <i>Critical Care Medicine</i> , 2010 , 38, 987-8	1.4	
1592	Deconstructing racial and ethnic disparities in critical care. <i>Critical Care Medicine</i> , 2010 , 38, 978-80	1.4	6
1591	Dr. Jekyll and Mr. Hyde saga of a cytokine: the devil in the details. <i>Critical Care Medicine</i> , 2010 , 38, 997-8	1.4	1
1590	Anti-, pre-, or . . . probiotics to prevent ventilator-associated pneumonia in the intensive care unit?. <i>Critical Care Medicine</i> , 2010 , 38, 1009-10	1.4	3
1589	How "sweet" complexity is and how "bitter" variability can be; the new aspect of intensive care unit hyperglycemia. <i>Critical Care Medicine</i> , 2010 , 38, 996-7	1.4	5
1588	Differences in complexity of glycemic profile in survivors and nonsurvivors in an intensive care unit: a pilot study. <i>Critical Care Medicine</i> , 2010 , 38, 849-54	1.4	56
1587	Dynamic characteristics of blood glucose time series during the course of critical illness: effects of intensive insulin therapy and relative association with mortality. <i>Critical Care Medicine</i> , 2010 , 38, 1021-9	1.4	151
1586	Changing trends in the epidemiology of Candida blood stream infections: a matter for concern?. <i>Critical Care Medicine</i> , 2010 , 38, 990-2	1.4	13
1585	High positive end-expiratory pressure and low tidal volume in acute respiratory distress syndrome: all right for the right ventricle?. <i>Critical Care Medicine</i> , 2010 , 38, 986-7	1.4	4
1584	Sepsis-induced myocardial dysfunction: linking physiology and genomics. <i>Critical Care Medicine</i> , 2010 , 38, 1001-2	1.4	1
1583	Shedding light on new methods to improve hospital cleanliness: the use of ultraviolet monitors as surrogate markers for bacterial contamination. <i>Critical Care Medicine</i> , 2010 , 38, 1212-4	1.4	9
1582	Should we look after the brain to protect kidney function in deceased donor renal transplant?. <i>Critical Care Medicine</i> , 2010 , 38, 1222-3	1.4	
1581	Does recombinant activated protein C work in patients with severe sepsis?. <i>Critical Care Medicine</i> , 2010 , 38, 1217-20	1.4	3

1580	Antibiotics in sepsis and septic shock: like everything else in life, timing is everything. <i>Critical Care Medicine</i> , 2010 , 38, 1211-2	1.4	21
1579	Reducing ventilator-associated pneumonia: when process control allows outcome improvement and even benchmarking. <i>Critical Care Medicine</i> , 2010 , 38, 983-4	1.4	8
1578	Breathe deeply the sweet air: ruminations on glycemic control. 2010 , 110, 296-8		
1577	Scientific principles and clinical implications of perioperative glucose regulation and control. 2010 , 110, 478-97		132
1576	Outside the limits of normal blood glucose during critical illness: failed homeostasis and quantifying allostatic load. 2010 , 11, 755-7		9
1575	Translating research on communication in the intensive care unit into effective educational strategies. <i>Critical Care Medicine</i> , 2010 , 38, 976-7	1.4	2
1574	Testing the tube: assessing silver as a potential "silver bullet" for preventing ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2010 , 38, 1220-1	1.4	2
1573	Is cerebral microcirculation really preserved in shock states?. <i>Critical Care Medicine</i> , 2010 , 38, 1008-9	1.4	8
1572	DAMPen danger signals: novel therapeutic strategies against postischemic inflammation. <i>Critical Care Medicine</i> , 2010 , 38, 998-9	1.4	1
1571	Reduced arteriovenous nitrite gradients associated with sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 1214-5	1.4	1
1570	Resident sleep deprivation and critical care: the unintended consequences of inaction. <i>Critical Care Medicine</i> , 2010 , 38, 980-1	1.4	2
1569	The leadership vacuum in resuscitative medicine. <i>Critical Care Medicine</i> , 2010 , 38, 1216-7	1.4	9
1568	Intratracheal siRNA for the in vivo silencing of caspase-3: a novel therapy for acute lung injury?. <i>Critical Care Medicine</i> , 2010 , 38, 1223-4	1.4	1
1567	Blood glucose control in 2010: 110 to 150 mg/dL and minimal variability. <i>Critical Care Medicine</i> , 2010 , 38, 993-5	1.4	21
1566	Surviving sepsis: something doing by doing something. <i>Critical Care Medicine</i> , 2010 , 38, 1209-10	1.4	
1565	Altered immune surveillance: a common link between cancer and sepsis?. <i>Critical Care Medicine</i> , 2010 , 38, 1000-1	1.4	1
1564	TRALI, transfusion, and acute lung injury: synergy in action?. <i>Critical Care Medicine</i> , 2010 , 38, 981-2	1.4	6
1563	Intensive insulin therapy in severe traumatic brain injury: a randomized trial. 2010 , 68, 904-11		38

1562 The endocrine response to critical illness. 125-133

1561 Tight glucose control using intensive insulin therapy in the critically ill. 134-143

1560 Implementing glucose control in intensive care: a multicenter trial using statistical process control. *Intensive Care Medicine*, **2010**, 36, 1556-65 14.5 21

1559 Close relationship between strict blood glucose control, including suppression of blood glucose variability, and mortality reduction in acutely ill patients with glucose intolerance investigated by means of a bedside-type artificial pancreas. **2010**, 13, 151-60 5

1558 Moderate Hypoglycemia is associated with vasospasm, cerebral infarction, and 3-month disability after subarachnoid hemorrhage. **2010**, 12, 181-7 52

1557 Safer glycemc control using isomaltulose-based enteral formula: a pilot randomized crossover trial. **2010**, 25, 90-6 11

1556 [Stress hyperglycemia and its control with insulin in critically ill patients: current evidence]. **2010**, 34, 273-81 13

1555 Automatisation du contrle strict de la glyc mie en r animation. **2010**, 24, 57-62 1

1554 Blood glucose control in the intensive care unit: benefits and risks. **2010**, 23, 157-62 36

1553 'Glycaemic variability': a new therapeutic challenge in diabetes and the critical care setting. **2010**, 27, 862-7 182

1552 Gender Differences in Glucose Variability after Severe Trauma. *American Surgeon*, **2010**, 76, 896-902 0.8 8

1551 Insulin therapy in critically ill patients. **2010**, 6, 1089-101 11

1550 Diabetes and hyperglycemia quality improvement efforts in hospitals in the United States: current status, practice variation, and barriers to implementation. *Endocrine Practice*, **2010**, 16, 219-30 3.2 44

1549 Glycaemic fluctuation predicts mortality in critically ill patients. **2010**, 38, 695-702 35

1548 Continuous glucose monitors and the burden of tight glycemc control in critical care: can they cure the time cost?. **2010**, 4, 625-35 34

1547 Essential elements of the native gluoregulatory system, which, if appreciated, may help improve the function of glucose controllers in the intensive care unit setting. **2010**, 4, 190-8 11

1546 What makes tight glycemc control tight? The impact of variability and nutrition in two clinical studies. **2010**, 4, 284-98 46

1545 Hypoglycemia detection in critical care using continuous glucose monitors: an in silico proof of concept analysis. **2010**, 4, 15-24 17

1544	Management of hyperglycemia in hospitalized patients. 2010 , 1212, 1-11	28
1543	A diabetes-specific enteral formula improves glycemic variability in patients with type 2 diabetes. 2010 , 12, 419-25	45
1542	Induced hypothermia for trauma: current research and practice. 2010 , 25, 205-26	34
1541	Rosiglitazone may assist with glycemic control in the ICU. 2010 , 25, 117-20	2
1540	Safe utilization of hyperglycemia management in the ICU. 2010 , 5, 19-21	
1539	"Glycemic variability": a new therapeutic challenge in diabetes the critical care setting. 2010 , 26, 222-225	3
1538	Recommandations francophones pour le contrôle glycémique en réanimation (patients diabétiques et pré-diabétiques exclus)**En partenariat avec l'Association de langue française pour l'étude du diabète et des maladies métaboliques (ALFEDIAM), l'Association des anesthésistes-réanimateurs pédiatres d'expression française (ADARPEF), le Groupe d'expression française des anesthésistes et urgentistes pédiatres (GEFRUP), la Société belge d'anesthésie-réanimation (SBAR), la Société francophone de nutrition clinique et métabolique. <i>Medecine Des Maladies Metaboliques</i> , 2010 , 4, 478-489	0.1
1537	Hypoglycemia in the critically ill: how low is too low?. 2010 , 85, 215-6	16
1536	Validation of a model-based virtual trials method for tight glycemic control in intensive care. 2010 , 9, 84	80
1535	Glucose variability; does it matter?. 2010 , 31, 171-82	312
1534	International recommendations for glucose control in adult non diabetic critically ill patients. 2010 , 14, R166	81
1533	Mean glucose during ICU admission is related to mortality by a U-shaped curve in surgical and medical patients: a retrospective cohort study. 2010 , 14, R224	53
1532	Clinical practice. Glycemic control in the ICU. 2010 , 363, 2540-6	159
1531	Glycemic control and nutritional strategies in the cardiothoracic surgical intensive care unit--2010: state of the art. 2010 , 22, 230-5	1
1530	Clinical review: Strict or loose glycemic control in critically ill patients--implementing best available evidence from randomized controlled trials. 2010 , 14, 223	38
1529	Critical illness-induced dysglycaemia: diabetes and beyond. 2010 , 14, 327	32
1528	Intensive insulin therapy to control hyperglycemia in the critically ill: a look back at the evidence shapes the challenges ahead. 2010 , 14, 330	7
1527	Erratum to: Increased levels of soluble triggering receptor expressed on myeloid cells sTREM1 in ICU patients with cardiovascular disease and associated organ dysfunction. 2011 , 15,	78

1526	Predictive value of tissue oxygen saturation upon mortality in Emergency Department patients with sepsis. 2011, 15,	78
1525	Positive central-mixed venous oxygen saturation gradients: high oxygen saturation in the inferior vena cava confirms high splanchnic oxygen extraction. 2011, 15,	78
1524	Lactate index and survival in hospital-acquired septic shock. 2011, 15,	78
1523	Effect of minute ventilation on central venous-to-arterial carbon dioxide difference. 2011, 15,	78
1522	A pulmonary artery catheter-based treatment algorithm changes therapeutic behaviour in septic patients. 2011, 15,	78
1521	Performance of thermodilution catheters under control and extreme circulatory conditions in a pig model. 2011, 15,	78
1520	Measurement of cardiac output using the transpulmonary thermodilution method in the presence of high extravascular lung water in a pediatric animal model. 2011, 15,	78
1519	Hemodynamic effects of early endotoxemia on pulse pressure variation during experimental hemorrhagic shock. 2011, 15,	78
1518	Delta central venous pressure and dynamic indices of preload in postsurgical ICU patients. 2011, 15,	78
1517	Comparison between pulse pressure variation and conventional parameters as guides to resuscitation in a pig model of acute hemorrhagic shock with endotoxemia. 2011, 15,	78
1516	Fluid resuscitation based on dynamic predictors of fluid responsiveness: closed loop algorithm versus anesthesiologists. 2011, 15,	78
1515	A strong relationship between respiratory variations in pulse pressure (PPV) and airway pressure in fluid nonresponders: a potential explanation for false positive PPV values. 2011, 15,	78
1514	Prediction of fluid responsiveness in septic shock patients: comparing automated pulse pressure variation by IntelliVue MP monitor and stroke volume variation by FloTrac/Vigileo. 2011, 15,	78
1513	Dynamic indices of preload in postcardiac surgery patients by pulse power analysis. 2011, 15,	78
1512	Cardiac cycle efficiency as prognostic index in ICUs. 2011, 15,	78
1511	Evaluation of pulse pressure variation with different inhaled concentrations of desflurane, sevoflurane and isoflurane in pigs. 2011, 15,	78
1510	E/Ea ratio could not predict fluid response in ICU mechanically ventilated patients. 2011, 15,	78
1509	Comparison between MostCare and echocardiography for cardiac output estimation in trauma patients. 2011, 15,	78

1508	Comparison of stroke volume changes of LiDCOplus and FloTrac during postoperative hemodynamic optimization. 2011, 15,	78
1507	A clinical pilot study to evaluate the correlation between pulse wave velocity and cardiac output during elective surgery. 2011, 15,	78
1506	LiDCOrapid and PiCCOplus preload response parameter validation study. 2011, 15,	1
1505	Comparison of cardiac index: LiDCOrapid and PiCCOplus in the ICU. 2011, 15,	78
1504	Pressure recording analytical method versus PiCCO in hemodynamic unstable patients. 2011, 15,	78
1503	Prediction of fluid responsiveness with the LiDCO system. 2011, 15,	78
1502	Predictors of fluid responsiveness in patients with acute liver failure. 2011, 15,	1
1501	Functional haemodynamic monitoring: the relative merits of SVV, SPV and PPV as measured by the LiDCOrapid in predicting fluid responsiveness in high-risk surgical patients. 2011, 15,	78
1500	Pressure recording analytical method for cardiac output monitoring in children with congenital heart disease. 2011, 15,	78
1499	Accuracy of stroke volume variation as a predictor of volume responsiveness in patients with raised intra-abdominal pressure. 2011, 15,	78
1498	Perfusion index as a predictor for central hypovolemia in humans. 2011, 15,	2
1497	Carotid blood flow is correlated with cardiac output but not with arterial blood pressure in porcine fecal peritonitis. 2011, 15,	78
1496	Afterload-related cardiac performance: a hemodynamic parameter with prognostic relevance in patients with sepsis in the Emergency Department. 2011, 15,	2
1495	Evaluation of a continuous non-invasive arterial blood pressure monitoring device in comparison with an arterial blood pressure measurement in the ICU. 2011, 15,	78
1494	Brachial cuff measurements for fluid responsiveness prediction in the critically ill. 2011, 15,	78
1493	Validation of non-invasive hemodynamic monitoring with Nexfin in critically ill patients. 2011, 15,	4
1492	Pleth Variability Index predicts fluid responsiveness in critically ill patients. 2011, 15,	78
1491	Dynamics of peripheral perfusion parameters in elective coronary artery bypass graft patients. 2011, 15,	78

1490	Maintenance of arterial catheters with heparin: should we continue?. 2011 , 15,	2
1489	Validation of continuous intragastric pressure measurement and correlation with intramucosal pH in a pig model. 2011 , 15,	78
1488	End-tidal carbon dioxide levels predict cardiac arrest. 2011 , 15,	78
1487	NT-proBNP and troponin I in acute liver failure: do they predict cardiac dysfunction?. 2011 , 15,	78
1486	Endothelial glycocalyx disruption after cardiac surgery in infants. 2011 , 15,	1
1485	Microcirculatory changes during hyperoxia in a porcine model of ruptured abdominal aneurysm. 2011 , 15,	78
1484	Impact of synthetic colloids on organ function in patients with severe sepsis. 2011 , 15,	78
1483	Intraoperative effectiveness of crystalloid and colloid volume substitution in patients undergoing elective major urological surgery by maintenance of the cardiac index within normal range. 2011 , 15,	78
1482	Dilution with three different solutions: plasmatic effects and quantity and quality of urinary output. 2011 , 15,	78
1481	Efficacy and safety of 10% HES 130/0.4 versus 10% HES 200/0.5 for plasma volume expansion in cardiac surgery patients. 2011 , 15,	78
1480	Nicorandil versus nitroglycerin: a pilot study. 2011 , 15,	78
1479	Dopamine versus norepinephrine in septic shock: a meta-analysis. 2011 , 15,	2
1478	Comparative evaluation of therapeutic interventions during hemorrhagic shock. 2011 , 15,	78
1477	Effects of vasopressinergic V1 receptor agonists on sublingual microcirculatory blood flow in patients with catecholamine-dependent septic shock. 2011 , 15,	78
1476	Vasopressin for the treatment of vasodilatory shock: an ESICM systematic review and a meta-analysis. 2011 , 15,	78
1475	Effects of early versus delayed terlipressin infusion on hemodynamics and catecholamine requirements in ovine septic shock. 2011 , 15,	1
1474	Levosimendan in trauma patients with acute cardiac failure. 2011 , 15,	78
1473	Treatment of calcium channel blocker overdose with levosimendan. 2011 , 15,	1

1472	Effect of different antioxidants in ischemia-reperfusion syndrome. 2011, 15,	1
1471	Searching for mechanisms that matter in septic acute kidney injury: an experimental study. 2011, 15,	78
1470	Raised serum creatinine at admission to critical care is independently associated with mortality in patients with decompensated alcoholic liver disease. 2011, 15,	78
1469	Contrast-induced nephropathy in ITU patients: outcomes of a university hospital re-audit. 2011, 15,	78
1468	Evaluation of acute kidney injury with pediatric-modified RIFLE criteria after pediatric cardiac surgery. 2011, 15,	78
1467	Acute kidney injury after coronary artery bypass grafting surgery. 2011, 15,	78
1466	Increased severity of acute kidney injury does not increase long-term mortality. 2011, 15,	78
1465	Any level of acute kidney injury may be associated with mortality in critically ill patients. 2011, 15,	78
1464	A comparison of four methods to define timing of acute kidney injury. 2011, 15,	78
1463	Validation of the AKIN criteria definition using high-resolution ICU data from the MIMIC-II database. 2011, 15,	1
1462	Urine biomarkers for gentamicin-induced acute kidney injury in the neonatal ICU. 2011, 15,	78
1461	Neutrophil gelatinase-associated lipocalin in ICU patients developing oliguria. 2011, 15,	78
1460	Use of Doppler ultrasound renal resistive index and neutrophil gelatinase-associated lipocalin in prediction of acute kidney injury in patients with septic shock. 2011, 15,	1
1459	Removal of drug delivered via a central venous catheter by a dual-lumen haemodiafiltration catheter inserted at the same site: a quantitative flow model. 2011, 15,	78
1458	Effect of total parenteral nutrition on the duration of haemofilter circuit. 2011, 15,	78
1457	Effects of ultrafiltration on systemic hemodynamics and microcirculatory perfusion in patients with end-stage kidney disease. 2011, 15,	78
1456	Best prediction for need of dialysis following cardiac surgery is obtained with the Thakar model. 2011, 15,	78
1455	Hypercalcemia during renal replacement therapy after liver transplantation. 2011, 15,	78

1454	In vitro evaluation of HMGB1 removal with various membranes for continuous hemofiltration. 2011 , 15,	1
1453	Sustained high-efficiency daily diafiltration using a cytokine-adsorbing membrane in the treatment of patients with severe sepsis. 2011 , 15,	1
1452	Model-based cardiovascular monitoring of large pore hemofiltration during endotoxic shock in pigs. 2011 , 15,	78
1451	Different effect of CVVHDF and coupled plasma filtration and adsorption on IL-6 and procalcitonin in sepsis. 2011 , 15,	2
1450	Effectiveness of continuous venovenous hemodiafiltration using a polymethylmethacrylate membrane hemofilter judging from a multiplex suspension array system in septic shock patients. 2011 , 15,	78
1449	Re-evaluation of direct hemoperfusion with polymyxin-B immobilized fiber for severe sepsis and septic shock. 2011 , 15,	78
1448	Extended duration of direct hemoperfusion with polymyxin B-immobilized fiber column improves hemodynamics in patients with septic shock. 2011 , 15,	78
1447	Use of activated clotting time to monitor anticoagulation in patients receiving unfractionated heparin on renal replacement therapy. 2011 , 15,	78
1446	Single-dose application of antithrombin III as alternative anticoagulation during extracorporeal therapy in critically ill patients with advanced liver cirrhosis: a retrospective data analysis. 2011 , 15,	1
1445	Safety of drotrecogin alfa (activated) treatment in patients with severe sepsis on renal replacement therapy without additional anticoagulation. 2011 , 15,	78
1444	Association between type of anticoagulation and blood transfusion requirements during renal replacement therapy in the ICU. 2011 , 15,	78
1443	Economic argument for citrate haemofiltration. 2011 , 15,	1
1442	Multicenter prospective observational study on safety and efficacy of regional citrate anticoagulation in CVVHD in the presence of liver failure: the Liver Citrate Anticoagulation Threshold Study (L-CAT). 2011 , 15,	3
1441	Regional citrate anticoagulation in high-volume continuous venovenous hemodialysis. 2011 , 15,	78
1440	Systemic citrate load during continuous renal replacement therapy is not negligible and can be predicted using indirect methods. 2011 , 15,	78
1439	Use of 2-hourly creatinine clearance to inform cessation of renal replacement therapy. 2011 , 15,	1
1438	NT-proBNP, troponin I and troponin T are elevated in ARDS patients without structural heart disease: a single initial reading of cardiac markers is not different from serial daily readings. 2011 , 15,	78
1437	Comparison of three different multi-analyte point-of-care devices during clinical routine on a medical ICU. 2011 , 15,	78

1436	Appropriate regulation of routine laboratory testing can reduce the costs associated with patient stay in intensive care. 2011 , 15,	3
1435	Contribution of red blood cells to the compensation for hypocapnic alkalosis through plasmatic strong ion difference variations. 2011 , 15,	1
1434	Interactive visual analysis of a large ICU database: a novel approach to data analysis. 2011 , 15,	78
1433	Base excess can be misleading in acute respiratory acidosis. 2011 , 15,	78
1432	Prescription and clinical impact of chest radiographs in 104 French ICUs: the RadioDay Study. 2011 , 15,	78
1431	Intraosseous blood aspirates analysed by a portable cartridge-based device. 2011 , 15,	1
1430	Capnography activation is improved by better ventilator interface ergonomics. 2011 , 15,	1
1429	Impact of cardiac arrest duration on extravascular lung water and pulmonary vascular permeability in patients with postcardiac arrest syndrome: a prospective observational study. 2011 , 15,	78
1428	Ultrasonography is a valuable non-invasive tool for determining extravascular lung water in severe sepsis. 2011 , 15,	78
1427	Indexing extravascular lung water to predicted body weight increases the correlation with lung injury score in patients with acute lung injury/acute respiratory distress syndrome: a prospective, multicenter study conducted in a Japanese population. 2011 , 15,	78
1426	Feasibility of continuous exhaled breath analysis in intubated and mechanically ventilated critically ill patients. 2011 , 15,	78
1425	Pattern of cytokines and chemokines in exhaled breath condensate is related to the characteristics of mechanical ventilation. 2011 , 15,	78
1424	Divergent changes in regional pulmonary filling characteristics during endotoxin-induced acute lung injury in pigs. 2011 , 15,	78
1423	Electrical impedance tomography to monitor regional tidal ventilation at different pressure support levels. 2011 , 15,	78
1422	Endotracheal cuff pressure: role of tracheal size and cuff volume. 2011 , 15,	3
1421	A survey of healthcare professionals' knowledge of emergency oxygen use in adult patients. 2011 , 15,	78
1420	Weaning from NIV: how rapidly can we go?. 2011 , 15,	78
1419	Factors associated with non-invasive ventilation response on the first day of therapy in patients with hypercapnic respiratory failure. 2011 , 15,	78

1418	Formal airway assessment prior to emergency tracheal intubation: a regional survey of usual practice. 2011 , 15,	78
1417	Urgent orotracheal intubation in critically ill patients. 2011 , 15,	78
1416	Propofol is the induction agent of choice for urgent intubations with UK physicians. 2011 , 15,	78
1415	Frequency and significance of post-intubation hypotension during emergency airway management. 2011 , 15,	3
1414	Clinical experiences with a new endobronchial blocking device: the EZ-Blocker. 2011 , 15,	78
1413	Rohrer's constant, k_2 , as a factor for determining endotracheal tube obstruction. 2011 , 15,	78
1412	Acute desaturation in intubated patients. 2011 , 15,	1
1411	Continuous control of tracheal cuff pressure and microaspiration of gastric contents: a randomized controlled study. 2011 , 15,	3
1410	Outcome of tracheostomy timing on critically ill adult patients undergoing mechanical ventilation: a retrospective observational study. 2011 , 15,	78
1409	Duration of mechanical ventilation on the result of diaphragmatic function in weaning. 2011 , 15,	78
1408	Hand-grip test is a good predictor of extubation success in adult ICU patients. 2011 , 15,	1
1407	Use of NT-proBNP in weaning from mechanical ventilation. 2011 , 15,	1
1406	Efficacy of implementation strategies of an evidenced-based awakening and breathing protocol. 2011 , 15,	78
1405	Can we predict left ventricular dysfunction-induced weaning failure? Invasive and echocardiographic evaluation. 2011 , 15,	78
1404	High-flow oxygen therapy through nasal cannulae versus low-flow oxygen therapy via Venturi mask after extubation in adult, critically ill patients. 2011 , 15,	4
1403	Post-intubation tracheal stenosis in the ICU: diagnosis and treatment. 2011 , 15,	78
1402	Can extubation failure be related to high unit activity?. 2011 , 15,	78
1401	Decannulation: in the ICU or in the ward? Does it really matter?. 2011 , 15,	78

1400	Assessment of the impact of unplanned extubation on ICU patient outcome. 2011, 15,	0
1399	Outcome and complications in infants with respiratory failure: venovenous two-site versus double-lumen ECMO. 2011, 15,	78
1398	Weaning-induced alterations in cardiac function: invasive and echocardiographic assessment. 2011, 15,	78
1397	Impact of open lung ventilation on right ventricular outflow impedance assessed by transoesophageal echocardiography. 2011, 15,	78
1396	Lung sound amplitude measured by vibration response imaging is influenced by the presence of secretions. 2011, 15,	78
1395	Continuous elevation of lung sound amplitudes, recorded at fixed flow rate, may indicate an increase in lung water content. 2011, 15,	2
1394	Impact of normocapnic and permissive hypercapnic one-lung ventilation on arterial oxygenation. 2011, 15,	78
1393	Titration of analgo-sedation with neurally adjusted ventilatory assist in the ICU. 2011, 15,	78
1392	Early prognostic indices for weaning after long-term mechanical ventilation. 2011, 15,	78
1391	Alveolar morphology depends on ventilator settings: lessons from in vivo alveolar microscopy under static and dynamic conditions. 2011, 15,	78
1390	Ventilatory ratio: validation in an ex vivo model and analysis in ARDS/ALI patients. 2011, 15,	78
1389	Therapy with recombinant human antithrombin, heparin and tissue plasminogen activator improves survival and reduces ventilation days in a long-term ovine model of cutaneous burn and smoke inhalation injury. 2011, 15,	1
1388	Hypercapnic acidosis transiently weakens hypoxic pulmonary vasoconstriction in anesthetized pigs, without affecting the endogenous pulmonary nitric oxide production. 2011, 15,	78
1387	<i>Stenotrophomonas maltophilia</i> in the respiratory tract of medical ICU patients. 2011, 15,	78
1386	Hospital-acquired pneumonia is associated with deficient β -cytokine gene expression. 2011, 15,	78
1385	Clinical aspects and predictors of mortality of <i>Pseudomonas aeruginosa</i> pneumonia in a cohort of critically ill patients. 2011, 15,	78
1384	Safety and efficacy of intratracheal DNase with physiotherapy in severe status asthmaticus. 2011, 15,	3
1383	Relation between mortality rate, duration of hospitalization and levels of TNF α and catalase at admission of cases to the emergency department with COPD attack. 2011, 15,	1

1382	Induced hypothermia is protective in a rat model of pneumococcal pneumonia. 2011, 15,	78
1381	Incidence of and risk factors for nonrespiratory acute organ failure in ICU patients receiving respiratory support: a pilot international cohort study. 2011, 15,	78
1380	Pharmacological randomized controlled trials in acute respiratory distress syndrome mortality. 2011, 15,	78
1379	Positive end-expiratory pressure improves oxygenation inducing ventral-to-dorsal tidal ventilation redistribution: an electrical impedance tomography study. 2011, 15,	78
1378	Neurally adjusted ventilatory assist reduces asynchrony and patient effort in severe acute respiratory distress syndrome patients undergoing extracorporeal membrane oxygenation. 2011, 15,	78
1377	Danger signal uric acid is involved in ventilator-induced lung injury pathogenesis. 2011, 15,	2
1376	High-frequency oscillatory ventilation in adults: experience in Chile. 2011, 15,	78
1375	Stress-strain relationship in pulmonary cells under bidirectional stretch application. 2011, 15,	78
1374	Optimal positive end-expiratory pressure in mechanically ventilated patients: a clinical study. 2011, 15,	78
1373	Flow-balanced expiration reduces oedema formation in a porcine oleic acid lung injury model. 2011, 15,	78
1372	Positive changes in the continuous desaturation index during mechanical ventilation are associated with mortality due to acute respiratory failure. 2011, 15,	78
1371	Strain threshold for ventilator-induced lung injury. 2011, 15,	78
1370	Do athletes require a higher tidal volume? An approach using predicted versus measured PFTs. 2011, 15,	78
1369	Potential reduction of ventilator-associated pneumonia by a novel peristaltic feeding tube: initial evaluation of safety and efficacy in a pig model and humans. 2011, 15,	78
1368	Respiratory variability in mechanically ventilated patients. 2011, 15,	78
1367	Suspended animation-inducer hydrogen sulphide protects against organ injury during endotoxemia, but aggravates systemic inflammation. 2011, 15,	78
1366	Dead space fraction indicates the titration of optimal positive end-expiratory pressure after recruitment in acute respiratory distress syndrome. 2011, 15,	78
1365	Dynamic distribution of conventional dendritic cells in the lung, blood and spleen from the early phase of sepsis-induced acute lung injury. 2011, 15,	1

1364	A radiological visual scale to predict the potentially recruitable lung in ALI/ARDS patients. 2011, 15,	1
1363	Interactions of nebulized heparin with intravenous antithrombin for combined therapy of acute lung injury. 2011, 15,	1
1362	Thrombopoietin may enhance ventilator-induced lung injury. 2011, 15,	2
1361	Indoleamine-2,3-dioxygenase activity induces neutrophil apoptosis. 2011, 15,	7
1360	Defining sepsis in the ICU: a sensitivity analysis. 2011, 15,	78
1359	Analysis of nosocomial bacteremia in an ICU during 16 months. 2011, 15,	1
1358	Delayed ICU admission with community-acquired severe sepsis greatly increases mortality and resource use. 2011, 15,	3
1357	Septic shock in a cohort of patients from the northeast of France: a preliminary epidemiological study, EPISS group. 2011, 15,	78
1356	Long-term effects of an in-hospital program on sepsis management in the ICU. 2011, 15,	78
1355	Extending the classification of healthcare-associated bloodstream infection to other main foci: respiratory, urinary and intra-abdominal. 2011, 15,	78
1354	Healthcare-associated infection: do doctors recognize this group of patients?. 2011, 15,	78
1353	Sustainability of an antimicrobial stewardship program in a community hospital ICU at 3 months post implementation. 2011, 15,	78
1352	Attention to electronic prescription process improves time to first-dose antibiotics in patients on the ICU. 2011, 15,	78
1351	An audit of antibiotic dosing according to renal function or renal replacement therapy in critical care. 2011, 15,	78
1350	De-escalation of antimicrobial therapy in Gram-negative sepsis: easier said than done?. 2011, 15,	78
1349	Impact of the adequacy of antibiotic therapy on the outcome of ventilator-associated pneumonia. 2011, 15,	78
1348	Aetiology of pneumonia in the ICU: the need for early Gram-negative cover. 2011, 15,	78
1347	Respiratory failure in cancer patients with influenza A (H1N1) is associated with poor prognosis. 2011, 15,	1

1346	Hemodynamic and echocardiographic characteristics in severe novel influenza A (H1N1) pneumonia. 2011, 15,	78
1345	Gram-positive nosocomial infections in a general ICU: emerging new clues. 2011, 15,	1
1344	Prevalence of Gram-negative bacilli resistance in adult critically ill patients at admission screening. 2011, 15,	78
1343	Risk factors to bloodstream infection due multidrug-resistant Results Acinetobacter baumannii in colonized patients in the ICU. 2011, 15,	78
1342	Blood cultures at central line insertion: a comparison with peripheral venipuncture. 2011, 15,	78
1341	Higher incidence of catheter-related bloodstream infection in femoral venous access than in subclavian venous access in the presence of tracheostomy. 2011, 15,	78
1340	Polyhexanide anti-infective coating of central venous catheters in prevention of catheter colonization and bloodstream infection: Study HC-G-H-0507. 2011, 15,	5
1339	Central line change in potential catheter-related bloodstream infection: target for intervention to reduce harm. 2011, 15,	78
1338	Clostridium difficile-associated diarrhoea in a tertiary referral neurocritical care centre. 2011, 15,	2
1337	A creep in the vancomycin minimum inhibitory concentration for Staphylococcus aureus in a tertiary care hospital in India. 2011, 15,	78
1336	Prognostic impact of imported and newly-isolated methicillin-resistant Staphylococcus aureus in the ICU. 2011, 15,	78
1335	Increased mortality associated with methicillin-resistant Staphylococcus aureus infection in the ICU: results from the EPIC II study. 2011, 15,	78
1334	Intrathecal (intraventricular) polymyxin B in the treatment of patients with meningoencephalitis by Acinetobacter baumannii and Pseudomonas aeruginosa. 2011, 15,	1
1333	Effects of tigecycline and doxycycline in porcine endotoxemia. 2011, 15,	78
1332	Blood transfusions: an independent risk factor for the development of Candida infections in critically ill surgical patients. 2011, 15,	2
1331	Demographic and outcome differences in ICU patients with proven invasive candidiasis, possible invasive candidiasis and probable candida colonization: analysis of the EPIC II study population. 2011, 15,	78
1330	Chinese survey of candidiasis in ICUs: China-SCAN study. 2011, 15,	78
1329	Anidulafungin for candidemia/invasive candidiasis in non-neutropenic ICU patients. 2011, 15,	78

1328	Pharmacokinetics of micafungin in patients with severe burn injuries. 2011, 15,	78
1327	Invasive aspergillosis in critically ill hematology patients: outcomes and prognostic factors associated with mortality. 2011, 15,	1
1326	Effects of endotoxin on pacemaker funny current in HEK 293 cells. 2011, 15,	78
1325	Influence of an immunoglobulin-enriched (IgG, IgA, IgM) solution on activation and immunomodulatory functions of peripheral blood mononuclear cells in a LPS second-hit model. 2011, 15,	2
1324	Lipopolysaccharide induces mitochondrial dysfunction in rat cardiac microvascular endothelial cells. 2011, 15,	2
1323	Monocyte subset recruitment to the peritoneum following abdominal surgical incision in mice. 2011, 15,	78
1322	Influence of body mass index on the innate immune response during human endotoxemia. 2011, 15,	78
1321	Effect of bacterial load versus duration of exposure to bacteria on plasma TNF α concentrations in porcine fecal peritonitis. 2011, 15,	78
1320	Does leukocyte apoptosis play any role in the pathogenesis of experimental pancreatitis?. 2011, 15,	78
1319	IFN β prolongs survival in experimental Escherichia coli pyelonephritis: implications for favorable phagocytosis. 2011, 15,	78
1318	Regulation of endothelial function by coagulation proteases in sepsis. 2011, 15,	1
1317	Effect of HO-3089 PARP inhibitor on inflammatory response. 2011, 15,	78
1316	Inflammatory mediator modulation with specific or selective adsorbents. 2011, 15,	78
1315	Honokiol attenuates the severity of acute pancreatitis-associated lung injury by acceleration of acinar cell apoptosis. 2011, 15,	78
1314	Impact of modulation of the endocannabinoid system on the intestinal microcirculation in experimental sepsis. 2011, 15,	1
1313	Desmopressin improves intestinal functional capillary density and decreases leucocyte activation in experimental endotoxemia in the rat. 2011, 15,	78
1312	Hypoxic NO-donor nitrite protects sGC-dependently against morbidity and mortality associated with sterile inflammatory shock in mice. 2011, 15,	78
1311	Interplay between the innate immune response and heart rate variability in healthy human volunteers. 2011, 15,	78

1310	Different correlations between lymphocyte subsets from patients with intra-abdominal sepsis and pneumonia-derived sepsis. 2011 , 15,	78
1309	AZD9773 is a novel and potent anti-TNF β polyclonal ovine immune Fab. 2011 , 15,	78
1308	Preclinical pharmacodynamics and safety profiling of AZD9773: a novel anti-TNF β polyclonal immune ovine Fab similar to D-CytoFab. 2011 , 15,	78
1307	Safety and tolerability of an ovine-derived polyclonal anti-TNF β Fab fragment (AZD9773) in patients with severe sepsis. 2011 , 15,	78
1306	Evaluation of eritoran tetrasodium (E5564), a TLR4 antagonist, on the QTc interval in healthy subjects. 2011 , 15,	78
1305	Safety, pharmacokinetics, and pharmacodynamics of 4-hour intravenous infusion of eritoran tetrasodium in healthy Japanese and Caucasian males. 2011 , 15,	78
1304	Dipyridamole modulates the innate immune response during human endotoxemia. 2011 , 15,	78
1303	Use of statins in community-acquired pneumonia in intensive care settings: is there a survival advantage?. 2011 , 15,	1
1302	Atorvastatin for preventing the progression of sepsis to severe sepsis (ASEPSIS Trial): a randomised, double-blind, placebo-controlled trial (ISRCTN64637517). 2011 , 15,	4
1301	Kinetics of immunoglobulins in septic shock patients. 2011 , 15,	1
1300	Plasma DNA concentration as an early predictor of outcome in critically ill septic patients. 2011 , 15,	78
1299	C-reactive protein as an early marker of sepsis resolution: results from the Portuguese Community-acquired Sepsis Study (SACiUCI study). 2011 , 15,	0
1298	Effect of including procalcitonin and C-reactive protein in the Mortality in Emergency Department Sepsis risk prediction model. 2011 , 15,	78
1297	Prognostic value of routinely assessed serum biomarkers in septic shock. 2011 , 15,	78
1296	N-terminal pro-BNP predicts mortality better than procalcitonin in abdominal severe sepsis and septic shock. 2011 , 15,	78
1295	Prognostic value of proadrenomedullin in severe sepsis and septic shock patients with community-acquired pneumonia. 2011 , 15,	1
1294	Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2011 , 15,	78
1293	Impact of pro-domain stability of matrix metalloproteinase-8 on the outcome of sepsis. 2011 , 15,	3

1292	Pentraxin 3 levels from bronchoalveolar lavage of critically ill patients predict lung infection. 2011, 15,	78
1291	Increased levels of soluble triggering receptor expressed on myeloid cells sTREM1 in ICU patients with cardiovascular disease and associated organ dysfunction. 2011, 15,	1
1290	Bronchoalveolar lavage/blood ratio of surface TREM-1 on CD14-positive monocytes is diagnostic of ventilator-associated pneumonia. 2011, 15,	78
1289	Angiotensin-converting enzyme (ACE) insertion/deletion polymorphism and circulating ACE levels are not associated with outcome in septic critically ill patients. 2011, 15,	78
1288	Comparison of the effects of recombinant human soluble thrombomodulin for systemic inflammatory response syndrome-associated coagulopathy with and without continuous hemodiafiltration. 2011, 15,	78
1287	Microcirculatory effect of hyperbaric oxygen therapy in septic patients. 2011, 15,	2
1286	Lipid metabolism in critically ill patients: a microdialysis study. 2011, 15,	78
1285	Does each element of the sepsis resuscitation bundle equally improve patient outcome?. 2011, 15,	78
1284	Multicenter trial of a perioperative protocol to reduce mortality in critically ill patients with peptic ulcer perforation: the PULP trial. 2011, 15,	78
1283	Effect of organ failure on outcomes in neutropenic sepsis. 2011, 15,	78
1282	Belgian dispatchers' telephone cardiopulmonary resuscitation protocol training: an evaluation study. 2011, 15,	2
1281	Comparison of the Mapleson C circuit, 500 ml and 1.6 l self-inflating bags for delivering guideline-compliant ventilation during simulated adult cardiopulmonary resuscitation. 2011, 15,	78
1280	Comparison of nifekalant and amiodarone for resuscitation after cardiopulmonary arrest due to shock-resistant ventricular fibrillation. 2011, 15,	78
1279	Implementation of the FAST emergency vehicle pre-emption system may improve the outcomes of out-of-hospital cardiac arrests: a 7-year observational study. 2011, 15,	78
1278	Responsiveness to EMT-performed basic CPR and its duration predict unachievable sustained return of spontaneous circulation and unavoidable hospital death in unwitnessed out-of-hospital cardiac arrests without bystander CPR. 2011, 15,	78
1277	Is intraosseous access a safe option in adult cardiac arrest? A review of the literature. 2011, 15,	78
1276	A survey on laypersons' willingness in performing cardiopulmonary resuscitation. 2011, 15,	1
1275	Effects and limitations of an automated external defibrillator with audiovisual feedback for cardiopulmonary resuscitation: a randomized manikin study. 2011, 15,	78

1274	Introduction of the 2005 cardiopulmonary resuscitation guidelines did not increase return of spontaneous circulation in a physician-staffed prehospital emergency medical system. 2011 , 15,	78
1273	Subarachnoid hemorrhage and cardiac arrest: should every resuscitated patient receive cranial imaging?. 2011 , 15,	78
1272	Predicting survival in cardiac arrest patients admitted to intensive care using the Prognosis After Resuscitation score. 2011 , 15,	1
1271	Survival after cardiac arrest: what is the situation in Lithuania?. 2011 , 15,	78
1270	Prognosis after cardiac arrest. 2011 , 15,	78
1269	Incidence of lower respiratory tract infections in patients treated with post-cardiac arrest mild therapeutic hypothermia and selective digestive tract decontamination. 2011 , 15,	78
1268	Earlier intra-arrest transnasal cooling may be beneficial. 2011 , 15,	78
1267	Hyperoxia post cardiac arrest: experience of a UK ICU. 2011 , 15,	1
1266	Ammonia and lactate blood levels on hospital arrival predict neurological outcome in patients with out-of-hospital cardiac arrest. 2011 , 15,	78
1265	Use of the Medicoool™ cooling system to increase efficacy of therapeutic hypothermia post cardiac arrest. 2011 , 15,	78
1264	Choline kinetics in patients undergoing hypothermia treatment: a case observation in six cardiac arrest patients. 2011 , 15,	78
1263	Employing knowledge translation interventions to increase the use of therapeutic hypothermia post arrest: the SPARC Network Trial. 2011 , 15,	78
1262	Microvascular dysfunction in patients after successful resuscitation. 2011 , 15,	78
1261	Application of high-frequency jet ventilation for patients with severe traumatic brain injury. 2011 , 15,	78
1260	Efficacy and safety of dopamine agonists in traumatic brain injury: a systematic review of randomized controlled trials. 2011 , 15,	78
1259	Update on the RESCUEicp decompressive craniectomy trial. 2011 , 15,	7
1258	Cerebral oxygen monitoring in intensive care. 2011 , 15,	78
1257	Optimising follow up and outcome assessments in traumatic brain injury trials. 2011 , 15,	1

1256	Optimising the consent process in severe traumatic brain injury trials. 2011 , 15,	78
1255	Early clinical indices predicting functional survival in severely head-injured patients. 2011 , 15,	78
1254	Prognostic value of prehospital single measurement of N-terminal pro-brain natriuretic peptide and troponin T after acute ischemic stroke. 2011 , 15,	78
1253	Stroke and thrombolysis: an old disease with a new approach. 2011 , 15,	78
1252	Cerebral vasoreactivity is not impaired in patients with severe sepsis. 2011 , 15,	78
1251	Significance of admission temperature and impact on mortality in critically ill neurological patients. 2011 , 15,	78
1250	Prognostic value of brain glucose levels in the outcome of patients with spontaneous cerebral hemorrhage. 2011 , 15,	78
1249	Potential use of transcranial sonography in the sick patient. 2011 , 15,	78
1248	Correlation of thermal Doppler flowmetry, brain tissue oxygen and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury: a preliminary report. 2011 , 15,	78
1247	UK practice in management of patients with poor-grade subarachnoid haemorrhage. 2011 , 15,	78
1246	Increased plasma neutrophil gelatinase-associated lipocalin levels in poor-grade aneurysmal subarachnoid hemorrhage at admission to the ICU. 2011 , 15,	78
1245	Spontaneous subarachnoid hemorrhage: clinical impact, prognostic value and complications. 2011 , 15,	1
1244	Global cerebral edema and brain metabolism after subarachnoid hemorrhage. 2011 , 15,	2
1243	Incidence, risk factors, and impact on mortality of status epilepticus in sepsis in the United States. 2011 , 15,	1
1242	Seizure attacks in viral encephalitis: influence on a course and outcome. 2011 , 15,	1
1241	Incidence, risk factors, and impact on hospital mortality of status epilepticus after subdural hemorrhage in the United States. 2011 , 15,	78
1240	Electrographic seizures after subarachnoid hemorrhage lead to derangement of brain homeostasis in humans. 2011 , 15,	78
1239	Continuous electroencephalography in the surgical ICU. 2011 , 15,	78

1238	Continuous electroencephalography in the medico-surgical intensive care setting in Brazil: initial experience after 4 months of implementation. 2011, 15,	78
1237	Nursing environment and delirium in ICU patients. 2011, 15,	3
1236	Development and validation of an eight-step flowchart based on the CAM-ICU: a quick and highly adaptable tool to determine the presence of delirium in ICU patients. 2011, 15,	4
1235	Delirium assessment in daily critical care with the CAM-ICU: a multicenter study. 2011, 15,	3
1234	Assessment of delirium in intensive care using the CAM-ICU. 2011, 15,	78
1233	Impact of delirium in critically ill patients on long-term health-related quality of life and cognitive functioning. 2011, 15,	1
1232	Effect of rivastigmine as an adjunct to usual care with haloperidol on duration of delirium and mortality in critically ill patients: a multicentre, double-blind, placebo-controlled randomised trial. 2011, 15,	0
1231	Biomarkers of delirium in critically ill patients. 2011, 15,	1
1230	Is delirium associated with pain and administered morphine in patients in the ICU after cardiac surgery?. 2011, 15,	78
1229	Modified Lund concept versus cerebral perfusion pressure-targeted therapy: a randomized controlled study in patients with secondary brain ischaemia. 2011, 15,	78
1228	Brain midline shift assessment using sonography in neurocritical care patients. 2011, 15,	78
1227	Hyponatremia in neurointensive care: results of a 5-year prospective study. 2011, 15,	78
1226	Paracetamol-induced skin blood flow and blood pressure changes. 2011, 15,	1
1225	Intravenous paracetamol pharmacokinetics in neonates: a pooled analysis. 2011, 15,	78
1224	Tramadol and O-demethyltramadol disposition in humans: a pooled study. 2011, 15,	78
1223	Bispectral index monitoring reduces sedative and vasopressor requirements during percutaneous tracheostomy. 2011, 15,	78
1222	How is sedation provided for percutaneous dilatational tracheostomy in English ICUs?. 2011, 15,	1
1221	Meta-analysis of detection of respiratory events during procedural sedation. 2011, 15,	1

1220	Decreased postoperative nausea and vomiting with dexmedetomidine after off-pump coronary artery bypass grafting. 2011, 15,	3
1219	Heart rate variability during infusion of dexmedetomidine. 2011, 15,	1
1218	Pharmacokinetics of long-lasting, high-dose dexmedetomidine infusions in critically ill patients. 2011, 15,	78
1217	Hemodynamic, metabolic and inflammatory effects of dexmedetomidine in a pig model of septic shock. 2011, 15,	78
1216	Dexmedetomidine improves attention and recall in agitated critically ill patients. 2011, 15,	1
1215	Skin conductance variability in ICU patients: an observational study of the relation to pain and Motor Activity Assessment Scale level. 2011, 15,	78
1214	Change in hypnotic sedative choice over time as a surrogate marker of improved performance. 2011, 15,	78
1213	What happens to all that propofol during prolonged sedation?. 2011, 15,	78
1212	Psychological long-term effects of a no-sedation protocol in critically ill patients. 2011, 15,	78
1211	Cannabinoid receptor-1 inhibition causes anesthetic-induced excitation in septic rats. 2011, 15,	78
1210	Introduction of a remifentanyl-based analgo-sedation protocol leads to a reduction of duration of mechanical ventilation and ICU stay in critically ill patients. 2011, 15,	78
1209	Validity and reliability of the Johns Hopkins Adapted Cognitive Exam for critically ill patients. 2011, 15,	78
1208	UDP glucuronosyltransferase 2B7 single nucleotide polymorphism (rs7439366) influences heat pain response in human volunteers after i.v. morphine infusion. 2011, 15,	1
1207	Metformin increases skeletal muscle lactate production in pigs: a microdialysis study. 2011, 15,	78
1206	Bilirubin and carboxy-hemoglobin concentrations in critically ill patients: prognostic significance of free heme metabolites. 2011, 15,	0
1205	Effects of N-acetylcysteine on the erythrocyte and liver cholinesterase, nitric oxide and malondialdehyde levels in acute organophosphate toxicity. 2011, 15,	1
1204	Effects of CoQ10 on the erythrocyte and heart tissue cholinesterase, nitric oxide and malondialdehyde levels in acute organophosphate toxicity. 2011, 15,	78
1203	Natriuretic peptide-induced hyponatremia in a patient with left atrial myxoma. 2011, 15,	2

1202	Hypophosphatemia of prognostic value in acute exacerbation of COPD. 2011, 15,	78
1201	Investigation and management of hypocalcaemia amongst critically ill patients. 2011, 15,	78
1200	Seasonal vitamin D variability and its effects on the innate immune response during human endotoxemia. 2011, 15,	78
1199	High bone turnover in critically vitamin-D-deficient patients. 2011, 15,	78
1198	Low whole blood selenium level is associated with higher mortality and longer ICU and hospital stay in patients undergoing elective cardiac surgery. 2011, 15,	78
1197	Effects of high doses of selenium on the antioxidant status after liver resection. 2011, 15,	1
1196	Nutritional support in severe traumatic brain injury. 2011, 15,	78
1195	Energy deficit and hospital length of stay can be reduced by quality management of nutrition therapy: the ICU dietitian is essential. 2011, 15,	78
1194	Enteral feed absorption during therapeutic hypothermia following out-of-hospital cardiac arrest. 2011, 15,	2
1193	Enteral nutrition in mechanically ventilated patients with cervical spinal cord injury. 2011, 15,	78
1192	Nasogastric feeding intolerance in the critically ill. 2011, 15,	4
1191	Enteral nutrition products in ICUs: data from NutritionDay. 2011, 15,	2
1190	Protein losses and nitrogen balance during continuous renal replacement therapy. 2011, 15,	78
1189	Impact of cumulative calorie and protein deficits in critically ill patients. 2011, 15,	3
1188	Lipid-enriched and protein-enriched enteral nutrition limits inflammation in a human endotoxemia model. 2011, 15,	1
1187	Inflammation causes arginine to become an essential amino acid in critically ill children. 2011, 15,	78
1186	Comparison of the effects of intravenous, enteral and enteral + intravenous supply of glutamine on malnutrition in sepsis. 2011, 15,	1
1185	Insufficient activation of autophagy allows accumulation of cellular damage and may contribute to sustained organ failure in prolonged critically ill patients. 2011, 15,	0

1184	Glucose absorption following gastric and small intestinal nutrient administration in the critically ill. 2011, 15,	1
1183	Enhanced insulin sensitivity variability in the first 3 days of ICU stay: implications for tight glyceemic control. 2011, 15,	78
1182	Endogenous insulin secretion and suppression during and after sepsis in critically ill patients: implications for tight glyceemic control protocols. 2011, 15,	3
1181	Effects of hyperglycemia and intensive insulin therapy on neurons and glial cells during critical illness. 2011, 15,	78
1180	Errors in preparation of insulin infusions for critically ill patients. 2011, 15,	78
1179	Blood glucose variability, measured as mean absolute glucose, strongly depends on the frequency of blood glucose level measurements. 2011, 15,	4
1178	Validation of a virtual patient and virtual trials method for accurate prediction of tight glyceemic control protocol performance. 2011, 15,	78
1177	Intensive insulin therapy-associated costs differ substantially between ICUs. 2011, 15,	78
1176	Tight glucose control managed by ICU nurses induces extremely low rates of hypoglycemia. 2011, 15,	2
1175	Investigation of the blood glucose target for mortality reduction by means of bedside-type artificial pancreas. 2011, 15,	78
1174	Mild hypoglycemia is independently associated with increased mortality in the critically ill. 2011, 15,	4
1173	Malglycemia is strongly associated with increased risk of ICU-acquired infection. 2011, 15,	1
1172	Intensive insulin therapy-induced severe hypoglycemia does not affect long-term functional and cognitive outcome or health-related quality of life. 2011, 15,	78
1171	Decreased intravenous glucose intake safely prevents hyperglycemia in postsurgical children. 2011, 15,	78
1170	Space GlucoseControl with the incorporated enhanced model predictive control algorithm is a safe and reliable tool for glycaemic control in medical ICU patients. 2011, 15,	78
1169	Glucose variability and ICU outcome. 2011, 15,	78
1168	Glyceemic control in critically ill infants and children: achieved quality of control in daily clinical practice in Leuven after a RCT. 2011, 15,	78
1167	Glycemia in blood, brain and subcutaneous tissue measured by a continuous glucose monitoring system. 2011, 15,	1

1166	Evaluation of a continuous blood glucose monitoring system using central venous microdialysis. 2011, 15,	1
1165	Accuracy of glucose measurements in critically ill patients. 2011, 15,	78
1164	Comparison of glucose variability measures. 2011, 15,	78
1163	Alarm performance in a novel continuous glucose monitor. 2011, 15,	78
1162	Salivary cortisol measurements in mechanically ventilated patients. 2011, 15,	78
1161	Plasma free cortisol and b-type natriuretic peptide in septic shock. 2011, 15,	78
1160	Interstitial cortisol levels obtained by adipose tissue microdialysis in mechanically ventilated septic patients: correlations with total and free serum cortisol. 2011, 15,	78
1159	Early administration of hydrocortisone replacement after advent of septic shock is a major determinant of final outcome. 2011, 15,	78
1158	Low preoperative total lymphocyte count as a predictor of poor outcome in adult cardiac surgery. 2011, 15,	1
1157	Usefulness of presepsin (sCD14-ST) measurements as a marker for the diagnosis and severity of sepsis in systemic inflammatory response syndrome. 2011, 15,	78
1156	Assessment of IL-18 values in septic acute lung injury/acute respiratory distress syndrome patients. 2011, 15,	78
1155	Activation of endothelial damage by TNF α and IFN γ in ischemia/reperfusion injury and systemic inflammation. 2011, 15,	78
1154	SAPO-1/Fas and sFas-L ratio, level of Bcl-2 and p53 as a predictors of multiple organ dysfunction syndrome in polytrauma. 2011, 15,	78
1153	Sulfonated immunoglobulin improves cardiopulmonary functions by promoting IGF-I production in ARDS patients with severe sepsis. 2011, 15,	78
1152	Fluorinated groups mediate the immunomodulatory effects of volatile anesthetics in acute pulmonary inflammation. 2011, 15,	78
1151	Soluble triggering receptor expressed on myeloid cells as a marker of non-infectious systemic inflammatory response syndrome. 2011, 15,	78
1150	Anemia profile in critical septic patients hospitalized in the ICU. 2011, 15,	78
1149	The normobaric oxygen paradox: does it increase haemoglobin?. 2011, 15,	4

1148	Transfusion of red blood cells does not increase transcutaneous oxygen tension. 2011, 15,	78
1147	Role of CD40 ligand in transfusion-related acute lung injury. 2011, 15,	78
1146	Tissue oxygen monitoring leads to lower rates of blood transfusions. 2011, 15,	2
1145	Central venous to arterial carbon dioxide gap as an indicator of oxygen debt in isovolemic anemia. 2011, 15,	78
1144	Blood transfusion during cardiac surgery dose-dependently stimulates inflammation and coagulopathy in the lung: a case-control study. 2011, 15,	1
1143	Red blood cell transfusion thresholds in pediatric septic patients. 2011, 15,	78
1142	Accuracy of a continuous non-invasive hemoglobin monitor in the ICU. 2011, 15,	78
1141	Safety and effectiveness of different treatment regimes with tranexamic acid in elective cardiopulmonary bypass patients. 2011, 15,	78
1140	Anticoagulant effect of prothrombin complex concentrates: a whole blood in vitro study. 2011, 15,	78
1139	Failure to correct the international normalized ratio in patients with anticoagulant-related major bleeding is associated with increased 90-day mortality. 2011, 15,	78
1138	Thromboembolic risks of recombinant factor VIIa use in warfarin-associated intracranial hemorrhage. 2011, 15,	78
1137	Does the coagulation profile really matter in central venous cannulation? A review of the literature. 2011, 15,	2
1136	Monitoring of coagulation in patients after abdominal cancer surgery. 2011, 15,	78
1135	Overuse of coagulation parameter testing in critically ill patients. 2011, 15,	78
1134	Applying a new method for studying the functional state of hemostasis in clinical practice. 2011, 15,	78
1133	Comparison of point-of-care thrombelastography versus conventional coagulation tests in the emergency department management of trauma. 2011, 15,	1
1132	Effect of hypothermia on coagulation functions in Sprague-Dawley rats with uncontrolled hemorrhagic shock. 2011, 15,	78
1131	Sepsis: thrombocytopenia is bad, not recovering thrombocytopenia is too bad. 2011, 15,	1

1130	Thrombocytopenia: incidence and clinical impact on ICU mortality. 2011, 15,	78
1129	Sepsis-induced thrombocytopenia: early prediction and modifiable mortality. 2011, 15,	1
1128	Biochemical and hematological parameters (including thromboelastography) differ in patients with sepsis and SIRS after esophagectomy. 2011, 15,	78
1127	Use of thromboelastography in severe sepsis: a case-control study. 2011, 15,	1
1126	Effect of anemia on coagulation and platelet function: a whole blood in vitro study. 2011, 15,	4
1125	Effect of pH levels on platelet aggregation and coagulation: a whole blood in vitro study. 2011, 15,	2
1124	Hemostasis system condition in progress of sepsis in severe burns. 2011, 15,	78
1123	Muscular compartment syndrome and in vivo optical spectroscopy monitoring: a new model. 2011, 15,	78
1122	Effects of sepsis on venous microcirculation: non-invasive evaluation by quantitative near-infrared spectroscopy. 2011, 15,	78
1121	Role of microcirculatory monitoring in polytraumatic patients. 2011, 15,	78
1120	Early trauma deaths in a level 1 trauma center: whole-body 16-MDCT is associated with a threefold increase in the time interval from hospital access to emergency surgery if compared with a US-based protocol. 2011, 15,	78
1119	Diagnostic value of duplex ultrasonography in comparison with conventional angiography in the assessment of traumatic arterial injuries of the extremities. 2011, 15,	78
1118	Simple predictive scoring system for ventilator-associated pneumonia in trauma patients. 2011, 15,	78
1117	Effect of a trauma proforma on the quality of documentation in the Emergency Department. 2011, 15,	78
1116	Efficiency of a French-language triage algorithm in the Emergency Department. 2011, 15,	1
1115	Optimized patient transfer using an innovative multidisciplinary assessment in the Kanton Aargau (OPTIMA I): an observational survey in lower respiratory tract infections. 2011, 15,	2
1114	Agreement of pain assessment between nurses and patients in the Emergency Department. 2011, 15,	1
1113	Effect of delayed ICU admission on mortality and morbidity. 2011, 15,	78

1112	Case note and chart review of mortality in patients with a predicted low risk of death on admission to the ICU. 2011, 15,	78
1111	Cost impact of blocking: predictability of ICU patient throughput and cost variance using process modeling. 2011, 15,	78
1110	ICU readmission: good or bad?. 2011, 15,	78
1109	Is the ASA physical status classification system a good prognostic index for ICU admissions?. 2011, 15,	0
1108	Factors and consequences associated with a delay in the discharge process of patients from an adult critical care unit. 2011, 15,	1
1107	Delayed ITU discharge: causes and impact. 2011, 15,	1
1106	Length of hospital stay prior to ICU admission and outcome. 2011, 15,	78
1105	Intensive care admission triage for a pandemic: are government tools acceptable to UK intensivists?. 2011, 15,	78
1104	Patients' profile admitted to the ICU after establishment of a regulatory policy system for ICU patient allocation at public hospitals in Rio de Janeiro, Brazil. 2011, 15,	78
1103	Changes in very older person admissions to an ICU over a decade. 2011, 15,	78
1102	Effect of introducing training in assessment tools for foundation trainees (F2) in intensive care and anaesthesia in a UK teaching hospital. 2011, 15,	78
1101	Model Team in the ICU: does the implementation of intensive care assistants affect ICU nursing activity?. 2011, 15,	78
1100	Impact of implementing a critical care team in an open general ICU. 2011, 15,	78
1099	Impact of a program of training on the performance of a track and trigger system and outcome of ICU admissions. 2011, 15,	78
1098	Impact of increased numbers of intensive care consultants on outcome in a central London teaching hospital. 2011, 15,	78
1097	Intensivist-led on-call service: key step in mortality reduction. 2011, 15,	1
1096	Mews Anesthesia Team: a project for in-hospital patient safety. 2011, 15,	78
1095	Does implementing a rapid response system decrease the number of in-hospital cardiac arrests?. 2011, 15,	78

1094	Impact of training in the use of an early warning system on in-hospital cardiac arrests. 2011, 15,	78
1093	Daily physiological goal-setting: medical prescription and nursing adherence in a London teaching hospital ICU. 2011, 15,	78
1092	Automated reporting of safety bundles: streamlining the performance improvement process. 2011, 15,	78
1091	Prevalence, clinical management and risks associated with acute faecal incontinence in the critical care setting: the FIRST questionnaire survey. 2011, 15,	0
1090	Patient safety in ICUs: adverse events characterization and potential risk factors. 2011, 15,	2
1089	Failure to define level 1 care. 2011, 15,	78
1088	Robotic telepresence in acute care facilities in community hospitals in Mexico. 2011, 15,	78
1087	System-level concentration of services for mechanically ventilated patients can mask substantial regional heterogeneity and disorganization. 2011, 15,	78
1086	Understanding staff perspectives on collaborative quality improvement in the ICU: a qualitative exploration. 2011, 15,	78
1085	Improving medication safety on critical care using an anonymous electronic medication incident reporting system. 2011, 15,	78
1084	Reduction in the incidence of VAP and mortality rates in the ICU after implementation of hand hygiene education protocols and extensive ICU reconstruction work. 2011, 15,	78
1083	Paediatric admissions to an adult ICU in a district general hospital in the UK. 2011, 15,	78
1082	Factors associated with compassion fatigue among ICU nurses in Greece. 2011, 15,	5
1081	Burnout in ICUs in Portugal: is there? Are there differences between doctors and nurses?. 2011, 15,	78
1080	Medical handovers in the ICU: a snapshot of practice in the South West of France. 2011, 15,	1
1079	Ratio of observed to predicted deaths in pediatric patients after introducing a closing policy in a general ICU. 2011, 15,	78
1078	Safety programme reduces ICU mortality. 2011, 15,	78
1077	Critical care outcome of pulmonary artery hypertension. 2011, 15,	78

1076	Outcomes of haematopoietic stem cell transplant patients admitted to the ICU. 2011, 15,	78
1075	Patterns of infection and impact on outcome in haematology patients admitted to intensive care. 2011, 15,	1
1074	Outcome of haematology patients admitted to intensive care in a tertiary centre: primary haematological diagnosis, recent chemotherapy and bone marrow transplantation are not associated with outcome. 2011, 15,	1
1073	New prognosis inflammatory and nutritional indexes: comparison with the Prognostic Inflammatory and Nutritional Index as reference index. 2011, 15,	78
1072	Feasibility and utility of frailty assessment in the over 80s on critical care. 2011, 15,	1
1071	Quality of life in the over-80-year-old medical patient following intensive care. 2011, 15,	78
1070	Is age a predictor of mortality in medical high-dependency units?. 2011, 15,	78
1069	Inadvisably presenting APACHE scores as parametric data: a study of 200 original articles from leading journals. 2011, 15,	1
1068	ICU scoring systems: which one to use in oncology patients?. 2011, 15,	78
1067	Do scoring systems predict mortality following emergency abdominal aortic aneurysm repair? The Norwich experience. 2011, 15,	78
1066	Influence of resuscitation status on the performance of APACHE III, APACHE IV and SAPS III. 2011, 15,	78
1065	Limitations of the use of the Glasgow Coma Scale in intensive care patients with non-neurological primary disease: a search for alternatives. 2011, 15,	6
1064	ManChEWS: Royal Manchester Children's Hospital early warning score. 2011, 15,	2
1063	Does an open level 2 medical high-dependency unit improve outcomes for critically ill patients? Using the APACHE II scoring system in a district general hospital in the UK. 2011, 15,	78
1062	Gastrointestinal failure score alone and in combination with SOFA score in the assessment of the critically ill patients. 2011, 15,	1
1061	How high must lactate be to predict an adverse outcome?. 2011, 15,	78
1060	Outcome prediction in haematological patients requiring admission to the ICU. 2011, 15,	78
1059	HIV-infected patients in the ICU in the current era of high-activity antiretroviral treatment. 2011, 15,	78

1058	Clinical characteristics and outcomes of obstetric patients requiring ICU admission. 2011, 15,	1
1057	Management and risk factors for maternal morbidity of eclampsia in a Moroccan teaching hospital. 2011, 15,	78
1056	Clinical and diagnostic value of transcranial cerebral oximetry in the optimization of mechanical ventilation in newborn infants. 2011, 15,	78
1055	Assessment of artificial ventilation in Salvadorian public hospitals. 2011, 15,	78
1054	Comparison of the stated religious beliefs amongst UK intensive care physicians and the UK population. 2011, 15,	78
1053	Characteristics of Outreach patients that received end-of-life counseling. 2011, 15,	1
1052	Discussing end-of-life issues with terminally ill cancer patients and their families: our results. 2011, 15,	78
1051	Factors associated with withdrawal of life-sustaining therapy in severe traumatic brain injury patients. 2011, 15,	78
1050	Documenting end-of-life care plans on the ICU: using a digital proforma may improve compliance with nationally agreed standards. 2011, 15,	78
1049	Gender influences end-of-life decisions. 2011, 15,	78
1048	Survey of the use of ancillary tests in the diagnosis of brain stem death. 2011, 15,	1
1047	Interactions of endotoxin, albumin function, albumin binding capacity and oxidative stress in brain-dead organ donors. 2011, 15,	78
1046	Children visiting the ICU. 2011, 15,	78
1045	Is there a difference in response rate and degree of satisfaction among family members of survivors and nonsurvivors at admission to intensive care?. 2011, 15,	78
1044	Patient's families in the ICU: describing their strategies to face the situation. 2011, 15,	78
1043	Communication with relatives in the ICU. 2011, 15,	78
1042	Inter-observer agreement of Medical Research Council-sum score and handgrip strength in the ICU. 2011, 15,	2
1041	Assessment of functional capacity after discharge from the ICU. 2011, 15,	78

1040	Rehabilitation after critical care: using audit to guide changes in practice, a multidisciplinary (MDT) approach. 2011 , 15,	78
1039	An audit of adult critical care rehabilitation processes in a UK district general hospital based on NICE guidelines. 2011 , 15,	78
1038	Follow-up after critical care. 2011 , 15,	78
1037	Sunlight exposure does not influence ICU survival. 2011 , 15,	78
1036	Incidents related to intrahospital transport of patients in the ICU. 2011 , 15,	1
1035	Systematic review of industry-led versus investigator-led randomized controlled trials. 2011 , 15,	78
1034	Female authors in top-rank journals of different medical specialties. 2011 , 15,	1
1033	National survey of protective eye care practices in the critically ill. 2011 , 15,	6
1032	Sleep disturbances in the ICU. 2011 , 15,	78
1031	Inhaled colistin for the treatment of ventilator-associated tracheobronchitis in critically ill patients. 2011 , 15,	78
1030	Erratum to: Prevalence, clinical management and risks associated with acute faecal incontinence in the critical care setting: The FIRST questionnaire survey. 2011 , 15,	78
1029	Why doesn't healthcare embrace simulation and modeling? What would it take?. 2011 ,	3
1028	Hyperglycemia en r ^u animation. 2011 , 377-393	
1027	Effects of thyroid hormones on major cardiovascular risk in acute coronary syndromes. 2011 , 15,	1
1026	Evaluating rate of change as an index of glycemic variability, using continuous glucose monitoring data. 2011 , 13, 631-6	18
1025	Special considerations for the diabetic patient in the ICU; targets for treatment and risks of hypoglycaemia. 2011 , 25, 825-34	9
1024	Dysglycemia following glucocorticoid therapy for acute graft-versus-host disease adversely affects transplantation outcomes. 2011 , 17, 239-48	25
1023	Increasing blood glucose variability heralds hypoglycemia in the critically ill. 2011 , 170, 257-64	21

1022	Mild hypoglycemia is independently associated with increased mortality in the critically ill. 2011 , 15, R173		121
1021	Integrating evidence-based medicine into the perioperative care of cardiac surgery patients. 2011 , 25, 335-46		7
1020	HbA1c and diabetes predict perioperative hyperglycemia and glycemic variability in on-pump coronary artery bypass graft patients. 2011 , 25, 799-803		13
1019	Management of tight intraoperative glycemic control during off-pump coronary artery bypass surgery in diabetic and nondiabetic patients. 2011 , 25, 937-42		5
1018	American Association of Clinical Endocrinologists Medical Guidelines for Clinical Practice for developing a diabetes mellitus comprehensive care plan. <i>Endocrine Practice</i> , 2011 , 17 Suppl 2, 1-53	3.2	329
1017	Implementation of the glucommander method of adjusting insulin infusions in critically ill patients. 2011 , 64, 333-9		18
1016	Effect of glycemic state on hospital mortality in critically ill surgical patients. <i>American Surgeon</i> , 2011 , 77, 1483-9	0.8	16
1015	Perioperative glycemic management in 2011: paradigm shifts. 2011 , 17, 370-5		15
1014	Common Endocrinopathies in the Pediatric Intensive Care Unit. 2011 , 1105-1123		1
1013	Continuous measurement of blood glucose: validation of a new intravascular sensor. 2011 , 114, 120-5		25
1012	Biomarkers of acute respiratory distress syndrome: Do good things lie nearby?. <i>Critical Care Medicine</i> , 2011 , 39, 207-9	1.4	6
1011	The meaning of do-not-resuscitation orders: A need for clarity. <i>Critical Care Medicine</i> , 2011 , 39, 193-4	1.4	28
1010	Essential lessons in cardiogenic shock: epinephrine versus norepinephrine/dobutamine. <i>Critical Care Medicine</i> , 2011 , 39, 583-4	1.4	8
1009	Killip class is still relevant. <i>Critical Care Medicine</i> , 2011 , 39, 580-1	1.4	2
1008	Increased blood glucose variability during therapeutic hypothermia and outcome after cardiac arrest. <i>Critical Care Medicine</i> , 2011 , 39, 2225-31	1.4	106
1007	Efficacy and safety of intensive insulin therapy for critically ill neurologic patients: a meta-analysis. 2011 , 71, 1460-4		10
1006	Computer decision support software safely improves glycemic control in the burn intensive care unit: a randomized controlled clinical study. 2011 , 32, 246-55		26
1005	May frequency of blood glucose measurement be blurring the association between mean absolute glucose change per hour and mortality?. <i>Critical Care Medicine</i> , 2011 , 39, 224; author reply 224-5	1.4	5

1004	Evidence-based support for prolonged glucocorticoid treatment in acute lung injury/acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2011 , 39, 225; author reply 225-6	1.4	1
1003	The importance of non-Acinetobacter organisms. <i>Critical Care Medicine</i> , 2011 , 39, 228; author reply 228-9	1.4	1
1002	The present is pregnant with the future. <i>Critical Care Medicine</i> , 2011 , 39, 215-6	1.4	
1001	The author replies:. <i>Critical Care Medicine</i> , 2011 , 39, 223-224	1.4	
1000	Reference values for noninvasive cardiac output monitoring in children. <i>Critical Care Medicine</i> , 2011 , 39, 227-228	1.4	
999	Mirror, mirror on the wall: Which is the best vasopressin receptor of them all?. <i>Critical Care Medicine</i> , 2011 , 39, 213-5	1.4	
998	Smoke signals in the intensive care unit. <i>Critical Care Medicine</i> , 2011 , 39, 197-8	1.4	
997	The importance of non-Acinetobacter organisms. <i>Critical Care Medicine</i> , 2011 , 39, 228-229	1.4	
996	Hyperglycemia after pediatric cardiac surgery: impact of age and residual lesions. <i>Critical Care Medicine</i> , 2011 , 39, 266-72	1.4	32
995	Small steps in the right direction for ventilator-induced lung injury: Prevention, prevention, prevention!. <i>Critical Care Medicine</i> , 2011 , 39, 196-7	1.4	2
994	Identification of acute kidney injury. <i>Critical Care Medicine</i> , 2011 , 39, 200-1	1.4	12
993	On pediatric delirium and the use of the Pediatric Confusion Assessment Method for the Intensive Care Unit. <i>Critical Care Medicine</i> , 2011 , 39, 220-1	1.4	6
992	Introducing automated acute lung injury/acute respiratory distress syndrome electronic screening in intensive care unit practice: Is it the future?. <i>Critical Care Medicine</i> , 2011 , 39, 209-10	1.4	3
991	Track and trigger systems in sepsis: on target?. <i>Critical Care Medicine</i> , 2011 , 39, 588-9	1.4	
990	Complications of therapeutic hypothermia after cardiac arrest: does the type of cooling device matter?. <i>Critical Care Medicine</i> , 2011 , 39, 582-3	1.4	3
989	Nutritional support in acute pancreatitis: the saga continues!. <i>Critical Care Medicine</i> , 2011 , 39, 587-8	1.4	2
988	Brain death models: solutions in search of problems. <i>Critical Care Medicine</i> , 2011 , 39, 595-6	1.4	2
987	Sustained low efficiency dialysis allows rational renal replacement therapy, but does it allow rational drug dosing?. <i>Critical Care Medicine</i> , 2011 , 39, 602-3	1.4	18

986	Reference values for noninvasive cardiac output monitoring in children. <i>Critical Care Medicine</i> , 2011 , 39, 226-7; author reply 227-8	1.4	
985	Albumin and brain injury: Time for a new approach?. <i>Critical Care Medicine</i> , 2011 , 39, 217-8	1.4	6
984	Closed loop insulin therapy--the answer for all our questions on intensive insulin therapy in intensive care?. <i>Critical Care Medicine</i> , 2011 , 39, 604-5	1.4	
983	Newer technology is not always better. <i>Critical Care Medicine</i> , 2011 , 39, 591-2	1.4	1
982	The 'take home message' from the 'Take Heart America' program: Strengthen the chain!. <i>Critical Care Medicine</i> , 2011 , 39, 194-6	1.4	1
981	Mild therapeutic hypothermia after cardiac arrest: Keep on chilling. <i>Critical Care Medicine</i> , 2011 , 39, 206-7.	1.4	5
980	Intracerebral cytokines in traumatic brain injury: clinical and radiological correlates. <i>Critical Care Medicine</i> , 2011 , 39, 599-601	1.4	2
979	Mitochondrial mechanisms are at the 'heart' of novel ischemia-reperfusion therapies. <i>Critical Care Medicine</i> , 2011 , 39, 593-5	1.4	1
978	Adrenocortical cell tolerance to lipopolysaccharide: a new mechanism for critical illness related corticosteroid insufficiency. <i>Critical Care Medicine</i> , 2011 , 39, 597-8	1.4	2
977	Case discussion in blood glucose variability. 2011 , 43, 70-4; quiz 75-6		3
976	Weighed, measured, and found wanting. <i>Critical Care Medicine</i> , 2011 , 39, 598-9	1.4	
975	Refining the use of therapeutic hypothermia after cardiac arrest. <i>Critical Care Medicine</i> , 2011 , 39, 201-2	1.4	2
974	Drug therapy for sustained ventricular arrhythmias complicating acute myocardial infarction: What does the crystal ball tell you?. <i>Critical Care Medicine</i> , 2011 , 39, 204-5	1.4	0
973	Extracorporeal membrane oxygenation to support cardiopulmonary resuscitation: Useful, but for whom?. <i>Critical Care Medicine</i> , 2011 , 39, 190-1	1.4	11
972	Measuring the effect of inappropriate initial antibiotic therapy on outcomes of patients with Gram-negative sepsis: An imprecise science. <i>Critical Care Medicine</i> , 2011 , 39, 199-200	1.4	4
971	Race and ethnicity in the intensive care unit: what do we know and where are we going?. <i>Critical Care Medicine</i> , 2011 , 39, 579-80	1.4	3
970	Treating the septic muscle with electrical stimulations. <i>Critical Care Medicine</i> , 2011 , 39, 585-6	1.4	2
969	The authors reply:. <i>Critical Care Medicine</i> , 2011 , 39, 224-225	1.4	2

968	Monitoring the ill: Is this another measurement or will it change outcomes?. <i>Critical Care Medicine</i> , 2011 , 39, 202-3	1.4	1
967	Time-dependent glyceimic variability and mortality in critically ill patients with diabetes. <i>Critical Care Medicine</i> , 2011 , 39, 211-3	1.4	6
966	Fluid resuscitation after traumatic brain injury with hypovolemic shock: still a bloody business?. <i>Critical Care Medicine</i> , 2011 , 39, 592-3	1.4	1
965	No sadder sight. <i>Critical Care Medicine</i> , 2011 , 39, 221-2	1.4	
964	Pediatric patients with out-of hospital cardiac arrest: Is therapeutic hypothermia for them?. <i>Critical Care Medicine</i> , 2011 , 39, 218-9	1.4	2
963	The authors reply:. <i>Critical Care Medicine</i> , 2011 , 39, 225-226	1.4	1
962	sRAGE: a useful biomarker in acute lung injury?. <i>Critical Care Medicine</i> , 2011 , 39, 589-90	1.4	3
961	Salt or sugar on the brain: does it matter except for taste?. <i>Critical Care Medicine</i> , 2011 , 39, 601-2	1.4	1
960	Through the magnifying glass. <i>Critical Care Medicine</i> , 2011 , 39, 191-2	1.4	
959	Hypocapnia and the injured brain: Evidence for harm. <i>Critical Care Medicine</i> , 2011 , 39, 229-30	1.4	9
958	The law's impact on the resolution of end-of-life conflicts in the intensive care unit. <i>Critical Care Medicine</i> , 2011 , 39, 223; author reply 223-4	1.4	2
957	Glycemic control by a glucose management service and infection rates after liver transplantation. <i>Endocrine Practice</i> , 2011 , 17, 546-51	3.2	28
956	Incidence of cerebral desaturation events in the ICU following cardiac surgery. 2011 , 15,		78
955	Levels of serum B12, folic acid and homocysteine in thromboembolic diseases on admission to the Emergency Department. 2011 , 15,		78
954	Pulmonary embolism in the ICU: clinical and prognostic signification - can we predict mortality?. 2011 , 15,		78
953	Pulmonary embolism diagnostics from the driver function. 2011 , 15,		78
952	Deep venous thrombosis in ICU patients: exploring the submerged part of the iceberg by an expanded intra-ICU ultrasound surveillance program. 2011 , 15,		78
951	Transthoracic echocardiography performed by intensive care fellows: is minimal focused training enough?. 2011 , 15,		0

950	Survey of echocardiography provision and practice in ICUs in the United Kingdom. 2011 , 15,		1
949	Clinical and economic impact of a TEE monitoring system in intensive care. 2011 , 15,		1
948	Usefulness of chest ultrasonography in the management of acute respiratory failure in the emergency room. 2011 , 15,		1
947	Coronary artery disease and differential analysis of a valve calcium score by transthoracic echocardiography. 2011 , 15,		78
946	Prognosis value of dynamic variation of tissue oxygen saturation during severe cardiogenic shock. 2011 , 15,		78
945	Continuous central venous saturation monitoring in critically ill patients. 2011 , 15,		78
944	Femoral venous oxygen saturation is no surrogate for central venous oxygen saturation. 2011 , 15,		78
943	Continuous glucose monitoring during critical care. 2011 , 114, 18-9		9
942	The potential role of glucagon-like peptide-1 or its analogues in enhancing glycaemic control in critically ill adult patients. 2011 , 13, 118-29		9
941	The role of hyperglycemia in acute illness: supporting evidence and its limitations. 2011 , 27, 276-81		24
940	[Guidelines for specialized nutritional and metabolic support in the critically-ill patient. Update. Consensus of the Spanish Society of Intensive Care Medicine and Coronary Units-Spanish Society of Parenteral and Enteral Nutrition (SEMICYUC-SENPE): hyperglycemia and diabetes mellitus]. 2011 , 35 Suppl 1, 48-52		4
939	Tight glycaemic control in critical care--the leading role of insulin sensitivity and patient variability: a review and model-based analysis. 2011 , 102, 156-71		98
938	The place for glycaemic control in the surgical patient. 2011 , 12, 405-18		18
937	Catecholamine index is a simple and useful marker for bacteremic patients treated by polymyxin B hemoperfusion therapy. 2011 , 15,		78
936	The metrics of glycaemic control in critical care. <i>Intensive Care Medicine</i> , 2011 , 37, 435-43	14.5	1055
935	Understanding glycaemic control in the critically ill: three domains are better than one. <i>Intensive Care Medicine</i> , 2011 , 37, 382-4	14.5	12
934	Glucose variability measures and their effect on mortality: a systematic review. <i>Intensive Care Medicine</i> , 2011 , 37, 583-93	14.5	98
933	Supportive care of a critically ill child. 2011 , 78, 585-92		3

932	Perioperative glucose control: living in uncertain times--Continuing Professional Development. 2011 , 58, 312-20, 320-9	11
931	Inpatient enteral and parenteral [corrected] nutrition for patients with diabetes. 2011 , 11, 99-105	19
930	Understanding the clinical issues involved with glycemic control in the intensive care unit. 2011 , 13, 301-5	2
929	Association of glycemic variability and the presence and severity of coronary artery disease in patients with type 2 diabetes. 2011 , 10, 19	170
928	Pilot proof of concept clinical trials of Stochastic Targeted (STAR) glycemic control. 2011 , 1, 38	67
927	The effect of glycaemic control and glycaemic variability on mortality in patients hospitalized with congestive heart failure. 2011 , 27, 85-93	33
926	Understanding glycemic control in the critically ill: 2011 update. 2011 , 39, 47-55	7
925	Ernährungstherapie des kritisch Kranken - Update 2010. 2011 , 7, 9-20	2
924	Translating glucose variability metrics into the clinic via Continuous Glucose Monitoring: a Graphical User Interface for Diabetes Evaluation (CGM-GUIDE [®]). 2011 , 13, 1241-8	24
923	The effect of a computer-assisted insulin protocol on glycemic control in a surgical intensive care unit. 2011 , 13, 495-500	3
922	Hypoglycemia and glycemic variability among children with acute lymphoblastic leukemia during maintenance therapy. 2011 , 52, 1704-10	5
921	Average daily risk range as a measure of glycemic risk is associated with mortality in the intensive care unit: a retrospective study in a burn intensive care unit. 2011 , 5, 1087-98	6
920	Management of Inpatient Hyperglycemia. 2011 , 42, 427-434	5
919	Postprandial hyperglycemia and glycemic variability: should we care?. 2011 , 34 Suppl 2, S120-7	127
918	The glucogram: A new quantitative tool for glycemic analysis in the surgical intensive care unit. 2011 , 1, 5-12	5
917	Analytic review: glucose controversies in the ICU. 2011 , 26, 135-50	9
916	Whats new in critical illness and injury science ? Mapping and tracking glucose levels in critical patients. 2011 , 1, 3-4	
915	Have the metabolic support pendulums in the intensive care unit stopped swinging?. 2011 , 14, 168-70	

914	Glycemic control in the ICU. 2011 , 140, 212-220	64
913	Clinical interpretation of indices of quality of glycemic control and glycemic variability. 2011 , 123, 107-18	90
912	Higher glycemic variability in very low birth weight newborns is associated with greater early neonatal mortality. 2012 , 25, 1122-6	18
911	DCCN on the Web. 2012 , 31, 329	
910	Protecting the brain during neurosurgical procedures: strategies that can work. 2012 , 25, 548-55	16
909	Achieving tight glycemic control with new technology: the role of the advanced practice nurse. 2012 , 31, 322-9	1
908	The impact of premorbid diabetic status on the relationship between the three domains of glycemic control and mortality in critically ill patients. 2012 , 15, 151-60	65
907	Pilot study of the SPRINT glycemic control protocol in a Hungarian medical intensive care unit. 2012 , 6, 1464-77	10
906	Evaluation of a continuous blood glucose monitoring system using central venous microdialysis. 2012 , 6, 1365-71	23
905	Diabetes and stress hyperglycemia in the intensive care unit: outcomes after cardiac surgery. 2012 , 40, 22-30	4
904	Glycemic management in the inpatient setting. 2012 , 40, 44-55	5
903	Assessing inpatient glycemic control: what are the next steps?. 2012 , 6, 421-7	17
902	Glucose variability and mortality in patients hospitalized with acute myocardial infarction. 2012 , 5, 550-7	30
901	Glycemic levels in critically ill patients: are normoglycemia and low variability associated with improved outcomes?. 2012 , 6, 1030-7	49
900	The effects of precision, haematocrit, pH and oxygen tension on point-of-care glucose measurement in critically ill patients: a prospective study. 2012 , 49, 144-51	24
899	Perceived impact of cancer treatment on diabetes self-management. 2012 , 38, 779-90	36
898	Stochastic targeted (STAR) glycemic control: design, safety, and performance. 2012 , 6, 102-15	84
897	Metabolic and nutrition support in the chronic critical illness syndrome. 2012 , 57, 958-77; discussion 977-8	43

896	Glucose Control in Critical Care Oncology. 2012 , 13, 289-292		1
895	Development and Pilot Trial Results of Stochastic Targeted (STAR) Glycemic Control in a Medical ICU. 2012 , 45, 301-306		1
894	Hyperglycemia and perioperative glucose management. 2012 , 18, 6195-203		70
893	Using a Stochastic Model to Detect Unusual Continuous Glucose Monitor Behaviour in Newborn Infants. 2012 , 45, 248-253		
892	Effect of Diagnosis on Variability of ICU Patients in Insulin Sensitivity. 2012 , 45, 462-466		
891	Recent advances in preoperative cardiac evaluation. 2012 , 18, 6182-94		3
890	Association between intensive care unit-acquired dysglycemia and in-hospital mortality. <i>Critical Care Medicine</i> , 2012 , 40, 3180-8	1.4	83
889	Implementing and evaluating a multicomponent inpatient diabetes management program: putting research into practice. 2012 , 38, 195-206		49
888	Glycemic variability and glucose complexity in critically ill patients: a retrospective analysis of continuous glucose monitoring data. 2012 , 16, R175		54
887	Glycemic variability is complex--is glucose complexity variable?. 2012 , 16, 178		7
886	Risk factors for hypoglycaemia in neurocritical care patients. <i>Intensive Care Medicine</i> , 2012 , 38, 1999-2006	4.5	9
885	Glukosemonitoring beim Intensivpatienten. 2012 , 17, 8-11		
884	Glucose variability negatively impacts long-term functional outcome in patients with traumatic brain injury. 2012 , 27, 125-31		29
883	STAR development and protocol comparison. 2012 , 59, 3357-64		87
882	Variability analysis and the diagnosis, management, and treatment of sepsis. 2012 , 14, 512-21		40
881	The relationship between oxidative stress and the levels of serum circulating adhesion molecules in patients with hyperglycemia crises. 2012 , 26, 291-5		10
880	Using stochastic modelling to identify unusual continuous glucose monitor measurements and behaviour, in newborn infants. 2012 , 11, 45		11
879	Can nutrition support interfere with recovery from acute critical illness?. 2013 , 105, 69-81		10

878	[Glucose variability in intensive care unit]. 2012 , 31, 950-60			1
877	Relative accuracy of arterial and capillary glucose meter measurements in critically ill patients. 2012 , 38, 230-5			20
876	Intensive versus conventional glucose control in critically ill patients: a meta-analysis of randomized controlled trials. 2012 , 23, 564-74			38
875	Encyclopedia of Intensive Care Medicine. 2012 , 718-718			
874	Glukosemonitoring beim Intensivpatienten. 2012 , 15, 20-23			
873	Variability of insulin sensitivity during the first 4 days of critical illness: implications for tight glycemic control. 2012 , 2, 17			66
872	Factors associated with poor glycemic control or wide glycemic variability among diabetes patients in Hawaii, 2006-2009. 2012 , 9, 120065			68
871	Perioperative glucose control in neurosurgical patients. 2012 , 2012, 690362			12
870	Risk of postoperative hypoglycemia in cardiovascular surgical patients receiving computer-based versus paper-based insulin therapy. <i>Endocrine Practice</i> , 2012 , 18, 529-37	3-2		4
869	Characterizing glucose changes antecedent to hypoglycemic events in the intensive care unit. <i>Endocrine Practice</i> , 2012 , 18, 317-24	3-2		7
868	Glycemia management in critical care patients. <i>World Journal of Diabetes</i> , 2012 , 3, 130-4	4-7		31
867	Glycemic control in critically ill patients. 2012 , 1, 31-9			25
866	Improving Safety of Glucose Control in Intensive Care using Virtual Patients and Simulated Clinical Trials. 2012 , 3, 415-430			4
865	Effect of a computerized insulin dose calculator on the process of glycemic control. 2012 , 21, 106-15			35
864	Strict versus liberal target range for perioperative glucose in patients undergoing coronary artery bypass grafting: a prospective randomized controlled trial. 2012 , 143, 318-25			75
863	Blood glucose amplitude variability as predictor for mortality in surgical and medical intensive care unit patients: a multicenter cohort study. 2012 , 27, 119-24			49
862	The association of mean glucose level and glucose variability with intensive care unit mortality in patients with severe acute pancreatitis. 2012 , 27, 146-52			22
861	In silico evaluation of glucose control protocols for critically ill patients. 2012 , 59, 54-7			7

860	Glycemic targets and approaches to management of the patient with critical illness. 2012 , 12, 101-7	39
859	Prognostic value of early in-hospital glycemic excursion in elderly patients with acute myocardial infarction. 2013 , 12, 33	35
858	[Glucose control in the critically ill. Innovations and contemporary strategies]. 2013 , 108, 422-8	1
857	Association of blood glucose variability with outcomes in comatose cardiac arrest survivors treated with therapeutic hypothermia. 2013 , 31, 566-72	14
856	Glycaemic control in the perioperative period. 2013 , 111 Suppl 1, i18-34	51
855	Glucose variability: An emerging target for the treatment of diabetes mellitus. 2013 , 102, 86-95	111
854	Increased glycemic variability is independently associated with length of stay and mortality in noncritically ill hospitalized patients. 2013 , 36, 4091-7	129
853	Feasibility of fully automated closed-loop glucose control using continuous subcutaneous glucose measurements in critical illness: a randomized controlled trial. 2013 , 17, R159	69
852	Dysglycaemia in the critically ill - significance and management. 2013 , 15, 792-801	40
851	The effect of diabetes mellitus on the association between measures of glycaemic control and ICU mortality: a retrospective cohort study. 2013 , 17, R52	71
850	Glycemic control in the critically ill - 3 domains and diabetic status means one size does not fit all!. 2013 , 17, 131	28
849	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. <i>Intensive Care Medicine</i> , 2013 , 39, 165-228	14.5 2975
848	Evaluation of glucose variability when converting from insulin infusion to basal-bolus regimen in a surgical-trauma intensive care unit. 2013 , 28, 804-9	1
847	Continuous glucose monitoring in small animals. 2013 , 43, 381-406	17
846	Software-guided insulin dosing: tight glycemic control and decreased glycemic derangements in critically ill patients. 2013 , 88, 920-9	25
845	High glucose variability increases cerebral infarction in patients with spontaneous subarachnoid hemorrhage. 2013 , 28, 798-803	11
844	Glycemic variability in hospitalized patients: choosing metrics while awaiting the evidence. 2013 , 13, 138-54	21
843	How to manage hyperglycemia in an acute coronary syndrome patient. 2013 , 15, 93-103	2

842	Insulin and atherosclerosis: how are they related?. 2013 , 39, 111-7	37
841	Impact of admission glycemic variability, glucose, and glycosylated hemoglobin on major adverse cardiac events after acute myocardial infarction. 2013 , 36, 1026-32	105
840	Diabetic status and the relation of the three domains of glycemic control to mortality in critically ill patients: an international multicenter cohort study. 2013 , 17, R37	204
839	Transitional NPH insulin therapy for critically ill patients receiving continuous enteral nutrition and intravenous regular human insulin. 2013 , 37, 506-16	25
838	The relationship between glycaemic variability and cardiovascular complications in patients with acute myocardial infarction and type 2 diabetes: a report from the DIGAMI 2 trial. 2013 , 34, 374-9	40
837	Determining "in control" versus "not in control" glucose management of medical/surgical community hospital patients. 2013 , 21, 156-65	
836	Analysis: New point-of-care blood glucose monitoring system for the hospital demonstrates satisfactory analytical accuracy using blood from critically ill patients--an important step toward improved blood glucose control in the hospital. 2013 , 7, 1288-93	7
835	Impact of intraoperative hyperglycaemia on renal dysfunction after off-pump coronary artery bypass. 2013 , 17, 473-8	24
834	Transcranial Doppler velocimetry in aneurysmal subarachnoid haemorrhage: intra- and interobserver agreement and relation to angiographic vasospasm and mortality. 2013 , 110, 577-85	10
833	eComment. Intraoperative glycaemic control in cardiac surgical patients. 2013 , 17, 478	
832	Hypoglycemia in non-critically ill, hospitalized patients with diabetes: evaluation, prevention, and management. 2013 , 41, 109-16	14
831	The relationship between acute and chronic hyperglycemia and outcomes in burn injury. 2013 , 34, 109-14	13
830	Ambulant 24-h glucose rhythms mark calendar and biological age in apparently healthy individuals. 2013 , 12, 207-13	18
829	Evaluation of a continuous blood glucose monitoring system using a central venous catheter with an integrated microdialysis function. 2013 , 15, 26-31	33
828	Glycemic control and prevention of surgical site infection. 2013 , 14, 437-44	23
827	Evaluation and Enhancement of an Intraoperative Insulin Infusion Protocol via In-Silico Simulation. 2013 ,	2
826	Effect of the approach to insulin therapy on glycaemic fluctuations and autonomic tone in hospitalized patients with diabetes. 2013 , 15, 558-63	7
825	Multiplicative surrogate standard deviation: a group metric for the glycemic variability of individual hospitalized patients. 2013 , 7, 1319-27	2

824	The future is now: software-guided intensive insulin therapy in the critically ill. 2013 , 7, 548-54		15
823	Complexity of continuous glucose monitoring data in critically ill patients: continuous glucose monitoring devices, sensor locations, and detrended fluctuation analysis methods. 2013 , 7, 1492-506		13
822	Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. <i>Critical Care Medicine</i> , 2013 , 41, 580-637	1.4	4914
821	Moderate glucose control is associated with increased mortality compared with tight glucose control in critically ill patients without diabetes. 2013 , 143, 1226-1234		46
820	The potential impact of admission insulin levels on patient outcome in the intensive care unit. 2013 , 74, 270-5		6
819	Abnormalities in glucose homeostasis in critically ill children. 2013 , 14, e16-25		26
818	Letter: predicting mortality of critically ill patients by blood glucose levels (diabetes metab j 2013;37:385-90). 2013 , 37, 484-5		
817	Controle glicêmico em pacientes crônicos na UTI. 2013 , 12,		1
816	Lower blood glucose and variability are associated with earlier recovery from renal injury caused by episodic urinary tract infection in advanced type 2 diabetic chronic kidney disease. <i>PLoS ONE</i> , 2014 , 9, e108531	3.7	4
815	Glucose control in the ICU: is there a time for more ambitious targets again?. 2014 , 8, 652-7		5
814	Glycemic variability and acute ischemic stroke: the missing link?. 2014 , 5, 638-46		35
813	Blood Glucose Control in Enteral Nutrition: Strategy for the Treatment of Hyperglycemia in Patients Receiving Enteral Nutrition. 2014 , 1-12		
812	Evidence-based prehospital management of severe traumatic brain injury: a comparative analysis of current clinical practice guidelines. 2014 , 18, 265-73		19
811	Glucose variability is an independent predictor of mortality in hospitalized patients treated with total parenteral nutrition. <i>Endocrine Practice</i> , 2014 , 20, 41-5	3.2	38
810	The benefits of tight glycemic control in critical illness: Sweeter than assumed?. 2014 , 18, 807-13		8
809	Glycemic control in critically ill: A moving target. 2014 , 18, 229-33		4
808	Glycemic variability and outcome in critically ill. 2014 , 18, 285-90		28
807	Should guidelines for glycemic control of the critically ill be individualized?: Weighing the evidence from randomized and observational investigations. 2014 , 42, 14-22		7

806	Managing diabetes mellitus in the surgical patient. 2014 , 4, 515-526	5
805	Pharmacotherapy for Hyperglycemia in Noncritically Ill Hospitalized Patients. 2014 , 27, 180-8	26
804	Hypoglycaemia and predisposing factors among clinical subgroups treated with intensive insulin therapy. 2014 , 58, 223-34	5
803	Inpatient hyperglycaemia improvement quality program. 2014 , 68, 495-502	5
802	Statistical transformation and the interpretation of inpatient glucose control data from the intensive care unit. 2014 , 8, 560-7	2
801	The impact of prediabetes on glycemic control and clinical outcomes postburn injury. 2014 , 35, 5-10	7
800	Clinical impact of sample interference on intensive insulin therapy in severely burned patients: a pilot study. 2014 , 35, 72-9	17
799	Inflammatory biomarkers, glycemic variability, hypoglycemia, and renal transplant outcomes: results of a randomized controlled trial. 2014 , 98, 632-9	10
798	Increased glycemic variability in patients with elevated preoperative HbA1C predicts adverse outcomes following coronary artery bypass grafting surgery. 2014 , 118, 277-287	64
797	Evaluation of intravascular microdialysis for continuous blood glucose monitoring in hypoglycemia: an animal model. 2014 , 8, 839-44	10
796	Relationship between autonomic nervous system function and continuous interstitial glucose measurement in patients with type 2 diabetes. 2014 , 2014, 835392	13
795	The Association of Glucose Variability and Home Discharge Among Survivors of Critical Illness Managed With a Computerized Decision-Support Tool for Glycemic Control. 2014 , 8, 277-285	1
794	The Surviving Sepsis Campaign guidelines 2012: update for emergency physicians. 2014 , 63, 35-47	47
793	Improved safety with intravenous insulin therapy for critically ill patients with renal failure. 2014 , 30, 557-62	8
792	Does the achievement of an intermediate glycemic target reduce organ failure and mortality? A post hoc analysis of the Glucontrol trial. 2014 , 29, 374-9	33
791	Assessment of quality of glycemic control in intensive care patients treated with an insulin infusion at a teaching hospital. 2014 , 38, 139-43	2
790	Blood glucose level and outcome after cardiac arrest: insights from a large registry in the hypothermia era. <i>Intensive Care Medicine</i> , 2014 , 40, 855-62	14.5 46
789	Insulin infusion therapy in critically ill patients. 2014 , 38, 144-50	11

788	Perioperative nutritional support. 2014 , 92, 379-86	7
787	Prognostic impact of early glucose variability in acute heart failure patients: a pilot study. 2014 , 177, 693-5	4
786	Abstracts of the 34th International Symposium on Intensive Care and Emergency Medicine, March 18-21, 2014, Brussels, Belgium. 2014 , 18 Suppl 1, P1-P502	2
785	The Limpet controlled drug cabinet alarm and camera. 2014 , 18, P2	1
784	Role of pharmacist in multidisciplinary pediatric intensive care rounds: a retrospective descriptive study. 2014 , 18, P3	1
783	Improvement in the identification and management of inadvertent hypothermia in the critically ill: an audit cycle. 2014 , 18, P4	78
782	Compliance of a ventilator-associated pneumonia care bundle in an adult intensive care setting. 2014 , 18, P6	1
781	Referrals to a critical care unit: compliance with the NCEPOD recommendations. 2014 , 18, P7	78
780	Organisational changes in service provision outside critical care impact on referral patterns. 2014 , 18, P8	78
779	Demands on a continuing education online-study program for physicians. 2014 , 18, P10	78
778	Do generic measures fully capture health-related quality of life in adult, general critical care survivors?. 2014 , 18, P11	78
777	Surgical HDU admissions: utilisation, organ support and finance. 2014 , 18, P12	78
776	Convalescence via critical care collaboration. 2014 , 18, P13	78
775	Can dynamic light improve melatonin production and quality of sleep?. 2014 , 18, P14	0
774	Targeting blood tests in the ICU may lead to a significant cost reduction. 2014 , 18, P15	0
773	Results of the Telemedicine Program for implementation of the Surviving Sepsis Campaign Protocol in a community Brazilian hospital. 2014 , 18, P17	78
772	ICU nursing connectivity and the quality of care in an academic medical center: a network analysis. 2014 , 18, P18	78
771	Compassion fatigue and burnout among healthcare professionals in the ICU. 2014 , 18, P19	6

770	Effect of divergences about patient's care plan on the outcome of critically ill patients. 2014 , 18, P20	78
769	Prevalence, risk factors and consequences of intra-team conflicts in the ICU. 2014 , 18, P21	78
768	Do we spend less on older critically ill patients? Relationship among intensity of care, severity of illness and mortality. 2014 , 18, P22	78
767	New policy for ICU visits: prospective study. 2014 , 18, P23	1
766	Dealing with cultural diversity during the process of communication and decision-making in the ICU: a literature review. 2014 , 18, P24	1
765	Symptoms of anxiety, depression and post-traumatic stress in pairs of patients and their family members during and following ICU stay: who suffers most?. 2014 , 18, P25	1
764	Heart-focused anxiety in critically ill patients' relatives. 2014 , 18, P26	78
763	Family satisfaction in the ICU: a 6-month experience. 2014 , 18, P27	78
762	Qualitative analysis of a family satisfaction in an adult ICU. 2014 , 18, P28	1
761	Outcomes of ventilated surgical and medical ICU patients: do patients die from ARDS or with ARDS?. 2014 , 18, P29	1
760	Advance care planning in critically ill haematology patients. 2014 , 18, P30	78
759	A new questionnaire to determine the effect of team interaction in the ICU on perceived futility and intention to quit: results of a pilot study in two German hospitals. 2014 , 18, P31	78
758	ASA helps prediction of the death rate in surgical ICU patients. 2014 , 18, P32	78
757	Till death do us part: amyotrophic lateral sclerosis in the ICU. 2014 , 18, P33	78
756	Death rate of patients admitted to a Brazilian ICU on weekends and holidays. 2014 , 18, P34	1
755	How many ways are there to die? Identification of ICU death typologies using cluster analysis. 2014 , 18, P35	78
754	Independent risk factors associated with the decision to withhold therapeutic intervention in patients admitted to the emergency room. 2014 , 18, P36	78
753	Autopsy-detected diagnostic errors in critically ill patients with cirrhosis. 2014 , 18, P37	78

752	Profile, outcomes, and predictors of mortality of abdomino-pelvic trauma patients in a tertiary ICU in Saudi Arabia. 2014 , 18, P38	78
751	Radiation exposure in trauma patients is affected by age. 2014 , 18, P39	78
750	Survival rate and predictors of outcome in intubated patients with haematological malignancies in a Greek ICU. 2014 , 18, P40	78
749	Predictors of outcome in patients with haematological malignancies admitted to critical care. 2014 , 18, P41	78
748	Early risk stratification in patients with oncological and hematological malignancies in the emergency department. 2014 , 18, P42	78
747	Calculated radiation exposure for trauma patients is lower when using the New Injury Severity Score versus the Injury Severity Score to calculate injury severity. 2014 , 18, P43	78
746	Early warning scores: breaking or building barriers to critical care. 2014 , 18, P44	78
745	Impact of obesity on outcomes in patients with sepsis. 2014 , 18, P46	78
744	Obesity is not associated with poor outcomes in older patients with sepsis. 2014 , 18, P47	78
743	Long-term outcome in COPD patients with pneumonic and nonpneumonic exacerbation: a 6-year prospective follow-up study. 2014 , 18, P48	78
742	Frailty predicts need for medical review but not degree of organ support after complex orthopaedic surgery. 2014 , 18, P49	1
741	Frailty measures in the critically ill: are we approaching a critical age? A systematic review. 2014 , 18, P50	1
740	Prediction of 1-year mortality of patients treated for more than 72 hours in an ICU. 2014 , 18, P51	78
739	Long-term physical functioning and health-related outcomes in survivors of intensive care. 2014 , 18, P52	78
738	Patients with prolonged stay on ICUs and the risk of mortality within 1-year of cardiac surgery. 2014 , 18, P53	78
737	Six-month outcomes in lung cancer patients surviving ICU admission: results from a multinational multicenter study. 2014 , 18, P54	78
736	Survival and quality of life in patients acquiring acute kidney injury in the first 24 hours of ICU admission. 2014 , 18, P55	78
735	Increasing age of patients admitted to intensive care, and association between increased age and greater risk of post-ICU death. 2014 , 18, P56	1

734	Outcomes of military patients treated at the UK Royal Centre for Defence Medicine 2007 to 2013. 2014, 18, P57	78
733	Very old patients with cancer admitted to the ICU: outcome and predictive factors of mortality. 2014, 18, P58	78
732	A retrospective review of mortality and complications following oesophagectomy in a large UK teaching hospital. 2014, 18, P59	0
731	SwissScoring: a nationwide survey about SAPS II assessing accuracy. 2014, 18, P60	78
730	Abandoning the National Early Warning Score in our district general hospital. 2014, 18, P61	78
729	Endpoint resuscitation-based prediction model for early mortality of severe sepsis and septic shock. 2014, 18, P62	78
728	Is the Golden hour important? Looking at disability and health-related quality of life in a Portuguese trauma registry. 2014, 18, P63	78
727	Predicting outcomes after blunt chest wall trauma: development and external validation of a new prognostic model. 2014, 18, P64	2
726	Transplantation of bone marrow-derived mononuclear cells can improve the survival rate and suppress the inflammatory response in a rat crush injury model. 2014, 18, P65	78
725	Impact of a dedicated trauma desk in ambulance control on the identification of major trauma in Scotland. 2014, 18, P66	78
724	The Manchester Triage System in optimizing triage in adult general medical emergency patients: the Triage Project. 2014, 18, P67	1
723	Introduction of the Kaifu telemedicine system for emergency medicine to ambulance services with improvement of the survival rates. 2014, 18, P68	78
722	Training to achieve coordination of rescue and ambulance and medical teams. 2014, 18, P69	78
721	Complementary cooperation of an ambulance helicopter and car with medical doctors: meaning of simultaneous dispatch. 2014, 18, P70	78
720	Evaluation and prevention of violence in the emergency department in Lebanon. 2014, 18, P71	78
719	Epidemiology and critical care management of patients admitted after intentional self-poisoning. 2014, 18, P72	78
718	Price per unit: the cost of alcohol-related admissions to a regional ICU. 2014, 18, P73	78
717	Clinical research of patients with multiple organ dysfunction syndrome induced by severe heat stroke: nine case reports and literature review. 2014, 18, P74	78

716	Effect of low-dose hydrocortisone on gene expression profiles after severe burn injury. 2014 , 18, P75	78
715	Low socioeconomic status, ethnicity and geographical location confers high risk of significant accidental burns injuries in London. 2014 , 18, P77	2
714	Effectiveness of noncontrast abdominal multidetector CT for evaluating the patient with renal insufficiency in the emergency department. 2014 , 18, P78	78
713	Antipyretics in the emergency department - intravenous paracetamol versus intramuscular diclofenac: a comparative study. 2014 , 18, P79	78
712	Survey of severe sepsis and septic shock management in Thailand: THAI-SHOCK SURVEY 2013. 2014 , 18, P80	78
711	Laboratory early warning score versus clinical early warning score as a predictor of imminent cardiac arrest. 2014 , 18, P81	78
710	Hospital mortality predictive factors following Rapid Response Team activation. 2014 , 18, P82	1
709	Long-term outcome of the Emergency Response Team system in in-hospital cardiac arrest. 2014 , 18, P83	78
708	Epidemiology of unplanned intensive care admissions through inhospital referrals at a tertiary referral centre university hospital. 2014 , 18, P84	78
707	Use of low-dose CT KUB: is it becoming the easy way out?. 2014 , 18, P85	78
706	Bled dry? An audit of blood sampling practices on an adult intensive therapy unit. 2014 , 18, P86	78
705	Decreasing central-line blood draws by consolidation of phlebotomy timing: results of a quality improvement project. 2014 , 18, P87	78
704	Introducing an arterial non-injectable connector into clinical practice. 2014 , 18, P88	78
703	Novel hemostatic technique using a silicone gel dressing for tangential excision in burn surgery. 2014 , 18, P89	78
702	Should we avoid invasive treatment in cancer patients with pericardial tamponade?. 2014 , 18, P90	78
701	Goal-directed hemostatic therapy using rotational thromboelastometry in patients requiring emergent cardiovascular surgery. 2014 , 18, P91	78
700	Thromboelastometric examination on the ICU before elective procedures. 2014 , 18, P92	78
699	ROTEM: Multiplate monitoring in the ICU and outcome scores. 2014 , 18, P93	1

698	Retrospective observational study of interventional radiology and critical care coagulopathy. 2014, 18, P94	78
697	Monitoring of treatment with low molecular weight heparins using viscoelastic devices. 2014, 18, P95	1
696	Heparin stability in parenteral nutrition bags prepared in a neonatal ICU. 2014, 18, P96	78
695	Bivalirudin or heparin: which anticoagulation strategy for critically ill cardiac surgery patients?. 2014, 18, P97	78
694	Reversal of edoxaban-induced anticoagulation by the four-factor prothrombin complex concentrate Beriplex [®] in a rabbit model. 2014, 18, P98	78
693	Use of a specific antidote to dabigatran (idarucizumab) reduces blood loss and mortality in dabigatran-induced and trauma-induced bleeding in pigs. 2014, 18, P99	6
692	Primary bivalirudin anticoagulation for patients with an implantable ventricular assist device. 2014, 18, P100	78
691	Plasma-free hemoglobin and microvascular response to fresh or old blood transfusion in septic patients. 2014, 18, P101	78
690	Fatty acid composition of blood plasma in multiple organ dysfunction syndrome. 2014, 18, P102	78
689	Response of coagulation and fibrinolysis system was different between older and nonolder patients with severe sepsis. 2014, 18, P103	78
688	εAminocaproic acid does not increase adverse effects in cardiac surgery: an analysis of 2,852 cases. 2014, 18,	78
687	Eculizumab treatment of atypical haemolytic uraemic syndrome: results from the largest prospective clinical trial to date. 2014, 18, P105	1
686	Variation in red blood cell transfusion thresholds in critically ill patients. 2014, 18, P106	3
685	A liberal strategy of red blood cell transfusion reduces cardiovascular complications in older patients undergoing cardiac surgery. 2014, 18, P107	78
684	Anemia and high hematocrit are associated with in-hospital mortality in emergency department patients with suspected infection. 2014, 18, P108	78
683	New simplified criteria for predicting massive transfusion in trauma. 2014, 18, P109	78
682	Blood product transfusions in septic patients are associated with mortality, ARDS, and more days on mechanical ventilation. 2014, 18, P111	78
681	Inflammatory properties of microparticles in stored red blood cell transfusion products. 2014, 18, P113	2

680	Influenza A (H1N1): the first hit for transfusion-related acute lung injury?. 2014 , 18, P114	78
679	Prothrombin complex concentrate restores haemostasis in a dabigatran anticoagulated polytrauma pig model. 2014 , 18, P115	2
678	Effect of a fixed dose of fresh frozen plasma on systemic inflammation and endothelial damage in nonbleeding critically ill patients. 2014 , 18, P116	78
677	Application of damage control resuscitation strategies to patients with severe traumatic hemorrhage: review of plasma to packed red blood cell ratios at a single institution. 2014 , 18, P117	78
676	In a trauma experimental pig model prothrombin complex concentrates and a specific antidote (idarucizumab) are effective to reverse the anticoagulant effects of dabigatran. 2014 , 18, P118	3
675	Attenuation of ischemia-reperfusion injury in swine resuscitated for hemorrhagic shock by low-dose inhaled nitrite or carbon monoxide. 2014 , 18, P119	78
674	Validation of inflationary non-invasive blood pressure monitoring in emergency room patients. 2014 , 18, P120	78
673	Influence of the oscillometric calibration method on accuracy and precision of continuous non-invasive arterial pressure measurements using the CNAP device. 2014 , 18, P121	78
672	Arterial pulse waveform as an n-soliton evolution of the left ventricular pressure pulse. 2014 , 18, P122	78
671	Tackling the burden of postsurgical complications in the USA: would perioperative goal-directed therapy help?. 2014 , 18, P123	1
670	Radiological control of central venous catheter (CVC) versus electrocardiogram-guided control inserted CVC: confirm with transesophageal echocardiography. 2014 , 18, P124	1
669	Impact of the neutral position and rotation of the head in ultrasound-guided internal jugular vein catheterization on duration of procedure and complications. 2014 , 18, P125	78
668	Anthropometric formulas versus intracavitary ECG for optimal tip position of central venous catheters. 2014 , 18, P126	78
667	Residents learning ultrasound-guided catheterization are not sufficiently skilled to use landmarks. 2014 , 18, P127	78
666	Development of a standardized method of peripherally inserted central catheter (PICC-line) bedside installation. 2014 , 18, P128	1
665	Is chest X-ray necessary after central venous catheter insertion?. 2014 , 18, P129	1
664	Diagnostic value of chest ultrasound after cardiac surgery: a comparison with chest X-ray and auscultation. 2014 , 18, P130	2
663	Ultrasound measurement of carotid flow time changes with volume status. 2014 , 18, P131	6

662	Real-time ultrasound-guided subclavian vein cannulation in cardiac surgery: comparison between short-axis and long-axis techniques. 2014 , 18, P132	78
661	Transthoracic echocardiography used in conjunction with passive leg raising for assessment of fluid responsiveness in severe sepsis or septic shock patients. 2014 , 18, P133	78
660	Transoesophageal echocardiography and extracorporeal membrane oxygenation: fancy for enthusiasts or indispensable tool?. 2014 , 18, P134	4
659	Accuracy of synthesized right-sided/posterior chest lead electrocardiograms. 2014 , 18, P135	78
658	Aortic stiffness in patients with early sepsis. 2014 , 18, P136	78
657	Novel technology for non-invasive thoracic fluid measurement: an animal model comparative study. 2014 , 18, P137	78
656	Adherence to the nurse-driven hemodynamic protocol during postoperative care. 2014 , 18, P138	78
655	Pulse wave transit time technique for perioperative non-invasive hemodynamic monitoring. 2014 , 18, P139	78
654	Validation of cardiac output from Mostcare compared with a pulmonary artery catheter in septic patients. 2014 , 18, P140	1
653	Novel non-invasive technology for cardiac output determination. 2014 , 18, P141	78
652	Performance of pulse contour and pulse wave transit time-based continuous cardiac output analyses: clinical validation of two methods in Thai patients undergoing cardiac surgery. 2014 , 18, P142	1
651	Comparison of PiCCO and VolumeView: simultaneous measurement in sepsis pig models. 2014 , 18, P143	1
650	Effects of the restrictive fluid strategy on postoperative pulmonary and renal function following pulmonary resection surgery. 2014 , 18, P144	78
649	Perioperative fluid balance and postoperative changes in serum creatinine in patients admitted to critical care after elective major surgery. 2014 , 18, P145	78
648	Very limited usefulness of pulse pressure variation as a predictor of volume responsiveness in critically ill septic patients. 2014 , 18, P146	78
647	Effects of central hypovolemia induced by tilt table on the Doppler-based renal resistive index in healthy volunteers. 2014 , 18, P147	78
646	Tissue oxygenation as a target for goal-directed therapy in high-risk surgery. 2014 , 18, P148	78
645	Why measurements do (not) work: the human factor. 2014 , 18, P149	78

644	Fluid responsiveness in septic shock. 2014 , 18, P150	78
643	Use of pulse pressure variation and stroke volume variation in spontaneously breathing patients to assess dynamic arterial elastance and to predict arterial pressure response to fluid administration. 2014 , 18, P151	2
642	Accuracy of the plethysmographic variation index as a predictor of fluid responsiveness after cardiac surgery. 2014 , 18, P152	78
641	Kinetics of volume expansion during a fluid challenge. 2014 , 18, P153	78
640	Fluid challenge with shock. 2014 , 18, P154	78
639	In vivo effect of hydroxyethyl starch solution (HES 130/0.4) on different fibrinogen assays. 2014 , 18, P155	78
638	BXL 628 ameliorates toxicity of lactated Ringer in HK-2 human renal proximal tubule cells in a hypovolemia mimicking model. 2014 , 18, P156	78
637	Hypotonic fluids after liver transplantation may be associated with prolonged ICU stay. 2014 , 18, P157	78
636	Early Vasopressin Application in Shock study. 2014 , 18, P158	6
635	Terlipressin-induced hyponatraemia. 2014 , 18, P159	1
634	The association of oxidative stress and pro-inflammatory cytokines in diabetic patients with hyperglycemic crisis. 2014 , 28, 662-6	44
633	Effect of glycemic variability on short term prognosis in acute myocardial infarction subjects undergoing primary percutaneous coronary interventions. 2014 , 6, 76	30
632	Incidence of adverse events in a Brazilian coronary ICU. 2014 , 18, P5	78
631	Care of Burns in Scotland: 3-year data from the Managed Clinical Network National Registry. 2014 , 18, P76	1
630	Transfusion requirements in septic shock patients: a randomized controlled trial. 2014 , 18, P112	1
629	Images in emergency medicine. Man with air below the right diaphragm. Chilaiditi's sign. 2014 , 63, 13, 47	3
628	Reducing the impact of insulin sensitivity variability on glycaemic outcomes using separate stochastic models within the STAR glycaemic protocol. 2014 , 13, 43	15
627	Assessment of the association between glycemic variability and diabetes-related complications in type 1 and type 2 diabetes. 2014 , 105, 273-84	124

626	Association between HbA1c variability and mortality in patients with type 2 diabetes. 2014 , 28, 494-9	44
625	Qualitative analysis of subcutaneous Lispro and regular insulin injections for stress hyperglycemia: a pilot numerical study. 2014 , 356, 192-200	6
624	Impact of glycemic variability and hypoglycemia on adverse hospital outcomes in non-critically ill patients. 2014 , 103, 437-43	24
623	[The optimal blood glucose target in critically ill patient: comparison of two intensive insulin therapy protocols]. 2014 , 142, 192-9	5
622	Perioperative Nutritional Support. 2014 , 92, 379-386	
621	Protective effects of tight glucose control during cardiopulmonary bypass on myocardium in adult nondiabetic patients undergoing valve replacement. 2014 , 30, 1429-35	3
620	Fibrinogen at admission is an independent predictor of mortality in severe sepsis and septic shock. 2014 , 18, P209	2
619	Urinary tissue inhibitor of metalloproteinases-2 and insulin-like growth factor-binding protein 7 as early biomarkers of acute kidney injury and renal recovery following cardiac surgery. 2014 , 18, P381	78
618	Plasma platelet-derived microparticles to platelet count ratio as a marker of mortality in critically ill patients. 2014 , 18, P210	1
617	Systemic glucose variability predicts cerebral metabolic distress and mortality after subarachnoid hemorrhage: a retrospective observational study. 2014 , 18, R89	41
616	Efficacy of terutroban in preventing delayed cerebral ischemia after subarachnoid hemorrhage: a functional isotope imaging study on a rat model. 2014 , 18, P461	78
615	Clinical pulmonary infection score calculator in the early diagnosis and treatment of ventilator-associated pneumonia in the ICU. 2014 , 18, P304	5
614	Ability to speak in ventilator-dependent tracheostomized ICU patients. 2014 , 18, P323	0
613	Vasopressin versus norepinephrine for the management of septic shock in cancer patients. 2014 , 18, P161	2
612	Effect of nasal high flow for postoperative respiratory failure: a prospective observational study. 2014 , 18, P311	78
611	Effect of subglottic secretion drainage for preventing ventilator-associated pneumonia. 2014 , 18, P331	2
610	Enteral administration of antiepileptic agents could have efficacy for prevention of post-traumatic seizures in severe traumatic brain injury. 2014 , 18, P481	78
609	Continuous monitoring of blood glucose using a fiberoptic-based intravascular sensor during postoperative care in the ICU. 2014 , 18, P442	2

608	Demand versus supply in intensive care: an ever-growing problem. 2014, 18, P9	2
607	Analysis of the acoustic environment in an ICU using patient information as a covariate. 2014, 18, P16	78
606	Factors affecting the clinical response to National Early Warning score triggers. 2014, 18, P45	1
605	Haemodynamic effects of phenylephrine commenced prior to induction of anaesthesia in older patients undergoing high-risk vascular surgery. 2014, 18, P164	78
604	Acetaminophen-induced hypotension in the surgical ICU. 2014, 18, P165	1
603	Experiences of a tertiary center with use of extracorporeal membrane oxygenation support in patients with cardiogenic shock after cardiac surgery. 2014, 18, P166	78
602	Potential use of veno-arterial extracorporeal membrane oxygenation for cardiogenic shock refractory to mechanical assist devices: baseline physiology and mortality data. 2014, 18, P167	78
601	Normobaric oxygen paradox and the microcirculation in the critically ill patient: a prospective observational study. 2014, 18, P168	78
600	Predictive criteria for the development of intra-abdominal hypertension and abdominal compartment syndrome. 2014, 18, P169	78
599	Early lactate-guided therapy in cardiac surgery patients: a randomized controlled trial. 2014, 18, P170	1
598	Lactate as a predictor of deterioration in emergency department patients with and without infection. 2014, 18, P171	78
597	Correlation between conventional and advanced hemodynamic parameters versus serum lactate in patients with severe sepsis. 2014, 18, P173	78
596	Delayed assessment of serum lactate in sepsis is associated with an increased mortality rate. 2014, 18, P174	78
595	Lactate quartile concentration and prognosis in severe sepsis and septic shock. 2014, 18, P176	78
594	Comparison of the effects of histidine-triptophan-ketoglutarate solution and crystalloid cardioplegia on myocardial protection during pediatric cardiac surgery. 2014, 18, P178	78
593	Hyperdynamic ejection fraction in the critically ill patient. 2014, 18, P179	78
592	Impact of nitric oxide on pulmonary regurgitation and cardiac function in the acute stage after right ventricular outflow surgery. 2014, 18, P180	78
591	Cardiogenic oscillation in pediatric patients after cardiac surgery. 2014, 18, P181	1

590	Intraoperative dexamethasone on left atrial function and postoperative atrial fibrillation in cardiac surgical patients. 2014 , 18, P182	78
589	White blood cell count and new-onset atrial fibrillation after cardiac surgery. 2014 , 18, P183	78
588	Anti-adrenergic effects of ranolazine in isolated rat aorta. 2014 , 18, P184	78
587	Delays in extubation following elective adult cardiac surgery. 2014 , 18, P185	78
586	Effects of perfusion pressure on the splanchnic circulation after cardiopulmonary bypass: a randomized double cross-over study. 2014 , 18, P186	1
585	Isoflurane attenuates left ventricular akinesia and preserves cardiac output in the Tako-tsubo rat model. 2014 , 18, P187	78
584	Preoperative therapy with angiotensin-converting enzyme inhibitors in cardiac surgery patients: is there any impact on postoperative renal function?. 2014 , 18, P188	78
583	Characterization of the profile and clinical variables associated with mortality in a Brazilian coronary ICU. 2014 , 18, P189	78
582	Hospital visit pattern and its effect on reperfusion time and clinical outcomes in ST-segment elevation acute myocardial infarction. 2014 , 18, P190	78
581	Tissue-aggressive inflammatory response defines the tissue aggressiveness of the post-infarction milieu. 2014 , 18, P191	78
580	Impact of positive end-expiratory pressure application on ventriculo-arterial coupling in decompensated left ventricles after cardiac surgery: a non-invasive echocardiographic study. 2014 , 18, P192	78
579	Prevalence of elevated cardiac troponin T in ICU patients using the high-sensitivity assay and the relationship with mortality. 2014 , 18, P193	78
578	Rhabdomyolysis following cardiac surgery: from prevalence to prevention. 2014 , 18, P194	78
577	Open cavity abdominal surgery in octogenarians and nonagenarians admitted to a university teaching hospital ICU: a retrospective review. 2014 , 18, P195	78
576	Postoperative resource utilization and survival among liver transplant recipients with Model for End-stage Liver Disease score ≥ 10 : a retrospective cohort study. 2014 , 18, P201	78
575	Causes and consequences of infections in patients after liver transplantation: 2-year study in the only ICU that hospitalizes these cases in Greece. 2014 , 18, P202	78
574	Extracorporeal membrane oxygenation before and after adult liver transplantation: worth the effort?. 2014 , 18, P203	9
573	Is cirrhotic cardiomyopathy a risk factor for post-reperfusion syndrome during liver transplantation?. 2014 , 18, P204	78

572	Perioperative management of patients undergoing combined heart-liver transplantation. 2014 , 18, P205	1
571	Impaired balance between coagulation and fibrinolysis plays a prominent role in patients with sepsis. 2014 , 18, P206	78
570	Clinical usefulness of measurement of plasma soluble fibrin levels in critically ill patients. 2014 , 18, P207	78
569	Value of microbial metabolites in blood serum as criteria for bacterial load in the pathogenesis of hemodynamic disorders in critically ill patients. 2014 , 18, P208	3
568	Receptor for advanced glycation end products axis in critically ill patients. 2014 , 18, P211	78
567	Usefulness of the endotoxin activity assay as a biomarker to assess severity in ICU patients. 2014 , 18, P212	78
566	Usefulness of presepsin and procalcitonin levels in the diagnosis of sepsis in patients with acute kidney injury. 2014 , 18, P213	78
565	Differentiating sepsis from non-infective systemic inflammatory response syndrome: comparison between C-reactive protein and leptin. 2014 , 18, P214	78
564	Use of procalcitonin and white blood cells as combined predictors of infection in cardiac surgery patients. 2014 , 18, P215	1
563	Single pro-adrenomedullin determination in septic shock and 28-day mortality. 2014 , 18, P216	78
562	Club Cell protein: a candidate diagnostic biomarker of Pseudomonas aeruginosa nosocomial pneumonia. 2014 , 18, P218	78
561	Plasma cholinesterase activity as diagnostic marker for systemic inflammation. 2014 , 18, P219	1
560	Pre-analytic factors and initial biomarker levels in community- acquired pneumonia patients. 2014 , 18, P221	78
559	Altered T-cell repertoire diversity in septic shock patients. 2014 , 18, P223	78
558	Association between DNA haplogroups and severe sepsis in patients who underwent major surgery. 2014 , 18, P224	78
557	Activated protein C consumption and coagulation parameters in severe sepsis and septic shock. 2014 , 18, P226	78
556	Flow-cytometric analysis in traumatic brain injury to evaluate immunosuppression. 2014 , 18, P227	1
555	Polymorphonuclear cell surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P228	78

554	Lymphocyte surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P229	78
553	Cl:Na ratio on ICU admission as a prognostic indicator of mortality in sepsis patients. 2014 , 18, P230	78
552	Dysfunction of peroxisomes as one of the possible causes of multiple organ dysfunction syndrome development. 2014 , 18, P231	78
551	Differential effect of alcohol on TNF α receptor II production in the presence of LPS challenge ex vivo. 2014 , 18, P232	78
550	Neutrophil phenotype model for extracorporeal treatment of sepsis. 2014 , 18, P233	78
549	Prolactin, cortisol and heat shock proteins in early sepsis: preliminary data. 2014 , 18, P234	78
548	AMP-protein kinase may protect against sepsis-induced acute kidney injury through modulation of immune response and endothelial activation. 2014 , 18, P235	78
547	Study of the ex vivo immune response of polytrauma older patients in the ICU on admission: preliminary results. 2014 , 18, P236	1
546	Multiple trauma is linked with reversal of immunoparalysis and provides survival benefit from <i>Pseudomonas aeruginosa</i> . 2014 , 18, P237	78
545	Delayed admission to the ICU is associated with increased in-hospital mortality in patients with community-acquired severe sepsis or shock. 2014 , 18, P241	0
544	Effect of clarithromycin in patients with Gram-negative sepsis: subgroup analysis of a randomized trial. 2014 , 18, P242	1
543	Benefit profile of recombinant human soluble thrombomodulin in sepsis-induced DIC. 2014 , 18, P243	78
542	Comprehensive assessment of the true sepsis burden using electronic health record screening augmented by natural language processing. 2014 , 18, P244	1
541	Outcomes of neutropenic patients with severe sepsis on a specialist cancer ICU. 2014 , 18, P245	2
540	Vitamin D and ICU outcome in septic patients: a difficult connection?. 2014 , 18, P246	78
539	A meta-analysis of randomized controlled trials on the use of statins in septic patients. 2014 , 18, P247	78
538	Efficacy of early administration of thrombomodulin alfa in patients with sepsis-induced disseminated intravascular coagulation: subanalysis from post-marketing surveillance data. 2014 , 18, P248	78
537	Dynamic myocardial depression in septic cardiomyopathy. 2014 , 18, P249	78

536	Significant change in the practice of chest radiography in Dutch ICUs. 2014, 18, P250	78
535	Stating clear indications for chest radiographs after cardiac surgery increases their efficacy and safely reduces costs. 2014, 18, P251	78
534	Evaluation of early graft function in a case series of lung-transplanted patients. 2014, 18, P252	78
533	Lung function in the immediate postoperative period after videoassisted thoracoscopic and thoracotomy pulmonary resection. 2014, 18, P254	78
532	Lung ultrasound reaeration score: a useful tool to predict non-invasive ventilation effectiveness. 2014, 18, P255	2
531	Ultrasound in the diagnosis of pneumothorax: a survey of current practice. 2014, 18, P256	78
530	Computed tomographic assessment of airflow obstruction in smoke inhalation injury. 2014, 18, P257	78
529	Semi-upright position improves ventilation and oxygenation in mechanically ventilated intensive care patients. 2014, 18, P258	3
528	Effects of sitting on the respiratory pattern, mechanics and work of breathing in mechanically ventilated patients. 2014, 18, P259	78
527	The win ratio method: a novel hierarchical endpoint for pneumonia trials in patients on mechanical ventilation. 2014, 18, P260	5
526	Failure to obtain admission sputum culture is associated with higher mortality and fewer ventilator-free days for intubated pneumonia patients: a quality improvement project. 2014, 18, P261	78
525	Nonventilatory factors affecting noninvasive mechanical ventilation success in hypercapnic critical care patients. 2014, 18, P263	78
524	Physiologic comparison between NAVA, PAV+ and PSV in critically ill patients. 2014, 18, P264	78
523	Oxygenation index outperforms the P/F ratio for mortality prediction. 2014, 18, P266	1
522	Determining the mechanical ventilation mode and pressure support combination that is best compatible with the rapid shallow breathing index calculated in spontaneous ventilation. 2014, 18, P267	1
521	New setting of neurally adjusted ventilatory assist during mask noninvasive ventilation. 2014, 18, P268	78
520	A new setting to improve noninvasive neurally adjusted ventilatory assist by helmet. 2014, 18, P269	78
519	Is neurally adjusted ventilatory assist feasible during anesthesia?. 2014, 18, P270	78

518	PEEP titration on the basis of intratidal resistance-volume profiles. 2014 , 18, P273	78
517	US study of gliding in nondependent lung regions: the dark side of the moon. 2014 , 18, P274	78
516	Protective ventilation reduces bacterial growth and lung injury in a porcine pneumonia model. 2014 , 18, P275	78
515	Changes in computed tomography and ventilation/perfusion mismatch with positive end-expiratory pressure. 2014 , 18, P276	78
514	Ventilator settings in ICUs: comparing a Dutch with a global cohort. 2014 , 18, P277	78
513	Graphical user interface for visualization of a decision support system for PEEP titration. 2014 , 18, P278	78
512	Time-dependent apoptosis induction after spontaneous-breathing or ventilation-analogue experimental mechanostimulation of monolayer lung cell cultures. 2014 , 18, P279	78
511	Influence of positive end-expiratory pressure on cyclic recruitment and derecruitment during one breathing cycle in porcine acute lung injury. 2014 , 18, P280	78
510	Effect of positive end-expiratory pressure on right ventricle function assessed by speckle tracking echocardiography. 2014 , 18, P281	78
509	Airway pressure release ventilation restores hemodynamic stability in patients with cardiogenic shock: initial experience in cardiac intensive care. 2014 , 18, P282	78
508	Experimental VILI begins with subpleural lung lesions. 2014 , 18, P283	78
507	CT scan and ultrasound comparative assessment of PEEP-induced lung aeration changes in ARDS. 2014 , 18, P285	8
506	Effect of tidal volume and positive end-expiratory pressure on lung hysteresis of healthy piglets. 2014 , 18, P286	78
505	Evaluation and quantification of pulmonary hyperinflation in three gravitational zones of domestic felines by computed tomography. 2014 , 18, P287	78
504	Effect of inhaled nitric oxide on apoptosis of lymphocytes in newborns in a critical state. 2014 , 18, P288	1
503	High-frequency oscillatory ventilation use in patients with H1N1: a single-centre review. 2014 , 18, P290	78
502	EIT comparison of airway pressure release ventilation and conventional ventilation. 2014 , 18, P291	78
501	Comparison of HFOV and conventional ventilation in H1N1 influenza ARDS. 2014 , 18, P293	78

500	Opening pressures and intratidal opening and closing in ARDS lung. 2014, 18, P294	78
499	Compliance with protective lung ventilation in an Irish teaching hospital. 2014, 18, P295	78
498	Mechanisms underlying the lung-protective effects of FLOW- controlled EXpiration. 2014, 18, P296	2
497	Fluid balance predicts weaning failure in chronic obstructive pulmonary disease patients. 2014, 18, P299	2
496	Role of the rapid shallow breathing index to predict the success of mechanical ventilator liberation in acute respiratory failure. 2014, 18, P300	78
495	Determinants of ventilator weaning outcome in a medical-surgical ICU. 2014, 18, P301	78
494	Microbiology and outcomes of severe pneumonia in critically ill cancer patients. 2014, 18, P302	78
493	Biomarker-based exclusion of ventilator-associated pneumonia: a multicentre validation study. 2014, 18, P303	1
492	Validation of the 2005 American Thoracic Society/Infectious Diseases Society of America guidelines for ventilator-associated pneumonia: a Japanese multicenter observational study. 2014, 18, P305	78
491	Surveillance and evaluation of ventilator-associated events as per Centers for Disease Control and Prevention guidelines. 2014, 18, P306	78
490	Extracorporeal carbon dioxide removal as a bridge to lung transplantation in life-threatening hypercapnia. 2014, 18, P307	78
489	Quantifying sputum production in intensive therapy. 2014, 18, P309	78
488	Outcomes of patients with acute respiratory failure of mixed aetiology treated with non-invasive ventilation in a large teaching hospital critical care unit. 2014, 18, P310	78
487	Inhalation injury and clinical course in major burned patients. 2014, 18, P312	78
486	Severe respiratory failure in multiple trauma patients: extracorporeal support as a salvage therapy - a single-center experience. 2014, 18, P313	78
485	Advanced respiratory care techniques in a severe adult respiratory failure unit. 2014, 18, P314	78
484	Novel carbon dioxide removal device driven by a renal-replacement system without hemofilter: an experimental approach and validation. 2014, 18, P316	2
483	Does geography affect referral rates for extracorporeal membrane oxygenation in England?. 2014, 18, P317	78

482	Assessment of an endotracheal tube cleaning closed-suctioning system by micro-computed tomography: preliminary clinical data. 2014 , 18, P318	78
481	Does cost affect endotracheal tube performance?. 2014 , 18, P319	78
480	Tracheostomy in obese patients: the best tube choice issue. 2014 , 18, P320	1
479	Development of the novel Tracoe Twist Plus tracheostomy tube. 2014 , 18, P322	78
478	Double-lumen endotracheal tube for percutaneous tracheostomy: in vitro and in vivo preliminary data. 2014 , 18, P324	78
477	National survey of ICUs in the UK: discharging patients with tracheostomies. 2014 , 18, P325	78
476	Percutaneous dilatational tracheostomy in patients with severe coagulopathy or thrombocytopenia. 2014 , 18, P326	78
475	Repeat bedside percutaneous tracheostomy: still a contraindication?. 2014 , 18, P327	0
474	National UK survey: a review of percutaneous tracheostomy and auxiliary subglottic suction port use. 2014 , 18, P328	2
473	Is the post-critical care environment safe for tracheostomy patients?. 2014 , 18, P329	78
472	Survey on the use of chlorhexidine and toothpaste as part of oral care in UK ICUs. 2014 , 18, P330	78
471	Survey of the use and practicalities of subglottic suction drainage in the UK. 2014 , 18, P332	78
470	Intravenous perfluorocarbons increased oxygen delivery/ consumption in ARDS in swine. 2014 , 18, P333	78
469	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334	1
468	Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014 , 18, P335	1
467	Role of Th1 and Th17 imbalance in acute lung injury mice. 2014 , 18, P336	78
466	Comparison of CD80 level on dendritic cells in acute lung injury mice. 2014 , 18, P337	78
465	Five-year single-centre review of ARDS patients receiving high-frequency oscillatory ventilation. 2014 , 18, P338	78

464	Blocking angiotensin type 1 receptor modulates Th1-mediated and Th17-mediated responses in lipopolysaccharide-induced acute lung injury mice. 2014 , 18, P339	78
463	Echocardiographic guidance for Avalon Elite dual-lumen catheter implantation. 2014 , 18, P340	2
462	Risk factors for multi-resistant organisms in sepsis. 2014 , 18, P342	78
461	Clostridium difficile infection in ICU patients. 2014 , 18, P344	78
460	Retrospective observational analysis of the infective risk of arterial lines in a general ICU. 2014 , 18, P345	78
459	Reducing CR-BSI in a general ICU. 2014 , 18, P346	78
458	Risk factors of candidemia in postoperative ICU patients: a prospective study. 2014 , 18, P347	1
457	Escherichia coli infection in Polish neonatology ICUs in 2009 to 2012. 2014 , 18, P348	78
456	Infection control as a nonpharmacologic strategy for the prevention of healthcare-associated infections in a Ukrainian hospital. 2014 , 18, P349	78
455	Surveillance for nosocomial pathogens in our ICU. 2014 , 18, P350	78
454	Candida in the respiratory tract secretions of critically ill patients and the impact of antifungal treatment: a randomized placebocontrolled pilot trial (CANTREAT study). 2014 , 18, P352	78
453	Retrospective analysis of respiratory isolates post out-of-hospital cardiac arrest to establish choices in empirical antibiotic cover. 2014 , 18, P353	78
452	Pharmacokinetics of antituberculosis drugs in critically ill patients with tuberculosis and acute respiratory failure. 2014 , 18, P354	78
451	Eight-year study of the Staphylococcus epidermidis resistance profile against glycopeptides, oxazolidinones and glycylicyclines in an ICU of a Greek tertiary hospital. 2014 , 18, P355	78
450	Vancomycin-resistant enterococci: eradication using vancomycin?. 2014 , 18, P356	78
449	Audit of bacteraemia management in a university hospital ICU. 2014 , 18, P357	78
448	Sepsis: impact of timely and appropriate empirical antibiotic therapy on mortality. 2014 , 18, P358	1
447	Safety and efficacy of amphotericin B inhalation for Candida spp. in the respiratory tract of critically ill patients. 2014 , 18, P359	78

446	Inhaled tobramycin for the treatment of nosocomial pneumonia in sepsis. 2014 , 18, P360	78
445	Sternal wound infections in cardiac surgery: effects of vancomycin prophylaxis. 2014 , 18, P361	78
444	Retrospective analysis of the clinical utility of blood cultures taken surrounding intensive care admission. 2014 , 18, P362	78
443	Employing quality improvement methodology in sepsis: an electronic sepsis order set further improves compliance with the Surviving Sepsis Campaign 3-hour bundle. 2014 , 18, P363	78
442	Acute kidney injury in cardiorenal syndrome type 1: a meta-analysis. 2014 , 18, P364	78
441	Early detection of postoperative acute kidney injury by Doppler renal resistive index in major lung and cardiac operations. 2014 , 18, P365	78
440	Renal resistive index at ICU admission and its change after 24 hours predict acute kidney injury in sepsis. 2014 , 18, P366	4
439	Acute kidney injury and cardiac surgery: impact of fluid balance on AKI classification and prognosis. 2014 , 18, P367	78
438	Acute kidney injury of all severity is associated with extended hospitalization after critical illness. 2014 , 18, P368	2
437	Early acute kidney injury in nonsepsis, noncardiac surgical patients admitted to a general surgical ICU. 2014 , 18, P369	78
436	Impact of kidney function calculation formulae on predicting early adverse renal events in cardiac surgery. 2014 , 18, P370	78
435	Fluid accumulation increases the risk of AKI progression and death in critically ill patients with early AKI. 2014 , 18, P371	1
434	Postoperative acute kidney injury in patients with gynecologic malignancies. 2014 , 18, P372	78
433	Acute kidney injury after elective adult cardiac surgery. 2014 , 18, P373	78
432	Incidence and outcomes of contrast-induced nephropathy in adult ICU patients. 2014 , 18, P374	78
431	Human acute kidney injury is associated with a proinflammatory phenotype. 2014 , 18, P375	78
430	Risk factors for the development of contrast-induced nephropathy in ICU patients. 2014 , 18, P376	78
429	Test characteristics of acute kidney injury biomarkers in animal models of sepsis. 2014 , 18, P377	78

428	Perioperative measurement of urinary oxygen tension as a tool in the prevention of acute kidney injury?. 2014, 18, P378	78
427	Postoperative acute kidney injury can be predicted by the novel biomarkers insulin-like growth factor-binding protein 7/tissue inhibitor of metalloproteinases-2 as early as 6 hours after surgery. 2014, 18, P379	78
426	Urine TIMP2 \uparrow IGFBP7 increases 24 hours before severe AKI. 2014, 18, P380	78
425	Resveratrol ameliorates apoptosis induced by contrast medium ioxitalamate in HK-2 human renal proximal tubule cells in vitro. 2014, 18, P383	78
424	Estimated GFR versus creatinine clearance for evaluation of recovery from acute kidney injury. 2014, 18, P385	78
423	Recovery from AKI by KDIGO criteria. 2014, 18, P386	1
422	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014, 18, P387	1
421	Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014, 18, P388	78
420	Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. 2014, 18, P389	78
419	Relation between preoperative use of diuretics and renal replacement therapy after cardiac surgery: a propensity score analysis. 2014, 18, P390	78
418	Continuous renal replacement therapy (CVVHD) for acute kidney injury in critical care: incidence and outcome across South West Wales. 2014, 18, P391	2
417	Renal replacement therapy in very elderly critical care patients. 2014, 18, P392	78
416	Preventing continuous renal replacement therapies (CRRT)-induced hypophosphatemia using a phosphate-containing CRRT solution in the setting of regional citrate anticoagulation. 2014, 18, P393	78
415	Evaluation of functional differences between two anticoagulation methods used in continuous renal replacement therapy in critical patients. 2014, 18, P395	78
414	Development of key performance indicators for renal replacement therapy in adult intensive care to guide safe and cost-effective therapy. 2014, 18, P396	78
413	Effectiveness of sub-albumin protein leakage membrane EMIC2 in post-cardiac surgery rhabdomyolysis. 2014, 18, P397	78
412	Myoglobin removal of small-protein leakage membrane (EMIC2) in patients in the ICU: a case series. 2014, 18, P398	2
411	Plasma filtration with dialysis (plasma diafiltration) in critically ill patients with acute liver failure. 2014, 18, P399	78

410	Efficacy of continuous plasma diafiltration therapy. 2014, 18, P400	78
409	Hemodialysis with high cutoff membranes improves tissue perfusion in severe sepsis: preliminary data of the Sepsis in Florence sTudy (SIFT). 2014, 18, P401	1
408	Pharmacodynamics and pharmacokinetics of ciprofloxacin during sustained low-efficiency dialysis. 2014, 18, P402	78
407	Pharmacokinetics of meropenem during continuous renal replacement therapy in critically ill patients. 2014, 18, P403	1
406	Impact of ideal versus estimated body weight on haemofiltration dosing in critically ill patients with AKI. 2014, 18, P404	1
405	ICU patients treated with RRT for AKI who have chronic kidney disease have better 1-year outcome compared with patients with better kidney function. 2014, 18, P405	78
404	Long-term outcomes in acute kidney injury patients treated with renal replacement therapy who were alive at hospital discharge. 2014, 18, P406	78
403	Polymyxin B-immobilized fiber hemoperfusion therapy improves sepsis-related immunosuppression. 2014, 18, P407	78
402	Endotoxin activity assay and polymyxin B hemoperfusion use in a cohort of critically ill patients. 2014, 18, P408	78
401	An assessment of long-term sleep quality using actigraphy in survivors of critical illness. 2014, 18, P410	78
400	Study to assess whether staff are able to accurately assess sleep quality and quantity in intensive care patients. 2014, 18, P411	78
399	Simplified versus standard EEG to measure the depth of sedation in mechanically ventilated ICU patients. 2014, 18, P412	78
398	Haemodynamic effects of clonidine in an ovine model of severe sepsis with septic acute kidney injury. 2014, 18, P414	78
397	Off-label use of clonidine for sedation in Dutch ICUs. 2014, 18, P415	1
396	Different effects of propofol and dexmedetomidine on preload dependency in endotoxemic shock with norepinephrine infusion: a randomized case-control study. 2014, 18, P417	1
395	Propofol: monitoring for complications. 2014, 18, P418	0
394	Influence of increased intracranial pressure on sevoflurane-fentanyl anesthesia in major abdominal surgery. 2014, 18, P419	78
393	Quantifying sedation satisfaction during bronchoscopy using the Bispectral Index. 2014, 18, P420	78

392	Risk factor of withdrawal syndrome in the paediatric ICU. 2014 , 18, P421	1
391	Epidural analgesia reduces perioperative myocardial infarction and all-cause mortality after cardiac surgery: but at least 25 epidural hematomas have already happened. 2014 , 18, P422	78
390	Delirium screening, prevention and treatment in the ICU: a systematic review of implementation strategies. 2014 , 18, P423	1
389	Effect of enteral and/or parenteral glutamine supplementation on mortality and morbidity in the critically ill. 2014 , 18, P424	78
388	Increased threshold for gastric residual volumes and impact on nutrition in the ICU. 2014 , 18, P425	78
387	Early enteral feeding in the septic critically ill patient: evaluation of our feeding protocol. 2014 , 18, P426	1
386	A nutritional protocol and personalized support reduce the cumulative caloric deficit of cardiac surgery patients. 2014 , 18, P427	1
385	Vitamin B and C levels of homeless patients who visit the emergency department with alcohol ingestion. 2014 , 18, P428	78
384	Acid-base disorders according to the Stewart approach in septic patients. 2014 , 18, P429	78
383	Changes in urinary electrolytes during acute respiratory acid-base modifications. 2014 , 18, P430	1
382	Admission hypomagnesemia as a mortality predictor in medical critically ill patients. 2014 , 18, P431	2
381	Impact of reduced frequency of phosphate testing on detected phosphate levels and phosphate prescription in critical care. 2014 , 18, P432	78
380	Effect of albumin and total protein concentration on plasma sodium measurements in the ICU. 2014 , 18, P433	78
379	Main causes of water-electrolyte disturbances in patients with acute brain injury: central diabetes insipidus and cerebral salt wasting syndrome. 2014 , 18, P434	78
378	Cardiac surgery alters the sensitivity of the dynamic interaction between the pituitary and adrenal glands. 2014 , 18, P435	78
377	Melatonin blood values and total antioxidant capacity in critically ill patients. 2014 , 18, P436	2
376	Continuous prediction of glucose-level changes using an electronic nose in critically ill patients. 2014 , 18, P437	1
375	Evaluation of blood glucose control in ICU patients with Space GlucoseControl: a European study. 2014 , 18, P438	78

374	Evaluation of Symphony CGM, a non-invasive, transdermal continuous glucose monitoring system for use in critically ill patients. 2014 , 18, P439	2
373	Time-course evaluation of blood glucose changes in response to insulin delivery in critically ill patients. 2014 , 18, P440	78
372	Glycaemia and critical care outcomes. 2014 , 18, P441	78
371	First clinical study data from therapeutic use of a novel continuous glucose monitoring system in the ICU. 2014 , 18, P443	1
370	Impact of corticosteroid administration in septic shock on glycemic variability. 2014 , 18, P445	78
369	Blood glucose target in acute phase suggested by the analysis of the relationship between blood glucose profile and the severity of the diseases. 2014 , 18, P446	78
368	Anti-inflammatory and antioxidant effects of ranolazine on primary cultured astrocytes. 2014 , 18, P447	1
367	Intrathecal lactate to predict spinal cord ischemia in major abdominal surgery. 2014 , 18, P449	78
366	Predictors of ventilatory outcome in cervical spinal injuries. 2014 , 18, P450	78
365	Evaluation of the ocular microcirculation in brain-dead patients: first step towards a new method of multimodal neuromonitoring?. 2014 , 18, P452	78
364	External validation of an early warning alert for elevated intracranial pressure in the Avert-IT database. 2014 , 18, P453	78
363	New support system using a mobile device for diagnostic image display and treatment of acute stroke in Japanese depopulated areas. 2014 , 18, P454	78
362	Effects of cardiac output-guided hemodynamic management on fluid administration after aneurysmal subarachnoid hemorrhage. 2014 , 18, P455	1
361	Effect of transient cerebral ischemia on the expression of receptor for advanced glycation end products in the gerbil hippocampus proper. 2014 , 18, P456	78
360	Correlation of thermal Doppler flowmetry and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury. 2014 , 18, P457	78
359	New look at the 20 mmHg ICP threshold. 2014 , 18, P458	1
358	Model of intracranial hypertension of tumor etiology in laboratory rats. 2014 , 18, P459	78
357	Arterial-jugular bulb differences in pCO ₂ , lactate, serum sodium and C-reactive protein in neurocritical patients. 2014 , 18, P460	78

356	Accuracy of transcranial color-coded duplex sonography in predicting clinical vasospasm and delayed cerebral ischemia in patients with subarachnoid hemorrhage. 2014, 18, P462	78
355	Brain death determination in Europe: one condition with too many nuances. 2014, 18, P464	78
354	What do brain-dead patients ultimately die of?. 2014, 18, P465	78
353	Acute and long-term outcomes of ICU-acquired weakness: a cohort study and propensity matched analysis. 2014, 18, P466	3
352	Early electrophysiological diagnosis of ICU-acquired weakness. 2014, 18, P467	78
351	Choosing a cerebral near-infrared spectroscopy system for use in traumatic brain injury: deriving the ideal source detector layout. 2014, 18, P468	1
350	Single-subject assessment of the distribution of white matter abnormalities measured by diffusion tensor imaging in patients with severe traumatic brain injury. 2014, 18, P469	78
349	Long-term outcome after severe traumatic brain injury. 2014, 18, P470	78
348	Vitamin D level could affect the recovery rate in traumatic brain injury: a retrospective study. 2014, 18, P471	1
347	Could selected probiotics have beneficial effects on clinical outcome of severe traumatic brain injury patients?. 2014, 18, P472	5
346	Effect of blood alcohol level on outcome of patients with traumatic brain injury. 2014, 18, P473	78
345	Long-term outcome prediction using IMPACT and APACHE II in patients with traumatic brain injury treated in the ICU. 2014, 18, P474	78
344	Validating and comparing the CAM-ICU and the ICDSC in mild and moderate traumatic brain injury patients: a multicenter prospective study. 2014, 18, P475	1
343	Functional status after 3 years in ICU patients with traumatic brain injury. 2014, 18, P476	78
342	Demographic profiles and extent of critical care resources utilisation in patients with severe traumatic brain injury: a Tan Tock Seng Hospital National Neuroscience Institute study. 2014, 18, P477	78
341	Outcome measures in randomized controlled trials of patients with severe traumatic brain injury: a systematic review. 2014, 18, P478	78
340	Predicting 6-month mortality of patients with traumatic brain injury: usefulness of common severity scores. 2014, 18, P479	78
339	Work activities after 3-year follow-up in ICU patients with traumatic brain injury. 2014, 18, P480	78

338	Simulation-based education for cardiopulmonary resuscitation and airway management protocols: a brief report of a systematic review and meta-analysis. 2014 , 18, P482	1
337	Video analysis of cardiopulmonary resuscitation performance of ambulance crews during transportation. 2014 , 18, P483	78
336	Implementation of the PulsePoint smartphone application for crowd-sourcing bystander resuscitation. 2014 , 18, P484	6
335	Emergency room advanced life support after cardiac arrest: outcomes and survival, nursing care and team response. 2014 , 18, P485	78
334	What is the role of head computed tomography in post-resuscitation care?. 2014 , 18, P486	1
333	To see or not to see: does video CPR perform better than telephone CPR?. 2014 , 18, P487	78
332	Initial anticoagulation strategy for extracorporeal cardiopulmonary resuscitation patients. 2014 , 18, P488	78
331	Predictors of poor outcome in out-of-hospital cardiac arrest. 2014 , 18, P489	78
330	Mean initial cerebral saturation and time to start advanced life support in out-of-hospital cardiac arrest: are they correlated?. 2014 , 18, P490	78
329	Predicting survival in patients admitted to intensive care following out-of-hospital cardiac arrest using the Prognosis After Resuscitation score. 2014 , 18, P491	2
328	Post Arrest Consult Team: a knowledge translation strategy for post-cardiac arrest care. 2014 , 18, P492	78
327	One-year assessment of in-hospital cardiac arrest. 2014 , 18, P493	3
326	Endovascular hypothermia after cardiac arrest in a Chilean ICU. 2014 , 18, P494	78
325	Knowledge and use of therapeutic hypothermia in cardiac arrest victims among healthcare staff in Greece. 2014 , 18, P495	78
324	Induced hypothermia of 33°C does not affect host response compared with maintaining 36°C. 2014 , 18, P496	78
323	Shivering during targeted temperature management after cardiac arrest: a physiologic description. 2014 , 18, P498	78
322	Temperature management following cardiac arrest: introducing a protocol improves compliance with targets. 2014 , 18, P499	78
321	Factors involved in prolonged effect of neuromuscular blockade in therapeutic hypothermia. 2014 , 18, P500	78

320	Serum phosphate concentration during the rewarming period after deep hypothermic circulatory arrest. 2014, 18, P501	0
319	Influence of baseline magnesium concentrations on shivering in therapeutic temperature modulation. 2014, 18, P502	0
318	Incretins and the intensivist: what are they and what does an intensivist need to know about them?. 2014, 18, 205	10
317	Coefficient of glucose variation is independently associated with mortality in critically ill patients receiving intravenous insulin. 2014, 18, R86	46
316	Derived electromyography is an accurate measure of shivering burden during targeted temperature management. 2014, 18, P497	78
315	Lactate clearance as a predictor of mortality in colonic perforation. 2014, 18, P175	78
314	Intensive alveolar recruitment after cardiac surgery: a randomized controlled clinical trial. 2014, 18,	78
313	Adipose tissue lactate clearance but not blood lactate clearance is associated with clinical outcome in severe sepsis or septic shock during the post-resuscitation period. 2014, 18, P172	78
312	Correlation between arterial lactate and venous lactate in patients with sepsis and septic shock. 2014, 18, P177	6
311	Track m: modelling and simulation. 2014, 59 Suppl 1, s910-s1027	10
310	Value of peak flow rates measured during a spontaneous breathing trial to predict success of weaning from mechanical ventilation. 2014, 18, P297	78
309	Implementation of the Behavioural Pain Scale in sedated mechanically ventilated patients in a UK ICU. 2014, 18, P413	78
308	A pilot study of continuous glucose monitoring in critically ill patients: Do they perform well enough for use in glycaemic control?. 2014, 47, 10970-10975	
307	Variability of Model based Insulin Sensitivity in Liver Transplanted Patients. 2014, 47, 11595-11598	
306	T-cell receptor activation-associated cytokine release is impaired in septic patients with faecal peritonitis. 2014, 18, P225	78
305	Impact of glucose fluctuation on acute cerebral infarction in type 2 diabetes. 2014, 41, 486-92	10
304	Nutrition Support in the Chronically Critically Ill Patient. 2015, 605-618	
303	COMPARISON OF BASAL INSULIN REGIMENS ON GLYCEMIC VARIABILITY IN NONCRITICALLY ILL PATIENTS WITH TYPE 2 DIABETES. <i>Endocrine Practice</i> , 2015, 21, 1333-43	3.2 6

302	RETROSPECTIVE STUDY OF GLYCEMIC CONTROL FOLLOWING TRANSITION FROM THE INTENSIVE CARE UNIT IN A NATIONAL SAMPLE OF U.S. HOSPITALS. <i>Endocrine Practice</i> , 2015 , 21, 986-92	3.2	5
301	American Association Of Clinical Endocrinologists And American College Of Endocrinology -Clinical Practice Guidelines For Developing A Diabetes Mellitus Comprehensive Care Plan 2015. <i>Endocrine Practice</i> , 2015 , 21, 1-87	3.2	390
300	Modeling Inpatient Glucose Management Programs on Hospital Infection Control Programs: An Infrastructural Model of Excellence. 2015 , 41, 325-36		5
299	High glucose variability is associated with poor neurodevelopmental outcomes in neonatal hypoxic ischemic encephalopathy. 2015 , 8, 119-24		14
298	Time in blood glucose range 70 to 140 mg/dl >80% is strongly associated with increased survival in non-diabetic critically ill adults. 2015 , 19, 179		106
297	Influence of a strict glucose protocol on serum potassium and glucose concentrations and their association with mortality in intensive care patients. 2015 , 19, 270		7
296	Wider Perioperative Glycemic Fluctuations Increase Risk of Postoperative Acute Kidney Injury: A Prospective Cohort Study. 2015 , 94, e1953		10
295	Hyperglycemia in Critically Ill Patients: Management and Prognosis. 2015 , 69, 157-60		26
294	Glucose control in critical care. <i>World Journal of Diabetes</i> , 2015 , 6, 1082-91	4.7	37
293	DAILY INPATIENT GLYCEMIC SURVEY (DINGS): A PROCESS TO REMOTELY IDENTIFY AND ASSIST IN THE MANAGEMENT OF HOSPITALIZED PATIENTS WITH DIABETES AND HYPERGLYCEMIA. <i>Endocrine Practice</i> , 2015 , 21, 927-35	3.2	13
292	Clinical Implications of Glucose Variability: Chronic Complications of Diabetes. 2015 , 30, 167-74		62
291	Glycemic Variability: How Do We Measure It and Why Is It Important?. 2015 , 39, 273-82		196
290	Parenteral nutrition--the sweet and sour truth. <i>Endocrine Practice</i> , 2015 , 21, 5-6	3.2	
289	Reducing Mortality in Critically Ill Patients. 2015 ,		
288	Multicenter Observational Study of the First-Generation Intravenous Blood Glucose Monitoring System in Hospitalized Patients. 2015 , 9, 739-50		7
287	Metabolic Management during Critical Illness: Glycemic Control in the ICU. 2015 , 36, 859-69		17
286	Evaluation of glucose management during therapeutic hypothermia at a Tertiary Academic Medical Center. 2015 , 89, 64-9		6
285	The effect of a hypoglycemia treatment protocol on glycemic variability in critically ill patients. 2015 , 30, 156-60		10

284	Perioperative catabolism. 2015 , 62, 182-93	37
283	Vascular Glucose Sensor Symposium: Continuous Glucose Monitoring Systems (CGMS) for Hospitalized and Ambulatory Patients at Risk for Hyperglycemia, Hypoglycemia, and Glycemic Variability. 2015 , 9, 725-38	9
282	The Development of a Continuous Intravascular Glucose Monitoring Sensor. 2015 , 9, 751-61	42
281	Glucose control positively influences patient outcome: A retrospective study. 2015 , 30, 455-9	38
280	Effects of glucose-dependent insulinotropic polypeptide on gastric emptying, glycaemia and insulinaemia during critical illness: a prospective, double blind, randomised, crossover study. 2015 , 19, 20	17
279	The relationship between serum potassium, potassium variability and in-hospital mortality in critically ill patients and a before-after analysis on the impact of computer-assisted potassium control. 2015 , 19, 4	37
278	Glycemic Variability: Assessing Glycemia Differently and the Implications for Dietary Management of Diabetes. 2015 , 35, 389-424	32
277	The impact of measurement frequency on the domains of glycemic control in the critically ill—a Monte Carlo simulation. 2015 , 9, 237-45	25
276	Performance Evaluation of a Glucose Monitoring System for Point-of-Care Testing With the Critically Ill Patient Population: A Multicenter Study. 2015 , 14, 37-41	5
275	Novel approach to inpatient glucometric monitoring and variability in a community hospital setting. 2015 , 9, 246-56	
274	Early glucose variability in cardiogenic shock following acute myocardial infarction: a pilot study. 2015 , 9, 127-32	4
273	Glycemic control in the critically ill: What have we learned since NICE-SUGAR?. 2015 , 43, 191-7	22
272	Comparison of Basal-Bolus and Premixed Insulin Regimens in Hospitalized Patients With Type 2 Diabetes. 2015 , 38, 2211-6	62
271	Randomized Evaluation of Glycemic Control in the Medical Intensive Care Unit Using Real-Time Continuous Glucose Monitoring (REGIMEN Trial). 2015 , 17, 889-98	24
270	[Septic shock in intensive care units. Current focus on treatment]. 2015 , 86, 224-35	0
269	Control de la glucemia en el paciente crítico. 2015 , 15, 3-7	
268	Stochastic Model Predictive (STOMP) glycaemic control for the intensive care unit: Development and virtual trial validation. 2015 , 16, 61-67	17
267	FEASIBILITY OF AN INTENSIVE CONTROL INSULIN-NUTRITION GLUCOSE MODEL [CING] WITH MALAYSIAN CRITICALLY-ILL PATIENT. 2016 , 8, 40	2

266	Performance of STAR virtual trials for diabetic and non-diabetic in HTAA intensive care unit. 2016,		4
265	Liberal Glycemic Control in Critically Ill Patients With Type 2 Diabetes: An Exploratory Study. <i>Critical Care Medicine</i> , 2016 , 44, 1695-703	1.4	35
264	INPATIENT GLUCOSE MANAGEMENT TEAMS: EVIDENCE FOR A COMMON SENSE PRACTICE. <i>Endocrine Practice</i> , 2016 , 22, 1465-1467	3.2	
263	IMPACT OF GLUCOSE MANAGEMENT TEAM ON OUTCOMES OF HOSPITALIZATION IN PATIENTS WITH TYPE 2 DIABETES ADMITTED TO THE MEDICAL SERVICE. <i>Endocrine Practice</i> , 2016 , 22, 1401-1405	3.2	23
262	Hypoglycemia Prevention in Hospital Patients: A Quality Improvement Project to Prevent Severe and Recurrent Hypoglycemia. 2016 , 34, 193-199		8
261	Hypertension. 19-26		
260	Measures of Glycemic Variability in Type 1 Diabetes and the Effect of Real-Time Continuous Glucose Monitoring. 2016 , 18, 806-812		49
259	Hyperglycemia. 122-129		
258	Glucose control in acute brain injury: does it matter?. 2016 , 22, 120-7		15
257	Safety, efficacy and clinical generalization of the STAR protocol: a retrospective analysis. 2016 , 6, 24		79
256	How do I manage hyperglycemia/post-transplant diabetes mellitus after allogeneic HSCT. 2016 , 51, 1041-9		19
255	Prognostic significance of glycemic variability after cardiac surgery. 2016 , 30, 613-7		16
254	Blood glucose control using a computer-guided glucose management system in allogeneic hematopoietic cell transplant recipients. 2016 , 51, 973-9		6
253	Long-term changes in dysnatremia incidence in the ICU: a shift from hyponatremia to hypernatremia. 2016 , 6, 22		34
252	Current topics in glycemic control by wearable artificial pancreas or bedside artificial pancreas with closed-loop system. 2016 , 19, 209-18		20
251	The effects of ICU specific nutrition management, as a human factor by using Stochastic Targeted glycaemic control**Research is supported by EU FP7 IRSES, Engineering Technology based Innovation in Medicine, Grant No. 318943 and Hungarian National Scientific Research Foundation, Grant No. K1-16574. Finally author Stewart was supported by a UC Doctoral Scholarship. 2016 , 49, 236-242		
250	Hypoglycemia and glycemic variability are associated with mortality in non-intensive care unit hospitalized infectious disease patients with diabetes mellitus. 2016 , 7, 429-35		22
249	ESICM LIVES 2016: part three. 2016 , 4,		4

248	Accuracy, reliability, feasibility and nurse acceptance of a subcutaneous continuous glucose management system in critically ill patients: a prospective clinical trial. 2016 , 6, 70		22
247	Simulation and qualitative analysis of glucose variability, mean glucose, and hypoglycemia after subcutaneous insulin therapy for stress hyperglycemia. 2016 , 13, 3		5
246	In Silico Testing of an Artificial-Intelligence-Based Artificial Pancreas Designed for Use in the Intensive Care Unit Setting. 2016 , 10, 1360-1371		17
245	miR-1273g-3p participates in acute glucose fluctuation-induced autophagy, dysfunction, and proliferation attenuation in human umbilical vein endothelial cells. 2016 , 310, E734-43		21
244	Accuracy of 2 Different Continuous Glucose Monitoring Systems in Patients Undergoing Cardiac Surgery. 2017 , 11, 108-116		36
243	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Intensive Care Medicine</i> , 2017 , 43, 304-377	14.5	3178
242	Metabolic control in the critically ill patient an update: Hyperglycemia, glucose variability hypoglycemia and relative hypoglycemia. 2017 , 85, 93-100		0
241	Impact of a Paper-Based Dynamic Insulin Infusion Protocol on Glycemic Variability, Time in Target, and Hypoglycemic Risk: A Stepped Wedge Trial in Medical Intensive Care Unit Patients. 2017 , 19, 115-123		6
240	Dysglycemia, Glycemic Variability, and Outcome After Cardiac Arrest and Temperature Management at 33°C and 36°C. <i>Critical Care Medicine</i> , 2017 , 45, 1337-1343	1.4	20
239	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Critical Care Medicine</i> , 2017 , 45, 486-552	1.4	1683
238	Update on Glucose Management Among Noncritically Ill Patients Hospitalized on Medical and Surgical Wards. 2017 , 1, 247-259		5
237	Comparison of in-hospital glycemic variability and admission blood glucose in predicting short-term outcomes in non-diabetes patients with ST elevation myocardial infarction underwent percutaneous coronary intervention. 2017 , 9, 20		9
236	Glycaemic variability in patients with severe sepsis or septic shock admitted to an Intensive Care Unit. 2017 , 41, 98-103		6
235	Hyperglycemia and glycemic variability are associated with the severity of sepsis in nondiabetic subjects. 2017 , 38, 319-323		16
234	[Metabolic control in the critically ill patient an update: hyperglycemia, glucose variability hypoglycemia and relative hypoglycemia]. 2017 , 85, 93-100		4
233	Clinical Effectiveness of Intravenous Exenatide Infusion in Perioperative Glycemic Control after Coronary Artery Bypass Graft Surgery: A Phase II/III Randomized Trial. 2017 , 127, 775-787		17
232	SAFETY AND EFFICACY OF PERSONALIZED GLYCEMIC CONTROL IN CRITICALLY ILL PATIENTS: A 2-YEAR BEFORE AND AFTER INTERVENTIONAL TRIAL. <i>Endocrine Practice</i> , 2017 , 23, 318-330	3.2	43
231	Comparison of 2 intravenous insulin protocols: Glycemia variability in critically ill patients. 2017 , 64, 250-257		

230	Tiered protocol implementation improves treatment of hypoglycaemia in a neurosciences critical care and surgical intensive care unit. 2017 , 43, 6-11		0
229	Glukosemanagement in der Intensivmedizin. 2017 , 42, 331-349		2
228	Visit-to-Visit Variability of Fasting Plasma Glucose and the Risk of Cardiovascular Disease and All-Cause Mortality in the General Population. 2017 , 6,		41
227	Glucometrics and Insulinometrics. 2017 , 17, 121		4
226	High Glucose Variability Increases Mortality Risk in Hospitalized Patients. 2017 , 102, 2230-2241		37
225	Glucose Control, Diabetes Status, and Mortality in Critically Ill Patients: The Continuum From Intensive Care Unit Admission to Hospital Discharge. 2017 , 92, 1019-1029		35
224	Untangling glycaemia and mortality in critical care. 2017 , 21, 152		45
223	Comparison of 2 intravenous insulin protocols: Glycemia variability in critically ill patients. 2017 , 64, 250-257		
222	Perioperatives Management von Menschen mit Diabetes bei elektiven Eingriffen. 2017 , 13, 203-218		2
221	Closed-loop insulin delivery in inpatients with type 2 diabetes: a randomised, parallel-group trial. 2017 , 5, 117-124		59
220	Postoperative Hypoglycemia Is Associated With Worse Outcomes After Cardiac Operations. 2017 , 103, 526-532		12
219	The clinical and economic impact of the use of diabetes-specific enteral formula on ICU patients with type 2 diabetes. 2017 , 36, 1567-1572		7
218	The Effect of Variable vs Fixed Feeding on Glycaemic Control in the Adult ICU: Virtual Trial Evaluation. 2017 , 50, 880-885		
217	Critical Care Management Focused on Optimizing Brain Function After Cardiac Arrest. 2017 , 81, 427-439		10
216	Management of critically ill patients with diabetes. <i>World Journal of Diabetes</i> , 2017 , 8, 89-96	4-7	13
215	Brain Monitoring in Critically Neurologically Impaired Patients. 2016 , 18,		10
214	Variability in Glycemic Control with Temperature Transitions during Therapeutic Hypothermia. 2017 , 2017, 4831480		6
213	Dysglycemia in the critically ill patient: current evidence and future perspectives. <i>Revista Brasileira De Terapia Intensiva</i> , 2017 , 29, 364-372	1.2	14

212	Performance of Stochastic Targeted Blood Glucose Control Protocol by virtual trials in the Malaysian intensive care unit. 2018 , 162, 149-155	3
211	Effects of glycemic variability and hyperglycemia in acute ischemic stroke on post-stroke cognitive impairments. 2018 , 32, 682-687	20
210	Glycemic Effects of a Low-Carbohydrate Enteral Formula Compared With an Enteral Formula of Standard Composition in Critically Ill Patients: An Open-Label Randomized Controlled Clinical Trial. 2018 , 42, 1035-1045	13
209	Model-Based Insulin-Nutrition Administration for Glycemic Control in Malaysian Critical Care: First Pilot Trial. 2018 , 189-196	4
208	A qualitative numerical study of glucose dynamics in patients with stress hyperglycemia and diabetes receiving intermittent and continuous enteral feeds. 2018 , 10, 108-116	
207	Hyperglycemia in ICU. 2018 , 379-397	
206	Systematic comparison of routine laboratory measurements with in-hospital mortality: ICU-Labome, a large cohort study of critically ill patients. 2018 , 56, 1140-1151	4
205	Overfeeding-associated hyperglycemia and injury-response homeostasis in critically ill neonates. 2018 , 53, 1688-1691	7
204	Risk of Hypoglycemia During Insulin Infusion Directed by Paper Protocol Versus Electronic Glycemic Management System in Critically Ill Patients at a Large Academic Medical Center. 2018 , 12, 47-52	12
203	Management of Diabetes and/or Hyperglycemia in Non-Critical Care Hospital Settings. 2018 , 491-505	
202	Blood Glucose Variability: A Strong Independent Predictor of Neurological Outcomes in Aneurysmal Subarachnoid Hemorrhage. 2018 , 33, 189-195	18
201	High dose amino acid administration achieves an anabolic response in type 2 diabetic patients that is independent of glycaemic control: A randomized clinical trial. 2018 , 37, 1163-1171	2
200	Glucose homeostasis, nutrition and infections during critical illness. 2018 , 24, 10-15	25
199	Accurate and precise prediction of insulin sensitivity variance in critically ill patients. 2018 , 39, 327-335	4
198	Increased glycemic variability associated with a poor 30-day functional outcome in acute intracerebral hemorrhage. 2018 , 129, 861-869	4
197	Preliminary results from the STAR-Liège clinical trial: Virtual trials, safety, performance, and compliance analysis. 2018 , 51, 355-360	5
196	3D Stochastic Modelling of Insulin Sensitivity in STAR: Virtual trials analysis. 2018 , 51, 128-133	
195	Novel Model to Predict Gastrointestinal Bleeding During Left Ventricular Assist Device Support. 2018 , 11, e005267	21

194	Wider intraoperative glycemic fluctuation increases risk of acute kidney injury after pediatric cardiac surgery. 2018 , 40, 611-617		4
193	Association of abnormal carbon dioxide levels with poor neurological outcomes in aneurysmal subarachnoid hemorrhage: a retrospective observational study. <i>Journal of Intensive Care</i> , 2018 , 6, 83	7	8
192	Associations of Variability in Blood Pressure, Glucose and Cholesterol Concentrations, and Body Mass Index With Mortality and Cardiovascular Outcomes in the General Population. 2018 , 138, 2627-2637		99
191	Admission glycemic variability correlates with in-hospital outcomes in diabetic patients with non-ST segment elevation acute coronary syndrome undergoing percutaneous coronary intervention. 2018 , 19, 368-373		6
190	Nutrition delivery, workload and performance in a model-based ICU glycaemic control system. 2018 , 166, 9-18		7
189	Increased postoperative glucose variability is associated with adverse outcomes following orthopaedic surgery. 2018 , 100-B, 1125-1132		21
188	Wider perioperative glycemic fluctuations increase risk of postoperative atrial fibrillation and ICU length of stay. <i>PLoS ONE</i> , 2018 , 13, e0198533	3-7	11
187	Post-operative stress hyperglycemia is a predictor of mortality in liver transplantation. 2018 , 10, 35		1
186	Nutrition delivery of a model-based ICU glycaemic control system. 2018 , 8, 4		20
185	Glycemic Control in Critically Ill Surgical Patients. 2018 , 441-450		
184	Clinical Implications of Serial Glucose Measurements in Acute Ischemic Stroke Patients Treated with Intravenous Thrombolysis. <i>Scientific Reports</i> , 2018 , 8, 11761	4-9	2
183	Safe and effective glycaemic control in premature infants: observational clinical results from the computerised STAR-GRYPHON protocol. 2019 , 104, F205-F211		5
182	Glycaemic variability and its association with enteral and parenteral nutrition in critically ill ventilated patients. 2019 , 38, 1707-1712		8
181	Glycemia management in acute ischemic stroke: current concepts and novel therapeutic targets. 2019 , 131, 423-437		19
180	Model-based glycemic control in a Malaysian intensive care unit: performance and safety study. 2019 , 12, 215-226		8
179	Feasibility of Blood Glucose Management Using Intra-Arterial Glucose Monitoring in Combination with an Automated Insulin Titration Algorithm in Critically Ill Patients. 2019 , 21, 581-588		
178	The state of variability: A vision for descriptors of glycaemia. 2019 , 48, 472-484		4
177	Percentage of Time in Range 70 to 139 mg/dL Is Associated With Reduced Mortality Among Critically Ill Patients Receiving IV Insulin Infusion. 2019 , 156, 878-886		24

176	Impact of Carbohydrate on Glucose Variability in Patients with Type 1 Diabetes Assessed Through Professional Continuous Glucose Monitoring: A Retrospective Study. 2019 , 10, 2289-2304	4
175	Diabetic status and the relationship of blood glucose to mortality in adults with carbapenem-resistant <i>Acinetobacter baumannii</i> complex bacteremia. 2019 , 52, 654-662	8
174	Clinical Compliance in Personalised Model-based Medical Decision Support: Do computers and interfaces yield better compliance?. 2019 , 51, 341-346	2
173	Multi-input stochastic prediction of insulin sensitivity for tight glycaemic control using insulin sensitivity and blood glucose data. 2019 , 182, 105043	6
172	Prospective evaluation of a dynamic insulin infusion algorithm for non critically-ill diabetic patients: A before-after study. <i>PLoS ONE</i> , 2019 , 14, e0211425	3-7 2
171	Hemoglobin A1c and Permissive Hyperglycemia in Patients in the Intensive Care Unit with Diabetes. 2019 , 35, 289-300	11
170	Visit-to-visit variability of metabolic parameters and risk of heart failure: A nationwide population-based study. 2019 , 293, 153-158	14
169	Glycemic control in the intensive care unit: A control systems perspective. 2019 , 48, 359-368	21
168	Glycaemic variation is a predictor of all-cause mortality in the Veteran Affairs Diabetes Trial. 2019 , 16, 178-185	13
167	Hypoglycemia and Hyperglycemia in Critically Ill Cancer Patients. 2019 , 1-14	
166	Modelling insulin adsorption in intravenous infusion sets in the intensive care unit. 2019 , 8, 100042	3
165	Impact of post-procedural glycemic variability on cardiovascular morbidity and mortality after transcatheter aortic valve implantation: a post hoc cohort analysis. 2019 , 18, 27	9
164	Intraoperative glucose variability, but not average glucose concentration, may be a risk factor for acute kidney injury after cardiac surgery: a retrospective study. 2019 , 66, 921-933	8
163	Glycemic variability and mortality in patients hospitalized in general surgery wards. 2019 , 166, 184-192	13
162	How Does Inflammation-Induced Hyperglycemia Cause Mitochondrial Dysfunction in Immune Cells?. 2019 , 41, e1800260	4
161	Diabetes and Palliative Care: A Framework to Help Clinicians Proactively Plan for Personalized care. 2019 ,	1
160	Usefulness of Glycemic Control Using an Artificial Pancreas Apparatus for Cardiovascular Surgery. 2019 , 65, 503-508	2
159	The Long and Winding Road to Personalized Glycemic Control in the Intensive Care Unit. 2019 , 40, 571-579	3

158	Dysglycemia and Neurologic Outcome in Mechanically Ventilated Patients With Guillain-Barré Syndrome. <i>Critical Care Medicine</i> , 2019 , 47, e227-e233	1.4	4
157	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes: A nationwide population-based study. 2019 , 98, e16317		24
156	Moderate-Intensity Insulin Therapy Is Associated With Reduced Length of Stay in Critically Ill Patients With Diabetic Ketoacidosis and Hyperosmolar Hyperglycemic State. <i>Critical Care Medicine</i> , 2019 , 47, 700-705	1.4	9
155	Volume-Based vs Rate-Based Enteral Nutrition in the Intensive Care Unit: Impact on Nutrition Delivery and Glycemic Control. 2019 , 43, 365-375		9
154	The impact of glycemic variability on length of stay and mortality in diabetic patients admitted with community-acquired pneumonia or chronic obstructive pulmonary disease. 2019 , 13, 149-153		10
153	Association between glycemic control, age, and outcomes among intensively treated patients with acute myeloid leukemia. 2019 , 27, 2877-2884		7
152	Glucose Management Technologies for the Critically Ill. 2019 , 13, 682-690		17
151	Don't Sugar Coat It: Glycemic Control in the Intensive Care Unit. 2019 , 34, 889-896		6
150	Association between acute phase perioperative glucose parameters and postoperative outcomes in diabetic and non-diabetic patients undergoing non-cardiac surgery. 2019 , 218, 302-310		8
149	High blood glucose variability is associated with bacteremia and mortality in patients hospitalized with acute infection. 2019 , 112, 101-106		5
148	Efficacy of an artificial pancreas device for achieving tight perioperative glycemic control in living donor liver transplantation. 2019 , 43, 270-277		3
147	The Efficacy and Safety of an Insulin Infusion Protocol in a Medical Intensive Care Unit at a Tertiary Care Hospital: a Prospective Study. 2020 , 40, 32-39		
146	Change in admission blood glucose from chronic glycemic status in acute heart failure hospitalization and 30-day outcomes: A retrospective analysis. 2020 , 299, 180-185		2
145	EATING AND GLYCEMIC CONTROL AMONG CRITICALLY ILL PATIENTS RECEIVING CONTINUOUS INTRAVENOUS INSULIN. <i>Endocrine Practice</i> , 2020 , 26, 43-50	3.2	1
144	Utility of continuous glucose monitoring following gastrectomy. 2020 , 23, 699-706		10
143	Perioperatively Acquired Weakness. 2020 , 130, 341-351		4
142	Relative Hypoglycemia in Diabetic Patients With Critical Illness. <i>Critical Care Medicine</i> , 2020 , 48, e233-e240		11
141	Recommendations of the Working Groups from the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC) for the management of adult critically ill patients in the coronavirus disease (COVID-19). 2020 , 44, 371-388		3

140	Glycemic variability: prognostic impact on acute ischemic stroke and the impact of corrective treatment for hyperglycemia. The GLIAS-III translational study. 2020 , 18, 414			5
139	Diabetes-Specific Nutrition Formulas in the Management of Patients with Diabetes and Cardiometabolic Risk. 2020 , 12,			1
138	Assessment of Glycemic Control Protocol (STAR) Through Compliance Analysis Amongst Malaysian ICU Patients. 2020 , 13, 139-149			
137	Predicting Old-age Mortality Using Principal Component Analysis: Results from a National Panel Survey in Korea. 2020 , 56,			0
136	Beyond hyperglycemia: glycaemic variability as a prognostic factor after acute ischemic stroke. 2020 ,			2
135	Maximal Glycemic Difference, the Possible Strongest Glycemic Variability Parameter to Predict Mortality in ICU Patients. 2020 , 2020, 5071509			1
134	The Interaction of Acute and Chronic Glycemia on the Relationship of Hyperglycemia, Hypoglycemia, and Glucose Variability to Mortality in the Critically Ill. <i>Critical Care Medicine</i> , 2020 , 48, 1744-1751	1.4		13
133	Palliative and End-of-Life Care: Vital Aspects of Holistic Diabetes Care of Older People With Diabetes. 2020 , 33, 246-254			1
132	Association of glucose variability at the last day of hospitalization with 30-day readmission in adults with diabetes. 2020 , 8,			3
131	Advances in Medical Nutrition Therapy: Parenteral Nutrition. 2020 , 12,			10
130	Virtual patient trials of a multi-input stochastic model for tight glycaemic control using insulin sensitivity and blood glucose data. 2020 , 59, 101896			2
129	Assessment of Glucose Control Metrics by Discriminant Ratio. 2020 , 22, 719-726			10
128	Recommendations for specialized nutritional-metabolic management of the critical patient: Monitoring and safety. Metabolism and Nutrition Working Group of the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC). 2020 , 44, 44-51			0
127	Glucose Variability as Measured by Inter-measurement Percentage Change is Predictive of In-patient Mortality in Aneurysmal Subarachnoid Hemorrhage. 2020 , 33, 458-467			5
126	Correlation between blood glucose variability and the risk of death in patients with severe acute stroke. <i>Revue Neurologique</i> , 2020 , 176, 582-586	3		5
125	[S3 Guideline Sepsis-prevention, diagnosis, therapy, and aftercare : Long version]. 2020 , 115, 37-109			15
124	[Recommendations of the Working Groups from the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC) for the management of adult critically ill patients in the coronavirus disease (COVID-19)]. 2020 , 44, 371-388			30
123	Improving health engagement and lifestyle management for breast cancer survivors with diabetes. 2020 , 92, 105998			2

122	Sepsis in the critically ill patient: current and emerging management strategies. 2021 , 19, 635-647		4
121	Endocrinology and Systemic Diseases. <i>Endocrinology</i> , 2021 ,	0.1	
120	Incidence and Prediction of Unstable Blood Glucose Level among Critically Ill Patients: A Cohort Study. 2021 , 32, 96-102		1
119	Mean amplitude of glycemc excursions in septic patients and its association with outcomes: A prospective observational study using continuous glucose monitoring. 2021 , 63, 218-222		4
118	Gastroparesis in the Hospital Setting. <i>Nutrition in Clinical Practice</i> , 2021 , 36, 50-66	3.6	1
117	Capacity of Infusion Lines for Insulin Adsorption: Effect of Flow Rate on Total Adsorption. 2021 , 15, 109-120		6
116	Fifteen-minute Frequency of Glucose Measurements and the Use of Threshold Alarms: Impact on Mitigating Dysglycemia in Critically Ill Patients. 2021 , 15, 279-286		2
115	Increased insulin resistance in intensive care: longitudinal retrospective analysis of glycaemic control patients in a New Zealand ICU. 2021 , 12, 20420188211012144		0
114	Conflicting Evidences. 2021 , 209-218		
113	Blood glucose levels should be considered as a new vital sign indicative of prognosis during hospitalization. 2021 , 15, 221-227		10
112	Glycemic variability of acute stroke patients and clinical outcomes: a continuous glucose monitoring study. 2021 , 14, 17562864211045876		5
111	Effects of Low-Intensity Resistance Exercise with Slow Movement and Tonic Force Generation on Short-Term Glycemic Variability in Healthy Subjects: A Randomized Controlled Study. 2021 , 11, 1536		
110	Short-term glycemic variability and hemorrhagic transformation after successful endovascular thrombectomy. 2021 , 12, 968-975		5
109	Impact of undiagnosed type 2 diabetes and pre-diabetes on severity and mortality for SARS-CoV-2 infection. 2021 , 9,		16
108	Association of the systemic host immune response with acute hyperglycemia in mechanically ventilated septic patients. <i>PLoS ONE</i> , 2021 , 16, e0248853	3.7	2
107	Relationship between 24-h venous blood glucose variation and mortality among patients with acute respiratory failure. <i>Scientific Reports</i> , 2021 , 11, 7747	4.9	2
106	Significant abnormal glycemic variability increased the risk for arrhythmias in elderly type 2 diabetic patients. 2021 , 21, 83		3
105	Stress Induced Hyperglycemia in the Context of Acute Coronary Syndrome: Definitions, Interventions, and Underlying Mechanisms. 2021 , 8, 676892		3

104	The Association of Diabetes and Hyperglycemia on Inpatient Readmissions. <i>Endocrine Practice</i> , 2021 , 27, 413-418	3.2	0
103	Glucose variability and diabetes complications: Risk factor or biomarker? Can we disentangle the "Gordian Knot"?. 2021 , 47, 101225		13
102	Glycemic lability index and mortality in critically ill patients-A multicenter cohort study. 2021 , 65, 1267-1275		2
101	The indicators of glucose variability. 2021 , 35, 600-601		
100	The goldilocks problem: Nutrition and its impact on glycaemic control. 2021 , 40, 3677-3687		0
99	Glycaemic variability. What glycated haemoglobin hides. 2020 , 221, 345-345		
98	Critical illness myopathy precedes hyperglycaemia and high glucose variability. 2021 , 63, 32-39		2
97	Glycaemic variability. What glycated haemoglobin hides. 2021 , 221, 345-346		
96	Accuracy and Stability of a Subcutaneous Flash Glucose Monitoring System in Critically Ill Patients. 2021 , 19322968211017203		
95	Estimating Enhanced Endogenous Glucose Production in Intensive Care Unit Patients with Severe Insulin Resistance. 2021 , 19322968211018260		0
94	The development of a glucose prediction model in critically ill patients. 2021 , 206, 106105		0
93	Impact of Postoperative Glycemic Control on Postoperative Morbidity in Patients Undergoing Open Pancreaticoduodenectomy. 2021 , 50, 834-840		0
92	Acute and Chronic Glucose Control in Critically Ill Patients With Diabetes: The Impact of Prior Insulin Treatment. 2021 , 19322968211032277		4
91	An Exploratory Analysis of the Association between Hypercapnia and Hospital Mortality in Critically Ill Patients with Sepsis. 2021 ,		3
90	Glycemic Control in Neurological Intensive Care Unit Patients. 2021 , 1, 190-196		
89	Glycemic Trajectories and Treatment Outcomes of Patients with Newly Diagnosed Tuberculosis: A Prospective Study in Eastern China. 2021 , 204, 347-356		3
88	Insulin sensitivity in critically ill patients: are women more insulin resistant?. 2021 , 11, 12		5
87	Glucose Variability in Critically Ill Patients. 2009 , 728-737		1

86	Glucose Variability in Critically Ill Patients. 2009 , 728-737		1
85	Recommendations for specialized nutritional-metabolic management of the critical patient: Monitoring and safety. Metabolism and Nutrition Working Group of the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC). 2020 , 44 Suppl 1, 44-51		2
84	Epigenetic modification and therapeutic targets of diabetes mellitus. 2020 , 40,		13
83	Tight glucose control versus intermediate glucose control: a quasi-experimental study. 2010 , 38, 467-73		7
82	Association between potassium concentrations, variability and supplementation, and in-hospital mortality in ICU patients: a retrospective analysis. 2019 , 9, 100		10
81	A novel computerized fading memory algorithm for glycemic control in postoperative surgical patients. 2012 , 115, 580-7		7
80	Daily evolution of insulin sensitivity variability with respect to diagnosis in the critically ill. <i>PLoS ONE</i> , 2013 , 8, e57119	3.7	11
79	Continuous Glucose Monitoring in Patients Undergoing Extracorporeal Ventricular Assist Therapy. <i>PLoS ONE</i> , 2016 , 11, e0148778	3.7	10
78	Association of In-Hospital Mortality and Dysglycemia in Septic Patients. <i>PLoS ONE</i> , 2017 , 12, e0170408	3.7	25
77	Range of glucose as a glycemic variability and 3-month outcome in diabetic patients with acute ischemic stroke. <i>PLoS ONE</i> , 2017 , 12, e0183894	3.7	15
76	The dynamics of invasive and noninvasive blood glucose monitoring methods: Recent trends. <i>Diabetes Mellitus</i> , 2016 , 19, 397-405	1.6	3
75	Intensive glucose control for critically ill patients: an updated meta-analysis. 2018 , 7, 1288-1298		7
74	Early Observation and Mitigation of Challenges in Diabetes Management of COVID-19 Patients in Critical Care Units. 2020 , 43, e81-e82		13
73	Tight blood glucose control in trauma patients: Who really benefits?. 2011 , 4, 359-64		13
72	Comparison of Glycemic Control between Continuous Regular Insulin Infusion and Single-dose Subcutaneous Insulin Glargine Injection in Medical Critically Ill Patients. 2018 , 22, 174-179		4
71	Management of critically ill patients with type 2 diabetes: The need for personalised therapy. <i>World Journal of Diabetes</i> , 2015 , 6, 693-706	4.7	15
70	Sliding Scale Regular Human Insulin for Identifying Critically Ill Patients Who Require Intensive Insulin Therapy and for Glycemic Control in those with Mild to Moderate Hyperglycemia. 2017 , 7, 106-115		5
69	Acarbose-metformin is more effective in glycemic variability control than repaglinide-metformin in T2DM patients inadequately controlled with metformin: a retrospective cohort study. <i>PeerJ</i> , 2020 , 8, e9905	3.1	1

68	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
67	Age moderates the relationships between obesity, glucose variability, and intensive care unit mortality: a retrospective cohort study. <i>Journal of Intensive Care</i> , 2021 , 9, 68	7	1
66	Pros and cons of continuous glucose monitoring in the intensive care unit. <i>World Journal of Clinical Cases</i> , 2021 , 9, 8666-8670	1.6	0
65	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. <i>Intensive Care Medicine</i> , 2021 , 47, 1181-1247	14.5	199
64	On the management of hyperglycaemia in critically ill patients undergoing surgery. <i>Journal of Clinical Medicine Research</i> , 2012 , 4, 237-41	2.9	
63	The Changing Pattern of Blood Glucose Levels and Its Association with In-hospital Mortality in the Out-of-hospital Cardiac Arrest Survivors Treated with Therapeutic Hypothermia. <i>The Korean Journal of Critical Care Medicine</i> , 2012 , 27, 255		
62	Endocrine Issues in Neurocritical Care. 2013 , 293-319		
61	The effect of Glucerna [®] -EX on glycemic control in head and neck reconstructive operation. <i>Japanese Journal of Head and Neck Cancer</i> , 2013 , 39, 385-390	0.1	
60	Conventional insulin vs insulin infusion therapy in acute coronary syndrome diabetic patients. <i>World Journal of Diabetes</i> , 2014 , 5, 562-8	4.7	
59	Joint Modelling for Longitudinal and Time-to-Event Data: Application to Liver Transplantation Data. <i>Lecture Notes in Computer Science</i> , 2014 , 580-593	0.9	
58	Glucose Variability. <i>Journal of Korean Diabetes</i> , 2014 , 15, 196	0.1	0
57	Different antihyperglycaemic drug effects on glycaemic variability in Type 2 diabetic patients. <i>Diabetes Mellitus</i> , 2014 , 17, 72-80	1.6	4
56	Tight Glycemic Control. 2015 , 63-71		
55	Reporting on Glucose Control Metrics in the Intensive Care Unit. <i>European Endocrinology</i> , 2015 , 11, 75-78	3.4	1
54	Blood Glucose Control: Strategy for Treatment of Hyperglycemia in Patients Receiving Enteral Nutrition. 2015 , 1221-1231		
53	Association between Initial Glycemic Variation and 3-Month Cardiovascular Mortality in Diabetic Patients with Acute Ischemic Stroke. <i>Journal of Neurocritical Care</i> , 2015 , 8, 91-97	0.6	
52	Perioperatives Management von Menschen mit Diabetes bei elektiven Eingriffen. <i>Austrian Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 10, 67-76	0.2	
51	Perioperative insulin therapy. <i>Asian Biomedicine</i> , 2018 , 11, 395-404	0.4	

50	Definition and Clinical Significance of Continuous Glucose Monitoring Parameters. 2018 , 47-63		
49	Glycemic Control in Neurocritically Ill Patients. 2019 , 241-245		
48	Resolution on the results of the first working meeting of the scientific advisory board «Actual problems of glycemic variability as a new criterion of glycemic control and safety of diabetes therapy». <i>Diabetes Mellitus</i> , 2019 , 22, 281-288	1.6	4
47	Blood glucose control in the intensive care unit: Where is the data?. <i>World Journal of Meta-analysis</i> , 2019 , 7, 399-405	0.5	1
46	Evaluation of cardioprotective effect of exenatide in type 2 diabetes mellitus and acute myocardial infarction in the clinic and experiment. <i>Translational Medicine</i> , 2019 , 6, 22-34	0.3	
45	Hypoglycemia and Hyperglycemia in Critically Ill Cancer Patients. 2020 , 1079-1091		0
44	Glucagon-like peptide-1 receptor agonists, selection within the class. The rational combination of insulin glargine 100 + lixisenatide. <i>Meditsinskiy Sovet</i> , 2020 , 50-55	0.4	
43	Nutrition in Critical Illness During Pregnancy. 2020 , 435-449		
42	Impact of Endocrine Disorders in Critically Ill Patients. <i>Endocrinology</i> , 2020 , 1-18	0.1	
41	Glycaemic Control in Critically Ill Adult Patients: Is intensive insulin therapy beneficial?.		
40	Characterizing Glucose Changes Antecedent to Hypoglycemic Events in the Intensive Care Unit. <i>Endocrine Practice</i> , 2013 , 1, 1-23	3.2	
39	Impact of Endocrine Disorders in Critically Ill Patients. <i>Endocrinology</i> , 2021 , 347-364	0.1	
38	Glucose control and its implications for the general surgeon. <i>American Surgeon</i> , 2009 , 75, 1031-5	0.8	
37	GlucOSTRESS - A project to optimize glycemic control in a level C (III) Portuguese intensive care unit. <i>Revista Brasileira De Terapia Intensiva</i> , 2021 , 33, 138-145	1.2	
36	In-Hospital Mortality and Glycemic Control in Patients with Hospital Hyperglycemia. <i>Review of Diabetic Studies</i> , 2021 , 17, 50-56	3.6	0
35	Association between dysglycemia and mortality by diabetes status and risk factors of dysglycemia in critically ill patients: a retrospective study. <i>Acta Diabetologica</i> , 2021 , 1	3.9	2
34	Postprandial Asymptomatic Glycemic Fluctuations after Gastrectomy for Gastric Cancer Using Continuous Glucose Monitoring Device.. <i>Journal of Gastric Cancer</i> , 2021 , 21, 325-334	3.2	1
33	Motives and Barriers to Exercise Training during Hospitalization in Patients with Type 2 Diabetes: A Cross-Sectional Study.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	

32	Comparison of insulin sensitivity between healthy neonatal foals and horses using minimal model analysis.. <i>PLoS ONE</i> , 2022 , 17, e0262584	3.7	1
31	La variabilité glycémique : un facteur de risque singulier ^ conjuguer au pluriel. <i>Medicine Des Maladies Metaboliques</i> , 2022 , 16, 15-31	0.1	0
30	Relative Hypoglycemia and Lower Hemoglobin A1c-Adjusted Time in Band Are Strongly Associated With Increased Mortality in Critically Ill Patients.. <i>Critical Care Medicine</i> , 2022 ,	1.4	5
29	Management of hyperglycemia in critical care. <i>Journal of Diabetology</i> , 2022 , 13, 33	0.8	
28	Observational study on SavenG protocol of glucose control in intensive care unit. <i>Journal of Diabetology</i> , 2022 , 13, 106	0.8	
27	High glycaemic variability: An underestimated determinant of stroke functional outcome following large vessel occlusion.. <i>Revue Neurologique</i> , 2022 ,	3	0
26	Glycemic Variability Is Independently Associated With Poor Prognosis in Five Pediatric ICU Centers in Southwest China.. <i>Frontiers in Nutrition</i> , 2022 , 9, 757982	6.2	0
25	Glycemic variability assessed by continuous glucose monitoring in hospitalized patients with community-acquired pneumonia.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 83	3.5	0
24	Glycemic Variability and Diabetes Mellitus. <i>Journal of Korean Diabetes</i> , 2022 , 23, 12-20	0.1	0
23	Intensive Versus Standard Treatment of Hyperglycemia in Acute Ischemic Stroke Patient: A Randomized Clinical Trial Subgroups Analysis.. <i>Stroke</i> , 2022 , STROKEAHA120033048	6.7	0
22	Association of Blood Glucose Level and Glycemic Variability With Mortality in Sepsis Patients During ICU Hospitalization.. <i>Frontiers in Public Health</i> , 2022 , 10, 857368	6	2
21	Practical approach to clinical controversies in glycaemic control for hospitalized surgical patients.. <i>Nutrition in Clinical Practice</i> , 2022 ,	3.6	
20	Evaluation of glycaemic control in critically ill patients with bacteremia: a retrospective, single-center cohort study.. <i>Journal of Investigative Medicine</i> , 2022 ,	2.9	
19	Dysglycemia in ICU Patients. <i>Journal of Cardiac Critical Care TSS</i> , 2022 , 06, 040-042	0.3	
18	Diabetes mellitus, glycaemic control and severe COVID-19 in the Australian Critical Care Setting [a nested cohort study. <i>Australian Critical Care</i> , 2022 ,	2.9	1
17	Prognostic value of glycaemic gap in patients with spontaneous intracerebral hemorrhage. <i>European Journal of Neurology</i> ,	6	0
16	Glucose Variability Measures in Critical Care. <i>Biomarkers in Disease</i> , 2022 , 1-24		
15	Flash glucose monitoring system in special situations. <i>Archives of Endocrinology and Metabolism</i> , 2022 ,	2.2	0

14	Association between time in range of relative normoglycemia and in-hospital mortality in critically ill patients: a single-center retrospective study. <i>Scientific Reports</i> , 2022 , 12,	4-9
13	Expert consensus on the glyceemic management of critically ill patients. <i>Journal of Intensive Medicine</i> , 2022 ,	
12	Glucometrics in the first week of critical illness and its association with mortality. 2022 ,	
11	WITHDRAWN: American Association of Clinical Endocrinology Clinical Practice Guideline: Developing a Diabetes Mellitus Comprehensive Care Plan 2022 Update. 2022 ,	8
10	Early glycaemic variability increases 28-day mortality and prolongs intensive care unit stay in critically ill patients with pneumonia. 2022 , 54, 2736-2743	o
9	Clinical challenges of glyceemic control in the intensive care unit: A narrative review. 10, 11260-11272	o
8	Glucometrics in the first week of critical illness and its association with mortality. 2022 ,	o
7	Association of Blood Glucose Variability with Sepsis-Related Disseminated Intravascular Coagulation Morbidity and Mortality. Volume 15, 6505-6516	o
6	Time in Patterns: Machine Learning based Blood Glucose Fluctuation Pattern Recognition for Type 1 Diabetes Management in Continuous Glucose Monitoring (Preprint).	o
5	Glyceemic Control and Stress Ulcer Prophylaxis. 2023 , 211-219	o
4	Glucose Variability Measures in Critical Care. 2023 , 431-454	o
3	Glucose and Nutrition. 2013 , 121-130.e3	o
2	Optimal Glyceemic Targets in Critically Ill Patients with Diabetes. 2023 , 415-428	o
1	Beyond hyperglycemia: glycaemic variability as a prognostic factor after acute ischemic stroke. 2023 , 38, 150-158	o