Efficacy and Tolerability of Prostaglandin Analogs

Journal of Glaucoma 17, 667-673

DOI: 10.1097/ijg.0b013e3181666557

Citation Report

#	Article	IF	CITATIONS
1	Pharmacotherapy of intraocular pressure – part II. Carbonic anhydrase inhibitors, prostaglandin analogues and prostamides. Expert Opinion on Pharmacotherapy, 2009, 10, 2859-2870.	1.8	47
2	Intraocular Pressure and Conjunctival Hyperaemia with Bimatoprost Every 48 Hours Versus Every 24 Hours. Journal of Optometry, 2009, 2, 134-137.	1.3	0
4	Influence of Signal Strength on OCT Measurements. Journal of Glaucoma, 2009, 18, 499-500.	1.6	4
7	Twenty-four-hour ocular hypotensive effects of 0.0015% tafluprost and 0.005% latanoprost in healthy subjects. Japanese Journal of Ophthalmology, 2010, 54, 286-290.	1.9	15
8	Clinical utility and differential effects of prostaglandin analogs in the management of raised intraocular pressure and ocular hypertension. Clinical Ophthalmology, 2010, 4, 741.	1.8	48
9	Efficacy and patient tolerability of travoprost BAK-free solution in patients with open-angle glaucoma and ocular hypertension. Clinical Ophthalmology, 2010, 4, 877.	1.8	5
10	A randomized, controlled comparison of macroscopic conjunctival hyperemia in patients treated with bimatoprost 0.01% or vehicle who were previously controlled on latanoprost. Clinical Ophthalmology, 2010, 4, 1433.	1.8	13
11	Twelve-Month, Randomized, Controlled Trial of Bimatoprost 0.01%, 0.0125%, and 0.03% in Patients with Glaucoma or Ocular Hypertension. American Journal of Ophthalmology, 2010, 149, 661-671.e1.	3.3	76
12	Comparison of Travoprost and Bimatoprost plus Timolol Fixed Combinations in Open-Angle Glaucoma Patients Previously Treated with Latanoprost plus Timolol Fixed Combination. American Journal of Ophthalmology, 2010, 150, 575-580.	3.3	30
13	Hyperemia Reduction After Administration of a Fixed Combination of Bimatoprost and Timolol Maleate to Patients on Prostaglandin or Prostamide Monotherapy. Journal of Ocular Pharmacology and Therapeutics, 2010, 26, 611-615.	1.4	9
14	Neuroprotective effects of prostaglandin analogues on retinal ganglion cell death independent of intraocular pressure reduction. Experimental Eye Research, 2011, 93, 265-270.	2.6	46
15	Balancing efficacy and tolerability of prostaglandin analogues and prostaglandin–timolol fixed combinations in primary open-angle glaucoma. Current Medical Research and Opinion, 2011, 27, 1949-1958.	1.9	29
16	Demonstration of an online tool to assist managed care formulary evidence-based decision making: meta-analysis of topical prostaglandin analog efficacy. Therapeutics and Clinical Risk Management, 2011, 7, 283.	2.0	3
18	Mixed treatment comparison of repeated measurements of a continuous endpoint: an example using topical treatments for primary openâ€angle glaucoma and ocular hypertension. Statistics in Medicine, 2011, 30, 2511-2535.	1.6	38
19	Role of fixed combinations in the management of open-angle glaucoma. Expert Review of Pharmacoeconomics and Outcomes Research, 2011, 11, 91-99.	1.4	14
20	Twenty-four-hour effects of bimatoprost 0.01% monotherapy on intraocular pressure and ocular perfusion pressure. BMJ Open, 2012, 2, e001106.	1.9	17
21	Efficacy and Tolerability of Prostaglandin-Timolol Fixed Combinations: A Meta-Analysis of Randomized Clinical Trials. European Journal of Ophthalmology, 2012, 22, 5-18.	1.3	62
22	Long-term Effect of BAK-free Travoprost on Ocular Surface and Intraocular Pressure in Glaucoma Patients After Transition From Latanoprost. Journal of Glaucoma, 2012, 21, 60-64.	1.6	37

#	Article	IF	CITATIONS
23	Long-term Medical Management of Primary Open-Angle Glaucoma and Ocular Hypertension in the UK. Journal of Glaucoma, 2012, 21, 433-449.	1.6	12
24	What Comparative Effectiveness Research Is Needed? A Framework for Using Guidelines and Systematic Reviews to Identify Evidence Gaps and Research Priorities. Annals of Internal Medicine, 2012, 156, 367.	3.9	61
25	A review of the use of latanoprost for glaucoma since its launch. Expert Opinion on Pharmacotherapy, 2012, 13, 723-745.	1.8	67
26	Drugs used in ocular treatment. Side Effects of Drugs Annual, 2012, 34, 761-768.	0.6	0
27	Quality of life of glaucoma patients under medical therapy with different prostaglandins. Clinical Ophthalmology, 2012, 6, 1749.	1.8	11
28	Initial Treatment: Prostaglandin Analog or Selective Laser Trabeculoplasty. Journal of Current Glaucoma Practice, 2012, 6, 99-103.	0.5	5
29	Cost-effectiveness comparison between non-penetrating deep sclerectomy and maximum-tolerated medical therapy for glaucoma within the Brazilian National Health System (SUS). Arquivos Brasileiros De Oftalmologia, 2012, 75, 11-15.	0.5	8
30	Multicenter, prospective, open-label, observational study of bimatoprost 0.01% in patients with primary open-angle glaucoma or ocular hypertension. Clinical Ophthalmology, 2012, 6, 739.	1.8	15
31	An observational study of bimatoprost 0.01% in treatment-naïve patients with primary open angle glaucoma or ocular hypertension: the CLEAR trial. Clinical Ophthalmology, 2012, 6, 2097.	1.8	12
33	Citation of Previous Meta-analyses on the Same Topic. Ophthalmology, 2013, 120, 1113-1119.	5.2	24
34	Effects of SofZiaâ€preserved travoprost and benzalkonium chlorideâ€preserved latanoprost on the ocular surface – a multicentre randomized singleâ€masked study. Acta Ophthalmologica, 2013, 91, e7-e14.	1.1	44
35	Therapeutic uses of prostaglandin F2α analogues in ocular disease and novel synthetic strategies. Prostaglandins and Other Lipid Mediators, 2013, 104-105, 109-121.	1.9	27
36	A Novel Convergent Synthesis of the Antiglaucoma PGF $<$ sub $>$ 2 $\hat{l}\pm<$ /sub $>$ Analogue Bimatoprost. Chirality, 2013, 25, 170-179.	2.6	11
38	Bimatoprost 0.03% preservative-free ophthalmic solution versus bimatoprost 0.03% ophthalmic solution (Lumigan) for glaucoma or ocular hypertension: a 12-week, randomised, double-masked trial. British Journal of Ophthalmology, 2013, 97, 989-993.	3.9	38
40	A Randomized, Prospective Study of Bimatoprost 0.01% or Travoprost/Timolol in Patients Previously Treated with Latanoprost and Timolol to Reduce Intraocular Pressure. Journal of Ocular Pharmacology and Therapeutics, 2013, 29, 876-881.	1.4	4
41	Comparative Effectiveness of Treatments for Open-Angle Glaucoma: A Systematic Review for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2013, 158, 271.	3.9	214
42	Ocular pharmacokinetics of bimatoprost formulated in DuraSite compared to bimatoprost 0.03% ophthalmic solution in pigmented rabbit eyes. Clinical Ophthalmology, 2013, 7, 1549.	1.8	15
43	Bimatoprost 0.01% or 0.03% in patients with glaucoma or ocular hypertension previously treated with latanoprost: two randomized 12-week trials. Clinical Ophthalmology, 2014, 8, 643.	1.8	16

#	Article	IF	CITATIONS
44	Latanoprost in the treatment of glaucoma. Clinical Ophthalmology, 2014, 8, 1967.	1.8	70
45	Managing adverse effects of glaucoma medications. Clinical Ophthalmology, 2014, 8, 903.	1.8	103
46	An observational study of bimatoprost 0.01% in patients on prior intraocular pressure-lowering therapy: the Canadian Lumigan® RC Early Analysis Review (CLEAR) trial. Clinical Ophthalmology, 2014, 8, 1031.	1.8	11
47	Bimatoprost/timolol fixed combination versus latanoprost in treatment-naïve glaucoma patients at high risk of progression: a pilot study. Clinical Ophthalmology, 2014, 8, 725.	1.8	4
48	Comparing the Efficacy of Latanoprost (0.005%), Bimatoprost (0.03%), Travoprost (0.004%), and Timolol (0.5%) in the Treatment of Primary Open Angle Glaucoma. Korean Journal of Ophthalmology: KJO, 2014, 28, 399.	1.1	21
49	Efficacy and tolerability of mono-compound topical treatments for reduction of intraocular pressure in patients with primary open angle glaucoma or ocular hypertension: an overview of reviews. Croatian Medical Journal, 2014, 55, 468-480.	0.7	15
50	Activation of the Prostanoid FP Receptor Inhibits Adipogenesis Leading to Deepening of the Upper Eyelid Sulcus in Prostaglandin-Associated Periorbitopathy., 2014, 55, 1269.		68
51	Effectiveness of Intraocular Pressure–Lowering Medication Determined by Washout. JAMA Ophthalmology, 2014, 132, 390.	2.5	23
52	Bimatoprost 0.01% in treatment-na \tilde{A} -ve patients with open-angle glaucoma or ocular hypertension: an observational study in the Korean clinical setting. BMC Ophthalmology, 2014, 14, 160.	1.4	8
53	Long-term 24-hour Intraocular Pressure Control With Travoprost Monotherapy in Patients With Primary Open-angle Glaucoma. Journal of Glaucoma, 2014, 23, 535-540.	1.6	23
54	Effects of Prostaglandin Analogues on Aqueous Humor Outflow Pathways. Journal of Ocular Pharmacology and Therapeutics, 2014, 30, 102-109.	1.4	99
56	Comparative Efficacy and Tolerability of Topical Prostaglandin Analogues for Primary Open-Angle Glaucoma and Ocular Hypertension. Annals of Pharmacotherapy, 2014, 48, 1585-1593.	1.9	44
57	Confocal Microscopy of Epithelial and Langerhans Cells of the Cornea in Patients Using Travoprost Drops Containing Two Different Preservatives. Pathology and Oncology Research, 2014, 20, 741-746.	1.9	23
58	Intraocular pressure-lowering efficacy and safety of bimatoprost 0.03% therapy for primary open-angle glaucoma and ocular hypertension patients in China. BMC Ophthalmology, 2014, 14, 21.	1.4	9
59	Ocular Surface Cytotoxicity and Safety Evaluation of Tafluprost, a Recently Developed Anti-Glaucoma Prostaglandin Analog. Ophthalmology and Eye Diseases, 2014, 6, OED.S12445.	1.2	10
60	Relative Efficacy and Safety of Preservative-free Latanoprost (T2345) for the Treatment of Open-Angle Glaucoma and Ocular Hypertension. Journal of Glaucoma, 2014, 23, e69-e75.	1.6	31
61	Effect of benzalkonium chloride–free travoprost on intraocular pressure and ocular surface symptoms in patients with glaucoma previously on latanoprost: an open-label study. BMC Ophthalmology, 2015, 15, 166.	1.4	21
62	The Measurement of Bulbar Hyperemia: Challenges and Pitfalls. European Journal of Ophthalmology, 2015, 25, 273-279.	1.3	20

#	Article	IF	CITATIONS
63	Unilateral Prostaglandin-Associated Periorbitopathy. Ophthalmic Plastic and Reconstructive Surgery, 2015, 31, 373-378.	0.8	36
64	Fixed-combination treatments for intraocular hypertension in Chinese patients & Eamp; ndash; focus on bimatoprost-timolol. Drug Design, Development and Therapy, 2015, 9, 2617.	4.3	4
65	Twenty-four hour efficacy of glaucoma medications. Progress in Brain Research, 2015, 221, 297-318.	1.4	20
66	Polyquaternium-1–Preserved Travoprost 0.003% or Benzalkonium Chloride–Preserved Travoprost 0.004% for Glaucoma and Ocular Hypertension. American Journal of Ophthalmology, 2015, 160, 266-274.e1.	3.3	27
67	Bimatoprost 0.01Â% for previously treated patients with open-angle glaucoma or ocular hypertension in the Korean clinical setting. Japanese Journal of Ophthalmology, 2015, 59, 325-334.	1.9	5
68	A combined analysis of four observational studies evaluating the intraocular pressure-lowering ability and tolerability of bimatoprost 0.01% in patients with primary open-angle glaucoma or ocular hypertension. Clinical Ophthalmology, 2016, 10, 635.	1.8	3
69	Preservative-free bimatoprost 0.03% in patients with primary open-angle glaucoma or ocular hypertension in clinical practice. Clinical Ophthalmology, 2016, Volume 10, 1759-1765.	1.8	8
70	Efficacy and tolerability of benzalkonium chloride-free travoprost in glaucoma patients switched from benzalkonium chloride-preserved latanoprost or bimatoprost. Clinical Ophthalmology, 2016, Volume 10, 2085-2091.	1.8	13
71	Preservative-free tafluprost in the treatment of open-angle glaucoma or ocular hypertension in India: a phase III clinical trial. International Journal of Clinical Practice, 2016, 70, 577-586.	1.7	6
72	Effect of Switching to Travoprost Preserved With SofZia in Glaucoma Patients With Chronic Superficial Punctate Keratitis While Receiving BAK-preserved Latanoprost. Journal of Glaucoma, 2016, 25, e610-e614.	1.6	14
73	Network Meta-analysis for Clinical Practice Guidelines: A Case Study on First-Line Medical Therapies for Primary Open-Angle Glaucoma. Annals of Internal Medicine, 2016, 164, 674.	3.9	33
74	Investigational and experimental drugs for intraocular pressure reduction in ocular hypertension and glaucoma. Expert Opinion on Investigational Drugs, 2016, 25, 1201-1208.	4.1	10
75	Ocular surface toxicity from glaucoma topical medications and associated preservatives such as benzalkonium chloride (BAK). Expert Opinion on Drug Metabolism and Toxicology, 2016, 12, 1279-1289.	3.3	71
76	Tolerability and efficacy of bimatoprost 0.01Â% in patients with open-angle glaucoma or ocular hypertension evaluated in the Taiwanese clinical setting: the Asia Pacific Patterns from Early Access of Lumigan 0.01Â% (APPEAL Taiwan) study. BMC Ophthalmology, 2016, 16, 162.	1.4	4
77	Comparison of Latanoprostene Bunod 0.024% and Timolol Maleate 0.5% in Open-Angle Glaucoma or Ocular Hypertension: The LUNAR Study. American Journal of Ophthalmology, 2016, 168, 250-259.	3.3	85
78	Effect of Switching From Latanoprost to Bimatoprost in Primary Open-Angle Glaucoma Patients Who Experienced Intraocular Pressure Elevation During Treatment. Journal of Glaucoma, 2016, 25, e359-e366.	1.6	5
79	Emerging drugs to treat glaucoma: targeting prostaglandin F and E receptors. Expert Opinion on Emerging Drugs, 2016, 21, 117-128.	2.4	7
80	24-h Efficacy of Glaucoma Treatment Options. Advances in Therapy, 2016, 33, 481-517.	2.9	35

#	Article	IF	CITATIONS
81	Comparison of preservative-free latanoprost and preservative-free bimatoprost in a multicenter, randomized, investigator-masked cross-over clinical trial, the SPORT trial. Graefe's Archive for Clinical and Experimental Ophthalmology, 2016, 254, 1151-1158.	1.9	14
82	Microarray-based analysis of gene expression profiles in peripheral blood of patients with acute primary angle closure. Ophthalmic Genetics, 2017, 38, 520-526.	1.2	4
83	European Glaucoma Society Terminology and Guidelines for Glaucoma, 4th Edition - Chapter 3: Treatment principles and optionsSupported by the EGS Foundation. British Journal of Ophthalmology, 2017, 101, 130-195.	3.9	216
84	A Masked, Randomized, Phase 3 Comparison of Triple Fixed-Combination Bimatoprost/Brimonidine/Timolol versus Fixed-Combination Brimonidine/Timolol for Lowering Intraocular Pressure. Journal of Ophthalmology, 2017, 2017, 1-9.	1.3	7
85	Ocular pharmacokinetics and tolerability of bimatoprost ophthalmic solutions administered once or twice daily in rabbits, and clinical dosing implications. Clinical Ophthalmology, 2017, Volume 11, 1761-1767.	1.8	6
86	Effect of a punctal plug on ocular surface disease in patients using topical prostaglandin analogues: a randomized controlled trial. Clinical and Experimental Ophthalmology, 2018, 46, 888-894.	2.6	15
87	Preservative-Free Prostaglandin Analogs and Prostaglandin/Timolol Fixed Combinations in the Treatment of Glaucoma: Efficacy, Safety and Potential Advantages. Drugs, 2018, 78, 39-64.	10.9	43
88	Effects of sustained daily latanoprost application on anterior chamber anatomy and physiology in mice. Scientific Reports, 2018, 8, 13088.	3.3	0
89	Investigational drugs targeting prostaglandin receptors for the treatment of glaucoma. Expert Opinion on Investigational Drugs, 2018, 27, 777-785.	4.1	13
90	Comparison of Efficacy and Ocular Surface Disease Index Score between Bimatoprost, Latanoprost, Travoprost, and Tafluprost in Glaucoma Patients. Journal of Ophthalmology, 2018, 2018, 1-7.	1.3	31
91	Effect of chronic topical latanoprost on the sclera and lamina cribrosa of form-deprived myopic Guinea pigs. Experimental Eye Research, 2019, 186, 107740.	2.6	6
92	Role of 24-Hour Intraocular Pressure Monitoring in Glaucoma Management. Journal of Ophthalmology, 2019, 2019, 1-13.	1.3	15
93	<p>Comparison of clinical effects of two latanoprost 0.005% solutions (Xalatan[®] and Arulatan[®]) in primary open-angle glaucoma or ocular hypertensive patients: a randomized clinical trial</p> . Clinical Ophthalmology, 2019, Volume 13, 679-684.	1.8	1
94	An in vivo confocal, prospective, masked, 36 months study on glaucoma patients medically treated with preservative-free or preserved monotherapy. Scientific Reports, 2019, 9, 4282.	3.3	9
95	Current management of glaucoma. Medical Journal of Australia, 2019, 210, 180-187.	1.7	206
96	Efficacy and safety of prostaglandin analogues in primary open-angle glaucoma or ocular hypertension patients. Medicine (United States), 2019, 98, e16597.	1.0	41
97	Intracameral Sustained-Release Bimatoprost Implant Delivers Bimatoprost to Target Tissues with Reduced Drug Exposure to Off-Target Tissues. Journal of Ocular Pharmacology and Therapeutics, 2019, 35, 50-57.	1.4	58
98	Budget impact analysis of the XENÂ $^{\odot}$ gel stent implant for glaucoma treatment. Expert Review of Ophthalmology, 2019, 14, 5-13.	0.6	5

#	Article	IF	CITATIONS
99	Prostaglandin analogues and nitric oxide contribution in the treatment of ocular hypertension and glaucoma. British Journal of Pharmacology, 2019, 176, 1079-1089.	5.4	40
100	Comment on: Effect of Topical Hypotensive Medications for Preventing Intraocular Pressure Increase After Cataract Surgery in Eyes With Glaucoma. American Journal of Ophthalmology, 2020, 210, 192.	3.3	0
101	Reply to Comment on: Effect of Topical Hypotensive Medications for Preventing Intraocular Pressure Increase After Cataract Surgery in Eyes With Glaucoma. American Journal of Ophthalmology, 2020, 210, 192-193.	3.3	0
103	Current Medical Therapy and Future Trends in the Management of Glaucoma Treatment. Journal of Ophthalmology, 2020, 2020, 1-14.	1.3	54
104	Orbital Fat Volume After Treatment with Topical Prostaglandin Agonists., 2020, 61, 46.		1
105	Intraocular Pressure Following Prerandomization Glaucoma Medication Washout in the HORIZON and COMPASS Trials. American Journal of Ophthalmology, 2020, 216, 110-120.	3.3	10
106	Comparison of preserved bimatoprost 0.01% with preservative-free tafluprost: A randomised, investigator-masked, 3-month crossover, multicentre trial, SPORT II. European Journal of Ophthalmology, 2021, , 112067212110065.	1.3	1
107	Effect and Safety of Travoprost 0.003% in Open Angle Glaucoma. Journal of Korean Ophthalmological Society, 2021, 62, 531-537.	0.2	O
109	Evaluating the Relationship of Intraocular Pressure and Anterior Chamber Volume With Use of Prostaglandin Analogues. Journal of Glaucoma, 2021, 30, 421-427.	1.6	8
111	Prostaglandin analogues: past, present, and future. Ophthalmology Journal, 2017, 10, 40-52.	0.2	13
112	Efficacy and Safety of Switching Latanoprost Monotherapy to Bimatoprost Monotherapy or Combination of Brinzolamide and Latanoprost. Open Ophthalmology Journal, 2016, 10, 94-102.	0.2	1
113	Drugs used in ocular treatment. Side Effects of Drugs Annual, 2011, , 977-988.	0.6	0
114	Clinical Experience in the Management of Primary Open Angle Glaucoma. Highlights of Ophthalmology, 2012, 40, 14-16.	0.0	0
115	Tolerancia y Efectividad de los Análogos de Prostaglandinas en Pacientes Glaucomatosos. Highlights of Ophthalmology, 2013, 41, 22-26.	0.0	0
116	Tolerance and Effectivity of Prostaglandin Analogues in Glaucoma Patients. Highlights of Ophthalmology, 2013, 41, 19-22.	0.0	0
117	Eye Medications and Its Effect on Orbital Fat and Cosmesis. , 2020, , 51-63.		0
119	Selective laser trabeculoplasty is safe and effective in patients previously treated with prostaglandin analogs: An evidence-based review. International Ophthalmology, 2023, 43, 677-695.	1.4	2
120	Clinical pharmacology and pharmacogenetics of prostaglandin analogues in glaucoma. Frontiers in Pharmacology, $0,13,.$	3.5	10

#	Article	IF	CITATIONS
121	Cytotoxicity, Mitochondrial Functionality, and Redox Status of Human Conjunctival Cells after Short and Chronic Exposure to Preservative-Free Bimatoprost 0.03% and 0.01%: An In Vitro Comparative Study. International Journal of Molecular Sciences, 2022, 23, 14113.	4.1	1
122	The Effect of Latanoprost on Choroidal Vascularity Index in Glaucoma and Ocular Hypertension. Journal of Glaucoma, 2022, 31, 972-978.	1.6	1
123	Pharmacotherapy of glaucoma in terms of evidence-based medicine. Kachestvennaya Klinicheskaya Praktika, 2023, , 44-54.	0.5	0
124	The long-term effects of topical latanoprost 0.005% treatment on pupillary functions: A 2-year longitudinal study. European Journal of Ophthalmology, 0, , .	1.3	0