
CITATION REPORT List of articles citing



DOI: 10.1097/ftd.ob013e318167d563 Therapeutic Drug Monitoring, 2008, 30, 196-202.

Source: https://exaly.com/paper-pdf/45027875/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|--|------------------|-----------|
| 60 | ORALVEQ: external quality assessment scheme of drugs of abuse in oral fluid: results obtained in the first round performed in 2007. <i>Forensic Science International</i> , 2008 , 182, 35-40 | 2.6 | 8 |
| 59 | PUBLISHER'S NOTE. Therapeutic Drug Monitoring, 2008, 30, 402 | 3.2 | |
| 58 | Current technologies and considerations for drug bioanalysis in oral fluid. <i>Bioanalysis</i> , 2009 , 1, 637-67 | 2.1 | 34 |
| 57 | Substance use among road traffic casualties admitted to emergency departments. <i>Injury Prevention</i> , 2009 , 15, 87-94 | 3.2 | 23 |
| 56 | Identification and quantitation of amphetamines, cocaine, opiates, and phencyclidine in oral fluid by liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2009 , 33, 569-77 | 7 ^{2.9} | 42 |
| 55 | Mass spectrometric approaches in impaired driving toxicology. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 97-107 | 4.4 | 46 |
| 54 | Rapid drug detection in oral samples by porous silicon assisted laser desorption/ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 3543-8 | 2.2 | 32 |
| 53 | Drugs of abuse testing by tandem mass spectrometry: a rapid, simple method to replace immunoassays. <i>Clinical Biochemistry</i> , 2009 , 42, 1531-42 | 3.5 | 66 |
| 52 | Drug-of-abuse testing at the point of care. Clinics in Laboratory Medicine, 2009, 29, 503-9 | 2.1 | 17 |
| 51 | Random urine drug testing. Anesthesia and Analgesia, 2009, 108, 676; author reply 676-7 | 3.9 | 4 |
| 50 | Pharmacokinetic properties of delta9-tetrahydrocannabinol in oral fluid of occasional and chronic users. <i>Journal of Analytical Toxicology</i> , 2010 , 34, 216-21 | 2.9 | 53 |
| 49 | From personalized medicine to personalized justice: the promises of translational pharmacogenomics in the justice system. <i>Pharmacogenomics</i> , 2010 , 11, 731-7 | 2.6 | 14 |
| 48 | External quality assessment of multi-analyte chromatographic methods in oral fluid. <i>Clinica Chimica Acta</i> , 2010 , 411, 1041-5 | 6.2 | 9 |
| 47 | Drug Diversion, Chemical Dependence, and Anesthesiology. <i>Advances in Anesthesia</i> , 2011 , 29, 113-127 | 0.6 | 5 |
| 46 | Pharmacogenomic Testing in Current Clinical Practice. 2011 , | | 1 |
| 45 | Analysis of Drugs of Abuse in Biological Specimens. <i>Journal of Health Science</i> , 2011 , 57, 472-487 | | 27 |
| 44 | Recent advances of liquid chromatography-(tandem) mass spectrometry in clinical and forensic toxicology. <i>Clinical Biochemistry</i> , 2011 , 44, 54-65 | 3.5 | 150 |

| 43 | Oral fluid drug testing of chronic pain patients. I. Positive prevalence rates of licit and illicit drugs. Journal of Analytical Toxicology, 2011 , 35, 529-40 | 2.9 | 43 |
|----|---|------------------|----|
| 42 | Oral fluid cannabinoids in chronic, daily Cannabis smokers during sustained, monitored abstinence. <i>Clinical Chemistry</i> , 2011 , 57, 1127-36 | 5.5 | 62 |
| 41 | Oral fluid is a viable alternative for monitoring drug abuse: detection of drugs in oral fluid by liquid chromatography-tandem mass spectrometry and comparison to the results from urine samples from patients treated with Methadone or Buprenorphine. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 32 | 2.9 -9 | 54 |
| 40 | Detection of paraquat in oral fluid, plasma, and urine by capillary electrophoresis for diagnosis of acute poisoning. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 274-9 | 2.9 | 27 |
| 39 | [Determination of morphine, codeine and 6-monoacetylmorphine in saliva of substance-abuse patients using HPLC/MS methods]. <i>Vojnosanitetski Pregled</i> , 2012 , 69, 141-6 | 0.1 | |
| 38 | Performance of a point-of-care device for oral fluid ketamine evaluated by a liquid chromatography-tandem mass spectrometry method. <i>Journal of Analytical Toxicology</i> , 2012 , 36, 210-6 | 2.9 | 6 |
| 37 | Conduccifi bajo los efectos de sustancias psicoactivas: correlacifi de las concentraciones en fluido oral y sangre. <i>Revista Espanola De Medicina Legal</i> , 2012 , 38, 91-99 | 0.2 | |
| 36 | Psychiatric disorders among individuals who drive after the recent use of alcohol and drugs. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 314-20 | 2.6 | 8 |
| 35 | Oral fluid drug testing of chronic pain patients. II. Comparison of paired oral fluid and urine specimens. <i>Journal of Analytical Toxicology</i> , 2012 , 36, 75-80 | 2.9 | 38 |
| 34 | Toxicology testing in alternative specimen matrices. <i>Clinics in Laboratory Medicine</i> , 2012 , 32, 467-92 | 2.1 | 19 |
| 33 | Liquid-phase microextraction and desorption electrospray ionization mass spectrometry for identification and quantification of basic drugs in human urine. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 133-40 | 2.2 | 28 |
| 32 | Analytical evaluation of four on-site oral fluid drug testing devices. <i>Journal of Analytical Toxicology</i> , 2012 , 36, 136-40 | 2.9 | 34 |
| 31 | Oral fluid results compared to self reports of recent cocaine and heroin use by methadone maintenance patients. <i>Forensic Science International</i> , 2012 , 215, 88-91 | 2.6 | 15 |
| 30 | The incidence of drugs of impairment in oral fluid from random roadside testing. <i>Forensic Science International</i> , 2012 , 215, 28-31 | 2.6 | 44 |
| 29 | Simultaneous determination of 🛭-tetrahydrocannabinol and 11-nor-9-carboxy-🗗-tetrahydrocannabinol in oral fluid using isotope dilution liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 851-9 | 4.4 | 29 |
| 28 | Comparison of drug concentrations between whole blood and oral fluid. <i>Drug Testing and Analysis</i> , 2014 , 6, 461-71 | 3.5 | 72 |
| 27 | Analysis of cannabinoids in oral fluid by liquid chromatography Bandem mass spectrometry. <i>Forensic Toxicology</i> , 2013 , 31, 151-163 | 2.6 | 21 |
| 26 | Forensic Toxicology. 2013 , 249-293 | | 3 |

| 25 | Stability of 11 prevalent synthetic cannabinoids in authentic neat oral fluid samples: glass versus polypropylene containers at different temperatures. <i>Drug Testing and Analysis</i> , 2013 , 5, 602-6 | 3.5 | 17 |
|----|--|-----|----|
| 24 | [Initial diagnosis and treatment for poisoning]. <i>Medizinische Klinik - Intensivmedizin Und Notfallmedizin</i> , 2013 , 108, 459-64 | 3.2 | 4 |
| 23 | The accuracy of self-reported data concerning recent cannabis use in the French armed forces. <i>European Journal of Public Health</i> , 2013 , 23, 328-32 | 2.1 | 12 |
| 22 | Screening, brief intervention, and referral to treatment (SBIRT) for offenders: protocol for a pragmatic randomized trial. <i>Addiction Science & Dinical Practice</i> , 2013 , 8, 16 | 4.1 | 12 |
| 21 | Current knowledge on cannabinoids in oral fluid. <i>Drug Testing and Analysis</i> , 2014 , 6, 88-111 | 3.5 | 61 |
| 20 | The relationship between observed signs of impairment and THC concentration in oral fluid. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 231-8 | 4.9 | 11 |
| 19 | Driving under the influence among frequent ecstasy consumers in Australia: trends over time and the role of risk perceptions. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 218-24 | 4.9 | 13 |
| 18 | Detection and prevalence of drug use in arrested drivers using the Drger Drug Test 5000 and Affiniton DrugWipe oral fluid drug screening devices. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 444-50 | 2.9 | 34 |
| 17 | Method validation and application of a liquid chromatography-tandem mass spectrometry method for drugs of abuse testing in exhaled breath. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 985, 189-96 | 3.2 | 25 |
| 16 | Drug checking interventions can track the nature and size of the discrepancy between self-report and actual drugs consumed. <i>Addiction</i> , 2016 , 111, 558-9 | 4.6 | 10 |
| 15 | Reliability of point-of-collection testing devices for drugs of abuse in oral fluid: A systematic review and meta-analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 77-85 | 3.5 | 20 |
| 14 | Appropriate Use of Drug Testing in Clinical Addiction Medicine. <i>Journal of Addiction Medicine</i> , 2017 , 11 Suppl 3, 1-56 | 3.8 | 3 |
| 13 | [Substance abuse detection in substitution therapy : Oral fluid versus urine screening]. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2017 , 60, 1261-1268 | 7·5 | |
| 12 | Oral Fluid Testing for Cocaine: Analytical Evaluation of Two Point-of-Collection Drug Screening Devices. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 392-398 | 2.9 | 5 |
| 11 | Forensic toxicology. 2017 , 301-358 | | 3 |
| 10 | Comparison of Cocaine/Crack Biomarkers Concentrations in Oral Fluid, Urine and Plasma Simultaneously Collected From Drug Users. <i>Journal of Analytical Toxicology</i> , 2018 , 42, 69-76 | 2.9 | 6 |
| 9 | Molecularly imprinted polymer-based device for field collection of oral fluid samples for cocaine identification. <i>Journal of Chromatography A</i> , 2020 , 1633, 461629 | 4.5 | 2 |
| 8 | Development and validation of quantitative analytical method for 50 drugs of antidepressants, benzodiazepines and opioids in oral fluid samples by liquid chromatographyEandem mass spectrometry. Forensic Toxicology, 2021 , 39, 179-197 | 2.6 | 2 |

CITATION REPORT

| 7 | Utilisation des tests rapides de dEection de drogues dans la salive au bord de la route et en sant au travail. <i>Toxicologie Analytique Et Clinique</i> , 2009 , 21, 3-8 | 0.4 | 10 |
|---|--|-----|----|
| 6 | Undiagnosed Drug Misuse among Admissions to Psychiatric Day Treatment and Prediction of Early Exit. <i>The Open Addiction Journal</i> , 2010 , 3, 102-108 | | 3 |
| 5 | From Personalized Medicine to Personalized Justice: The Promises of Translational Pharmacogenomics in the Justice System. 2011 , 47-56 | | |
| 4 | Salivary Biomarkers in Toxicology: An Update Narrative. 2022 , 1-27 | | O |
| 3 | Quantifying quantify 64 drugs, illicit substances, and D- and L- isomers in human oral fluid with liquid-liquid extraction. | | 1 |
| 2 | A Human Oral Fluid Assay for D- and L- Isomer Detection of Amphetamine and Methamphetamine Using Liquid-Liquid Extraction. 2022 , 2022, 1-9 | | 1 |
| 1 | Salivary Biomarkers in Toxicology: An Update Narrative. 2023 , 647-673 | · | 0 |