## CITATION REPORT List of articles citing

Alarming prevalence of fetal alcohol exposure in a Mediterranean city

DOI: 10.1097/ftd.ob013e31816a8657 Therapeutic Drug Monitoring, 2008, 30, 249-54.

Source: https://exaly.com/paper-pdf/45027876/citation-report.pdf

**Version:** 2024-04-11

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
71	Liquid chromatography with tandem mass spectrometric detection for the measurement of ethyl glucuronide and ethyl sulfate in meconium: new biomarkers of gestational ethanol exposure?.  Therapeutic Drug Monitoring, 2008, 30, 725-32	3.2	35
70	Repeated ethanol exposure during late gestation alters the maturation and innate immune status of the ovine fetal lung. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2009</b> , 296, L510-8	5.8	47
69	Brief alcohol intervention to prevent drinking during pregnancy: an overview of research findings. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2009</b> , 21, 496-500	2.4	41
68	Population Baseline of Meconium Ethyl Glucuronide and Ethyl Sulfate Concentrations in Newborns of Nondrinking Women in 2 Mediterranean Cohorts. <i>Therapeutic Drug Monitoring</i> , <b>2010</b> , 32, 359-63	3.2	32
67	The incidence of prenatal alcohol exposure in Montevideo Uruguay as determined by meconium analysis. <i>Therapeutic Drug Monitoring</i> , <b>2010</b> , 32, 311-7	3.2	28
66	Quantification of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in meconium from newborns for detection of alcohol abuse in a maternal health evaluation study. <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 396, 2469-77	4.4	79
65	A comprehensive review of assay methods to determine drugs in breast milk and the safety of breastfeeding when taking drugs. <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 397, 1157-79	4.4	52
64	Ethyl glucuronide and ethyl sulfate in meconium and hair-potential biomarkers of intrauterine exposure to ethanol. <i>Forensic Science International</i> , <b>2010</b> , 196, 74-7	2.6	70
63	Exposure to psychoactive substances in women who request voluntary termination of pregnancy assessed by serum and hair testing. <i>Forensic Science International</i> , <b>2010</b> , 196, 22-6	2.6	22
62	Fetal alcohol syndrome: new perspectives for an ancient and underestimated problem. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2011</b> , 24 Suppl 1, 34-7	2	23
61	ExposiB prEhatal ao etanol: toxicidade, biomarcadores e mEodos de detecB. <i>Revista De</i> <i>Psiquiatria Clinica</i> , <b>2011</b> , 38, 116-121	0.8	2
60	Ethyl-glucuronide and ethyl-sulfate in placental and fetal tissues by liquid chromatography coupled with tandem mass spectrometry. <i>Analytical Biochemistry</i> , <b>2011</b> , 418, 30-6	3.1	29
59	Fetal alcohol spectrum disorders: an overview. <i>Neuropsychology Review</i> , <b>2011</b> , 21, 73-80	7.7	447
58	A survey of Italian and Spanish neonatologists and paediatricians regarding awareness of the diagnosis of FAS and FASD and maternal ethanol use during pregnancy. <i>BMC Pediatrics</i> , <b>2011</b> , 11, 51	2.6	16
57	An improved method for rapidly quantifying fatty acid ethyl esters in meconium suitable for prenatal alcohol screening. <i>Alcohol</i> , <b>2011</b> , 45, 193-9	2.7	36
56	The effect of different alcohol drinking patterns in early to mid-pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1670-1	3.7	3
55	Gene expression changes in C57BL/6J and DBA/2J mice following prenatal alcohol exposure. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2012</b> , 36, 1519-29	3.7	37

## (2014-2012)

54	Assessment of prenatal exposure to ethanol by meconium analysis: results of an Italian multicenter study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2012</b> , 36, 417-24	3.7	45	
53	[Alternative biological materials to detect prenatal exposure to drugs of abuse in the third trimester of pregnancy]. <i>Anales De Pediatr</i> a, <b>2012</b> , 77, 323-8	0.2	9	
52	[Validity of a maternal alcohol consumption questionnaire in detecting prenatal exposure]. <i>Anales De Pediatr</i> <b>ā</b> , <b>2012</b> , 76, 324-8	0.2	19	
51	Determination of maternal-fetal biomarkers of prenatal exposure to ethanol: a review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 69, 209-22	3.5	89	
50	A new method for quantifying prenatal exposure to ethanol by microwave-assisted extraction (MAE) of meconium followed by gas chromatography-mass spectrometry (GC-MS). <i>Analytical and Bioanalytical Chemistry</i> , <b>2012</b> , 404, 147-55	4.4	12	
49	Neonatal screening for prenatal alcohol exposure: assessment of voluntary maternal participation in an open meconium screening program. <i>Alcohol</i> , <b>2012</b> , 46, 269-76	2.7	22	
48	Feto-placental morphological effects of prenatal exposure to drugs of abuse. <i>Reproductive Toxicology</i> , <b>2012</b> , 34, 73-9	3.4	24	
47	Assessment of exposure to drugs of abuse during pregnancy by hair analysis in a Mediterranean island. <i>Addiction</i> , <b>2012</b> , 107, 1471-9	4.6	36	
46	Head circumference at birth and exposure to tobacco, alcohol and illegal drugs during early pregnancy. <i>Childr</i> Nervous System, <b>2012</b> , 28, 433-9	1.7	16	
45	Testing ethylglucuronide in maternal hair and nails for the assessment of fetal exposure to alcohol: comparison with meconium testing. <i>Therapeutic Drug Monitoring</i> , <b>2013</b> , 35, 402-7	3.2	43	
44	The high harm score of alcohol. Time for drug policy to be revisited?. <i>Journal of Psychopharmacology</i> , <b>2013</b> , 27, 248-55	4.6	14	
43	Alcohol use in pregnancy: prevalence and predictors in the Longitudinal Study of Australian Children. <i>Drug and Alcohol Review</i> , <b>2013</b> , 32, 475-82	3.2	31	
42	[Population-based studies on alcohol-related harm in Spain]. <i>Revista Espanola De Salud Publica</i> , <b>2014</b> , 88, 493-513	0.4	12	
41	Stidrome alcolica fetal (revisti sistematizada. <i>Revista Hospital Universit</i> tiio Pedro Ernesto, <b>2014</b> , 13,			
40	Care of drug-addicted pregnant women: current concepts and future strategies - an overview. <i>Womeni Health</i> , <b>2014</b> , 10, 167-77	3	4	
39	Maternal risk factors for fetal alcohol spectrum disorders in a province in Italy. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 145, 201-8	4.9	19	
38	Development of a new immunoassay for the detection of ethyl glucuronide (EtG) in meconium: validation with authentic specimens analyzed using LC-MS/MS. Preliminary results. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2014</b> , 52, 1179-85	5.9	12	
37	Alcohol and Developing Neuronal Circuits. <b>2014</b> , 111-130			

36	Prenatal alcohol exposure and its repercussion on newborns. <i>Journal of Neonatal-Perinatal Medicine</i> , <b>2014</b> , 7, 47-54	1.3	8
35	A comparison of the prevalence of prenatal alcohol exposure obtained via maternal self-reports versus meconium testing: a systematic literature review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 127	3.2	95
34	Quantification of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in meconium for detection of alcohol abuse during pregnancy: Correlation study between both biomarkers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 100, 74-78	3.5	16
33	Moderate prenatal alcohol exposure enhances GluN2B containing NMDA receptor binding and ifenprodil sensitivity in rat agranular insular cortex. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118721	3.7	17
32	Neurobehavioural Effects of Prenatal Exposure to Alcohol. <i>Journal of Pregnancy and Child Health</i> , <b>2015</b> , 02,	1	
31	Prenatal ethanol exposure and placental hCG and IGF2 expression. <i>Placenta</i> , <b>2015</b> , 36, 854-62	3.4	13
30	Alcohol consumption during pregnancy and adverse neurodevelopmental outcomes. <i>Journal of Epidemiology and Community Health</i> , <b>2015</b> , 69, 927-9	5.1	15
29	Prevalence and characteristics of fetal alcohol syndrome and partial fetal alcohol syndrome in a Rocky Mountain Region City. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 155, 118-27	4.9	53
28	Determination of direct alcohol markers: a review. Analytical and Bioanalytical Chemistry, 2015, 407, 49	0 <b>7<del>.</del>2</b> 5	55
27	High levels of alcohol consumption in pregnant women from a touristic area of Southern Spain. <i>Journal of Obstetrics and Gynaecology</i> , <b>2015</b> , 35, 821-4	1.3	
26	Fetal alcohol-spectrum disorders: identifying at-risk mothers. <i>International Journal of Womeni Health</i> , <b>2016</b> , 8, 311-23	2.8	20
25	Alcohol Consumption during Pregnancy: Analysis of Two Direct Metabolites of Ethanol in Meconium. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17, 417	6.3	4
24	Peri-Conceptual and Mid-Pregnancy Alcohol Consumption: A Comparison between Areas of High and Low Deprivation in Scotland. <i>Birth</i> , <b>2016</b> , 43, 320-327	3.1	1
23	The Detection of Fetal Alcohol Exposure by FAEEs Meconium Analysis. <i>Current Developmental Disorders Reports</i> , <b>2016</b> , 3, 235-241	1.9	2
22	Alternative sampling strategies for the assessment of alcohol intake of living persons. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 1078-91	3.5	29
21	Bioanalytical procedures and developments in the determination of alcohol biomarkers in biological specimens. <i>Bioanalysis</i> , <b>2016</b> , 8, 229-51	2.1	16
20	Segmental hair analysis to assess effectiveness of single-session motivational intervention to stop ethanol use during pregnancy. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 158, 45-51	4.9	8
19	Fetal exposure to ethanol: relationship between ethyl glucuronide in maternal hair during pregnancy and ethyl glucuronide in neonatal meconium. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 54, 427-35	5.9	27

18	Assessment of tobacco, alcohol and cannabinoid metabolites in 645 meconium samples of newborns compared to maternal self-reports. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 90, 86-93	5.2	24
17	Vulnerability to alcohol-related problems: a policy brief with implications for the regulation of alcohol marketing. <i>Addiction</i> , <b>2017</b> , 112 Suppl 1, 94-101	4.6	32
16	Peri-conceptual and mid-pregnancy drinking: a cross-sectional assessment in two Scottish health board areas using a 7-day Retrospective Diary. <i>Journal of Advanced Nursing</i> , <b>2017</b> , 73, 375-385	3.1	4
15	Prevalence of prenatal exposure to substances of abuse: questionnaire versus biomarkers. <i>Reproductive Health</i> , <b>2017</b> , 14, 137	3.5	19
14	Differential correlations between maternal hair levels of tobacco and alcohol with fetal growth restriction clinical subtypes. <i>Alcohol</i> , <b>2018</b> , 70, 43-49	2.7	9
13	A utilitarian comparison of two alcohol use biomarkers with self-reported drinking history collected in antenatal clinics. <i>Reproductive Toxicology</i> , <b>2018</b> , 77, 25-32	3.4	20
12	Determining the pattern and prevalence of alcohol consumption in pregnancy by measuring biomarkers in meconium. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , <b>2018</b> , 103, F216-F	2 <b>½</b> 7	18
11	Quantifying fetal alcohol exposure by meconium fatty acid ethyl esters (FAEE); association with adverse fetal outcomes and population estimates of fetal alcohol exposure. <i>Drug Metabolism Reviews</i> , <b>2019</b> , 51, 524-532	7	2
10	Prey preference, environmental tolerances and ichthyotoxicity by the red-tide dinoflagellate Noctiluca scintillans cultured from Tasmanian waters. <i>Journal of Plankton Research</i> , <b>2019</b> , 41, 407-418	2.2	6
9	An Integrative Screening Tool of Alcohol Exposure During Early Pregnancy: Combining of the CDT Biomarker with Green Page Questionnaire. <i>Alcohol and Alcoholism</i> , <b>2019</b> , 54, 599-608	3.5	1
8	Meconium Biomarkers of Prenatal Alcohol Exposure. <b>2019</b> , 585-594		
7	Serum concentrations of IGF-I/IGF-II as biomarkers of alcohol damage during foetal development and diagnostic markers of Foetal Alcohol Syndrome. <i>Scientific Reports</i> , <b>2019</b> , 9, 1562	4.9	6
6	Role of Neonatal Biomarkers of Exposure to Psychoactive Substances to Identify Maternal Socio-Demographic Determinants. <i>Biology</i> , <b>2021</b> , 10,	4.9	2
5	Perfil neurocognitivo y conductual del trastorno del espectro alcohlico fetal. <i>Anales De Pediatr</i> d, <b>2021</b> , 95, 208.e1-208.e9	0.2	
4	Neurocognitive and behavioral profile of fetal alcohol spectrum disorder. <i>Anales De Pediatr</i> <b>a</b> (English Edition), <b>2021</b> , 95, 208.e1-208.e9	0.4	1
3	Alcohol During Pregnancy from 1985 to 2005: Prevalence and High Risk Profile. <i>Sucht</i> , <b>2013</b> , 59, 165-17	<b>3</b> 0.5	5
2	Baseline heart rate in infants with prenatal alcohol exposure: A systematic review and independent analysis.		0
1	Assessing the sensitivity and specificity of phosphatidylethanol (PEth) cutoffs to identify alcohol exposed pregnancies. <b>2023</b> , 4, 100105		Ο