

Changes in outcomes (1996-2004) for pediatric oncology
transplant patients requiring invasive mechanical ventilation

Pediatric Critical Care Medicine

9, 270-277

DOI: [10.1097/pcc.0b013e31816c7260](https://doi.org/10.1097/pcc.0b013e31816c7260)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Survival in a Recent Cohort of Mechanically Ventilated Pediatric Allogeneic Hematopoietic Stem Cell Transplantation Recipients. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1385-1393. | 2.0 | 44 |
| 2 | Post hoc analysis of calfactant use in immunocompromised children with acute lung injury: Impact and feasibility of further clinical trials*. <i>Pediatric Critical Care Medicine</i> , 2008, 9, 459-464. | 0.2 | 21 |
| 3 | Pediatric oncology and hematopoietic stem cell transplant patients requiring invasive mechanical ventilation: Do we do a better job?*. <i>Pediatric Critical Care Medicine</i> , 2008, 9, 334-335. | 0.2 | 5 |
| 4 | Lung Function, Pulmonary Complications, and Mortality after Allogeneic Blood and Marrow Transplantation in Children. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 817-826. | 2.0 | 85 |
| 6 | Management of bacteremia in patients undergoing hematopoietic stem cell transplantation. <i>Expert Review of Anti-Infective Therapy</i> , 2009, 7, 607-621. | 2.0 | 23 |
| 7 | Making a difference to that one, one (documented) patient at a time*. <i>Critical Care Medicine</i> , 2009, 37, 1503-1505. | 0.4 | 5 |
| 8 | Outcomes of hematopoietic stem cell transplant patients who received continuous renal replacement therapy in a pediatric oncology intensive care unit*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 699-706. | 0.2 | 38 |
| 9 | Early Changes in SOFA Score as a Prognostic Factor in Pediatric Oncology Patients Requiring Mechanical Ventilatory Support. <i>Journal of Pediatric Hematology/Oncology</i> , 2010, 32, e308-e313. | 0.3 | 22 |
| 10 | Successful use of extracorporeal life support in a hematopoietic stem cell transplant patient with diffuse alveolar hemorrhage. <i>Pediatric Critical Care Medicine</i> , 2010, 11, e4-e7. | 0.2 | 27 |
| 11 | End-of-life experience of children undergoing stem cell transplantation for malignancy: parent and provider perspectives and patterns of care. <i>Blood</i> , 2010, 115, 3879-3885. | 0.6 | 77 |
| 12 | Children with Chronic Illness Return to Their Baseline Functional Status after Organ Dysfunction on the First Day of Admission in the Pediatric Intensive Care Unit. <i>Journal of Pediatrics</i> , 2010, 157, 108-113.e1. | 0.9 | 35 |
| 13 | CCC meets ICU: Redefining the role of critical care of cancer patients. <i>BMC Cancer</i> , 2010, 10, 612. | 1.1 | 35 |
| 14 | Impact of continuous renal replacement therapy on oxygenation in children with acute lung injury after allogeneic hematopoietic stem cell transplantation. <i>Pediatric Blood and Cancer</i> , 2010, 55, 540-545. | 0.8 | 36 |
| 15 | Aspects cliniques et Éthiques du transfert en réanimation des patients porteurs de pathologies malignes. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2010, 19, 699-705. | 0.1 | 4 |
| 16 | Breathing difficulties in children subjected to bone marrow transplantation. <i>Medicina Intensiva (English Edition)</i> , 2011, 35, 569-577. | 0.1 | 2 |
| 17 | Critical Illness Involving Children Undergoing Hematopoietic Progenitor Cell Transplantation. , 2011, , 1177-1190. | | 1 |
| 18 | Impact of Neutrophil Recovery on Oxygenation in Pediatric Oncology Patients With Acute Hypoxemic Respiratory Failure. <i>Journal of Pediatric Hematology/Oncology</i> , 2011, 33, e296-e299. | 0.3 | 6 |
| 19 | Pediatric respiratory diseases: 2011 update for the Rogers's Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 325-338. | 0.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 21 | The care of critically ill children after hematopoietic SCT: a North American survey. <i>Bone Marrow Transplantation</i> , 2011, 46, 227-231. | 1.3 | 17 |
| 22 | Management of Oncology Patients Admitted to the Paediatric Intensive Care Unit of a General Children's Hospital - A Single Center Analysis. <i>Klinische Padiatrie</i> , 2011, 223, 142-146. | 0.2 | 26 |
| 23 | Long term survival in children with acute leukaemia and complications requiring mechanical ventilation. <i>Archives of Disease in Childhood</i> , 2011, 96, 1026-1032. | 1.0 | 8 |
| 24 | Pediatric End-of-Life Care for Taiwanese Children Who Died As a Result of Cancer From 2001 Through 2006. <i>Journal of Clinical Oncology</i> , 2011, 29, 890-894. | 0.8 | 48 |
| 25 | Pediatric Intensive Care Unit Admission Criteria for Haematooncological Patients: A Basis for Clinical Guidelines Implementation. <i>Mental Illness</i> , 2011, 3, e13. | 0.8 | 28 |
| 26 | Continuous Renal Replacement Therapy in Children Post-Hematopoietic Stem Cell Transplantation: The Present and the Future. <i>Current Stem Cell Research and Therapy</i> , 2012, 7, 381-387. | 0.6 | 10 |
| 27 | Improved outcomes for stem cell transplant recipients requiring pediatric intensive care. <i>Pediatric Critical Care Medicine</i> , 2012, 13, e336-e342. | 0.2 | 71 |
| 29 | Outcome of children requiring intensive care following haematopoietic SCT for primary immunodeficiency and other non-malignant disorders. <i>Bone Marrow Transplantation</i> , 2012, 47, 40-45. | 1.3 | 25 |
| 30 | The critically-ill pediatric hemato-oncology patient: epidemiology, management, and strategy of transfer to the pediatric intensive care unit. <i>Annals of Intensive Care</i> , 2012, 2, 14. | 2.2 | 42 |
| 31 | The use of high frequency oscillatory ventilation in a pediatric oncology intensive care unit. <i>Pediatric Blood and Cancer</i> , 2012, 58, 384-389. | 0.8 | 13 |
| 32 | Oxygenation index predicts mortality in pediatric stem cell transplant recipients requiring mechanical ventilation. <i>Pediatric Transplantation</i> , 2012, 16, 645-650. | 0.5 | 15 |
| 33 | Risk factors associated with pediatric intensive care unit admission and mortality after pediatric stem cell transplant: possible role of renal involvement. <i>World Journal of Pediatrics</i> , 2013, 9, 140-145. | 0.8 | 9 |
| 34 | A window into diaphragm kinetics: feasibility, precision, and physiological meaning of ultrasound measurements of diaphragm thickness. <i>Critical Care</i> , 2013, 17, . | 2.5 | 3 |
| 36 | Reversible depressive effect of TNF α on a model of isolated perfused rat heart. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 37 | Effect of cdp-choline on microcirculatory alterations during endotoxemia. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 38 | Immune response after stimulation with wall components of Gram-positive bacteria. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 39 | Correlation of the oxygen radical activity and antioxidants and severity in critically ill surgical patients: preliminary report. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 40 | Simultaneous analysis of the expression of CD64 and HLA-DR in the peripheral blood and bronchoalveolar lavage fluid in sepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 41 | Anti-inflammatory effects of Kupffer cells through $\alpha 7$ -nicotinic acetylcholine receptors. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 42 | Prevention of sepsis by correcting apoptosis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 43 | Immune paralysis in trauma patients; implications for prehospital intervention. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 44 | Is hemoglobin concentration affected by sepsis in the acute phase?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 4 |
| 45 | Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 46 | Do erythrocytes subjected to cardiopulmonary bypass exhibit changes in their membrane mechanical properties?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 47 | Platelet-associated oxidative stress and ADAMTS-13 levels are inversely associated with a poor prognosis in septic shock. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 48 | Neutrophil gelatinase-associated lipocalin/lipocalin2, derived from gut crypt cells, exerts intestinal antimicrobial effect via bacterial stimulation of Toll-like receptor 4 and 9. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 49 | Lethal influenza virus A H1N1 infection in two relatives with autosomal dominant GATA-2 deficiency. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 50 | Bacterial translocation primes proinflammatory responses and is connected to early death in an experimental model of lethal injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 51 | Effects of the common 34C>T variant of the AMPD1 gene on immune function, multiorgan dysfunction and mortality in patients with sepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 52 | Exploring the translational disconnect between the murine and human inflammatory response: in vitro analysis of the dose-response relationship of LPS and NF κ B activation in murine and human immune cells. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 53 | Hypogammaglobulinemia in sepsis is not correlated to high circulating angiotensin-2 levels. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 54 | TREM-1 levels are elevated in patients with liver cirrhosis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 55 | Effects of different doses and serotypes of LPS on blood-brain barrier permeability in Sprague-Dawley rats. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 56 | Bioenergetic imbalance and oxidative stress in the pathophysiology of septic encephalopathy. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 57 | Pathophysiology of sepsis-associated brain dysfunction: an experimental study of cerebral microdialysis and mitochondrial function. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 58 | Cholinergic modulation of hippocampal activity during septic encephalopathy. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 59 | Neutrophil-lymphocyte count ratio as a biomarker of severe sepsis in Escherichia coli infections in adults. Critical Care, 2013, 17, . | 2.5 | 3 |
| 60 | Obesity and inflammatory markers in severe sepsis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 61 | Cytokine gene expression can predict infectious complications following severe trauma. Critical Care, 2013, 17, . | 2.5 | 3 |
| 62 | A cohort study of routinely used sepsis biomarkers and 28-day mortality. Critical Care, 2013, 17, . | 2.5 | 0 |
| 63 | Procalcitonin as prognostic marker of mortality. Critical Care, 2013, 17, . | 2.5 | 0 |
| 64 | Changes in circulating procalcitonin versus C-reactive protein in predicting evolution of infectious disease in febrile, critically ill patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 65 | Procalcitonin-guided antibiotic therapy in patients with congestive heart failure and suspicion of lower respiratory tract infection: results from a randomized trial. Critical Care, 2013, 17, . | 2.5 | 2 |
| 66 | Pro-adrenomedullin as a clinical predictor after cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 0 |
| 67 | Pro-adrenomedullin as prognostic biomarker in the sepsis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 68 | Early IL-6 response in sepsis is correlated with mortality and severity score. Critical Care, 2013, 17, . | 2.5 | 17 |
| 69 | Compared values of presepsin (sCD14-ST) and procalcitonin as early markers of outcome in severe sepsis and septic shock: a preliminary report from the Albumin Italian Outcome Sepsis (ALBIOS) study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 70 | Usefulness of presepsin in the diagnosis of sepsis in acute kidney injury patients. Critical Care, 2013, 17, . | 2.5 | 1 |
| 71 | Serum levels of presepsin reflects the APACHE II and SOFA scores in patients with sepsis. Critical Care, 2013, 17, . | 2.5 | 1 |
| 72 | Relationship between serum nitrite/nitrate levels in the early phase of septic acute lung injury and prognosis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 73 | Simple and fast prediction of Legionella sp. in community-acquired pneumonia: validation of a prediction rule. Critical Care, 2013, 17, . | 2.5 | 0 |
| 74 | Host genetic variants associated with community-acquired pneumonia. Critical Care, 2013, 17, . | 2.5 | 1 |
| 75 | Outcome of severe community-acquired pneumonia: the impact of comorbidities. Critical Care, 2013, 17, . | 2.5 | 2 |
| 76 | Prognostic scores and infective endocarditis. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 77 | Effectiveness of early ureteric stenting for urosepsis associated with urinary tract calculi. Critical Care, 2013, 17, . | 2.5 | 0 |
| 78 | Outcomes in urinary sepsis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 79 | Nosocomial pneumonia in the postoperative period after heart transplantation. Critical Care, 2013, 17, . | 2.5 | 2 |
| 80 | Abdominal infection plays a role in the incidence of ventilator-associated pneumonia. Critical Care, 2013, 17, . | 2.5 | 0 |
| 81 | Incidence and risk factors for ventilator-associated pneumonia in Siriraj Hospital. Critical Care, 2013, 17, . | 2.5 | 0 |
| 82 | Hospital-acquired bloodstream infection: Indian perspective. Critical Care, 2013, 17, . | 2.5 | 0 |
| 83 | Risk factors for catheter-related bloodstream infections in a surgical ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 84 | Analysis of risk factors for catheter-related bloodstream infection in a parenteral nutrition population. Critical Care, 2013, 17, . | 2.5 | 0 |
| 85 | Can we predict the postoperative infections?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 86 | Results for introduction of a new hand hygiene program in the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 87 | Improving hand hygiene performance in a surgical ICU: a novel method for data collection to change physician behavior. Critical Care, 2013, 17, . | 2.5 | 0 |
| 88 | Compliance with the implementation of an ICU cluster-randomized trial assessing the benefits and potential harms of universal glove and gowning. Critical Care, 2013, 17, . | 2.5 | 1 |
| 89 | Fighting hospital sepsis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 90 | Sinks as a correctable source of ESBL contamination for patients in the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 91 | Hemodynamic and mitochondrial effects of enalapril in experimental sepsis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 92 | Effects of intraperitoneal immunoglobulin therapy on behavior and cognitive functions in CLP-induced sepsis model in rats. Critical Care, 2013, 17, . | 2.5 | 0 |
| 93 | Clinical efficacy of recombinant human soluble thrombomodulin in patients with septic disseminated intravascular coagulation. Critical Care, 2013, 17, . | 2.5 | 0 |
| 94 | Antithrombin III concentrate therapy may have an efficacy in sepsis. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 95 | A clinical randomized trial on the use of atorvastatin in patients with sepsis or septic shock: effects on endothelial function. <i>Critical Care</i> , 2013, 17, . | 2.5 | 3 |
| 96 | A multicenter randomized controlled study of an extracorporeal cytokine hemoabsorption device in septic patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 35 |
| 97 | Continuous renal replacement therapy with the adsorbent membrane oXiris in septic patients: a clinical experience. <i>Critical Care</i> , 2013, 17, . | 2.5 | 9 |
| 98 | Combined use of pumpless extracorporeal lung assist system and continuous renal replacement therapy with citrate anticoagulation in polytrauma patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 100 | Use of extracorporeal endotoxin elimination therapy for septic shock. <i>Critical Care</i> , 2013, 17, . | 2.5 | 5 |
| 101 | Selective adsorption of lipopolysaccharide in the complex treatment of patients with severe sepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 102 | Alteco endotoxin hemoabsorption in Gram-negative septic shock patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 103 | Steroid therapy in septic shock: survey of practice amongst UK critical care physicians. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 104 | Need for restoration of cortisol serum levels for successful antimicrobial therapy in experimental sepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 105 | Impact of time to initiation of appropriate antibiotic therapy on early mortality of patients with septic shock. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 106 | Comparison of survivors and nonsurvivors in 27 confirmed injectional anthrax cases from the 2009 outbreak in Scotland. <i>Critical Care</i> , 2013, 17, . | 2.5 | 3 |
| 107 | Efficacy and utility of preemptive anti-Gr(+) coverage in selected critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 108 | Gram-negative resistance and need for ICU among urinary tract infections in the United States. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 109 | Multidrug resistance among <i>P. aeruginosa</i> and <i>Enterobacteriaceae</i> in US hospitals, 2000 to 2009. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 110 | Prevalence of multidrug resistance, extensive drug resistance and pandrug resistance among multiple Gram-negative isolates: experience in a tertiary-care hospital ICU in North India. <i>Critical Care</i> , 2013, 17, . | 2.5 | 6 |
| 111 | Risk factors associated with <i>Acinetobacter baumannii</i> septicemia and its mortality rates in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 112 | Prevalence of colonization by multiresistant bacteria on admission to the ICU in the French military hospital in Kabul, Afghanistan. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 113 | Extended-spectrum β -lactamase <i>Providencia stuartii</i> in a general ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 114 | High-dose tigecycline use in severe infections. Critical Care, 2013, 17, . | 2.5 | 2 |
| 115 | In vitro efficiency of Amikacin Inhale, a novel drug-device delivery system. Critical Care, 2013, 17, . | 2.5 | 6 |
| 116 | Analysis of parameters in critically ill patients influencing amikacin peak levels. Critical Care, 2013, 17, . | 2.5 | 0 |
| 117 | Cost implication of antibiotic-associated diarrhoea and the financial impact of probiotic use in its prevention. Critical Care, 2013, 17, . | 2.5 | 1 |
| 118 | Empirical versus preemptive antimycotic therapy in terms of outcome benefit. Critical Care, 2013, 17, . | 2.5 | 1 |
| 119 | Impact of echinocandins as first-choice therapy in cardiothoracic high-risk patients with candidemia. Critical Care, 2013, 17, . | 2.5 | 0 |
| 120 | Fungal ventricular assist device infections occur in colonized patients and are associated with high mortality rate. Critical Care, 2013, 17, . | 2.5 | 0 |
| 121 | Cost-effectiveness analysis of anidulafungin in the treatment of candidaemia. Critical Care, 2013, 17, . | 2.5 | 0 |
| 122 | Prevalence and impact of invasive fungal infections in intensive care. Critical Care, 2013, 17, . | 2.5 | 0 |
| 123 | Beliefs and actual practice of oxygen therapy in the ICU. Critical Care, 2013, 17, . | 2.5 | 2 |
| 124 | FiO2/PEEP index: a simple tool for optimizing ventilator settings. Critical Care, 2013, 17, . | 2.5 | 1 |
| 125 | Use of high-flow nasal canulae: effect on alveolar pressure and its limitation. Critical Care, 2013, 17, . | 2.5 | 4 |
| 126 | Relation between PaO2/FiO2 ratio, SpO2/FiO2 ratio, oxygenation index and ventilation ratio in critically ill patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 127 | Decreased respiratory complexity during apnea in acute respiratory distress syndrome. Critical Care, 2013, 17, . | 2.5 | 0 |
| 128 | Acute respiratory distress syndrome - the Berlin definition: impact on an ICU of a university hospital. Critical Care, 2013, 17, . | 2.5 | 0 |
| 129 | Extravascular lung water, B-type natriuretic peptide and blood volume contraction for diagnosing weaning-induced pulmonary edema. Critical Care, 2013, 17, . | 2.5 | 1 |
| 130 | Pressure support ventilation with minimal sedation as the main ventilatory mode in critically ill patients with lung injury: effect on mortality and incidence of complications. Critical Care, 2013, 17, . | 2.5 | 1 |
| 131 | Comparison of a fully automatic ARDSNet protocol and a feedback-controlled open lung management concept. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 132 | Comparison of an entirely automated ventilation mode, Intellivent-ASV, with conventional ventilation in ARDS patients: a 48-hour study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 3 |
| 133 | Difference in pulmonary permeability between indirect and direct acute respiratory distress syndrome assessed by the transpulmonary thermodilution technique. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 134 | Biomarkers for early stage of acute respiratory distress syndrome in septic patients: surfactant protein D and Clara cell protein. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 135 | Intravenous perfluorocarbons for prevention of ventilator-associated ARDS. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 136 | Effect of angiotensin-converting enzyme gene I/D polymorphism and its expression on clinical outcome in acute respiratory distress syndrome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 137 | End-expiratory esophageal pressure versus lower inflection point in acute lung injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 138 | Lung recruitment induced by Sigh in hypoxemic intubated critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 139 | Quantification of stress raisers in ARDS. <i>Critical Care</i> , 2013, 17, . | 2.5 | 5 |
| 140 | Recruited lung tissue does not resume normal mechanical properties. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 141 | Intraoperative management of hypoxemia with recruitment maneuvers: are the benefits worth the costs?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 142 | Haemodynamic changes during alveolar recruitment manoeuvre in patients with diastolic dysfunction. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 143 | Alveolar Recruitment for ARDS Trial: preliminary results. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 144 | Reliability of pressure measurements via balloon catheters is high: an evaluation of six esophageal catheters. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 145 | Effect of protective ventilation on organ-specific cytokine production in an experimental postoperative sepsis model. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 146 | Time required for gas exchange equilibration after a change of positive end-expiratory pressure in acute respiratory distress syndrome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 147 | Comparison between the standard and low-dose chest CT scans on the lung quantitative analysis in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 148 | Preliminary experience with airway pressure release ventilation on hemodynamics in patients with septic shock in a medical/surgical ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 149 | Feasibility and effectiveness of prone position in morbidly obese ARDS patients: a case-control clinical study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 150 | Provision of mechanical ventilation to pregnant/postpartum women with H1N1 influenza: a case-control study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 151 | Inhalation injury in critical burn patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 152 | Beneficial effects of intrapulmonary percussive ventilation in patients with respiratory insufficiency in the ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 153 | High-frequency ventilation for acute traumatic and nontraumatic lung injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 154 | Improvement in oxygenation with high-frequency oscillatory ventilation combined with tracheal gas insufflation is correlated to the extravascular lung water index. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 155 | Physiologic effects and regional ventilation of high-frequency positive-pressure ventilation using a conventional ventilator in a severe ARDS animal model associated with an inspiratory pause or recruitment maneuvers. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 156 | High-frequency percussive ventilation at altitude: study in a hypobaric chamber with a mechanical test lung. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 157 | Recruitable volume is comparable in acute respiratory distress syndrome and in healthy lungs. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 158 | Nosocomial bloodstream infection and venovenous extracorporeal membrane oxygenation: a retrospective cohort study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 159 | Monitoring anticoagulation during extracorporeal membrane oxygenation in patients with acute respiratory failure. <i>Critical Care</i> , 2013, 17, . | 2.5 | 5 |
| 160 | Extracorporeal membrane oxygenation: the MOTOR of cytokine production?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 161 | Effect of extracorporeal CO2 removal on respiratory rate in spontaneously breathing patients with chronic obstructive pulmonary disease exacerbation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 8 |
| 162 | ECCO2 removal with a phosphorylcholine-coated membrane oxygenator in difficult respiratory weaning patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 163 | Lung elastance can be determined without esophageal pressure measurements. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 164 | Feasibility of minimally invasive stimulation of the phrenic nerves for supporting ventilation in fully anesthetized swine. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 165 | Prehospital management of COPD patients in respiratory failure and short-term outcome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 166 | N-terminal pro-brain natriuretic peptide as a prognostic marker in patients with exacerbation of chronic obstructive pulmonary disease. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 167 | Novel biomarkers for prediction of mortality after acute exacerbation of chronic obstructive pulmonary disease. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 168 | High incidence of respiratory viruses in critically ill adult patients with respiratory failure. Critical Care, 2013, 17, . | 2.5 | 0 |
| 169 | Role of bronchoscopy during non-invasive ventilation in hypercapnic respiratory failure. Critical Care, 2013, 17, . | 2.5 | 0 |
| 170 | SMART-COP score for patients admitted with community-acquired pneumonia (CAP) to an ICU in a district general hospital: a smarter way of identifying patients with severe CAP?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 171 | Effects of steroid therapies to severe streptococcal pneumoniae that required mechanical ventilation. Critical Care, 2013, 17, . | 2.5 | 0 |
| 172 | Risk factors for ventilator-associated pneumonia in a surgical ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 173 | Ventilation distribution measured with electrical impedance tomography at varying levels of assist during pressure support versus neurally adjusted ventilatory assist in ICU patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 174 | Analysis of bilevel positive airway pressure therapy in children based on weight. Critical Care, 2013, 17, . | 2.5 | 0 |
| 175 | Determinants of non-invasive ventilation success or failure in morbidly obese patients in acute respiratory failure. Critical Care, 2013, 17, . | 2.5 | 0 |
| 176 | Non-invasive ventilation in patients with a clinical diagnosis of pneumonia: a clinical audit. Critical Care, 2013, 17, . | 2.5 | 0 |
| 177 | Analysis of management of non-invasive ventilation support in prehospital care for COPD patients and short-term outcome. Critical Care, 2013, 17, . | 2.5 | 1 |
| 178 | Retrospective review of utilisation and outcomes of diaphragmatic EMG monitoring and neurally adjusted ventilatory assist in a central London teaching hospital over a 3-year period. Critical Care, 2013, 17, . | 2.5 | 0 |
| 179 | Validation of a lung ultrasound protocol in acute respiratory failure: preliminary results. Critical Care, 2013, 17, . | 2.5 | 2 |
| 180 | Risk of weaning failure with PAOP ≤ 15 versus PAOP ≤ 18 . Critical Care, 2013, 17, . | 2.5 | 1 |
| 181 | Impact of continuous positive airway pressure on the treatment of acute exacerbation of asthma: a randomised controlled trial. Critical Care, 2013, 17, . | 2.5 | 2 |
| 182 | Novel method to confirm tracheal intubation based on airway pressures: validation in patients with lung disease. Critical Care, 2013, 17, . | 2.5 | 0 |
| 183 | Main indications, diagnostic and therapeutic yield of bronchoscopy in the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 184 | Benchtop study comparing leakages across cuffs of three endotracheal tubes. Critical Care, 2013, 17, . | 2.5 | 1 |
| 185 | Endotracheal tube with tapered-type cuff for preventing ventilator-associated pneumonia: a randomized clinical trial. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 186 | Effect of body position changes on endotracheal tube cuff pressure in ventilated patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 187 | Towards safer airway management in the critically ill: lessons from National Audit Project 4. Critical Care, 2013, 17, . | 2.5 | 0 |
| 188 | Quantitative assessment of endotracheal tube (ETT) biofilm by micro-CT scan: evaluation of the effectiveness of ETT cleaning devices. Critical Care, 2013, 17, . | 2.5 | 0 |
| 189 | Early identification of patients at risk of difficult intubation in the ICU: development and validation of the MACOCHA score in a multicenter cohort study. Critical Care, 2013, 17, . | 2.5 | 4 |
| 190 | Incidence of major complications related to endotracheal intubation in ICUs of nonacademic Brazilian public hospitals. Critical Care, 2013, 17, . | 2.5 | 0 |
| 191 | Tracheal intubation for a difficult airway using Airway scopeÂ®, KingVisionÂ® and McGRATHÂ®: a comparative manikin study of inexperienced personnel. Critical Care, 2013, 17, . | 2.5 | 5 |
| 192 | Resistance of neonatal endotracheal tubes: a comparison of four commercially available types. Critical Care, 2013, 17, . | 2.5 | 2 |
| 193 | NT-proBNP and cardiac cycle efficiency changes during extubation process in critically ill patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 194 | Comparison of outcomes between early and late tracheostomy for critically ill patients. Critical Care, 2013, 17, . | 2.5 | 3 |
| 195 | Ultrasound scanning for percutaneous dilatational tracheostomy: a systematic review. Critical Care, 2013, 17, . | 2.5 | 0 |
| 196 | Evaluation of a new device for emergency transcricoid ventilation in a manikin model. Critical Care, 2013, 17, . | 2.5 | 2 |
| 197 | Device for measuring bronchodilator delivery and response in resource-limited settings. Critical Care, 2013, 17, . | 2.5 | 1 |
| 198 | Evidence-based guidelines and protocols for the management of adult patients with a tracheostomy: a systematic review. Critical Care, 2013, 17, . | 2.5 | 0 |
| 199 | Survey of emergency tracheostomy management in the East of England region. Critical Care, 2013, 17, . | 2.5 | 0 |
| 200 | Can we keep neck breathers safe? A survey on training adequacy of medical staff caring for tracheostomy/laryngectomy patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 201 | Laryngeal mask as a safe and effective ventilatory device during Blue Dolphin tracheostomy in the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 202 | Real-time ultrasound-guided balloon dilatational percutaneous tracheostomy is a safe procedure in critically ill patients: an evaluation study. Critical Care, 2013, 17, . | 2.5 | 20 |
| 203 | Right ventricular restriction in interventional lung assist for acute respiratory distress syndrome. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 204 | Left ventricular electromechanical dyssynchrony and mortality in cardiothoracic intensive care. Critical Care, 2013, 17, . | 2.5 | 0 |
| 205 | Safety of ultrasound-guided central venous access in critically ill patients with uncorrected coagulopathy. Critical Care, 2013, 17, . | 2.5 | 0 |
| 206 | Cyanoacrylate glue prevents early bleeding of the exit site after CVC or PICC placement. Critical Care, 2013, 17, . | 2.5 | 10 |
| 207 | Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. Critical Care, 2013, 17, . | 2.5 | 0 |
| 208 | Is automated brachial cuff measurement of arterial pressure less accurate in cases of arrhythmia?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 209 | Cardiac output monitoring in brain-stem-dead potential organ donors: an audit of current UK practice. Critical Care, 2013, 17, . | 2.5 | 0 |
| 210 | Indocyanine green plasma disappearance rate for assessment of liver function: re-evaluation of normal ranges and impact of biometric data. Critical Care, 2013, 17, . | 2.5 | 2 |
| 211 | Prediction of 28-day mortality by indocyanine green disappearance rate, other markers of hepatic function and transpulmonary thermodilution parameters: a prospective study in 154 patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 212 | Mixed and central venous oxygen saturation are not interchangeable in patients with cardiogenic shock after cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 1 |
| 213 | Pulmonary hemodynamic disorder in pediatric sepsis and their correction with L-arginine infusion. Critical Care, 2013, 17, . | 2.5 | 0 |
| 214 | Utility of transesophageal echocardiography in the ICU: a preliminary US perspective. Critical Care, 2013, 17, . | 2.5 | 0 |
| 215 | Cardiopulmonary monitoring in Thai ICUs: results of ICU-RESOURCE I surveys. Critical Care, 2013, 17, . | 2.5 | 1 |
| 216 | Establishing a critical care echocardiography laboratory. Critical Care, 2013, 17, . | 2.5 | 0 |
| 217 | Contrast-enhanced ultrasonography in the ICU: promising tool or exciting toy?. Critical Care, 2013, 17, . | 2.5 | 1 |
| 218 | Hemodynamic disclosure of septic shock patients by intensive care ultrasound. Critical Care, 2013, 17, . | 2.5 | 0 |
| 219 | Influence of positive end-expiratory pressure on four-chamber longitudinal strain analysis by speckle tracking echocardiography. Critical Care, 2013, 17, . | 2.5 | 0 |
| 220 | Evaluation of a new calibration index suggesting recalibration of the pulse contour cardiac index by transpulmonary thermodilution: a prospective study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 221 | Validation of less-invasive hemodynamic monitoring with Pulsioflex in critically ill patients: interim results of a multicentre study. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 222 | Interim results of an ongoing study on the use of non-invasive hemodynamic monitoring with Nexfin in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 223 | Cost-effectiveness analysis of stroke volume variation guided perioperative hemodynamic optimization. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 224 | EV1000/VolumeView: a new device for a more reliable measurement of extravascular lung water index in patients with lung resections. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 225 | Goal-directed resuscitation therapy in high-risk patients undergoing cardiac surgery (GRICS study): a randomized controlled trial - preliminary results. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 226 | Perioperative volume management for esophageal cancer surgery. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 227 | Treatment-related cardiac complications associated with goal-directed therapy in high-risk surgical patients: a meta-analysis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 228 | Estimation of potential cost-savings related to the implementation of perioperative hemodynamic goal-directed therapy. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 229 | Cardiac output estimation: Vigileo and Mostcare versus echocardiography. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 230 | Brachial pulse waveform characteristics predict development of organ failure in septic patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 231 | Computerized decision support system improves consistency of haemodynamic assessment amongst ICU team members. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 232 | Volume quantification by contrast-enhanced ultrasound and thermodilution: an in vitro comparison. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 233 | Successful introduction of cardiac index, fluid responsiveness and oxygen delivery data into the primary survey at a central London major trauma centre and impact on time to CT, fluid resuscitation and disposal. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 234 | Fluid responsiveness in pressure support ventilation: role of asynchrony. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 235 | Comparison of pulse pressure variation with radial arterial systolic, diastolic and pulse transit time interval variation in pediatric patients undergoing liver transplantation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 236 | Mini-fluid challenge: how much fluid and what parameter to use?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 237 | Looking for the inflexion point of the Frank-Starling curve. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 238 | Prediction of stroke volume response to fluid bolus in 100 children. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 239 | Microcirculatory changes during goal-directed or mean arterial pressure-guided fluid therapy in abdominal surgery. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 240 | Postoperative imaging of the intestinal microcirculation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 241 | Monitoring microcirculatory blood flow with a new sublingual tonometer in a porcine model of haemorrhagic shock. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 242 | Sublingual microcirculatory changes during transient intra-abdominal hypertension: a study in laparoscopic surgery patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 243 | Changes in microcirculatory perfusion during cardiac surgery are paralleled by alterations in glycocalyx integrity. <i>Critical Care</i> , 2013, 17, . | 2.5 | 8 |
| 244 | Microvascular response to cold stress in healthy humans. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 245 | Microcirculatory response to experimentally-induced whole body heat stress in healthy humans. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 246 | Observational study of the effects of age, diabetes mellitus, cirrhosis and chronic kidney disease on sublingual microvascular flow. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 247 | Lactate clearance as a determinant of mortality in surgical patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 248 | Assessment of the mottling score as a mortality predictor in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 4 |
| 249 | Impact of different haemodynamic resuscitation strategies on brain perfusion and tissue oedema markers in a model of severe haemorrhagic shock. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 250 | Accuracy of the shock index and various modified shock indexes to predict early mortality in patients suffering from gastrointestinal haemorrhage. <i>Critical Care</i> , 2013, 17, . | 2.5 | 4 |
| 251 | Inhaled carbon monoxide or nebulized sodium nitrite protect against hemorrhagic shock-induced mitochondrial dysfunction. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 252 | Is norepinephrine more effective than other vasopressors for septic shock? A systematic review and meta-analysis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 253 | Vasopressin Versus Norepinephrine for the Management of Shock After Cardiac Surgery (VaNCS) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 2.5 | 1 |
| 254 | Intraaortic counterpulsation in a second-level institution: indications, management and outcome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 255 | Impact of left ventricular ejection fraction and elevated filling pressures on mortality in mechanically ventilated patients in severe sepsis or septic shock. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 256 | Effect of β -blockers and calcium channel blockers on shock index predictability in patients suffering from urosepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 257 | Levosimendan in critically ill adults: a utilisation review. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 258 | Levosimendan versus dobutamine in Tako-tsubo cardiomyopathy. Critical Care, 2013, 17, . | 2.5 | 2 |
| 259 | Combined effects of ivabradine with dobutamine or levosimendan in isolated perfused hearts. Critical Care, 2013, 17, . | 2.5 | 0 |
| 260 | Influence of temperature on the cardiac action of dobutamine and levosimendan in isolated perfused hearts. Critical Care, 2013, 17, . | 2.5 | 0 |
| 261 | Conflicting results between V/Q SPECT and angioscan in pulmonary embolism: what to do?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 262 | Intraabdominal hypertension and abdominal compartment syndrome in patients admitted to a medical and surgical ICU at a third referral university hospital. Critical Care, 2013, 17, . | 2.5 | 2 |
| 263 | Red cell distribution width predicts cardiovascular complications after high-risk surgery. Critical Care, 2013, 17, . | 2.5 | 0 |
| 264 | Consequences of obesity in outcomes after cardiac surgery: analysis of the ARIAM registry. Critical Care, 2013, 17, . | 2.5 | 0 |
| 265 | Myocardial injury in critically ill patients admitted with noncardiac diagnoses. Critical Care, 2013, 17, . | 2.5 | 0 |
| 266 | Validation of the GRACE score risk in our population. Critical Care, 2013, 17, . | 2.5 | 0 |
| 267 | Outcomes of incomplete and complete revascularization in ACS. Critical Care, 2013, 17, . | 2.5 | 0 |
| 268 | Non-invasive valve implantation with TAVI versus conventional aortic valve replacement. Critical Care, 2013, 17, . | 2.5 | 0 |
| 269 | Time to recover from shock is determinant of a positive fluid balance in septic shock. Critical Care, 2013, 17, . | 2.5 | 0 |
| 270 | Lactate clearance is a predictor of sustained bleeding in emergency room patients with moderate upper gastrointestinal bleeding. Critical Care, 2013, 17, . | 2.5 | 0 |
| 271 | Muscular glucose assessed by microdialysis and blood glucose can predict mortality in septic shock. Critical Care, 2013, 17, . | 2.5 | 0 |
| 272 | Constipation in critically ill patients and its relationship to feeding and weaning from respiratory support. Critical Care, 2013, 17, . | 2.5 | 7 |
| 273 | Nasogastric tube dislodgement: a problem on our ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 274 | Handling of dietary protein in critically ill patients. Critical Care, 2013, 17, . | 2.5 | 1 |
| 275 | Confirmation of nasogastric tube placement in critical care. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 276 | pH testing to confirm nasogastric tube position on the ICU: are we wasting our time?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 277 | Effect of probiotic containing lactobacillus, bifidobacterium and streptococcus thermophilus in critically ill patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 278 | Selenium levels in patients with different sources of sepsis. Critical Care, 2013, 17, . | 2.5 | 1 |
| 279 | Is a combined i.v. and enteral glutamine regimen superior to a single i.v. glutamine regimen in severe thoracic trauma?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 280 | Clinical effect of altered lipid emulsion composition containing fish oil in postoperative patients following abdominal surgery: a prospective, randomized, open-label, comparative, multicenter phase 3 clinical study. Critical Care, 2013, 17, . | 2.5 | 1 |
| 281 | Influence of fat-based versus glucose-based enteral nutrition formulas on glucose homeostasis. Critical Care, 2013, 17, . | 2.5 | 3 |
| 282 | Effect of hypocaloric versus normocaloric parenteral nutrition on whole body protein kinetics in critically ill neurosurgical patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 283 | Withholding parenteral nutrition for 1 week reduces ICU-acquired weakness. Critical Care, 2013, 17, . | 2.5 | 2 |
| 284 | Impact of early parenteral nutrition on muscle and adipose tissue compartments during critical illness. Critical Care, 2013, 17, . | 2.5 | 10 |
| 285 | Withholding parenteral nutrition during the first week of critical illness increases plasma bilirubin but lowers the incidence of cholestasis and gallbladder sludge. Critical Care, 2013, 17, . | 2.5 | 1 |
| 286 | Impact of early parenteral nutrition on catabolism. Critical Care, 2013, 17, . | 2.5 | 0 |
| 287 | Impact of early versus late parenteral nutrition on morphological and molecular markers of atrophy and autophagy in skeletal muscle of critically ill patients. Critical Care, 2013, 17, . | 2.5 | 1 |
| 288 | Impact of closing an emergency department on a neighbouring teaching hospital: the concentrate effect. Critical Care, 2013, 17, . | 2.5 | 1 |
| 289 | Overcrowding estimation in the emergency department: is the simplest score the best?. Critical Care, 2013, 17, . | 2.5 | 2 |
| 290 | GP-led walk-in centre in the UK: another way for urgent healthcare provision. Critical Care, 2013, 17, . | 2.5 | 2 |
| 291 | Establishing a new emergency department: effects on patient flow. Critical Care, 2013, 17, . | 2.5 | 0 |
| 292 | Prehospital EKG evaluation in Rio de Janeiro ambulances. Critical Care, 2013, 17, . | 2.5 | 0 |
| 293 | Technique of ultrasound-guided peripheral venous access in the emergency room. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 294 | FIB the fractured femur. Critical Care, 2013, 17, . | 2.5 | 0 |
| 295 | Abdominal pain in adolescent females: a single-centre audit and review of management. Critical Care, 2013, 17, . | 2.5 | 0 |
| 296 | Multidisciplinary approach to improving documentation of visual acuity in patients presenting with ocular trauma. Critical Care, 2013, 17, . | 2.5 | 0 |
| 297 | BiPAP for treating moderate and severe asthma exacerbations in a PED. Critical Care, 2013, 17, . | 2.5 | 0 |
| 298 | Report of an outbreak of toxicity from a novel drug of abuse in the UK: Eric-3. Critical Care, 2013, 17, . | 2.5 | 0 |
| 300 | Thallium group poisoning incident in Japan 2011. Critical Care, 2013, 17, . | 2.5 | 1 |
| 301 | Heart rate variability in children with tricyclic antidepressant intoxication. Critical Care, 2013, 17, . | 2.5 | 2 |
| 302 | Diagnosing anisakiasis in the emergency department. Critical Care, 2013, 17, . | 2.5 | 1 |
| 303 | Implementation of a sepsis protocol in a community hospital using a Telemedicine Program. Critical Care, 2013, 17, . | 2.5 | 1 |
| 304 | Initial Brazilian experience of Telestroke for thrombolysis in a community hospital. Critical Care, 2013, 17, . | 2.5 | 1 |
| 305 | Analysis of emergency calls achieved in a French emergency dispatching centre: what resources for which patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 306 | Reform of emergency services: immediate effects on cardiac care unit and ICU patient intake. Critical Care, 2013, 17, . | 2.5 | 0 |
| 307 | Overtriage and undertriage in a prehospital system over 7 years. Critical Care, 2013, 17, . | 2.5 | 1 |
| 308 | Lorca's hospital evacuation and medical attention by the emergency department. Critical Care, 2013, 17, . | 2.5 | 0 |
| 309 | War injuries and civilian accidents in Afghan children. Critical Care, 2013, 17, . | 2.5 | 2 |
| 310 | Intensive care and disaster medicine: the role of a compendium. Critical Care, 2013, 17, . | 2.5 | 0 |
| 311 | Factors involved in ICU mortality following medical retrieval: identifying differences between ICU survivors and nonsurvivors. Critical Care, 2013, 17, . | 2.5 | 0 |
| 312 | Algorithm for the resuscitation of traumatic cardiac arrest patients in a physician-staffed helicopter emergency medical service. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 313 | Are physicians required during HEMS winch rescue missions?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 314 | Improving maintenance of critical care land and aeromedical transfer equipment. Critical Care, 2013, 17, . | 2.5 | 0 |
| 315 | Safety standards for intrahospital transfer of critical care patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 316 | Prehospital hyperoxemia does not influence the functional neurological outcome in polytraumatized patients with traumatic head injury. Critical Care, 2013, 17, . | 2.5 | 0 |
| 317 | Innate immune response-mediated late increase in SuPAR in multi-trauma patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 318 | Single-dose estrogen infusion can amplify brain levels of Sonic hedgehog, a signal protein for neuro stem cells and repair following the indirect brain injury resulting after severe torso burns. Critical Care, 2013, 17, . | 2.5 | 3 |
| 319 | Feasibility and experience of using exception from informed consent in a pilot study of immediate estrogen infusion for hypotensive trauma patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 320 | Early administration of a single dose of parenteral estrogen decreases inflammation in the heart for 45 days after severe burns. Critical Care, 2013, 17, . | 2.5 | 0 |
| 321 | Accuracy of FAST scan in blunt abdominal trauma in a major London trauma centre. Critical Care, 2013, 17, . | 2.5 | 6 |
| 322 | Level of lipopolysaccharide-binding protein and microbial landscape with account of severity of sepsis syndromes in polytrauma. Critical Care, 2013, 17, . | 2.5 | 0 |
| 323 | Risk factors for the development of complications following blunt chest trauma: a new risk stratification tool. Critical Care, 2013, 17, . | 2.5 | 1 |
| 324 | Guidelines for chest drain insertion do not protect relevant anatomical structures. Critical Care, 2013, 17, . | 2.5 | 0 |
| 325 | Prediction score of indications for whole body computed tomography in blunt trauma patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 326 | Prehospital blood transfusion: 5-year experience of an Australian helicopter emergency medical service. Critical Care, 2013, 17, . | 2.5 | 17 |
| 327 | Severe hyperkalemia is prevalent and can be detected by quantitative electrocardiographic findings and medication history of calcium channel blocker among the patients with symptomatic or extreme bradycardia. Critical Care, 2013, 17, . | 2.5 | 1 |
| 328 | Prehospital risk stratification following out-of-hospital cardiac arrest. Critical Care, 2013, 17, . | 2.5 | 0 |
| 329 | Multidisciplinary Medical Emergency Team System increases survival in cancer patients undergoing cardiopulmonary resuscitation. Critical Care, 2013, 17, . | 2.5 | 0 |
| 330 | Focused cardiac ultrasound in resuscitation. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 331 | Acute intrathoracic gastric herniation as a rare cause of cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 332 | Implementation of dispatcher-assisted cardiopulmonary instructions using the ALERT protocol: preliminary results in Belgium. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 333 | Prehospital epinephrine administration and survival among patients with unshockable initial rhythm after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 334 | Impact of termination of resuscitation for out-of-hospital cardiopulmonary arrest in Japan. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 335 | Survival from cardiopulmonary arrest after regular working hours in a tertiary-care hospital: retrospective study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 336 | Cognitive performance and capacity to return home following out-of-hospital cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 337 | Start value of cerebral saturation in prehospital cardiac arrest patients: does it mean something?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 338 | Intensive care admission after cardiac arrest: cardiac versus noncardiac causes and consequences for treatment. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 339 | Comparison of 1-year neurological outcome between intra-hospital and extra-hospital cardiac arrest survivors submitted to mild therapeutic hypothermia in a community-based setting in Brazil. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 340 | Primary percutaneous coronary angioplasty and therapeutic hypothermia in out-of-hospital cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 341 | Infrared pupillometry for outcome prediction after cardiac arrest and therapeutic hypothermia. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 342 | Effect of moderate hyperventilation and induced hypertension on cerebral tissue oxygen saturation in comatose post-cardiac arrest patients treated with hypothermia. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 343 | Effects of viscosity on cerebral blood flow after cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 344 | Therapeutic mild hypothermia after cardiac arrest in shockable and nonshockable rhythms: does it improve both survival and neurological outcome?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 345 | Agreement between temperature measurements during cooling and warming through the esophagus. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 346 | Association between oxygenation and 6-month mortality during post-cardiac arrest care. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 347 | Neuron-specific enolase and bispectral index/suppression ratio for prognostication after cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 348 | Motor scores, therapeutic hypothermia and neurological outcome after cardiac arrest. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 349 | Differences of calcium binding protein immunoreactivities in the young hippocampal CA1 region from the adult following transient ischemic damage. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 350 | Early hypothermia improves survival and reduces the rise of serum biomarkers after traumatic brain injury in swine. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 351 | Epidemiology of moderate and severe traumatic brain injury in Cairo University Hospital in 2010. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 352 | Alcohol intoxication impedes the recognition of traumatic brain injury in the prehospital setting and may worsen 6-month outcome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 353 | Predictive ability of the IMPACT-TBI prognostic model is improved by adding markers of coagulation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 354 | Nonischemic endogenous lactate production in humans with severe traumatic brain injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 355 | Japan Coma Scale used in the prehospital setting can predict clinical outcome in severe pediatric trauma. <i>Critical Care</i> , 2013, 17, . | 2.5 | 10 |
| 356 | Effect of positive end-expiratory pressure on ultrasound measurement of optical sheath nerve diameter: preliminary study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 357 | National survey of current protocols and management of the traumatic brain injury patients in UK ICUs. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 358 | Low-frequency autoregulation index for calculation of optimal cerebral perfusion pressure in severe traumatic brain injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 359 | Cerebral rSO ₂ monitoring in pediatric altered mental status patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 360 | Intravenous paracetamol for fever control in acute brain-injured patients: cerebral and hemodynamic effects. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 361 | Retrospective analysis of the hemodynamic effects of induction of barbiturate coma in patients with refractory elevated intracranial pressure. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 362 | Hospital readmissions following traumatic brain injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 6 |
| 363 | Risk factors of pituitary disorders following traumatic brain injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 364 | Vasopressin reduces the cumulative epinephrine dose in hypothermic swine with traumatic brain injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 365 | Long-term functional outcome in adults with severe TBI: a meta-analysis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 366 | Monitoring of severe traumatic brain injury patients in UK ICUs: a national survey. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 367 | Survival analysis after head injury: is a normal INR reassuring?. Critical Care, 2013, 17, . | 2.5 | 1 |
| 368 | One-year extended Glasgow Outcome Scale and hospital mortality predictors in patients with severe traumatic brain injury in Brazil. Critical Care, 2013, 17, . | 2.5 | 0 |
| 369 | Early respiratory deterioration predicts poor outcome after aneurysmal subarachnoid hemorrhage. Critical Care, 2013, 17, . | 2.5 | 0 |
| 370 | Evaluation of proximal-distal velocity gradient in spastic middle cerebral artery after aneurysmal subarachnoid hemorrhage. Critical Care, 2013, 17, . | 2.5 | 0 |
| 371 | Microparticles in aneurysmal subarachnoid hemorrhage: role in acute and delayed cerebral ischemia. Critical Care, 2013, 17, . | 2.5 | 0 |
| 372 | Intracranial pressure after subarachnoid hemorrhage. Critical Care, 2013, 17, . | 2.5 | 0 |
| 373 | Prevalence of pituitary disorders associated with aneurysmal subarachnoid hemorrhage. Critical Care, 2013, 17, . | 2.5 | 0 |
| 374 | Correlation between the timing of endovascular coiling or microsurgical clipping and long-term outcomes of patients after aneurysmal subarachnoid haemorrhage. Critical Care, 2013, 17, . | 2.5 | 0 |
| 375 | Time course of neuropsychological functioning after aneurysmal subarachnoid hemorrhage. Critical Care, 2013, 17, . | 2.5 | 1 |
| 376 | Neuroprotective effect of a new synthetic aspirin-decursinol adduct in a rat model of ischemic stroke. Critical Care, 2013, 17, . | 2.5 | 0 |
| 377 | Prevalence of acute critical neurological disease in children: a global epidemiological assessment (PANGEA). Critical Care, 2013, 17, . | 2.5 | 4 |
| 378 | Survival analysis of patients taking dabigatran who consulted an emergency department for acute bleeding: a first alarm. Critical Care, 2013, 17, . | 2.5 | 0 |
| 379 | Bedside anti-Xa measurement for therapeutic assessment of a prophylactic anticoagulation regimen. Critical Care, 2013, 17, . | 2.5 | 0 |
| 380 | Effective dosage of enoxaparin for intensive care patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 381 | Anti-Xa activities following 5,000 IU and 7,500 IU of s.c. dalteparin in critically ill patients and 5,000 IU in medical patients: a prospective randomized study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 382 | Randomized double-blind placebo-controlled PK/PD study on the effects of a single intravenous dose of the anti-hepcidin Spiegelmer NOX-H94 on serum iron during experimental human endotoxemia. Critical Care, 2013, 17, . | 2.5 | 7 |
| 383 | Haemoglobin concentration on admission to intensive care influences hospital mortality rates and length of stay: a retrospective study. Critical Care, 2013, 17, . | 2.5 | 1 |
| 384 | Influence of epidural anesthesia on the hemocoagulation disorders and quantity of septic complications in patients with acute necrotizing pancreatitis. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 385 | Hemoviscoelastography: a new method of hemostasis monitoring. Critical Care, 2013, 17, . | 2.5 | 0 |
| 386 | Thromboelastographic monitoring of fondaparinux in surgical patients. Critical Care, 2013, 17, . | 2.5 | 2 |
| 387 | Urokinase-induced fibrinolysis in thromboelastography (UKIF-TEG) to assess fibrinolysis in critically ill patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 388 | Bleeding complications after central line insertions and the relevance of pre-procedure coagulation tests and blood component therapy. Critical Care, 2013, 17, . | 2.5 | 4 |
| 389 | Efficacy of tranexamic acid in decreasing blood loss during cesarean section. Critical Care, 2013, 17, . | 2.5 | 0 |
| 390 | Dose-response of fibrinogen and factor XIII concentrate for correcting albumin-induced coagulopathy. Critical Care, 2013, 17, . | 2.5 | 0 |
| 391 | Intraoperative cell salvage for life-threatening haemorrhagic caesarean section. Critical Care, 2013, 17, . | 2.5 | 0 |
| 392 | Does protamine infusion reduce postoperative blood loss and heparin rebound in cardiac surgery patients? A retrospective analysis of 240 patients on the cardiac ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 393 | Transfusion Requirements in Surgical Oncology Patients (TRISOP): a randomized, controlled trial. Critical Care, 2013, 17, . | 2.5 | 3 |
| 394 | Red blood cell transfusion is a predictor of mortality and morbidity in children undergoing cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 0 |
| 395 | Red blood cell transfusion results in worse outcomes in patients with left ventricular dysfunction undergoing on-pump cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 0 |
| 396 | Defining the need for a massive transfusion in severe blunt traumatic patients. Critical Care, 2013, 17, . | 2.5 | 1 |
| 397 | Association between red blood cell transfusions and clinical outcome in critically ill children. Critical Care, 2013, 17, . | 2.5 | 0 |
| 398 | Microcirculation and blood transfusions during sepsis: leukoreduced (LR) versus non-LR red blood cells. Critical Care, 2013, 17, . | 2.5 | 0 |
| 399 | Massive blood transfusion for obstetric haemorrhage. Critical Care, 2013, 17, . | 2.5 | 0 |
| 400 | Blood transfusion practices in the ICU of a level 1 trauma centre and tertiary cardiac unit. Critical Care, 2013, 17, . | 2.5 | 1 |
| 401 | C1 inhibitor attenuates pulmonary inflammation in an in vivo model of transfusion-related acute lung injury. Critical Care, 2013, 17, . | 2.5 | 0 |
| 402 | Incidence, risk factors and outcome of TRALI after cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 403 | Albumin-induced coagulopathy is less severe and more effectively reversed with fibrinogen concentrate than is synthetic colloid-induced coagulopathy. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 404 | Network meta-analysis of clinical trials of fluid treatments in sepsis demonstrates improved survival with albumin compared with crystalloid and hydroxyethyl starch. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 405 | Assessing the economic impact of catheter-related bloodstream infections when switching from open to closed system delivery of human albumin solutions in ICUs. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 406 | Comparing the hemodynamic effects of six different colloids. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 407 | Strong ion difference and arterial bicarbonate concentration as cornerstones of the impact of fluid therapy on acid-base balance. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 408 | Microcirculatory response to fluid challenge: should we prefer balanced colloids to rebalance tissue perfusion?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 409 | Procedural sedation in the emergency department. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 410 | Impact of an age, kidney and liver function adjusted sedation protocol in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 411 | Risk and benefit of protocol sedation and daily interruption of sedation for mechanically ventilated patients: a systematic review. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 412 | Chemical and physical compatibility of continuous intravenous drug infusion combinations used in paediatric intensive care. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 414 | Benzodiazepines induce hyperglycemia in rats by affecting peripheral disposal of glucose. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 415 | Prolonged sedation in ARDS patients with inhaled anesthetics: our experience. <i>Critical Care</i> , 2013, 17, . | 2.5 | 3 |
| 416 | Involvement of mitochondrial ATP-sensitive K ⁺ channels in fentanyl-induced mitochondrial dysfunction of cultured human hepatocytes. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 417 | Effects of clonidine on microcirculatory alterations during endotoxemia. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 418 | Conjunctival administration of S+ketamine in rabbits. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 419 | Use of propofol for procedural sedation reduces length of stay in the emergency department. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 420 | Pre-PRIS? Prospective monitoring for early markers of propofol infusion syndrome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 421 | Safety profile of 1,008 cases of propofol sedation in the emergency department. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 422 | Use of physical restraint in Dutch ICUs: prevalence and motives. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 423 | Factors influencing the use of physical restraints in Canadian ICUs. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 424 | Current practices in ICU delirium management: a prospective multicenter study in the Netherlands. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 425 | Intraoperative dexamethasone and delirium after cardiac surgery: a randomized clinical trial. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 426 | Current perspectives, beliefs and practices concerning delirium in critically ill patients: a multicenter survey among Dutch healthcare professionals. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 427 | International validation of the delirium prediction model for ICU patients (PREDELIRIC): a multicenter observational study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 428 | Delirium in ICU patients is associated with increased temperature variability. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 429 | Long-term outcome of delirium in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 430 | Gastrointestinal symptoms in the ICU: a comparison of primary and secondary acute gastrointestinal injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 431 | Effects of proton pump inhibitor versus H2-receptor antagonist stress ulcer prophylaxis on ventilator-associated pneumonia: a pilot study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 6 |
| 432 | Early diagnosis of liver failure in septic patients using the maximal liver function capacity test (LiMax) Tj ETQq0 0 0 r gBT /Overlock 10 Tf | 2.5 | 1 |
| 433 | Impact of liver resection on portal venous pressure and renal function. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 434 | Value of the preoperative Model for End-stage Liver Disease score in predicting postoperative outcome in living donor liver transplantation recipients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 435 | Does just fungal evidence increase the mortality of critically ill patients with liver cirrhosis? A retrospective analysis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 436 | Predictors of persistent organ failure in ICU patients with severe acute pancreatitis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 437 | Increased plasma levels of thrombopoietin in patients with severe acute pancreatitis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 438 | Severe renal dysfunction measured by pRIFLE in children is an independent factor associated with death and not predicted by PIM2. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 439 | Thorough evaluation for the new acute kidney injury criteria by Kidney Disease Improving Global Outcomes. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 440 | Urinary neutrophil gelatinase-associated lipocalin as an early predictor of acute kidney injury in cardiac surgery patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 441 | Atrial natriuretic peptide attenuates metabolic acidosis and inflammation of the kidney, lung and heart in a rat model of renal ischemia-reperfusion injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 442 | Perioperative sodium bicarbonate to prevent acute kidney injury after cardiac surgery: a multicenter double-blind randomized controlled trial. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 443 | Tubular damage biomarkers linked to inflammation or iron metabolism predict acute kidney injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 444 | Renal response and acid-base balance alterations during furosemide administration. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 445 | Red cell distribution width is not a predictor of mortality in acute kidney injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 446 | Value of Tc-99m DMSA renal scan in assessing the prognosis and outcome of acute renal failure due to sepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 447 | Estimated glomerular filtration rate based on hospital discharge creatinine may significantly overestimate renal function and underestimate chronic kidney disease in survivors of critical illness. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 448 | Varying models of intra-abdominal hypertension and their effect on renal function in a porcine model. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 449 | Renal resistive index can predict response to furosemide in septic patients with oliguria. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 450 | Urinary chitinase 3-like 1, a novel biomarker for acute kidney injury in adult cardiac intensive care patients: a pilot study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 451 | Use, type and duration of cardiopulmonary bypass are related to acute kidney injury occurrence and urinary NGAL concentrations. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 452 | Symmetrical dimethylarginine is a more sensitive biomarker of renal dysfunction than creatinine. <i>Critical Care</i> , 2013, 17, . | 2.5 | 11 |
| 453 | Prognostic value of neutrophil gelatinase-associated lipocalin and transpulmonary thermodilution-derived parameters within 48 hours after admission. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 454 | Assessment of neutrophil gelatinase-associated lipocalin as a biomarker of acute kidney injury in acute heart failure patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 455 | Neutrophil gelatinase-associated lipocalin predicts postoperative fluid overload after cardiac surgery. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 456 | Survivors of acute kidney injury requiring renal replacement therapy rarely receive follow-up: identification of an unmet need. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 457 | Aetiology and outcomes for dialysis-dependent acute kidney injury patients on the ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 458 | Efficiency of substitutive renal therapy in the complex intensive care of multiple organ failure in patients with polytrauma. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 459 | Can treatment with the molecular adsorbent recirculation system be the solution for type-1 hepatorenal syndrome?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 460 | Effect of continuous high-volume hemofiltration on patients with acute respiratory distress syndrome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 461 | Dialyzer clearance of myoglobin with middle molecule filter and low blood flow CVHD in patients with rhabdomyolysis-associated acute kidney injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 462 | Daily fluid balance predicts hospital mortality in critically ill patients receiving continuous renal replacement therapy. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 463 | Fluid balance and renal outcomes in patients requiring renal replacement therapy in the ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 464 | Pharmacokinetics and pharmacodynamics of esomeprazole and ranitidine during continuous venovenous hemodiafiltration. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 465 | Pharmacokinetics of gentamicin and vancomycin during continuous venovenous hemofiltration in critically ill septic patients with acute kidney injury. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 466 | Effects of two different regional citrate anticoagulation CVH protocols on acid-base status and phosphate supplementation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 468 | Muscle wasting in the ICU can be reliably monitored using ultrasound. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 469 | Critical illness induces nutrient-independent adipogenesis and accumulation of alternatively activated tissue macrophages. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 471 | Hypocalcemia during magnesium therapy for obstetric ICU admissions. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 472 | Hyponatremia and intensive care outcome. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 473 | Strong ion gap can be accurately estimated with a simple bedside equation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 474 | Relative adrenal insufficiency in burns. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 475 | Albumin-adjusted calcium concentration should not be used to identify hypocalcaemia in critical illness. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 476 | Vitamin D status and overall and sepsis mortality in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 477 | Etiology of low testosterone levels in male patients with severe sepsis requiring mechanical ventilation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 478 | Efficacy of calcium replacement in hypocalcaemia. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 479 | Endogenous melatonin in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 480 | Succinate ameliorates mitochondrial oxygen consumption of metformin-intoxicated human platelets. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 481 | Does chronic metformin therapy offer cardiomyoprotection in coronary artery bypass grafting surgery patients? A case-control study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 482 | Metformin-associated lactic acidosis: risk factors and prognostic factors. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 483 | Multiscale modeling of acute insulin resistance in critical care. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 484 | Impact of a real-time electronic persistent hyperglycemia alert on glucose control in the ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 485 | Individualized targeted glucose control to avoid hypoglycemia. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 486 | Hyperglycemia in intensive care identifies patients at high risk of developing diabetes: preliminary data of a multicentre study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 487 | Association between average glucose levels and hospital mortality among critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 488 | Continuous glucose monitoring in critically ill adults: comparison of two different calibration protocols. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 489 | Root cause analysis of hypoglycemic events in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 490 | Continuous arterial and venous glucose monitoring by quenched chemical fluorescence in ICU patients after cardiac surgery. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 491 | Performance of the Medtronic Sentrino [®] continuous glucose management system in the cardiac ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 492 | Intensive insulin therapy in critically ill children: impact on blood glucose dynamics and its relation with mortality. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 493 | Implementation of evidence-based protocols improves survival: a 15-year surgical ICU experience in 10,172 patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 494 | Decubitus ulcers are associated with prolonged length of stay in critically ill patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 495 | HIV patients admitted to an ICU of a university hospital - experience of 15 years: 1995 to 2009. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 496 | Prevalence and prognosis of organ dysfunctions of AIDS critically ill patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 497 | Mortality predictors in septic HIV patients in the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 498 | Outcome of intensive care treatment for lung cancer patients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 499 | Outcome of older patients with cancer requiring ICU admission. Critical Care, 2013, 17, . | 2.5 | 0 |
| 500 | Identifying risk factors for readmission to the ICU: a qualitative approach. Critical Care, 2013, 17, . | 2.5 | 0 |
| 501 | Clinical and laboratory postoperative impact on outcome of living donor liver transplantation recipients. Critical Care, 2013, 17, . | 2.5 | 0 |
| 502 | Are APACHE II scores better predictors of mortality than routine laboratory values?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 503 | Complementarity of prognosis models SAPS 3 and EuroSCORE in cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 3 |
| 504 | Comparing intensive care treated primary, secondary and tertiary sepsis with respect to length of stay, organ failure and mortality: a pilot study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 505 | Survival of older patients after critical care. Critical Care, 2013, 17, . | 2.5 | 0 |
| 506 | Eldicus scores for admission to our ICU: a retrospective study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 507 | Developing a screening instrument for predicting psychological morbidity after critical illness. Critical Care, 2013, 17, . | 2.5 | 0 |
| 508 | Prediction of sequences of organ dysfunction in critical patients studied with Bayesian analysis. Critical Care, 2013, 17, . | 2.5 | 0 |
| 509 | Comparison of IGS 2 score and a new neural network biomarker score performance in predicting 1-year mortality. Critical Care, 2013, 17, . | 2.5 | 0 |
| 510 | Significance of preadmission quality of life for mortality in the ICU: a prospective cohort study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 511 | Predicting physical function and mental health in trauma intensive care patients 2 years after hospitalisation. Critical Care, 2013, 17, . | 2.5 | 0 |
| 512 | Do ICU patients' discharge characteristics change with Swiss Diagnosis Related Groups?. Critical Care, 2013, 17, . | 2.5 | 0 |
| 513 | Do Diagnosis Related Groups change admission practice to a large Swiss ICU?. Critical Care, 2013, 17, . | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 514 | Variable cost of a Greek ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 515 | Audit of the medical staffing of and referrals to a mixed adult ICU in a teaching hospital. Critical Care, 2013, 17, . | 2.5 | 0 |
| 516 | Impact of the time elapsed between ICU request and actual admission on mortality and length of stay. Critical Care, 2013, 17, . | 2.5 | 0 |
| 517 | Medical problems: review from the major nuclear incidents. Critical Care, 2013, 17, . | 2.5 | 0 |
| 518 | Variation in acute care burden and supply across diverse urban settings. Critical Care, 2013, 17, . | 2.5 | 3 |
| 519 | Differences in severity and resource utilization for medical and surgical ICU patients. Critical Care, 2013, 17, . | 2.5 | 1 |
| 520 | Educational effectiveness of introductory training for the Rapid Response System in Japan. Critical Care, 2013, 17, . | 2.5 | 0 |
| 521 | Standards of referrals and admissions of critically ill patients to the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 522 | Knowledge of confidentiality, consent and information disclosure is not affected by position or experience in adult critical care. Critical Care, 2013, 17, . | 2.5 | 0 |
| 523 | Survey of alcohol-related admissions to critical care and the resource and financial implications. Critical Care, 2013, 17, . | 2.5 | 0 |
| 524 | Association of sleep disordered breathing with clinical trajectories in patients undergoing cardiac surgery. Critical Care, 2013, 17, . | 2.5 | 0 |
| 525 | Can massage therapy help cardiac patients? A literature review plus a case study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 526 | Ischemic stroke in different ICU types. Critical Care, 2013, 17, . | 2.5 | 0 |
| 527 | Development of a severe influenza critical care curriculum and training materials for resource-limited settings. Critical Care, 2013, 17, . | 2.5 | 3 |
| 528 | Quality assurance in severe sepsis: an individualised audit/feedback system results in substantial improvements at a UK teaching hospital. Critical Care, 2013, 17, . | 2.5 | 1 |
| 529 | Safety climate perception for staff nurses in an ICU. Critical Care, 2013, 17, . | 2.5 | 1 |
| 530 | Physico-technical medicine: teaching technical skills to the intensivist. Critical Care, 2013, 17, . | 2.5 | 0 |
| 531 | First-hour protocol clarifies resource management and nursing staff education in the ICU. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 532 | Influence of critical care nurse education and work environment on outcomes of mechanically ventilated older adults. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 533 | Activity and case-mix changes in a medical ICU after the geographical transfer of a third-level university hospital. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 534 | Are general wards sufficiently staffed to care for level 1 patients?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 535 | Sleep quality among ICU workers. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 536 | Work-related stress amongst doctors in intensive care, anaesthetics, accident and emergency and general medicine. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 537 | Audit of obstetric critical care admissions in a high-risk population. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 538 | Influence of adverse drug events on the mortality and the length of hospital stay in ICUs in Japan: the JADE Study. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 539 | Attitude and knowledge of intensive care staff concerning donation in Hungary: it is the first step to change. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 540 | Specialist nurse for organ donation in an emergency department will increase organ donation. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 541 | Sepsis in HIV patients admitted to the ICU. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 542 | Mortality related to respiratory failure among pediatric hematology patients requiring intensive care. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 543 | Survival of critically ill patients with haematological malignancies compared with patients without haematological malignancy. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 544 | Outcome of critically ill patients with haematological malignancy admitted to the ICU as an emergency. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 545 | Effect of organizational structure of the ICU on the prognosis: open format versus semi-closed format. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 546 | Use of defaults on an electronic prescribing tool influences the type of fluid received by patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 547 | Automated, electronic monitoring for early detection of sepsis. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |
| 548 | Admission to the ICU overnight: is it really a bad thing?. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 549 | Assessing the quality of interdisciplinary rounds. <i>Critical Care</i> , 2013, 17, . | 2.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 550 | Leadership training and quality improvement of interdisciplinary rounds in the ICU. Critical Care, 2013, 17, . | 2.5 | 1 |
| 551 | Let's go round again! Quality improvement through intentional rounding. Critical Care, 2013, 17, . | 2.5 | 0 |
| 552 | Prospective observational study of handover in a medical ICU. Critical Care, 2013, 17, . | 2.5 | 0 |
| 553 | Impact of knowledge transfer through the implementation of a telemedicine program in a community hospital in Brazil. Critical Care, 2013, 17, . | 2.5 | 0 |
| 554 | Utilization of telemedicine to improve burn care in a developing country. Critical Care, 2013, 17, . | 2.5 | 0 |
| 555 | Different aspects of therapy limitation: a comparative study of the nurse's view. Critical Care, 2013, 17, . | 2.5 | 0 |
| 556 | Alternative to improve palliative care for all patients and families in critical care units: development and preliminary evaluation following MRC guidance of the King's Psychosocial, Assessment and Care tool. Critical Care, 2013, 17, . | 2.5 | 0 |
| 557 | End-of life thoughts in the ICU: results of a survey. Critical Care, 2013, 17, . | 2.5 | 0 |
| 558 | End-of-life decisions in Slovenian ICUs: a cross-sectional survey. Critical Care, 2013, 17, . | 2.5 | 0 |
| 559 | Attitudes of intensivists in the UK to withdrawal of futile therapy. Critical Care, 2013, 17, . | 2.5 | 0 |
| 560 | Parent's perception on end-of-life care in Brazil. Critical Care, 2013, 17, . | 2.5 | 0 |
| 561 | Getting critical care patients home for end-of-life care. Critical Care, 2013, 17, . | 2.5 | 0 |
| 562 | Project PIX (Post Intensive care eXercise): impact on physical fitness and focus group analysis of quality of life following exercise rehabilitation. Critical Care, 2013, 17, . | 2.5 | 0 |
| 563 | Feasibility of neuromuscular electrical stimulation in critically ill patients. Critical Care, 2013, 17, . | 2.5 | 2 |
| 564 | Follow-up and counseling service in trauma patients: needs and goals - a preliminary study. Critical Care, 2013, 17, . | 2.5 | 0 |
| 565 | Post-traumatic stress disorder - are we doing all we can? A UK national-based survey. Critical Care, 2013, 17, . | 2.5 | 0 |
| 566 | Implementation of an ICU follow-up clinic: outcomes and patient satisfaction after 1 year. Critical Care, 2013, 17, . | 2.5 | 2 |
| 567 | Acute exercise response in the critically ill. Critical Care, 2013, 17, . | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 568 | Randomized, controlled pilot study of early rehabilitation strategies in acute respiratory failure. <i>Critical Care</i> , 2013, 17, . | 2.5 | 6 |
| 569 | Early results of a 6-week exercise programme in post-ICU patients. <i>Critical Care</i> , 2013, 17, . | 2.5 | 4 |
| 570 | Recognition of the primary stressors affecting intensive care patients: a systematic review. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 571 | Quality of care in the ICU from the perspective of relatives. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 572 | Family satisfaction in the ICU: enhancing patient experience. <i>Critical Care</i> , 2013, 17, . | 2.5 | 1 |
| 573 | Family satisfaction with patient care in ICUs of nonacademic Brazilian public hospitals. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 574 | Management of unstable pediatric hemato-oncology patient: results of a web-based survey to pediatric oncologists in Spain. <i>European Journal of Pediatrics</i> , 2013, 172, 51-58. | 1.3 | 5 |
| 575 | Advances in Critical Care of the Pediatric Hematopoietic Stem Cell Transplant Patient. <i>Pediatric Clinics of North America</i> , 2013, 60, 689-707. | 0.9 | 15 |
| 577 | Stem cell transplantation and lung dysfunction. <i>Current Opinion in Pediatrics</i> , 2013, 25, 350-356. | 1.0 | 16 |
| 578 | Clinical Outcomes of Children Receiving Intensive Cardiopulmonary Support During Hematopoietic Stem Cell Transplant*. <i>Pediatric Critical Care Medicine</i> , 2013, 14, 261-267. | 0.2 | 69 |
| 579 | In vitro correction of hypothermic and dilutive crystalloid and colloid rotational thromboelastography-monitored coagulopathy with fibrinogen and factor XIII. <i>Critical Care</i> , 2013, 17, . | 2.5 | 0 |
| 583 | Outcomes of pediatric oncologic emergencies requiring intensive care. <i>Journal of the Japanese Society of Intensive Care Medicine</i> , 2014, 21, 323-327. | 0.0 | 0 |
| 585 | Pediatric cancer type predicts infection rate, need for critical care intervention, and mortality in the pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2014, 40, 1536-1544. | 3.9 | 70 |
| 586 | Outcome of Pediatric Hematopoietic Stem Cell Transplant Recipients Requiring Mechanical Ventilation. <i>Journal of Intensive Care Medicine</i> , 2014, 29, 31-37. | 1.3 | 33 |
| 587 | Outcome of Pediatric Acute Myeloid Leukemia Patients Receiving Intensive Care in the United States. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 112-120. | 0.2 | 48 |
| 588 | Inconsistencies in care of the pediatric hematopoietic stem cell transplant recipient with respiratory failure: Opportunity for standardization and improved outcome. <i>Pediatric Transplantation</i> , 2014, 18, 230-235. | 0.5 | 9 |
| 589 | Outcome of invasive mechanical ventilation after pediatric allogeneic hematopoietic SCT: results from a prospective, multicenter registry. <i>Bone Marrow Transplantation</i> , 2014, 49, 1287-1292. | 1.3 | 42 |
| 590 | Clinical Course and Outcome Predictors of Critically Ill Infants With Complete DiGeorge Anomaly Following Thymus Transplantation. <i>Pediatric Critical Care Medicine</i> , 2014, 15, e321-e326. | 0.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 591 | Hematopoietic Stem Cell Transplantation. <i>Critical Care Medicine</i> , 2015, 43, 2037-2038. | 0.4 | 1 |
| 592 | Respiratory Failure in Children With Hemato-oncological Diseases Admitted to the PICU. <i>Journal of Pediatric Hematology/Oncology</i> , 2015, 37, 449-454. | 0.3 | 10 |
| 593 | New Insights Into Multicenter PICU Mortality Among Pediatric Hematopoietic Stem Cell Transplant Patients*. <i>Critical Care Medicine</i> , 2015, 43, 1986-1994. | 0.4 | 65 |
| 594 | The Cause of Acute Respiratory Failure Predicts the Outcome of Noninvasive Ventilation in Immunocompromised Children. <i>Klinische Padiatrie</i> , 2015, 227, 322-328. | 0.2 | 11 |
| 595 | Non-infectious pulmonary complications of hematopoietic stem cell transplantation. <i>Journal of Pediatric Intensive Care</i> , 2015, 03, 133-146. | 0.4 | 6 |
| 596 | Historical outcomes of pediatric hematopoietic stem cell transplantation patients requiring critical care. <i>Journal of Pediatric Intensive Care</i> , 2015, 03, 083-090. | 0.4 | 3 |
| 597 | Acute kidney injury in pediatric hematopoietic stem cell transplant recipients. <i>Journal of Pediatric Intensive Care</i> , 2015, 03, 159-168. | 0.4 | 0 |
| 598 | Hematopoietic stem cell transplantation in pediatric critical care. <i>Journal of Pediatric Intensive Care</i> , 2015, 03, 081-082. | 0.4 | 1 |
| 599 | Receipt of Life-Sustaining Treatments for Taiwanese Pediatric Patients Who Died of Cancer in 2001 to 2010. <i>Medicine (United States)</i> , 2016, 95, e3461. | 0.4 | 8 |
| 600 | Invasive Mechanical Ventilation and Mortality in Pediatric Hematopoietic Stem Cell Transplantation. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 294-302. | 0.2 | 79 |
| 601 | Prognostic factors and outcome of patients undergoing hematopoietic stem cell transplantation who are admitted to pediatric intensive care unit. <i>BMC Pediatrics</i> , 2016, 16, 138. | 0.7 | 30 |
| 602 | The authors reply. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 1103. | 0.2 | 0 |
| 603 | Critically ill pediatric hemato-oncology patient: What we do is what we should do?. <i>Anales De Pediatr a (English Edition)</i> , 2016, 85, 61-69. | 0.1 | 1 |
| 605 | The Focus of Treating Pediatric Acute Hypoxemic Respiratory Failure in Immunocompromised Patients*. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 363-364. | 0.2 | 0 |
| 606 | A Critical Care and Transplantation-Based Approach to Acute Respiratory Failure after Hematopoietic Stem Cell Transplantation in Children. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 617-626. | 2.0 | 19 |
| 607 | Weight gain and supplemental O ₂ : Risk factors during the hematopoietic cell transplant admission in pediatric patients. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26561. | 0.8 | 7 |
| 608 | Risk Factors and Outcomes Related to Pediatric Intensive Care Unit Admission after Hematopoietic Stem Cell Transplantation: A Single-Center Experience. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1335-1341. | 2.0 | 20 |
| 609 | Respiratory Care Considerations in the Childhood Cancer Patient. <i>Respiratory Care</i> , 2017, 62, 765-775. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 610 | Specific Etiologies Associated With the Multiple Organ Dysfunction Syndrome in Children: Part 1. <i>Pediatric Critical Care Medicine</i> , 2017, 18, S50-S57. | 0.2 | 17 |
| 611 | Epidemiology and Outcomes of Pediatric Multiple Organ Dysfunction Syndrome. <i>Pediatric Critical Care Medicine</i> , 2017, 18, S4-S16. | 0.2 | 72 |
| 612 | Early predictors of mortality in children with pulmonary complications after haematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2017, 21, e13062. | 0.5 | 4 |
| 613 | Complications of Emerging Oncology Therapies Requiring Treatment in the Pediatric Intensive Care Unit. <i>Current Pediatrics Reports</i> , 2017, 5, 220-227. | 1.7 | 0 |
| 614 | Permissive hypercapnia for severe acute respiratory distress syndrome in immunocompromised children: A single center experience. <i>PLoS ONE</i> , 2017, 12, e0179974. | 1.1 | 16 |
| 615 | Hemoglobin Levels Across the Pediatric Critical Care Spectrum. <i>Pediatric Critical Care Medicine</i> , 2018, 19, e227-e234. | 0.2 | 5 |
| 616 | High-Frequency Oscillatory Ventilation Use and Severe Pediatric ARDS in the Pediatric Hematopoietic Cell Transplant Recipient. <i>Respiratory Care</i> , 2018, 63, 404-411. | 0.8 | 21 |
| 617 | Successful Extracorporeal Life Support in a Pediatric Hematopoietic Stem Cell Transplant Recipient With Periangraftment Respiratory Failure. <i>Journal of Pediatric Hematology/Oncology</i> , 2018, 40, e256-e259. | 0.3 | 7 |
| 618 | Hospital Variation in Intensive Care Resource Utilization and Mortality in Newly Diagnosed Pediatric Leukemia*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, e312-e320. | 0.2 | 10 |
| 619 | Modification and Assessment of the Bedside Pediatric Early Warning Score in the Pediatric Allogeneic Hematopoietic Cell Transplant Population. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 483-488. | 0.2 | 13 |
| 620 | Pediatric Hematopoietic Cell Transplant Patients Who Survive Critical Illness Frequently Have Significant but Recoverable Decline in Functional Status. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 330-336. | 2.0 | 16 |
| 621 | Acute Respiratory Failure in Pediatric Hematopoietic Cell Transplantation: A Multicenter Study*. <i>Critical Care Medicine</i> , 2018, 46, e967-e974. | 0.4 | 28 |
| 622 | The SCARF Trial. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 995-996. | 0.2 | 0 |
| 623 | CALIPSO: A Randomized Controlled Trial of Calfactant for Acute Lung Injury in Pediatric Stem Cell and Oncology Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2479-2486. | 2.0 | 17 |
| 624 | PICU mortality of children with cancer admitted to pediatric intensive care unit a systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 142, 153-163. | 2.0 | 53 |
| 625 | Research priorities in pediatric onco-critical care: an international Delphi consensus study. <i>Intensive Care Medicine</i> , 2019, 45, 1681-1683. | 3.9 | 14 |
| 626 | Predictors of mortality after admission to pediatric intensive care unit in oncohematologic patients without history of hematopoietic stem cell transplantation: A single center experience. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27892. | 0.8 | 12 |
| 628 | Outcomes of pediatric oncology and hematopoietic cell transplant patients receiving extracorporeal membrane oxygenation. <i>Perfusion (United Kingdom)</i> , 2019, 34, 598-604. | 0.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 629 | Acute Respiratory Failure and Management. , 2019, , 195-210. | | 2 |
| 630 | Epidemiology and Outcome of Critically Ill Pediatric Cancer and Hematopoietic Stem Cell Transplant Patients Requiring Continuous Renal Replacement Therapy. Critical Care Medicine, 2019, 47, e893-e901. | 0.4 | 15 |
| 632 | Prognostic Factors of ICU Mortality in Pediatric Oncology Patients With Pulmonary Complications. Journal of Pediatric Hematology/Oncology, 2020, 42, 266-270. | 0.3 | 8 |
| 633 | PICU Admission Rates in Pediatric Cancer and Hematopoietic Stem Cell Transplant Patients Receiving High-flow Nasal Cannula Oxygen Therapy on the General Ward. Journal of Pediatric Hematology/Oncology, 2020, 42, e1-e6. | 0.3 | 2 |
| 634 | Clinical characteristics and outcomes of bone marrow transplantation patients presenting to the ED of a tertiary care center. American Journal of Emergency Medicine, 2020, 46, 295-302. | 0.7 | 1 |
| 635 | Declining mortality rates in children admitted to ICU following HCT. Pediatric Transplantation, 2021, 25, e13946. | 0.5 | 6 |
| 636 | Outcomes of pediatric patients with oncologic disease or following hematopoietic stem cell transplant supported on extracorporeal membrane oxygenation: The PEDECOR experience. Pediatric Blood and Cancer, 2020, 67, e28403. | 0.8 | 22 |
| 637 | Improving Outcomes for Children Requiring Extracorporeal Membrane Oxygenation Therapy Following Hematopoietic Stem Cell Transplantation. Critical Care Medicine, 2021, 49, e381-e393. | 0.4 | 12 |
| 638 | Veno-Venous Extracorporeal Membrane Oxygenation for Children With Cancer or Hematopoietic Cell Transplant: A Ten Center Cohort. ASAIO Journal, 2021, 67, 923-929. | 0.9 | 9 |
| 639 | Beginning Restorative Activities Very Early: Implementation of an Early Mobility Initiative in a Pediatric Onco-Critical Care Unit. Frontiers in Oncology, 2021, 11, 645716. | 1.3 | 6 |
| 640 | Identifying the critically ill paediatric oncology patient: a study protocol for a prospective observational cohort study for validation of a modified Bedside Paediatric Early Warning System score in hospitalised paediatric oncology patients. BMJ Open, 2021, 11, e046360. | 0.8 | 3 |
| 641 | Risk factors in acute respiratory distress syndrome among children with cancer in Brazilian Amazon: An observational study. Research, Society and Development, 2021, 10, e41710917767. | 0.0 | 0 |
| 642 | Epidemiology and Predictors of Hospital Outcomes of Critically Ill Pediatric Oncology Patients: A Retrospective Study. Indian Journal of Critical Care Medicine, 2022, 25, 1183-1188. | 0.3 | 4 |
| 643 | Recovery of Pulmonary Function after Allogeneic Hematopoietic Cell Transplantation in Children is Associated with Improved Survival. Biology of Blood and Marrow Transplantation, 2017, 23, 2102-2109. | 2.0 | 12 |
| 645 | Choc septique. , 2013, , 51-75. | | 0 |
| 646 | Extracorporeal Life Support. , 2014, , 215-236. | | 1 |
| 647 | Nursing Considerations. , 2019, , 337-407. | | 0 |
| 648 | The Changing Landscape of the Critical Care of Pediatric Immunocompromised Hematology and Oncology Patients. , 2019, , 3-7. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 649 | Pediatric Acute Respiratory Distress Syndrome in Immunocompromised Patients. , 2020, , 181-192. | | 0 |
| 650 | Noninvasive Respiratory Support in Pediatric Acute Respiratory Distress Syndrome. , 2020, , 101-115. | | 0 |
| 651 | Factors Affecting Short-Term Outcome of Critically Ill Children with Malignancies Admitted in Pediatric Intensive Care Unit: A Retrospective Observational Study. Indian Journal of Medical and Paediatric Oncology, 2021, 42, 333-338. | 0.1 | 0 |
| 652 | A biomarker panel for risk of early respiratory failure following hematopoietic cell transplantation. Blood Advances, 2022, 6, 1866-1878. | 2.5 | 4 |
| 653 | Extracorporeal Membrane Oxygenation Candidacy in Pediatric Patients Treated With Hematopoietic Stem Cell Transplant and Chimeric Antigen Receptor T-Cell Therapy: An International Survey. Frontiers in Oncology, 2021, 11, 798236. | 1.3 | 7 |
| 654 | Survival of pediatric patients requiring admission in the intensive care unit post hematopoietic stem cell transplantation: Prognostic factors associated with mortality. Pediatric Blood and Cancer, 2022, 69, e29549. | 0.8 | 4 |
| 655 | Risk Factors for Mortality in Asian Children Admitted to the Paediatric Intensive Care Unit after Haematopoietic Stem Cell Transplantation. Annals of the Academy of Medicine, Singapore, 2017, 46, 44-49. | 0.2 | 7 |
| 656 | Compassionate de-escalation of life-sustaining treatments in pediatric oncology: An opportunity for palliative care and intensive care collaboration. Frontiers in Oncology, 0, 12, . | 1.3 | 0 |
| 657 | The Determining Factors for Outcome of Pediatric Intensive Care Admitted Children After Stem Cell Transplantation. Journal of Pediatric Hematology/Oncology, 2023, 45, e768-e772. | 0.3 | 0 |