

CITATION REPORT

List of articles citing

Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008

DOI: 10.1097/01.ccm.0000298158.12101.41
Critical Care Medicine, 2008, 36, 296-327.

Source: <https://exaly.com/paper-pdf/45036308/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2279	impact of omega-3 fatty acids enriched total parenteral nutrition on blood chemistry and inflammatory markers in septic patients. 1969 , 30,		5
2278	The Theory and Practice of Educating Ideologically Unreliable Journalists. 1993 , 48, 17-25		6
2277	Corticosteroids for treating severe sepsis and septic shock. 2004 , CD002243		52
2276	Development of a Healthcare Coalition for Emergency Preparedness. 2005 , 20, s160-s160		
2275	Best evidence in critical care medicine. Steroids in sepsis: bulking up the evidence. 2008 , 55, 648-50		
2274	Can we still refuse ICU admission of patients with hematological malignancies?. 2008 , 34, 790-2		20
2273	Early increases in microcirculatory perfusion during protocol-directed resuscitation are associated with reduced multi-organ failure at 24 h in patients with sepsis. 2008 , 34, 2210-7		352
2272	Proportional assist ventilation with load-adjustable gain factors in critically ill patients: comparison with pressure support. 2008 , 34, 2026-34		105
2271	Renal replacement therapies: physiological review. 2008 , 34, 2139-46		34
2270	Necrotizing Fasciitis of the Extremities. 2008 , 34, 229-36		7
2269	[Update of the Surviving Sepsis Campaign guidelines 2008]. 2008 , 57, 284-6		2
2268	[Study protocol of the VISEP study. Response of the SepNet study group]. 2008 , 57, 723-8		9
2267	[Sepsis therapy: present guidelines and their application]. 2008 , 79, 306-14		3
2266	[Replacement therapy with adrenal steroids]. 2008 , 49, 545-6, 548-50, 552		4
2265	Clinical trials report. 2008 , 10, 351-353		1
2264	Current role of activated protein C therapy for severe sepsis and septic shock. 2008 , 10, 368-76		7
2263	Neurocritical care of patients with central nervous system infections. 2008 , 10, 201-11		12

2262	Disseminated intravascular coagulation: current concepts. 2008 , 75, 733-8	6
2261	Recent advances in sepsis and septic shock. 2008 , 75, 821-30	10
2260	Management of septic shock: where do we stand?. 2008 , 75, 1167-9	5
2259	Scoring für disseminierte intravaskuläre Gerinnung (DIC) in der Intensivmedizin. 2008 , 45, 205-211	1
2258	Invasive und nichtinvasive Möglichkeiten des haemodynamischen Monitorings. 2008 , 45, 337-359	4
2257	The need to reform our assessment of evidence from clinical trials: a commentary. 2008 , 3, 23	27
2256	Inter-observer variability in chest radiograph reading for diagnosing acute lung injury in children. 2008 , 43, 987-91	30
2255	Use of activated protein C in liver transplantation patients with septic shock. 2008 , 14, 1598-602	2
2254	Application of intensive care medicine principles in the management of the acute liver failure patient. 2008 , 14 Suppl 2, S85-9	17
2253	Post-cardiac arrest syndrome: epidemiology, pathophysiology, treatment, and prognostication. A Scientific Statement from the International Liaison Committee on Resuscitation; the American Heart Association Emergency Cardiovascular Care Committee; the Council on Cardiovascular Surgery and Anesthesia; the Council on Cardiopulmonary, Perioperative, and Critical Care; the Council on Clinical Cardiology; the Council on Stroke. 2008 , 14, 176-189	667
2252	High C5a levels are associated with increased mortality in sepsis patients--no enhancing effect by actin-free Gc-globulin. 2008 , 41, 974-80	27
2251	The association of lung function and plasma volume expansion in neonatal alpaca crias following plasma transfusion for failure of passive transfer. 2008 , 18, 601-607	3
2250	Therapeutic challenges of urosepsis. 2008 , 38 Suppl 2, 45-9	65
2249	Endogenous IL-10 regulates sepsis-induced thymic apoptosis and improves survival in septic IL-10 null mice. 2008 , 68, 565-71	11
2248	Advances in surgical critical care. 2008 , 45, 453-516	4
2247	Endothelial pathomechanisms in acute lung injury. 2008 , 49, 119-33	131
2246	[Open versus closed management of the abdomen in the surgical treatment of intra-abdominal sepsis]. 2008 , 84, 345-6	1
2245	The microcirculation in health and critical disease. 2008 , 51, 161-70	94

2244	Effect of corticosteroids on arginine vasopressin-containing vasopressor therapy for septic shock: a case control study. 2008 , 23, 500-6	22
2243	A primer on critical care pharmacy services. 2008 , 42, 1871-81	20
2242	Doripenem: a review of its use in the treatment of bacterial infections. 2008 , 68, 2021-57	43
2241	Antimicrobial management of sepsis and septic shock. 2008 , 29, 677-87, ix	33
2240	Cardiac RAGE in sepsis: call TOLL free for anti-RAGE. 2008 , 102, 1153-4	8
2239	Immunomodulatory therapies for sepsis: unexpected effects with macrolides. 2008 , 32 Suppl 1, S39-43	35
2238	Adjunctive therapies for severe sepsis. 2008 , 32 Suppl 1, S34-8	8
2237	Clinical practice guidelines for improving outcomes in sepsis. 2008 , 17 Suppl 4, S26-31	5
2236	Patient d'œncologie neutrophique fbrile admis en ranimation, recommandations actuelles et attitude pratique. 2008 , 17, 213-224	2
2235	Renal supportive therapy for pediatric acute kidney injury in the setting of multiorgan dysfunction syndrome/sepsis. 2008 , 28, 457-69	23
2234	Reducing mortality in severe sepsis: the Surviving Sepsis Campaign. 2008 , 29, 721-33, x	42
2233	Corticosteroids and human recombinant activated protein C for septic shock. 2008 , 29, 705-12, x	5
2232	Severe sepsis and septic shock: improving outcomes in the emergency department. 2008 , 26, 603-23, vii	15
2231	Improving outcomes for severe sepsis and septic shock: tools for early identification of at-risk patients and treatment protocol implementation. 2008 , 24, S1-47	51
2230	The use of vasopressors and inotropes in the emergency medical treatment of shock. 2008 , 26, 759-86, ix	30
2229	Organ donation after brain death after long-term left ventricular mechanical support. 2008 , 27, 815-6	1
2228	Drotrecogin alpha (activated) in septic shock after lung transplant. 2008 , 27, 815	3
2227	Sepsis: time has come to focus on the later stages. 2008 , 71, 203-8	46

2226	Continuous monitoring of central venous oxygen saturation (Pediasat) in pediatric patients undergoing cardiac surgery: a validation study of a new technology. 2008 , 22, 847-52	19
2225	China's barefoot doctor: past, present, and future. 2008 , 372, 1865-1867	120
2224	Acute kidney injury. 2008 , 372, 1863-1865	88
2223	Post-cardiac arrest syndrome: epidemiology, pathophysiology, treatment, and prognostication. A consensus statement from the International Liaison Committee on Resuscitation (American Heart Association, Australian and New Zealand Council on Resuscitation, European Resuscitation Council, Heart and Stroke Foundation of Canada, InterAmerican Heart Foundation, Resuscitation Council of Asia, and the Resuscitation Council of Southern Africa). 2008 , 15, 2013-23	1038
2222	[Place of paediatric continuous care unit in general hospital]. 2008 , 15, 686-8	0
2221	Composé slñiš et slñium, quelle place en rànimation ?. 2008 , 17, 442-453	0
2220	Management of sepsis: early resuscitation. 2008 , 29, 689-704, ix-x	28
2219	Antibiotics in the intensive care unit: focus on agents for resistant pathogens. 2008 , 26, 813-34, x	12
2218	Endocrine issues in the pediatric intensive care unit. 2008 , 55, 805-33, xiii	8
2217	Mechanical ventilation. 2008 , 26, 849-62, x	12
2216	An update on recommendations for the treatment of severe sepsis and septic shock has been released. 2008 , 546, 3-3	
2215	Hypotension in severe dimethoate self-poisoning. 2008 , 46, 880-4	29
2214	Clinical Pharmacology 2008: Practical Information for Physicians, Nurses and Pharmacists. 2008 , 1, 491-5	
2213	The right ventricle in sepsis. 2008 , 29, 661-76, ix	53
2212	Recently published papers: Sepsis, glucose control and patient-doctor relationships. 2008 , 12, 112	2
2211	Recently published papers: Sepsis--guidelines, treatment and novel approaches. 2008 , 12, 120	4
2210	Chaotic nature of sepsis and multiple organ failure cannot be explained by linear statistical methods. 2008 , 12, 417	7
2209	Diagnosis of ventilator-associated pneumonia: a systematic review of the literature. 2008 , 12, R56	151

2208	Randomized trial comparing daily interruption of sedation and nursing-implemented sedation algorithm in medical intensive care unit patients. 2008 , 12, R70	83
2207	Surviving sepsis: a guide to the guidelines. 2008 , 12, 162	8
2206	Norepinephrine to increase blood pressure in endotoxaemic pigs is associated with improved hepatic mitochondrial respiration. 2008 , 12, R88	24
2205	Unanswered questions from Corticus and pragmatic suggestions. 2008 , 12, 426; discussion 426	2
2204	Combined milrinone and enteral metoprolol therapy in patients with septic myocardial depression. 2008 , 12, R99	60
2203	Guidance in sepsis management: navigating uncharted waters?. 2008 , 12, 428; author reply 428	2
2202	The impact of the severity of sepsis on the risk of hypoglycaemia and glycaemic variability. 2008 , 12, R129	85
2201	Phenylephrine versus norepinephrine for initial hemodynamic support of patients with septic shock: a randomized, controlled trial. 2008 , 12, R143	102
2200	Adjunctive therapies for community-acquired pneumonia: a systematic review. 2008 , 62, 661-8	580
2199	Improving sepsis care: the road ahead. 2008 , 299, 2322-3	11
2198	Evidence-based therapy of severe acute respiratory distress syndrome: an algorithm-guided approach. 2008 , 36, 211-21	33
2197	The Influence of the Corticus Study on Steroid Use for Septic Shock in Scottish Intensive Care Units. 2008 , 9, 238-239	1
2196	Medication reconciliation effect on prolonged inpatient stress ulcer prophylaxis. 2008 , 42, 940-6	18
2195	New insights on intravenous fluids, diuretics and acute kidney injury. 2008 , 109, c206-16	15
2194	Mortality predictions using current physiologic scoring systems in patients meeting criteria for early goal-directed therapy and the severe sepsis resuscitation bundle. 2008 , 30, 23-8	38
2193	ERRATA. <i>Critical Care Medicine</i> , 2008 , 36, 1394	1.4 6
2192	ERRATA. <i>Critical Care Medicine</i> , 2008 , 36, 1396	1.4 1
2191	Effects of Vasopressin in Septic Shock. 2008 , 19, 281-287	1

- 2190 Potential Confounders in the Influence of Gender on the Outcome of Severe Sepsis Study. **2008**, 134, 671
- 2189 In the Literature. **2008**, 46, v-vi
- 2188 Another Look at Steroid Therapy for Septic Shock. **2008**, 19, 56-57
- 2187 Therapeutic potential of HMGB1-targeting agents in sepsis. **2008**, 10, e32 87
- 2186 Insulin, glucose control and multiple organ dysfunction syndrome. **2008**, 4, 195-207
- 2185 Strategies to reduce mortality from bacterial sepsis in adults in developing countries. **2008**, 5, e175 80
- 2184 Integrin alphavbeta3 acts downstream of insulin in normalization of interstitial fluid pressure in sepsis and in cell-mediated collagen gel contraction. **2008**, 295, H555-60 12
- 2183 Adiponectin deficiency promotes endothelial activation and profoundly exacerbates sepsis-related mortality. **2008**, 295, E658-64 92
- 2182 Novel Approaches to the Treatment of Sepsis Syndrome. **2008**, 21, 371-379
- 2181 Weaning Strategies in Problem Patients. **2008**, 9, 173-177 1
- 2180 Steroids in sepsis, etomidate and Pearl Harbor. **2008**, 25, 469-70
- 2179 Septic shock--vasopressin, norepinephrine, and urgency. **2008**, 358, 954-6 75
- 2178 Improvement in glycemic control and outcome corresponding to intensive insulin therapy protocol development. **2008**, 2, 392-401 2
- 2177 Novel targets in the management of pneumonia. **2008**, 2, 387-400 6
- 2176 Health care-associated infection (HAI): a critical appraisal of the emerging threat-proceedings of the HAI Summit. **2008**, 47 Suppl 2, S55-99; quiz S100-1 44
- 2175 Aktuelle Ergebnisse notfallmedizinischer Forschung. **2008**, 3, 365-378
- 2174 Die foudroyante Sepsis im Kindesalter. **2008**, 3, 149-171
- 2173 Differenzierter Einsatz von kardiovaskulär aktiven Substanzen. **2008**, 16, 256-265

2172	When should renal replacement therapy for acute kidney injury be initiated and discontinued?. 2008 , 26, 473-84		34
2171	The altered adrenal axis and treatment with glucocorticoids during critical illness. 2008 , 4, 496-505		64
2170	Corticosteroids for septic shock. 2008 , 358, 2068; author reply 2070-1		8
2169	Vasopressin in septic shock. 2008 , 358, 2736; author reply 2737-8		11
2168	Prediction of volume responsiveness in critically ill patients with spontaneous breathing activity. 2008 , 14, 334-9		89
2167	Promoting Research in Clinical Practice. 2008 , 19, 155-163		4
2166	Central venous pressure as popular resuscitation surrogate: not totally unjustified. 2008 , 134, 1352-1353		2
2165	Pediatric shock. 2008 , 5, 405-423		3
2164	[Changes in hospital infections]. 2008 , 97, 2636-41		
2163	Improving sepsis care through systems change: the impact of a medical emergency team. 2008 , 34, 179-82, 125		11
2162	Late diagnosed necrotizing fasciitis as a cause of multiorgan dysfunction syndrome: A case report. 2008 , 1, 125		6
2161	Promoting research in clinical practice: strategies for implementing research initiatives. 2008 , 19, 155-61; quiz 162-3		3
2160	Effects of vasopressin in septic shock. 2008 , 19, 281-7		4
2159	ERRATA. <i>Critical Care Medicine</i> , 2008 , 36, 1394-1396	1.4	101
2158	Death by TPN... the final chapter?. <i>Critical Care Medicine</i> , 2008 , 36, 1964-5	1.4	27
2157	Polyoxyethylene: a breakthrough in the fight against distributive shock?. <i>Critical Care Medicine</i> , 2008 , 36, 2189-90	1.4	1
2156	Clinical pharmacist on intensive care unit saves lives and reduces costs. <i>Critical Care Medicine</i> , 2008 , 36, 3269-70	1.4	7
2155	Sepsis and those who are "weak of heart". <i>Critical Care Medicine</i> , 2008 , 36, 3108-9	1.4	3

2154	Vasopressor use in septic shock: an update. 2008 , 21, 141-7		19
2153	A treatment worth its salt?. <i>Critical Care Medicine</i> , 2008 , 36, 1978-9	1.4	
2152	Effect of prone positioning in patients with acute respiratory distress syndrome and high Simplified Acute Physiology Score II. <i>Critical Care Medicine</i> , 2008 , 36, 2711-2; author reply 2712-3	1.4	7
2151	Glucose control and use of continuous glucose monitoring in the intensive care unit: a critical review. 2008 , 4, 234-44		25
2150	Tracheostomy protocol compliance: herding cats?. <i>Critical Care Medicine</i> , 2008 , 36, 1959-60	1.4	2
2149	Safety in numbers: the value of counting adverse events. <i>Critical Care Medicine</i> , 2008 , 36, 2196-7	1.4	1
2148	Prone or supine positions: differences in regional ventilation with positive end-expiratory pressure. <i>Critical Care Medicine</i> , 2008 , 36, 2469-71	1.4	
2147	Can we safely discharge patients from the intensive care unit after hours?. <i>Critical Care Medicine</i> , 2008 , 36, 2443-4	1.4	3
2146	Palliative care approach can provide safeguards for end-of-life care in the intensive care unit. <i>Critical Care Medicine</i> , 2008 , 36, 2485-2486	1.4	
2145	Peer networks and the pursuit of excellence in critical care. <i>Critical Care Medicine</i> , 2008 , 36, 2936-7	1.4	1
2144	Point of care glucose testing--need for a better mousetrap or time to rethink the hunt?. <i>Critical Care Medicine</i> , 2008 , 36, 3113-4	1.4	4
2143	Implementing the best evidence; do not forget to be a good clinician. <i>Critical Care Medicine</i> , 2008 , 36, 3106-7	1.4	2
2142	Is normalized mean blood glucose level good enough for the intensive care unit?--glycemic variability as a new independent predictor of mortality. <i>Critical Care Medicine</i> , 2008 , 36, 3104-6	1.4	14
2141	Calcium sensitizing in sepsis: is levosimendan on the right path?. <i>Critical Care Medicine</i> , 2008 , 36, 1981-2	1.4	5
2140	Moving the goalposts? Fluid volume assessment in severe acute pancreatitis. <i>Critical Care Medicine</i> , 2008 , 36, 2464-6	1.4	1
2139	Hyperglycemia aggravates endotoxin-induced high mobility group box 1 protein release: yet another reason not to be too sweet. <i>Critical Care Medicine</i> , 2008 , 36, 2475-6	1.4	5
2138	Surviving Sepsis Campaign needed consensus to exclude selective decontamination of the digestive tract. <i>Critical Care Medicine</i> , 2008 , 36, 2716-7	1.4	9
2137	Nutritional status and mortality of critically ill patients with acute kidney injury. <i>Critical Care Medicine</i> , 2008 , 36, 3259-60	1.4	2

2136	Sepsis (mis) management: the hazards of a faith-based approach. <i>Critical Care Medicine</i> , 2008 , 36, 2929-304		
2135	Timely selection of adequate antifungal therapy for candidemia in the critically ill: don't let the yeast rise!. <i>Critical Care Medicine</i> , 2008 , 36, 3097-8	1.4	2
2134	A sweet debate: glycemic control in the intensive care unit. <i>Critical Care Medicine</i> , 2008 , 36, 3271-2	1.4	5
2133	Our own blood is still the best thing to have in our veins. 2008 , 21, 657-63		8
2132	Using ventilation-induced plethysmographic variations to optimize patient fluid status. 2008 , 21, 772-8		50
2131	Changing epidemiology of invasive candidiasis in intensive care units--much ado about nothing?. <i>Critical Care Medicine</i> , 2008 , 36, 2188-9	1.4	15
2130	Sleep and breathing: the impact of mechanical ventilation on the quality of sleep. <i>Critical Care Medicine</i> , 2008 , 36, 1960-2	1.4	
2129	Levo is in the air: take a deep breath!. <i>Critical Care Medicine</i> , 2008 , 36, 1979-81	1.4	3
2128	The gray area between palliative care and active shortening of the dying process. <i>Critical Care Medicine</i> , 2008 , 36, 2483-2484	1.4	
2127	Relieving pain and suffering does not hasten death. <i>Critical Care Medicine</i> , 2008 , 36, 2486-7	1.4	
2126	The crystal ball in end-of-life care. <i>Critical Care Medicine</i> , 2008 , 36, 2482; author reply 2483-4	1.4	
2125	How "Dear SIRS" and MEDS can help for ED triage. <i>Critical Care Medicine</i> , 2008 , 36, 2715; author reply 2715-6	1.4	1
2124	Lung injury--settle for a sketch or design a blueprint?. <i>Critical Care Medicine</i> , 2008 , 36, 2922-5	1.4	1
2123	Is there a role for sodium bicarbonate in treating lactic acidosis from shock?. 2008 , 14, 379-83		43
2122	Surviving sepsis campaign: a critical reappraisal. 2008 , 30 Suppl 1, 70-2		8
2121	Current world literature. 2008 , 21, 684-93		
2120	Echoes of the past?. <i>Critical Care Medicine</i> , 2008 , 36, 1950-1	1.4	4
2119	Burden of psychological symptoms and illness in family of critically ill patients: what is the relevance for critical care clinicians?. <i>Critical Care Medicine</i> , 2008 , 36, 1955-6	1.4	9

2118	New recommendations for the use of corticosteroids in sepsis: not so fast!. <i>Critical Care Medicine</i> , 2008 , 36, 2489-90; author reply 2490	1.4	3
2117	Nurse-driven sedation: will it steer patients toward early weaning?. <i>Critical Care Medicine</i> , 2008 , 36, 2199-200		
2116	Palliative care approach can provide safeguards for end-of-life care in the intensive care unit. <i>Critical Care Medicine</i> , 2008 , 36, 2485; author reply 2485-6	1.4	
2115	Surviving Sepsis Campaign: guideline clarification. <i>Critical Care Medicine</i> , 2008 , 36, 2490; author reply 2490-1	1.4	2
2114	The author replies. <i>Critical Care Medicine</i> , 2008 , 36, 2714-2715	1.4	
2113	Acute kidney injury in the intensive care unit: it's the gene, stupid!. <i>Critical Care Medicine</i> , 2008 , 36, 3266-74	1.4	7
2112	The role of reactive oxygen species in the heart after electrical stimulation. <i>Critical Care Medicine</i> , 2008 , 36, 3274-5	1.4	
2111	Bagging--an (early) harmful or (late) beneficial maneuver?. <i>Critical Care Medicine</i> , 2008 , 36, 3278-9	1.4	1
2110	The curse of the drinking class. <i>Critical Care Medicine</i> , 2008 , 36, 1958-9	1.4	19
2109	Is extravascular lung water measurement in acute respiratory distress syndrome worth the effort?. <i>Critical Care Medicine</i> , 2008 , 36, 1970	1.4	3
2108	Interleukin-6 plasma level in organ donors influences outcome for recipients of organ transplantation: is it clinically relevant?. <i>Critical Care Medicine</i> , 2008 , 36, 1971	1.4	1
2107	Gender differences after hemorrhagic shock from blunt trauma: what is helping the women?. <i>Critical Care Medicine</i> , 2008 , 36, 1976	1.4	2
2106	Surviving Sepsis Campaign guidelines 2008: revisiting vasopressor recommendations. <i>Critical Care Medicine</i> , 2008 , 36, 2488; author reply 2488-9	1.4	5
2105	sTREM-1 as a predictor of severity and outcome in acute pancreatitis: the magic bullet or just another inflammatory mediator?. <i>Critical Care Medicine</i> , 2008 , 36, 2197-8	1.4	1
2104	Biomarkers of sepsis: lost in translation?. <i>Critical Care Medicine</i> , 2008 , 36, 2192-4	1.4	14
2103	Withdrawal assessment in the pediatric intensive care unit: quantifying a morbidity of pain and sedation management in the critically ill child. <i>Critical Care Medicine</i> , 2008 , 36, 2479-80	1.4	4
2102	Relieving suffering or hastening death: a misrepresentation. <i>Critical Care Medicine</i> , 2008 , 36, 2484; author reply 2485-6	1.4	
2101	Troublesome terminology for a tough truth. <i>Critical Care Medicine</i> , 2008 , 36, 2482-3; author reply 2483-4	1.4	12

2100	Intracerebral hemorrhage: balancing death versus disability. <i>Critical Care Medicine</i> , 2008 , 36, 2214-5	1.4	1
2099	"Sunbreaks" for critical care in the modern era of genetic epidemiology. <i>Critical Care Medicine</i> , 2008 , 36, 2453-5	1.4	
2098	Sepsis-induced vasoplegia--is vasopressin V1A-receptor a new target?. <i>Critical Care Medicine</i> , 2008 , 36, 2468-9	1.4	1
2097	Intracranial pressure--looking behind a number is important. <i>Critical Care Medicine</i> , 2008 , 36, 2476-7	1.4	
2096	Normalization of glucose in the intensive care unit: does one size really fit all?. <i>Critical Care Medicine</i> , 2008 , 36, 2448-9	1.4	5
2095	Surviving sepsis in developing countries. <i>Critical Care Medicine</i> , 2008 , 36, 2487-2488	1.4	1
2094	Laboratory testing guidelines in the intensive care unit: less red and more green. <i>Critical Care Medicine</i> , 2008 , 36, 3102-3	1.4	4
2093	Activated protein C in sepsis: a critical review. 2008 , 15, 481-6		36
2092	Ventilation Strategy Using Low Tidal Volumes, Recruitment Maneuvers, and High Positive End-Expiratory Pressure for Acute Lung Injury and Acute Respiratory Distress Syndrome. 2008 , 52, 271-272		
2091	Acute relative adrenal insufficiency after aneurysmal subarachnoid hemorrhage. 2008 , 63, 645-9; discussion 649-50		31
2090	Are Blood Transfusions Associated With Greater Mortality Rates? Results of the Sepsis Occurrence in Acutely Ill Patients Study. 2008 , 52, 277-278		
2089	Vasopressin Versus Norepinephrine Infusion in Patients With Septic Shock. 2008 , 52, 276-277		
2088	The ups and downs of a good idea: phased chest and abdominal compression-decompression cardiopulmonary resuscitation in cardiac arrest. <i>Critical Care Medicine</i> , 2008 , 36, 1974-5	1.4	1
2087	Aerosolized antibiotics for ventilator-associated tracheobronchitis: let's go with the flow!. <i>Critical Care Medicine</i> , 2008 , 36, 2191-2	1.4	20
2086	A new piece in the unfinished ventricular fibrillation analysis puzzle. <i>Critical Care Medicine</i> , 2008 , 36, 2210-2	1.4	1
2085	Steroid therapy of septic shock: the decision is in the eye of the beholder. <i>Critical Care Medicine</i> , 2008 , 36, 1987-9	1.4	32
2084	Promises, promises: N-terminal proB-type natriuretic peptide as a biomarker in acute lung injury. <i>Critical Care Medicine</i> , 2008 , 36, 2461-2	1.4	
2083	Inappropriate therapy for staphylococcal infection is common and commonly fatal. <i>Critical Care Medicine</i> , 2008 , 36, 2462-4	1.4	1

2082	Constipation, critical illness and mortality: gut-derived toxidromes--real and now imagined. <i>Critical Care Medicine</i> , 2008 , 36, 2710-1; author reply 2711	1.4	7
2081	The author replies. <i>Critical Care Medicine</i> , 2008 , 36, 2709-2710	1.4	2
2080	How good is arterial pulse contour (LiDCO) and the esophageal Doppler monitor (HemoSonic) in measuring left ventricular stroke volume during venous occlusion?. <i>Critical Care Medicine</i> , 2008 , 36, 3103-4	1.4	4
2079	Heparin in the treatment of severe sepsis: a new look at an old therapy. <i>Critical Care Medicine</i> , 2008 , 36, 3098-9	1.4	3
2078	Hypercapnic acidosis in acute lung injury: inevitable side effect or unexpected benefit?. <i>Critical Care Medicine</i> , 2008 , 36, 3268-9	1.4	
2077	Are children really just small adults?. <i>Critical Care Medicine</i> , 2008 , 36, 2215-6	1.4	2
2076	Rescuing the brain in acute liver failure. <i>Critical Care Medicine</i> , 2008 , 36, 2212-3	1.4	6
2075	Does mechanical ventilation "hit" the lungs?. <i>Critical Care Medicine</i> , 2008 , 36, 2471-3	1.4	1
2074	Hypothermia and coronary intervention after cardiac arrest: thawing a cool relationship?. <i>Critical Care Medicine</i> , 2008 , 36, 1967-8	1.4	21
2073	Epidemiology on intra-abdominal hypertension: an urgent call for multicenter trials. <i>Critical Care Medicine</i> , 2008 , 36, 1972-4	1.4	6
2072	Ventilator-associated pneumonia prevention: WHAP, positive end-expiratory pressure, or both?. <i>Critical Care Medicine</i> , 2008 , 36, 2441-2	1.4	2
2071	The golden hour of right ventricular ischemia. <i>Critical Care Medicine</i> , 2008 , 36, 2194-5	1.4	3
2070	Burning issues surrounding inflammation and coagulation in heatstroke. <i>Critical Care Medicine</i> , 2008 , 36, 2455-6	1.4	6
2069	Surviving Sepsis Campaign: Guideline Clarification. <i>Critical Care Medicine</i> , 2008 , 36, 2490-2491	1.4	3
2068	More evidence that timing matters in the treatment of patients with sepsis. <i>Critical Care Medicine</i> , 2008 , 36, 2932-3	1.4	1
2067	Effects of proinflammatory cytokines and hemofiltration on ventricular repolarization in septic shock. <i>Critical Care Medicine</i> , 2008 , 36, 3272-3	1.4	
2066	Managing traumatic brain injury: what is the evidence?. <i>Critical Care Medicine</i> , 2008 , 36, 3116-7	1.4	0
2065	Should we worry about chest wall influence on airway pressures during mechanical ventilation?. <i>Critical Care Medicine</i> , 2008 , 36, 3100-1	1.4	

2064	A silent killer: cytomegalovirus infection in the nonimmunocompromised critically ill patient. <i>Critical Care Medicine</i> , 2008 , 36, 3261-4	1.4	16
2063	End-of-life care and organ procurement for transplantation: palliation or euthanasia?. <i>Critical Care Medicine</i> , 2008 , 36, 2481-2; author reply 2483-4	1.4	1
2062	Supply and demand in critical care trials: from where will all the subjects come?. <i>Critical Care Medicine</i> , 2008 , 36, 2206-7	1.4	
2061	Anatomical intrapulmonary shunt. <i>Critical Care Medicine</i> , 2008 , 36, 2713; author reply 2714-5	1.4	1
2060	Should we abandon corticosteroids during septic shock? No. 2008 , 14, 384-9		6
2059	Antioxidants in ischemic disease. <i>Critical Care Medicine</i> , 2008 , 36, 3275-6	1.4	
2058	Treatment of anaphylactic shock: where is the evidence?. 2008 , 107, 359-61		8
2057	Positive End-Expiratory Pressure Setting in Adults With Acute Lung Injury and Acute Respiratory Distress Syndrome. 2008 , 52, 272-273		
2056	Hydrocortisone Therapy for Patients With Septic Shock. 2008 , 52, 273-274		
2055	Intensive Insulin Therapy and Pentastarch Resuscitation in Severe Sepsis. 2008 , 52, 274-276		
2054	Risk Factors Associated With Bleeding During and After Percutaneous Dilational Tracheostomy. 2008 , 52, 278-279		
2053	Early goal-directed therapy in severe sepsis and septic shock: a contemporary review of the literature. 2008 , 21, 128-40		133
2052	Journal Club. 2008 , 20, 203-206		
2051	Insulin resistance postburn: underlying mechanisms and current therapeutic strategies. 2008 , 29, 683-94		74
2050	Sepsis: time to reconsider the concept. <i>Critical Care Medicine</i> , 2008 , 36, 964-6	1.4	93
2049	Acute compartment syndrome: are we close to making an early diagnosis?. <i>Critical Care Medicine</i> , 2008 , 36, 1962-3	1.4	2
2048	Pediatric organ donation after cardiac death--still in its infancy. <i>Critical Care Medicine</i> , 2008 , 36, 1956-7	1.4	2
2047	Glutamine and tight glycemic control: chicken or egg?. <i>Critical Care Medicine</i> , 2008 , 36, 1965-6	1.4	2

2046	Insights from PAC-Man on flow-monitoring devices: curb your enthusiasm. <i>Critical Care Medicine</i> , 2008 , 36, 1953-4	1.4	2
2045	Acute lung injury after blood product transfusion: are the times changing?. <i>Critical Care Medicine</i> , 2008 , 36, 1968-70	1.4	1
2044	Brain tissue oxygen monitors: more than an ischemia monitor. <i>Critical Care Medicine</i> , 2008 , 36, 1984-5	1.4	8
2043	Growth hormone to catabolic patients revisited. <i>Critical Care Medicine</i> , 2008 , 36, 1952-3	1.4	
2042	Critical illness myopathy: deeper insights. <i>Critical Care Medicine</i> , 2008 , 36, 1977	1.4	4
2041	Monitoring the brain: lack of tools or lack of will?. <i>Critical Care Medicine</i> , 2008 , 36, 1983-4	1.4	2
2040	Pediatric delirium: a new diagnostic challenge of which to be aware. <i>Critical Care Medicine</i> , 2008 , 36, 1986-7	1.4	8
2039	Surviving sepsis in developing countries. <i>Critical Care Medicine</i> , 2008 , 36, 2487; author reply 2487-8	1.4	16
2038	The better the model, the nearer the cure. <i>Critical Care Medicine</i> , 2008 , 36, 2208-9	1.4	
2037	Of triage, bean counting, advocacy, and ethical conflict at end-of-life. <i>Critical Care Medicine</i> , 2008 , 36, 2202-3	1.4	0
2036	Is taking a sedation vacation all it's cracked up to be?. <i>Critical Care Medicine</i> , 2008 , 36, 2205-6	1.4	3
2035	Permissive hypercapnia and immunosuppression. <i>Critical Care Medicine</i> , 2008 , 36, 2209-10	1.4	1
2034	Four questions for Dr. MacIntyre on his editorial. <i>Critical Care Medicine</i> , 2008 , 36, 2709; author reply 2709-10	1.4	2
2033	Relieving suffering or intentionally hastening death: drawing the line in function of the patient. <i>Critical Care Medicine</i> , 2008 , 36, 2486	1.4	1
2032	Objective rather than subjective evaluation of prognosis in patients on prolonged mechanical ventilation: the ProVent score. <i>Critical Care Medicine</i> , 2008 , 36, 2200-1	1.4	1
2031	Bringing it all back home: Arab culture, North Africa, and intensive care unit family satisfaction. <i>Critical Care Medicine</i> , 2008 , 36, 2204-5	1.4	2
2030	Glucose variability and mortality in patients with sepsis. <i>Critical Care Medicine</i> , 2008 , 36, 2316-21	1.4	339
2029	Levosimendan in cardiogenic shock: better than enoximone!. <i>Critical Care Medicine</i> , 2008 , 36, 2450-1	1.4	4

2028	The use of S100B as a biomarker in subarachnoid hemorrhage: clarity in its promise and limits. <i>Critical Care Medicine</i> , 2008 , 36, 2452-3	1.4	3
2027	Parenteral ascorbic acid as a key for regulating microcirculation in critically ill. <i>Critical Care Medicine</i> , 2008 , 36, 2466-8	1.4	4
2026	Just do it. <i>Critical Care Medicine</i> , 2008 , 36, 2456-7	1.4	2
2025	Erythropoietin and the promise of ischemic multiorgan protection. <i>Critical Care Medicine</i> , 2008 , 36, 2446-7	1.4	3
2024	Biomarkers in acute lung injury: are we making progress?. <i>Critical Care Medicine</i> , 2008 , 36, 2457-9	1.4	11
2023	The glycemia threat in sepsis: too high, too low, or too... variable!. <i>Critical Care Medicine</i> , 2008 , 36, 2459-60	1.4	1
2022	Pharmacologic neuroprotection--is xenon the light at the end of the tunnel?. <i>Critical Care Medicine</i> , 2008 , 36, 2477-9	1.4	22
2021	Surviving Sepsis Campaign Guidelines 2008: Revisiting vasopressor recommendations. <i>Critical Care Medicine</i> , 2008 , 36, 2488-2489	1.4	2
2020	New recommendations for the use of corticosteroids in sepsis: Not so fast!. <i>Critical Care Medicine</i> , 2008 , 36, 2490	1.4	0
2019	Therapeutic hypercapnia: are we in "stasis" or moving forward?. <i>Critical Care Medicine</i> , 2008 , 36, 2473-4	1.4	2
2018	The authors reply. <i>Critical Care Medicine</i> , 2008 , 36, 2712-2713	1.4	4
2017	The authors reply. <i>Critical Care Medicine</i> , 2008 , 36, 2711	1.4	2
2016	Anatomical and functional intrapulmonary shunt in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2008 , 36, 2713-4; author reply 2714-5	1.4	
2015	The author replies. <i>Critical Care Medicine</i> , 2008 , 36, 2715-2716	1.4	
2014	Angiotensin converting enzyme insertion/deletion genetic polymorphism: its impact on renal function in critically ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 3178-83	1.4	40
2013	The effect of a quantitative resuscitation strategy on mortality in patients with sepsis: a meta-analysis. <i>Critical Care Medicine</i> , 2008 , 36, 2734-9	1.4	138
2012	Vasopressin and the kidney: two false friends?. <i>Critical Care Medicine</i> , 2008 , 36, 3111-2	1.4	
2011	Nitric oxide inhalation and glucocorticoids--can there be a belt-and-braces approach in sepsis?. <i>Critical Care Medicine</i> , 2008 , 36, 3109-10	1.4	1

2010	Critical care services: is regionalization the answer?. <i>Critical Care Medicine</i> , 2008 , 36, 3114-6	1.4	4
2009	Teaching ol' docs new tricks: simulation in intensive care unit admissions and patients with end-stage cancer. <i>Critical Care Medicine</i> , 2008 , 36, 3265-6	1.4	
2008	Do you (still) believe in tight blood glucose control?. <i>Critical Care Medicine</i> , 2008 , 36, 3277-8	1.4	3
2007	Use it or lose it!. <i>Critical Care Medicine</i> , 2008 , 36, 2444-5	1.4	4
2006	Noninvasive assessment of arterial pressure. 2008 , 14, 317-21		25
2005	Potential deleterious effects of early vasopressor use in severely traumatized patients. 2008 , 65, 498-9		1
2004	Inflammation and the host response to injury, a large-scale collaborative project: patient-oriented research core--standard operating procedures for clinical care VII--Guidelines for antibiotic administration in severely injured patients. 2008 , 65, 1511-9		19
2003	Adrenals. 2008 , 95-108		
2002	Yellow nail syndrome chylous pleural effusions: defective lymph valves involved?. 2008 , 134, 1353; author reply 1353-4		1
2001	Normes de lâACMU : la mēdecine dâUrgence et sa tour dâVoire?. 2008 , 10, 464-466		
2000	CAEP standards: ivory tower emergency medicine?. 2008 , 10, 461-3, 464-6		1
1999	The Surviving Sepsis Campaign: International guidelines for management of severe sepsis and septic shock: 2008. An assessment by the Australian and New Zealand intensive care society. 2008 , 36, 149-51		16
1998	Insuficiēcia adrenal relativa no choque sēptico: comparaēō da resposta ao tratamento com hidrocortisona em pacientes diagnosticados atravē de dosagem ũica do cortisol plasmēico versus teste da corticotropina. 2008 , 20, 18-23		1
1997	Highlights from the 2008 Surviving Sepsis Campaign, Part 1. 2008 , 43, 454-458		1
1996	The Death of George Washington: An End to the Controversy?. 2008 , 74, 770-774		11
1995	Blood Utilization at a Level I Trauma Center: Is this as Good as it Gets?. 2009 , 75, 693-698		1
1994	Vasopressin in Hemorrhagic Shock: Review Article. 2009 , 75, 1207-1212		12
1993	Is it time for intensivists to learn genomics?*. <i>Critical Care Medicine</i> , 2009 , 37, 2852-2853	1.4	

1992	Lactate: Finally ready for prime time?*. <i>Critical Care Medicine</i> , 2009 , 37, 2858-2859	1.4
1991	Blood glucose control in patients with severe sepsis and septic shock. 2009 , 15, 4132-6	68
1990	Dosing Recommendations for Continuous Venovenous Hemodiafiltration with AN69 Filter Membranes and Prismaflex Dialyzers. 2009 , 62, 457-63	
1989	Estratgia de detecão precoce e reduão de mortalidade na sepse grave. 2009 , 21, 113-123	2
1988	Pathophysiology of sepsis and recent patents on the diagnosis, treatment and prophylaxis for sepsis. 2009 , 3, 26-32	21
1987	Treatment Guidelines of Sepsis and Septic Shock. 2009 , 67, 491	
1986	Critical care of the patient with acute pancreatitis. 2009 , 37, 190-206	22
1985	A national survey on the practice and outcomes of mechanical ventilation in Korean intensive care units. 2009 , 37, 272-80	7
1984	Principles of pediatric emergency care. 2009 , 106, 739-47; quiz 748	11
1983	Animal models of sepsis and sepsis-induced kidney injury. 2009 , 119, 2868-78	377
1982	Selective digestive tract decontamination: A tough pill to swallow. 2009 , 20, 9-11	13
1981	Death by Clot. 2009 , 20, 166-176	1
1980	Sepsis in a BMT patient admitted to PICU. 299-310	
1979	Lipid and glucide sources in artificial nutrition. 2009 , 3, 9-14	
1978	Standardized order sets for the treatment of severe sepsis and septic shock. 2009 , 7, 1075-9	7
1977	CD64 index provides simple and predictive testing for detection and monitoring of sepsis and bacterial infection in hospital patients. 2009 , 47, 3914-9	76
1976	The prevention of acute kidney injury an in-depth narrative review: Part 2: Drugs in the prevention of acute kidney injury. 2009 , 2, 1-10	12
1975	Challenges to glycemic measurement in the perioperative and critically ill patient: a review. 2009 , 3, 1270-81	36

1974	Update in critical care 2008. 2009 , 179, 743-58	5
1973	Midodrine and octreotide in treatment of cirrhosis-related hemodynamic complications. 2009 , 43, 692-9	23
1972	Nonhemopoietic cell TLR4 signaling is critical in causing early lipopolysaccharide-induced ileus. 2009 , 183, 6744-53	23
1971	Increased inflammation, impaired bacterial clearance, and metabolic disruption after gram-negative sepsis in Mkp-1-deficient mice. 2009 , 183, 7411-9	77
1970	The systemic inflammatory response syndrome is predictive of renal dysfunction in patients with non-paracetamol-induced acute liver failure. 2009 , 58, 443-9	96
1969	Pediatric sepsis: actions to decrease sepsis in children. 2009 , 7, 941-4	0
1968	Piloting a nurse-led ultrasound cannulation scheme. 2009 , 18, 854, 856, 858-9	13
1967	Selective decontamination of the digestive tract and oropharynx: new findings for an old approach still under discussion. 2009 , 7, 399-402	
1966	Vasopressin in the pediatric cardiac intensive care unit: Myth or reality. 2009 , 2, 65-73	7
1965	Microcirculation and mitochondria in sepsis: getting out of breath. 2009 , 22, 184-90	34
1964	Molecular diagnosis of polymicrobial sepsis. 2009 , 47, 1274-5	23
1963	Breakthrough <i>Aspergillus fumigatus</i> and <i>Candida albicans</i> double infection during caspofungin treatment: laboratory characteristics and implication for susceptibility testing. 2009 , 53, 1185-93	105
1962	Prone positioning in patients with moderate and severe acute respiratory distress syndrome: a randomized controlled trial. 2009 , 302, 1977-84	324
1961	Pleural ultrasound. 2009 , 64, 97-8	2
1960	Should we be using activated protein C to treat severe sepsis?. 2009 , 70, 484	2
1959	Treatment of septic shock and use of drotrecogin alfa (activated) in children. 2009 , 7, 769-72	3
1958	Use of a low-dose steroid as an adjunct in the treatment, in mice, of severe sepsis caused by <i>Burkholderia pseudomallei</i> . 2009 , 103, 635-46	4
1957	The importance of fluid management in acute lung injury secondary to septic shock. 2009 , 136, 102-109	335

1956	Steroids in patients with septic shock. 2009 , 136, 323-324		1
1955	The difficulty of implementing clinical guidelines unmasked using simulation. 2009 , 4, 191-2		2
1954	Human plasma kallikrein-kinin system: physiological and biochemical parameters. 2009 , 7, 234-50		76
1953	Intensive insulin therapy in critical care settings. 2009 , 4, 71-7		3
1952	Coagulation Disorders in Acute Lung Injury. 2009 , 5, 149-159		1
1951	Case records of the Massachusetts General Hospital. Case 33-2009. A 35-year-old woman with fever, abdominal pain, and hypotension after cesarean section. 2009 , 361, 1689-97		12
1950	Prophylaxe der Sepsis – Infektionsprävention, Hygienerichtlinien und Akutmanagement. 2009 , 38, 188-191		1
1949	Endokrinologische Störungen bei Intensivpatienten. 2009 , 17, 28-35		
1948	Vasopressin in pediatric vasodilatory shock: a multicenter randomized controlled trial. 2009 , 180, 632-9		111
1947	Venöse Sauerstoffsättigung. 2009 , 5, 21-36		
1946	[Infection control guidelines for the intensive care unit]. 2009 , 134, 2064-8		0
1945	Differenzieller Einsatz von Inotropika, Vasopressoren und Inodilatoren im septischen und kardiogenen Schock. 2009 , 5, 181-202		
1944	Scientific and clinical challenges in sepsis. 2009 , 15, 1918-35		42
1943	Admission hypoglycaemia is associated with adverse outcome in community-acquired pneumonia. 2009 , 34, 932-9		20
1942	Molecular biology of inflammation and sepsis: a primer. <i>Critical Care Medicine</i> , 2009 , 37, 291-304	1.4	319
1941	Impact of macrolide therapy on mortality for patients with severe sepsis due to pneumonia. 2009 , 33, 153-9		139
1940	Fluid balance and colloid osmotic pressure in acute respiratory failure: optimizing therapy. 2009 , 3, 651-62		7
1939	Vasopressin versus Noradrenaline as Initial Therapy in Septic Shock. 2009 , 10, 72-73		

1938	GAP between knowledge and skills for the implementation of the ACCM/PALS septic shock guidelines in India: is the bridge too far?. 2009 , 13, 54-8		10
1937	Role of steroids in septic shock: assessment of knowledge, attitudes and practices among intensivists practising in Hyderabad. 2009 , 13, 143-7		
1936	Intensive and Critical Care Medicine. 2009 ,		3
1935	Antibiotic resistance in the intensive care unit. 2009 , 9, 114-118		7
1934	The GRADE system for rating clinical guidelines. 2009 , 6, e1000094		132
1933	Variation in hospital mortality associated with inpatient surgery. 2009 , 361, 1368-75		994
1932	The influence of treatment effect size on willingness to adopt a therapy. 2009 , 29, 599-605		2
1931	Corticosteroids in the treatment of severe sepsis and septic shock in adults: a systematic review. 2009 , 301, 2362-75		386
1930	Living with uncertainty in the intensive care unit: should patients with sepsis be treated with steroids?. 2009 , 301, 2388-90		6
1929	Sepsis in pregnancy and early goal-directed therapy. 2009 , 2, 93-9		8
1928	Arginine-vasopressin attenuates beneficial norepinephrine effect on jejunal mucosal tissue oxygenation during endotoxaemia. 2009 , 103, 691-700		15
1927	Safety and efficacy of corticosteroids for the treatment of septic shock: A systematic review and meta-analysis. 2009 , 49, 93-101		121
1926	Infection for the acute physician. 2009 , 9, 444-6		
1925	Validation and clinical implications of the IDSA/ATS minor criteria for severe community-acquired pneumonia. 2009 , 64, 598-603		71
1924	Dynamic changes in arterial waveform derived variables and fluid responsiveness in mechanically ventilated patients: a systematic review of the literature. <i>Critical Care Medicine</i> , 2009 , 37, 2642-7	1.4	1466
1923	Conversion from continuous insulin infusions to subcutaneous insulin in critically ill patients. 2009 , 43, 629-34		20
1922	Clinical and microbiological profiles of community-acquired and nosocomial intra-abdominal infections: results of the French prospective, observational EBIIA study. 2009 , 63, 785-94		134
1921	Hyperglycemia in critical illness: a review. 2009 , 3, 1250-60		62

1920	Evidence-based practice habits: transforming research into bedside practice. 2009 , 29, 46-59; quiz 60-61	40
1919	The pulmonary protein C system: preventive or therapeutic target in acute lung injury?. 2009 , 64, 95-7	2
1918	Case records of the Massachusetts General Hospital. Case 31-2009. A 26-year-old man with abdominal distention and shock. 2009 , 361, 1487-96	10
1917	[Safety and quality in intensive care medicine]. 2009 , 33, 346-52	8
1916	Shock. 2009 , 37, 6-10	
1915	Breathlessness and cough. 2009 , 37, 70-74	
1914	Mortality for intra-abdominal infection is associated with intrinsic risk factors rather than the source of infection. 2009 , 146, 654-61; discussion 661-2	42
1913	Safety of drotrecogin alfa (activated) in severe sepsis: data from adult clinical trials and observational studies. 2009 , 24, 595-602	9
1912	Ranitidine is unable to maintain gastric pH levels above 4 in septic patients. 2009 , 24, 627.e7-13	4
1911	Determining treatment effectiveness and period of treatment. 2009 , 14 Suppl 2, S38-40	
1910	Different patient case mix by applying the 2003 SCCM/ESICM/ACCP/ATS/SIS sepsis definitions instead of the 1992 ACCP/SCCM sepsis definitions in surgical patients: a retrospective observational study. 2009 , 9, 25	18
1909	[Results of a national survey on transfusion practice in Intensive Care Units]. 2009 , 33, 8-15	5
1908	Sepsis and cardiac disease: improving outcomes through recognition and management. 2009 , 24, 199-201	
1907	Protein C concentrate in preterm neonates with sepsis. 2009 , 98, 1526-9	14
1906	Improving intensive care unit outcome with total parenteral nutrition: Lessons from a case study. 2009 , 4, 9-12	
1905	Clinical benefits of tight glycaemic control: effect on the kidney. 2009 , 23, 431-9	6
1904	How accurately do we measure blood glucose levels in intensive care unit (ICU) patients?. 2009 , 23, 387-400	21
1903	Administration of Human Protein-C concentrate prevents apoptotic brain cell death after experimental sepsis. 2009 , 1264, 119-26	10

1902	Endotracheal suctioning of the adult intubated patient--what is the evidence?. 2009 , 25, 21-30	83
1901	[Mortality risk factors in surgical patients in a tertiary hospital: a study of patient records in the period 2004-2006]. 2009 , 85, 229-37	7
1900	Severe sepsis in cirrhosis. 2009 , 50, 222-33	313
1899	Inpatient glucose control: a glyceemic survey of 126 U.S. hospitals. 2009 , 4, E7-E14	151
1898	Recent progress in mechanical artificial pancreas. 2009 , 12, 141-9	26
1897	[Anticoagulation in critically ill patient]. 2009 , 159, 487-91	2
1896	NICE-SUGAR, bittersweet. 2009 , 46, 247-251	
1895	Schwere, ambulant erworbene Pneumonie. 2009 , 46, 474-479	1
1894	Dobutamine enhances alveolar fluid clearance in a rat model of acute lung injury. 2009 , 187, 225-31	25
1893	Tight glucose control: sweet or sour?. 2009 , 11, 335-6	1
1892	Insulintherapie bei Intensivpatienten. 2009 , 5, 219-229	1
1891	Systemic inflammatory response syndrome outcome in surgical patients. 2009 , 71, 206-9	3
1890	Comparing hydrocortisone and methylprednisolone in patients with septic shock. 2009 , 26, 728-35	6
1889	Best evidence in critical care medicine. Vasopressin in septic shock: pressing questions remain. 2009 , 56, 80-2	2
1888	Hemodynamic instability in septic shock. 2009 , 56, 864-7	2
1887	[Volume status and central venous pressure]. 2009 , 58, 513-9	11
1886	[Surgical intensive care medicine. Current therapy concepts for septic diseases]. 2009 , 80, 934-46	
1885	[Sepsis in adult patients - definitions, epidemiology and economic aspects]. 2009 , 50, 788, 790-4, 796-8	10

1884	[Immunology and sepsis syndrome in burn trauma]. 2009 , 112, 472-8	5
1883	Is proportional-assist ventilation with load-adjustable gain factors a user-friendly mode?. 2009 , 35, 1599-603	13
1882	Reversal of refractory septic shock with drotrecogin alpha (activated). 2009 , 35, 1204-9	13
1881	The effects of etomidate on adrenal responsiveness and mortality in patients with septic shock. 2009 , 35, 1868-76	157
1880	Management of burn injuries--recent developments in resuscitation, infection control and outcomes research. 2009 , 17, 14	31
1879	The Systemic Inflammatory Response Syndrome (SIRS) in acutely hospitalised medical patients: a cohort study. 2009 , 17, 67	55
1878	Clinical applications of intravenous immunoglobulins (IVIg)--beyond immunodeficiencies and neurology. 2009 , 158 Suppl 1, 23-33	100
1877	Review article: inotrope and vasopressor use in the emergency department. 2009 , 21, 342-51	5
1876	National trends in emergency department antibiotic prescribing for elders with urinary tract infection, 1996-2005. 2009 , 16, 500-7	22
1875	Intermethod reliability of real-time versus delayed videotaped evaluation of a high-fidelity medical simulation septic shock scenario. 2009 , 16, 887-93	17
1874	Intensive care management of acute stroke: general management. 2009 , 4, 365-78	16
1873	Grading quality of evidence and strength of recommendations in clinical practice guidelines. Part 1 of 3. An overview of the GRADE approach and grading quality of evidence about interventions. 2009 , 64, 669-77	395
1872	Abstracts from the Scandinavian Society of Anaesthesiologists, 30th Congress, 10-13 June 2009, Odense, Denmark. 2009 , 53, 1-80	33
1871	Poster Presentation. 2009 , 53, 62-78	1
1870	Emergency nephrectomy due to severe urosepsis: a retrospective, multicentre analysis of 65 cases. 2009 , 104, 386-90	11
1869	A technique for central venous pressure measurement in normal horses. 2009 , 19, 241-6	16
1868	Sepsis bundles: time for a nursing initiative?. 2009 , 14, 162-5	2
1867	European concepts for the domestic transport of highly infectious patients. 2009 , 15, 727-33	14

1866	Should we stop the effective antibiotics immediately when treating severe sepsis patients with antibiotic-related thrombocytopenia?. 2009 , 58, 389-91	4
1865	Prognostic factors for fatal adult influenza pneumonia. 2009 , 58, 439-45	38
1864	Immature platelet fraction (IPF) in hospitalized patients with neutrophilia and suspected bacterial infection. 2009 , 59, 201-6	24
1863	SIRS, Sepsis, CARS, SDRA : comprendre différents aspects de l'inflammation en réanimation. 2009 , 23, 185-191	
1862	Early goal-directed hemodynamic optimization combined with therapeutic hypothermia in comatose survivors of out-of-hospital cardiac arrest. 2009 , 80, 418-24	240
1861	An educational course including medical simulation for early goal-directed therapy and the severe sepsis resuscitation bundle: an evaluation for medical student training. 2009 , 80, 674-9	49
1860	Australasian resuscitation of sepsis evaluation (ARISE): A multi-centre, prospective, inception cohort study. 2009 , 80, 811-8	81
1859	Fluid infusion during CPR and after ROSC--is it safe?. 2009 , 80, 1221-2	27
1858	Mechanism of action of vitamin C in sepsis: ascorbate modulates redox signaling in endothelium. 2009 , 35, 5-13	122
1857	Clinical practice guidelines for the diagnosis and management of intravascular catheter-related infection: 2009 Update by the Infectious Diseases Society of America. 2009 , 49, 1-45	2312
1856	Has mortality from acute respiratory distress syndrome decreased over time?: A systematic review. 2009 , 179, 220-7	558
1855	Computer says 2.5 litres--how best to incorporate intelligent software into clinical decision making in the intensive care unit?. 2009 , 13, 111	1
1854	Anticoagulant properties of drotrecogin alfa (activated) during hemofiltration in patients with severe sepsis. 2009 , 13, 113	2
1853	Gastric tonometry versus cardiac index as resuscitation goals in septic shock: a multicenter, randomized, controlled trial. 2009 , 13, R44	45
1852	Continuous venovenous hemofiltration in severely burned patients with acute kidney injury: a cohort study. 2009 , 13, R62	78
1851	Bench-to-bedside review: the promise of rapid infection diagnosis during sepsis using polymerase chain reaction-based pathogen detection. 2009 , 13, 217	79
1850	Early drotrecogin alpha (activated) administration in severe sepsis is associated with lower mortality: a retrospective analysis of the Canadian ENHANCE cohort. 2009 , 13, R78	8
1849	Results from the national sepsis practice survey: predictions about mortality and morbidity and recommendations for limitation of care orders. 2009 , 13, R96	28

1848	Low-dose vasopressin infusion results in increased mortality and cardiac dysfunction following ischemia-reperfusion injury in mice. 2009 , 13, R98	43
1847	Year in review 2008: Critical Care--sepsis. 2009 , 13, 224	7
1846	Detecting volume responsiveness and unresponsiveness in intensive care unit patients: two different problems, only one solution. 2009 , 13, 175	27
1845	Arginine vasopressin in septic shock: supplement or substitute for norepinephrine?. 2009 , 13, 178	3
1844	CORTICUS: the end of unconditional love for steroid use?. 2009 , 13, 309	7
1843	Continuous terlipressin versus vasopressin infusion in septic shock (TERLIVAP): a randomized, controlled pilot study. 2009 , 13, R130	131
1842	Transpulmonary thermodilution-derived cardiac function index identifies cardiac dysfunction in acute heart failure and septic patients: an observational study. 2009 , 13, R133	54
1841	Low tissue oxygen saturation at the end of early goal-directed therapy is associated with worse outcome in critically ill patients. 2009 , 13 Suppl 5, S13	93
1840	Effects on management and outcome of severe sepsis and septic shock patients admitted to the intensive care unit after implementation of a sepsis program: a pilot study. 2009 , 13, R143	47
1839	Cardiac effects of induction agents in the septic rat heart. 2009 , 13, R144	22
1838	VX-166: a novel potent small molecule caspase inhibitor as a potential therapy for sepsis. 2009 , 13, R146	30
1837	One year mortality of patients treated with an emergency department based early goal directed therapy protocol for severe sepsis and septic shock: a before and after study. 2009 , 13, R167	85
1836	Association of arterial blood pressure and vasopressor load with septic shock mortality: a post hoc analysis of a multicenter trial. 2009 , 13, R181	154
1835	Effect of fluid resuscitation on mortality and organ function in experimental sepsis models. 2009 , 13, R186	72
1834	Combination effect of antithrombin and recombinant human soluble thrombomodulin in a lipopolysaccharide induced rat sepsis model. 2009 , 13, R203	47
1833	The incidence of sub-optimal sedation in the ICU: a systematic review. 2009 , 13, R204	86
1832	Dopamine regulates phosphorylation of VEGF receptor 2 by engaging Src-homology-2-domain-containing protein tyrosine phosphatase 2. 2009 , 122, 3385-92	35
1831	Pediatric Nephrology in the ICU. 2009 ,	4

1830	The effects of body temperature control on cytokine production in a rat model of ventilator-induced lung injury. 2009 , 47, 48-55	25
1829	The multiple organ dysfunction syndrome. 2009 , 55, 476-526	55
1828	Factors influencing survival in patients with multi-drug-resistant Acinetobacter bacteraemia. 2009 , 20, 540-4	57
1827	The critical care literature 2008. 2009 , 27, 1000-1009	
1826	Sepsis in general surgery: a deadly complication. 2009 , 198, 868-74	45
1825	Could B-type Natriuretic Peptide (BNP) plasma concentration be useful to predict fluid responsiveness [corrected] in critically ill patients with acute circulatory failure?. 2009 , 28, 531-6	6
1824	[Is it more necessary to prescribe hydroxyethylstarch?]. 2009 , 28, 515-6	0
1823	[Comparison of ICG thoracic bioimpedance cardiac output monitoring system in patients undergoing cardiac surgery with pulmonary artery cardiac output measurements]. 2009 , 28, 537-41	7
1822	Post-cardiac arrest syndrome: Epidemiology, pathophysiology, treatment, and prognostication: A scientific statement from the International Liaison Committee on Resuscitation; the American Heart Association Emergency Cardiovascular Care Committee; the Council on Cardiovascular Surgery and Anesthesia; the Council on Cardiopulmonary, Perioperative, and Critical Care; the Council on Clinical Cardiology; the Council on Stroke (Part 1). 2009 , 17, 203-25	26
1821	Therapeutic management of adrenal insufficiency. 2009 , 23, 167-79	38
1820	Understanding shock. 2009 , 19, 97-102	1
1819	Sepsis and multiple organ failure. 2009 , 10, 165-168	11
1818	Use of antibiotics in the intensive care unit. 2009 , 10, 169-171	
1817	Special considerations in paediatric intensive care. 2009 , 10, 514-521	1
1816	Management of loop diuretic resistance in the intensive care unit. 2009 , 66, 1635-40	25
1815	A Model-Integrated, Guideline-Driven, Clinical Decision-Support System. 2009 , 26, 54-61	25
1814	The tide of antimicrobial resistance and selection. 2009 , 34 Suppl 3, S6-10	38
1813	Mortality risk factors in surgical patients in a tertiary hospital: a study of patient records in the period 2004-2006. 2009 , 85, 229-237	1

1812	The diagnosis and investigation of adrenal insufficiency in adults. 2009 , 46, 351-67	49
1811	Adjunctive measures for treating surgical infections and sepsis. 2009 , 89, 349-63, viii	4
1810	Sepsis-induced tissue hypoperfusion. 2009 , 25, 769-79, ix	43
1809	Inotrope and vasopressor therapy of septic shock. 2009 , 25, 781-802, ix	34
1808	Predisposing factors for adrenal insufficiency. 2009 , 360, 2328-39	319
1807	Selective Decontamination of the Digestive Tract (SDD). Twenty-five Years of European Experience. 2009 , 273-283	3
1806	Terlipressin: a promising vasoactive agent in hemodynamic support of septic shock. 2009 , 10, 2569-75	17
1805	The causes and clinical significance of fever in systemic lupus erythematosus: a retrospective study of 487 hospitalised patients. 2009 , 18, 807-12	48
1804	Management of bacteremia in patients undergoing hematopoietic stem cell transplantation. 2009 , 7, 607-21	20
1803	Sympathetic overstimulation during critical illness: adverse effects of adrenergic stress. <i>Journal of Intensive Care Medicine</i> , 2009 , 24, 293-316	3,3 290
1802	Effectiveness of treatments for severe sepsis: a prospective, multicenter, observational study. 2009 , 180, 861-6	320
1801	Genomic transcriptional profiling identifies a candidate blood biomarker signature for the diagnosis of septicemic melioidosis. 2009 , 10, R127	140
1800	Perforated peptic ulcer: how to improve outcome?. 2009 , 44, 15-22	60
1799	Emergency and urgent surgery. 2009 , 27, 787-804	1
1798	Multicenter clinical trials in sepsis: understanding the big picture and building a successful operation at your hospital. 2009 , 25, 869-79, xi	2
1797	Steroid therapy of septic shock. 2009 , 25, 825-34, x	18
1796	Sedation and weaning from mechanical ventilation: linking spontaneous awakening trials and spontaneous breathing trials to improve patient outcomes. 2009 , 25, 515-25, viii	18
1795	High dose insulin in toxic cardiogenic shock. 2009 , 47, 303-7	24

1794	Granulocyte-macrophage colony-stimulating factor to reverse sepsis-associated immunosuppression: a double-blind, randomized, placebo-controlled multicenter trial. 2009 , 180, 640-8	43 ¹
1793	Risk factors for death after sepsis in patients immunosuppressed before the onset of sepsis. 2009 , 41, 469-79	24
1792	Risk factors in patients surgically treated for peptic ulcer perforation. 2009 , 44, 145-52, 2 p following 152	29
1791	Enteral nutrition formulas: which formula is right for your adult patient?. 2009 , 24, 344-55	24
1790	Pharmacological optimization of tissue perfusion. 2009 , 103, 82-8	11
1789	A proposed algorithm for initiation of renal replacement therapy in adult critically ill patients. 2009 , 13, 317	55
1788	Arterial pressure optimization in the treatment of septic shock: a complex puzzle. 2010 , 14, 102	6
1787	Fluids in septic shock: too much of a good thing?. 2010 , 14, 101	3
1786	Antibioticoterapia probabilista en reanimaci3n. 2009 , 35, 1-13	
1785	Bench-to-bedside review: Vasopressin in the management of septic shock. 2011 , 15, 226	103
1784	Drotrecogin alfa on trial. 2009 , 9, 2-3	
1783	Key process indicators of mortality in the implementation of protocol-driven therapy for severe sepsis. 2009 , 108, 778-87	12
1782	[Sub-optimal care during the initial treatment of severe bacterial infection in children]. 2009 , 16, 649-51	1
1781	The ongoing enigma of tight glucose control. 2009 , 373, 520-1	5
1780	Prospective evaluation of coagulation in critically ill neonatal foals. 2009 , 23, 161-7	34
1779	Antibioticoterapia probabilistica in rianimazione. 2009 , 14, 1-12	
1778	Quel agent vasopresseur utiliser au cours du choc septique ?. 2009 , 13, 51-57	
1777	What's new in critical care of the burn-injured patient?. 2009 , 36, 607-15	5

1776	Intra-abdominal sepsis: newer interventional and antimicrobial therapies. 2009 , 23, 593-608	32
1775	Adrenal insufficiency in septic shock. 2009 , 30, 17-27, vii	30
1774	Severe community-acquired pneumonia. 2009 , 23, 503-20	55
1773	Performance improvement in the management of sepsis. 2009 , 25, 857-67, x	122
1772	Couleur et température de la peau dans l'insuffisance circulatoire aiguë. 2009 , 18, 261-266	2
1771	Approach to the patient with sepsis. 2009 , 30, 1-16, vii	9
1770	Historical perspectives in critical care medicine: blood transfusion, intravenous fluids, inotropes/vasopressors, and antibiotics. 2009 , 25, 201-20, x	8
1769	Quelles techniques pour le traitement de la défaillance rénale aiguë en réanimation ?. 2009 , 18, 397-406	
1768	Faut-il toujours utiliser les corticostéroïdes dans le choc septique ?. 2009 , 18, 309-322	
1767	Emergency and urgent surgery. 2009 , 93, 1131-48	4
1766	Animal models of sepsis. 2009 , 25, 703-19, vii-viii	55
1765	Bloodstream infection in the ICU. 2009 , 23, 557-69	26
1764	Doriprém dans les infections intra-abdominales. 2009 , 18, S214-S218	
1763	Association between physician caseload and patient outcome for sepsis treatment. 2009 , 30, 556-62	9
1762	Attributable mortality rate for carbapenem-resistant <i>Klebsiella pneumoniae</i> bacteremia. 2009 , 30, 972-6	280
1761	Hemodynamic monitoring in sepsis. 2009 , 25, 803-23, ix	14
1760	The management of severe sepsis and septic shock. 2009 , 23, 485-501	25
1759	Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. 2009 , 180, 821-7	749

1758	Role of storage time of red blood cells on microcirculation and tissue oxygenation in critically ill patients. 2009 , 22, 275-80		23
1757	City traffic, acute lung injury, and free enterprise. <i>Critical Care Medicine</i> , 2009 , 37, 361-3	1.4	1
1756	Extravascular lung water measurement in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2009 , 37, 378	1.4	3
1755	The clinical research enterprise in critical care: what's right, what's wrong, and what's ahead?. <i>Critical Care Medicine</i> , 2009 , 37, S1-9	1.4	10
1754	Improving clinical trials in the critically ill: unique challenge--sepsis. <i>Critical Care Medicine</i> , 2009 , 37, S117-128		36
1753	An international survey: Public awareness and perception of sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 167-70		93
1752	Persistent preoxygenation efforts before tracheal intubation in the intensive care unit are of no use: who would have guessed?. <i>Critical Care Medicine</i> , 2009 , 37, 335-6	1.4	7
1751	Can reading a diary improve psychological outcomes in the intensive care unit?. <i>Critical Care Medicine</i> , 2009 , 37, 356-7	1.4	3
1750	Attenuating the effects of cardiac arrest on hepatic drug metabolism: just chill out!. <i>Critical Care Medicine</i> , 2009 , 37, 369-70	1.4	
1749	A face that matters in distress: interface selection for acute noninvasive ventilation. <i>Critical Care Medicine</i> , 2009 , 37, 344-6	1.4	3
1748	Sodium bicarbonate for renal protection after heart surgery: let's wait and see. <i>Critical Care Medicine</i> , 2009 , 37, 333-4	1.4	2
1747	Etiologies of troponin elevation in critically ill patients with gastrointestinal bleeding. <i>Critical Care Medicine</i> , 2009 , 37, 347-8	1.4	39
1746	Postarrest nitric oxide effect depends on the source. <i>Critical Care Medicine</i> , 2009 , 37, 368-9	1.4	15
1745	Prevention measures of ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 330-2	1.4	3
1744	Acute kidney injury in critically ill patients. <i>Critical Care Medicine</i> , 2009 , 37, 377	1.4	
1743	PEEP is protective against pulmonary microaspiration. <i>Critical Care Medicine</i> , 2009 , 37, 380; author reply 381-2	1.4	2
1742	Prevention of ventilation-associated pneumonia: The main target of PEEP might be the cuff of the tracheal tube. <i>Critical Care Medicine</i> , 2009 , 37, 381	1.4	
1741	Blood glucose control in critically ill patients: the impact of diabetes. <i>Critical Care Medicine</i> , 2009 , 37, 382; author reply 382-3	1.4	4

1740	Brain tissue oxygen tension is more indicative of oxygen diffusion than oxygen delivery and metabolism in patients with traumatic brain injury. <i>Critical Care Medicine</i> , 2009 , 37, 379-380	1.4	24
1739	Prevention of ventilation-associated pneumonia: The main target of PEEP might be the cuff of the tracheal tube. <i>Critical Care Medicine</i> , 2009 , 37, 381-382	1.4	
1738	Blood glucose control in critically ill patients: The impact of diabetes. <i>Critical Care Medicine</i> , 2009 , 37, 382-383	1.4	3
1737	Near infrared spectroscopy. <i>Critical Care Medicine</i> , 2009 , 37, 385	1.4	2
1736	Respecting patients' rights at the end of life: problems with the 2006 Uniform Anatomical Gift Act. <i>Critical Care Medicine</i> , 2009 , 37, 372-3	1.4	17
1735	Going global with sepsis: the need for national registries. <i>Critical Care Medicine</i> , 2009 , 37, 338-40	1.4	2
1734	It's all in the gut: introducing the concept of acute bowel injury and acute intestinal distress syndrome. <i>Critical Care Medicine</i> , 2009 , 37, 365-6	1.4	24
1733	Recombinant human activated protein C, package labeling, and hemorrhage risks. <i>Critical Care Medicine</i> , 2009 , 37, 327-9	1.4	14
1732	"Drug dosing in the intensive care unit: the critically ill are a special population too". <i>Critical Care Medicine</i> , 2009 , 37, 342-3	1.4	3
1731	No "canary in the coalmine" for intra-abdominal hypertension. <i>Critical Care Medicine</i> , 2009 , 37, 373-4	1.4	
1730	Brain oxidative stress after traumatic brain injury ... cool it?. <i>Critical Care Medicine</i> , 2009 , 37, 787-8	1.4	4
1729	Cardiocerebral resuscitation: few answers, more questions. <i>Critical Care Medicine</i> , 2009 , 37, 747-8	1.4	1
1728	Peroxisome proliferator-activated receptor-gamma agonists, control of bacterial outgrowth, and inflammation. <i>Critical Care Medicine</i> , 2009 , 37, 773-4	1.4	1
1727	Hemodynamic support of shock state: are we asking the right questions?. <i>Critical Care Medicine</i> , 2009 , 37, 736-40	1.4	0
1726	Vasopressin and its copilot copeptin in sepsis and septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 749-50	1.4	10
1725	How possibly are we to choose albumin or hydroxyethyl starch?. <i>Critical Care Medicine</i> , 2009 , 37, 788-9	1.4	1
1724	Diuresis in renal failure: treat the patient, not the urine output. <i>Critical Care Medicine</i> , 2009 , 37, 761-2	1.4	1
1723	New biomarkers of acute kidney injury: promise for the future but beware the lure of novelty. <i>Critical Care Medicine</i> , 2009 , 37, 766-7	1.4	3

1722	Refractory shock in the intensive care unit--don't fail to spot obstruction of the left ventricular outflow tract!. <i>Critical Care Medicine</i> , 2009 , 37, 793-4	1.4	
1721	Intra-aortic balloon counterpulsation in septic shock--really?. <i>Critical Care Medicine</i> , 2009 , 37, 325-6	1.4	4
1720	Diagnosis and therapy of adrenal insufficiency in pediatric septic shock: from theory to practice. <i>Critical Care Medicine</i> , 2009 , 37, 796-7; author reply 797-8	1.4	1
1719	Solutions for care of patients with severe sepsis: where and how?. <i>Critical Care Medicine</i> , 2009 , 37, 1128-9	1.4	1
1718	Parenteral nutrition in intensive care patients with sepsis: is it dangerous when indications are complied?. <i>Critical Care Medicine</i> , 2009 , 37, 1176-7; author reply 1177	1.4	
1717	Fetal outcomes of critically ill pregnant women. <i>Critical Care Medicine</i> , 2009 , 37, 1180-1; author reply 1181	1.4	
1716	Terlipressin--more than just a prodrug of lysine vasopressin?. <i>Critical Care Medicine</i> , 2009 , 37, 1135-6	1.4	7
1715	The authors reply:. <i>Critical Care Medicine</i> , 2009 , 37, 1177	1.4	
1714	The author replies:. <i>Critical Care Medicine</i> , 2009 , 37, 1179-1180	1.4	
1713	The authors reply:. <i>Critical Care Medicine</i> , 2009 , 37, 1181	1.4	
1712	Procalcitonin as a prognostic and diagnostic tool for septic complications after major trauma. <i>Critical Care Medicine</i> , 2009 , 37, 1845-9	1.4	79
1711	The jury is still out on continuous infusion of beta-lactam antibiotics in intensive care patients. <i>Critical Care Medicine</i> , 2009 , 37, 2137-8	1.4	7
1710	Glucose control in the intensive care unit. <i>Critical Care Medicine</i> , 2009 , 37, 1769-76	1.4	123
1709	Peroxisome proliferator activator receptor gamma (PPARgamma) agonists as therapeutic adjuncts in critical illness: efficacy might be suboptimal in elderly patients. <i>Critical Care Medicine</i> , 2009 , 37, 2123-5	1.4	
1708	In search of the optimal perfusion pressure--does the microcirculation give us the answer?. <i>Critical Care Medicine</i> , 2009 , 37, 2120-1	1.4	1
1707	A case of no pain and no gain from blood?. <i>Critical Care Medicine</i> , 2009 , 37, 2104-5	1.4	
1706	Will fixing the vasoactivity caused by hemoglobin-based oxygen carriers be enough?. <i>Critical Care Medicine</i> , 2009 , 37, 2125-6	1.4	2
1705	Blockade of sodium importation in resuscitation. <i>Critical Care Medicine</i> , 2009 , 37, 2126-7	1.4	0

1704	Acute respiratory distress syndrome mortality--easier to predict, still hard to be certain. <i>Critical Care Medicine</i> , 2009 , 37, 2110-1	1.4	2
1703	Helmet to deliver noninvasive ventilation: "Handle with care". <i>Critical Care Medicine</i> , 2009 , 37, 2111-3	1.4	8
1702	Worse bleeding but better survival associated with N-acetylcysteine in cardiac surgery. <i>Critical Care Medicine</i> , 2009 , 37, 2113-4	1.4	
1701	Anticoagulants for acute lung injury: barking up the wrong tree. <i>Critical Care Medicine</i> , 2009 , 37, 2100-1	1.4	3
1700	Nonconvulsive seizures in sepsis: what you can't see may hurt you. <i>Critical Care Medicine</i> , 2009 , 37, 2132-3		1
1699	Nonexcitable muscle membrane predicts intensive care unit-acquired paresis in mechanically ventilated, sedated patients. <i>Critical Care Medicine</i> , 2009 , 37, 2632-7	1.4	569
1698	Increasing power in randomized controlled trials. <i>Critical Care Medicine</i> , 2009 , 37, 2840-1	1.4	1
1697	Hemodynamic, metabolic, and organ function effects of pure oxygen ventilation during established fecal peritonitis-induced septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 2465-9	1.4	36
1696	Could insulin sensitization be used as an alternative to intensive insulin therapy to improve the survival of intensive care unit patients with stress-induced hyperglycemia?. <i>Critical Care Medicine</i> , 2009 , 37, 2856-8	1.4	4
1695	Ventilator-associated pneumonia and mortality: the controversy continues. <i>Critical Care Medicine</i> , 2009 , 37, 2845-6	1.4	5
1694	Education is what remains after medical emergency teams are trained. <i>Critical Care Medicine</i> , 2009 , 37, 3174-5	1.4	5
1693	Did we learn anything from Humpty Dumpty?. <i>Critical Care Medicine</i> , 2009 , 37, 2851-2	1.4	
1692	Do it right?. <i>Critical Care Medicine</i> , 2009 , 37, 3168-9	1.4	
1691	Is resident education a casualty or beneficiary of rapid response systems?. <i>Critical Care Medicine</i> , 2009 , 37, 3180-1	1.4	16
1690	Anticonvulsant overdose: can we shorten the coma?. <i>Critical Care Medicine</i> , 2009 , 37, 3187-8	1.4	0
1689	Intensive care unit (short) and 1-year (long-term) prognosis: data are in for patients with ischemic stroke. <i>Critical Care Medicine</i> , 2009 , 37, 3183-4	1.4	0
1688	Toward new paradigms in critical care research. <i>Critical Care Medicine</i> , 2009 , 37, 3185-6	1.4	1
1687	Estrogen therapy after traumatic brain injury: time for clinical trials?. <i>Critical Care Medicine</i> , 2009 , 37, 3181-2	1.4	1

1686	Perinatal sepsis. 2009 , 23, 42-51		10
1685	Streptococcal A infection: reemerging and virulent. 2009 , 23, 141-7; quiz 148-9		7
1684	Promoting research in clinical practice: strategies for implementing research initiatives. 2009 , 16, 114-9; quiz 120-1		6
1683	Clinical assessment of hemodynamically unstable patients. 2009 , 15, 234-8		40
1682	A systems approach to the early recognition and rapid administration of best practice therapy in sepsis and septic shock. 2009 , 15, 301-7		62
1681	Care bundles: the holy grail of infectious risk management in hospital?. 2009 , 22, 364-9		67
1680	beta-Blockers in sepsis: reexamining the evidence. 2009 , 31, 113-9		46
1679	Multicenter study of early lactate clearance as a determinant of survival in patients with presumed sepsis. 2009 , 32, 35-9		259
1678	Enoxaparin attenuates endothelial damage with less bleeding compared with unfractionated heparin in endotoxemic rats. 2009 , 32, 530-4		17
1677	Validation of a screening tool for the early identification of sepsis. 2009 , 66, 1539-46; discussion 1546-7		89
1676	A Gradus ad Parnassum for adult respiratory distress syndrome--time for a few more steps. <i>Critical Care Medicine</i> , 2009 , 37, 360-1	1.4	
1675	Improving function following cardiopulmonary bypass in children: digging deeper than steroids. <i>Critical Care Medicine</i> , 2009 , 37, 767-9	1.4	1
1674	Therapeutic effects of erythropoietin in murine models of endotoxin shock. <i>Critical Care Medicine</i> , 2009 , 37, 889-98	1.4	64
1673	Regional citrate anticoagulation--finally on its way to standardization?. <i>Critical Care Medicine</i> , 2009 , 37, 2128-9	1.4	3
1672	Current world literature. Intensive care and resuscitation. 2009 , 22, 313-8		
1671	Management of sepsis in the ICU. 2009 , 47, 55-66		2
1670	Animal models of sepsis: why does preclinical efficacy fail to translate to the clinical setting?. <i>Critical Care Medicine</i> , 2009 , 37, S30-7	1.4	198
1669	Is transpulmonary thermodilution cardiac output measurement an advance, or just another technique in search of an application?. <i>Critical Care Medicine</i> , 2009 , 37, 343-4	1.4	2

1668	Misguided guidelines on noninvasive thermometry. <i>Critical Care Medicine</i> , 2009 , 37, 383-384	1.4	1
1667	Why is it always about race with you Americans?. <i>Critical Care Medicine</i> , 2009 , 37, 324-5	1.4	3
1666	Hemorrhagic shock and reperfusion injury: the critical interplay of fibrin fragments, leukocytes, and vascular endothelial-cadherin. <i>Critical Care Medicine</i> , 2009 , 37, 771-2	1.4	3
1665	The ethics of quality improvement research. <i>Critical Care Medicine</i> , 2009 , 37, 791-2	1.4	6
1664	The role of angiotensin-converting enzyme inhibition in endotoxin-induced lung injury in rats. <i>Critical Care Medicine</i> , 2009 , 37, 776-7	1.4	4
1663	Video instruction for dispatch-assisted cardiopulmonary resuscitation: two steps forward and one step back!. <i>Critical Care Medicine</i> , 2009 , 37, 753-4	1.4	3
1662	Is responsiveness to family wishes an expression of professional transcendence?. <i>Critical Care Medicine</i> , 2009 , 37, 760	1.4	2
1661	Erythropoietin in sepsis: a new use for a familiar drug?. <i>Critical Care Medicine</i> , 2009 , 37, 1138-9	1.4	2
1660	The critical airway: the difficult airway in the adult critical care. <i>Critical Care Medicine</i> , 2009 , 37, 1175-6	1.4	1
1659	Norepinephrine in anthrax-associated shock: Even worse than figs?. <i>Critical Care Medicine</i> , 2009 , 37, 1510-3	1.4	3
1658	Stratification is the key: inflammatory biomarkers accurately direct immunomodulatory therapy in experimental sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 1567-73	1.4	108
1657	N-terminal-pro-B-type natriuretic peptide in cardiogenic shock: a marker ready for prime time or a therapeutic target?. <i>Critical Care Medicine</i> , 2009 , 37, 2091-2	1.4	
1656	Blowing hot and cold? Skin counter warming to prevent shivering during therapeutic cooling. <i>Critical Care Medicine</i> , 2009 , 37, 2106-8	1.4	49
1655	About small particles and small numbers in sepsis research. <i>Critical Care Medicine</i> , 2009 , 37, 2131-2	1.4	
1654	Procalcitonin monitoring in trauma intensive care patients: how helpful is it?. <i>Critical Care Medicine</i> , 2009 , 37, 2093-4	1.4	4
1653	How strong is weakness?. <i>Critical Care Medicine</i> , 2009 , 37, 3173-4	1.4	
1652	Red blood cell deformability is critical for oxygen utilization in sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 3172-3	1.4	1
1651	Light from the EAST-SCCM. <i>Critical Care Medicine</i> , 2009 , 37, 3184-5	1.4	1

1650	Why we should be wary of single-center trials. <i>Critical Care Medicine</i> , 2009 , 37, 3114-9	1.4	188
1649	Novel HMGB1-inhibiting therapeutic agents for experimental sepsis. 2009 , 32, 348-57		95
1648	Macroscopic postmortem findings in 235 surgical intensive care patients with sepsis. 2009 , 108, 1841-7		138
1647	Predicted body weight-indexed extravascular lung water is elevated in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2009 , 37, 377-378	1.4	8
1646	Is the cortrosyn test necessary in high basal corticoid patients with septic shock?. <i>Critical Care Medicine</i> , 2009 , 37, 385-6; author reply 386-7	1.4	4
1645	Who is the bad guy in acute respiratory distress syndrome? Neuronal nitric oxide synthase, inducible nitric oxide synthase, or both?. <i>Critical Care Medicine</i> , 2009 , 37, 363-4	1.4	3
1644	Toll-like receptor pathway signaling is differently regulated in neutrophils and peripheral mononuclear cells of patients with sepsis, severe sepsis, and septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 346-7	1.4	1
1643	Brain tissue oxygen tension is more indicative of oxygen diffusion than oxygen delivery and metabolism in patients with traumatic brain injury. <i>Critical Care Medicine</i> , 2009 , 37, 378-9; author reply 379-80	1.4	2
1642	Is the cortrosyn test necessary in high basal corticoid patients with septic shock?. <i>Critical Care Medicine</i> , 2009 , 37, 386-387	1.4	2
1641	Treatment of septic renal injury by alkaline phosphatase: an emperor with new clothes. <i>Critical Care Medicine</i> , 2009 , 37, 740-1	1.4	1
1640	"Pas de DEux" for phosphodiesterase-2 in acute lung injury. <i>Critical Care Medicine</i> , 2009 , 37, 769-70	1.4	
1639	Functional hemodynamics and increased intra-abdominal pressure: same thresholds for different conditions ...?. <i>Critical Care Medicine</i> , 2009 , 37, 781-3	1.4	35
1638	Hospital-wide impact of a standardized order set for the management of bacteremic severe sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 819-24	1.4	97
1637	Commentary on Raum et al--Emergency trauma score. <i>Critical Care Medicine</i> , 2009 , 37, 2122-3	1.4	3
1636	Confusion assessment method for the intensive care unit or intensive care delirium screening checklist for delirium monitoring? Just do it!. <i>Critical Care Medicine</i> , 2009 , 37, 2102-3	1.4	
1635	Enteral feeding: shorter versus longer tubes. <i>Critical Care Medicine</i> , 2009 , 37, 2098-9	1.4	
1634	A paradigm shift to prevent nosocomial infection: "Take a bath before I touch you". <i>Critical Care Medicine</i> , 2009 , 37, 2097-8	1.4	1
1633	Low brain tissue oxygen predicts poor outcome, but does it give insight to possible interventions?. <i>Critical Care Medicine</i> , 2009 , 37, 2134-5	1.4	2

1632	Point-of-care glucose testing in critically ill patients: visual logistics and a glycemic variability hypothesis. <i>Critical Care Medicine</i> , 2009 , 37, 2841-3	1.4	3
1631	Defining new risk factors for out-of-hospital cardiac arrest: a hot opportunity for discovery. <i>Critical Care Medicine</i> , 2009 , 37, 3178-9	1.4	2
1630	Triaging severe pneumonia: what is the "score" on prediction rules?. <i>Critical Care Medicine</i> , 2009 , 37, 3166-8	1.4	6
1629	Sepsis and acute renal failure in pregnancy. 2009 , 108, 572-5		17
1628	A fresh look at the MERIT trial: do rapid response systems improve outcome?. <i>Critical Care Medicine</i> , 2009 , 37, 349-50	1.4	2
1627	Prevention of bloodstream infections: basics and beyond. <i>Critical Care Medicine</i> , 2009 , 37, 375-6	1.4	14
1626	A new approach to step on the vagal anti-inflammatory gas pedal. <i>Critical Care Medicine</i> , 2009 , 37, 778-9	1.4	2
1625	Antioxidant therapy: reducing malaria severity?. <i>Critical Care Medicine</i> , 2009 , 37, 758-60	1.4	9
1624	Levosimendan or enoximone in refractory cardiogenic shock?. <i>Critical Care Medicine</i> , 2009 , 37, 1182	1.4	
1623	Can pulse pressure variations really better predict fluid responsiveness than static indices of preload in patients with acute respiratory distress syndrome?. <i>Critical Care Medicine</i> , 2009 , 37, 1178	1.4	6
1622	Association of physical examination with pulmonary artery catheter parameters in acute lung injury. <i>Critical Care Medicine</i> , 2009 , 37, 2720-6	1.4	34
1621	Cytomegalovirus in the intensive care unit: pathogen or passenger?. <i>Critical Care Medicine</i> , 2009 , 37, 2095-6	1.4	9
1620	The strong silent type: the distal tubule to the rescue. <i>Critical Care Medicine</i> , 2009 , 37, 2129-30	1.4	8
1619	No brain, no pain: does the injured brain stack up opioids?. <i>Critical Care Medicine</i> , 2009 , 37, 2853-4	1.4	
1618	Early suspension of activated protein C treatment in septic patients after shock reversal. 2009 , 26, 1072-5		
1617	Current world literature. 2009 , 16, 260-77		
1616	Evidence-based nutritional support in the intensive care unit. 2009 , 47, 121-38		16
1615	Brain tissue oxygen monitoring in traumatic brain injury: cornerstone of care or another brick in the wall?. <i>Critical Care Medicine</i> , 2009 , 37, 371-2	1.4	2

1614	Genetic variability and outcome in the critically ill: avoiding SNP judgments. <i>Critical Care Medicine</i> , 2009 , 37, 357-60	1.4	4
1613	Look on the "air side" in pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 774-5	1.4	4
1612	Evaluation of 30-day mortality of levosimendan versus enoximone. <i>Critical Care Medicine</i> , 2009 , 37, 1181-24	1.4	4
1611	Measuring extravascular lung water (and derived parameters) in patients with acute respiratory distress syndrome: what's right, what's wrong, and what's ahead?. <i>Critical Care Medicine</i> , 2009 , 37, 2118-94	1.4	12
1610	Long-term psychiatric consequences from carbon monoxide exposure: progression of endogenous cause or toxicant effect?. <i>Critical Care Medicine</i> , 2009 , 37, 2116-8	1.4	
1609	Lactate: finally ready for prime time?. <i>Critical Care Medicine</i> , 2009 , 37, 2858-9	1.4	7
1608	Under pressure ... do not get lost in space. <i>Critical Care Medicine</i> , 2009 , 37, 2986-7	1.4	
1607	Cardiac dysfunction in severe sepsis and septic shock. 2009 , 15, 392-7		222
1606	Pharmacologic modification to resuscitation fluid after thermal injury--is drotrecogin alfa the answer to arrest burn depth progression?. 2009 , 67, 996-1003		3
1605	Do beta-blockers and ACE inhibitors decrease the duration of ventricular fibrillation, or cause spontaneous conversion of ventricular fibrillation?. <i>Critical Care Medicine</i> , 2009 , 37, 329-30	1.4	2
1604	Sepsis, mortality, and parenteral nutrition: the risk of dualism on nutritional support. <i>Critical Care Medicine</i> , 2009 , 37, 1179; author reply 1179-80	1.4	0
1603	Meaning of pulse pressure variation during cardiac surgery: everything is open. <i>Critical Care Medicine</i> , 2009 , 37, 757-8	1.4	5
1602	The Nina, the Pinta, and heart rate variability: the search for prognostic indicators after cardiac arrest. <i>Critical Care Medicine</i> , 2009 , 37, 735-6	1.4	1
1601	Recognizing the signposts for sepsis. 2009 , 7, 51-53		
1600	Experience with donation after cardiac death. <i>Critical Care Medicine</i> , 2009 , 37, 1182	1.4	
1599	Disseminating clinical trial results in critical care. <i>Critical Care Medicine</i> , 2009 , 37, S147-53	1.4	23
1598	Lost in translation: family conferences for families that do not speak English. <i>Critical Care Medicine</i> , 2009 , 37, 340-1	1.4	1
1597	Intensive insulin therapy: the swinging pendulum of evidence. <i>Critical Care Medicine</i> , 2009 , 37, 746-7	1.4	17

1596	Arginine pharmacokinetics: not a new paradigm but the old pharmacology. <i>Critical Care Medicine</i> , 2009 , 37, 756-7	1.4	
1595	Physician practice variation in critical care: a stumbling block. <i>Critical Care Medicine</i> , 2009 , 37, 1178-9	1.4	4
1594	Consequences of ventilator asynchrony: why can't we all get along?. <i>Critical Care Medicine</i> , 2009 , 37, 2848-9	1.4	2
1593	Tracheostomy in the surgical intensive care unit: perception and reality. <i>Critical Care Medicine</i> , 2009 , 37, 3177-8	1.4	1
1592	Clinical practice guideline: red blood cell transfusion in adult trauma and critical care. <i>Critical Care Medicine</i> , 2009 , 37, 3124-57	1.4	1474
1591	Pulmonary artery catheter redux: physical findings in acute respiratory distress syndrome/acute lung injury. <i>Critical Care Medicine</i> , 2009 , 37, 2846-8	1.4	
1590	Inpatient hyperglycemia management: the voyage continues!. <i>Critical Care Medicine</i> , 2009 , 37, 3165-6	1.4	
1589	Emerging trends in minimally invasive haemodynamic monitoring and optimization of fluid therapy. 2009 , 26, 893-905		41
1588	Reversal of coagulopathy in critically ill patients with traumatic brain injury: recombinant factor VIIa is more cost-effective than plasma. 2009 , 66, 63-72; discussion 73-5		39
1587	Role for bacteriophages in the preparedness for fighting against pneumonia in the postantibiotic era. <i>Critical Care Medicine</i> , 2009 , 37, 779-80	1.4	1
1586	Is it time for intensivists to learn genomics?. <i>Critical Care Medicine</i> , 2009 , 37, 2852-3	1.4	22
1585	HLA-DR monitoring in the intensive care unit--more than a tool for the scientist in the laboratory?. <i>Critical Care Medicine</i> , 2009 , 37, 2849-50	1.4	5
1584	Current world literature. 2009 , 15, 168-80		
1583	Current world literature. 2009 , 15, 266-77		
1582	"We only see what we know"--Johann Wolfgang von Goethe [1749-1832]. <i>Critical Care Medicine</i> , 2009 , 37, 352-3	1.4	1
1581	Near infrared spectroscopy. <i>Critical Care Medicine</i> , 2009 , 37, 384-385	1.4	11
1580	And the winner is: regional citrate anticoagulation. <i>Critical Care Medicine</i> , 2009 , 37, 764-5	1.4	8
1579	Effects of hydrocortisone on microcirculatory alterations in patients with septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 1341-7	1.4	60

1578	Sedation for awake fiberoptic intubation in the adult critical care unit. <i>Critical Care Medicine</i> , 2009 , 37, 1175	1.4	1
1577	Acute respiratory distress syndrome and the Art of War. <i>Critical Care Medicine</i> , 2009 , 37, 1798-9	1.4	4
1576	Sepsis and septic shock: inching forwards. 2009 , 9, 256-7		5
1575	Emergency Medicine and Critical Care Medicine. 2009 , 98, 192-196		
1574	Gamma-globulin levels in patients with community-acquired septic shock. 2009 , 32, 379-85		61
1573	Acute kidney injury in septic shock: clinical outcomes and impact of duration of hypotension prior to initiation of antimicrobial therapy. 2009 , 2009, 88-89		
1572	Fever and Leukocytosis in Critically Ill Trauma Patients: It is not the Blood. 2009 , 2009, 89-91		
1571	Blood glucose control among critically ill patients with brain injury. 2009 , 36, 436-42		24
1570	Recognizing the signposts for sepsis. 2009 , 7, 40-51		2
1569	Altered plasma proteome during an early phase of peritonitis-induced sepsis. 2009 , 116, 721-30		23
1568	Letters to the Editor. 2009 , 39, 78-82		
1567	Physiological Rationale and Current Evidence for Therapeutic Positioning of Critically Ill Patients. 2009 , 20, 228-240		2
1566	Active tuberculosis in patients undergoing hemodialysis for end-stage renal disease: a 9-year retrospective analysis in a single center. 2009 , 48, 2061-7		13
1565	How to manage patients with acute kidney injury. 2009 , 1, 119-122		1
1564	Modulation of the Bcl-2 family blocks sepsis-induced depletion of dendritic cells and macrophages. 2009 , 31, 359-66		38
1563	[Purpura fulminans (symmetric peripheral gangrene): 7-year consecutive case review in Japan]. 2009 , 83, 639-46		10
1562	Oxygen tissue saturation is lower in nonsurvivors than in survivors after early resuscitation of septic shock. 2009 , 111, 366-71		91
1561	Hydroxyethyl starches: different products--different effects. 2009 , 111, 187-202		284

1560	Association of physical examination with pulmonary artery catheter parameters in acute lung injury *. <i>Critical Care Medicine</i> , 2009 , 37, 2720-2726	1.4	39
1559	Death by clot: acute coronary syndromes, ischemic stroke, pulmonary embolism, and disseminated intravascular coagulation. 2009 , 20, 166-76		3
1558	Physiological rationale and current evidence for therapeutic positioning of critically ill patients. 2009 , 20, 228-40; quiz 241-2		17
1557	Making catheter-related bloodstream infections history: from the slogan to the serious strategy. <i>Critical Care Medicine</i> , 2009 , 37, 789-91	1.4	1
1556	Prevention of pulmonary dysfunction after cardiac surgery by a vital capacity maneuver: is it so simple?. <i>Critical Care Medicine</i> , 2009 , 37, 762-3	1.4	
1555	Is target population more important than patient location when evaluating tight glycemic control?. <i>Critical Care Medicine</i> , 2009 , 37, 741-2	1.4	16
1554	Red blood cell transfusion in the critically ill: when is it time to say enough?. <i>Critical Care Medicine</i> , 2009 , 37, 2114-6	1.4	3
1553	Leaping to safety in the intensive care unit: ready for export?. <i>Critical Care Medicine</i> , 2009 , 37, 2121-2	1.4	
1552	Two decades of simulation-based training: have we made progress?. <i>Critical Care Medicine</i> , 2009 , 37, 2843-4	1.4	4
1551	Management of acute lung injury and acute respiratory distress syndrome in children. <i>Critical Care Medicine</i> , 2009 , 37, 2448-54	1.4	170
1550	Aminoglycosides--engineering important patient-centered outcomes with antibiotics. <i>Critical Care Medicine</i> , 2009 , 37, 2855-6	1.4	
1549	Sedating America: the state of sedative use in intensive care units. <i>Critical Care Medicine</i> , 2009 , 37, 3171-24		
1548	Development of a Model-Based Clinical Sepsis Biomarker for Critically Ill Patients. 2009 , 42, 13-18		
1547	Myocardial depression/injury in sepsis: two sides of the same coin?. <i>Critical Care Medicine</i> , 2009 , 37, 743-4	1.4	8
1546	You just have to ask. <i>Critical Care Medicine</i> , 2009 , 37, 2136-7	1.4	
1545	Pediatric sepsis: time is of the essence. <i>Critical Care Medicine</i> , 2009 , 37, 785-6	1.4	2
1544	The effect of increasing doses of norepinephrine on tissue oxygenation and microvascular flow in patients with septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 1961-6	1.4	182
1543	Anemia after intensive care unit stay: more questions than answers. <i>Critical Care Medicine</i> , 2009 , 37, 2108-9	1.4	0

1542	Hypothermia: is it just for ventricular fibrillation?. <i>Critical Care Medicine</i> , 2009 , 37, 3175-6	1.4	
1541	Vasoactive drugs for vasodilatory shock in ICU. 2009 , 15, 398-402		21
1540	May nutrition be hazardous in sepsis?. <i>Critical Care Medicine</i> , 2009 , 37, 353-4	1.4	1
1539	Misguided guidelines on noninvasive thermometry. <i>Critical Care Medicine</i> , 2009 , 37, 383; author reply 383-4	1.4	4
1538	Is the number of reported critical incidents relevant?. <i>Critical Care Medicine</i> , 2009 , 37, 334-5	1.4	5
1537	Can troponin identify those critically ill septic patients who would benefit most from activated protein C treatment?. <i>Critical Care Medicine</i> , 2009 , 37, 367-8	1.4	0
1536	Propofol infusion syndrome: difficult to recognize, difficult to study. <i>Critical Care Medicine</i> , 2009 , 37, 3169-70	1.4	7
1535	The role of echocardiography in hemodynamic monitoring. 2009 , 15, 239-43		31
1534	Antibioth�apie probabiliste en r�animation. 2009 , 6, 1-12		1
1533	Syndrome m�hing � de l'adulte. Orientation diagnostique et conduite � tenir en urgence. 2009 , 4, 1-8		
1532	Haloperidol and delirium: management or treatment?. <i>Critical Care Medicine</i> , 2009 , 37, 354-5	1.4	42
1531	Standardized care for nosocomial pneumonia is a valuable tool to improve patient outcomes: how do we get intensivists to listen?. <i>Critical Care Medicine</i> , 2009 , 37, 350-2	1.4	1
1530	Pressure to perform: is cardiac output estimation from arterial waveforms good enough for routine use?. <i>Critical Care Medicine</i> , 2009 , 37, 337-8	1.4	28
1529	How long does it take to demonstrate the value of an idea?. <i>Critical Care Medicine</i> , 2009 , 37, 744-5	1.4	1
1528	Routine nursing procedures--take care of the patient and the splanchnic circulation!. <i>Critical Care Medicine</i> , 2009 , 37, 751-2	1.4	
1527	Continuous renal replacement therapy circuit contamination: new tale of an old problem?. <i>Critical Care Medicine</i> , 2009 , 37, 754-5	1.4	2
1526	Designing clinical trials to improve neurobehavioral outcome after traumatic brain injury: from bench to bedside. <i>Critical Care Medicine</i> , 2009 , 37, 784-5	1.4	5
1525	Pressor response to fluid resuscitation in endotoxic shock: involvement of vasopressin. <i>Critical Care Medicine</i> , 2009 , 37, 2968-72	1.4	19

1524	Renal failure in patients with cirrhosis: hepatorenal syndrome and renal support strategies. 2010 , 23, 139-44		18
1523	Endotoxin desynchronizes biological clocks. <i>Critical Care Medicine</i> , 2010 , 38, 977-8	1.4	1
1522	The authors reply:. <i>Critical Care Medicine</i> , 2010 , 38, 2086	1.4	
1521	The authors reply:. <i>Critical Care Medicine</i> , 2010 , 38, 2084-2085	1.4	19
1520	Ventilator-induced lung injury: the anatomical and physiological framework. <i>Critical Care Medicine</i> , 2010 , 38, S539-48	1.4	150
1519	Not everything labeled "low-dose" vasopressin is a low dose. 2010 , 181, 1012; author reply 1012-3		
1518	The clinical (ir)relevance of opioid-induced immune suppression. 2010 , 23, 588-92		30
1517	The Surviving Sepsis Campaign: results of an international guideline-based performance improvement program targeting severe sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 367-74	1.4	797
1516	Bundled care for septic shock: an analysis of clinical trials. <i>Critical Care Medicine</i> , 2010 , 38, 668-78	1.4	754
1515	Magnesium activation of the calcium-sensing receptor, a mechanism to reduce infarction and vasospasm in subarachnoid hemorrhage. <i>Critical Care Medicine</i> , 2010 , 38, 2083; author reply 2084-5	1.4	1
1514	Glucose control in severely thermally injured pediatric patients: what glucose range should be the target?. 2010 , 252, 521-7; discussion 527-8		47
1513	Measurable outcomes of quality improvement using a daily quality rounds checklist: one-year analysis in a trauma intensive care unit with sustained ventilator-associated pneumonia reduction. 2010 , 69, 855-60		52
1512	Sepsis alert. 2010 , 40, 38-39		
1511	Impact of time to antibiotics on survival in patients with severe sepsis or septic shock in whom early goal-directed therapy was initiated in the emergency department. <i>Critical Care Medicine</i> , 2010 , 38, 1045-53	1.4	686
1510	The ups and downs of cardiac defibrillation: integrating the shock with cardiopulmonary resuscitation for success. <i>Critical Care Medicine</i> , 2010 , 38, 1005-6	1.4	1
1509	Surgeons and their patients near the end of life. <i>Critical Care Medicine</i> , 2010 , 38, 995-6	1.4	15
1508	Diagnosis of cerebral vasospasm and transcranial Doppler: isolated velocities are not enough. <i>Critical Care Medicine</i> , 2010 , 38, 2083-4; author reply 2084-5	1.4	4
1507	Beta-block the septic heart. <i>Critical Care Medicine</i> , 2010 , 38, S608-12	1.4	67

1506	Pancytopenia in hospitalized children: a five-year review. 2010 , 32, e192-4		8
1505	PEDF and septic shock. 2010 , 10, 312-6		6
1504	Ventricular dilation is associated with improved cardiovascular performance and survival in sepsis. 2010 , 138, 848-55		36
1503	Sepsis, choc septique chez l'adulte. 2010 , 5, 1-6		
1502	Femoral-based central venous oxygen saturation is not a reliable substitute for subclavian/internal jugular-based central venous oxygen saturation in patients who are critically ill. 2010 , 138, 76-83		26
1501	Early fluid resuscitation in sepsis: evidence and perspectives. 2010 , 34 Suppl 1, 40-3		15
1500	Sepsis alert: avoiding the shock. 2010 , 40, 34-8; quiz 38-9		1
1499	An increase in exhaled CO concentration in systemic inflammation/sepsis. 2010 , 4, 047103		11
1498	Hospital-wide impact of a standardized order set for the management of bacteremic severe sepsis. 2010 , 2010, 225-226		
1497	Effectiveness of Treatments for Severe Sepsis: A Prospective, Multicenter, Observational Study. 2010 , 2010, 220-222		
1496	Influence of vasopressor agent in septic shock mortality. Results from the Portuguese Community-Acquired Sepsis Study (SACiUCI study). 2010 , 2010, 224-225		
1495	Early anticoagulation is associated with reduced mortality for acute pulmonary embolism. 2010 , 137, 1382-90		157
1494	Outcomes of etomidate in severe sepsis and septic shock. 2010 , 138, 1327-32		43
1493	Central venous pressure in clinical care algorithms: are anesthesiologists and intensivists ready?. 2010 , 111, 591-2		4
1492	Making medics smarter. <i>Critical Care Medicine</i> , 2010 , 38, 992-3		1.4
1491	Antimicrobial resistance: consideration as an adverse drug event. <i>Critical Care Medicine</i> , 2010 , 38, S155-61.4		11
1490	Number of intervention of the bundle accomplished does not reflect degree of compliance with the sepsis bundles. <i>Critical Care Medicine</i> , 2010 , 38, 2085-6; author reply 2086	1.4	1
1489	Procalcitonin-guided algorithms of antibiotic therapy in the intensive care unit: a systematic review and meta-analysis of randomized controlled trials. <i>Critical Care Medicine</i> , 2010 , 38, 2229-41	1.4	195

1488	Critical illness is an iatrogenic disorder. <i>Critical Care Medicine</i> , 2010 , 38, S582-9	1.4	17
1487	The role of hyperglycemia in burned patients: evidence-based studies. 2010 , 33, 5-13		46
1486	Virtual patients and problem-based learning in advanced therapeutics. 2010 , 74, 143		53
1485	Phase 2 trial of eritoran tetrasodium (E5564), a toll-like receptor 4 antagonist, in patients with severe sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 72-83	1.4	173
1484	Gut mucosal cell damage in meningococcal sepsis in children: relation with clinical outcome. <i>Critical Care Medicine</i> , 2010 , 38, 133-7	1.4	44
1483	A magic bullet for sepsis: getting back to the basics. <i>Critical Care Medicine</i> , 2010 , 38, 733-4	1.4	
1482	Passive leg raising: good for everyone?. <i>Critical Care Medicine</i> , 2010 , 38, 989-90	1.4	6
1481	Cardiac preconditioning by specific ligands of Toll-like receptors: is it wither or whither?. <i>Critical Care Medicine</i> , 2010 , 38, 1003-4	1.4	2
1480	Can an ice cream headache save your life?. <i>Critical Care Medicine</i> , 2010 , 38, 1006-7	1.4	1
1479	The authors reply.. <i>Critical Care Medicine</i> , 2010 , 38, 2085	1.4	
1478	Stress ulcer prophylaxis in the new millennium: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2010 , 38, 2222-8	1.4	178
1477	Inotropes in cardiac patients: update 2011. 2010 , 16, 432-41		38
1476	Vasopressors in septic shock: a possible deadly intervention. 2010 , 24, 235-7		
1475	A novel noninvasive impedance-based technique for central venous pressure measurement. 2010 , 33, 269-73		8
1474	Volume of emergency department admissions for sepsis is related to inpatient mortality: results of a nationwide cross-sectional analysis. <i>Critical Care Medicine</i> , 2010 , 38, 2161-8	1.4	28
1473	Hemodynamic support of the trauma patient. 2010 , 23, 269-75		20
1472	Current world literature. 2010 , 23, 283-93		
1471	Association between lymphotoxin-alpha (tumor necrosis factor-beta) intron polymorphism and predisposition to severe sepsis is modified by gender and age. <i>Critical Care Medicine</i> , 2010 , 38, 181-93	1.4	30

1470	Hydrogen sulfide promotes transient receptor potential vanilloid 1-mediated neurogenic inflammation in polymicrobial sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 619-28	1.4	55
1469	The bridle: path to improved enteral nutrition efficiency. <i>Critical Care Medicine</i> , 2010 , 38, 984-5	1.4	5
1468	Organ donors after circulatory determination of death: not necessarily dead, and it does not necessarily matter. <i>Critical Care Medicine</i> , 2010 , 38, 1011-2	1.4	34
1467	Qualitative research: the chicken or the egg. <i>Critical Care Medicine</i> , 2010 , 38, 987-8	1.4	
1466	Deconstructing racial and ethnic disparities in critical care. <i>Critical Care Medicine</i> , 2010 , 38, 978-80	1.4	6
1465	Dr. Jekyll and Mr. Hyde saga of a cytokine: the devil in the details. <i>Critical Care Medicine</i> , 2010 , 38, 997-8	1.4	1
1464	Anti-, pre-, or . . . probiotics to prevent ventilator-associated pneumonia in the intensive care unit?. <i>Critical Care Medicine</i> , 2010 , 38, 1009-10	1.4	3
1463	How "sweet" complexity is and how "bitter" variability can be; the new aspect of intensive care unit hyperglycemia. <i>Critical Care Medicine</i> , 2010 , 38, 996-7	1.4	5
1462	Changing trends in the epidemiology of Candida blood stream infections: a matter for concern?. <i>Critical Care Medicine</i> , 2010 , 38, 990-2	1.4	13
1461	Pay for performance strategy. <i>Critical Care Medicine</i> , 2010 , 38, 1014	1.4	
1460	High positive end-expiratory pressure and low tidal volume in acute respiratory distress syndrome: all right for the right ventricle?. <i>Critical Care Medicine</i> , 2010 , 38, 986-7	1.4	4
1459	Sepsis-induced myocardial dysfunction: linking physiology and genomics. <i>Critical Care Medicine</i> , 2010 , 38, 1001-2	1.4	1
1458	The efficacy and safety of proton pump inhibitors vs histamine-2 receptor antagonists for stress ulcer bleeding prophylaxis among critical care patients: a meta-analysis. <i>Critical Care Medicine</i> , 2010 , 38, 1197-205	1.4	110
1457	Antibiotics in sepsis and septic shock: like everything else in life, timing is everything. <i>Critical Care Medicine</i> , 2010 , 38, 1211-2	1.4	21
1456	Drug-induced endocrine disorders in the intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, S219-30	1.4	15
1455	Effects of combined arginine vasopressin and levosimendan on organ function in ovine septic shock. <i>Critical Care Medicine</i> , 2010 , 38, 2016-23	1.4	58
1454	Critical care "normality": individualized versus protocolized care. <i>Critical Care Medicine</i> , 2010 , 38, S590-9	1.4	15
1453	Results of a survey of blood pressure monitoring by intensivists in critically ill patients: a preliminary study. <i>Critical Care Medicine</i> , 2010 , 38, 2335-8	1.4	39

1452 Rapid Response Systems. **2010**, 17, 28-34

1451 Relative Adrenal Insufficiency in Patients With Chronic Liver Disease. **2010**, 17, 232-238

2

1450 Reducing ventilator-associated pneumonia: when process control allows outcome improvement and even benchmarking. *Critical Care Medicine*, **2010**, 38, 983-4

1.4 8

1449 Synthetic atrial natriuretic peptide improves systemic and splanchnic circulation and has a lung-protective effect during endotoxemia in pigs. **2010**, 110, 141-7

5

1448 Fluid therapy in septic shock. **2010**, 16, 297-308

31

1447 Does standardization of critical care work?. **2010**, 16, 493-8

32

1446 Acute lung injury in children: therapeutic practice and feasibility of international clinical trials. **2010**, 11, 681-9

139

1445 Glucose variability and survival in critically ill children: allostasis or harm?. **2010**, 11, 707-12

26

1444 Melioidosis: advances in diagnosis and treatment. **2010**, 23, 554-9

50

1443 Educational initiative on critical bleeding in trauma: Chicago, July 11-13, 2008. **2010**, 68, 225-30

24

1442 Compliance with a sepsis bundle and its effect on intensive care unit mortality in surgical septic shock patients. **2010**, 69, 1282-7

24

1441 Utility of ampicillin-sulbactam for empiric treatment of ventilator-associated pneumonia in a trauma population. **2010**, 69, 861-5

5

1440 Translating research on communication in the intensive care unit into effective educational strategies. *Critical Care Medicine*, **2010**, 38, 976-7

1.4 2

1439 Is cerebral microcirculation really preserved in shock states?. *Critical Care Medicine*, **2010**, 38, 1008-9

1.4 8

1438 Question about septic shock study. *Critical Care Medicine*, **2010**, 38, 2085; author reply 2085

1.4

1437 Transplantation for acute liver failure: perioperative management. **2010**, 15, 368-73

25

1436 Critical care nutrition: are the skeletons still in the closet?. *Critical Care Medicine*, **2010**, 38, 690-1

1.4 5

1435 DAMPen danger signals: novel therapeutic strategies against postischemic inflammation. *Critical Care Medicine*, **2010**, 38, 998-9

1.4 1

1434	Resident sleep deprivation and critical care: the unintended consequences of inaction. <i>Critical Care Medicine</i> , 2010 , 38, 980-1	1.4	2
1433	Systematic review of reviews including animal studies addressing therapeutic interventions for sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 2401-8	1.4	40
1432	Blood product transfusion in the critical care setting. 2010 , 16, 309-16		23
1431	New molecular and surrogate biomarker-based tests in the diagnosis of bacterial and fungal infection in febrile neutropenic patients. 2010 , 23, 567-77		35
1430	Reducing leukocyte trafficking preserves hepatic function after sepsis. 2010 , 69, 360-7		5
1429	Blood glucose control in 2010: 110 to 150 mg/dL and minimal variability. <i>Critical Care Medicine</i> , 2010 , 38, 993-5	1.4	21
1428	Surviving sepsis: something doing by doing something. <i>Critical Care Medicine</i> , 2010 , 38, 1209-10	1.4	
1427	Managing a patient with Acute Respiratory Distress Syndrome PART 1. 2010 , 5, 17-27		7
1426	Balancing volume resuscitation and ascites management in cirrhosis. 2010 , 23, 151-8		14
1425	Altered immune surveillance: a common link between cancer and sepsis?. <i>Critical Care Medicine</i> , 2010 , 38, 1000-1	1.4	1
1424	TRALI, transfusion, and acute lung injury: synergy in action?. <i>Critical Care Medicine</i> , 2010 , 38, 981-2	1.4	6
1423	Activated protein C and hospital mortality in septic shock: a propensity-matched analysis. <i>Critical Care Medicine</i> , 2010 , 38, 1101-7	1.4	34
1422	1. Pharmacologic Therapy for AKI.. 2010 , 99, 1007-1012		
1421	[Acute pancreatitis. 4. Therapy]. 2010 , 99, 23-9		
1420	Simulation Evaluation of an Enhanced Bedside Monitor Display for Patients With Sepsis. 2010 , 21, 24-33		
1419	Effect of an emergency department sepsis protocol on time to antibiotics in severe sepsis. 2010 , 12, 303-10		32
1418	International consensus recommendations on the management of patients with nonvariceal upper gastrointestinal bleeding. 2010 , 152, 101-13		758
1417	3. What is the Optimal Duration of Antimicrobial Therapy?. 2010 , 99, 2729-2734		

1416	Rapid Response Teams: Improve Patient Safety and Patient Outcomes. 2010 , 21, 126-129	1
1415	Comparison between procalcitonin and C-reactive protein for early diagnosis of children with sepsis or septic shock. 2010 , 59, 581-6	32
1414	Diagnosis and management of complicated intra-abdominal infection in adults and children: guidelines by the Surgical Infection Society and the Infectious Diseases Society of America. 2010 , 50, 133-64	974
1413	How to use an article about quality improvement. 2010 , 304, 2279-87	94
1412	[In Process Citation]. 2010 , 105, 53-62	
1411	Journal Club. 2010 , 105, 178-190	2
1410	[Results of studies in critical care medicine in the year 2009 : update]. 2010 , 59, 453-76	
1409	[New sepsis guidelines yet again: is that necessary?]. 2010 , 59, 295-6	0
1408	[Therapy concepts for septic diseases]. 2010 , 81, 477-8; author reply 478-9	
1407	[Urosepsis and treatment]. 2010 , 49, 618-22	11
1406	Towards a unifying, systems biology understanding of large-scale cellular death and destruction caused by poorly liganded iron: Parkinson's, Huntington's, Alzheimer's, prions, bactericides, chemical toxicology and others as examples. 2010 , 84, 825-89	292
1405	Wanted: early goal-directed therapy for septic shock--dead or alive, but not critically ill!. 2010 , 36, 1-3	4
1404	The influence of the airway driving pressure on pulsed pressure variation as a predictor of fluid responsiveness. 2010 , 36, 496-503	91
1403	Estimation of inspiratory muscle pressure in critically ill patients. 2010 , 36, 648-55	22
1402	Best vasopressor for advanced vasodilatory shock: should vasopressin be part of the mix?. 2010 , 36, 1484-7	7
1401	Statistical analysis plan of PROWESS SHOCK study. 2010 , 36, 1972-3	14
1400	ESICM 2010 WEDNESDAY SESSIONS 13 October 2010. 2010 , 36, 326-433	1
1399	Initial observations regarding free cortisol quantification logistics among critically ill children. 2010 , 36, 1914-22	8

1398 Stellenwert des perioperativen SzvO2-Monitorings. **2010**, 47, 338-344

1397 Spontan bakterielle Peritonitis bei Leberzirrhose. **2010**, 47, 571-575

1396 Leberunterstützungstherapien 2010. **2010**, 47, 576-581

1395 Close relationship between strict blood glucose control, including suppression of blood glucose variability, and mortality reduction in acutely ill patients with glucose intolerance investigated by means of a bedside-type artificial pancreas. **2010**, 13, 151-60

1394 Vergleich von Dopamin und Noradrenalin im Rahmen der Schockbehandlung. **2010**, 13, 324-326

1393 Positive culture for *Klebsiella pneumoniae* in relevant sputum samples as a predictor of rapidly fatal outcome in septic patients at medical intensive care units. **2010**, 29, 969-75

1392 Blood cultures: key elements for best practices and future directions. **2010**, 16, 301-16

1391 Blood coagulation disorders in septic patients. **2010**, 160, 129-38

1390 Update on the role of Toll-like receptors during bacterial infections and sepsis. **2010**, 160, 107-11

1389 [Inhalation injury--epidemiology, diagnosis and therapy]. **2010**, 122, 11-21

1388 Continuous non-invasive monitoring of the skin temperature of HSCT recipients. **2010**, 18, 37-42

1387 Systematic review of emergency department central venous and arterial catheter infection. **2010**, 3, 409-23

1386 Lipid and glucide sources in artificial nutrition. **2010**, 3, 9-14

1385 Cerebral autoregulation is influenced by carbon dioxide levels in patients with septic shock. **2010**, 12, 35-42

1384 Impact of delayed transfer of critically ill stroke patients from the Emergency Department to the Neuro-ICU. **2010**, 13, 75-81

1383 Management of acute lung injury/ARDS. **2010**, 77, 1296-302

1382 Early fluid resuscitation. **2010**, 12, 354-60

1381 The resuscitation package in sepsis. **2010**, 12, 368-73

1380	Adjunct therapy for sepsis: how early?. 2010 , 12, 361-7	6
1379	Early antimicrobial therapy in severe sepsis and septic shock. 2010 , 12, 336-44	48
1378	Review of recent guidelines for the management of severe sepsis and septic shock. 2010 , 4, 54-58	
1377	Intensive care unit-acquired weakness (ICUAW) and muscle wasting in critically ill patients with severe sepsis and septic shock. 2010 , 1, 147-157	135
1376	Masseter muscle oxygen saturation is associated with central venous oxygen saturation in patients with severe sepsis. 2010 , 24, 289-93	9
1375	Fluid overload and mortality in children receiving continuous renal replacement therapy: the prospective pediatric continuous renal replacement therapy registry. 2010 , 55, 316-25	449
1374	Overuse of stress ulcer prophylaxis in the critical care setting and beyond. 2010 , 25, 214-20	35
1373	Hemodynamic effects of recombinant human activated protein C in patients with septic shock. 2010 , 25, 343-7	1
1372	Practice variability in the assessment and treatment of critical illness-related corticosteroid insufficiency. 2010 , 25, 363.e9-363.e14	4
1371	Discontinuation of vasopressin before norepinephrine increases the incidence of hypotension in patients recovering from septic shock: a retrospective cohort study. 2010 , 25, 362.e7-362.e11	26
1370	Out-of-hospital characteristics and care of patients with severe sepsis: a cohort study. 2010 , 25, 553-62	46
1369	Predictors for daily interruption of sedation therapy by nurses: a prospective, multicenter study. 2010 , 25, 660.e1-7	17
1368	A prospective, observational study of Xigris Use in the United States (XEUS). 2010 , 25, 660.e9-16	2
1367	Results from the National Sepsis Practice Survey: use of drotrecogin (activated) and other therapeutic decisions. 2010 , 25, 658.e7-15	2
1366	Diagnosis of catheter-related bloodstream infection in a total parenteral nutrition population: inclusion of sepsis defervescence after removal of culture-positive central venous catheter. 2010 , 76, 119-23	21
1365	[The current role of the Swan-Ganz catheter]. 2010 , 34, 203-14	8
1364	[Managing the post-cardiac arrest syndrome. Directing Committee of the National Cardiopulmonary Resuscitation Plan (PNRCP) of the Spanish Society for Intensive Medicine, Critical Care and Coronary Units (SEMICYUC)]. 2010 , 34, 107-26	15
1363	[High volume hemofiltration in septic shock]. 2010 , 34, 345-52	10

1362	[Stress hyperglycemia and its control with insulin in critically ill patients: current evidence]. 2010 , 34, 273-81	13
1361	[Community-acquired pneumonia: a 7-years descriptive study. Usefulness of the IDSA/ATS 2007 in the assessment of ICU admission]. 2010 , 34, 237-45	8
1360	Fluid management. 2010 , 28, 151-154	1
1359	Acute colonic emergencies. 2010 , 28, 536-543	
1358	[Blood cultures when fever?]. 2010 , 210, 559-66	2
1357	Arginine vasopressin for the treatment of septic shock in adults. 2010 , 30, 1057-71	17
1356	Use of cytomegalovirus intravenous immune globulin for the adjunctive treatment of cytomegalovirus in hematopoietic stem cell transplant recipients. 2010 , 30, 554-61	43
1355	Methylene blue for the treatment of septic shock. 2010 , 30, 702-15	51
1354	Impact of the implementation of a sepsis protocol for the management of fluid-refractory septic shock: A single-center, before-and-after study. 2010 , 32, 1285-93	28
1353	Prevention of acute kidney injury in the intensive care unit. 2010 , 21, 65-68	2
1352	The role of nurses in the recognition and treatment of patients with sepsis in the emergency department: a prospective before-and-after intervention study. 2010 , 47, 1464-73	41
1351	Hospital characteristics associated with failure to rescue from complications after pancreatectomy. 2010 , 211, 325-30	203
1350	Early-onset pneumonia after liver transplantation: microbiological findings and therapeutic consequences. 2010 , 16, 1178-85	42
1349	Therapeutic impact and diagnostic performance of multiplex PCR in patients with malignancies and suspected sepsis. 2010 , 61, 335-42	39
1348	Emergency department bedside ultrasonographic measurement of the caval index for noninvasive determination of low central venous pressure. 2010 , 55, 290-5	207
1347	Multicenter study of central venous oxygen saturation (ScvO ₂) as a predictor of mortality in patients with sepsis. 2010 , 55, 40-46.e1	195
1346	Infection and natural history of emergency department-placed central venous catheters. 2010 , 56, 492-7	24
1345	An in vitro study comparing a peripherally inserted central catheter to a conventional central venous catheter: no difference in static and dynamic pressure transmission. 2010 , 10, 18	9

1344	How many general and inflammatory variables need to be fulfilled when defining sepsis due to the 2003 SCCM/ESICM/ACCP/ATS/SIS definitions in critically ill surgical patients: a retrospective observational study. 2010 , 10, 22	3
1343	Risk factors for multi-drug resistant <i>Acinetobacter baumannii</i> bacteremia in patients with colonization in the intensive care unit. 2010 , 10, 228	90
1342	Endotoxin tolerance and cross-tolerance in mast cells involves TLR4, TLR2 and FcepsilonR1 interactions and SOCS expression: perspectives on immunomodulation in infectious and allergic diseases. 2010 , 10, 240	20
1341	Long-term risk of mortality after acute kidney injury in patients with sepsis: a contemporary analysis. 2010 , 11, 9	55
1340	National variation in United States sepsis mortality: a descriptive study. 2010 , 9, 9	73
1339	Early lactate clearance is associated with biomarkers of inflammation, coagulation, apoptosis, organ dysfunction and mortality in severe sepsis and septic shock. 2010 , 7, 6	102
1338	Diagnosing infections--current and anticipated technologies for point-of-care diagnostics and home-based testing. 2010 , 16, 1044-53	97
1337	The association of blood lactate concentration with outcome in dogs with idiopathic immune-mediated hemolytic anemia: 173 cases (2003-2006). 2010 , 20, 413-20	49
1336	Disease progression in hemodynamically stable patients presenting to the emergency department with sepsis. 2010 , 17, 383-90	102
1335	Emergency department lactate is associated with mortality in older adults admitted with and without infections. 2010 , 17, 260-8	73
1334	Outreach, epistemology and the evolution of critical care. 2010 , 65, 115-8	11
1333	Lipoproteins and CETP levels as risk factors for severe sepsis in hospitalized patients. 2010 , 40, 330-8	59
1332	Norepinephrine causes a pressure-dependent plasma volume decrease in clinical vasodilatory shock. 2010 , 54, 814-20	32
1331	Trends and controversies in the management of sepsis. 2010 , 71, M28-31	
1330	Positioning. 85-91	
1329	Paper B. 141-189	
1328	Pentastarch resuscitation in severe sepsis and septic shock. 2010 , 12, 58-61	3
1327	Quantitative resuscitation in sepsis. 2010 , 12, 150-3	

1326 Chief complaint: fever. 41-82

1325 Intensive insulin therapy during cardiovascular surgery. **2010**, 57, 191-204

16

1324 Vasoactive drugs. 58-65

1323 Controversy of corticosteroids in septic shock. **2010**, 77, 67-70

1

1322 The coagulant response in sepsis and inflammation. **2010**, 30, 10-16

84

1321 Review of therapeutic agents for burns pruritus and protocols for management in adult and paediatric patients using the GRADE classification. **2010**, 43, S51-S62

6

1320 Review article: glucose measurement in the operating room: more complicated than it seems. **2010**, 110, 1056-65

60

1319 High mobility group box 1 protein as a potential drug target for infection- and injury-elicited inflammation. **2010**, 9, 60-72

42

1318 Resolvins as regulators of the immune system. **2010**, 10, 818-31

25

1317 Ventilatory strategies during anesthesia. 124-137

3

1316 Clinical and microbiological characteristics of bloodstream infections in a tertiary hospital in Macei Alagoas, Brazil. **2010**, 14, 175-9

1315 The epidemiology of sepsis in a Brazilian teaching hospital. **2010**, 14, 264-270

2

1314 A Computerized Alert Screening for Severe Sepsis in Emergency Department Patients Increases Lactate Testing but does not Improve Inpatient Mortality. **2010**, 1, 394-407

26

1313 Merinoff symposium 2010: sepsis--an international call to action. **2010**, 16, 157-8

4

1312 A comparison of transcutaneous Doppler corrected flow time, b-type natriuretic peptide and central venous pressure as predictors of fluid responsiveness in septic shock: a preliminary evaluation. **2010**, 38, 336-41

21

1311 A case of urosepsis after renal transplantation successfully treated with polymyxin B hemoperfusion. **2010**, 23, 202-206

1310 Prognostic factors in critically ill patients with solid tumours admitted to an oncological intensive care unit. **2010**, 38, 317-24

27

1309 Recognition of critical illness. 1-5

1

1308	Higher vs lower positive end-expiratory pressure in patients with acute lung injury and acute respiratory distress syndrome: systematic review and meta-analysis. 2010 , 303, 865-73		845
1307	Lactate clearance vs central venous oxygen saturation as goals of early sepsis therapy: a randomized clinical trial. 2010 , 303, 739-46		686
1306	Nutrition in the intensive care unit: year in review 2008-2009. 2010 , 34, 21-31		10
1305	Risk factors for bacteremia with uropathogen not cultured from urine in adults with febrile urinary tract infection. 2010 , 50, e69-72		23
1304	Fluid management on hospital medical wards. 2010 , 10, 611-5		6
1303	The impact of a delay in intensive care unit admission for community-acquired pneumonia. 2010 , 36, 826-33		64
1302	Early fish oil supplementation and organ failure in patients with septic shock from abdominal infections: a propensity-matched cohort study. 2010 , 34, 431-7		16
1301	Clinical response to unintentionally rapid infusion of drotrecogin alfa (activated). 2010 , 67, 1174-7		0
1300	Renal replacement therapy in adult critically ill patients: when to begin and when to stop. 2010 , 165, 263-273		13
1299	Where should patients with severe traumatic brain injury be managed?: Patients can be safely managed in a nonspecialist center. 2010 , 22, 354-6		6
1298	Human factors in the management of the critically ill patient. 2010 , 105, 26-33		45
1297	Early combination antibiotic therapy yields improved survival compared with monotherapy in septic shock: a propensity-matched analysis. <i>Critical Care Medicine</i> , 2010 , 38, 1773-85	1.4	335
1296	Rapid response teams: improve patient safety and patient outcomes. 2010 , 21, 126-9		1
1295	Simulation evaluation of an enhanced bedside monitor display for patients with sepsis. 2010 , 21, 24-33		1
1294	Antibiotic use and impact on outcome from bacteraemic critical illness: the BActeraemia Study in Intensive Care (BASIC). 2010 , 65, 1276-85		67
1293	Increased levels of soluble vascular endothelial cadherin are associated with poor outcome in severe sepsis. 2010 , 38, 1497-506		31
1292	Corticosteroids in sepsis: pathophysiological rationale and the selection of patients. 2010 , 10, 266-73		3
1291	How Should the Critically Ill Pregnant Patient Be Managed?. 2010 , 607-611		

1290	Trial design: Computer guided normal-low versus normal-high potassium control in critically ill patients: Rationale of the GRIP-COMPASS study. 2010 , 10, 23		4
1289	Inflammation and coagulation. <i>Critical Care Medicine</i> , 2010 , 38, S26-34	1.4	588
1288	Careful approach to the ABCs of the management of portal venous gas. 2010 , 145, 103-4; author reply 104		0
1287	Sepsis in burns: a review of current practice and future therapies. 2010 , 65, 228-36		34
1286	Circulatory Shock. 2010 , 507-523		
1285	FXa inhibition and coagulation changes during DVT prophylaxis by enoxaparin over the course of a 15-day follow-up in septic patients. 2010 , 16, 584-90		7
1284	Careful Approach to the ABCs of the Management of Portal Venous GasâReply. 2010 , 145, 104		
1283	Computer-assisted glucose regulation during rapid step-wise increases of parenteral nutrition in critically ill patients: a proof of concept study. 2010 , 34, 549-53		8
1282	Influence of empiric therapy with a beta-lactam alone or combined with an aminoglycoside on prognosis of bacteremia due to gram-negative microorganisms. 2010 , 54, 3590-6		94
1281	Resuscitation center designation: recommendations for emergency medical services practices. 2010 , 14, 51-61		15
1280	Validation of the American Thoracic Society-Infectious Diseases Society of America guidelines for hospital-acquired pneumonia in the intensive care unit. 2010 , 50, 945-52		61
1279	Out-of-hospital fluid in severe sepsis: effect on early resuscitation in the emergency department. 2010 , 14, 145-52		49
1278	Shock. 2010 , 31, 311-8; quiz 319		9
1277	Stress Ulcer Prophylaxis in the New Millennium!. 2010 , 1, 12-16		2
1276	Nosocomial pneumonia in the intensive care unit acquired by mechanically ventilated versus nonventilated patients. 2010 , 182, 1533-9		125
1275	Variability in management of early severe sepsis. 2010 , 27, 110-5		58
1274	Glycemic control in critically ill patients before and after institution of an intensive insulin infusion protocol: circadian rhythm and the quality duration calculator. <i>Journal of Intensive Care Medicine</i> , 2010 , 25, 31-8	3.3	
1273	Anaesthetic management of patients with severe sepsis. 2010 , 105, 734-43		36

1272	Sepsis and septic shock: pathophysiological and cardiovascular background as basis for therapy. 2010 , 65, 323-9		18
1271	Use of granulocyte colony-stimulating factor in patients with severe sepsis or septic shock. 2010 , 67, 1238-45		14
1270	A physicochemical model of crystalloid infusion on acid-base status. <i>Journal of Intensive Care Medicine</i> , 2010 , 25, 271-80	3.3	22
1269	Novel H1N1 influenza and Panton-Valentine leukocidin Staphylococcus aureus necrotizing pneumonia. 2010 , 71, 350-1		1
1268	Current Trends in Cardiac Output Monitoring in UK Intensive Care Units. 2010 , 11, 257-260		1
1267	Gastrointestinal Bleeding. 2010 ,		
1266	Role of human recombinant activated protein C and low dose corticosteroid therapy in sepsis. 2010 , 54, 496-503		1
1265	Genetic polymorphisms and posttraumatic complications. 2010 , 2010, 814086		8
1264	Review of therapeutic agents for burns pruritus and protocols for management in adult and paediatric patients using the GRADE classification. 2010 , 43, S51-62		13
1263	Nationwide survey on resource availability for implementing current sepsis guidelines in Mongolia. 2010 , 88, 839-46		66
1262	Effectiveness of early start of direct hemoperfusion with polymyxin B-immobilized fiber columns judging from stabilization in circulatory dynamics in surgical treatment patients. 2010 , 14, 35-9		2
1261	Junior doctors are not good at recognizing and treating sepsis: a validated suggestion for improvement. 2010 , 10, 525-6		4
1260	The critically ill obstetric patient - Recent concepts. 2010 , 54, 421-7		17
1259	Prediction of outcome in patients with acute respiratory distress syndrome by bronchoalveolar lavage inflammatory mediators. 2010 , 235, 57-65		50
1258	Influence of an Institution-Specific Sepsis Protocol on the Adequacy of Empiric Antimicrobial Therapy. 2010 , 45, 538-544		4
1257	Use of recombinant human activated protein C in nonmenstrual staphylococcal toxic shock syndrome. 2010 , 14, 147-50		
1256	Intravenous esomeprazole pharmacodynamics in critically ill patients. 2010 , 26, 1141-8		6
1255	Coagulaci3n intravascular diseminada. 2010 , 193-207		

1254	What Is the Role of Empirical Antibiotic Therapy in Sepsis?. 2010 , 182-197		
1253	What Is the Role of Source Control in Sepsis?. 2010 , 218-226		
1252	Is Selective Decontamination of the Digestive Tract Useful?. 2010 , 277-288		
1251	Should Blood Glucose Be Tightly Controlled in the Intensive Care Unit?. 2010 , 505-508		1
1250	Extraction of the anti-sepsis component from Terminalia chebula Retz and evaluation of its biological activities. 2009 , 30, 27-32		0
1249	Approaching clinical reality: markers for monitoring systemic inflammation and sepsis. 2010 , 10, 227-35		30
1248	Prowess-shock trial: a protocol overview and perspectives. 2010 , 34 Suppl 1, 48-53		25
1247	Early goal-directed therapy in treatment of pediatric septic shock. 2010 , 34 Suppl 1, 44-7		22
1246	Not Everything Labeled "Low-Dose" Vasopressin Is a Low Dose. 2010 , 181, 1012-1012		
1245	Nonventilatory strategies for patients with life-threatening 2009 H1N1 influenza and severe respiratory failure. <i>Critical Care Medicine</i> , 2010 , 38, e74-90	1.4	32
1244	Efficacy and safety of dopamine versus norepinephrine in the management of septic shock. 2010 , 33, 375-80		79
1243	Factors associated with severe sepsis: prospective study of 94 neutropenic febrile episodes. 2010 , 15, 28-32		26
1242	Adrenergic support in septic shock: a critical review. 2010 , 38, 62-73		13
1241	Fluid overload in critically ill patients with acute kidney injury. 2010 , 29, 331-8		48
1240	[Utility of invasive diagnostics in acute lung injury]. 2010 , 64, 488-95		0
1239	[Postoperative sepsis: diagnosis, special features, management]. 2010 , 135, 240-8		1
1238	Recombinant anticoagulant factors for adjunctive treatment of sepsis. 2010 , 36, 550-7		13
1237	Disseminated intravascular coagulation in infectious disease. 2010 , 36, 367-77		81

1236	Disseminated intravascular coagulation in term and preterm neonates. 2010 , 36, 419-28	37
1235	Exhaled nitric oxide and steroid responses in chronic obstructive pulmonary disease. 2010 , 181, 523-4	1
1234	Macrolides in Community-Acquired Pneumonia: The Importance of the Non-Antimicrobial Effect. 2010 , 6, 150-154	1
1233	Do Corticosteroids Influence the Granulocyte Macrophage Colony-Stimulating Factor-mediated Effects on Monocyte Function?. 2010 , 181, 522-523	
1232	The use of silver-impregnated dressings in blast injuries. 2010 , 19, 835-9	2
1231	Treating shock--old drugs, new ideas. 2010 , 362, 841-3	7
1230	Introduction of a comprehensive management protocol for severe sepsis is associated with sustained improvements in timeliness of care and survival. 2010 , 19, e46	14
1229	Treatment algorithms in critical care: do they improve outcomes?. 2010 , 23, 61-8	4
1228	Using protocols to improve patient outcomes in the intensive care unit: focus on mechanical ventilation and sepsis. 2010 , 31, 19-30	20
1227	Metabolic support of the enterocutaneous fistula patient. 2010 , 23, 142-8	19
1226	Controversies in the treatment of sepsis. 2010 , 31, 66-78	30
1225	Intensivtherapie des Organspenders. 2010 , 6, 105-120	1
1224	Sex differences in human lung development. 2010 , 181, 523	3
1223	Pneumonia in the Burn Patient. 2010 , 6, 175-187	
1222	Phosphoinositide-3 kinase gamma activity contributes to sepsis and organ damage by altering neutrophil recruitment. 2010 , 182, 762-73	47
1221	beta2-Adrenergic receptor gene polymorphism is associated with mortality in septic shock. 2010 , 181, 143-9	63
1220	Acute lung injury but not sepsis is associated with increased colony formation by peripheral blood mononuclear cells. 2010 , 43, 326-33	16
1219	The era of molecular and other non-culture-based methods in diagnosis of sepsis. 2010 , 23, 235-51	267

1218	Critical care of the hematopoietic stem cell transplant recipient. 2010 , 26, 133-50	63
1217	The optimal hematocrit. 2010 , 26, 335-54, table of contents	13
1216	Dizzy and confused: a step-by-step evaluation of the clinician's favorite chief complaint. 2010 , 28, 453-69	3
1215	Endocrine system and obesity. 2010 , 26, 633-6	3
1214	Anesthetic concerns in patients presenting with renal failure. 2010 , 28, 39-54	23
1213	Clinical and microbiological characteristics of bloodstream infections in a tertiary hospital in MaceiAlagoas, Brazil. 2010 , 14, 175-179	1
1212	Lactic acidosis: recognition, kinetics, and associated prognosis. 2010 , 26, 255-83, table of contents	81
1211	Lâpline, une nouvelle molcule prometteuse dans le traitement de la dfaillance cardiaque aigu. 2010 , 19, 171-178	
1210	Hypoglycemia and outcome in critically ill patients. 2010 , 85, 217-24	302
1209	Sepsis Medidas para evitar el shock sptico. 2010 , 28, 34-38	
1208	Use of albumin: an update. 2010 , 104, 276-84	101
1207	The epidemiology of sepsis in a Brazilian teaching hospital. 2010 , 14, 264-270	12
1206	Evidence-Based Acute Management of SepsisâRapid Intervention in the Critical Hours. 2010 , 5, 189-202	
1205	Neonatal sepsis and neutrophil insufficiencies. 2010 , 29, 315-48	74
1204	Diagnosis and management of infectious complications in critically ill patients with cancer. 2010 , 26, 59-91	54
1203	Early lactate-guided therapy in intensive care unit patients: a multicenter, open-label, randomized controlled trial. 2010 , 182, 752-61	1091
1202	Controversies surrounding the use of etomidate for rapid sequence intubation in patients with suspected sepsis. 2010 , 44, 1307-13	27
1201	Post-cardiac arrest syndrome: epidemiology, pathophysiology, treatment, and prognostication: a scientific statement from the International Liaison Committee on Resuscitation; the American Heart Association Emergency Cardiovascular Care Committee; the Council on Cardiovascular Surgery and Anesthesia; the Council on Cardiopulmonary, Perioperative, and Critical Care; the Council on Clinical Cardiology; the Council on Stroke (Part II). 2010 , 18, 8-28	67

1200	New perspectives on immunomodulatory therapy for bacteraemia and sepsis. 2010 , 36 Suppl 2, S70-3	27
1199	Conventional and molecular techniques for the early diagnosis of bacteraemia. 2010 , 36 Suppl 2, S6-16	73
1198	[Accuracy of the procalcitonin test in the diagnosis of occult bacteremia in paediatrics: a systematic review and meta-analysis]. 2010 , 72, 403-12	4
1197	Schock und SIRS: Schockformen und Ursachen. 2010 , 2, 20-30	
1196	Avian influenza--a review for doctors in travel medicine. 2010 , 8, 1-12	6
1195	Sepsis biomarkers: a review. 2010 , 14, R15	795
1194	Sepsis Syndromes. 2010 , 419-444	
1193	New technology for rapid molecular diagnosis of bloodstream infections. 2010 , 10, 399-415	141
1192	Augmented renal clearance: implications for antibacterial dosing in the critically ill. 2010 , 49, 1-16	245
1191	Experience of Using Activated Protein C in a Patient With Emphysematous Pyelonephritis Receiving Percutaneous Nephrostomy Drainage. 2010 , 4, 161-164	
1190	Management of aminoglycosides in the intensive care unit. <i>Journal of Intensive Care Medicine</i> , 2010 , 25, 327-42	3-3 23
1189	Ventilator-associated pneumonia caused by <i>Pseudomonas aeruginosa</i> and respiratory colonization by <i>Candida</i> spp. 2010 , 14, P87	78
1188	Ventilation with lower tidal volumes as compared with conventional tidal volumes for patients without acute lung injury: a preventive randomized controlled trial. 2010 , 14, R1	319
1187	Abstracts of the 30th International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. March 9-12, 2010. 2010 , 14 Suppl 1, P1-602	
1186	Sodium 4-phenylbutylate protects against myocardial ischemia-reperfusion injury by reducing unfolded protein response-mediated apoptosis in mice. 2010 , 14, P2	78
1185	Time-dependent effects of intravenous H ₂ S during long-term, resuscitated porcine hemorrhagic shock. 2010 , 14, P3	1
1184	An ovine intensive care model of septic shock. 2010 , 14, P4	1
1183	Effects of temperature and H ₂ S inhalation on glucose metabolism in murine resuscitated septic shock. 2010 , 14, P5	78

1182	Mitochondrial respiration and cytochrome c inhibition by sulfide in peritoneal macrophages in vitro: effects of temperature and pH. 2010, 14, P6	2
1181	Alterations of caspase 9 mRNA gene expression in survivors and nonsurvivors of severe sepsis. 2010, 14, P7	78
1180	The TLR4 antagonist CRX-526 reduces LPS-induced leukocyte activation and improves capillary perfusion of the rat intestine. 2010, 14, P8	78
1179	Effects of lipopolysaccharide on isolated muscle mitochondrial respiration are dose and time dependent. 2010, 14, P9	78
1178	Clinical severity and local inflammatory responses in animal models of sepsis. 2010, 14, P10	78
1177	Adenosine increases during human experimental endotoxemia, but does not influence the immune response and subsequent organ injury. 2010, 14, P11	78
1176	Bacterial load plays a crucial role for survival in experimental peritonitis and modulates immunoparalysis of monocytes. 2010, 14, P12	78
1175	Decreased whole blood TNF α production capacity after acute alcohol exposure and LPS stimulation ex vivo. 2010, 14, P13	3
1174	Leukocyte immunophenotyping: methodological aspects. 2010, 14, P14	78
1173	Phenotypical analysis of peripheral human T lymphocytes in early sepsis. 2010, 14, P15	78
1172	CD64, a marker of leucocyte activation kinetics after uncomplicated cardiac surgery. 2010, 14, P16	78
1171	Interferon-gamma reverses sepsis-induced immunoparalysis of monocytes in vitro. 2010, 14, P17	78
1170	Early hydrocortisone treatment counteracts circulatory derangement but not cytokine response in porcine endotoxemia. 2010, 14, P18	78
1169	CD40L is selectively expressed on platelets from thrombocytopenic septic patients. 2010, 14, P19	1
1168	Neuronal NOS-inhibition in the setting of septic cardiomyopathy. 2010, 14, P20	78
1167	Urinary albumin excretion is elevated in sepsis, but does not correlate with circulating VEGF-A levels. 2010, 14, P21	1
1166	High mobility group box protein-1 preconditions isolated rat hearts and protects human pulmonary and renal cells against hypoxic injury. 2010, 14, P22	78
1165	Intravenous immunoglobulins prevent breakdown of the blood-brain barrier in experimental sepsis. 2010, 14, P24	1

1164	Early use of immunoglobulin in septic shock. 2010 , 14, P25	1
1163	Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010 , 14, P26	2
1162	Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010 , 14, P27	78
1161	C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. 2010 , 14, P28	1
1160	Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever: preliminary study. 2010 , 14, P29	78
1159	Microalbuminuria evaluated as a biomarker in patients with septic shock. 2010 , 14, P30	78
1158	Evaluation of automated hematologic VCS parameters in severe sepsis and septic shock: a case-control study. 2010 , 14, P31	1
1157	Use of CD64 for the diagnosis of sepsis: a case-control study. 2010 , 14, P32	1
1156	Endotoxin assay with endotoxin scattering photometry is one of the diagnostic markers of sepsis. 2010 , 14, P33	78
1155	Immature platelet fraction as predictive index of sepsis. 2010 , 14, P34	1
1154	Serial estimation of cytokine markers and their correlation with mortality in elderly patients with sepsis. 2010 , 14, P35	78
1153	Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2010 , 14, P36	78
1152	Cytokine response in severe sepsis: predicting and modelling the course of illness. 2010 , 14, P37	78
1151	Time course of IL-6 and LBP, candidate biomarkers of sepsis in surgical critical care. 2010 , 14, P38	78
1150	Prognostic value of melatonin in patients with sepsis: a comparison of survivors and nonsurvivors. 2010 , 14, P39	1
1149	Serum C-reactive protein as a prognostic variable in elective surgery ICU patients: especially valuable following esophagectomy. 2010 , 14, P40	78
1148	Role of procalcitonin as a diagnostic and prognostic marker of infectious diseases in the emergency department: preliminary data. 2010 , 14, P41	78
1147	Evaluation of procalcitonin at James Paget Intensive Care Unit. 2010 , 14, P42	78

1146	Procalcitonin facing the postoperative culture results after liver transplantation. 2010 , 14, P43	78
1145	Efficiency diagnostic and advantages of procalcitonin and C-reactive protein in the early diagnosis of sepsis. 2010 , 14, P45	78
1144	Biomarkers of sepsis in burn patients. 2010 , 14, P46	1
1143	Age-related differences of outcomes in patients hospitalized with community-acquired pneumonia are not explained by differences in immune response. 2010 , 14, P47	78
1142	A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. 2010 , 14, P49	78
1141	Time to antibiotics in sepsis. 2010 , 14, P50	4
1140	Utility of an antibiotic guideline in hospital-associated infections. 2010 , 14, P51	78
1139	Assessment of antibiotic prescriptions in two French intensive care units. 2010 , 14, P52	78
1138	Occurrence of alert pathogens in the clinical materials and consumption of antibiotics in the ICU, in the years 2007 and 2008. 2010 , 14, P53	78
1137	Treatment cost of secondary peritonitis in Germany: a comparative study of medical cost incurred for tigecycline therapy and standard regimens. 2010 , 14, P54	78
1136	Efficacy and safety of once daily dosing of colistin to critically ill patients. 2010 , 14, P56	78
1135	A comparison of the effect on renal function of flucloxacillin and vancomycin antibiotic prophylaxis in cardiac surgery patients. 2010 , 14, P57	78
1134	Microdialysis study of meropenem cerebral distribution in patients with acute brain injury. 2010 , 14, P58	78
1133	Effects of two regimens of antibiotic prophylaxis on colonizing flora of the respiratory tract in patients with cardiovascular surgery. 2010 , 14, P59	78
1132	Prevalence of infections among patients admitted to ICUs in Nordic countries and the Netherlands in comparison with Mediterranean countries: a report from the EPIC II study. 2010 , 14, P60	78
1131	Risk factors for the development of carbapenem-resistant <i>Klebsiella pneumoniae</i> infections in critically ill patients. 2010 , 14, P61	78
1130	Outcome of unimicrobial versus polymicrobial sepsis. 2010 , 14, P62	2
1129	De-escalation practice pattern in an Indian intensive care unit. 2010 , 14, P63	1

1128	Incidence, identification of multidrug-resistant pathogens and impact on the outcome after cardiac surgery. 2010 , 14, P64	2
1127	Surveillance of ICU-acquired infections in Belgium: 2008 reference data. 2010 , 14, P65	78
1126	Risk of acquiring drug-resistant (MDR) Gram-negative isolates with previous exposure to antibiotic. 2010 , 14, P66	78
1125	Ozone fumigation successfully controlled and eradicated multidrug-resistant <i>Acinetobacter baumannii</i> from an intensive care unit. 2010 , 14, P67	0
1124	Viral infections in the ICU: should we search for them?. 2010 , 14, P68	78
1123	Oseltamivir dosing with haemofiltration. 2010 , 14, P69	6
1122	Efficacy and utility of a protocol for pre-emptive antimycotic therapy. 2010 , 14, P70	2
1121	Amphotericin B used as a continuous infusion is safer. 2010 , 14, P71	78
1120	Anidulafungin compared with fluconazole therapy in critically ill patients. 2010 , 14, P72	5
1119	Increase in systolic blood pressure and improvement in laboratory parameters following polymyxin B-immobilized fiber treatment in septic shock. 2010 , 14, P73	78
1118	Selection of acute blood purification therapy according to lipid mediator adsorption and blood purification in patients with septic shock. 2010 , 14, P74	78
1117	Prognostic assessment in community-acquired pneumonia by pneumonia severity scores and biomarkers. 2010 , 14, P75	78
1116	Current progress in pneumonia research. 2010 , 14, P76	78
1115	Bacterial colonization and infections of the lower respiratory tract in an interdisciplinary ICU. 2010 , 14, P77	78
1114	Rehydration does not affect pulmonary immune responses to influenza or susceptibility to secondary bacterial pneumonia. 2010 , 14, P78	78
1113	Bacteremic nosocomial pneumonia cases from the ATTAIN studies. 2010 , 14, P79	78
1112	Late ventilator-associated pneumonia: analysis of baseline characteristics and clinical outcomes in the ATTAIN studies. 2010 , 14, P80	1
1111	On the diagnosis of acute respiratory distress syndrome in nosocomial pneumonias. 2010 , 14, P81	78

1110	Genetic variability at the surfactant proteins A and D in susceptibility and severity of pneumonia. 2010, 14, P82	1
1109	Successful strategy to reduce ventilator-associated pneumonia. 2010, 14, P83	78
1108	Ventilator-associated pneumonia rate and ventilator bundle compliance in a district general hospital. 2010, 14, P84	78
1107	Oral chlorhexidine to prevent nosocomial pneumonia in critically ill patients: a systematic review and meta-analysis. 2010, 14, P85	78
1106	Impact of routine multiple site decontamination in intubated patients on ICU-acquired infections. 2010, 14, P86	78
1105	Time course of RT-PCR positivity in H1N1-induced ARDS. 2010, 14, P88	78
1104	Novel swine influenza A: most frequent ultrasonographic lung patterns. 2010, 14, P89	78
1103	Outcome and prognostic factors in patients with HIV-negative pneumocystis pneumonia requiring mechanical ventilation. 2010, 14, P90	78
1102	Acute respiratory failure from pandemic influenza A (H1N1) in an intensive care unit in southern Brazil. 2010, 14, P91	4
1101	Extracorporeal membrane oxygenation for influenza A (H1N1): experience in a regional referral center. 2010, 14, P92	78
1100	Budd-Chiari syndrome complicated by abdominal compartment syndrome: evidence of central hypovolaemia?. 2010, 14, P93	78
1099	Adenosine signalling has a protective role in intestinal ischemia and reperfusion injury. 2010, 14, P94	78
1098	Threshold levels of extreme body surface area that may cause a misrepresentation of cardiac performance. 2010, 14, P96	78
1097	Cardiac output measurement is feasible in the presence of left-to-right shunt with ultrasound dilution method: a validation study in lambs. 2010, 14, P97	2
1096	The PAPIKAS trial: a comparative clinical trial of pulmonary catheter versus the PiCCO device during therapy of patients with acute heart failure and cardiogenic shock. 2010, 14, P98	1
1095	Bioreactance versus PICCOTD/PC in critically ill septic shock patients. 2010, 14, P99	1
1094	NICOM vs LiDCO ^{plus} during changes in cardiac output in critically ill patients. 2010, 14, P100	78
1093	PulseCO consistency: variation in calibration factor over 24 and 48 hours. 2010, 14, P102	5

1092	Comparison of cardiac output values; pulse contour methods against thermodilution technique. 2010, 14, P105	78
1091	Continuous cardiac output measurement: effect of time. 2010, 14, P106	78
1090	A comparison in cardiac output data: a random effects model for repeated measures. 2010, 14, P107	78
1089	In vivo validation of a new transpulmonary thermodilution method to assess global end-diastolic volume and extravascular lung water. 2010, 14, P108	78
1088	Cardiac index derived from arterial pressure waveform: uncalibrated analysis vs once-only calibrated analysis. 2010, 14, P109	78
1087	Cardiac output monitoring during abdominal aortic cross clamping: a comparison between Vigileo/FloTrac system and transoesophageal Doppler. 2010, 14, P110	78
1086	Stroke volume index assessment using two minimal invasive devices during hemodynamic postoperative optimization. 2010, 14, P111	78
1085	Non-invasive cardiac output monitoring in children: clinical validation. 2010, 14, P112	2
1084	Global end-diastolic volume and its correlation to cardiac index inside and outside normal values. 2010, 14, P114	78
1083	Relationship of stroke volume variation, pulse pressure variation and global end-diastolic volume in patients undergoing brain surgery. 2010, 14, P115	78
1082	The value of pulse pressure variation to predict volume response in patients ventilated with low VT. 2010, 14, P116	1
1081	Pre-ejection period is a reliable parameter to estimate cardiac preload in a hemorrhagic shock. 2010, 14, P117	78
1080	Predictive value of pulse pressure variation for fluid responsiveness after maneuver to change tidal volume in patients with protective ventilatory strategy. 2010, 14, P118	1
1079	Does stroke volume increase after a fluid challenge? A study on the management of patients undergoing major head and neck free flap surgery: preliminary data. 2010, 14, P119	1
1078	Optimizing stroke volume and oxygen delivery in elective abdominal aortic surgery. 2010, 14, P120	78
1077	Oxygen saturation determined from the mouth is an early indicator of central hypovolemia in humans. 2010, 14, P121	78
1076	Plethysmographic indices as predictors of fluid responsiveness: a meta-analysis. 2010, 14, P122	1
1075	Maintenance of cardiac index within normal range is associated with mortality reduction in patients undergoing major urological surgery. 2010, 14, P123	2

1074	Effect of a preload challenge on peripheral perfusion in critically ill patients. 2010 , 14, P124	78
1073	Distensibility index of inferior vena cava diameter in ventilated septic and trauma patients with shock. 2010 , 14, P125	1
1072	Aortic dP/dtmax accurately reflects left ventricular contractility when effective preload independence is achieved. 2010 , 14, P126	78
1071	Cardiac cycle efficiency: a new index for cardiac work estimation tested during aortic valve plasty. 2010 , 14, P127	1
1070	Nonocclusive mesenteric ischemia following cardiothoracic surgery. 2010 , 14, P128	78
1069	Etiology, comorbidity and prognosis of hospitalized patients with congestive heart failure. 2010 , 14, P129	1
1068	Factors associated with intensive care morbidity following surgical repair of tetralogy of fallot. 2010 , 14, P130	78
1067	Sildenafil attenuates pulmonary vascular remodeling and upregulates Kv1.5 mRNA expression in pulmonary hypertension secondary to left-to-right shunt in rats. 2010 , 14, P131	78
1066	Validation of echocardiographic indices of right ventricular afterload: an experimental, open pericardium pig model. 2010 , 14, P132	78
1065	Activation of apoptotic pathways in experimental acute afterload-induced right ventricular failure. 2010 , 14, P133	78
1064	High incidence of severely prolonged QT interval after cardiac surgery. 2010 , 14, P134	2
1063	Endothelial protein C receptor expression after cardiopulmonary bypass in adult cardiac surgical patients. 2010 , 14, P135	78
1062	Urapidyl for hypertension control in severe pre-eclampsia: a comparative study with nicardipine. 2010 , 14, P136	2
1061	Comparison of the effects of furosemide, captopril and lorazepam on noncomplicated hypertensive patients in the emergency department. 2010 , 14, P137	78
1060	Incidence, risk factors and outcome of hypertensive crises in critically ill patients: a retrospective survey. 2010 , 14, P138	78
1059	Comparative study to evaluate blood pressure levels measured by an invasive method versus a non-invasive method in patients in an intensive care unit. 2010 , 14, P139	78
1058	Chronic atrial fibrillation in intensive care unit treated with electrical cardioversion: is it appropriate?. 2010 , 14, P140	78
1057	Applanation tonometry application in ICU patients with acute cardiogenic edema. 2010 , 14, P141	78

1056	A better prognosis for septic patients with left ventricular dysfunction?. 2010 , 14, P142	78
1055	Microvascular effects of pulsatile versus nonpulsatile perfusion during cardiopulmonary bypass. 2010 , 14, P143	78
1054	Microcirculation and intravascular coagulopathy in patients with severe sepsis and septic shock. 2010 , 14, P144	78
1053	Prevalence and prognostic significance of cardiac abnormalities in the ICU: an echocardiographic study. 2010 , 14, P145	78
1052	BNP and NT-proBNP in patients with acute myocardial infarction complicated by cardiogenic shock: results from the IABP Shock trial. 2010 , 14, P146	6
1051	Understanding vital-sign abnormalities in critical care patients. 2010 , 14, P147	78
1050	Tissue microdialysis in critically ill septic patients: associations with sepsis severity and mortality. 2010 , 14, P148	1
1049	Delayed increase in inflammation and thenar VO ₂ in marathon runners. 2010 , 14, P149	78
1048	Value of peripheral tissue oxygen tension in animal experimental models of haemorrhagic and septic shock. 2010 , 14, P150	78
1047	Incidence of a low tissue oxygen saturation in a mixed population of critically ill patients. 2010 , 14, P151	2
1046	Use of near-infrared spectroscopy during a vascular occlusion test to assess the microcirculatory response during fluid responsiveness. 2010 , 14, P152	1
1045	Influence of mechanical ventilation on intestinal microcirculation and inflammation in septic rats. 2010 , 14, P153	78
1044	ScvO ₂ and Pcv-aCO ₂ as complementary tools for goal-directed therapy during high-risk surgery. 2010 , 14, P154	3
1043	Prognostic value of central venous-arterial pCO ₂ difference in severe sepsis and septic shock patients. 2010 , 14, P155	78
1042	Veno-arterial carbon dioxide gradient at the early stage of septic shock. 2010 , 14, P156	2
1041	Venous-arterial PCO ₂ difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157	78
1040	Lactate and ScvO ₂ combinations do not predict mortality in ICU patients. 2010 , 14, P158	78
1039	Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. 2010 , 14, P159	78

1038	Regional lactate and oxygen saturation gradients: preliminary experimental data. 2010 , 14, P160	78
1037	Metformin increases platelet lactate production by inhibiting mitochondrial function. 2010 , 14, P162	1
1036	Artifactual lactic acidosis from point of care analysis: mind the gap. 2010 , 14, P163	78
1035	Physicochemical acid-base parameters and mortality in 1,070 ICU patients: a retrospective cohort study. 2010 , 14, P165	78
1034	Accuracy of predicting arterial blood gases following mechanical ventilator adjustment. 2010 , 14, P166	78
1033	Use of capnography and the availability of airway equipment on UK intensive care units. 2010 , 14, P167	78
1032	Combined oximetry and transcutaneous capnography is a reliable non-invasive monitoring in patients after cardiac surgery. 2010 , 14, P168	1
1031	Computerized lung sound monitoring to assess effectiveness of physiotherapy and secretion removal: a feasibility study. 2010 , 14, P169	3
1030	Analysis of sound waves recorded with the VRI pulmonary acoustic monitoring system in critically ill mechanically ventilated patients. 2010 , 14, P170	78
1029	Lung tissue properties obtained by optical alveolar elastometry. 2010 , 14, P171	1
1028	Combined monitoring of functional residual capacity and compliance may avoid hyperinflation and cardiac depression in ARDS. 2010 , 14, P172	78
1027	Electrical impedance tomography at two thoracic levels provides detailed information about ventilation distribution in the cranial to caudal direction. 2010 , 14, P173	78
1026	Changes in regional ventilation determined by volume and pressure-controlled ventilation as assessed by electrical impedance tomography in an experimental model of acid-induced acute lung injury. 2010 , 14,	78
1025	Changes in lung tidal distribution assessed by electrical impedance tomography in a model of hemorrhagic shock with endotoxemia and resuscitation. 2010 , 14,	78
1024	Estimating the intratidal compliance profile with the new gliding-SLICE method. 2010 , 14, P176	1
1023	Atelectasis and overdistension are detected by heartbeat-induced disturbances in the pressure-volume loop. 2010 , 14, P177	78
1022	Transpulmonary pressure and ventilation distribution measured with EIT during a PEEP trial in porcine acute lung injury. 2010 , 14, P178	1
1021	A prospective pilot study of the effect of neutrophil elastase on the pulmonary vascular permeability in patients with pneumonia. 2010 , 14, P179	78

1020	Evaluating the fibroproliferative response to ventilator-induced lung injury. 2010 , 14, P180	78
1019	Effects of severe hemorrhage on pulmonary mechanics in ventilated pigs with ARDS. 2010 , 14, P181	78
1018	Higher versus lower positive end-expiratory pressure in acute lung injury and acute respiratory distress syndrome: systematic review and individual patient data meta-analysis. 2010 , 14, P182	1
1017	Effect of different recruitment maneuvers on bacterial translocation. 2010 , 14, P183	78
1016	Nonlinear recruitment model with viscoelastic component fit respiratory mechanics in ARDS. 2010 , 14, P184	2
1015	Lung recruitment and PEEP response in ARDS-related H1N1 virus patients. 2010 , 14, P185	78
1014	Maximal recruitment strategy minimizes tidal recruitment in severe ARDS: a CT scan study. 2010 , 14, P186	78
1013	Mechanical ventilation with different alveolar pressures improves alveolar recruitment: a model study. 2010 , 14, P187	78
1012	Decreasing tidal volume from 6 to 4 ml/kg: feasibility and effects on repeated opening and closing. 2010 , 14, P188	78
1011	Barriers to providing lung-protective ventilation to patients with ALI/ARDS. 2010 , 14, P189	1
1010	Influence of aetiology of acute respiratory distress syndrome and early differences in oxygenation on outcome. 2010 , 14, P190	78
1009	Acute lung injury in TBI patients with SIRS: role of vascular endothelial damage. 2010 , 14, P191	1
1008	Mechanical ventilation aggravates transfusion-related acute lung injury induced by MHC class I antibodies. 2010 , 14, P192	78
1007	Adaptive support ventilation may be inappropriate for patients with ALI/ARDS after recruitment: an observational study. 2010 , 14, P193	78
1006	Receptor for advanced glycation end products is associated with systemic and organ-specific severity of acute lung injury and acute respiratory distress syndrome. 2010 , 14, P194	1
1005	Mild hypothermia was protective in a physiological model of ventilator-induced lung injury by reducing inflammation but not by reducing the respiratory rate. 2010 , 14, P195	78
1004	Effect of induced hypothermia on respiratory parameters in mechanically ventilated patients. 2010 , 14, P196	78
1003	Extracorporeal life support service in a regional referral center: the Florence experience. 2010 , 14, P197	78

1002	Interhospital ground transportation of severe acute respiratory distress syndrome patients on extracorporeal membrane oxygenation: Monza's experience. 2010 , 14, P198	78
1001	Effects of hypertonic saline on a pig model of acute lung injury induced by hydrochloric acid instillation. 2010 , 14,	78
1000	Conventional mechanical ventilation can injury intact lungs in severe trauma patients. 2010 , 14, P200	1
999	Protective effect of methylprednisolone on ventilator-induced diaphragm dysfunction is dose dependent. 2010 , 14, P201	78
998	Alveolar recruitment with non-invasive mechanical ventilation (C-PAP) in patients with nonobstructive respiratory failure. 2010 , 14, P202	78
997	N-acetylcysteine attenuates ventilator-induced diaphragm dysfunction in rats. 2010 , 14, P203	78
996	In vitro muscle contraction force measurements on isolated and entire rat diaphragms. 2010 , 14, P204	1
995	Useful of implementation of neurally adjusted ventilatory assist in critically ill patients. 2010 , 14, P205	1
994	Twenty-four-hour neurally adjusted ventilatory assist and volume cycled ventilation have similar effects on respiratory neuromuscular function in a porcine model of fecal peritonitis. 2010 , 14, P206	78
993	Effects of conventional and closed-loop neurally adjusted ventilatory assist in intubated spinal cord injured patients. 2010 , 14, P207	78
992	A level of neurally adjusted ventilatory assist corresponds to low levels of continuous positive airway pressure and pressure support ventilation in patients preparing to be extubated from mechanical ventilation. 2010 , 14, P208	78
991	Towards partially automated ventilation: adapting decision-making according to medical preferences. 2010 , 14, P209	78
990	Postoperative pulmonary complications in adult elective surgery patients in the US: severity, outcomes and resources use. 2010 , 14, P210	10
989	Increased duration of mechanical ventilation is associated with decreased diaphragmatic force. 2010 , 14, P211	1
988	Haemodynamics and volhaemic stage in patients with respiratory disorders to thermal injury. 2010 , 14, P212	78
987	Invasive mechanical ventilation in cancer patients: prior non-invasive ventilation is a poor prognostic factor. 2010 , 14, P213	78
986	Laryngeal angioedema: do we need a new treatment algorithm in the ER?. 2010 , 14, P214	78
985	Comparison of two insertion techniques of the ProSeal laryngeal mask airway: standard versus 90° rotation in pediatric patients. 2010 , 14, P215	78

984	Endotracheal intubation in the critically ill: complication rate and use of intubation aids. 2010 , 14, P216	78
983	Intensity and adequacy of laryngoscope light in seven intensive care units. 2010 , 14, P217	78
982	Airtraq: new device in patients at increased risk for difficult tracheal intubation. 2010 , 14, P218	78
981	Evaluation of a new tracheostomy technique for morbidly obese patients on an intensive care unit. 2010 , 14, P219	2
980	Our percutaneous tracheostomy experiences using the rotation-dilatation screw method. 2010 , 14, P220	78
979	Single-step vs balloon dilatation tracheostomy: a pilot study on 20 tracheostomies. 2010 , 14, P221	78
978	Recruitment maneuver for prevention of alevolar derecruitment during percutaneous dilation tracheostomy. 2010 , 14, P222	78
977	An audit of timing of tracheostomy formation in neurosurgical patients: how long should we wait?. 2010 , 14, P223	78
976	Percutaneous dilational tracheotomy in adult burn patients. 2010 , 14, P224	2
975	Safety of percutaneous tracheostomy in trauma patients. 2010 , 14, P225	3
974	Safety of balloon dilatational tracheostomy with the Ciaglia Blue Dolphin device. 2010 , 14, P226	78
973	Influence of the cuff pressure on the swallowing reflex in tracheostomized ICU patients. 2010 , 14, P227	78
972	Microaspirations during mechanical ventilation: polyurethane versus polyvinyl cuffed endotracheal tubes. 2010 , 14, P228	78
971	Do endotracheal tubes prevent microaspiration?. 2010 , 14, P229	4
970	A cuff -leak pressure test is a simple method for assessing severe laryngeal edema in postoperative patients. 2010 , 14, P230	78
969	Code critical airway teams improves patient safety. 2010 , 14, P231	3
968	A prospective evaluation of hemodynamic indexes to predict weaning from mechanical ventilation in patients after cardiac surgery. 2010 , 14, P232	78
967	Rapid shallow breathing index predicts readiness to wean?. 2010 , 14, P233	78

966	Increasing pressure support during vibrocompression is useful during respiratory therapy?. 2010 , 14, P234	78
965	Predicting success in weaning from mechanical ventilation in patients with and without cardiac disease. 2010 , 14, P235	78
964	Implementation of a standardised weaning protocol in patients with prolonged mechanical ventilation in a post-acute care ICU. 2010 , 14, P236	0
963	Comparison of pressure control and pressure support modes for non-invasive mechanical ventilation in acute hypercapnic respiratory failure. 2010 , 14, P237	1
962	Non-invasive CPAP with face mask: comparison between different devices. 2010 , 14, P238	1
961	Effects of non-invasive mechanical ventilation on hemodynamic and gas exchanges parameters after cardiac surgery in patients with $300 >PaO_2/FiO_2 >150$. 2010 , 14, P239	78
960	Non-invasive positive pressure ventilation in burns. 2010 , 14, P240	78
959	Non-invasive mechanical ventilation in the weaning process: continuous hemodynamic monitoring. 2010 , 14, P241	78
958	Influence of severe obesity on non-invasive ventilation strategies and responses in patients with acute hypercapnic respiratory failure in ICU. 2010 , 14, P242	1
957	A simple predictive scoring system for prolonged mechanical ventilation in severe sepsis and septic shock. 2010 , 14, P243	78
956	Simplified approach to ICU severity scoring with MPM and EUROSCORE. 2010 , 14, P244	78
955	Validation of a computerised system to calculate the sequential organ failure assessment score. 2010 , 14, P245	3
954	Sequential Organ Failure Assessment scores and mortality. 2010 , 14, P246	78
953	Bacteremia, APACHE II and need for renal replacement therapy are independent predictors of mortality in critically ill transplanted patients with cirrhosis. 2010 , 14, P247	78
952	External validation of six mortality prediction systems for intensive care unit patients. 2010 , 14, P248	78
951	Prognostic accuracy of severity score for prolonged ICU length of stay >72 hours in general surgical ICU: a prospective study. 2010 , 14, P249	78
950	Perioperative scores to predict mortality in surgical oncologic patients: a review of 1,362 cases. 2010 , 14,	78
949	Scoring patients with a suspected infection in the emergency department (ED): comparison of the ED-specific MEDS score with APACHE II and SOFA score. 2010 , 14, P251	1

948	Validation of the new proposed Emergency Trauma Score (EMTRAS). 2010 , 14, P252	2
947	A new severity score for community-acquired pneumonia: PARB score. 2010 , 14, P253	2
946	Modified Early Warning Score and identification of patients with severe sepsis. 2010 , 14, P254	78
945	Impact of a systematic MEWS introduction on preoperative and postoperative evaluation in urgent/emergency surgery. 2010 , 14, P255	2
944	Clinical predictors of physiological deterioration. 2010 , 14, P256	78
943	Modified Early Warning Scores: inaccurate summation or inaccurate assignment of score?. 2010 , 14, P257	8
942	Analysis of Modified Early Warning System scores and intraoperative factors on the incidence of sepsis and septic shock after elective major surgery. 2010 , 14, P258	2
941	Temporal variability of medical emergency team calls. 2010 , 14, P259	78
940	Medical emergency team use and outcomes in an Australian private hospital. 2010 , 14, P260	1
939	Continuously improving patient safety by a rapid response system. 2010 , 14, P261	78
938	Role of critical care outreach to provide the intention to treat of hematological disorders: a pilot study. 2010 , 14, P262	78
937	Score to door time: a benchmarking tool for rapid response systems. 2010 , 14, P263	1
936	A comparison of injected lidocaine 2% and no analgesia for peripheral intravenous cannula insertion in the emergency department. 2010 , 14, P264	78
935	High-sensitive troponin T measurement for patients with acute chest pain: improvement of diagnostics?. 2010 , 14, P265	78
934	Correlation of lung comet score with decreased gas exchange in patients with acute pulmonary edema: a pilot study. 2010 , 14, P267	78
933	Magnitude of first medical contact in the long-term prognosis of patients treated with STEMI. 2010 , 14, P268	78
932	Ultrasound-guided hematoma block and fracture reduction: a new way to go forward. 2010 , 14, P269	2
931	Pulmonary edema in the prehospital setting: the importance of early treatment. 2010 , 14, P270	78

930	Efficacy of bedside ultrasonography in early diagnosis of patients admitted to the emergency department with dyspnea. 2010 , 14, P271	78
929	Auscultation in flight: comparison of amplified and traditional stethoscopes. 2010 , 14, P272	1
928	Performance of ventilators at simulated altitude: study of fraction of inspired oxygen. 2010 , 14, P273	78
927	Aeromedical evacuation of the French Army: survey of the past 10 years. 2010 , 14, P274	1
926	Comparison of two disaster drills' management performed by trained and not-trained students: key times evaluation. 2010 , 14, P275	78
925	Acute severe asthma: performance of ventilator at simulated altitude. 2010 , 14, P276	78
924	Validation of a new French-language triage algorithm: the ELISA scale. 2010 , 14, P277	1
923	Examining the suitability of medical admissions to the emergency short stay ward of a large UK hospital. 2010 , 14, P278	3
922	A study on reliability of a new triage emergency method among nursing students. 2010 , 14, P279	78
921	Aggression and violence against staff of ambulance services. 2010 , 14, P280	78
920	Analysis of the disease spectrum of treated patients after Wenchuan earthquake. 2010 , 14, P281	78
919	Large-scale implementation of a critical care surge capacity management program. 2010 , 14, P282	78
918	Standard X-rays for the victims of severe trauma: time for a change. 2010 , 14, P283	78
917	Focused assessment with sonography for trauma in the prehospital setting. 2010 , 14, P284	0
916	Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010 , 14, P285	78
915	Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010 , 14, P286	78
914	Predictors of mechanical ventilation after burn injury. 2010 , 14, P287	78
913	Impact of regional imaging guidelines for head injury and unconscious polytrauma patients. 2010 , 14, P288	78

912	Blunt vascular injuries of the carotid and vertebral arteries: should we screen the asymptomatic trauma patients at high risk? Preliminary results of a prospective cohort study. 2010 , 14, P289	78
911	Effect of 8.4% sodium bicarbonate on raised intracranial pressure after traumatic brain injury. 2010 , 14, P290	78
910	Hypernatremia in pediatric patients with severe traumatic brain injury. 2010 , 14, P291	78
909	Use of transcranial Doppler in patients with severe traumatic brain injury. 2010 , 14, P292	2
908	Effect of hyperbaric oxygen on cerebral oxygen saturation in patients with sub-acute traumatic brain injury. 2010 , 14, P294	78
907	Brain biomarkers and brain tissue oxygenation: changes and correlations following severe head injury. 2010 , 14, P295	78
906	Cortex and deep grey matter have different sensitivities to hypoxia-hypotension and traumatic brain injury: a combined PtIO ₂ and microdialysis study in rats. 2010 , 14, P296	78
905	Diagnosis of carotid and vertebral artery injury in major trauma with head injury. 2010 , 14, P297	78
904	Decompressive craniectomy in severe intracranial hypertension after brain injury: early or late?. 2010 , 14, P298	78
903	Optic nerve ultrasound for detecting intracranial hypertension. 2010 , 14, P300	1
902	Measurement of neuronal specific enolase as a predictor of outcome in patients suffering from severe traumatic brain injury. 2010 , 14, P301	78
901	Hyperphosphorylated neurofilament NF-H, S100 β and NSE as indicators of severity of brain injury in children. 2010 , 14, P302	78
900	A simple hospital discharge score predicts Glasgow Outcome Scale at 12 months in patients with traumatic brain injury. 2010 , 14, P303	78
899	Outcome of aggressive treatment for blunt and penetrating traumatic cardiac arrest. 2010 , 14, P304	78
898	Using flow-rate limiting bag-valve-mask device without training. 2010 , 14, P305	78
897	Out-of-hospital cardiac arrest and resource utilisation in the ICU. 2010 , 14, P306	78
896	Comparison of external cardiac compression on the floor and in a dental chair. 2010 , 14, P307	78
895	Time factors rather than type and/or nature of CPR modify the prognosis of out-of-hospital cardiac arrests witnessed by bystanders. 2010 , 14, P309	78

894	Use of the laryngeal tube by paramedics during prehospital resuscitation: an observational study. 2010 , 14, P310	78
893	The i-gel supraglottic airway as an alternative in the preclinical emergency medical aid? A comparative study on a manikin. 2010 , 14, P311	78
892	Retention of skills during emergency airway management training: a 12-month follow-up. 2010 , 14, P312	2
891	Factors correlated with the advanced life support simulation performance of senior medical students. 2010 , 14, P313	78
890	Aging augments unwillingness to the initial three links in chains of survival. 2010 , 14, P314	78
889	Prediction of the success of cardiac resuscitation: a pattern classification approach based on ECG spectral and temporal features. 2010 , 14, P315	78
888	Dispatcher-assisted telephone cardiopulmonary resuscitation using a French compression-only protocol: performance of volunteers with or without prior life support training. 2010 , 14, P316	78
887	CPR team members' attitudes towards family presence during cardiopulmonary resuscitation. 2010 , 14, P317	78
886	Prehospital therapeutic hypothermia induced with cold infusions improves haemodynamic stability in nonshockable cardiac arrest patients. 2010 , 14, P318	1
885	Trans-nasal cooling during CPR: a single-center experience. 2010 , 14, P319	1
884	Intra-arrest cooling using a novel intra-nasal cooling method for immediate induction of therapeutic hypothermia in Germany. 2010 , 14, P320	78
883	Therapeutic hypothermia after cardiac arrest: implementation in UK intensive care units. 2010 , 14, P321	78
882	Hospital-wide therapeutic hypothermia protocol significantly reduces the time to induce hypothermia but does not improve outcomes. 2010 , 14, P322	78
881	Induced hypothermia after cardiac arrest for 12 hours: single-centre experience. 2010 , 14, P323	78
880	Survival following adult cardiac arrest in intensive care units: a 5-year retrospective analysis. 2010 , 14, P324	78
879	Effects of bed height and time on the quality of chest compressions during cardiopulmonary resuscitation. 2010 , 14, P325	78
878	New results about early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. 2010 , 14, P326	78
877	Infection rates among cooled patients post cardiac arrest. 2010 , 14, P327	78

876	Strategies to implement a therapeutic hypothermia program. 2010 , 14, P328	78
875	A comparison of core and tympanic temperature measurement in the critically ill. 2010 , 14, P329	1
874	Can we predict neurological prognoses with computed tomography just after resuscitation?. 2010 , 14, P330	78
873	Unintended consequences of technology improvement. 2010 , 14, P331	78
872	Bispectral Index Scale alterations in brain death patients. 2010 , 14, P332	78
871	Prognosis in patients presenting with nontraumatic coma. 2010 , 14, P333	2
870	Dynamic changes in cerebral oxygenation by two methods during cardiac surgery and postoperative cognitive decline. 2010 , 14, P334	1
869	Acetazolamide-induced cerebrovascular reactivity is impaired in sepsis-associated encephalopathy. 2010 , 14, P335	1
868	Epidemiological analysis of patients with cerebral aneurysms submitted to embolization at Sã Josê do Ava Hospital. 2010 , 14, P336	78
867	Frequency/prevalence analysis of risk factors on aneurysmal subarachnoid hemorrhage. 2010 , 14, P337	1
866	Monitoring regional brain oxygen saturation in patients with clipped aneurysms of the anterior circle of Willis. 2010 , 14, P338	78
865	Early prognosis value of the first 24 hours mean plasma S100 protein level after subarachnoid aneurysmal hemorrhage. 2010 , 14, P339	78
864	Altered aortic stiffness associated with stress cardiomyopathy in patients with aneurysmal subarachnoid haemorrhage. 2010 , 14, P340	78
863	Effect of packed red blood cell transfusion on cerebral oxygenation and metabolism after subarachnoid hemorrhage. 2010 , 14, P341	1
862	Comparison of surgical or endovascular treated aneurysmal SAH patients with a special emphasis on cerebral vasospasm. 2010 , 14, P342	78
861	Prediction of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage using jugular bulb oximetry monitoring: preliminary results. 2010 , 14, P343	0
860	Magnesium use on prophylaxis of vasospasm morbidity and mortality rate in subarachnoid hemorrhage. 2010 , 14, P344	78
859	Effects of simvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. 2010 , 14, P345	78

858	Addition of new criteria to Sequential Organ Failure Assessment for patients with subarachnoid hemorrhage. 2010 , 14, P346	78
857	Cardiac output augmentation with fluid resuscitation improves brain tissue oxygenation after severe brain injury. 2010 , 14, P347	78
856	Multicentre experience of using ICM+ for investigations of cerebrovascular dynamics with near-infrared spectroscopy. 2010 , 14, P348	2
855	Cerebral oxygen saturation and cerebral blood flow are relatively stable during single-lung ventilation, if normocapnia is maintained. 2010 , 14, P349	78
854	Factors affecting the transient hyperaemic response test of the cerebral autoregulation. 2010 , 14, P350	78
853	Infection associated with the external ventricular derivation catheter: preliminary data. 2010 , 14, P351	78
852	fMRI default mode connectivity in vegetative state and locked-in syndrome patients. 2010 , 14, P352	78
851	Incidence of cerebral salt wasting syndrome: comparison in subarachnoid haemorrhagic compared with head trauma. 2010 , 14, P353	78
850	Sodium dysbalances in neurointensive care: results of a 5-year prospective study. 2010 , 14, P354	78
849	Impact of hypernatremia on patients with severe traumatic brain injury. 2010 , 14, P355	5
848	Prevalence and clinical setting of SIADH in neurosurgery: comparison between subarachnoid haemorrhage and head trauma. 2010 , 14, P356	78
847	Risk factors for venous thromboembolism in Japanese patients with severe blunt trauma. 2010 , 14, P357	78
846	Safety of heparin prophylaxis for venous thromboembolism in patients with neurotrauma. 2010 , 14, P358	78
845	Prevalence and incidence of proximal deep vein thrombosis in critically ill patients. 2010 , 14, P359	78
844	Trauma patients with prophylactic IVC filter and chemical prophylaxis: a descriptive study. 2010 , 14, P360	78
843	Clinical signs and risk factors of acute deep vein thrombosis of lower extremities in patients after abdominal surgery for cancer: efficiency and safety of different types of anticoagulant therapy. 2010 , 14, P361	78
842	Multidrug sedation as a risk factor for deep vein thrombosis in the intensive care unit. 2010 , 14, P362	78
841	New method diagnostics for coagulation disorders after surgery. 2010 , 14, P363	78

840	Thrombocytopenia in surgical ICU patients. 2010 , 14, P364	78
839	Platelet count as a prognostic marker in intensive care. 2010 , 14, P365	1
838	66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010 , 14, P366	78
837	Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010 , 14, P367	78
836	Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a prothrombin complex concentrate. 2010 , 14, P368	78
835	Fibrinogen in dilutional coagulopathy: a dose study in pigs. 2010 , 14, P369	78
834	Tranexamic acid reduces blood loss in postpartum haemorrhage. 2010 , 14, P370	6
833	Regional variation of the off-licence use of rFVIIa for patients with uncontrolled haemorrhage in England. 2010 , 14, P371	78
832	Early use of factor VIIa in cardiac surgery is associated with lower rates of blood transfusions without impact on outcome. 2010 , 14,	78
831	Low-frequency hemoviscoelastography in monitoring coagulation disorders after abdominal surgery for cancer. 2010 , 14, P373	78
830	Reliability of the HemoCue [®] hemoglobinometer in critically ill patients. 2010 , 14, P374	78
829	Effect of transfusion, leukocyte-depleted blood product on onset of new septic shock and mortality in septic shock. 2010 , 14, P375	78
828	Transfusion Requirements After Cardiac Surgery (TRACS) study: preliminary data of a randomized controlled clinical trial. 2010 , 14,	3
827	Analysis of red cell transfusion practices in patients without active haemorrhage over a 12-month period in a UK intensive care unit. 2010 , 14, P377	78
826	Effects of red blood cell transfusion in central venous saturation and lactate levels in patients with septic shock. 2010 , 14, P378	78
825	Massive transfusion in paediatric trauma: a single-centre experience. 2010 , 14, P379	78
824	Cytokine levels evaluation during acute isovolemic anemia. 2010 , 14,	78
823	Haemodynamic alterations in community-acquired sepsis at early stage. 2010 , 14, P381	3

822	Epidemiology of severe sepsis in India: an update. 2010 , 14, P382	18
821	Systemic inflammatory response syndrome is reduced by inline filtration in intensive care patients. 2010 , 14, P383	78
820	Review of central venous catheter-related infections in neurointensive care patients in a tertiary referral centre. 2010 , 14, P384	78
819	Clinical impact of diagnosis methods for catheter-related bloodstream infection in ICU patients. 2010 , 14, P385	78
818	Catheter-related bacteremia in a jugular site with tracheostomy and in a femoral site. 2010 , 14, P386	78
817	A comparative study between conventional and antiseptic impregnated central venous catheters in neurocritical patients. 2010 , 14, P387	78
816	Comparison between peripherally inserted central venous catheters and short-term central venous catheter in patients discharged from the ICU. 2010 , 14, P388	1
815	Vacuum-assisted closure of laparostomy, an efficient strategy for complicated intra-abdominal infection. 2010 , 14, P389	78
814	Comparison between left ventricular tissue Doppler strain imaging and the sequential organ failure assessment score (SOFA score) in patients with severe sepsis or septic shock. 2010 , 14, P390	78
813	Systolic and diastolic function and survival in severe sepsis and septic shock: clinical, echocardiographic, biochemical correlation. 2010 , 14, P391	78
812	Frequency and clinical spectrum of myocardial dysfunction in severe sepsis and septic shock. 2010 , 14, P392	78
811	Effects of nitroglycerin on intestinal microcirculatory blood flow in patients with abdominal sepsis. 2010 , 14, P393	78
810	Diastolic dysfunction in septic shock is an independent predictor of elevated B-type natriuretic peptide and hospital mortality. 2010 , 14, P394	1
809	Cardiac-specific troponin I and cardiovascular dysfunction in post-traumatic sepsis. 2010 , 14, P395	78
808	Both systolic and diastolic functions are impaired in critically ill patients with community-acquired sepsis. 2010 , 14, P396	78
807	Selective V1a agonism reduces vascular leakage and cardiopulmonary dysfunction in methicillin-resistant <i>Staphylococcus aureus</i> sepsis. 2010 , 14, P397	2
806	Sepsis resuscitation bundle compliance in septic shock: improves survival and yet better late than never. 2010 , 14, P398	78
805	Effect of myocardial preservation of early goal-directed therapy on severe sepsis/septic shock patients in the ICU. 2010 , 14, P399	1

804	Impact of the sepsis bundle strategy on the outcomes of the patients suffering from severe sepsis and septic shock. 2010 , 14, P400	78
803	Impact of Surviving Sepsis Campaign implementation in Brazil. 2010 , 14, P401	78
802	Effect of synthetic vasopressin in septic shock using esophageal Doppler. 2010 , 14, P402	78
801	Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. 2010 , 14, P403	78
800	Outcomes and incidence of bleeding events associated with drotrecogin alfa: a single-centre experience of 440 patients. 2010 , 14, P404	78
799	Activated protein C: cost matters!. 2010 , 14, P405	78
798	Outcome of patients receiving two or more infusions of activated protein C: a single-centre experience. 2010 , 14, P406	78
797	Drotrecogin alfa (activated): a single-centre experience of 110 patients. 2010 , 14, P407	78
796	Efficacy of recombinant human soluble thrombomodulin in disseminated intravascular coagulation. 2010 , 14, P408	78
795	Clinical experience with lipopolysaccharide adsorber in cancer patients with severe sepsis and septic shock. 2010 , 14, P409	78
794	Apheresis of activated leukocytes with an immobilized polymyxin B filter. 2010 , 14, P410	0
793	Therapeutic blood purification using functionalized core/shell nanomagnets. 2010 , 14, P411	78
792	Coupled plasma filtration and adsorption in septic shock: a multicentric experience. 2010 , 14, P412	2
791	Patients admitted to the ICU for extra-abdominal disease and operated on for emergency laparotomy have significant survival. 2010 , 14, P413	78
790	Can ICU admission be predicted?. 2010 , 14, P414	78
789	Unsuitable for ICU: what happens next?. 2010 , 14, P415	78
788	Admission pattern and outcome in a UK weaning centre. 2010 , 14, P416	78
787	Referral to intensive care: who and when?. 2010 , 14, P417	78

786	Acute drug overdose in an ICU: 15 years experience. 2010 , 14, P418	3
785	Prognostic factors for very short-term mortality in severe sepsis. 2010 , 14, P419	78
784	Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010 , 14, P420	78
783	Prognoses indicators of HIV patients admitted to the ICU. 2010 , 14, P421	78
782	Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. 2010 , 14, P422	78
781	Is intensive care beneficial for patients with haematologic malignancies?. 2010 , 14, P423	78
780	Postoperative mortality in the Netherlands: identifying high-risk surgery. 2010 , 14, P424	0
779	Cardiorenal Syndrome Type 5. 2019 , 704-711.e2	
778	A multicenter study on clinical characteristics of Acinetobacter bacteremia in patients with liver cirrhosis. 2019 , 52, 956-965	3
777	Mid-regional pro-atrial natriuretic peptide as a biomarker of left ventricular systolic dysfunction in patients with sepsis. 2019 , 28, 129-33	1
776	Ethical considerations in conducting surgical research in severe complicated intra-abdominal sepsis. 2019 , 14, 39	7
775	Effect of adjunctive corticosteroid on 28-day mortality in neutropenic patients with septic shock. 2019 , 98, 2311-2318	1
774	Colistin for the treatment of urinary tract infections caused by extremely drug-resistant Pseudomonas aeruginosa: Dose is critical. 2019 , 79, 253-261	14
773	Simvastatin Improves Neutrophil Function and Clinical Outcomes in Pneumonia. A Pilot Randomized Controlled Clinical Trial. 2019 , 200, 1282-1293	53
772	Evaluation of Real-Time PCR Coupled With Multiplex Probe Melting Curve Analysis for Pathogen Detection in Patients With Suspected Bloodstream Infections. 2019 , 9, 361	5
771	Biomarkers of Infection: Are They Useful in the ICU?. 2019 , 40, 465-475	10
770	Preactivated and disaggregated shape-changed platelets protect kidney against from ischemia-reperfusion injury in rat through attenuating inflammation reaction. 2019 , 13, 2155-2168	5
769	Clinical Decision Support for Early Recognition of Sepsis. 2019 , 34, 494-501	2

768	The accuracy of a diagnosis of pneumonia in the emergency department. 2019 , 89, 62-65	8
767	Traditional Chinese medicine bundle therapy for septic acute gastrointestinal injury: A multicenter randomized controlled trial. 2019 , 47, 102194	4
766	Early fasciotomies and plastic-surgical reconstruction may enhance preservation of functional extremity length in purpura fulminans. 2020 , 75, 267-278	1
765	Multiple Organ Dysfunction in the Pediatric Intensive Care Unit. 2019 , 1215-1218.e1	0
764	Whole blood RNA sequencing reveals a unique transcriptomic profile in patients with ARDS following hematopoietic stem cell transplantation. 2019 , 20, 15	10
763	New fluid therapy protocol in acute burn from a tertiary burn care centre. 2019 , 45, 335-340	7
762	Severe Trauma and Sepsis. 2019 ,	
761	Continuous versus intermittent infusions of antibiotics for the treatment of infectious diseases: Meta-analysis and systematic review. 2019 , 98, e14632	6
760	Post-intensive Care Syndrome. 2019 , 213-219	1
759	Neurocritical Care. 2019 ,	
758	Severe Leptospirosis Features in the Spleen Indicate Cellular Immunosuppression Similar to That Found in Septic Shock. 2019 , 10, 920	1
757	Emergency Surgical Management of Colorectal Cancer. 2019 ,	0
756	Platelet-lymphocyte Ratio After Granulocyte Colony Stimulating Factor Administration: an Early Prognostic Marker in Septic Shock Patients With Chemotherapy-Induced Febrile Neutropenia. 2019 , 52, 160-165	6
755	Nuclear magnetic resonance-based serum metabolomic analysis reveals different disease evolution profiles between septic shock survivors and non-survivors. 2019 , 23, 169	17
754	Study of Delayed Antibiotic in Pediatric Febrile Immunocompromised Patients and Adverse Events. 2019 , 9, 379-386	0
753	Multidisciplinary Management of Postoperative Complications. 2019 , 133-136	
752	Broad-spectrum antibiotic use and poor outcomes in community-onset pneumonia: a cohort study. 2019 , 54,	34
751	Use of extracorporeal membrane oxygenation and associated outcomes in children hospitalized for sepsis in the United States: A large population-based study. 2019 , 14, e0215730	4

750	The Effect of Nutrition on Early Stress-Induced Hyperglycemia, Serum Insulin Levels, and Exogenous Insulin Administration in Critically Ill Patients With Septic Shock: A Prospective Observational Study. 2019 , 52, e31-e38	0
749	Rules of anti-infection therapy for sepsis and septic shock. 2019 , 132, 589-596	13
748	Resting Energy Expenditure and Oxygen Consumption in Critically Ill Patients With vs Without Sepsis. 2019 , 28, 136-141	3
747	Challenging the One-hour Sepsis Bundle. 2019 , 20, 185-190	12
746	Multiday corticosteroids in cancer chemotherapy delay the diagnosis of and antimicrobial administration for febrile neutropenia: a double-center retrospective study. 2019 , 5, 3	1
745	Noninvasive measurements of hemodynamic, autonomic and endothelial function as predictors of mortality in sepsis: A prospective cohort study. 2019 , 14, e0213239	12
744	The Impact of EGDT on Sepsis Mortality in a Single Tertiary Care Center in Lebanon. 2019 , 2019, 8747282	2
743	Assessment of early goal-directed therapy guideline adherence: Balancing clinical importance and feasibility. 2019 , 14, e0213802	1
742	Efficacy and safety of Shenfu injection for septic shock: A systematic review and meta-analysis of randomized controlled trials. 2019 , 37, 2197-2204	8
741	Initial arterial pH as a predictor of neurologic outcome after out-of-hospital cardiac arrest: A propensity-adjusted analysis. 2019 , 139, 76-83	6
740	Approaches for patients with very high MELD scores. 2019 , 1, 53-65	4
739	Impact of time to antibiotic on hospital stay, intensive care unit admission, and mortality in febrile neutropenia. 2019 , 27, 4171-4177	10
738	Part III: Minimum Quality Threshold in Preclinical Sepsis Studies (MQTiPSS) for Fluid Resuscitation and Antimicrobial Therapy Endpoints. 2019 , 51, 33-43	24
737	Sepsis patients with complication of hypoglycemia and hypoalbuminemia are an early and easy identification of high mortality risk. 2019 , 14, 539-548	19
736	Scored minor criteria for severe community-acquired pneumonia predicted better. 2019 , 20, 22	2
735	Pathophysiology of Acute Illness and Injury. 2019 , 11-42	2
734	Do Sepsis-3 Criteria Facilitate Earlier Recognition of Sepsis and Septic Shock? A Retrospective Cohort Study. 2019 , 51, 306-311	5
733	Global Case-Fatality Rates in Pediatric Severe Sepsis and Septic Shock: A Systematic Review and Meta-analysis. 2019 , 173, 352-362	59

732	A Novel Algorithm to Analyze Epidemiology and Outcomes of Carbapenem Resistance Among Patients With Hospital-Acquired and Ventilator-Associated Pneumonia: A Retrospective Cohort Study. 2019 , 155, 1119-1130	18
731	The impact of dementia on hospital outcomes for elderly patients with sepsis: A population-based study. 2019 , 14, e0212196	12
730	Pharmacological agents for adults with acute respiratory distress syndrome. 2019 , 7, CD004477	68
729	Carbapenem Treatment and Outcomes Among Patients With Culture-Positive Complicated Intra-abdominal Infections in US Hospitals: A Retrospective Cohort Study. 2019 , 6, ofz504	9
728	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. 2019 , 23, 360	17
727	Mortality risk over time after early fluid resuscitation in African children. 2019 , 23, 377	2
726	The Contribution of the Omentum to the Outcome From Sepsis: An Experimental Animal Study. 2019 , 52, 604-611	5
725	Shen fu injection for patients with septic shock: Protocol for an updated systematic review. 2019 , 98, e17004	1
724	Plasma exchange improves outcome of sepsis-associated liver failure: A case report. 2019 , 98, e15307	2
723	Predicting Bacterial Versus Viral Infection, or None of the Above: Current and Future Prospects of Biomarkers. 2019 , 39, 453-472	6
722	Derivation of a screen to identify severe sepsis and septic shock in the ED-BOMBARD vs. SIRS and qSOFA. 2019 , 37, 1260-1267	2
721	Hepatic Abscess. 2019 , 189-200	
720	GPR18 expression on PMNs as biomarker for outcome in patient with sepsis. 2019 , 217, 49-56	14
719	Renal Physiology. 2019 , 782-794	2
718	Phenotypes in acute respiratory distress syndrome: moving towards precision medicine. 2019 , 25, 12-20	70
717	COUNTERPOINT: Should the Surviving Sepsis Campaign Guidelines Be Retired? No. 2019 , 155, 14-17	10
716	The effects of fish oil emulsion-based parenteral nutrition plus combination treatment for acute paraquat poisoning. 2019 , 47, 600-614	6
715	Influence of bacterial resistance on mortality in intensive care units: a registry study from 2000 to 2013 (IICU Study). 2019 , 102, 317-324	10

714	Risk factors for extended-spectrum beta-lactamase-producing Enterobacteriaceae infection causing septic shock in cancer patients with chemotherapy-induced febrile neutropenia. 2019 , 14, 433-440		9
713	Early Active Drainage by Fine Tube Bundles Improves the Clinical Outcome of Anastomotic Leak after Abdominal Surgery: A Pilot Randomized, Controlled Trial in Two Tertiary Hospitals in China. 2019 , 20, 208-214		1
712	[Sepsis Update: Evidence-Based Therapy]. 2019 , 54, 50-62		
711	Variation in Emergency Department Adherence to Treatment Guidelines for Inpatient Pneumonia and Sepsis: A Retrospective Cohort Study. 2019 , 26, 908-920		2
710	The association of puerperal sepsis with HIV infection at two tertiary hospitals in Zimbabwe. 2019 , 144, 67-72		
709	Management of Sepsis in Patients With Cirrhosis: Current Evidence and Practical Approach. 2019 , 70, 418-428		16
708	Prehospital sepsis alert notification decreases time to initiation of CMS sepsis core measures. 2019 , 37, 114-117		11
707	Epidemiology and Changes in Mortality of Sepsis After the Implementation of Surviving Sepsis Campaign Guidelines. <i>Journal of Intensive Care Medicine</i> , 2019 , 34, 740-750	3.3	33
706	Hemodynamic Instability Secondary to Vasopressin Withdrawal in Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2019 , 34, 761-765	3.3	16
705	Enoxaparin pretreatment effect on local and systemic inflammation biomarkers in the animal burn model. 2019 , 27, 521-529		1
704	Differential Effects of Selective and Nonselective Potassium Channel Inhibitors in Ovine Endotoxemic Shock (Macrocirculation) and in a Rat Model of Septic Shock (Microcirculation). 2019 , 51, 247-255		1
703	Impact of Low-Dose Hydrocortisone on the Incidence of Atrial Fibrillation in Patients With Septic Shock: A Propensity Score-Inverse Probability of Treatment Weighting Cohort Study. <i>Journal of Intensive Care Medicine</i> , 2019 , 34, 238-244	3.3	12
702	Extended Mortality and Chronic Kidney Disease After Septic Acute Kidney Injury. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 527-535	3.3	22
701	Shock Index-A Useful Noninvasive Marker Associated With Age-Specific Early Mortality in Children With Severe Sepsis and Septic Shock: Age-Specific Shock Index Cut-Offs. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 984-991	3.3	8
700	Vasoactive Agents for Adult Septic Shock: An Update and Review. 2020 , 33, 523-532		1
699	Ceftolozane/Tazobactam vs Polymyxin or Aminoglycoside-based Regimens for the Treatment of Drug-resistant <i>Pseudomonas aeruginosa</i> . 2020 , 71, 304-310		63
698	What is the Role of Nursing Homes in the Surviving Sepsis Campaign?. 2020 , 21, 41-45		3
697	Circulatory effects of dexmedetomidine in early sepsis: a randomised controlled experimental study. 2020 , 393, 89-97		

696	Treatment with One Dose of Reltecimod is Superior to Two Doses in Mouse Models of Lethal Infection. 2020 , 26, 1669-1683	1
695	Understanding Failure to Rescue After Esophagectomy in the United States. 2020 , 109, 865-871	9
694	From a pressure-guided to a perfusion-centered resuscitation strategy in septic shock: Critical literature review and illustrative case. 2020 , 56, 294-304	7
693	Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. 2020 , 38, 641-647	81
692	What Demographic and Clinical Factors Are Associated with In-hospital Mortality in Patients with Necrotizing Fasciitis?. 2020 , 478, 1770-1779	2
691	A single-centre observational cohort study to evaluate volume and severity of emergency general surgery admissions during the COVID-19 pandemic: Is there a "lockdown" effect?. 2020 , 83, 259-266	22
690	The Continuing Plague of Extended-Spectrum β -Lactamase Producing Enterbacterales Infections: An Update. 2020 , 34, 677-708	4
689	Free circulating mircoRNAs support the diagnosis of invasive aspergillosis in patients with hematologic malignancies and neutropenia. 2020 , 10, 16532	1
688	Use of perfusion index to detect hemodynamic changes in endotoxemic pigs. 2020 , 30, 534-542	0
687	New Concept and Management for Sepsis in Pregnancy and the Puerperium. 2020 , 2, 231-239	1
686	Short- and intermediate-term evaluation of the initial definitive operation for perforated choledochal cysts compared to two-stage management. 2020 , 1	3
685	Improving timing of antibiotics in neonates with early onset sepsis - Quality improvement project. 2020 , 13, 239-246	0
684	Variation in the Outcome of Norepinephrine-Dependent Septic Patients After the Institution of a Protocol in an Italian Intensive Care Unit: Retrospective Observational Study. 2020 , 7, 592282	
683	From H1N1 to 2019-nCoV, what do we learn?. 2020 , 23, 187-189	1
682	Altered profiles of serum amino acids in patients with sepsis and septic shock - Preliminary findings. 2020 , 691, 108508	6
681	Evaluating outcomes following emergency laparotomy in the North of England and the impact of the National Emergency Laparotomy Audit - A retrospective cohort study. 2020 , 77, 154-162	5
680	Protective role of DJ-1 in endotoxin-induced acute kidney injury. 2020 , 319, F654-F663	6
679	Early lactate measurements for predicting in-hospital mortality in paediatric sepsis. 2020 , 56, 1570-1576	8

678	Hydrocortisone with fludrocortisone for septic shock: a systematic review and meta-analysis. 2020 , 7, e563		3
677	Ring Out the Old, Retain With the New. <i>Critical Care Medicine</i> , 2020 , 48, 1385-1386	1.4	
676	Etomidate, Adrenal Insufficiency and Mortality Associated With Severity of Illness: A Meta-Analysis. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 1124-1129	3.3	5
675	Plasma Transfusion Promoted Reprogramming CD4 T Lymphocytes Immune Response in Severe Sepsis Mice Model Through Modulating the Exosome Protein Galectin 9. 2020 , 29, 963689720947347		5
674	Febrile Neutropenia in Patients with Solid Tumors Undergoing Intravenous Chemotherapy. 2020 , 43, 605-612		1
673	Anesthesia-Sepsis-Associated Alterations in Liver Gene Expression Profiles and Mitochondrial Oxidative Phosphorylation Complexes. 2020 , 7, 581082		4
672	Hypocalcemia in the Critically Ill Pediatric Patients: A Review. 2020 , 35, 156-161		
671	Improvement of 1st-hour bundle compliance and sepsis mortality in pediatrics after the implementation of the surviving sepsis campaign guidelines. 2021 , 97, 459-467		3
670	Management of vasopressor induced ischemia. 2020 , 22, 497-502		3
669	2020 World Society of Emergency Surgery updated guidelines for the diagnosis and treatment of acute calculus cholecystitis. 2020 , 15, 61		38
668	Clinical outcome of severe sepsis and septic shock in critically ill children. 2020 , 50, 186-190		2
667	Right Dose, Right Now: Development of AutoKinetics for Real Time Model Informed Precision Antibiotic Dosing Decision Support at the Bedside of Critically Ill Patients. 2020 , 11, 646		9
666	Accelerating the Clinical Workflow Using the Sepsis Prediction and Optimization of Therapy (SPOT) Tool for Real-Time Clinical Monitoring. 2020 , 1,		1
665	Fluid Therapy: Friend or Foe?. 2020 , 47, 515-528		1
664	Emergent Transjugular Intrahepatic Portosystemic Shunt Creation in Acute Variceal Bleeding. 2020 , 37, 3-13		1
663	Terlipressin for the treatment of septic shock in adults: a systematic review and meta-analysis. 2020 , 20, 58		3
662	An Adjunct Indicator for the Diagnosis of Fracture-Related Infections: Platelet Count to Mean Platelet Volume Ratio. 2020 , 5, 54-59		0
661	Examining the association between triage streamed treatment location and time to appropriate antibiotics in emergency department patients with septic shock. 2020 , 32, 1008-1014		1

660	COVID-19 Sepsis and Microcirculation Dysfunction. 2020 , 11, 747		49
659	Smoking Is Associated With Longer Intensive Care Unit Stays in Spine Trauma Patients. 2020 , 34, e250-e255		1
658	Admittances characteristics by sepsis in the Spanish internal medicine services between 2005 and 2015: mortality pattern. 2020 , 132, 296-300		3
657	Near-Infrared Spectroscopy in Adult Circulatory Shock: A Systematic Review. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 943-962	3-3	4
656	Reinterpreting Renal Hemodynamics: The Importance of Venous Congestion and Effective Organ Perfusion in Acute Kidney Injury. 2020 , 359, 193-205		8
655	How do I identify pathologic organisms in the 21st century?. 2020 , 299-306.e1		
654	The origins of the Lacto-Bolo reflex: the mythology of lactate in sepsis. 2020 , 12, S48-S53		7
653	Role of procalcitonin use in the management of sepsis. 2020 , 12, S5-S15		25
652	Evaluation of appropriate indications for the use of sivelestat sodium in acute respiratory distress syndrome: a retrospective cohort study. 2020 , 7, e471		5
651	Pediatric Sepsis in Our Community: A Point Prevalence Study. 2020 , 15, 039-047		
650	Can the global end-diastolic volume index guide fluid management in septic patients? A multicenter randomized controlled trial. 2020 , 7, e468		1
649	Malnutrition, Health and the Role of Machine Learning in Clinical Setting. 2020 , 7, 44		7
648	Hydrogen attenuates sepsis-associated encephalopathy by NRF2 mediated NLRP3 pathway inactivation. 2020 , 69, 697-710		18
647	Multicentre study of risk factors for mortality in patients with <i>Acinetobacter</i> bacteraemia receiving colistin treatment. 2020 , 55, 105956		2
646	Prediction of sepsis mortality using metabolite biomarkers in the blood: a meta-analysis of death-related pathways and prospective validation. 2020 , 18, 83		26
645	Diagnostic Value of Presepsin for Bacterial Infection in Cirrhosis: A Pilot Study. 2020 , 52, 1593-1600		2
644	Early lactate area scores and serial blood lactate levels as prognostic markers for patients with septic shock: a systematic review. 2020 , 52, 451-463		5
643	Predictors of clinically relevant differences between noninvasive versus arterial blood pressure. 2021 , 43, 170-174		0

642	Impact of Prehospital Antibiotic Therapy on Septic Shock Mortality. 2021 , 25, 317-324	5
641	The association between higher driving pressure and higher mortality in patients with pneumonia without acute respiratory distress syndrome. 2021 , 120, 204-211	2
640	The impact of gender on the clinical presentation, management, and surgical outcomes of patients with native-joint septic arthritis. 2021 , 27, 371-376	1
639	Open abdominal management for perforative peritonitis with septic shock: a retrospective analysis on usefulness of a standardized treatment protocol. 2021 , 47, 93-98	0
638	The Use of Serum Procalcitonin in the Setting of Infected Ureteral Stones: A Prospective Observational Study. 2021 , 35, 457-462	
637	Rapid detection of bacterial pathogens in blood through engineered phages-beads and integrated Real-Time PCR into MicroChip. 2021 , 329, 129227	14
636	JNK selective inhibitor, IQ-1S, protects the mice against lipopolysaccharides-induced sepsis. 2021 , 30, 115945	8
635	Effect of Phenylephrine Push Before Continuous Infusion Norepinephrine in Patients With Septic Shock. 2021 , 159, 1875-1883	3
634	Posterior reversible encephalopathy syndrome: A neuropsychiatric manifestation of systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2021 , 20, 102739	13.6 6
633	2020 ACC/AHA Guideline for the Management of Patients With Valvular Heart Disease: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. 2021 , 143, e72-e227	239
632	2020 ACC/AHA Guideline for the Management of Patients With Valvular Heart Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. 2021 , 143, e35-e71	170
631	2020 ACC/AHA Guideline for the Management of Patients With Valvular Heart Disease: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. 2021 , 77, e25-e197	192
630	Antibiotics in the first hour: is there new evidence?. 2021 , 19, 45-54	0
629	Trend in infant mortality rate caused by sepsis in Brazil from 2009 to 2018. 2021 , 63, e26	3
628	Mendelson's syndrome complicated by bacterial aspiration pneumonia triggered by right putamen bleeding: A case report. 2021 , 33, 101466	
627	Literatur. 2021 , 945-986	
626	Failure to rescue patients after emergency laparotomy for large bowel perforation: analysis of the National Emergency Laparotomy Audit (NELA). 2021 , 5,	0
625	Hemodynamics. 2021 , 333-366	

624	Use of Sorbent Based on Hypercrosslinked Styrene-Divinylbenzene Copolymer With Immobilized LPS-Selective Ligand In Hemoperfusion For Treatment of Patients With Septic Shock. 2021 , 16, 31-53		4
623	Intensivmedizinische Besonderheiten bei Gefäßpatienten. 2021 , 93-132		
622	Lessons Learned from a Two-Round Delphi-based Scenario Study. 2021 , 8, 101179		10
621	Sepsis. 2021 , 1035-1058		
620	Interactions between hypertension and inflammatory tone and the effect on blood pressure and outcomes in patients with COVID-19. 2021 , 23, 238-244		5
619	Recombinant Human Thrombomodulin Has Additive Effects in Septic Patients Undergoing Continuous Hemodiafiltration Due to Intestinal Perforation. 2021 , 56, 374-383		1
618	2020 ACC/AHA Guideline for the Management of Patients With Valvular Heart Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. 2021 , 77, 450-500		135
617	Low fluid intake volume during the first 24 h and persistent negative fluid balance from the second day are associated with favorable prognosis for patients with sepsis. 2021 , 21, 387		1
616	Evasion of Immunological Memory by Infection: Implications for Vaccine Design. 2021 , 12, 633672		9
615	The Surviving Sepsis Campaign: Fluid Resuscitation and Vasopressor Therapy Research Priorities in Adult Patients. <i>Critical Care Medicine</i> , 2021 , 49, 623-635	1.4	7
614	Use of IFN γ /IL10 Ratio for Stratification of Hydrocortisone Therapy in Patients With Septic Shock. 2021 , 12, 607217		5
613	Cardiotoxicity Associated with Anti-CD19 Chimeric Antigen Receptor T-Cell (CAR-T) Therapy: Recognition, Risk Factors, and Management. 2021 , 9,		4
612	Prolonged Capillary Refilling as a Predictor of Mortality in Patients With Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2021 , 8850666211003507	3.3	1
611	Challenges to Reporting the Global Trends in the Epidemiology of ICU-Treated Sepsis and Septic Shock. 2021 , 23, 1		1
610	The surviving sepsis campaign: fluid resuscitation and vasopressor therapy research priorities in adult patients. 2021 , 9, 10		9
609	High Inter-Patient Variability in Sepsis Evolution: A Hidden Markov Model Analysis. 2021 , 201, 105956		0
608	Can Coagulation System Disorders and Cytokine and Inflammatory Marker Levels Predict the Temporary Clinical Deterioration or Improvement of Septic Patients on ICU Admission?. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	
607	Impact of a Clinical Decision Support Intervention on Albumin Utilization and Appropriateness of Use in an Academic Healthcare System.		

606	Management of sepsis and septic shock in the emergency department. 2021 , 16, 1649-1661	4
605	Hospital admission patterns of adult patients with complicated urinary tract infections who present to the hospital by disease acuity and comorbid conditions: How many admissions are potentially avoidable?. 2021 , 49, 1528-1534	3
604	Incidence and Impact of Dysglycemia in Patients with Sepsis Under Moderate Glycemic Control. 2021 , 56, 507-513	1
603	The JAID/JSC guidelines for management of infectious diseases 2017 - Sepsis and catheter-related bloodstream infection. 2021 , 27, 657-677	0
602	Clinical Efficacy of Patients With Secondary Bacteremia Treated With Omadacycline: Results From Phase 3 Acute Bacterial Skin and Skin Structure Infections and Community-Acquired Bacterial Pneumonia Studies. 2021 , 8, ofab136	1
601	Paediatrics: how to manage septic shock. 2021 , 10,	1
600	Altered Cytokine Responses in Children With Asymptomatic Infection in Burkina Faso: An Additional Argument to Treat Asymptomatic Malaria?. 2021 , 12, 614817	1
599	Cancer Treatment Helpline: a retrospective study of the NHS Tayside experience. 2021 , 10,	
598	Pharmacokinetics and pharmacodynamics of azithromycin in severe malaria bacterial co-infection in African children (TABS-PKPD): a protocol for a Phase II randomised controlled trial. 6, 161	
597	Comparison of dopamine versus norepinephrine in circulatory shock after cardiac surgery: A randomized controlled trial. 2021 , 36, 3711-3718	3
596	Individualized resuscitation strategy for septic shock formalized by finite mixture modeling and dynamic treatment regimen. 2021 , 25, 243	5
595	Average mean arterial pressure in the first 6 hours of extracorporeal cardiopulmonary resuscitation in the prediction of the prognosis of neurological outcome: a single-center retrospective study. 2021 , 2676591211027118	0
594	Study on clinical nursing pathway to promote the effective implementation of sepsis bundle in septic shock. 2021 , 26, 69	2
593	Arterial or cuff pressure: Clinical predictors among patients in shock in a critical care resuscitation unit. 2021 , 46, 109-115	0
592	2020 ACC/AHA guideline for the management of patients with valvular heart disease: A report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. 2021 , 162, e183-e353	22
591	Advancing Diagnostic Stewardship for Healthcare Associated Infections, Antibiotic Resistance, and Sepsis. 2021 ,	4
590	Endogenous Regulation and Pharmacological Modulation of Sepsis-Induced HMGB1 Release and Action: An Updated Review. 2021 , 10,	5
589	The association between mean arterial pressure and outcomes in patients with cardiogenic shock: insights from the DOREMI trial. 2021 , 10, 712-720	2

588	Effect of Slower vs Faster Intravenous Fluid Bolus Rates on Mortality in Critically Ill Patients: The BaSICS Randomized Clinical Trial. 2021 , 326, 830-838	7
587	Best practices in pediatric sepsis: building and sustaining an evidence-based pediatric sepsis quality improvement program. 2021 , 1-9	
586	Immune Reconstitution after Haploidentical Donor and Umbilical Cord Blood Allogeneic Hematopoietic Cell Transplantation. 2021 , 11,	0
585	Circulatory Failure/Shock. 2021 , 469-491	
584	Geriatric Decision-Making in the Emergency Department: A Surgeon's Perspective. 2021 , 27-37	
583	Preparing, conducting, and analyzing Delphi surveys: Cross-disciplinary practices, new directions, and advancements. 2021 , 8, 101401	13
582	A case report of septic gardnerellosis. 2021 , 24, e01069	
581	Liberal versus conservative fluid therapy in adults and children with sepsis or septic shock. 2018 , 12, CD0105935	
580	Shock. 1-21	4
579	Clarithromycin: A Promising Immunomodulator in Sepsis. 2009 , 111-118	1
578	Sepsis Response Team. 2011 , 245-252	1
577	Classic Critical Care Papers. 2010 , 7-12	1
576	Stress Ulcer Prophylaxis. 2010 , 361-370	1
575	Tele-ICU in Precision Medicine: It's Not What You Do, But How You Do It. 2020 , 321-331	1
574	The Acutely Ill Child. 2015 , 57-63	1
573	βBlockers in Critically Ill Patients: From Physiology to Clinical Evidence. 2015 , 139-152	2
572	A Markov Analysis of Patients Developing Sepsis Using Clusters. 2011 , 85-100	1
571	Hypogammaglobulinemia in Sepsis. 2012 , 98-108	3

570	Perioperative Hemodynamic Optimization: A Way to Individual Goals. 2012 , 357-367		3
569	What Have We Learned from the Surviving Sepsis Campaign?. 2011 , 219-225		1
568	Immunomodulators. 2010 , 611-623		1
567	Bacteremia and Sepsis Syndrome. 2010 , 925-932		1
566	Shock. 2011 , 305-314.e1		3
565	Septic Shock. 2011 , 992-997		1
564	Burns. 2012 , 521-547		1
563	MiR-22-3p suppresses sepsis-induced acute kidney injury by targeting PTEN. 2020 , 40,		19
562	Critical care essentials for pharmacy trainees and new clinical practitioners. 2021 , 78, 1176-1183		0
561	Clostridium septicum infection in a young pregnant patient. 2012 , 2012,		3
560	Management of Legionella in the intensive care setting. 2011 , 2011,		3
559	Tissue Edema, Fluid Balance, and Patient Outcomes in Severe Sepsis: An Organ Systems Review. <i>Journal of Intensive Care Medicine</i> , 2018 , 33, 502-509	3-3	26
558	Assessment of hemodynamic efficacy and safety of 6% hydroxyethylstarch 130/0.4 vs. 0.9% NaCl fluid replacement in patients with severe sepsis: the CRYSTMAS study. 2012 , 16, R94		248
557	Association of endothelial and glycocalyx injury biomarkers with fluid administration, development of acute kidney injury, and 90-day mortality: data from the FINNAKI observational study. 2019 , 9, 103		16
556	Enteral Formulations. 2015 , 259-278		2
555	Characterization of culturable airborne bacteria and antibiotic susceptibility profiles of indoor and immediate-outdoor environments of a research institute in Ghana. 2018 , 1, 17		1
554	Individuality, phenotypic differentiation, dormancy and 'persistence' in culturable bacterial systems: commonalities shared by environmental, laboratory, and clinical microbiology. 2015 , 4, 179		41
553	Individuality, phenotypic differentiation, dormancy and 'persistence' in culturable bacterial systems: commonalities shared by environmental, laboratory, and clinical microbiology. 2015 , 4, 179		42

552	The effects of polymyxin B-immobilized fiber hemoperfusion on respiratory impairment in endotoxemic pigs. 2014 , 81, 130-8	1
551	Evaluation of the Impact of Computerized Prescriber Order Entry on Medication Use System Performance at an Academic Medical Center. 2012 , 47, 776-782	2
550	Rhabdomyolysis in community acquired bacterial sepsis--a retrospective cohort study. 2009 , 4, e7182	23
549	Severe sepsis in two Ugandan hospitals: a prospective observational study of management and outcomes in a predominantly HIV-1 infected population. 2009 , 4, e7782	110
548	Sex-related differences in gene expression following Coxiella burnetii infection in mice: potential role of circadian rhythm. 2010 , 5, e12190	31
547	A retrospective analysis of the haemodynamic and metabolic effects of fluid resuscitation in Vietnamese adults with severe falciparum malaria. 2011 , 6, e25523	17
546	Decreasing mortality in severe sepsis and septic shock patients by implementing a sepsis bundle in a hospital setting. 2011 , 6, e26790	55
545	Feasibility of modified surviving sepsis campaign guidelines in a resource-restricted setting based on a cohort study of severe S. aureus sepsis [corrected]. 2012 , 7, e29858	25
544	Sphingosine kinase 1 mediation of expression of the anaphylatoxin receptor C5L2 dampens the inflammatory response to endotoxin. 2012 , 7, e30742	24
543	Pilot study of the association of the DDAH2 -449G polymorphism with asymmetric dimethylarginine and hemodynamic shock in pediatric sepsis. 2012 , 7, e33355	7
542	The neutrophil-lymphocyte count ratio in patients with community-acquired pneumonia. 2012 , 7, e46561	151
541	Complement depletion deteriorates clinical outcomes of severe abdominal sepsis: a conspirator of infection and coagulopathy in crime?. 2012 , 7, e47095	26
540	Rapid diagnosis of bloodstream infections with PCR followed by mass spectrometry. 2013 , 8, e62108	46
539	An elevated gap between admission and A1C-derived average glucose levels is associated with adverse outcomes in diabetic patients with pyogenic liver abscess. 2013 , 8, e64476	30
538	Severity assessment of lower respiratory tract infection in Malawi: derivation of a novel index (SWAT-Bp) which outperforms CRB-65. 2013 , 8, e82178	8
537	Methylene blue modulates transendothelial migration of peripheral blood cells. 2013 , 8, e82214	9
536	Effect of statin therapy in the outcome of bloodstream infections due to Staphylococcus aureus: a prospective cohort study. 2013 , 8, e82958	24
535	Serum 1H-NMR metabolomic fingerprints of acute-on-chronic liver failure in intensive care unit patients with alcoholic cirrhosis. 2014 , 9, e89230	41

534	Value of American Thoracic Society guidelines in predicting infection or colonization with multidrug-resistant organisms in critically ill patients. 2014 , 9, e89687	8
533	Serum estradiol levels predict survival and acute kidney injury in patients with septic shock--a prospective study. 2014 , 9, e97967	11
532	Inverted U-Shaped Relationship between Central Venous Pressure and Intra-Abdominal Pressure in the Early Phase of Severe Acute Pancreatitis: A Retrospective Study. 2015 , 10, e0128493	4
531	Accuracy of Presepsin in Sepsis Diagnosis: A Systematic Review and Meta-Analysis. 2015 , 10, e0133057	74
530	Comparison of Gene Expression by Sheep and Human Blood Stimulated with the TLR4 Agonists Lipopolysaccharide and Monophosphoryl Lipid A. 2015 , 10, e0144345	16
529	Evaluation of a Commercial Multiplex PCR Assay for Detection of Pathogen DNA in Blood from Patients with Suspected Sepsis. 2016 , 11, e0167883	27
528	Management and outcomes of severe dengue patients presenting with sepsis in a tropical country. 2017 , 12, e0176233	15
527	Surgical site infections after parotidectomy: management and benefits of an antibiotic prophylaxis protocol. 2019 , 39, 139-144	5
526	An Update on the Pathophysiology and Treatment of Cardiorenal Syndrome. 2020 , 11, 76-88	17
525	Relation Between Central Venous, Peripheral Venous and Arterial Lactate Levels in Patients With Sepsis in the Emergency Department. 2019 , 11, 629-634	3
524	Impact of timely antibiotic administration on outcomes in patients with severe sepsis and septic shock in the emergency department. 2014 , 1, 35-40	31
523	Awareness and knowledge of sepsis in the general Korean population: comparison with the awareness and knowledge of acute myocardial infarction and stroke. 2014 , 1, 41-48	7
522	[Microbiological service for intensive care units in Hungary]. 2009 , 150, 1037-42	2
521	Early outcome of early-goal directed therapy for patients with sepsis or septic shock: a systematic review and meta-analysis of randomized controlled trials. 2017 , 8, 27510-27519	12
520	European Society of Intensive Care Medicine Society of Critical Care Medicine: 6 key provisions for management of sepsis patients. Where do we go next?. 2020 , 17, 54-62	1
519	Pediatric Sepsis - Part I: "Children are not small adults!". 2011 , 4, 4-15	37
518	A collaborative quality improvement model and electronic community of practice to support sepsis management in emergency departments: investigating care harmonization for provincial knowledge translation. 2012 , 1, e6	3
517	Elevated ferritin and soluble CD25 in critically ill patients are associated with parameters of (hyper) inflammation and lymphocyte cytotoxicity. 2019 , 85, 1289-1298	8

516	Circulating microparticles in septic shock and sepsis-related complications. 2019 , 85, 571-576	7
515	The clinical use of albumin: the point of view of a specialist in intensive care. 2009 , 7, 259-67	45
514	Expert consensus based on the evidence for the treatment of disseminated intravascular coagulation due to infection intravascular. 2009 , 20, 77-113	17
513	Workshop on treatment of and postexposure prophylaxis for Burkholderia pseudomallei and B. mallei Infection, 2010. 2012 , 18, e2	128
512	Quality indicators in intensive care medicine: why? Use or burden for the intensivist. 2010 , 8, Doc22	15
511	Calculated initial parenteral treatment of bacterial infections: Sepsis. 2020 , 8, Doc09	1
510	Protocolised Management In Sepsis (ProMISe): a multicentre randomised controlled trial of the clinical effectiveness and cost-effectiveness of early, goal-directed, protocolised resuscitation for emerging septic shock. 2015 , 19, i-xxv, 1-150	49
509	Culture-Positive Spontaneous Ascitic Infection in Patients with Acute Decompensated Cirrhosis: Multidrug-Resistant Pathogens and Antibiotic Strategies. 2020 , 61, 145-153	8
508	Interplay between inflammation, immune system and neuronal pathways: effect on gastrointestinal motility. 2010 , 16, 5523-35	65
507	Restrictive vs liberal transfusion for upper gastrointestinal bleeding: a meta-analysis of randomized controlled trials. 2013 , 19, 6919-27	32
506	???. 2010 , 17, 27-32	1
505	?????????????? ~?????~. 2011 , 18, 193-200	1
504	???. 2011 , 18, 417-418	2
503	Disseminated intravascular coagulation(DIC)???. 2011 , 18, 583-590	1
502	Treatment effect of thrombomodulin- α ; on septic disseminated intravascular coagulation (DIC): a historical cohort study. 2012 , 19, 359-366	4
501	A case of Clostridium perfringens septicemia with massive intravascular hemolysis. 2013 , 20, 38-42	3
500	Morbidity and Mortality of Bilateral Femur Fractures. 2015 , 38, e588-92	6
499	Chinese guidelines for diagnosis and treatment of influenza (2011). 2011 , 3, 274-89	21

498	Reappraising the surgical approach on the perforated gastroduodenal ulcer: should gastric resection be abandoned?. 2011 , 3, 213-22	14
497	Foundations of Evidence-Based Practice: Critical Care Trial Networks. 2008 , 17, 190-193	2
496	Blood Transfusions in the Intensive Care Unit. 2008 , 28, 78-80	3
495	Tracheal intubation in the ICU: Life saving or life threatening?. 2011 , 55, 470-5	31
494	Development of a mortality prediction formula due to sepsis/severe sepsis in a medical intensive care unit. 2015 , 32, 313-9	9
493	Vasopressors: Do they have any role in hemorrhagic shock?. 2017 , 33, 3-8	24
492	Pharmacologic agents for acute hemodynamic instability: recent advances in the management of perioperative shock- a systematic review. 2015 , 18, 543-54	9
491	Early goal-directed therapy reduces mortality in adult patients with severe sepsis and septic shock: Systematic review and meta-analysis. 2015 , 19, 401-11	10
490	Patterns of central venous oxygen saturation, lactate and veno-arterial CO2 difference in patients with septic shock. 2015 , 19, 580-6	3
489	Does vasopressin improve the mortality of septic shock patients treated with high-dose NA. 2016 , 20, 137-40	3
488	Comparative evaluation of central venous pressure and sonographic inferior vena cava variability in assessing fluid responsiveness in septic shock. 2016 , 20, 708-713	2
487	Quality and performance improvement in critical care. 2008 , 12, 67-76	14
486	Severe sepsis bundles. 2010 , 14, 8-13	11
485	Pediatric Sepsis Guidelines: Summary for resource-limited countries. 2010 , 14, 41-52	36
484	Serum lactate levels as the predictor of outcome in pediatric septic shock. 2011 , 15, 102-7	38
483	How Quality of Oncology Care and Services be Improved through Leadership and Collaborations: Cross-clusters CQI Program in Hong Kong. 2016 , 3, 352-356	3
482	Changes in B-type Natriuretic Peptide and Related Hemodynamic Parameters Following a Fluid Challenge in Critically Ill Patients with Severe Sepsis or Septic Shock. 2017 , 21, 117-121	3
481	Capillary Leak Syndrome Following Snakebite Envenomation. 2017 , 21, 698-702	16

480	Effect of Glycemic Variability on Mortality in ICU Settings: A Prospective Observational Study. 2018 , 22, 632-635	9
479	Does the urgency of endoscopic retrograde cholangiopancreatography (ercp)/percutaneous biliary drainage (pbd) impact mortality and disease related complications in ascending cholangitis? (deim-i study). 2012 , 2, 161-167	6
478	Role of Caveolin Proteins in Sepsis. 2012 , 2012,	3
477	Predictors of Meningitis in Under-Fifteen Children Attending an Intensive Care Unit of an Urban Large Diarrheal Disease Hospital in Bangladesh. 2014 , 05, 169-176	1
476	Challenges in the Management of Sepsis in a Resource-Poor Setting. 2017 , 08, 412-421	1
475	â€œMedioglycaemiaâ€A new concept in glycaemic control in intensive care (ICU) units?. 2012 , 02, 361-368	1
474	Use of Continuous Venovenous Hemodiafiltration with a High Cutoff Membrane in a Patient with Severe Acute Pancreatitis. 2012 , 02, 78-81	5
473	Resection of complex pancreatic injuries: Benchmarking postoperative complications using the Accordion classification. 2017 , 9, 82-91	2
472	Pancreatic injury in patients with septic shock: A literature review. 2016 , 8, 526-31	14
471	Intensivist Physician Staffing in Intensive Care Units. 2013 , 28, 1	2
470	Sepsis in Patients Receiving Immunosuppressive Drugs in Korea: Analysis of the National Insurance Database from 2009 to 2013. 2015 , 30, 249-257	3
469	The Prognostic Factors of Pneumonia with Septic Shock in Patients Presenting to the Emergency Department. 2015 , 30, 258-264	7
468	Severe sepsis bundles. 2010 , 14, 8-13	10
467	Risk factors of extended-spectrum beta-lactamaseproducing Enterobacteriaceae bacteremia in Thai emergency department: a retrospective case-control study. 2011 , 5, 129-138	7
466	Major comorbid disease processes associated with increased incidence of acute kidney injury. 2016 , 5, 139-46	13
465	A case of descending necrotizing mediastinitis caused by post-extraction infection. 2012 , 58, 332-336	1
464	Etiology and Clinical Outcomes of Neonatal and Pediatric Sepsis. 2016 , 4,	5
463	Periplaneta americana extract used in patients with systemic inflammatory response syndrome. 2016 , 7, 50-4	8

462	Invasive group B streptococcal infection in a patient with post splenectomy for hypersplenism secondary to liver cirrhosis and portal hypertension. 2016 , 7, 68-70		3
461	An automated dispensing system for improving medication timing in the emergency department. 2012 , 3, 102-107		10
460	Prognosis of patients with shock receiving vasopressors. 2013 , 4, 59-62		11
459	Treatment of postoperative infectious complications in patients with human immunodeficiency virus infection. 2014 , 5, 103-6		6
458	Systematic screening is essential for early diagnosis of severe sepsis and septic shock. 2015 , 27, 96-101		9
457	Prognostic value of ventricular diastolic dysfunction in patients with severe sepsis and septic shock. 2015 , 27, 333-9		28
456	Epidemiology of severe infections in Latin American intensive care units. 2016 , 28, 261-263		2
455	An electronic warning system helps reduce the time to diagnosis of sepsis. 2018 , 30, 414-422		9
454	Capnocytophaga canimorsus sepsis in an asplenic heart transplant candidate with a left ventricular assist system. 2011 , 21, 121-3		2
453	Overutilization of proton pump inhibitors and H2 receptor antagonists in hospitalized medical patients. 2017 , 39, 487-493		1
452	Risk factors and prognosis of hypoalbuminemia in surgical septic patients. 2015 , 3, e1267		11
451	Improved hospital mortality rates after the implementation of emergency department sepsis teams. 2021 , 51, 218-222		1
450	Human platelets display dysregulated sepsis-associated autophagy, induced by altered LC3 protein-protein interaction of the Vici-protein EPG5. 2021 , 1-17		1
449	Sepsis. 2021 , 33, 407-418		2
448	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
447	Maternal Sepsis: A Review of National and International Guidelines. 2021 ,		0
446	An analysis of urine and serum amino acids in critically ill patients upon admission by means of targeted LC-MS/MS: a preliminary study. 2021 , 11, 19977		1
445	Long-Term Functional Outcomes After Sepsis for Adult and Pediatric Critical Care Patients-Protocol for a Systematic Review. 2021 , 9, 734205		0

444 Atrial Fibrillation during Septic Shock.

443 Association Between Vasopressin Rebranding and Utilization in Patients With Septic Shock. *Critical Care Medicine*, 2021, 1.4 1

442 Cost determinants among adults hospitalized with respiratory syncytial virus in the United States, 2017-2019. 2021, 4

441 Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. 2021, 47, 1181-1247 199

440 Therapeutic Approach for Severe Sepsis Based on the Evidence 2007. 2008, 19, 91-98 2

439 Recent Evidences of Sepsis Treatment. 2008, 40, 67 4

438 Dose Adjustment and Pharmacodynamic Considerations for Antibiotics in Severe Sepsis and Septic Shock. 2008, 97-136 2

437 Notes for the practice of intensive insulin therapy. 2008, 15, 160-164

436 Schocktherapie. 2008, 337-343

435 Ethics of Decision Making in Critical Care. 2009, 41-46

434 Sepsis: Clinical Approach, Evidence-Based at the Bedside. 2009, 299-313

433 Fluids, Electrolytes, Gatorade, and Sweat. 2009, 49-52

432 Surviving Sepsis Campaign and Bundles. 2009, 325-331

431 Clarithromycin: A Promising Immunomodulator in Sepsis. 2009, 111-118

430 Corticosteroid Treatment of Patients in Septic Shock. 2009, 753-760

429 Infectious diseases. 2009, 640-664

428 Évaluation de la fonction ventriculaire. 2009, 313-320

427 Eau pulmonaire extravasculaire. 2009, 285-295

408 Infection in the Surgical Intensive Care Unit. **2009**, 474-494

407 Septic shock: the changing Zeitgeist of management. **2009**, 1,

406 Blood Transfusion and Its Components. **2009**, 435-445

405 When Should Perioperative Glucocorticoid Replacement Be Administered?. **2009**, 184-191

404 Purpura fulminans and sepsis. **2009**, 16, 13-15

403 Refining the Tools for Early Goal-directed Therapy in Septic Shock. **2009**, 205-218

402 Purification extrarhale. **2009**, 425-434

401 Intensive care medicine. **2009**, 889-921

400 ??????????????????????. **2009**, 16, 255-262

2

399 Management of Multiorgan Failure After Artificial Organ Implantation. **2009**, 1-19

398 Highlights from the 2008 Surviving Sepsis Campaign: Part 2. **2009**, 44, 298-302

397 Focus on sepsis and intensive care. **2009**, 155, 129-32

396 Major Lower Extremity Amputation. **2009**, 228-248

395 Fever and Rash in Critical Care. **2009**, 19-48

394 Fever and Rash in Critical Care. **2009**, 19-48

393 Retrospective analysis of the initiation of antibiotic therapy in severe sepsis in pediatric patients. **2009**, 14, 221-5

4

392 Recognizing the Critically Ill Patient and Preventing Cardiorespiratory Arrest. 21-33

391 Complications at the Time of Transcatheter Aortic Valve Implantation. **2009**, 234-244

390 A missed case of intra-abdominal sepsis. **2009**, 2009,

389 Management of Unusual Sources of Upper GI Bleeding. **2010**, 65-77

388 Pharmacologic Hemodynamic Therapy of Shock. **2010**, 950-977

387 Targeted Treatment of Microvascular Dysfunction. **2010**, 27-35

1

386 Endothelial activation and dysfunction in sepsis. **2010**, 1-13

385 Sepsis. **2010**, 472-482

384 Glucose control in critically ill patients and clinical application of bedside-type artificial endocrine pancreas. **2010**, 17, 464-467

383 Coagulation and fibrinolytic responses at an early phase of trauma: The main issues in the world are reviewed and discussed. **2010**, 21, 765-778

1

382 Strengths and Limitations of the Evidence-Based Movement Aimed to Improve Clinical Outcomes in Dentistry and Oral Surgery. **2010**, 149-171

381 [Paediatric intensive care]. **2010**, 130, 40-3

380 ICU Care of the Solid Organ Transplant Recipient. **2010**, 783-803

379 Standardization of Care to Improve Outcomes of Patients with Ventilator-associated Pneumonia and Severe Sepsis. **2010**, 235-243

378 Catecholamines and splanchnic perfusion. **2010**, 221-229

377 Thyroid and Adrenal Disorders. **2010**, 1658-1675

376 Differenzialdiagnostik und Differenzialtherapie - Pages 483-493. **2010**, 483-493

0

375 ?????????????????? â?????????????????â2010, 17, 19-25

374 Sepsis. **2010**, 297-309

373 Judicious use of antimicrobial agents in a field of emergency and critical care. **2010**, 21, 871-888

372 Shock. **2010**, 53-66

371 ??????????????????. **2010**, 17, 269-278

370 Introduction to Critical Care. **2010**, 443-467

369 Standardization of Care to Improve Outcomes of Patients with Ventilator-associated Pneumonia and Severe Sepsis. **2010**, 235-243

368 Determinantes fisiológicos de la transfusión de hemátas. Umbral transfusional. **2010**, 243-252

367 Sepsis. **2010**, 478-491

366 Sepsis. **2010**, 95-116

365 Therapeutic approaches towards targeting endothelial dysfunction. **2010**, 219-230

364 Targeted Treatment of Microvascular Dysfunction. **2010**, 27-35

363 Sepsis Syndromes. **2010**, 1848-1858

1

362 Enfermedades que asocian alteraciones adquiridas de la hemostasia. **2010**, 85-95

361 Prise en charge des pñitonites en rñanimation. **2010**, 277-289

360 Current Insights into Sepsis Treatments. **2010**, 25, 207

1

359 Multi-analytical Approaches Informing the Risk of Sepsis. **2010**, 394-406

1

358 ?????????????????? à?????à **2010**, 17, 479-489

1

357 Hormonal Changes in Critical Condition. **2010**, 25, 123

1

356 Critical Care Case Evaluations Rachel Cartwright-Vanzant, RN, MS, CNS, LHRM, FNC, LNCC; Ellen Plummer, DL, MJ, RN, BSN, CCRN. **2010**, 393-416

355 Endocrine Problems and Cardiovascular Critical Care. 442-453

354 Fulminant Hepatic Failure: Treatment. **2010**, 661-684

353 Haemodynamic Management of Severe Sepsis. 218-233

352 ~~2010~~ **2010**, 58-65

351 Diagnose und Therapie der Sepsis. **2011**, 789-799

350 Akutes Lungenversagen. **2011**, 479-486

349 Predicting Sepsis: A Comparison of Analytical Approaches. **2011**, 95-102

1

348 Arterial Blood Gas Interpretation. **2011**, 296-302

347 14 Intravasale infecties en sepsis. **2011**, 279-301

346 ?????????????????????systematic review. **2011**, 18, 25-32

345 Long-Term Complications and Management. **2011**, 1086-1106

1

344 Therapy of Sepsis. **2011**, 237-243

343 Anti-Infectives. **2011**, 153-204

342 Septic shock and polymyxin B immobilized fiber column direct hemoperfusion (PMX-DHP); when do you start to use?. **2011**, 18, 188-189

341 Current Concepts of Analgesia-Based Sedation in the Intensive Care Unit. **2011**, 31, 422-431

340 Volumentherapie. **2011**, 287-292

339 Maschinelle Beatmung und Entwöhnung von der Beatmung. **2011**, 521-541

338 Management and Outcomes of Intensive Care in the Geriatric Surgical Patient. **2011**, 377-390

337 Volumenersatzlösungen. **2011**, 207-212

336 Inotropic Therapy. **2011**, 689-695

335 Cardiovascular Pharmacology. **2011**, 1103-1108

334 Management of Severe Sepsis and Septic Shock. **2011**, 93-100

333 A New Approach to Ventilator-associated Pneumonia Based on the PIRO System. **2011**, 481-492

332 Intensivmedizin nach vaskulären Operationen. **2011**, 69-89

331 L'uso dei diuretici in terapia intensiva: luci e ombre. **2011**, 63-77

330 Evaluation of trigger thresholds for albumin transfusion -A step toward updating the guideline to offer evidence-based practice. **2011**, 57, 449-457

1

329 Infectieziekten. **2011**, 280-298

328 Kinderintensivmedizin. **2011**, 1159-1180

327 Nosokomiale Infektionen. **2011**, 801-820

326 Crystalloid or Colloid Fluids: A Matter of Volumes?. **2011**, 313-321

325 Kreislauftherapie. **2011**, 341-355

324 Critical Care of the Patient with Acute Stroke. **2011**, 1008-1048

323 Nonsteroidal Antiinflammatory Agents. **2011**, 1346-1353

322 Low Systemic Arterial Blood Pressure. **2011**, 24-26

321 Clinical possibility and limitation of recombinant human soluble thrombomodulin (rTM) for the patients of disseminated intravascular coagulation. **2011**, 18, 555-556

320 ??. **2011**, 18, 575-582

319 (1)????????????????????ARDS???? (2)????????????????????C?????????????????. **2011**, 22, 818-820

318 Case management with severe out-patient form of pneumonia audit at the in-patient. **2011**, 19, 68

317 Perioperative Infections: Prevention and Therapeutic Options. 235-260

316 Nanomedicine in Blood Diseases. **2011**,

315 Intensive Care: Principles and Therapy. **2012**, 85-92

314 Complications. **2011**, 84-94

313 Septic shock due to Fournier's gangrene of the scrotum. **2011**, 2011,

312 Mucosal Immunity and the Intestinal Microbiome in the Development of Critical Illness. **2011**, 2011, 1-12 1

311 Critical care. **2011**, 285-296

310 Fecal Peritonitis. **2012**, 555-571

309 Future Application of Integrative Therapies for Sepsis: Bench and Experimental Animal Models. **2012**, 189-206

308 Intensive Care: The Basics. **2012**, 489-511

307 Diuretics in Intensive Care: Positive and Negative Aspects. **2012**, 59-72

306 Perioperative Goal-directed Therapy: Monitoring, Protocolized Care and Timing. **2012**, 368-382

305 On the management of hyperglycaemia in critically ill patients undergoing surgery. **2012**, 4, 237-41

304 The Meaning and Impact of Appropriate Use of Antibiotics. **2012**, 44, 331 3

303 Kapitel E1 Literaturverzeichnis zu Peter, Pichler, Müller-Ladner (Hrsg.): Klinische Immunologie. **2012**, e1-e80

302 The influence of the airway driving pressure on pulsed pressure variation as a predictor of fluid responsiveness. **2012**, 217-224

301 Emergenze endocrine. **2012**, 557-565

300 A case of septic shock due to pylephlebitis. **2012**, 19, 693-694

299 Cardiovascular Effects of Norepinephrine in Septic Shock. **2012**, 65-75

298 Ricerca di base e medicina critica. **2012**, 297-313

297 Shock Syndromes Related to Sepsis. **2012**, 658-666

296 The Infectious Diseases. **2012**, 61-185

295 Sepsis und Multiorganversagen. **2012**, 231-244

294 The Systemic Inflammatory Response Syndrome (SIRS), Sepsis, and Septic Shock. **2012**, 97-103.e4

293 Sepsis in the elderly. **2012**, 227-242

1

292 Antipyretic therapy in critically ill patients. **2012**, 19, 17-25

291 Managements for the refractory shock according to its pathophysiology. **2012**, 19, 561-563

290 Système cardiovasculaire et particularités du choc chez les personnes âgées. **2012**, 211-225

289 Edema polmonare lesionale, ALI, ARDS. **2012**, 161-169

288 Favorable Outcomes in Septic Shock Patients without Hyperlactatemia or Severe Organ Failure. **2012**, 27, 224

287 The Assessment and Management of Septic Arthritis. **2012**, 735-744

286 What should we learn from the failure of an activated protein C?. **2012**, 19, 586-594

285 Shock, Electrolytes, and Fluid. **2012**, 66-119

2

284 Severe Community-acquired Pneumonia. **2012**, 253-263

283 Vasopressin Therapy in Septic Shock. **2012**, 76-84

282 Postoperative Management. **2012**, 273-295

281 Prognostic factors for patients with septic shock treated by direct hemoperfusion with polymyxin B immobilized fibers. **2012**, 19, 55-59 1

280 Will clinical studies using the PIRO score lead to improvement of sepsis treatment?. **2012**, 19, 569-577

279 Proteomic updates on sepsis. **2012**, 58, 376-382

278 Continuing Professional Development: Neutropenic Sepsis. **2012**, 4, 1-11 1

277 Les enjeux du traitement du choc septique. **2012**, 57, 36-37

276 Sepsis. 383-406

275 Inflammation. **2012**, 53-76

274 Heart Rate Variability in the Intensive Care Unit. **2012**, 203-220

273 Hypercoagulable States. **2013**, 527-541

272 Basic Pharmacology of Anesthetic Agents. **2013**, 35-54

271 Monitoring hmodynamique en ranimation pdiatrique. **2013**, 109-141

270 Translational Equation-Based Modeling. **2013**, 11-28

269 The Office Emergency Response. **2013**, 7-62

268 Genetic polymorphisms in sepsis. **2013**, 24, 1-11

267 Pdiatrische Intensiv- und Notfallmedizin. **2013**, 193-211

266 ???DIC????????????????DIC?????????????????. **2013**, 24, 105-115

265 Pulmonalarterienkatheter (PAK). **2013**, 67-84

- 264 Comparison of various circulation dynamics monitoring devices^|^ndash;Usefulness of a graphic function^|^ndash;. **2013**, 83, 490-496
- 263 Susceptibility of Clinical Isolates of *Pseudomonas aeruginosa* in Our Hospital to Broad Spectrum Antibiotics, and Comparison of Optimized Pharmacodynamic Dosing Strategy Using Monte-Carlo Simulation. **2013**, 28, 235-239 ○
- 262 To improve the survival of sepsis: from the result of a survey for sepsis. **2013**, 20, 579-580
- 261 Choc septique. **2013**, 51-75
- 260 Conservative treatment for uncomplicated acute appendicitis in adults. **2013**, 1, 2 ○
- 259 S. **2013**, 970-1062
- 258 Bewertung. **2013**, 161-179
- 257 The changes in central venous oxygen saturation during cardiopulmonary resuscitation in a case of septic shock. **2013**, 20, 635-636
- 256 Pharmacotherapy in the Neurosurgical Intensive Care Unit. **2013**, 941-963
- 255 Pulmonary/Critical Care Emergencies. 178-202
- 254 Monitoring the Patient with Infection and Related Systemic Inflammatory Response. 281-301
- 253 Infectious Disease. 324-350
- 252 Shock and Coagulopathy. **2014**, 259-296
- 251 Immunoglobulin as Adjunctive Therapy in Sepsis. **2014**, 193-199
- 250 Perioperative Fluid Therapy and Fluid Therapy in Patients with Sepsis in Search of Clarification. **2014**, 1-16
- 249 Preload-Dependent Monitoring. **2014**, 117-126
- 248 Enterocutaneous Fistulas. **2014**, 105-119
- 247 Transfusion of red blood cells is associated with improved central venous oxygen saturation but not mortality in septic shock patients. **2014**, 6, 422-8 7

- 246 Effectiveness of early recombinant human soluble thrombomodulin supplementation in septic disseminated intravascular coagulation cases after surgical interventions for infection. **2014**, 21, 623-629
- 245 Schock. **2014**, 1399-1401
- 244 Burns wound infection: Prevention and treatment. **2014**, 43, 36-43
- 243 Severe Toxic Streptococcal Syndrome Following the Day Surgery for Anal Fistula :. **2014**, 64, 171-175
- 242 Pediatric Critical Care: A Global View. **2014**, 3-9
- 241 Intestinal/Multivisceral Transplantation. **2014**, 425-441
- 240 Effectiveness of hemodynamic multimodality therapy on clinical outcome of patients with septic shock secondary to intra-abdominal infection. **2014**, 21, 273-278
- 239 Acute Kidney Injury. **2014**, 313-373
- 238 Abdominal sepsis and abdominal compartment syndrome. **2014**, 328-343
- 237 Epidemiological characteristics of meningococcal meningitis in the area of zenica-doboj canton in period from 2008 to 2012. **2014**, 68, 200-3
- 236 Acute Kidney Injury. **2014**, 191-212
- 235 Sepsis. **2014**, 453-479
- 234 Treatment of Severe Sepsis-Based on Surviving Sepsis Campaign Guideline. **2014**, 86, 557
- 233 Mechanical Ventilation. **2014**, 1-98
- 232 Sepsis in Sub-Saharan Africa. 223-239
- 231 Ulinastatin and thymosin as immune modulators for the treatment of sepsis.
- 230 Arterial Blood Gas Analysis. **2015**, 329-347
- 229 Bacterial Endotoxin and Exotoxin in Severe Burns. **2015**, 89-106

- 228 Sepsis. **2015**, 107-148 0
- 227 Sepsis: Diagnose und Therapie. **2015**, 971-982
- 226 Maschinelle Beatmung und Entwöhnung von der Beatmung. **2015**, 351-373
- 225 High-Frequency Oscillatory Ventilation. **2015**, 111-115
- 224 Encyclopedia of Trauma Care. **2015**, 1473-1478
- 223 Severe Sepsis Beyond the Emergency Department and ICU: Targeting Early Identification and Treatment on the Hospital Floor. **2015**, 557-569
- 222 Peritonitis and Intraoperative Abscesses. **2015**, 935-959.e4 1
- 221 Sepsis und Multiorganversagen. **2015**, 253-266
- 220 Chapter 33. Infectious Disease. **2015**,
- 219 Impact of empirical antimicrobial therapy on the outcome of critically ill patients with Acinetobacter bacteremia. **2015**, 10, 256-62 7
- 218 Community-Acquired Severe Sepsis: A Prospective Cohort Study. **2015**, 05, 37-49
- 217 Maschinelle Beatmung und Entwöhnung von der Beatmung. **2015**, 1-41
- 216 Critical Care. **2015**, 549-573
- 215 Sepsis. **2015**, 1-20
- 214 Encyclopedia of Trauma Care. **2015**, 1478-1484
- 213 Encyclopedia of Trauma Care. **2015**, 725-733
- 212 Metabolic Syndrome Measurement and Worldwide Prevalence. **2015**, 22-35
- 211 Organ Failure and Specialized Enteral Formulas. **2016**, 157-171

210 Choc, insuffisance circulatoire aiguë **2016**, 27-33

209 Maternal Sepsis in Intensive Care Unit at Omdurman New Hospital-Tertiary Obstetric Facility, Khartoum-Sudan. **2016**, 06, 637-645

208 Sepsis â schwere Sepsis â septischer Schock. **2016**, 807-812

207 Clinical aspects of septic encephalopathy. **2016**, 94, 67-70

3

206 Should the norepinephrine maximal dosage rate be greatly increased in late shock?. **2016**, 2016,

1

205 Changes in Insulin-like Growth Factor-1 Level in Patients with Sepsis and Septic Shock. **2016**, 31, 324-333

204 Recommendations for intra-abdominal infections consensus report. **2016**, 32, 306-321

3

203 AN OBSERVATIONAL STUDY OF MATERNAL NEAR MISS CASES IN A TERTIARY CARE CENTRE. **2016**, 3, 5427-5430

202 Systemische Oxygenierung. **2017**, 147-164

201 Treatment of Acute Kidney Injury Complicating Septic Shock with EMiC2 High-cutoff Hemofilter: Case Series. **2017**, 21, 751-757

1

200 Hypotensive Hemostasis in Patients Presenting with Ruptured Aortic Aneurysm. **2017**, 141-149

0

199 Septic Shock and Resuscitation Strategies. **2017**, 291-308

198 Rat Model of Cecal Ligation and Puncture versus Colon Ascendens Stent Peritonitis: Comparative Study for Oxidative Stress. **2017**, 07, 80-92

1

197 2016 WSES guidelines on acute calculous cholecystitis. **2017**, 23, 25

1

196 Biliary Infections. **2017**, 719-726

195 [New sepsis criteria may lead to delayed treatment]. **2017**, 137, 609-610

0

194 Severe Puerperal Sepsis-A Simmering Menace. **2017**, 11, QC04-QC08

3

193 Reversible War-Induced Renal Failure. **2017**, 91-93

192	Organ Donation. 2017 , 871-878	0
191	Cardiorenal Syndrome (CRS). 2017 , 371-401	
190	Veno-Venous Extracorporeal Membrane Oxygenation for Acute Lung Injury after Surgery for Aortic Dissection: A Case Report. 2017 , 07, 156-163	0
189	Nosocomial pneumonia. 2017 , 63, 518-526	1
188	Pneumonia in immunocompromised persons. 2017 , 63, 786-795	2
187	JAID/JSC ??????????2017 â?? ??????????????????â?? 2018 , 92, 10-45	1
186	PREDICTION OF OUTCOME IN PATIENTS WITH SEPSIS USING CRP, LDH AND APACHE-II SCORING SYSTEM. 2018 , 7, 273-278	
185	Characterization of culturable airborne bacteria and antibiotic susceptibility profiles of indoor and immediate-outdoor environments of a research institute. 1, 17	
184	Use of IFN γ /IL10 ratio for stratification of hydrocortisone therapy in patients with septic shock.	1
183	nCD64 and procalcitonin in the diagnosis of sepsis: similarities and differences in laboratory values. 2019 , 8, 7	
182	Core Elements of General Supportive Care for Patients with Sepsis and Septic Shock in Resource-Limited Settings. 2019 , 85-129	1
181	Choc, insuffisance circulatoire aiguë 2019 , 26-33	
180	Modulation of HMGB1 Release for Treating Lethal Infection and Injury. 2019 , 229-252	
179	Shock. 2019 , 337-350	
178	Low tidal volume ventilation strategy and organ functions in patients with pre-existing systemic inflammatory response. 2019 , 35, 460-467	1
177	Temperature management in intensive care: relevant issues. 2019 , 43	2
176	Extrakorporale Membranoxygenierung beim Lungenversagen im Neugeborenen- und Kindesalter. 2019 , 163-172	
175	Management of Renal Disorders and the Pharmacist's Role: Acute Kidney Injury. 2019 , 408-421	

- 174 Estimating the Capacity of Nucleated Cells to Produce Cytokines using APACHE II Score for Septic Patients in a Clinical Setting. **2019**, 78, 7-13
- 173 EPIDEMIOLOGY OF INTRA-ABDOMINAL INFECTIONS IN UKRAINE: RESULTS OF A MULTICENTER STUDY (2014-2015). **2019**, 72, 513-518 0
- 172 Antimikrobiyal Peptidlerin Sepsis Tanıdaki Rolü
- 171 Effect of Mean Blood Pressure During Extracorporeal Life Support on Outcome After Out-of-Hospital Cardiac Arrest. **2019**, 47, 134-141 1
- 170 Hydrocortisone Reduces 28-day Mortality in Septic Patients: A Systemic Review and Meta-analysis. **2019**, 11, e4914
- 169 Shock in Obstetrics. **2020**, 537-543
- 168 Fever in Pregnancy. **2020**, 115-119
- 167 Revisiting the Role of Vitamin C in Sepsis. Is it a Forlorn Hope or is there Still Dearth of data?. **2019**, 13, 55-57 1
- 166 Septic shock: perspective methods of diagnostics and therapy based on immunopathogenesis. **2020**, 22, 459-472
- 165 Frequency of Hyperlactatemia in Intensive Care Patients within Tertiary Care Hospital in Pakistan. **2020**, 12, e8264 0
- 164 Platelet count as a predictor of outcome of hospitalized patients with community-acquired pneumonia at Zagazig University Hospitals, Egypt. **2020**, 14, 0
- 163 Machine Learning Prediction Models for Mortality in Intensive Care Unit Patients with Lactic Acidosis. *Journal of Clinical Medicine*, **2021**, 10, 5.1 1
- 162 Older people and urgent care. **2020**, 539-547
- 161 CD11c regulates hematopoietic stem and progenitor cells under stress. **2020**, 4, 6086-6097 3
- 160 Korean Translation of the GRADE Series Published in the BMJ, "Use of GRADE Grid to Reach Decisions on Clinical Practice Guidelines When Consensus Is Elusive"(A Secondary Publication). **2020**, 15, 83-89
- 159 Interstitial Lung Disease Associated Acute Respiratory Failure Requiring Invasive Mechanical Ventilation: A Retrospective Analysis. **2020**, 14, 67-77 0
- 158 Infections in Burns. **2021**, 57-66 1
- 157 Patient Safety in Internal Medicine. **2021**, 213-252 1

156	Drug Use in Elderly During Surgery: They Were Youngsters Once. 2020 , 329-337	
155	Sepsis âchwere Sepsis âeptischer Schock. 2020 , 1043-1050	
154	Pediatric blood culture isolates and antibiotic sensitivity pattern in a Nigerian tertiary hospital. 2020 , 29, 261	2
153	Clasificaci3n pr3ctica de la gravedad y manejo m3dico-quir3rgico de la apendicitis aguda. 2020 , 42, 263-273	0
152	Venous-arterial CO difference in children with sepsis and its correlation with myocardial dysfunction. 2019 , 2019, 18	
151	Machine Learning Consensus Clustering Approach for Patients with Lactic Acidosis in Intensive Care Units. 2021 , 11,	1
150	Interprofessional Simulation to Improve the Understanding of Obstetric Sepsis. 2020 , 36, E18-E26	1
149	Mortality difference between early-identified sepsis and late-identified sepsis. 2020 , 7, 150-160	0
148	Translational Equation-Based Modeling. 2021 , 13-30	
147	Type-5 Cardiorenal Syndrome. 2021 , 111-124	0
146	General surgery 2.0: the emergence of acute care surgery in Canada. 2010 , 53, 79-83	54
145	Early glycemic control in critically ill emergency department patients: pilot trial. 2010 , 11, 20-3	1
144	Glucose control: how low should you go with the critically ill?. 2009 , 58, 424-6	1
143	Septic shock caused by Klebsiella oxytoca: An autopsy case and a survival case with driving Extracorporeal Membrane Oxygenation. 2013 , 17, 171-3	7
142	Using quality improvement principles to improve the care of patients with severe sepsis and septic shock. 2013 , 13, 359-66	17
141	Optimal aminoglycoside therapy following the sepsis: how much is too much?. 2013 , 12, 261-9	3
140	Beneficial effects of ulinastatin on gut barrier function in sepsis. 2013 , 138, 904-11	7
139	Impact of Omega-3 and Omega-9 fatty acids enriched total parenteral nutrition on blood chemistry and inflammatory markers in septic patients. 2014 , 30, 299-304	17

138	Inflammation and haemostasis. 2012 , 22, 49-62	64
137	Changes of the immunological barrier of intestinal mucosa in rats with sepsis. 2010 , 1, 138-43	7
136	Incidence and risk factors of gastrointestinal bleeding in mechanically ventilated patients. 2010 , 1, 32-6	6
135	Continuous tracheal gas insufflation during protective mechanical ventilation in juvenile piglets with acute lung injury induced by endotoxin. 2010 , 1, 59-64	1
134	Melatonin augments apoptotic adipose-derived mesenchymal stem cell treatment against sepsis-induced acute lung injury. 2014 , 6, 439-58	26
133	Prevalence, clinical predictors, and outcome of hypocalcaemia in severely-malnourished under-five children admitted to an urban hospital in Bangladesh: a case-control study. 2014 , 32, 270-5	12
132	Isoproterenol infusion and microcirculation in septic shock. 2014 , 6, 274-9	3
131	High survival rates and associated factors among ebola virus disease patients hospitalized at donka national hospital, conakry, Guinea. 2015 , 8, S4-S11	8
130	Acute specialized care of patients with ebola virus disease: gaps and opportunities. 2015 , 8, S1-3	1
129	Vasopressor and Inotropic Management Of Patients With Septic Shock. 2015 , 40, 438-50	14
128	Extravascular lung water monitoring of renal replacement therapy in lung water scavenging for septic acute kidney injury. 2015 , 8, 18907-16	1
127	Acetaminophen for febrile patients with suspected infection: potential benefit and further directions. 2016 , 8, E111-4	2
126	The use of vital signs as predictors for serious bacterial infections in children with acute febrile illness in a pediatric emergency setting in Sudan. 2014 , 14, 35-40	2
125	Impact of Norepinephrine Shortage on Outcomes in Patients with Septic Shock. 2016 , 2, 87-91	
124	Adipose-derived mesenchymal stem cell-derived exosomes alleviate overwhelming systemic inflammatory reaction and organ damage and improve outcome in rat sepsis syndrome. 2018 , 10, 1053-1070	38
123	Initial Diagnosis and Management for Acute Charcot Neuroarthropathy. 2018 , 11, 114-119	5
122	. 2019 , 14, 49-52	
121	Barrier stabilizing mediators in regulation of microvascular endothelial permeability. 2012 , 15, 105-12	2

- 120 Calculated parenteral initial treatment of bacterial infections: Infections of the kidneys and the genito-urinary tract. **2020**, 8, Doc12
- 119 [Association between vasoactive-inotropic score and prognosis in children with septic shock]. **2018**, 20, 106-111
- 118 Multiple organ dysfunction syndrome: Contemporary insights on the clinicopathological spectrum. **2020**, 2020, 22
- 117 Impact of red blood cell transfusion on oxygen transport and metabolism in patients with sepsis and septic shock: a systematic review and meta-analysis. **2021**, 33, 154-166 1
- 116 Lactate is associated with mortality in very old intensive care patients suffering from COVID-19: results from an international observational study of 2860 patients. **2021**, 11, 128 5
- 115 Method of Enteral Insufficiency Syndrome Correction in Patients with Generalized Peritonitis. **2021**, 14, 182-192
- 114 Risk factors for functional decline among survivors of Gram-negative bloodstream infection: A prospective cohort study. **2021**, 16, e0259707 0
- 113 Long-Term Abnormalities of Lipid Profile After a Single Episode of Sepsis. **2021**, 8, 674248 1
- 112 Diagnostic Modalities in Critical Care: Point-of-Care Approach.. **2021**, 11, 1
- 111 Manejo clínico del shock poscardiotomía en pacientes adultos. **2021**,
- 110 Pharmacokinetic/Pharmacodynamic (PK/PD) Profiles of Tulathromycin in an Experimental Intraperitoneal Infection Model in Neutropenic Guinea Pigs. **2021**, 8, 715887 0
- 109 Efficacy of Intravenous Immunoglobulin Therapy for Patients With Sepsis and Low Immunoglobulin G Levels: A Single-Center Retrospective Study.. **2022**,
- 108 Adequacy of probabilistic prehospital antibiotic therapy for septic shock.. **2021**, 53, 80-85
- 107 Shock. **2010**, 31, 311-319 2
- 106 Multiple organ dysfunction syndrome: Contemporary insights on the clinicopathological spectrum. **2020**, 2020, 22 3
- 105 Enteral nutrition in septic shock: A pathophysiologic conundrum.. **2021**, 45, 74-78 1
- 104 Triterpenoid CDDO-IM protects against lipopolysaccharide-induced inflammatory response and cytotoxicity in macrophages: The involvement of the NF- κ B signaling pathway.. **2022**, 15353702211066912 1
- 103 Non-contact physiological monitoring of post-operative patients in the intensive care unit.. **2022**, 5, 4 1

102 Gaseous micro-embolism (GME) is associated with systemic inflammatory response syndrome (SIRS) after open heart surgery. A missing piece of a complex puzzle?.

101 Precision medicine in sepsis and septic shock: From omics to clinical tools.. **2022**, 11, 1-21

2

100 Colorectal Surgery in Critically Unwell Patients: A Multidisciplinary Approach.

99 Assessment of left and right ventricular Tei indices in critically ill children with septic shock. **2022**, 101491

98 Central nervous system infections in cancer patients. **2022**, 195-222

97 Sepsis in Critically Ill Patients: Epidemiology, Risk Factors, and Role of Matrix-Assisted Laser Desorption/Ionization-Time of Flight Mass Spectrometry for Identification of Sepsis-Causing Organisms.. **2022**, 14, e22445

96 Hour-1 bundle adherence was associated with reduction of in-hospital mortality among patients with sepsis in Japan.. **2022**, 17, e0263936

0

95 Risk Factors for Mortality in Abdominal Infection Patients in ICU: A Retrospective Study From 2011 to 2018.. **2022**, 9, 839284

0

94 Retrospective evaluation of the use of quick Sepsis-related Organ Failure Assessment (qSOFA) as predictor of mortality and length of hospitalization in dogs with pyometra (2013-2019): 52 cases.. **2022**,

1

93 Current Sites of Infections and Types of Microorganisms in Patient with Febrile Neutropenia in Hematological Wards âSingle Center Study. **2022**, 10, 489-500

92 Mechanical Ventilation in Pediatric and Neonatal Patients.. **2021**, 12, 805620

91 Achieving Functional Outcomes after Surgical Management of Catastrophic Vasopressor-induced Limb Ischemia.. **2022**, 10, e4175

90 Soluble Urokinase-Type Plasminogen Activator Receptor Levels as a Predictor of Kidney Replacement Therapy in Septic Patients with Acute Kidney Injury: An Observational Study.. *Journal of Clinical Medicine*, **2022**, 11,

5.1 0

89 Effects of early rehabilitation in sepsis patients by a specialized physical therapist in an emergency center on the return to activities of daily living independence: A retrospective cohort study.. **2022**, 17, e0266348

88 Quality metrics and outcomes among critically ill patients in China. **2022**, Publish Ahead of Print,

87 Early Empirical Use of Broad-Spectrum Antibiotics in Sepsis. 1

1

86 Inappropriate Empiric Therapy Impacts Complications and Hospital Resource Utilization Differentially Among Different Types of Bacterial Nosocomial Pneumonia: A Cohort Study, United States, 2014-2019.. **2022**, 4, e0667

0

85 Adherence to surviving sepsis campaign guidelines 2016 regarding fluid resuscitation and vasopressors in the initial management of septic shock: The emerging part of the iceberg!. **2021**, 68, 155-155

0

84	The role of procalcitonin and lactate at single determination in the intensive care unit in the diagnosis and prognosis of hypovolemic and distributive (septic) shock. 2021 , 20, 21-28		
83	Cardiopulmonary resuscitation. 947-954		
82	Multiorgan failure and its prevention. 955-959		
81	Image_1.TIF. 2019 ,		
80	Data_Sheet_1.docx. 2020 ,		
79	Table1.PDF. 2018 ,		
78	DataSheet_1.docx. 2020 ,		
77	Urinary free cortisol is a reliable index of adrenal cortisol production in patients with liver cirrhosis.. <i>Endocrine</i> , 2022 , 1	4	0
76	[Clinical characteristics of influenza pneumonia in the elderly and relationship between D-dimer and disease severity].. <i>Beijing Da Xue Xue Bao</i> , 2022 , 54, 153-160	0.2	
75	Compliance with SEP-1 guidelines is associated with improved outcomes for septic shock but not for severe sepsis. <i>Journal of Intensive Medicine</i> , 2022 ,		1
74	Clinical management of postcardiotomy shock in adults.. <i>Medicina Intensiva (English Edition)</i> , 2022 ,	0.2	
73	Expanding the spectrum of the hyperferritinemic syndrome, from pathogenic mechanisms to clinical observations, and therapeutic implications. <i>Autoimmunity Reviews</i> , 2022 , 103114	13.6	1
72	Early ICU Management of Polytrauma Patients Who Develop Sepsis. 2022 , 503-518		
71	The microvascular endothelial glycocalyx: An additional piece of the puzzle in veterinary medicine. <i>Veterinary Journal</i> , 2022 , 285, 105843	2.5	2
70	Vasoactive use in early goal-directed therapy in dogs with severe sepsis and septic shock: survivors versus non-survivors. <i>Ankara Universitesi Veteriner Fakultesi Dergisi</i> ,	1	
69	First-line Vasopressor Use in Septic Shock and Route of Administration: An Epidemiologic Study. <i>Annals of the American Thoracic Society</i> ,	4.7	
68	A Survey of Implementation of ABCDE Protocols. <i>Journal of Intensive Care Medicine</i> , 088506662211091	3.3	
67	Implementation of an Automated Sepsis Screening Tool in a Children's Hospital Emergency Department: A Cost Analysis. <i>Journal of Pediatrics</i> , 2022 ,	3.6	0

66	Therapeutic Options in Postoperative Enterocutaneous FistulaâA Retrospective Case Series. <i>Medicina (Lithuania)</i> , 2022 , 58, 880	3.1	o
65	Association between Wait Time for Transthoracic Echocardiography and 28-Day Mortality in Patients with Septic Shock: A Cohort Study. <i>Journal of Clinical Medicine</i> , 2022 , 11, 4131	5.1	o
64	Explainable Machine-Learning Model for Prediction of In-Hospital Mortality in Septic Patients Requiring Intensive Care Unit Readmission. <i>Infectious Diseases and Therapy</i> ,	6.2	o
63	Effects of Early Initiation of High-Dose Dexamethasone Therapy on Pro-Inflammatory Cytokines and Mortality in LPS-Challenged Mice. <i>Healthcare (Switzerland)</i> , 2022 , 10, 1247	3.4	
62	What Are the Benefits of Different Ventilatory Techniques?. 2023 , 231-240		
61	Review of Burn Resuscitation: is Plasmalyteâ A Comparable Alternative to Ringerâ Lactate?.		
60	Hydrocortisone alleviates sepsis-induced acute kidney injury through HSF-1-mediated transcriptional suppression of XPO1. 2022 , 79, 101915		o
59	Treatment. 2022 , 639-881		o
58	Early Clinical Management of Sepsis: Past, Present, and Future. 2022 , 4, 14		o
57	The APACHE II Scoring Systems and the ICU. 2022 , 1-14		o
56	Sepsis in Older Adults. 2022 , 463-483		o
55	Improving NursesâKnowledge on Sepsis Identification and Management at Mulago National Referral Hospital: A Quasi Experimental Study. Volume 12, 169-176		o
54	Novel Identification of Myeloid-Derived Suppressor Cells in Children With Septic Shock. Publish Ahead of Print,		o
53	Effect of C-Clamp Application on Hemodynamic Instability in Polytrauma Victims with Pelvic Fracture. 2022 , 58, 1291		1
52	Establishment of SEP-1 national practice guidelines does not impact fluid administration for septic shock patients. 2022 , 62, 19-24		o
51	Indian Society of Critical Care Medicine Consensus Statement for Prevention of Venous Thromboembolism in the Critical Care Unit. 2022 , 26, S51-S65		o
50	Optimal antipseudomonal ?-lactam drug dosing recommendations in critically-ill Asian patients receiving CRRT. 2022 , 72, 154172		o
49	Effects of dexmedetomidine on hemodynamic, oxygenation, microcirculation, and inflammatory markers in a porcine model of sepsis. 2022 , 37,		o

- 48 Knowledge, Practice and Attitudes to the Management of Sepsis in Jamaica. **2022**, 8, 232-241 ○
- 47 Fluid bolus therapy in pediatric sepsis: a narrative review. **2022**, 27, ○
- 46 Serum Aromatic Microbial Metabolites as Biological Markers in Intensive Care. **2022**, 1-24 ○
- 45 A New Role of NAP1L1 in Megakaryocytes and Human Platelets. **2022**, 23, 14694 ○
- 44 Letter to the editor: "Combination of norepinephrine with phenylephrine versus norepinephrine with vasopressin in critically ill patients with septic shock: A retrospective study" **2022**, 154239 ○
- 43 The association of diastolic arterial pressure and heart rate with mortality in septic shock: a retrospective cohort study. **2022**, 27, ○
- 42 Inhibiteurs du récepteur de l'IL-6 dans le traitement de la COVID-19: que savons-nous?. **2022**, ○
- 41 Comparing the accuracy of point-of-care with laboratory (capillary, venous, and arterial) blood glucose levels in critically ill patients with and without shock. **2022**, 15, ○
- 40 Educational needs assessment identifying opportunities to improve sepsis care. **2022**, 11, e001930 ○
- 39 Factores pronósticos de mortalidad por sepsis severa en unidades de cuidado crítico del área metropolitana de Bucaramanga. **2012**, 15, 7-13 ○
- 38 Hemodynamic effects of noradrenaline in neonatal septic shock: a prospective cohort study. ○
- 37 Relative adrenal insufficiency is a risk factor and endotype of sepsis - A proof-of-concept study to support a precision medicine approach to guide glucocorticoid therapy for sepsis. 13, 1
- 36 Evaluation of an Antifungal Stewardship Initiative Targeting Micafungin at an Academic Medical Center. **2023**, 12, 193 ○
- 35 Research frontiers and trends in the application of artificial intelligence to sepsis: A bibliometric analysis. 9, ○
- 34 Classification Schemes for Acute Cholecystitis. **2022**, 11, 139-144 ○
- 33 Bacteremia (Sepsis), Hepatorenal Syndrome, and Serum Creatinine Levels Rather than Types or Microbial Patterns Predicted the Short-Term Survival of Cirrhotic Patients Complicated with Spontaneous Bacterial Peritonitis. **2023**, 13, 94 ○
- 32 Maschinelle Beatmung und Entwöhnung von der Beatmung. **2023**, 1-29 ○
- 31 Pharmacokinetics and pharmacodynamics of azithromycin in severe malaria bacterial co-infection in African children (TABS-PKPD): a protocol for a Phase II randomised controlled trial. 6, 161 ○

- 30 Surgical Science and the Evolution of Critical Care Medicine. **2023**, 51, 182-211
- 29 Cirrhosis management in the Intensive Care Unit.
- 28 An assessment of peptic ulcer perforation score: A predictor of mortality following peptic ulcer perforation from a rural tertiary care setting. **2023**, 0
- 27 Shock. **2013**, 28-42.e1
- 26 Serum Aromatic Microbial Metabolites as Biological Markers in Intensive Care. **2023**, 245-268
- 25 Surviving Sepsis Campaign. **2023**, 51, 431-444
- 24 Novel transdermal curcumin therapeutic preserves endothelial barrier function in a high-dose LPS rat model. **2023**, 51, 33-40
- 23 Prognostic Impact of the International Society on Thrombosis and Hemostasis Disseminated Intravascular Coagulation Score in Sepsis: A Systematic Review.
- 22 Norepinephrine May Exacerbate Septic Acute Kidney Injury: A Narrative Review. **2023**, 12, 1373
- 21 The Unrestricted Global effort to complete the Closed Or Open after Source Control Laparotomy for Severe Complicated Intra-Abdominal Sepsis (COOL) Trial.
- 20 Peritonitis. **2023**, 251-270
- 19 Investigation of Plasma Lactate Concentration in Anemic Dogs.
- 18 The APACHE II Scoring Systems and the ICU. **2023**, 1073-1086
- 17 Endocrine Evaluation. **2013**, 200-209.e2
- 16 Critical Care Medicine. **2017**, 1282-1300.e5
- 15 Infection. **2013**, 154-164.e3
- 14 When and Why Should Perioperative Glucocorticoid Replacement Be Administered?. **2013**, 195-203
- 13 Sepsis. **2013**, 1454-1457.e1

- 12 What Are the Benefits of Different Ventilatory Techniques?. **2013**, 147-154
- 11 Fluid Management. **2013**, 1351-1356.e1
- 10 Sepsis. **2021**, 1603-1621
- 9 Predicting patient decompensation from continuous physiologic monitoring in the emergency department. **2023**, 6,
- 8 Association between different MAP levels and 30-day mortality in sepsis patients: a propensity-score-matched, retrospective cohort study. **2023**, 23,
- 7 Fludrocortisone Plus Hydrocortisone Versus Hydrocortisone Alone as Adjunctive Therapy in Septic Shock: A Retrospective Cohort Study. 106002802311642
- 6 Sepsis in Pregnancy and the Puerperium: A Comparative Review of Major Guidelines. **2023**, 78, 237-248
- 5 A Rare Case of Postoperative Encephalopathy in Twin. **2023**,
- 4 Premorbid use of selective beta-blockers improves sepsis incidence and course: Human cohort and animal model studies. 10,
- 3 Predictive Modeling Using Artificial Intelligence and Machine Learning Algorithms on Electronic Health Record Data. **2023**,
- 2 ??????????????????????. **2023**, 30, 163-169
- 1 Surviving sepsis after burn campaign. **2023**,