

# CITATION REPORT

List of articles citing

HIV, human papillomavirus, and cervical neoplasia and cancer in the era of highly active antiretroviral therapy

DOI: 10.1097/cej.ob013e3282f75ea1

European Journal of Cancer Prevention, 2008, 17, 545-54.

**Source:** <https://exaly.com/paper-pdf/45040037/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 166 | The impact of human immunodeficiency virus infection on cervical preinvasive and invasive neoplasia in South Africa. <b>2013</b> , 7, 334  |     | 3         |
| 165 | Circumcision and/or vaccination against human papillomavirus in the male to prevent infection with human immunodeficiency virus: an early surrogate endpoint for the later prevention of penile, prostate, anal and oral cancer?. <b>2009</b> , 104, 753-5 |     | 4         |
| 164 | Bibliography. Current world literature. <b>2009</b> , 21, 475-90   |     |           |
| 163 | ACOG Practice Bulletin No. 117: Gynecologic care for women with human immunodeficiency virus. <b>2010</b> , 116, 1492-1509   |     | 45        |
| 162 | Efficacy of human papillomavirus-based screen-and-treat for cervical cancer prevention among HIV-infected women. <i>Aids</i> , <b>2010</b> , 24, 2553-61   | 3.5 | 74        |
| 161 | HLA-Cw group 1 ligands for KIR increase susceptibility to invasive cervical cancer. <b>2010</b> , 62, 761-5  |     | 30        |
| 160 | Association between cervical dysplasia and human papillomavirus in HIV seropositive women from Johannesburg South Africa. <b>2010</b> , 21, 433-43   |     | 77        |
| 159 | The prevalence of human papillomavirus infection in Mombasa, Kenya. <b>2010</b> , 21, 2309-13  |     | 17        |
| 158 | Interaction of immunological genes on chromosome 2q33 and IFNG in susceptibility to cervical cancer. <b>2010</b> , 116, 544-8  |     | 69        |
| 157 | Association of HIV infection with distribution and viral load of HPV types in Kenya: a survey with 820 female sex workers. <b>2010</b> , 10, 18  |     | 62        |
| 156 | The impact of highly active antiretroviral therapy on prevalence and incidence of cervical human papillomavirus infections in HIV-positive adolescents. <b>2010</b> , 10, 295  |     | 29        |
| 155 | Influence of adherent and effective antiretroviral therapy use on human papillomavirus infection and squamous intraepithelial lesions in human immunodeficiency virus-positive women. <b>2010</b> , 201, 681-90  |     | 123       |
| 154 | Atypical squamous cells, cannot exclude high grade squamous intraepithelial (ASC-H) in HIV-positive women. <b>2010</b> , 7, 8  |     | 5         |
| 153 | The impact of HAART on HPV-related cervical disease. <b>2010</b> , 8, 493-7  |     | 53        |
| 152 | Factors affecting transmission of mucosal human papillomavirus. <b>2010</b> , 10, 862-74   |     | 105       |
| 151 | A comparison of risk factors for atypical squamous cells and squamous intraepithelial lesions in a sample of US- and African-born HIV-positive women. <b>2010</b> , 22, 1115-22  |     | 2         |
| 150 | Review of HIV-Related Cytopathology. <b>2011</b> , 2011, 256083  |     | 4         |

|     |  |     |    |
|-----|--|-----|----|
| 149 | Potential impact of antiretroviral therapy and screening on cervical cancer mortality in HIV-positive women in sub-Saharan Africa: a simulation. <i>PLoS ONE</i> , <b>2011</b> , 6, e18527 | 3.7 | 24 |
| 148 | Human papillomavirus, cancer and vaccination. <b>2011</b> , 6, 297-302   |     | 16 |
| 147 | Cervical squamous intraepithelial lesions among HIV-positive women on antiretroviral therapy in Kenya. <b>2011</b> , 9, 180-5  |     | 11 |
| 146 | Lopinavir up-regulates expression of the antiviral protein ribonuclease L in human papillomavirus-positive cervical carcinoma cells. <b>2011</b> , 16, 515-25                              |     | 20 |
| 145 | Prevalence and cumulative incidence of abnormal cervical cytology among HIV-infected Thai women: a 5.5-year retrospective cohort study. <b>2011</b> , 11, 8                                |     | 12 |
| 144 | Epidemiology of HPV genotypes in Uganda and the role of the current preventive vaccines: A systematic review. <i>Infectious Agents and Cancer</i> , <b>2011</b> , 6, 11                    | 3.5 | 28 |
| 143 | Review of human immunodeficiency virus (HIV) and squamous lesions of the uterine cervix. <i>Diagnostic Cytopathology</i> , <b>2011</b> , 39, 65-72   | 1.4 | 31 |
| 142 | Subtype distribution of human papillomavirus in HIV-infected women with cervical intraepithelial neoplasia stages 2 and 3 in Botswana. <b>2011</b> , 30, 591-6                             |     | 19 |
| 141 | Rapid rise in detection of human papillomavirus (HPV) infection soon after incident HIV infection among South African women. <b>2011</b> , 203, 479-86                                     |     | 46 |
| 140 | Risk of seropositivity to multiple oncogenic human papillomavirus types among human immunodeficiency virus-positive and -negative Ugandan women. <b>2011</b> , 92, 2776-2783               |     | 12 |
| 139 | HIV infection, aging, and immune function: implications for cancer risk and prevention. <b>2012</b> , 24, 506-16   |     | 79 |
| 138 | HPV infection and intraepithelial lesions: comparison between HIV positive and negative women. <b>2012</b> , 10, 614-9   |     | 6  |
| 137 | Prevalence and determinants of human papillomavirus infection and cervical lesions in HIV-positive women in Kenya. <b>2012</b> , 107, 1624-30  |     | 64 |
| 136 | Cervical cancer in Africa. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 1434-8   | 4   | 66 |
| 135 | Cervical cancer prevention in HIV-infected women using the "see and treat" approach in Botswana. <b>2012</b> , 59, 308-13  |     | 72 |
| 134 | Prevalence and concordance of HPV, HIV, and HSV-2 in heterosexual couples in Kigali, Rwanda. <b>2012</b> , 39, 128-35  |     | 12 |
| 133 | Cervical human papillomavirus infection and shedding of human immunodeficiency virus in cervicovaginal fluids: a cross-sectional study. <b>2012</b> , 61, 78-82                            |     | 3  |
| 132 | Awareness, acceptability and uptake of human papilloma virus vaccine among Cameroonian school-attending female adolescents. <b>2012</b> , 37, 1127-35                                      |     | 30 |

|     |   |      |     |
|-----|---|------|-----|
| 131 | Genital human papillomavirus infections: current and prospective therapies. <b>2012</b> , 93, 681-691   |      | 69  |
| 130 | High prevalence of cervical squamous intraepithelial lesions in women on antiretroviral therapy in Cameroon: Is targeted screening feasible?. <b>2012</b> , 36, 263-9                             |      | 9   |
| 129 | Human papillomavirus distribution in invasive cervical carcinoma in sub-Saharan Africa: could HIV explain the differences?. <b>2012</b> , 17, 1432-40   |      | 26  |
| 128 | Age trends in the prevalence of cervical squamous intraepithelial lesions among HIV-positive women in Cameroon: a cross-sectional study. <b>2012</b> , 5, 590                                     |      | 10  |
| 127 | Special issues regarding women with HIV infection. <b>2012</b> , 521-536  |      |     |
| 126 | Human papillomavirus, human immunodeficiency virus and immunosuppression. <b>2012</b> , 30 Suppl 5, F168-74   |      | 155 |
| 125 | Knowledge and acceptability of pap smears, self-sampling and HPV vaccination among adult women in Kenya. <i>PLoS ONE</i> , <b>2012</b> , 7, e40766  | 3.7  | 64  |
| 124 | Prevalence of human papillomavirus in women with invasive cervical carcinoma by HIV status in Kenya and South Africa. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 949-55          | 7.5  | 52  |
| 123 | Worse than HIV? Or not as serious as other diseases? Conceptualization of cervical cancer among newly screened women in Zambia. <b>2012</b> , 74, 1486-93   |      | 41  |
| 122 | Association of HIV viral load and CD4 cell count with human papillomavirus detection and clearance in HIV-infected women initiating highly active antiretroviral therapy. <b>2012</b> , 13, 372-8 |      | 22  |
| 121 | IL-23 in infections, inflammation, autoimmunity and cancer: possible role in HIV-1 and AIDS. <b>2012</b> , 7, 95-112  |      | 22  |
| 120 | Awareness, knowledge and beliefs about HPV, cervical cancer and HPV vaccines among nurses in Cameroon: an exploratory study. <b>2013</b> , 50, 1399-406   |      | 36  |
| 119 | Human papillomavirus: what every provider should know. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 208, 169-75   | 6.4  | 35  |
| 118 | Influence of HIV-1 and/or HIV-2 infection and CD4 count on cervical HPV DNA detection in women from Senegal, West Africa. <i>Journal of Clinical Virology</i> , <b>2013</b> , 58, 696-702         | 14.5 | 22  |
| 117 | Cervical cancer risk factors among HIV-infected Nigerian women. <i>BMC Public Health</i> , <b>2013</b> , 13, 582  | 4.1  | 37  |
| 116 | Clustering patterns of human papillomavirus infections among HIV-positive women in Kenya. <i>Infectious Agents and Cancer</i> , <b>2013</b> , 8, 50   | 3.5  | 6   |
| 115 | Comparison of HPV DNA testing in cervical exfoliated cells and tissue biopsies among HIV-positive women in Kenya. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 1441-6              | 7.5  | 16  |
| 114 | Characteristics of HPV infection over time in European women who are HIV-1 positive. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2013</b> , 120, 41-9                | 3.7  | 19  |

|     |   |     |    |
|-----|---|-----|----|
| 113 | Factors influencing cervical cancer screening in women infected with HIV: a review of the literature. <b>2013</b> , 24, 189-97  |     | 14 |
| 112 | Human papillomavirus vaccination: current indications and future directions. <b>2013</b> , 40, 177-97   |     | 16 |
| 111 | Advanced carcinoma of the cervix in a 17-year-old girl. <b>2013</b> , 33, 747-8   |     | 2  |
| 110 | Incidental finding of recurrent adenocarcinoma of the cervix during simple hysterectomy for menorrhagia. <b>2013</b> , 33, 748-9  |     |    |
| 109 | Innovative public-private partnership: a diagonal approach to combating women's cancers in Africa. <b>2013</b> , 91, 691-6  |     | 22 |
| 108 | Paradoxes in dermatology. <b>2013</b> , 4, 133-42   |     | 4  |
| 107 | Integrating cervical cancer screening with HIV care in a district hospital in Abuja, Nigeria. <b>2013</b> , 54, 176-84  |     | 23 |
| 106 | Seroepidemiology of high-risk HPV in HIV-negative and HIV-infected MSM: the H2M study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1698-708  | 4   | 29 |
| 105 | Genetic predictors of cervical dysplasia in African American HIV-infected women: ACTG DACS 268. <b>2013</b> , 14, 292-302   |     | 1  |
| 104 | Screening of cervical neoplasia in HIV-infected women in India. <i>Aids</i> , <b>2013</b> , 27, 607-15  | 3.5 | 58 |
| 103 | Is the level of proof of the North American multicohort collaboration prospective study sufficient to conclude that incidence of invasive cervical cancer is higher in HIV-infected women?. <b>2013</b> , 63, e163-4                      |     | 2  |
| 102 | Comparing Papanicolaou smear, visual inspection with acetic acid and human papillomavirus cervical cancer screening methods among HIV-positive women by immune status and antiretroviral therapy. <i>Aids</i> , <b>2013</b> , 27, 2909-19 | 3.5 | 40 |
| 101 | Age-specific prevalence of cervical human papillomavirus infection and cytological abnormalities in women in Gauteng Province, South Africa. <b>2013</b> , 103, 313-7   |     | 30 |
| 100 | Validation of cervical cancer screening methods in HIV positive women from Johannesburg South Africa. <i>PLoS ONE</i> , <b>2013</b> , 8, e53494   | 3.7 | 81 |
| 99  | Frequent detection of HPV before and after initiation of antiretroviral therapy among HIV/HSV-2 co-infected women in Uganda. <i>PLoS ONE</i> , <b>2013</b> , 8, e55383  | 3.7 | 11 |
| 98  | International scientific collaboration in HIV and HPV: a network analysis. <i>PLoS ONE</i> , <b>2014</b> , 9, e93376  | 3.7 | 26 |
| 97  | Distribution of Human Papillomavirus Genotypes among HIV-Positive and HIV-Negative Women in Cape Town, South Africa. <b>2014</b> , 4, 48  |     | 67 |
| 96  | HPV L1 capsid protein detection in high-risk human papillomavirus-positive cervical smears. <b>2014</b> , 6, 22-26  |     | 1  |

|    |  |     |     |
|----|--|-----|-----|
| 95 | Evaluation of a single-visit approach to cervical cancer screening and treatment in Guyana: feasibility, effectiveness and lessons learned. <b>2014</b> , 40, 1707-16  |     | 13  |
| 94 | Impact of Highly Active Antiretroviral Therapy on the Natural History of Cervical Precancerous Lesions: A 17-Year Institutional Longitudinal Cohort Study. <b>2014</b> , 21, 837-845   |     | 7   |
| 93 | Primary strategies for HPV infection and cervical cancer prevention. <b>2014</b> , 57, 256-78  |     | 23  |
| 92 | Clinical performance of digital cervicography and cytology for cervical cancer screening in HIV-infected women in Lusaka, Zambia. <b>2014</b> , 67, 212-5  |     | 20  |
| 91 | Incidence and progression of cervical lesions in women with HIV: a systematic global review. <b>2014</b> , 25, 163-77  |     | 100 |
| 90 | The burden, distribution and risk factors for cervical oncogenic human papilloma virus infection in HIV positive Nigerian women. <b>2014</b> , 11, 5   |     | 41  |
| 89 | Is screen-and-treat approach suited for screening and management of precancerous cervical lesions in Sub-Saharan Africa?. <i>Preventive Medicine</i> , <b>2014</b> , 65, 138-40  | 4-3 | 12  |
| 88 | HIV, HCV, and Health-Related Harms Among Women Who Inject Drugs: Implications for Prevention and Treatment. <b>2015</b> , 69 Suppl 2, S176-81  |     | 92  |
| 87 | Outcomes Up to 12 Months After Treatment With Loop Electrosurgical Excision Procedure for Cervical Intraepithelial Neoplasia Among HIV-Infected Women. <b>2015</b> , 69, 200-5   |     | 15  |
| 86 | Human papillomavirus genotypes among women with or without HIV infection: an epidemiological study of Moroccan women from the Souss area. <i>Infectious Agents and Cancer</i> , <b>2015</b> , 10, 44   | 3-5 | 10  |
| 85 | The Effect of Cryotherapy on Human Papillomavirus Clearance Among HIV-Positive Women in Lusaka, Zambia. <b>2015</b> , 19, 301-6  |     | 4   |
| 84 | Cost-effectiveness analysis of human papillomavirus vaccination in South Africa accounting for human immunodeficiency virus prevalence. <b>2015</b> , 15, 566  |     | 9   |
| 83 | HPV Carcinomas in Immunocompromised Patients. <b>2015</b> , 4, 260-81  |     | 67  |
| 82 | Prevalence of human papillomavirus genotypes among African women with normal cervical cytology and neoplasia: a systematic review and meta-analysis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122488  | 3-7 | 71  |
| 81 | Comparison of analytical and clinical performances of the digene HC2 HPV DNA assay and the INNO-LiPA HPV genotyping assay for detecting high-risk HPV infection and cervical neoplasia among HIV-positive African women. <b>2015</b> , 68, 162-8 |     | 18  |
| 80 | The impact of HIV infection on women receiving radiation for cervical cancer. <b>2015</b> , 7, 44-51   |     | 4   |
| 79 | Human papillomavirus DNA and mRNA prevalence and association with cervical cytological abnormalities in the Irish HIV population. <b>2015</b> , 26, 789-95   |     | 1   |
| 78 | Langerhans cells from women with cervical precancerous lesions become functionally responsive against human papillomavirus after activation with stabilized Poly-I:C. <b>2015</b> , 161, 197-208   |     | 16  |

|    |  |      |    |
|----|--|------|----|
| 77 | The effect of HIV infection on anal and penile human papillomavirus incidence and clearance: a cohort study among MSM. <i>Aids</i> , <b>2016</b> , 30, 121-32  | 3.5  | 35 |
| 76 | Targeting women with free cervical cancer screening: challenges and lessons learnt from Osun state, southwest Nigeria. <b>2016</b> , 24, 319   |      | 6  |
| 75 | Human papillomavirus and gastrointestinal cancer: A review. <b>2016</b> , 22, 7415-30  |      | 32 |
| 74 | Knowledge and Awareness of Cervical Cancer among HIV-Infected Women in Ethiopia. <b>2016</b> , 2016, 1274734   |      | 9  |
| 73 | Epidemiology of HPV Genotypes among HIV Positive Women in Kenya: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163965   | 3.7  | 33 |
| 72 | Cervical Abnormalities in South African Women Living With HIV With High Screening and Referral Rates. <b>2016</b> , 2, 375-380   |      | 5  |
| 71 | Performance of p16INK4a ELISA as a primary cervical cancer screening test among a large cohort of HIV-infected women in western Kenya: a 2-year cross-sectional study. <i>BMJ Open</i> , <b>2016</b> , 6, e012547  | 3    | 3  |
| 70 | Performance of careHPV for detecting high-grade cervical intraepithelial neoplasia among women living with HIV-1 in Burkina Faso and South Africa: HARP study. <b>2016</b> , 115, 425-30   |      | 24 |
| 69 | Incidence of cervical dysplasia and cervical cancer in women living with HIV in Denmark: comparison with the general population. <b>2016</b> , 17, 7-17  |      | 15 |
| 68 | Evaluation of human papillomavirus detection by Abbott m2000 system on samples collected by FTA EluteCard in a Chinese HIV-1 positive population. <i>Journal of Clinical Virology</i> , <b>2016</b> , 85, 80-85  | 14.5 | 7  |
| 67 | The Single-Visit Approach as a Cervical Cancer Prevention Strategy Among Women With HIV in Ethiopia: Successes and Lessons Learned. <b>2016</b> , 4, 87-98   |      | 34 |
| 66 | Detection of Human Papilloma Virus (Type 16) among HIV-Positive Women in Ogbomoso, South-Western Nigeria. <i>Journal of Immunoassay and Immunochemistry</i> , <b>2016</b> , 37, 130-40   | 1.8  |    |
| 65 | Patient-provider communication with HIV-positive women about abnormal Pap test results. <i>Women and Health</i> , <b>2017</b> , 57, 19-39  | 1.7  | 5  |
| 64 | Human Papillomavirus infection and cervical lesions in HIV infected women on antiretroviral treatment in Thailand. <i>Journal of Infection</i> , <b>2017</b> , 74, 501-511   | 18.9 | 10 |
| 63 | A randomized clinical trial comparing cervical dysplasia treatment with cryotherapy vs loop electrosurgical excision procedure in HIV-seropositive women from Johannesburg, South Africa. <i>American Journal of Obstetrics and Gynecology</i> , <b>2017</b> , 217, 183.e1-183.e11 | 6.4  | 22 |
| 62 | Cervical cancer in sub-Saharan Africa: a preventable noncommunicable disease. <i>Expert Review of Anti-Infective Therapy</i> , <b>2017</b> , 15, 613-627   | 5.5  | 33 |
| 61 | A Comparison of the Natural History of HPV Infection and Cervical Abnormalities among HIV-Positive and HIV-Negative Women in Senegal, Africa. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 886-894   | 4    | 17 |
| 60 | Multiple preinvasive and invasive HPV-related lesions of the anogenital tract in a female patient with HIV infection: A case report. <i>Medicine (United States)</i> , <b>2017</b> , 96, e5948   | 1.8  | 5  |



|    |  |      |    |
|----|--|------|----|
| 59 | Declining prevalence of cytological squamous intraepithelial lesions of the cervix among women living with well-controlled HIV - Most women living with HIV do not need annual PAP smear screening. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2017</b> , 96, 1330-1337                            | 3.8  | 5  |
| 58 | Screening, prevalence, and risk factors for cervical lesions among HIV positive and HIV negative women in Swaziland. <i>BMC Public Health</i> , <b>2017</b> , 17, 218  | 4.1  | 18 |
| 57 | Self-collection based HPV testing for cervical cancer screening among women living with HIV in Uganda: a descriptive analysis of knowledge, intentions to screen and factors associated with HPV positivity. <i>BMC Women's Health</i> , <b>2017</b> , 17, 4   | 2.9  | 10 |
| 56 | The interaction between human papillomavirus and other viruses. <i>Virus Research</i> , <b>2017</b> , 231, 139-147   | 6.4  | 50 |
| 55 | The effect of perceived psychological stress on the immunogenicity of the quadrivalent human papillomavirus vaccine in males. <i>Human Vaccines and Immunotherapeutics</i> , <b>2017</b> , 13, 676-679   | 4.4  | 2  |
| 54 | Prevalence of precancerous HIV cervical lesion and associated factors among women in North Ethiopia. <i>Journal of Public Health and Epidemiology</i> , <b>2017</b> , 9, 46-50   | 0.3  | 9  |
| 53 | Neoplasia and Precursor Lesions of the Female Genital Tract in IBD: Epidemiology, Role of Immunosuppressants, and Clinical Implications. <i>Inflammatory Bowel Diseases</i> , <b>2018</b> , 24, 510-531  | 4.5  | 9  |
| 52 | Diagnostic value of human papillomavirus (HPV) 16 and HPV18 viral loads for the detection of high-grade cervical intraepithelial neoplasia (CIN2+) in a cohort of African women living with HIV. <i>Journal of Clinical Virology</i> , <b>2018</b> , 99-100, 79-83   | 14.5 | 8  |
| 51 | Therapeutic HPV vaccines. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , <b>2018</b> , 47, 59-72   | 4.6  | 35 |
| 50 | Clinical implications of the interaction between HPV and HIV infections. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , <b>2018</b> , 47, 95-106   | 4.6  | 17 |
| 49 | Distribution of cervical abnormalities detected by visual inspection with acetic acid in Swaziland, 2011-2014: A retrospective study. <i>African Journal of Primary Health Care and Family Medicine</i> , <b>2018</b> , 10, e1-e7  | 1.9  | 1  |
| 48 | Effect of radiotherapy and chemotherapy on levels of serum S100B, IL-6, and IL-17 in patients with malignant glioma. <i>European Journal of Inflammation</i> , <b>2018</b> , 16, 205873921880432   | 0.3  | 0  |
| 47 | Loop Electrosurgical Excision Procedure versus Cryotherapy in the Treatment of Cervical Intraepithelial Neoplasia: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Gynecology and Minimally Invasive Therapy</i> , <b>2018</b> , 7, 145-151  | 1.1  | 17 |
| 46 | Suppressive antiretroviral therapy associates with effective treatment of high-grade cervical intraepithelial neoplasia. <i>Aids</i> , <b>2018</b> , 32, 1475-1484   | 3.5  | 7  |
| 45 | Awareness of cervical cancer among women attending an HIV treatment centre: a cross-sectional study from Morocco. <i>BMJ Open</i> , <b>2018</b> , 8, e020343   | 3    | 12 |
| 44 | Predictors of Locally Advanced Disease at Presentation and Clinical Outcomes Among Cervical Cancer Patients Admitted at a Tertiary Hospital in Botswana. <i>International Journal of Gynecological Cancer</i> , <b>2018</b> , 28, 1218-1225  | 3.5  | 5  |
| 43 | Evidence of synergistic relationships between HIV and Human Papillomavirus (HPV): systematic reviews and meta-analyses of longitudinal studies of HPV acquisition and clearance by HIV status, and of HIV acquisition by HPV status. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25110 | 5.4  | 49 |
| 42 | Barriers and Facilitators to Cervical Cancer Screening, Diagnosis, Follow-Up Care and Treatment: Perspectives of Human Immunodeficiency Virus-Positive Women and Health Care Practitioners in Tanzania. <i>Oncologist</i> , <b>2019</b> , 24, 69-75  | 5.7  | 23 |



|    |  |      |    |
|----|--|------|----|
| 41 | Incidence of cervical intraepithelial neoplasia in women infected with human immunodeficiency virus (HIV) with no evidence of disease at baseline: Results of a prospective cohort study with up to 6.4 years of follow-up from India. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1082-1091 | 7.5  | 4  |
| 40 | Precancerous lesions of cervix among women infected with HIV in Referral Hospitals of Amhara Region, Northwest Ethiopia: a cross sectional study. <i>African Health Sciences</i> , <b>2019</b> , 19, 1695-1704   | 1.1  | 6  |
| 39 | Utilization and outcomes of cervical cancer screening services in Harare City, 2012-2016: a secondary data analysis. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 454   | 2.9  | 2  |
| 38 | Characterization of Human Papillomavirus prevalence and risk factors to guide cervical cancer screening in the North Tongu District, Ghana. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218762   | 3.7  | 15 |
| 37 | Prevalence, correlates, and predictive value of high-risk human papillomavirus mRNA detection in a community-based cervical cancer screening program in western Uganda. <i>Infectious Agents and Cancer</i> , <b>2019</b> , 14, 14   | 3.5  | 6  |
| 36 | Viral, bacterial, and fungal infections of the oral mucosa: Types, incidence, predisposing factors, diagnostic algorithms, and management. <i>Periodontology 2000</i> , <b>2019</b> , 80, 148-176  | 12.9 | 19 |
| 35 | Cervical cancer in Ethiopia - predictors of advanced stage and prolonged time to diagnosis. <i>Infectious Agents and Cancer</i> , <b>2019</b> , 14, 36   | 3.5  | 12 |
| 34 | Human Papillomavirus Infection and Cervical Cancer in HIV+ Women. <i>Cancer Treatment and Research</i> , <b>2019</b> , 177, 105-129  | 3.5  | 6  |
| 33 | The relationship between menopausal women infected with the human immunodeficiency virus and cervical atrophy: A cytologic study. <i>Diagnostic Cytopathology</i> , <b>2019</b> , 47, 302-306  | 1.4  |    |
| 32 | The Role of the Cervicovaginal Microbiome on the Genesis and as a Biomarker of Premalignant Cervical Intraepithelial Neoplasia and Invasive Cervical Cancer. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 21,  | 6.3  | 38 |
| 31 | Prevalence of High-risk Nonavalent Vaccine-type Human Papillomavirus Infection Among Unvaccinated, Sexually Active Asian Female Adolescents With and Without Perinatally Acquired HIV Infection. <i>Pediatric Infectious Disease Journal</i> , <b>2020</b> , 39, 615-619                                     | 3.4  | 2  |
| 30 | Antiviral therapy for the sexually transmitted viruses: recent updates on vaccine development. <i>Expert Review of Clinical Pharmacology</i> , <b>2020</b> , 13, 1001-1046   | 3.8  | 6  |
| 29 | Targeting HPV in gynaecological cancers - Current status, ongoing challenges and future directions. <i>Women's Health</i> , <b>2020</b> , 16, 1745506520961709   | 3    | 1  |
| 28 | Cost-effectiveness analysis of integrating screening and treatment of selected non-communicable diseases into HIV/AIDS treatment in Uganda. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23 Suppl 1, e25507  | 5.4  | 12 |
| 27 | Sociodemographic factors, health seeking behaviors, reproductive history, and knowledge of cervical screening among women in Swaziland. <i>Infectious Agents and Cancer</i> , <b>2020</b> , 15, 16   | 3.5  | 1  |
| 26 | Characterization of cervical biopsies of women with HIV and HPV co-infection using p16, ki-67 and HPV E4 immunohistochemistry and DNA methylation. <i>Modern Pathology</i> , <b>2020</b> , 33, 1968-1978   | 9.8  | 5  |
| 25 | The use of host cell DNA methylation analysis in the detection and management of women with advanced cervical intraepithelial neoplasia: a review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 128, 504-514  | 3.7  | 12 |
| 24 | Viral Venereal Diseases of the Skin. <i>American Journal of Clinical Dermatology</i> , <b>2021</b> , 22, 523-540   | 7.1  | 2  |

|    |   |      |    |
|----|---|------|----|
| 23 | Photodynamic viral inactivation: Recent advances and potential applications. <i>Applied Physics Reviews</i> , <b>2021</b> , 8, 021315   | 17.3 | 8  |
| 22 | Nonvaccine human papillomavirus genotype common in women with HIV failing cervical precancer treatment. <i>Aids</i> , <b>2021</b> , 35, 2367-2374   | 3.5  | 0  |
| 21 | Effects of HIV infection on metastatic cervical cancer and age at diagnosis among patients in Lusaka, Zambia. <i>International Journal of Gynecology and Obstetrics</i> , <b>2021</b> ,   | 4    |    |
| 20 | The prevalence of precancerous cervical cancer lesion among HIV-infected women in southern Ethiopia: a cross-sectional study. <i>PLoS ONE</i> , <b>2013</b> , 8, e84519   | 3.7  | 46 |
| 19 | Cervical cancer precursors and hormonal contraceptive use in HIV-positive women: application of a causal model and semi-parametric estimation methods. <i>PLoS ONE</i> , <b>2014</b> , 9, e101090   | 3.7  | 4  |
| 18 | Residual disease and HPV persistence after cryotherapy for cervical intraepithelial neoplasia grade 2/3 in HIV-positive women in Kenya. <i>PLoS ONE</i> , <b>2014</b> , 9, e111037  | 3.7  | 16 |
| 17 | Role of p16 testing in cervical cancer screening among HIV-infected women. <i>PLoS ONE</i> , <b>2017</b> , 12, e0185597   | 3.7  | 3  |
| 16 | Aging-associated changes in hematopoiesis and leukemogenesis: what's the connection?. <i>Aging</i> , <b>2011</b> , 3, 643-56  | 5.6  | 60 |
| 15 | Are we missing opportunities to prevent cervical cancer in HIV-infected women in India?. <i>Indian Journal of Medical Research</i> , <b>2015</b> , 142, 610-3   | 2.9  | 1  |
| 14 | Viral Malignancies in HIV-Associated Immune Deficiency. <b>2012</b> , 819-851   |      |    |
| 13 | Pap Test Screening among Vertically HIV-Infected Young Women. <i>Advances in Infectious Diseases</i> , <b>2013</b> , 03, 157-161  | 0.9  |    |
| 12 | Human Papillomaviruses. <b>2015</b> , 15-43   |      |    |
| 11 | Prevention of Complications from Human Papillomavirus Infection in the HIV-Infected Individual. <b>2017</b> , 141-163   |      |    |
| 10 | Eliminating Cervical Cancer: A Role for Artificial Intelligence. <b>2019</b> , 405-422  |      | 0  |
| 9  | Persistence of High Percentage of Peripheral Activated CD8+ T Cells Predict Cytologic HPV-Related Dysplasia in cART-Treated, HIV-Positive Subjects.. <i>Open Forum Infectious Diseases</i> , <b>2022</b> , 9, ofac046   | 1    |    |
| 8  | A novel cervical cancer screen-triage-treat demonstration project with HPV self-testing and thermal ablation for women in Malawi: Protocol for a single-arm prospective trial.. <i>Contemporary Clinical Trials Communications</i> , <b>2022</b> , 26, 100903 | 1.8  | 0  |
| 7  | Screening for Early Detection of Cervical Cancer in Women Living with HIV in Mumbai, India - Retrospective Cohort Study from a Tertiary Cancer Center. <i>Indian Journal of Medical and Paediatric Oncology</i> , <b>2022</b> , 43, 073-083                   | 0.2  | 0  |
| 6  | Post-treatment monitoring by ASCL1/LHX8 methylation analysis in women with HIV treated for cervical intraepithelial neoplasia grade 2/3.. <i>Aids</i> , <b>2022</b> ,   | 3.5  |    |

|   |   |     |
|---|---|-----|
| 5 | Cervical cancer screening by visual inspection and HPV testing in Eswatini. <i>Preventive Medicine</i> , <b>2022</b> , 161, 107144  | 4-3 |
| 4 | Comparative Assessment of p16/Ki-67 Dual Staining Technology for Cervical Cancer Screening in Women Living with HIV (COMPASS-DUST) Study Protocol.  | ○   |
| 3 | Comparative Assessment of p16/Ki-67 Dual Staining Technology for cervical cancer screening in women living with HIV (COMPASS-DUST) Study protocol. <b>2023</b> , 18, e0278077                           | ○   |
| 2 | Human papillomavirus in the setting of immunodeficiency: Pathogenesis and the emergence of next-generation therapies to reduce the high associated cancer risk. 14,                                     | ○   |
| 1 | The recent natural history of human papillomavirus cervical infection in women living with HIV : A scoping review of meta-analyses and systematic reviews and the construction of a hypothetical model. | ○   |