CITATION REPORT List of articles citing

Efficacy of red blood cell transfusion in the critically ill: a systematic review of the literature

DOI: 10.1097/ccm.0b013e3181844677 Critical Care Medicine, 2008, 36, 2667-74.

Source: https://exaly.com/paper-pdf/45052722/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1847	A new language of natriuretic peptides in sepsis?. <i>Critical Care Medicine</i> , 2008 , 36, 2686-7	1.4	6
1846	Risk factors for short-term mortality from carbon monoxide poisoning treated with hyperbaric oxygen. <i>Critical Care Medicine</i> , 2008 , 36, 2684-5	1.4	2
1845	Selective COX-2 inhibitors: new insights into mechanisms of side effects?. <i>Critical Care Medicine</i> , 2008 , 36, 2694-5	1.4	3
1844	Sepsis-induced myocardial depression and calcium mishandling: an acceptable unifying theory?. <i>Critical Care Medicine</i> , 2008 , 36, 2695-6	1.4	5
1843	Patient blood management: the pragmatic solution for the problems with blood transfusions. 2008 , 109, 951-3		111
1842	"Extracorporeal membrane oxygenation in cardiopulmonary resuscitation: are we there yet?". <i>Critical Care Medicine</i> , 2008 , 36, 2685-6	1.4	4
1841	Finding the hidden target in Pseudomonas aeruginosa management. <i>Critical Care Medicine</i> , 2008 , 36, 2675-6	1.4	1
1840	Genetic variation, acute lung injury, and Kipling's six honest serving men. <i>Critical Care Medicine</i> , 2008 , 36, 2678-80	1.4	1
1839	Bad bad blood?. Critical Care Medicine, 2008, 36, 2707-8	1.4	20
1838	Is there a hidden benefit associated with early tracheostomy?. Critical Care Medicine, 2008, 36, 2688-9	1.4	4
1837	Corticosteroids in acute respiratory distress syndrome: back to basics to solve the puzzle. <i>Critical Care Medicine</i> , 2008 , 36, 2700-1	1.4	1
1836	Severe disease manifestations associated with acute chikungunya virus infection. <i>Critical Care Medicine</i> , 2008 , 36, 2682-3	1.4	21
1835	Serum inflammatory markers after postcardiac arrest resuscitation: surrogate markers of efficacy, therapeutic targets, or innocent bystanders. <i>Critical Care Medicine</i> , 2008 , 36, 2698-9	1.4	4
1834	Maintaining cerebral perfusion after polytrauma using arginine vasopressin: a classic drug revisited. <i>Critical Care Medicine</i> , 2008 , 36, 2703-4	1.4	4
1833	Nitrous oxide: from neurotoxicity to neuroprotection?. <i>Critical Care Medicine</i> , 2008 , 36, 2705-6	1.4	2
1832	A role for heme oxygenase-1 in alveolar repair after wood smoke exposure?. <i>Critical Care Medicine</i> , 2008 , 36, 2697-8	1.4	
1831	Who let the bugs in?. Critical Care Medicine, 2008, 36, 2689-90	1.4	1

(2009-2008)

1830	Acute lung injury following blood transfusion: expanding the definition. <i>Critical Care Medicine</i> , 2008 , 36, 3080-4	1.4	174
1829	Hypertonic resuscitation: is it all in the timing?. Critical Care Medicine, 2008, 36, 2692-3	1.4	3
1828	Apoptosis of endothelial cells in bacterial sepsis and severe Plasmodium falciparum malaria: do we know enough to consider clinical trials?. <i>Critical Care Medicine</i> , 2008 , 36, 2690-2	1.4	1
1827	Gastrointestinal bacterial translocation after fiberoptic bronchoscopy: fact or fiction?. <i>Critical Care Medicine</i> , 2008 , 36, 2680-1	1.4	
1826	Perivascular aquaporins: potential postischemic therapeutic drug targets?. <i>Critical Care Medicine</i> , 2008 , 36, 2701-2	1.4	1
1825	Intensive care unit costs: to infinity and beyond or not?. Critical Care Medicine, 2008, 36, 2676-8	1.4	2
1824	Update in critical care 2008. 2009 , 179, 743-58		5
1823	Major bleeding, mortality, and efficacy of fondaparinux in venous thromboembolism prevention trials. 2009 , 120, 2006-11		64
1822	Anaemia in the elderly. 2009 , 64, 292-302		6
1821	Red blood cell transfusion increases cerebral oxygen delivery in anemic patients with subarachnoid hemorrhage. 2009 , 40, 3039-44		98
1820	Haemoglobin-based oxygen carriers: is the benefit worth the risk?. 2009 , 70, 26-30		4
1819	[Risk factors for anastomotic leakage after colorectal surgery]. 2009 , 134, 242-8		17
1818	Allogeneic blood transfusion and prognosis following total hip replacement: a population-based follow up study. 2009 , 10, 167		81
1817	Hospital variation in transfusion and infection after cardiac surgery: a cohort study. 2009 , 7, 37		91
1816	Anîhie und akute Herzinsuffizienz. 2009 , 46, 383-390		
1815	Highly fluorinated amphiphilic molecules and self-assemblies with biomedical potential. 2009 , 14, 294	-304	108
1814	Blood transfusion after myocardial infarction: friend, foe, or double-edged sword?. 2009 , 2, 633-5		3
1813	[Erythrocyte transfusion: update of the guidelines "therapy with blood components and plasma derivatives"]. 2009 , 58, 1150-8		9

1812	Collagen fleece-bound fibrin sealant is not associated with an increased risk of thromboembolic events or major bleeding after its use for haemostasis in surgery: a prospective multicentre surveillance study. 2009 , 3, 13		14
1811	Les globules rouges utiles ou dangereux. 2009 , 30, S27-S30		
1810	Cost-effectiveness in haemotherapies and transfusion medicine. 2009 , 4, 258-265		6
1809	Patient blood management - a new paradigm for transfusion medicine?. 2009 , 4, 423-435		42
1808	Red blood cell use outside the operating theater: a prospective observational study with modeling of potential blood conservation during severe blood shortages. <i>Transfusion</i> , 2009 , 49, 2060-9	2.9	7
1807	Meta-analysis of clinical studies of the purported deleterious effects of "old" (versus "fresh") red blood cells: are we at equipoise?. <i>Transfusion</i> , 2010 , 50, 600-10	2.9	71
1806	Duration of red blood cell storage is associated with increased incidence of deep vein thrombosis and in hospital mortality in patients with traumatic injuries. 2009 , 13, R151		176
1805	The multiple organ dysfunction syndrome. 2009 , 55, 476-526		55
1804	[Is there still a role for recombinant erythropoietin in the management of anaemia of critical illness?]. 2009 , 132, 749-55		8
1803	Haematological problems in intensive care. 2009 , 10, 176-178		
1802	Anemia in the preoperative patient. 2009 , 27, 751-60		5
1801	Anemia in the preoperative patient. 2009 , 93, 1095-104		26
1800	Hemoglobin-based oxygen carriers: first, second or third generation? Human or bovine? Where are we now?. 2009 , 25, 279-301, Table of Contents		47
1799	Chemistry, physical chemistry, and uses of molecular fluorocarbonhydrocarbon diblocks, triblocks, and related compoundsunique "apolar" components for self-assembled colloid and interface engineering. 2009 , 109, 1714-92		364
1798	The role of thromboelastometry and recombinant factor VIIa in trauma. 2009 , 22, 281-8		23
1797	Predictive models: the angel is in the details. <i>Critical Care Medicine</i> , 2009 , 37, 2997-8	1.4	3
1796	Impact of a prevention strategy targeting hand hygiene and catheter care on the incidence of catheter-related bloodstream infections. <i>Critical Care Medicine</i> , 2009 , 37, 2998-9; author reply 2999	1.4	4
1795	Impact of a prevention strategy targeting hand hygiene and catheter care on the incidence of	1.4	

1794	Fresh frozen plasma is independently associated with a higher risk of multiple organ failure and acute respiratory distress syndrome. 2009 , 67, 221-7; discussion 228-30		242
1793	Red blood cell transfusion and mortality. <i>Critical Care Medicine</i> , 2009 , 37, 2996-7; author reply 2997	1.4	
1792	Red blood cell transfusion and mortality. <i>Critical Care Medicine</i> , 2009 , 37, 2997	1.4	4
1791	Prevalence and mortality associated with cytomegalovirus infection in nonimmunosuppressed patients in the intensive care unit. <i>Critical Care Medicine</i> , 2009 , 37, 2350-8	1.4	159
1790	Left ventricular function and high-voltage electrical injury. <i>Critical Care Medicine</i> , 2009 , 37, 2995; author reply 2995-6	1.4	
1789	Steroid use in acute lung injury/acute respiratory distress syndrome: what about the acute lung injury from H1N1?. <i>Critical Care Medicine</i> , 2009 , 37, 2996	1.4	1
1788	Transfusion and pneumonia in the trauma intensive care unit: an examination of the temporal relationship. 2009 , 67, 97-101		45
1787	Clinical practice guideline: red blood cell transfusion in adult trauma and critical care. <i>Critical Care Medicine</i> , 2009 , 37, 3124-57	1.4	1474
1786	Left ventricular function and high-voltage electrical injury. Critical Care Medicine, 2009, 37, 2995-2996	1.4	
1785	Topositivo appelito 2000 (1.11		
-/-3	Transfusion massive. 2009 , 6, 1-11		
1784			26
_			26 37
1784	The hazards of blood transfusion. 2009 , 70, 12-5 The effect of blood transfusion on brain oxygenation in children with severe traumatic brain injury.	1.4	
1784 1783	The hazards of blood transfusion. 2009 , 70, 12-5 The effect of blood transfusion on brain oxygenation in children with severe traumatic brain injury. 2010 , 11, 325-31 Red blood cell transfusion in the critically ill: when is it time to say enough?. <i>Critical Care Medicine</i> ,	1.4	37
1784 1783 1782	The hazards of blood transfusion. 2009, 70, 12-5 The effect of blood transfusion on brain oxygenation in children with severe traumatic brain injury. 2010, 11, 325-31 Red blood cell transfusion in the critically ill: when is it time to say enough?. <i>Critical Care Medicine</i> , 2009, 37, 2114-6 Recognition and prevention of nosocomial pneumonia in the intensive care unit and infection	·	37
1784 1783 1782	The effect of blood transfusion on brain oxygenation in children with severe traumatic brain injury. 2010, 11, 325-31 Red blood cell transfusion in the critically ill: when is it time to say enough?. <i>Critical Care Medicine</i> , 2009, 37, 2114-6 Recognition and prevention of nosocomial pneumonia in the intensive care unit and infection control in mechanical ventilation. <i>Critical Care Medicine</i> , 2010, 38, S352-62	·	37
1784 1783 1782 1781	The hazards of blood transfusion. 2009, 70, 12-5 The effect of blood transfusion on brain oxygenation in children with severe traumatic brain injury. 2010, 11, 325-31 Red blood cell transfusion in the critically ill: when is it time to say enough?. <i>Critical Care Medicine</i> , 2009, 37, 2114-6 Recognition and prevention of nosocomial pneumonia in the intensive care unit and infection control in mechanical ventilation. <i>Critical Care Medicine</i> , 2010, 38, S352-62 Red blood cell transfusion in the ICU. 2010, 5, 13-16 Long-term survival and quality of life after transfusion-associated pulmonary edema in critically ill	·	37 3 54

1776	Outcomes in perioperative care. 2010 , 23, 201-8	7
1775	Current world literature. 2010 , 23, 283-93	
1774	Red cell transfusions and infections: not just for adults anymore. 2010 , 11, 524-5	
1773	Anemia of thermal injury: combined acute blood loss anemia and anemia of critical illness. 2010 , 31, 229-42	40
1772	Blood product transfusion in the critical care setting. 2010 , 16, 309-16	23
1771	Packed red blood cells suppress T-cell proliferation through a process involving cell-cell contact. 2010 , 69, 320-9	27
1770	International consensus recommendations on the management of patients with nonvariceal upper gastrointestinal bleeding. 2010 , 152, 101-13	758
1769	Pathogenesis and treatment of anemia in inflammatory bowel disease. 2010 , 95, 175-8	62
1768	Supernatant of aged erythrocytes causes lung inflammation and coagulopathy in a "two-hit" in vivo syngeneic transfusion model. 2010 , 113, 92-103	103
1767	Transfusion practice and guidelines in Australian and New Zealand intensive care units. 2010 , 36, 1138-46	67
1766	The "sticky" business of "adherence" to transfusion guidelines. 2010 , 36, 1107-9	4
1765	Increasing hematocrit above 28% during early resuscitative phase is not associated with decreased mortality following severe traumatic brain injury. 2010 , 152, 627-36	17
1764	Alternative procedures for reducing allogeneic blood transfusion in elective orthopedic surgery. 2010 , 6, 190-8	23
1763	Factors associated with the development of anemia after subarachnoid hemorrhage. 2010 , 12, 4-9	42
1762	[Red blood cell transfusion increases tissue oxygenation and improves the clinical outcome (con)]. Medicina Intensiva, 2010, 34, 471-5	1
1761	[Red blood cell transfusion increases tissue oxygenation and improves the clinical outcome (pro)]. Medicina Intensiva, 2010 , 34, 467-70	1
1760	Blood still kills: six strategies to further reduce allogeneic blood transfusion-related mortality. 2010 , 24, 77-124	127
1759	Where are the systematic reviews in transfusion medicine? A study of the transfusion evidence base. 2010 , 24, 286-94	9

1758	Association of hemoglobin and transfusion with outcome after operations for hypoplastic left heart. 2010 , 89, 1378-84.e1-2		26
1757	How safe is blood, really?. 2010 , 38, 100-4		39
1756	Transfusion triggers. 2010 , 21, 84-88		
1755	Hitting the "tipping point" of TRICC?. <i>Transfusion</i> , 2010 , 50, 2076-9	2.9	2
1754	Red blood cell transfusion in the treatment and management of anaemia: the search for the elusive transfusion trigger. 2010 , 98, 2-11		84
1753	Effects on coagulation of balanced (130/0.42) and non-balanced (130/0.4) hydroxyethyl starch or gelatin compared with balanced Ringer's solution: an in vitro study using two different viscoelastic coagulation tests ROTEMTM and SONOCLOTTM. 2010 , 105, 273-81		49
1752	Terapia transfusional en neurocirugâ. 2010 , 383-392		
1751	Transfusion in the critically ill: does it affect outcome?. 2010 , 33, 324-38		4
1750	Perioperative cell salvage. 2010 , 10, 104-108		20
1749	Anemia and RBC Transfusion. 2010 , 535-542		
1748	Intraoperative transfusion in older patients with low preoperative haematocrit levels and substantial blood loss during major non-cardiac surgery is associated with lower 30-day postoperative mortality. 2010 , 15, 185-6		1
1747	Transfusion confusion. 2010 , 41, 24-9; author reply 29-30		3
1746	Complications of massive transfusion. 2010 , 137, 209-20		240
1745	Anemia and transfusions in geriatric patients: a time for evaluation. 2010 , 15, 116-21		19
1744	Managing anaemia in critically ill adults. 2010 , 341, c4408		17
1743	Transfusion therapy and acute lung injury. 2010 , 4, 387-93		12
1742	Coagulation abnormalities in the trauma patient: the role of point-of-care thromboelastography. 2010 , 36, 723-37		107
1741	Risk factors for endometritis after low transverse cesarean delivery. 2010 , 31, 69-77		26

1740 Trasfusione massiva. **2010**, 15, 1-11

1739	Management of bleeding following major trauma: an updated European guideline. 2010 , 14, R52	ļ -	538
1738	Influence of perioperative resuscitation status on postoperative spine surgery complications. <i>Spine Journal</i> , 2010 , 10, 129-35	Ĵ	35
1737	Ventilator-associated pneumonia caused by Pseudomonas aeruginosa and respiratory colonization by Candida spp. 2010 , 14, P87	7	78
1736	Abstracts of the 30th International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. March 9-12, 2010. 2010 , 14 Suppl 1, P1-602		
1735	Sodium 4-phenylbutylate protects against myocardial ischemia-reperfusion injury by reducing unfolded protein response-mediated apoptosis in mice. 2010 , 14, P2	-,	78
1734	Time-dependent effects of intravenous H2S during long-term, resuscitated porcine hemorrhagic shock. 2010 , 14, P3	5	ſ
1733	An ovine intensive care model of septic shock. 2010 , 14, P4	3	Ĺ
1732	Effects of temperature and H2S inhalation on glucose metabolism in murine resuscitated septic shock. 2010 , 14, P5	;	78
1731	Mitochondrial respiration and cytochrome c inhibition by sulfide in peritoneal macrophages in vitro: effects of temperature and pH. 2010 , 14, P6	2	2
1730	Alterations of caspase 9 mRNA gene expression in survivors and nonsurvivors of severe sepsis. 2010 , 14, P7	;	78
1729	The TLR4 antagonist CRX-526 reduces LPS-induced leukocyte activation and improves capillary perfusion of the rat intestine. 2010 , 14, P8	-,	78
1728	Effects of lipopolysaccharide on isolated muscle mitochondrial respiration are dose and time dependent. 2010 , 14, P9	7	78
1727	Clinical severity and local inflammatory responses in animal models of sepsis. 2010 , 14, P10	7	78
1726	Adenosine increases during human experimental endotoxemia, but does not influence the immune response and subsequent organ injury. 2010 , 14, P11		78
1725	Bacterial load plays a crucial role for survival in experimental peritonitis and modulates immunoparalysis of monocytes. 2010 , 14, P12	7	78
1724	Decreased whole blood TNFproduction capacity after acute alcohol exposure and LPS stimulation ex vivo. 2010 , 14, P13	3	3
1723	Leukocyte immunophenotyping: methodological aspects. 2010 , 14, P14	7	78

1722 Phenotypical analysis of peripheral human T lymphocytes in early sepsis. 2010 , 14, P15	78
1721 CD64, a marker of leucocyte activation kinetics after uncomplicated cardiac surgery. 2010 , 14, P16	78
1720 Interferon-gamma reverses sepsis-induced immunoparalysis of monocytes in vitro. 2010 , 14, P17	78
Early hydrocortisone treatment counteracts circulatory derangement but not cytokine response in porcine endotoxemia. 2010 , 14, P18	78
1718 CD40L is selectively expressed on platelets from thrombocytopenic septic patients. 2010 , 14, P19	1
1717 Neuronal NOS-inhibition in the setting of septic cardiomyopathy. 2010 , 14, P20	78
Urinary albumin excretion is elevated in sepsis, but does not correlate with circulating VEGF-A levels. 2010 , 14, P21	1
High mobility group box protein-1 preconditions isolated rat hearts and protects human pulmonary and renal cells against hypoxic injury. 2010 , 14, P22	78
Intravenous immunoglobulins prevent breakdown of the blood-brain barrier in experimental sepsis. 2010 , 14, P24	1
1713 Early use of immunoglobulin in septic shock. 2010 , 14, P25	1
Early use of immunoglobulin in septic shock. 2010, 14, P25 Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010, 14, P26	2
Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010 ,	
Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010 , 14, P26 Background factors in patients receiving immunoglobulin administration and changes in sepsis	2
Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010, 14, P26 Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010, 14, P27	2 78
Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010, 14, P26 Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010, 14, P27 C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. 2010, 14, P28 Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever:	2 78 1
Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010, 14, P26 Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010, 14, P27 C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. 2010, 14, P28 Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever: preliminary study. 2010, 14, P29	2 78 1 78
Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010, 14, P26 Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010, 14, P27 C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. 2010, 14, P28 Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever: preliminary study. 2010, 14, P29 Microalbuminuria evaluated as a biomarker in patients with septic shock. 2010, 14, P30 Evaluation of automated hematologic VCS parameters in severe sepsis and septic shock: a	2 78 1 78 78

1704 Immature platelet fraction as predictive index of sepsis. 2010 , 14, P34	1
Serial estimation of cytokine markers and their correlation with mortality in elderly patients with sepsis. 2010 , 14, P35	78
1702 Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2010 , 14, P36	78
1701 Cytokine response in severe sepsis: predicting and modelling the course of illness. 2010 , 14, P37	78
1700 Time course of IL-6 and LBP, candidate biomarkers of sepsis in surgical critical care. 2010 , 14, P38	78
Prognostic value of melatonin in patients with sepsis: a comparison of survivors and nonsurvivors. 2010, 14, P39	1
Serum C-reactive protein as a prognostic variable in elective surgery ICU patients: especially valuable following esophagectomy. 2010 , 14, P40	78
Role of procalcitonin as a diagnostic and prognostic marker of infectious diseases in the emergency department: preliminary data. 2010 , 14, P41	78
1696 Evaluation of procalcitonin at James Paget Intensive Care Unit. 2010 , 14, P42	78
1695 Procalcitonin facing the postoperative culture results after liver transplantation. 2010 , 14, P43	78
Efficiency diagnostic and advantages of procalcitonin and C-reactive protein in the early diagnosis of sepsis. 2010 , 14, P45	78
1693 Biomarkers of sepsis in burn patients. 2010 , 14, P46	1
Age-related differences of outcomes in patients hospitalized with community-acquired pneumonia	78
are not explained by differences in immune response. 2010 , 14, P47	
are not explained by differences in immune response. 2010 , 14, P47 1691 A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. 2010 , 14, P49	78
are not explained by differences in infinitine response. 2010 , 14, P47	78 4
1691 A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. 2010 , 14, P49	
1691 A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. 2010 , 14, P49 1690 Time to antibiotics in sepsis. 2010 , 14, P50	4

1686	Treatment cost of secondary peritonitis in Germany: a comparative study of medical cost incurred for tigecycline therapy and standard regimens. 2010 , 14, P54	78
1685	Efficacy and safety of once daily dosing of colistin to critically ill patients. 2010 , 14, P56	78
1684	A comparison of the effect on renal function of flucloxacillin and vancomycin antibiotic prophylaxis in cardiac surgery patients. 2010 , 14, P57	78
1683	Microdialysis study of meropenem cerebral distribution in patients with acute brain injury. 2010 , 14, P58	78
1682	Effects of two regimens of antibiotic prophylaxis on colonizing flora of the respiratory tract in patients with cardiovascular surgery. 2010 , 14, P59	78
1681	Prevalence of infections among patients admitted to ICUs in Nordic countries and the Netherlands in comparison with Mediterranean countries: a report from the EPIC II study. 2010 , 14, P60	78
1680	Risk factors for the development of carbapenem-resistant Klebsiella pneumoniae infections in critically ill patients. 2010 , 14, P61	78
1679	Outcome of unimicrobial versus polymicrobial sepsis. 2010 , 14, P62	2
1678	De-escalation practice pattern in an Indian intensive care unit. 2010 , 14, P63	1
1677	Incidence, identification of multidrug-resistant pathogens and impact on the outcome after cardiac surgery. 2010 , 14, P64	2
1676	Surveillance of ICU-acquired infections in Belgium: 2008 reference data. 2010 , 14, P65	78
1675	Risk of acquiring drug-resistant (MDR) Gram-negative isolates with previous exposure to antibiotic. 2010 , 14, P66	78
1674	Ozone fumigation successfully controlled and eradicated multidrug-resistant Acinetobacter baumanii from an intensive care unit. 2010 , 14, P67	O
1673	Viral infections in the ICU: should we search for them?. 2010 , 14, P68	78
1672	Oseltamivir dosing with haemofiltration. 2010 , 14, P69	6
1671	Efficacy and utility of a protocol for pre-emptive antimycotic therapy. 2010 , 14, P70	2
1670	Amphotericin B used as a continuous infusion is safer. 2010 , 14, P71	78
1669	Anidulafungin compared with fluconazole therapy in critically ill patients. 2010 , 14, P72	5

1668	Increase in systolic blood pressure and improvement in laboratory parameters following polymyxin B-immobilized fiber treatment in septic shock. 2010 , 14, P73	78
1667	Selection of acute blood purification therapy according to lipid mediator adsorption and blood purification in patients with septic shock. 2010 , 14, P74	78
1666	Prognostic assessment in community-acquired pneumonia by pneumonia severity scores and biomarkers. 2010 , 14, P75	78
1665	Current progress in pneumonia research. 2010 , 14, P76	78
1664	Bacterial colonization and infections of the lower respiratory tract in an interdisciplinary ICU. 2010 , 14, P77	78
1663	Rehydration does not affect pulmonary immune responses to influenza or susceptibility to secondary bacterial pneumonia. 2010 , 14, P78	78
1662	Bacteremic nosocomial pneumonia cases from the ATTAIN studies. 2010 , 14, P79	78
1661	Late ventilator-associated pneumonia: analysis of baseline characteristics and clinical outcomes in the ATTAIN studies. 2010 , 14, P80	1
1660	On the diagnosis of acute respiratory distress syndrome in nosocomial pneumonias. 2010 , 14, P81	78
1659	Genetic variability at the surfactant proteins A and D in susceptibility and severity of pneumonia. 2010 , 14, P82	1
1658	Successful strategy to reduce ventilator-associated pneumonia. 2010 , 14, P83	78
1657	Ventilator-associated pneumonia rate and ventilator bundle compliance in a district general hospital. 2010 , 14, P84	78
1656	Oral chlorhexidine to prevent nosocomial pneumonia in critically ill patients: a systematic review and meta-analysis. 2010 , 14, P85	78
1655	Impact of routine multiple site decontamination in intubated patients on ICU-acquired infections. 2010 , 14, P86	78
1654	Time course of RT-PCR positivity in H1N1-induced ARDS. 2010 , 14, P88	78
1653	Novel swine influenza A: most frequent ultrasonographic lung patterns. 2010 , 14, P89	78
1652	Outcome and prognostic factors in patients with HIV-negative pneumocystis pneumonia requiring mechanical ventilation. 2010 , 14, P90	78
1651	Acute respiratory failure from pandemic influenza A (H1N1) in an intensive care unit in southern Brazil. 2010 , 14, P91	4

1650	Extracorporeal membrane oxygenation for influenza A (H1N1): experience in a regional referral center. 2010 , 14, P92	78
1649	Budd-Chiari syndrome complicated by abdominal compartment syndrome: evidence of central hypovolaemia?. 2010 , 14, P93	78
1648	Adenosine signalling has a protective role in intestinal ischemia and reperfusion injury. 2010 , 14, P94	78
1647	Threshold levels of extreme body surface area that may cause a misrepresentation of cardiac performance. 2010 , 14, P96	78
1646	Cardiac output measurement is feasible in the presence of left-to-right shunt with ultrasound dilution method: a validation study in lambs. 2010 , 14, P97	2
1645	The PAPIKAS trial: a comparative clinical trial of pulmonary catheter versus the PiCCO device during therapy of patients with acute heart failure and cardiogenic shock. 2010 , 14, P98	1
1644	Bioreactance versus PICCOTD/PC in critically ill septic shock patients. 2010 , 14, P99	1
1643	NICOM vs LiDCOâlplus during changes in cardiac output in critically ill patients. 2010 , 14, P100	78
1642	PulseCO consistency: variation in calibration factor over 24 and 48 hours. 2010 , 14, P102	5
1641	Comparison of cardiac output values; pulse contour methods against thermodilution technique. 2010 , 14, P105	78
1640	Continuous cardiac output measurement: effect of time. 2010 , 14, P106	78
1639	A comparison in cardiac output data: a random effects model for repeated measures. 2010 , 14, P107	78
1638	In vivo validation of a new transpulmonary thermodilution method to assess global end-diastolic volume and extravascular lung water. 2010 , 14, P108	78
1637	Cardiac index derived from arterial pressure waveform: uncalibrated analysis vs once-only calibrated analysis. 2010 , 14, P109	78
1636	Cardiac output monitoring during abdominal aortic cross clamping: a comparison between Vigileo/FloTrac system and transoesophageal Doppler. 2010 , 14, P110	78
1635	Stroke volume index assessment using two minimal invasive devices during hemodynamic postoperative optimization. 2010 , 14, P111	78
1634	Non-invasive cardiac output monitoring in children: clinical validation. 2010 , 14, P112	2
1633	Global end-diastolic volume and its correlation to cardiac index inside and outside normal values. 2010 , 14, P114	78

1632	Relationship of stroke volume variation, pulse pressure variation and global end-diastolic volume in patients undergoing brain surgery. 2010 , 14, P115	78
1631	The value of pulse pressure variation to predict volume response in patients ventilated with low VT. 2010 , 14, P116	1
1630	Pre-ejection period is a reliable parameter to estimate cardiac preload in a hemorrhagic shock. 2010 , 14, P117	78
1629	Predictive value of pulse pressure variation for fluid responsiveness after maneuver to change tidal volume in patients with protective ventilatory strategy. 2010 , 14, P118	1
1628	Does stroke volume increase after a fluid challenge? A study on the management of patients undergoing major head and neck free flap surgery: preliminary data. 2010 , 14, P119	1
1627	Optimizing stroke volume and oxygen delivery in elective abdominal aortic surgery. 2010 , 14, P120	78
1626	Oxygen saturation determined from the mouth is an early indicator of central hypovolemia in humans. 2010 , 14, P121	78
1625	Plethysmographic indices as predictors of fluid responsiveness: a meta-analysis. 2010 , 14, P122	1
1624	Maintenance of cardiac index within normal range is associated with mortality reduction in patients undergoing major urological surgery. 2010 , 14, P123	2
1623	Effect of a preload challenge on peripheral perfusion in critically ill patients. 2010 , 14, P124	78
1622	Distensibility index of inferior vena cava diameter in ventilated septic and trauma patients with shock. 2010 , 14, P125	1
1621	Aortic dP/dtmax accurately reflects left ventricular contractility when effective preload independence is achieved. 2010 , 14, P126	78
1620	Cardiac cycle efficiency: a new index for cardiac work estimation tested during aortic valve plasty. 2010 , 14, P127	1
1619	Nonocclusive mesenteric ischemia following cardiothoracic surgery. 2010 , 14, P128	78
1618	Etiology, comorbidity and prognosis of hospitalized patients with congestive heart failure. 2010 , 14, P129	1
1617	Factors associated with intensive care morbidity following surgical repair of tetralogy of fallot. 2010 , 14, P130	78
1616	Sildenafil attenuates pulmonary vascular remodeling and upregulates Kv1.5 mRNA expression in pulmonary hypertension secondary to left-to-right shunt in rats. 2010 , 14, P131	78
1615	Validation of echocardiographic indices of right ventricular afterload: an experimental, open pericardium pig model. 2010 , 14, P132	78

1614	Activation of apoptotic pathways in experimental acute afterload-induced right ventricular failure. 2010 , 14, P133	78
1613	High incidence of severely prolonged QT interval after cardiac surgery. 2010 , 14, P134	2
1612	Endothelial protein C receptor expression after cardiopulmonary bypass in adult cardiac surgical patients. 2010 , 14, P135	78
1611	Urapidyl for hypertension control in severe pre-eclampsia: a comparative study with nicardipine. 2010 , 14, P136	2
1610	Comparison of the effects of furosemide, captopril and lorazepam on noncomplicated hypertensive patients in the emergency department. 2010 , 14, P137	78
1609	Incidence, risk factors and outcome of hypertensive crises in critically ill patients: a retrospective survey. 2010 , 14, P138	78
1608	Comparative study to evaluate blood pressure levels measured by an invasive method versus a non-invasive method in patients in an intensive care unit. 2010 , 14, P139	78
1607	Chronic atrial fibrillation in intensive care unit treated with electrical cardioversion: is it appropriate?. 2010 , 14, P140	78
1606	Applanation tonometry application in ICU patients with acute cardiogenic edema. 2010, 14, P141	78
1605	A better prognosis for septic patients with left ventricular dysfunction?. 2010 , 14, P142	78
1604	Microvascular effects of pulsatile versus nonpulsatile perfusion during cardiopulmonary bypass. 2010 , 14, P143	78
1603	Microcirculation and intravascular coagulopathy in patients with severe sepsis and septic shock. 2010 , 14, P144	78
1602	Prevalence and prognostic significance of cardiac abnormalities in the ICU: an echocardiographic study. 2010 , 14, P145	78
1601	BNP and NT-proBNP in patients with acute myocardial infarction complicated by cardiogenic shock: results from the IABP Shock trial. 2010 , 14, P146	6
1600	Understanding vital-sign abnormalities in critical care patients. 2010 , 14, P147	78
1599	Tissue microdialysis in critically ill septic patients: associations with sepsis severity and mortality. 2010 , 14, P148	1
1598	Delayed increase in inflammation and thenar VO2 in marathon runners. 2010 , 14, P149	78
1597	Value of peripheral tissue oxygen tension in animal experimental models of haemorrhagic and septic shock. 2010 , 14, P150	78

1596	Incidence of a low tissue oxygen saturation in a mixed population of critically ill patients. 2010 , 14, P151	2
1595	Use of near-infrared spectroscopy during a vascular occlusion test to assess the microcirculatory response during fluid responsiveness. 2010 , 14, P152	1
1594	Influence of mechanical ventilation on intestinal microcirculation and inflammation in septic rats. 2010 , 14, P153	78
1593	ScvO2 and Pcv-aCO2 as complementary tools for goal-directed therapy during high-risk surgery. 2010 , 14, P154	3
1592	Prognostic value of central venous-arterial pCO2 difference in severe sepsis and septic shock patients. 2010 , 14, P155	78
1591	Veno-arterial carbon dioxide gradient at the early stage of septic shock. 2010 , 14, P156	2
1590	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157	78
1589	Lactate and ScvO2 combinations do not predict mortality in ICU patients. 2010 , 14, P158	78
1588	Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. 2010 , 14, P159	78
1587	Regional lactate and oxygen saturation gradients: preliminary experimental data. 2010 , 14, P160	78
1586	Metformin increases platelet lactate production by inhibiting mitochondrial function. 2010 , 14, P162	1
1585	Artifactual lactic acidosis from point of care analysis: mind the gap. 2010 , 14, P163	78
1584	Physicochemical acid-base parameters and mortality in 1,070 ICU patients: a retrospective cohort study. 2010 , 14, P165	78
1583	Accuracy of predicting arterial blood gases following mechanical ventilator adjustment. 2010 , 14, P166	78
1582	Use of capnography and the availability of airway equipment on UK intensive care units. 2010 , 14, P167	78
1581	Combined oximetry and transcutaneous capnography is a reliable non-invasive monitoring in patients after cardiac surgery. 2010 , 14, P168	1
1580	Computerized lung sound monitoring to assess effectiveness of physiotherapy and secretion removal: a feasibility study. 2010 , 14, P169	3
1579	Analysis of sound waves recorded with the VRI pulmonary acoustic monitoring system in critically ill mechanically ventilated patients. 2010 , 14, P170	78

1578	Lung tissue properties obtained by optical alveolar elastometry. 2010 , 14, P171	1
1577	Combined monitoring of functional residual capacity and compliance may avoid hyperinflation and cardiac depression in ARDS. 2010 , 14, P172	78
1576	Electrical impedance tomography at two thoracic levels provides detailed information about ventilation distribution in the cranial to caudal direction. 2010 , 14, P173	78
1575	Changes in regional ventilation determined by volume and pressure-controlled ventilation as assessed by electrical impedance tomography in an experimental model of acid-induced acute lung injury. 2010 , 14,	78
1574	Changes in lung tidal distribution assessed by electrical impedance tomography in a model of hemorrhagic shock with endotoxemia and resuscitation. 2010 , 14,	78
1573	Estimating the intratidal compliance profile with the new gliding-SLICE method. 2010 , 14, P176	1
1572	Atelectasis and overdistension are detected by heartbeat-induced disturbances in the pressure-volume loop. 2010 , 14, P177	78
1571	Transpulmonary pressure and ventilation distribution measured with EIT during a PEEP trial in porcine acute lung injury. 2010 , 14, P178	1
1570	A prospective pilot study of the effect of neutrophil elastase on the pulmonary vascular permeability in patients with pneumonia. 2010 , 14, P179	78
1569	Evaluating the fibroproliferative response to ventilator-induced lung injury. 2010 , 14, P180	78
1568	Effects of severe hemorrhage on pulmonary mechanics in ventilated pigs with ARDS. 2010, 14, P181	78
1567	Higher versus lower positive end-expiratory pressure in acute lung injury and acute respiratory distress syndrome: systematic review and individual patient data meta-analysis. 2010 , 14, P182	1
1566	Effect of different recruitment maneuvers on bacterial translocation. 2010 , 14, P183	78
1565	Nonlinear recruitment model with viscoelastic component fit respiratory mechanics in ARDS. 2010 , 14, P184	2
1564	Lung recruitment and PEEP response in ARDS-related H1N1 virus patients. 2010 , 14, P185	78
1563	Maximal recruitment strategy minimizes tidal recruitment in severe ARDS: a CT scan study. 2010 , 14, P186	78
1562	Mechanical ventilation with different alveolar pressures improves alveolar recruitment: a model study. 2010 , 14, P187	78
1561	Decreasing tidal volume from 6 to 4 ml/kg: feasibility and effects on repeated opening and closing. 2010 , 14, P188	78

1560 Barriers to providing lung-protective ventilation to patients with ALI/ARDS. 2010 , 14, P189	1
Influence of aetiology of acute respiratory distress syndrome and early differences in oxygen on outcome. 2010 , 14, P190	ation 78
Acute lung injury in TBI patients with SIRS: role of vascular endothelial damage. 2010 , 14, P19	1
Mechanical ventilation aggravates transfusion-related acute lung injury induced by MHC class antibodies. 2010 , 14, P192	51 78
Adaptive support ventilation may be inappropriate for patients with ALI/ARDS after recruitm an observational study. 2010 , 14, P193	ent: 78
Receptor for advanced glycation end products is associated with systemic and organ-specific severity of acute lung injury and acute respiratory distress syndrome. 2010 , 14, P194	1
Mild hypothermia was protective in a physiological model of ventilator-induced lung injury by reducing inflammation but not by reducing the respiratory rate. 2010 , 14, P195	78
Effect of induced hypothermia on respiratory parameters in mechanically ventilated patients 14, P196	. 2010 , 78
1552 Extracorporeal life support service in a regional referral center: the Florence experience. 201	0 , 14, P197 78
Interhospital ground transportation of severe acute respiratory distress syndrome patients o extracorporeal membrane oxygenation: Monza's experience. 2010 , 14, P198	n 78
Effects of hypertonic saline on a pig model of acute lung injury induced by hydrochloric acid instillation. 2010 , 14,	78
1549 Conventional mechanical ventilation can injury intact lungs in severe trauma patients. 2010 , 1	4, P200 1
Protective effect of methylprednisolone on ventilator-induced diaphragm dysfunction is dose dependent. 2010 , 14, P201	e 78
Alveolar recruitment with non-invasive mechanical ventilation (C-PAP) in patients with nonobstructive respiratory failure. 2010 , 14, P202	78
1546 N-acetylcysteine attenuates ventilator-induced diaphragm dysfunction in rats. 2010 , 14, P203	78
1545 In vitro muscle contraction force measurements on isolated and entire rat diaphragms. 2010 ,	14, P204 1
1544 Useful of implementation of neurally adjusted ventilatory assist in critically ill patients. 2010 ,	14, P205 1
Twenty-four-hour neurally adjusted ventilatory assist and volume cycled ventilation have sim effects on respiratory neuromuscular function in a porcine model of fecal peritonitis. 2010 , 1	

1542	Effects of conventional and closed-loop neurally adjusted ventilatory assist in intubated spinal cord injured patients. 2010 , 14, P207	78
1541	A level of neurally adjusted ventilatory assist corresponds to low levels of continuous positive airway pressure and pressure support ventilation in patients preparing to be extubated from mechanical ventilation. 2010 , 14, P208	78
1540	Towards partially automated ventilation: adapting decision-making according to medical preferences. 2010 , 14, P209	78
1539	Postoperative pulmonary complications in adult elective surgery patients in the US: severity, outcomes and resources use. 2010 , 14, P210	10
1538	Increased duration of mechanical ventilation is associated with decreased diaphragmatic force. 2010 , 14, P211	1
1537	Haemodynamics and volhaemic stage in patients with respiratory disorders to thermal injury. 2010 , 14, P212	78
1536	Invasive mechanical ventilation in cancer patients: prior non-invasive ventilation is a poor prognostic factor. 2010 , 14, P213	78
1535	Laryngeal angioedema: do we need a new treatment algorithm in the ER?. 2010 , 14, P214	78
1534	Comparison of two insertion techniques of the ProSeal laryngeal mask airway: standard versus 90° rotation in pediatric patients. 2010 , 14, P215	78
1533	Endotracheal intubation in the critically ill: complication rate and use of intubation aids. 2010, 14, P216	78
1532	Intensity and adequacy of laryngoscope light in seven intensive care units. 2010 , 14, P217	78
1531	Airtraq: new device in patients at increased risk for difficult tracheal intubation. 2010 , 14, P218	78
1530	Evaluation of a new tracheostomy technique for morbidly obese patients on an intensive care unit. 2010 , 14, P219	2
1529	Our percutaneous tracheostomy experiences using the rotation-dilatation screw method. 2010 , 14, P220	78
1528	Single-step vs balloon dilatation tracheostomy: a pilot study on 20 tracheostomies. 2010 , 14, P221	78
1527	Recruitment maneuver for prevention of alevolar derecruitment during percutaneous dilation tracheostomy. 2010 , 14, P222	78
1526	An audit of timing of tracheostomy formation in neurosurgical patients: how long should we wait?. 2010 , 14, P223	78
1525	Percutaneous dilational tracheotomy in adult burn patients. 2010 , 14, P224	2

1524	Safety of percutaneous tracheostomy in trauma patients. 2010 , 14, P225	3
1523	Safety of balloon dilatational tracheostomy with the Ciaglia Blue Dolphin device. 2010 , 14, P226	78
1522	Influence of the cuff pressure on the swallowing reflex in tracheostomized ICU patients. 2010 , 14, P227	78
1521	Microaspirations during mechanical ventilation: polyurethane versus polyvinyl cuffed endotracheal tubes. 2010 , 14, P228	78
1520	Do endotracheal tubes prevent microaspiration?. 2010 , 14, P229	4
1519	A cuff-leak pressure test is a simple method for assessing severe laryngeal edema in postoperative patients. 2010 , 14, P230	78
1518	Code critical airway teams improves patient safety. 2010 , 14, P231	3
1517	A prospective evaluation of hemodynamic indexes to predict weaning from mechanical ventilation in patients after cardiac surgery. 2010 , 14, P232	78
1516	Rapid shallow breathing index predicts readiness to wean?. 2010 , 14, P233	78
1515	Increasing pressure support during vibrocompression is useful during respiratory therapy?. 2010 , 14, P234	78
1514	Predicting success in weaning from mechanical ventilation in patients with and without cardiac disease. 2010 , 14, P235	78
1513	Implementation of a standardised weaning protocol in patients with prolonged mechanical ventilation in a post-acute care ICU. 2010 , 14, P236	O
1512	Comparison of pressure control and pressure support modes for non-invasive mechanical ventilation in acute hypercapnic respiratory failure. 2010 , 14, P237	1
1511	Non-invasive CPAP with face mask: comparison between different devices. 2010 , 14, P238	1
1510	Effects of non-invasive mechanical ventilation on hemodynamic and gas exchanges parameters after cardiac surgery in patients with 300 >PaO2/FiO2 >150. 2010 , 14, P239	78
1509	Non-invasive positive pressure ventilation in burns. 2010 , 14, P240	78
1508	Non-invasive mechanical ventilation in the weaning process: continuous hemodynamic monitoring. 2010 , 14, P241	78
1507	Influence of severe obesity on non-invasive ventilation strategies and responses in patients with acute hypercapnic respiratory failure in ICU. 2010 , 14, P242	1

A simple predictive scoring system for prolonged mechanical ventilation in severe sepsis and septic shock. 2010 , 14, P243	78
1505 Simplified approach to ICU severity scoring with MPM and EUROSCORE. 2010 , 14, P244	78
Validation of a computerised system to calculate the sequential organ failure assessment score. 2010 , 14, P245	3
1503 Sequential Organ Failure Assessment scores and mortality. 2010 , 14, P246	78
Bacteremia, APACHE II and need for renal replacement therapy are independent predictors of mortality in critically ill transplanted patients with cirrhosis. 2010 , 14, P247	78
1501 External validation of six mortality prediction systems for intensive care unit patients. 2010 , 14, P248	78
Prognostic accuracy of severity score for prolonged ICU length of stay >72 hours in general surgical ICU: a prospective study. 2010 , 14, P249	78
Perioperative scores to predict mortality in surgical oncologic patients: a review of 1,362 cases. 2010 , 14,	78
Scoring patients with a suspected infection in the emergency department (ED): comparison of the ED-specific MEDS score with APACHE II and SOFA score. 2010 , 14, P251	1
1497 Validation of the new proposed Emergency Trauma Score (EMTRAS). 2010 , 14, P252	2
1496 A new severity score for community-acquired pneumonia: PARB score. 2010 , 14, P253	2
1495 Modified Early Warning Score and identification of patients with severe sepsis. 2010 , 14, P254	78
Impact of a systematic MEWS introduction on preoperative and postoperative evaluation in urgent/emergency surgery. 2010 , 14, P255	2
1493 Clinical predictors of physiological deterioration. 2010 , 14, P256	78
1492 Modified Early Warning Scores: inaccurate summation or inaccurate assignment of score?. 2010 , 14, P2	257 8
Analysis of Modified Early Warning System scores and intraoperative factors on the incidence of sepsis and septic shock after elective major surgery. 2010 , 14, P258	2
1490 Temporal variability of medical emergency team calls. 2010 , 14, P259	78

1488	Continuously improving patient safety by a rapid response system. 2010 , 14, P261	78
1487	Role of critical care outreach to provide the intention to treat of hematological disorders: a pilot study. 2010 , 14, P262	78
1486	Score to door time: a benchmarking tool for rapid response systems. 2010 , 14, P263	1
1485	A comparison of injected lidocaine 2% and no analgesia for peripheral intravenous cannula insertion in the emergency department. 2010 , 14, P264	78
1484	High-sensitive troponin T measurement for patients with acute chest pain: improvement of diagnostics?. 2010 , 14, P265	78
1483	Correlation of lung comet score with decreased gas exchange in patients with acute pulmonary edema: a pilot study. 2010 , 14, P267	78
1482	Magnitude of first medical contact in the long-term prognosis of patients treated with STEMI. 2010 , 14, P268	78
1481	Ultrasound-guided hematoma block and fracture reduction: a new way to go forward. 2010 , 14, P269	2
1480	Pulmonary edema in the prehospital setting: the importance of early treatment. 2010 , 14, P270	78
1479	Efficacy of bedside ultrasonography in early diagnosis of patients admitted to the emergency department with dyspnea. 2010 , 14, P271	78
1478	Auscultation in flight: comparison of amplified and traditional stethoscopes. 2010 , 14, P272	1
1477	Performance of ventilators at simulated altitude: study of fraction of inspired oxygen. 2010 , 14, P273	78
1476	Aeromedical evacuation of the French Army: survey of the past 10 years. 2010 , 14, P274	1
1475	Comparison of two disaster drills' management performed by trained and not-trained students: key times evaluation. 2010 , 14, P275	78
1474	Acute severe asthma: performance of ventilator at simulated altitude. 2010 , 14, P276	78
1473	Validation of a new French-language triage algorithm: the ELISA scale. 2010 , 14, P277	1
1472	Examining the suitability of medical admissions to the emergency short stay ward of a large UK hospital. 2010 , 14, P278	3
1471	A study on reliability of a new triage emergency method among nursing students. 2010 , 14, P279	78

1470	Aggression and violence against staff of ambulance services. 2010 , 14, P280	78
1469	Analysis of the disease spectrum of treated patients after Wenchuan earthquake. 2010 , 14, P281	78
1468	Large-scale implementation of a critical care surge capacity management program. 2010 , 14, P282	78
1467	Standard X-rays for the victims of severe trauma: time for a change. 2010 , 14, P283	78
1466	Focused assessment with sonography for trauma in the prehospital setting. 2010 , 14, P284	O
1465	Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010 , 14, P285	78
1464	Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010 , 14, P286	78
1463	Predictors of mechanical ventilation after burn injury. 2010 , 14, P287	78
1462	Impact of regional imaging guidelines for head injury and unconscious polytrauma patients. 2010 , 14, P288	78
1461	Blunt vascular injuries of the carotid and vertebral arteries: should we screen the asymptomatic trauma patients at high risk? Preliminary results of a prospective cohort study. 2010 , 14, P289	78
1460	Effect of 8.4% sodium bicarbonate on raised intracranial pressure after traumatic brain injury. 2010 , 14, P290	78
1459	Hypernatremia in pediatric patients with severe traumatic brain injury. 2010 , 14, P291	78
1458	Use of transcranial Doppler in patients with severe traumatic brain injury. 2010 , 14, P292	2
1457	Effect of hyperbaric oxygen on cerebral oxygen saturation in patients with sub-acute traumatic brain injury. 2010 , 14, P294	78
1456	Brain biomarkers and brain tissue oxygenation: changes and correlations following severe head injury. 2010 , 14, P295	78
1455	Cortex and deep grey matter have different sensitivities to hypoxia-hypotension and traumatic brain injury: a combined PtiO2 and microdialysis study in rats. 2010 , 14, P296	78
1454	Diagnosis of carotid and vertebral artery injury in major trauma with head injury. 2010 , 14, P297	78
1453	Decompressive craniectomy in severe intracranial hypertension after brain injury: early or late?. 2010 , 14, P298	78

1452	Optic nerve ultrasound for detecting intracranial hypertension. 2010 , 14, P300	1
1451	Measurement of neuronal specific enolase as a predictor of outcome in patients suffering from severe traumatic brain injury. 2010 , 14, P301	78
1450	Hyperphosphorylated neurofilament NF-H, S100@and NSE as indicators of severity of brain injury in children. 2010 , 14, P302	78
1449	A simple hospital discharge score predicts Glasgow Outcome Scale at 12 months in patients with traumatic brain injury. 2010 , 14, P303	78
1448	Outcome of aggressive treatment for blunt and penetrating traumatic cardiac arrest. 2010, 14, P304	78
1447	Using flow-rate limiting bag-valve-mask device without training. 2010 , 14, P305	78
1446	Out-of-hospital cardiac arrest and resource utilisation in the ICU. 2010 , 14, P306	78
1445	Comparison of external cardiac compression on the floor and in a dental chair. 2010 , 14, P307	78
1444	Time factors rather than type and/or nature of CPR modify the prognosis of out-of-hospital cardiac arrests witnessed by bystanders. 2010 , 14, P309	78
1443	Use of the laryngeal tube by paramedics during prehospital resuscitation: an observational study. 2010 , 14, P310	78
1442	The i-gel supraglottic airway as an alternative in the preclinical emergency medical aid? A comparative study on a manikin. 2010 , 14, P311	78
1441	Retention of skills during emergency airway management training: a 12-month follow-up. 2010 , 14, P312	2
1440	Factors correlated with the advanced life support simulation performance of senior medical students. 2010 , 14, P313	78
1439	Aging augments unwllingness to the initial three links in chains of survival. 2010 , 14, P314	78
1438	Prediction of the success of cardiac resuscitation: a pattern classification approach based on ECG spectral and temporal features. 2010 , 14, P315	78
1437	Dispatcher-assisted telephone cardiopulmonary resuscitation using a French compression-only protocol: performance of volunteers with or without prior life support training. 2010 , 14, P316	78
1436	CPR team members' attitudes towards family presence during cardiopulmonary resuscitation. 2010 , 14, P317	78
1435	Prehospital therapeutic hypothermia induced with cold infusions improves haemodynamic stability in nonshockable cardiac arrest patients. 2010 , 14, P318	1

1434 Trans-nasal cooling during CPR: a single-center experience. 2010 , 14, P319	1
Intra-arrest cooling using a novel intra-nasal cooling method for immediate induction of therapeutic hypothermia in Germany. 2010 , 14, P320	78
1432 Therapeutic hypothermia after cardiac arrest: implementation in UK intensive care units. 2010 , 14, P321	78
Hospital-wide therapeutic hypothermia protocol significantly reduces the time to induce hypothermia but does not improve outcomes. 2010 , 14, P322	78
1430 Induced hypothermia after cardiac arrest for 12 hours: single-centre experience. 2010 , 14, P323	78
Survival following adult cardiac arrest in intensive care units: a 5-year retrospective analysis. 2010 , 14, P324	78
Effects of bed height and time on the quality of chest compressions during cardiopulmonary resuscitation. 2010 , 14, P325	78
New results about early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. 2010 , 14, P326	78
1426 Infection rates among cooled patients post cardiac arrest. 2010 , 14, P327	78
1425 Strategies to implement a therapeutic hypothermia program. 2010 , 14, P328	78
1424 A comparison of core and tympanic temperature measurement in the critically ill. 2010 , 14, P329	1
Can we predict neurological prognoses with computed tomography just after resuscitation?. 2010 , 14, P330	78
1422 Unintended consequences of technology improvement. 2010 , 14, P331	78
1421 Bispectral Index Scale alterations in brain death patients. 2010 , 14, P332	78
1420 Prognosis in patients presenting with nontraumatic coma. 2010 , 14, P333	2
Dynamic changes in cerebral oxygenation by two methods during cardiac surgery and postoperative cognitive decline. 2010 , 14, P334	1
Acetazolamide-induced cerebrovascular reactivity is impaired in sepsis-associated encephalopathy. 2010 , 14, P335	1
Epidemiological analysis of patients with cerebral aneurysms submitted to embolization at Sö Jos'do AvaîHospital. 2010 , 14, P336	78

1416	Frequency/prevalence analysis of risk factors on aneurysmal subarachnoid hemorrhage. 2010 , 14, P337	1
1415	Monitoring regional brain oxygen saturation in patients with clipped aneurysms of the anterior circle of Willis. 2010 , 14, P338	78
1414	Early prognosis value of the first 24 hours mean plasma S100[protein level after subarachnoid aneurysmal hemorrhage. 2010 , 14, P339	78
1413	Altered aortic stiffness associated with stress cardiomyopathy in patients with aneurysmal subarachnoid haemorrhage. 2010 , 14, P340	78
1412	Effect of packed red blood cell transfusion on cerebral oxygenation and metabolism after subarachnoid hemorrhage. 2010 , 14, P341	1
1411	Comparison of surgical or endovascular treated aneurismal SAH patients with a special emphasis on cerebral vasospasm. 2010 , 14, P342	78
1410	Prediction of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage using jugular bulb oximetry monitoring: preliminary results. 2010 , 14, P343	0
1409	Magnesium use on prophylaxis of vasospasm morbidity and mortality rate in subarachnoid hemorrhage. 2010 , 14, P344	78
1408	Effects of sinvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. 2010 , 14, P345	78
1407	Addition of new criteria to Sequential Organ Failure Assessment for patients with subarachnoid hemorrhage. 2010 , 14, P346	78
1406	Cardiac output augmentation with fluid resuscitation improves brain tissue oxygenation after severe brain injury. 2010 , 14, P347	78
1405	Multicentre experience of using ICM+ for investigations of cerebrovascular dynamics with near-infrared spectroscopy. 2010 , 14, P348	2
1404	Cerebral oxygen saturation and cerebral blood flow are relatively stable during single-lung ventilation, if normocapnia is maintained. 2010 , 14, P349	78
1403	Factors affecting the transient hyperaemic response test of the cerebral autoregulation. 2010 , 14, P350	78
1402	Infection associated with the external ventricular derivation catheter: preliminary data. 2010, 14, P351	78
1401	fMRI default mode connectivity in vegetative state and locked-in syndrome patients. 2010 , 14, P352	78
1400	Incidence of cerebral salt wasting syndrome: comparison in subarachnoid haemorrhagic compared with head trauma. 2010 , 14, P353	78
1399	Sodium dysbalances in neurointensive care: results of a 5-year prospective study. 2010 , 14, P354	78

1398 Impact of hypernatremia on patients with severe traumatic brain injury. 2010 , 14, P355	5
Prevalence and clinical setting of SIADH in neurosurgery: comparison between subarachnoid haemorrhage and head trauma. 2010 , 14, P356	78
1396 Risk factors for venous thromboembolism in Japanese patients with severe blunt trauma. 2010 , 14, P35	7 78
Safety of heparin prophylaxis for venous thromboembolism in patients with neurotrauma. 2010 , 14, P358	78
1394 Prevalence and incidence of proximal deep vein thrombosis in critically ill patients. 2010 , 14, P359	78
1393 Trauma patients with prophylactic IVC filter and chemical prophylaxis: a descriptive study. 2010 , 14, P36	0 ₇ 8
Clinical signs and risk factors of acute deep vein thrombosis of lower extremities in patients after abdominal surgery for cancer: efficiency and safety of different types of anticoagulant therapy. 2010 , 14, P361	78
1391 Multidrug sedation as a risk factor for deep vein thrombosis in the intensive care unit. 2010 , 14, P362	78
1390 New method diagnostics for coagulation disorders after surgery. 2010 , 14, P363	78
1389 Thrombocytopenia in surgical ICU patients. 2010 , 14, P364	78
Thrombocytopenia in surgical ICU patients. 2010 , 14, P364 1388 Platelet count as a prognostic marker in intensive care. 2010 , 14, P365	78 1
Platelet count as a prognostic marker in intensive care. 2010 , 14, P365 66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients	1
Platelet count as a prognostic marker in intensive care. 2010 , 14, P365 66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010 , 14, P366	1 78
Platelet count as a prognostic marker in intensive care. 2010 , 14, P365 66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010 , 14, P366 Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010 , 14, P367 Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a	1 78 78
Platelet count as a prognostic marker in intensive care. 2010, 14, P365 66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010, 14, P366 Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010, 14, P367 Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a prothrombin complex concentrate. 2010, 14, P368	1 78 78 78
Platelet count as a prognostic marker in intensive care. 2010, 14, P365 66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010, 14, P366 1386 Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010, 14, P367 Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a prothrombin complex concentrate. 2010, 14, P368 1384 Fibrinogen in dilutional coagulopathy: a dose study in pigs. 2010, 14, P369	78 78 78 78

1380	Low-frequency hemoviscoelastography in monitoring coagulation disorders after abdominal surgery for cancer. 2010 , 14, P373	78
1379	Reliability of the HemoCuel hemoglobinometer in critically ill patients. 2010 , 14, P374	78
1378	Effect of transfusion, leukocyte-depleted blood product on onset of new septic shock and mortality in septic shock. 2010 , 14, P375	78
1377	Transfusion Requirements After Cardiac Surgery (TRACS) study: preliminary data of a randomized controlled clinical trial. 2010 , 14,	3
1376	Analysis of red cell transfusion practices in patients without active haemorrhage over a 12-month period in a UK intensive care unit. 2010 , 14, P377	78
1375	Effects of red blood cell transfusion in central venous saturation and lactate levels in patients with septic shock. 2010 , 14, P378	78
1374	Massive transfusion in paediatric trauma: a single-centre experience. 2010 , 14, P379	78
1373	Cytokine levels evaluation during acute isovolemic anemia. 2010 , 14,	78
1372	Haemodynamic alterations in community-acquired sepsis at early stage. 2010 , 14, P381	3
1371	Epidemiology of severe sepsis in India: an update. 2010 , 14, P382	18
1370	Systemic inflammatory response syndrome is reduced by inline filtration in intensive care patients. 2010 , 14, P383	78
1369	Review of central venous catheter-related infections in neurointensive care patients in a tertiary referral centre. 2010 , 14, P384	78
1368	Clinical impact of diagnosis methods for catheter-related bloodstream infection in ICU patients. 2010 , 14, P385	78
1367	Catheter-related bacteremia in a jugular site with tracheostomy and in a femoral site. 2010 , 14, P386	78
1366	A comparative study between conventional and antiseptic impregnated central venous catheters in neurocritical patients. 2010 , 14, P387	78
1365	Comparison between peripherally inserted central venous catheters and short-term central venous catheter in patients discharged from the ICU. 2010 , 14, P388	1
1365 1364		78

Systolic and diastolic function and survival in severe sepsis and septic shock: clinical, echocardiographic, biochemical correlation. 2010 , 14, P391	78
Frequency and clinical spectrum of myocardial dysfunction in severe sepsis and septic shock. 2010 , 14, P392	78
Effects of nitroglycerin on intestinal microcirculatory blood flow in patients with abdominal sepsis. 2010 , 14, P393	78
Diastolic dysfunction in septic shock is an independent predictor of elevated B-type natriuretic peptide and hospital mortality. 2010 , 14, P394	1
Cardiac-specific troponin I and cardiovascular dysfunction in post-traumatic sepsis. 2010 , 14, P395	78
Both systolic and diastolic functions are impaired in critically ill patients with community-acquired sepsis. 2010 , 14, P396	78
Selective V1a agonism reduces vascular leakage and cardiopulmonary dysfunction in methicillin-resistant Staphylococcus aureus sepsis. 2010 , 14, P397	2
Sepsis resuscitation bundle compliance in septic shock: improves survival and yet better late than never. 2010 , 14, P398	78
Effect of myocardial preservation of early goal-directed therapy on severe sepsis/septic shock patients in the ICU. 2010 , 14, P399	1
Impact of the sepsis bundle strategy on the outcomes of the patients suffering from severe sepsis and septic shock. 2010 , 14, P400	78
Impact of Surviving Sepsis Campaign implementation in Brazil. 2010 , 14, P401	78
Effect of synthetic vasopressin in septic shock using eosphageal Doppler. 2010 , 14, P402	78
Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. 2010 , 14, P403	78
Outcomes and incidence of bleeding events associated with drotrecogin alfa: a single-centre experience of 440 patients. 2010 , 14, P404	78
Activated protein C: cost matters!. 2010 , 14, P405	78
Outcome of patients receiving two or more infusions of activated protein C: a single-centre experience. 2010 , 14, P406	78
Drotrecogin alfa (activated): a single-centre experience of 110 patients. 2010 , 14, P407	78
Efficacy of recombinant human soluble thrombomodulin in disseminated intravascular coagulation. 2010 , 14, P408	78
	Frequency and clinical spectrum of myocardial dysfunction in severe sepsis and septic shock. 2010, 14, P392 Effects of nitroglycerin on intestinal microcirculatory blood flow in patients with abdominal sepsis. 2010, 14, P393 Diastolic dysfunction in septic shock is an independent predictor of elevated B-type natriuretic peptide and hospital mortality. 2010, 14, P394 Cardiac-specific troponin I and cardiovascular dysfunction in post-traumatic sepsis. 2010, 14, P395 Both systolic and diastolic functions are impaired in critically ill patients with community-acquired sepsis. 2010, 14, P396 Selective V1a agonism reduces vascular leakage and cardiopulmonary dysfunction in methicillin-resistant Staphylococcus aureus sepsis. 2010, 14, P397 Sepsis resuscitation bundle compliance in septic shock: improves survival and yet better late than never. 2010, 14, P398 Effect of myocardial preservation of early goal-directed therapy on severe sepsis/septic shock patients in the ICU. 2010, 14, P399 Impact of the sepsis bundle strategy on the outcomes of the patients suffering from severe sepsis and septic shock. 2010, 14, P400 Impact of Surviving Sepsis Campaign implementation in Brazil. 2010, 14, P401 Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. 2010, 14, P402 Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. 2010, 14, P403 Outcomes and incidence of bleeding events associated with drotrecogin alfa: a single-centre experience of 440 patients. 2010, 14, P404 Activated protein C: cost matters!. 2010, 14, P405 Outcome of patients receiving two or more infusions of activated protein C: a single-centre experience. 2010, 14, P405 Drotrecogin alfa (activated): a single-centre experience of 110 patients. 2010, 14, P407

1344	Clinical experience with lipopolysaccharide adsorber in cancer patients with severe sepsis and septic shock. 2010 , 14, P409	78
1343	Apheresis of activated leukocytes with an immobilized polymyxin B filter. 2010 , 14, P410	О
1342	Therapeutic blood purification using functionalized core/shell nanomagnets. 2010, 14, P411	78
1341	Coupled plasma filtration and adsorption in septic shock: a multicentric experience. 2010 , 14, P412	2
1340	Patients admitted to the ICU for extra-abdominal disease and operated on for emergency laparotomy have significant survival. 2010 , 14, P413	78
1339	Can ICU admission be predicted?. 2010 , 14, P414	78
1338	Unsuitable for ICU: what happens next?. 2010 , 14, P415	78
1337	Admission pattern and outcome in a UK weaning centre. 2010 , 14, P416	78
1336	Referral to intensive care: who and when?. 2010 , 14, P417	78
1335	Acute drug overdose in an ICU: 15 years experience. 2010 , 14, P418	3
1335 1334	Acute drug overdose in an ICU: 15 years experience. 2010 , 14, P418 Prognostic factors for very short-term mortality in severe sepsis. 2010 , 14, P419	3 78
1334	Prognostic factors for very short-term mortality in severe sepsis. 2010 , 14, P419	78
1334	Prognostic factors for very short-term mortality in severe sepsis. 2010 , 14, P419 Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010 , 14, P420	78 78
1334 1333 1332	Prognostic factors for very short-term mortality in severe sepsis. 2010, 14, P419 Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010, 14, P420 Prognoses indicators of HIV patients admitted to the ICU. 2010, 14, P421 Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. 2010,	78 78 78
1334 1333 1332 1331	Prognostic factors for very short-term mortality in severe sepsis. 2010, 14, P419 Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010, 14, P420 Prognoses indicators of HIV patients admitted to the ICU. 2010, 14, P421 Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. 2010, 14, P422	78 78 78 78
1334 1333 1332 1331 1330	Prognostic factors for very short-term mortality in severe sepsis. 2010, 14, P419 Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010, 14, P420 Prognoses indicators of HIV patients admitted to the ICU. 2010, 14, P421 Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. 2010, 14, P422 Is intensive care beneficial for patients with haematologic malignancies?. 2010, 14, P423	78 78 78 78 78

1326	Clinical profile, maternal and fetal mortality analysis of severe gestosis admitted to the ICU. 2010 , 14, P427	78
1325	Obstetric critical care in developing countries: a comparison between two intensive care units. 2010 , 14, P428	78
1324	Co-morbidity, demographic and social factors as predictors of outcome from intensive care: an observational cohort study. 2010 , 14, P429	78
1323	C-Reactive protein and albumin as prognostic markers in intensive care. 2010 , 14, P430	1
1322	Statin therapy on admission to intensive care and outcome: an observational cohort study. 2010 , 14, P431	78
1321	How did you sleep in the ICU?. 2010 , 14, P432	1
1320	Factors associated with longer stay on a surgical intensive care unit. 2010 , 14, P433	78
1319	Social support: a significant factor for health-related quality of life after critical illness?. 2010 , 14, P434	78
1318	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. 2010 , 14, P435	O
1317	Functional status and quality of life in patients suffering severe cranioencephalic trauma at the time of discharge from the intensive care unit and 1 year after. 2010 , 14, P436	2
1316	Long-term (>6 years) quality of life after surgical intensive care admission. 2010 , 14, P437	78
1315	Children's self-reported health-related quality of life after intensive care treatment. 2010 , 14, P438	4
1314	Activities of daily living (Barthel Index) at discharge from the intensive care unit. 2010 , 14, P439	4
1313	A comparison of Short Form 36 and Hospital Anxiety and Depression Scale based on patients 1 month after discharge from the intensive care unit. 2010 , 14, P440	78
1312	Post-traumatic stress disorder after surgical ICU admission. 2010 , 14, P441	78
1311	Health-related quality of life before intensive care. 2010 , 14, P442	78
1310	Nursing staff development: strategies for success in a unique critical care unit in a developing country. 2010 , 14, P443	78
1309	Implementing the Leapfrog standard in a developing country. 2010 , 14, P444	78

1308	Impact of thiopental use on cerebral perfusion pressure in severe brain trauma: an example of caregivers' adaptation. 2010 , 14, P445	78
1307	Knowledge of ICU nurses regarding selected care areas commonly guided by protocols. 2010 , 14, P446	78
1306	Pharmacist clinical interventions in the ICU. 2010 , 14, P447	5
1305	Adverse drug events in the critical care unit. 2010 , 14, P448	78
1304	Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. 2010 , 14, P449	1
1303	Noise in the critical care environment. 2010 , 14, P450	1
1302	Allergy documentation and transfer within critical care. 2010 , 14, P451	78
1301	Use of an anonymous medication incident reporting system on a critical care unit. 2010 , 14, P452	1
1300	Three years experience of a quality improvement programme. 2010 , 14, P453	78
1299	Improving team work during bedside rounds: using daily goals and best practices. 2010 , 14, P454	78
1298	Stress induced by simulation-based training in anesthesiologist residents. 2010 , 14, P455	78
1297	Impact of an education program in respiratory therapy quality of care. 2010 , 14, P456	78
1296	Use of the FAST HUG checklist in Mexican critically ill patients. 2010 , 14, P457	78
1295	Bay rooms vs single-bed rooms in intensive care unit nosocomial infections: a case-control study. 2010 , 14, P458	2
1294	Impact of quality improvement process on healthcare-associated infection in the ICU in a tertiary care hospital in India. 2010 , 14, P459	78
1293	Teaching airway resuscitation to novices: a randomized controlled simulator mannequin study. 2010 , 14, P460	78
1292	Impact of ultrasound guidance in central venous catheterization by inexperienced trainees: a prospective observational study. 2010 , 14, P461	78
1291	Performance analysis of an ICU according to GiViTI's StART approach. 2010 , 14, P462	78

Simulation training at the point of care to decrease the incidence of airway complications on the intensive care unit. 2010 , 14, P463	78
1289 Management of needle stick injuries from incapacitated patients. 2010 , 14, P464	78
1288 Stress and fatigue among anaesthesia and intensive care doctors in Lithuania. 2010 , 14, P465	78
Implementation of daily goals in the ICU reduces length of ICU stay and errors of omission in patient care. 2010 , 14, P466	1
Use of single patient rooms to decrease acquisition of antibiotic-resistant bacteria in the ICU. 2010 , 14, P467	78
1285 Time to first review of new admissions to critical care by the consultant intensivist. 2010 , 14, P468	78
1284 Analysis of critical care referrals. 2010 , 14, P469	2
1283 Communication with intensive care patients. 2010 , 14, P470	78
1282 Quality of transfers of critically ill patients within the hospital. 2010 , 14, P471	78
1281 Are bariatric patients putting a strain on intensive care beds?. 2010 , 14, P472	78
1280 Five-year evolution of drug prescribing in a university adult intensive care unit. 2010 , 14, P473	78
A semiquantitative assessment of the effects of delayed discharge from the intensive care unit of survivors of critical illness. 2010 , 14, P474	78
Robotics telepresence in acute care facilities during influenza AH1N1 outbreak in Mexico. 2010 , 14, P475	78
1277 Association between out of hours discharge from the ICU and subsequent readmission. 2010 , 14, P476	3
1276 Sequential Organ Failure Assessment in pandemic planning. 2010 , 14, P477	2
Failure mode and effect analysis in interhospital transport of critically ill patients: a tool to design checklists for handovers in the mobile intensive care unit. 2010 , 14, P478	78
Selective neurogenic blockades and perioperative immune reactivity in patients undergoing lung resection. 2010 , 14, P479	78
Adverse effects of beta adrenergic blockers during spinal anesthesia with 0.5% bupivacaine. 2010 , 14, P480	2

1272	Remifentanil for postoperative analgo-sedation: effects on glycaemia and HOMA score. 2010 , 14, P481	78
1271	Adding ultralow-dose oral naltrexone to morphine: a double-blind, randomized clinical trial. 2010 , 14, P482	78
1270	Four-day sedation using sevoflurane: fluoride and renal function. 2010 , 14, P483	78
1269	Beneficial effect of sevoflurane on endotoxin-induced pulmonary hypertension. 2010 , 14, P484	1
1268	Does etomidate affect prognosis in septic shock patients treated with hydrocortisone?. 2010 , 14, P485	78
1267	Use of methyl-naltrexone for the treatment of opioid-induced constipation in critical care patients. 2010 , 14, P486	78
1266	Safety and efficacy of a nurse-driven sedation protocol with daily sedation interruption in the ICU. 2010 , 14, P487	78
1265	Effects of propofol and midazolam on indocyanine green elimination assessed with LiMON for early sepsis patients. 2010 , 14, P488	78
1264	Assessment of correlation between Bispectral Index monitorization and sedation scales used in the intensive care unit. 2010 , 14, P489	O
1263	Sedation and analgesia: early results from a web-based survey of UK practice. 2010 , 14, P490	4
1262	Severe alcohol withdrawal syndrome in ICU: is propofol a safe option?. 2010 , 14, P491	1
1261	Agitation and pain during physiotherapy in intensive care. 2010 , 14, P492	1
1260	Pain evaluation in the intensive care unit: listen to the patient, a new approach!. 2010 , 14, P493	О
1259	Pharmacokinetics of orally administered melatonin in critically ill patients. 2010 , 14, P494	78
1258	Manifestations and clinical course of delirium tremens in the ICU. 2010 , 14, P495	1
1257	Comparison of two methods for diagnosing delirium conducted in a mixed medical ICU and the concordance between two independent nurse assessors. 2010 , 14, P496	78
1256	Quetiapine in prolonged ICU delirium. 2010 , 14, P497	2
1255	PREDICT, Prediction of Delirium in ICU Patients: development and validation of a prediction model. 2010 , 14, P498	2

1254	Hospital anxiety depression scale in our surgical ICU. 2010 , 14, P499	1
1253	Fluid therapy change from synthetic colloids to only crystalloids in patients with severe sepsis. 2010 , 14, P500	78
1252	Effects of balanced and unbalanced colloid and crystalloid solutions on renal microvascular perfusion in endotoxemic rats. 2010 , 14, P501	78
1251	Effects of balanced and unbalanced colloid and crystalloid solutions on renal oxygenation in a rat model of hemorrhagic shock and resuscitation. 2010 , 14, P502	78
1250	Effect of rapidly infused crystalloids on acid-base status of dehydrated patients in the emergency department. 2010 , 14, P503	78
1249	Impact of saline-based tetrastarch vs balanced tetrastarch and crystalloid solutions on hyperchloraemic acidosis in endotoxaemic sheep. 2010 , 14, P504	78
1248	Are different hydroxyethyl starch solutions an independent risk factor for acute kidney injury in surgical critically ill patients? A retrospective analysis of 3,591 patients. 2010 , 14, P505	78
1247	Role of early continuous venovenous hemodiafiltration in septic shock and multiorgan failure. 2010 , 14, P506	78
1246	Effect of intravenous H2S on porcine aortic occlusion-induced systemic inflammation and kidney ischemia/reperfusion injury. 2010 , 14, P507	78
1245	Survival improvement in pigs with liver failure and superimposed sepsis by a new liver support system (Hepa Wash \mathbb{I}). 2010 , 14, P508	1
1244	Increased glomerular filtration in the critically ill patient receiving anti-infective treatment. 2010 , 14, P509	4
1243	Therapeutic plasma exchange in children with acute liver failure: assessment of laboratory parameters. 2010 , 14, P510	2
1242	New markers of inflammation-induced renal injury subside when endotoxin tolerance develops in humans as measured by urine proteomics. 2010 , 14, P511	78
1241	Extraction and purification of 1-hydroxymidazolam glucuronide from ultrafiltrate. 2010 , 14, P512	78
1240	Continuous renal replacement therapy: are we getting the dose right?. 2010 , 14, P513	78
1239	Use of CRRT-CVVH in a hemato-oncological ICU in patients treated with defibrotide for veno-occlusive disease in patients after allogeneic hematopoetic stem cell transplantation: single-center experience. 2010 , 14, P514	1
1238	Comparison of the efficacy and safety of two regional citrate anticoagulation protocols using acid citrate dextrose A or Prismocitrate 10/2, in patients with acute renal failure undergoing continuous venovenous haemodiafiltration. 2010 , 14, P515	2
1237	Addition of prostacyclin to heparin does not prolong circuit life during continuous haemofiltration. 2010 , 14, P516	78

1236	Recurrent early filter clotting in regional citrate anticoagulated continuous venovenous hemodialysis due to undetected antibodies to heparin-platelet factor 4 complexes. 2010 , 14, P517	1
1235	Pilot study on a regional citrate anticoagulated continuous venovenous hemodiafiltration protocol with variable treatment dose. 2010 , 14, P518	1
1234	Characteristics and outcome of patients treated with renal replacement therapy: single-center, 2-year experience. 2010 , 14, P519	78
1233	Renal function in living related kidney donors above the age of 70. 2010 , 14, P520	78
1232	Augmented renal clearance in traumatic brain injury. 2010 , 14, P521	2
1231	Pressure-controlled hemorrhagic shock in mice: a new model of acute kidney injury. 2010 , 14, P522	78
1230	Continuous urinary electrolyte measurement in a swine model of mechanical ventilation. 2010 , 14, P523	78
1229	Impact of positive fluid balance on survival in critically ill cancer patients. 2010 , 14, P524	78
1228	Fluid accumulation has an adverse effect on outcome of ICU patients with acute kidney injury. 2010 , 14, P525	78
1227	Significant microalbuminuria, on admission to the ICU, may indicate AKI in patients with sepsis. 2010 , 14, P526	78
1226	Neutrophil gelatinase-associated lipocalin as an early indicator for postoperative renal failure. 2010 , 14, P527	78
1225	Neutrophil gelatinase-associated lipocalin as an early indicator for mortality in adult critically ill patients with acute kidney injury. 2010 , 14, P528	1
1224	Urinary and plasma NGAL levels reflect the severity of acute kidney injury. 2010 , 14, P529	78
1223	Economic impact and cost-effectiveness of urine neutrophil gelatinase-associated lipocalin following cardiac surgery. 2010 , 14, P530	2
1222	Neutrophil gelatinase-associated lipocalin predicts acute kidney injury in critically ill patients. 2010 , 14, P531	78
1221	Study of serum vancomycin levels in different modalities of hemodialysis in Indian patients. 2010 , 14, P532	78
1 22 0	RIFLE criteria for acute kidney dysfunction following liver transplantation: incidence and risk factors. 2010 , 14, P533	78
1219	Prophylactic use of laxative for constipation in critically ill patients. 2010 , 14, P534	1

1218	Study of intra-abdominal hypertension in the medical intensive care unit. 2010 , 14, P535	78
1217	Intra-abdominal pressure values of emergency department intensive care unit patients and clinical outcomes. 2010 , 14, P536	78
1216	Advanced haemodynamic assessment of patients with liver disease and abdominal compartment syndrome. 2010 , 14, P537	78
1215	Molecular adsorbent recirculating system in hepatic failure patients with a ventricular assist device. 2010 , 14, P538	78
1214	Molecular adsorbent recirculating system in patients with acute liver failure: prospective follow-up. 2010 , 14, P539	78
1213	A study of patients with cirrhosis admitted to nontransplant general intensive care in the UK: prevalence, case mix, outcomes and evaluation of critical illness and disease-specific scoring systems. 2010 , 14, P540	1
1212	Acute liver failure: a European perspective. 2010 , 14, P541	78
1211	Intracranial pressure monitoring in acute liver failure: a review of 10 years experience. 2010 , 14, P542	8
12 10	Microdialysis catheters in liver transplants detect vascular complications and rejection. 2010 , 14, P543	78
1209	Drug-induced hepatic cholestasis in the ICU: a case-control study. 2010 , 14, P544	78
1209		78 78
1208	Diagnosis of acute cholecystitis in septic patients. 2010 , 14, P545 Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of	78
1208	Diagnosis of acute cholecystitis in septic patients. 2010 , 14, P545 Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of stress ulcer: a meta analysis. 2010 , 14, P546 Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect	78 78
1208 1207 1206	Diagnosis of acute cholecystitis in septic patients. 2010 , 14, P545 Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of stress ulcer: a meta analysis. 2010 , 14, P546 Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect calorimetry. 2010 , 14, P547 Evaluation of a novel motility capsule for gastric emptying in a porcine model of acute lung injury.	78 78 78
1208 1207 1206 1205	Diagnosis of acute cholecystitis in septic patients. 2010, 14, P545 Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of stress ulcer: a meta analysis. 2010, 14, P546 Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect calorimetry. 2010, 14, P547 Evaluation of a novel motility capsule for gastric emptying in a porcine model of acute lung injury. 2010, 14, P548 Preliminary results on the validation of a novel method for measuring intra-abdominal pressure and	78 78 78 78
1208 1207 1206 1205	Diagnosis of acute cholecystitis in septic patients. 2010, 14, P545 Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of stress ulcer: a meta analysis. 2010, 14, P546 Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect calorimetry. 2010, 14, P547 Evaluation of a novel motility capsule for gastric emptying in a porcine model of acute lung injury. 2010, 14, P548 Preliminary results on the validation of a novel method for measuring intra-abdominal pressure and gastric residual volume. 2010, 14, P549 Monitoring enteral nutrition efficacy in ICU patients: is there a place for the Brix value-derived	78 78 78 78 78

1200	Evaluation of studies of nutritional support team: 2 years' experience. 2010 , 14, P553	78
1199	Are we feeding our critically ill patients appropriately?. 2010 , 14, P554	78
1198	Effect of increased enteral nutrition on ICU-acquired infections: a multicenter observational study. 2010 , 14, P555	78
1197	Impact of early enteral nutrition up to goal on the prognosis of patients with different severity of illness in the ICU. 2010 , 14, P556	78
1196	Benefit of supplemental parenteral nutrition in the critically ill patient? Results of a multicenter observational study. 2010 , 14, P557	2
1195	Role of fiber diet formula in surgical critically ill septic patients. 2010 , 14, P558	78
1194	Effect of oral supplementation with immunonutrients on radiation-induced hematologic toxicity in cancer patients. 2010 , 14, P559	1
1193	Impact of multichamber bag parenteral nutrition (OliClinomel) upon inflammatory markers (EPICOS Study). 2010 , 14, P560	78
1192	Effect of n-3 fatty acids on cerebral markers and the inflammatory response in sepsis. 2010 , 14, P561	78
1191	Effects of an olive oil-based lipid emulsion (ClinOleic) versus LCT/MCT-based lipid emulsions upon the inflammatory markers of critically ill patients (EPICOS Study). 2010 , 14, P562	78
1190	Does a fish-oil-containing lipid emulsion improve liver function in comparison with a soybean oil lipid emulsion?. 2010 , 14, P565	78
1189	Therapy of compartmentalization of the proinflammatory and anti-inflammatory cytokines in sepsis. 2010 , 14, P566	1
1188	Intensive insulin therapy and brief hypoglycemia do not increase neurological injury markers in critically ill children. 2010 , 14, P567	78
1187	A cluster-controlled implementation project of intensive insulin therapy: effects on blood glucose control and incidence of severe hypoglycemia. 2010 , 14, P568	78
1186	Incidence of hypoglycemia in NICE sugar not so nice after consideration of the treatment period. 2010 , 14, P569	78
1185	Comparison of a planned versus emergent approach implementation of tight glycemic control therapy on an ICU: an experimental design. 2010 , 14, P570	78
1184	Coagulation profile in hyperglycemic septic shock patients. 2010 , 14, P571	78
1183	Impact of glycemic control on survival in critical care patients with sepsis. 2010 , 14, P572	1

(2010-2010)

Therapeutic impact on intravenous insulin dosing with three new point-of-care glucose meters in an adult ICU. 2010 , 14, P573	78
Significance of blood glucose variability in the early phase for predicting survival in acutely ill patients with glucose intolerance. 2010 , 14, P574	78
Blood glucose amplitude variation: effects of intensive insulin therapy and relative association with mortality. 2010 , 14, P575	78
Prevention of fatal and disabling neuroglycopaenia: a comparison of arterial blood sampling methods. 2010 , 14, P576	78
Impact of real-time continuous glucose monitoring on glucose variability in critically ill patients. 2010 , 14, P577	78
Automated blood glucose monitor is insensitive to hematocrit variation and common saccharide interferents. 2010 , 14, P578	78
1176 Performance of an automated blood glucose monitor in the OR/ICU. 2010 , 14, P579	78
1175 ICU glucose monitoring measured in plasma using mid-infrared spectroscopy. 2010 , 14, P580	1
1174 Validation of HbA1c as a diagnostic marker for diabetes in the critically ill. 2010 , 14, P581	1
1173 Effect of intravenous glucocorticoids on the efficiency of tight glycaemic control. 2010 , 14, P582	78
1172 Chronic critical illness: high levels of estrogens and mortality. 2010 , 14, P583	78
Estrogen decreases inflammation and apoptotic signaling in the heart following severe burn injury. 2010, 14, P584	78
1170 Dexamethasone treatment during cardiac surgery and postoperative lactate levels. 2010 , 14, P585	78
1169 Risk factors for hypertriglyceridemia in the intensive care unit: an exploratory study. 2010 , 14, P586	78
Septic patients show significantly lower 1,25-dihydroxy vitamin D levels than trauma patients. 2010 , 14, P587	1
1167 High prevalence of severe vitamin D deficiency in intensive care patients. 2010 , 14, P588	3
Vitamin D, parathyroid hormone and serum calcium levels and their association with hospital mortality in critically ill patients. 2010 , 14, P589	5
Effect of restoration of 25OHD3 status in prolonged critical illness on serum innate immunity parameters LL-37 and sCD163. 2010 , 14, P590	10

1164	Alterations in adipose tissue during critical illness: an adaptive and protective response?. 2010, 14, P591	1
1163	Impact of collection method and sample handling on measured levels of circulating ACTH. 2010 , 14, P592	1
1162	Prognostic value of serum zinc levels in critically ill patients. 2010 , 14, P593	1
1161	High stress during admission predicts the impact of a PICU follow-up clinic on parents' psychological outcome. 2010 , 14, P594	1
1160	Patient's contact person in the intensive care unit: is it really important?. 2010 , 14, P595	78
1159	Evaluating the quality of communication with patients' relatives in critical care. 2010 , 14, P596	78
1158	Family satisfaction on the intensive care unit. 2010 , 14, P597	78
1157	Survey into bereavement of family members of patients who died in the intensive care unit. 2010 , 14, P598	78
1156	Exploration of the needs and experiences of family members of a patient being admitted to a neurosurgery intensive care unit in Shiraz, Iran. 2010 , 14, P599	78
1155	Deciding the end of life for patients with disorders of consciousness: a European survey. 2010 , 14, P600	78
1154	Evaluation of a new limitations and withdrawal of care framework order form in the intensive care unit. 2010 , 14, P601	78
1153	Anemia and blood transfusion and outcome on the intensive care unit. 2010 , 14, 438; author reply 438	6
1152	Clinical studies of the effect of blood storage on patient outcomes. <i>Transfusion and Apheresis Science</i> , 2010 , 43, 95-106	73
1151	Early goal-directed therapy: on terminal life support?. 2010 , 28, 243-5	27
1150	Jack A. Barney resident paper award: blood transfusions increase complications in moderately injured patients. 2010 , 200, 746-50; discussion 750-1	11
1149	Maintenance of normal hematocrit in high-risk thyroid surgery without allogeneic blood transfusion: a case report. 2010 , 11, 43-46	
1148	Examination of the utility of serum lactate and base deficit in hemorrhagic shock. 2010 , 14, P161	78
1147	Response of NICOM stroke volume to passive leg raising to predict fluid responsiveness in critically ill patients with spontaneous breathing activity. 2010 , 14, P113	2

1146	Handbook of Evidence-Based Critical Care. 2010 ,	10
1145	Red cell transfusion triggers in critically ill patients: time for some new TRICCs?. 2010 , 14, 170	6
1144	Blood transfusion during cardiac surgery is associated with inflammation and coagulation in the lung: a case control study. 2011 , 15, R59	39
1143	Soluble CD40 ligand, a mediator of sepsis or of transfusion-related adverse effects?. 2011 , 15, 429; author reply 429	3
1142	Red blood cell transfusion and outcomes in patients with acute lung injury, sepsis and shock. 2011 , 15, R221	24
1141	Anemia and transfusion therapy: an update. <i>Medicina Intensiva (English Edition)</i> , 2011 , 35, 32-40 0.2	78
1140	Feline blood transfusions: A pinker shade of pale. 2011 , 13, 11-23	35
1139	Liberal or restrictive transfusion in high-risk patients after hip surgery. 2011 , 365, 2453-62	915
1138	Thrombelastography (TEG) or thromboelastometry (ROTEM) to monitor haemotherapy versus usual care in patients with massive transfusion. 2011 , CD007871	147
1137	Hemostasis in burn surgerya review. 2011 , 37, 559-65	42
1136	La morbilidad de la histerectomâ radical como variable de resultado combinada. 2011 , 54, 115-120	
1135	Blood transfusion and the lung: first do no harm?. 2011 , 15, 152	2
1134	Red blood cell transfusion and increased length of storage are not associated with deep vein thrombosis in medical and surgical critically ill patients: a prospective observational cohort study. 2011 , 15, R263	26
1133	Tratamento cirfgico de alopecia cicatricial no couro cabeludo e defeito da calota craniana em crianã, sem transfusãs de sangue. 2011 , 26, 160-163	
1132	Role of transfusion in the development of urinary tract-related bloodstream infection. 2011 , 171, 1587-9	4
1131	Anaesthetic impairment of immune function is mediated via GABA(A) receptors. <i>PLoS ONE</i> , 2011 , 6, e171,552	44
1131	Anaesthetic impairment of immune function is mediated via GABA(A) receptors. <i>PLoS ONE</i> , 2011 , 6, e17 §52 Association between intraoperative blood transfusion and mortality and morbidity in patients undergoing noncardiac surgery. 2011 , 114, 283-92	44 37 ²

1128	Insulin administration for treatment of pediatric diabetic ketoacidosis: are lower rates of infusion beneficial?. 2011 , 12, 217-9	5
1127	Imaging in severe malaria. 2011 , 12, 237-8	8
1126	Development of an accurate score to predict early-onset neonatal sepsis. 2011 , 12, 232-4	1
1125	Acute kidney injury treatment and the optimization of diuretics in newborns. 2011 , 12, 234-5	1
1124	It is what it was. 2011 , 12, 228-9	4
1123	Extracorporeal membrane oxygenation survivors and pulmonary function: encouraging outcomes early in life. 2011 , 12, 223-4	
1122	Renal function and extracorporeal membrane oxygenation: the crossroads of concurrent multiple organ support. 2011 , 12, 222-3	
1121	Biomarkers for sepsis: PERSEVERE to the bitter end. 2011 , 12, 225-6	1
1120	Transfusion in pediatric sepsis: less may not be more, but it is at least as good. 2011 , 12, 592-3	
1119	Sacral tumor resection: the effect of surgical staging on patient outcomes, resource management, and hospital cost. 2011 , 36, 1570-8	27
1118	Blood product transfusion: does location make a difference?. 2011 , 32, 61-5	8
1117	Global versus local bioethics. 2011 , 12, 235-6	
1116	The practice of mechanical ventilation in pediatrics: science, art, or a simple routine?. 2011 , 12, 219-21	
1115	Cortisol-binding globulin: more than just a carrier?. 2011 , 12, 229-30	
1114	What does it take to get some peace and quiet in the pediatric intensive care unit?. 2011 , 12, 238-40	1
1113	A framework for healing. 2011 , 12, 221-2	
1112	Transfusion of leukocyte-depleted red blood cells is not a risk factor for nosocomial infections in critically ill children. 2011 , 12, 519-24	4
1111	Transfusion-related immunomodulation: how much of it is due to white cells?. 2011 , 12, 593-4	1

1110	Leaks cause problems not only in Washington politics! Has the time come for cuffed endotracheal tubes for newborn ventilation?. 2011 , 12, 231-2		8
1109	Early exchange and pheresis therapies in critical pertussis. 2011 , 12, 240-1		1
1108	Blood conservation in surgery: current concepts and practice. 2011 , 96, 28-34		2
1107	Let the pediatric intensive care unit's door open: but not to all winds!. 2011 , 12, 236-7		
1106	Transfusion-related risk of secondary bacterial infections in sepsis patients: a retrospective cohort study. <i>Shock</i> , 2011 , 35, 355-9	3.4	43
1105	Monitoring patients at risk of massive transfusion with Thrombelastography or Thromboelastometry: a systematic review. 2011 , 55, 1174-89		73
1104	An association of ABO non-identical platelet and cryoprecipitate transfusions with altered red cell transfusion needs in surgical patients. 2011 , 101, 55-60		30
1103	Blood transfusion: old blood, new blood or no blood. 2011 , 41, 358-9		1
1102	A national clinical scenario-based survey of clinicians' attitudes towards fresh frozen plasma transfusion for critically ill patients. 2011 , 21, 124-9		23
1101	Association of admission hematocrit with 6-month and 1-year mortality in intensive care unit patients. <i>Transfusion</i> , 2011 , 51, 2148-59	2.9	12
1100	Storage time of transfused red blood cells and impact on clinical outcomes in hematopoietic stem cell transplantation. <i>Transfusion</i> , 2011 , 51, 2488-94	2.9	15
1099	Transillumination: a new tool to eliminate the impact of venous stasis during the procedure for the collection of diagnostic blood specimens for routine haematological testing. 2011 , 33, 457-62		34
1098	Circulatory risk in the transfusion of red blood cells with impaired flow properties induced by storage. 2011 , 25, 24-35		41
1097	Adverse blood transfusion outcomes: establishing causation. 2011 , 25, 89-101		125
1096	The clinical effects of red blood cell transfusions: an overview of the randomized controlled trials evidence base. 2011 , 25, 145-155.e2		20
1095	Transfusion-associated hyperkalemia. 2011 , 25, 184-96		81
1094	Appropriateness of allogeneic red blood cell transfusion: the international consensus conference on transfusion outcomes. 2011 , 25, 232-246.e53		138
1093	[Anemia and transfusion therapy: an update]. <i>Medicina Intensiva</i> , 2011 , 35, 32-40	1.2	3

1092	Red blood cell transfusionsare we narrowing the evidence-practice gap? An observational study in 5 Israeli intensive care units. 2011 , 26, 106.e1-6	8
1091	Risk of cardiac arrhythmias and conduction abnormalities in patients with acute myocardial infarction receiving packed red blood cell transfusions. 2011 , 26, 335-41	4
1090	Red blood cell transfusions are independently associated with intra-hospital mortality in very low birth weight preterm infants. 2011 , 159, 371-376.e1-3	72
1089	Truths, associations, and hypotheses. 2011 , 159, 359-61	9
1088	Important role of population pharmacokinetic/pharmacodynamic modeling in pediatric therapeutics. 2011 , 159, 361-3	7
1087	Patient blood management during cardiac surgery: do we have enough evidence for clinical practice?. 2011 , 142, 249.e1-32	49
1086	Red blood cell transfusion for infants with single-ventricle physiology. 2011 , 32, 461-8	23
1085	Anemia and transfusion after subarachnoid hemorrhage. 2011 , 15, 342-53	60
1084	Assessment and treatment of preoperative anemia: Continuing Professional Development. 2011 , 58, 569-81	17
1083	Transfusion of red cells in hematopoietic stem cell transplantation (TRIST): study protocol for a randomized controlled trial. 2011 , 12, 207	25
1082	Surviving sepsis: going beyond the guidelines. 2011 , 1, 17	38
1081	Red blood cell transfusion in the critically ill patient. 2011 , 1, 43	66
1080	Packed red blood cell transfusions in critically ill patients. 2011 , 31, 25-33; quiz 34	28
1079	Multiple Myeloma. 2011,	2
1078	Five drivers shifting the paradigm from product-focused transfusion practice to patient blood management. 2011 , 16 Suppl 3, 3-11	75
1077	Mortality following blood transfusion for non-variceal upper gastrointestinal bleeding. 2011 , 2, 218-225	10
1076	Prevention of nosocomial pneumonia in the intensive care unit: beyond the use of bundles. 2011 , 12, 211-20	18
1075	Age of transfused blood is not associated with increased postoperative adverse outcome after cardiac surgery. 2011 , 106, 643-9	40

1074	Reducing perioperative blood loss and allogeneic blood transfusion in patients undergoing major spine surgery. 2011 , 93, 1268-77		69
1073	Patient blood management: from blood-sparing techniques to the rationale use of blood products. 2012 , 25, 48-9		2
1072	Strategies to preempt and reduce the use of blood products: an Australian perspective. 2012 , 25, 66-73		34
1071	Transfusion and risk of acute kidney injury in cardiac surgery. 2012 , 109 Suppl 1, i29-i38		216
1070	Comparison of induced hypertension, fluid bolus, and blood transfusion to augment cerebral oxygen delivery after subarachnoid hemorrhage. 2012 , 116, 648-56		41
1069	Fresh red blood cell transfusion and short-term pulmonary, immunologic, and coagulation status: a randomized clinical trial. 2012 , 185, 842-50		82
1068	Ischemia. 2012 , 116, 643-6; discussion 646-7		1
1067	Coagulopathy in the intensive care unit. 2012 , 32, 48-59		5
1066	The effect of red blood cell transfusion on 90-day mortality in patients with acute lung injury. 2012 , 27, 112-8		6
1065	Respiratory Impairment after Early Red Cell Transfusion in Pediatric Patients with ALI/ARDS. 2012 , 2012, 646473		9
1064	Mechanical ventilation and the titer of antibodies as risk factors for the development of transfusion-related lung injury. 2012 , 2012, 720950		11
1063	Red blood cell transfusion in the elderly: the search for transfusion triggers. 2012 , 8, 387-392		
1062	Thromboelastometry Based Early Goal-Directed Coagulation Management Reduces Blood Transfusion Requirements, Adverse Events, and Costs in Acute Type A Aortic Dissection: A Pilot Study. <i>Transfusion Medicine and Hemotherapy</i> , 2012 , 39, 121-128	4.2	39
1061	Patient blood management. 2012 , 116, 1367-76		222
1060	Reduction of Fresh Frozen Plasma Requirements by Perioperative Point-of-Care Coagulation Management with Early Calculated Goal-Directed Therapy. <i>Transfusion Medicine and Hemotherapy</i> , 2012 , 39, 104-113	4.2	162
1059	Do you ask your blood banker to transfuse only fresh red blood cells in cardiac patients?*. <i>Critical Care Medicine</i> , 2012 , 40, 983-4	1.4	3
1058	Transfusion-related acute lung injury in cardiac surgery patients is characterized by pulmonary inflammation and coagulopathy: a prospective nested case-control study. <i>Critical Care Medicine</i> , 2012 , 40, 2813-20	1.4	55
1057	The acute immunological response to blood transfusion is influenced by polymicrobial sepsis. <i>Shock</i> , 2012 , 38, 598-606	3.4	6

Red cell transfusion management for patients undergoing cardiac surgery for congenital heart disease. **2012**,

Perioperative Red Blood Cell Transfusion: Harmful or Beneficial to the Patient?. <i>Transfusion Medicine and Hemotherapy</i> , 2012 , 39, 98-103	4.2	12
Red blood cell transfusion: a clinical practice guideline from the AABB*. 2012 , 157, 49-58		721
Plasma transfusion is associated with postoperative infectious complications following esophageal resection surgery: a retrospective cohort study. 2012 , 26, 569-74		14
1052 Effect of processing and storage on red blood cell function in vivo. 2012 , 36, 248-59		57
Hemoglobin levels and transfusions in neurocritically ill patients: a systematic review of comparative studies. 2012 , 16, R54		53
Lung Organ Failure Score (LOFS): probability of severe pulmonary organ failure after multiple injuries including chest trauma. <i>Injury</i> , 2012 , 43, 1507-12	2.5	28
1049 Early death and late morbidity after blood transfusion of injured children: a pilot study. 2012 , 47, 1587	-91	14
Anesthesia and severe idiopathic scoliosis correction in Jehova witness patients. Case report and review. 2012 , 40, 323-331		
Anestesia y correccifi de escoliosis idiopfica severa en paciente testigo de Jehov[Artĉulo de revisifi aprovechando un caso. 2012 , 40, 323-331		
1046 Blood transfusion in the perioperative period. 2012 , 26, 475-84		19
Prevalence and management of cancer-related anaemia, iron deficiency and the specific role of i.v. iron. 2012 , 23, 1954-1962		122
Do dietary supplements have beneficial health effects in industrialized nations: what is the evidence?. 2012 , 36, 159-68		33
A critical and evidence based glance at some of the major publications in Critical Care in 2011. 2012 , $2,89-93$		
1042 Anemia in critical illness: insights into etiology, consequences, and management. 2012 , 185, 1049-57		140
1041 Coagulation management in patients undergoing mechanical circulatory support. 2012 , 26, 179-98		65
Does selective beta-1 blockade provide bone marrow protection after trauma/hemorrhagic shock?. Surgery, 2012 , 152, 322-30	3.6	9
1039 Anaemia in elderly patients with cancer: Focus on chemotherapy-induced anaemia. 2012 , 3, 256-264		4

1038 Encyclopedia of Intensive Care Medicine. 2012 , 5-5	
1037 Encyclopedia of Intensive Care Medicine. 2012 , 16-25	
1036 Encyclopedia of Intensive Care Medicine. 2012 , 48-48	
1035 Personnes ĝès et rànimation. 2012 ,	
1034 Narrative review: the management of acute decompensated heart failure. 2012 , 27, 343-53	7
1033 Acute upper gastrointestinal bleeding in the elderly: aetiology, diagnosis and treatment. 2012 , 29, 933-40	19
1032 Coagulation Measurement and Optimisation in Cardiac Surgery. 2012 ,	
Applied Physiology and the Hemodynamic Management of Septic Shock Utilizing the Physiologic Optimization Program. 2012 ,	
Relationship of erythrocyte transfusion with short- and long-term mortality in a population-based surgical cohort. 2012 , 117, 1175-83	25
Anesthesia and severe idiopathic scoliosis correction in Jehova witness patients. Case report and review?. 2012 , 40, 323-331	1
1028 Cerebral hemodynamics: concepts of clinical importance. 2012 , 70, 352-6	52
1027 Bloodless Medicine and Surgery. 2012 ,	
1026 Intraoperative and immediate postoperative management. 2012 , 376-384.e2	
1025 Red Blood Cell Transfusion and Transfusion Alternatives in Traumatic Brain Injury. 2012 , 14, 150-163	17
The risks of blood transfusion in patients with subarachnoid hemorrhage. 2012 , 16, 343-5; author reply 346-9	3
1023 Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study. 2012 , 119, 596-604	47
A pilot feasibility trial of allocation of freshest available red blood cells versus standard care in critically ill patients. <i>Transfusion</i> , 2012 , 52, 1196-202	43
Factors associated with the avoidance of red blood cell transfusion after hematopoietic stem cell transplantation. <i>Transfusion</i> , 2012 , 52, 2049-54	9

	t blood transfusion management: discharge hemoglobin level as a surrogate marker for red cell utilization appropriateness. <i>Transfusion</i> , 2012 , 52, 2445-51	18
1019 The c a	se for universal access to tranexamic acid. 2012 , 7, 173-176	1
	fusion of allogenic leukocyte-depleted packed red blood cells is associated with perative morbidity in patients undergoing oral and oropharyngeal cancer surgery. 2012 , 48, 372-8	23
1017 Indica	tions for blood transfusion. Are we using the right transfusion trigger?. 2012 , 56, 267-9	3
1016 Red bl	lood cell transfusion during septic shock in the ICU. 2012 , 56, 718-23	20
	perative dilutional coagulopathy treated with fresh frozen plasma and fibrinogen ntrate: a prospective randomized intervention trial. 2012 , 103, 25-34	37
1014 Red bl	lood cell transfusion in the neurological ICU. 2012 , 9, 56-64	11
	transfusion in cardiac surgery is a risk factor for increased hospital length of stay in adult its. 2013 , 8, 54	48
1013	ood cell transfusion in non-bleeding critically ill patients with moderate anemia: is there a it?. 2013 , 39, 445-53	40
1011 Blood	conservation devices in critical care: a narrative review. 2013 , 3, 14	23
1010 Age o l	fred blood cells and transfusion in critically ill patients. 2013 , 3, 2	83
	actors and impact of major bleeding in critically ill patients receiving heparin boprophylaxis. 2013 , 39, 2135-43	48
1008 [Trans	fusion-related acute lung injury]. 2013 , 62, 254-60	1
1007 The th	ree-pillar matrix of patient blood managementan overview. 2013 , 27, 69-84	58
1006 Pillar I	IIoptimisation of anaemia tolerance. 2013 , 27, 111-9	13
1005 [Bloo c	transfusion during heart surgery. A retrospective nested case-control study]. 2013 , 60, 79-86	2
	ive reduction of blood product use in a community teaching hospital: when less is more. 2013 894-902	21
	and effects of two red blood cell transfusion strategies in pediatric cardiac surgery patients: omized controlled trial. 2013 , 39, 2011-9	68

1002	Patient blood management: use of topical hemostatic and sealant agents. 2013, 98, 461-78	3
1001	Outcomes and biochemical parameters following cardiac surgery: effects of transfusion of residual blood using centrifugation and multiple-pass hemoconcentration. 2013 , 27, 1174-80	4
1000	Management of bleeding and coagulopathy following major trauma: an updated European guideline. 2013 , 17, R76	627
999	Factors associated with outcomes of patients on extracorporeal membrane oxygenation support: a 5-year cohort study. 2013 , 17, R73	190
998	Management of hemorrhage in cardiothoracic surgery. 2013 , 27, S20-34	104
997	Chemotherapy-induced anemia: the story of darbepoetin alfa. 2013 , 29, 325-37	6
996	Transfusion strategies for acute upper gastrointestinal bleeding. 2013, 368, 11-21	1123
995	Impact of guideline implementation on transfusion practices in a surgical intensive care unit. 2013 , 27, 1189-93	10
994	Erythropoiesis-stimulating agents (ESAs): do they still have a role in chemotherapy-induced anemia (CIA)?. 2013 , 87, 132-9	5
993	Economic considerations on transfusion medicine and patient blood management. 2013 , 27, 59-68	52
992	Does chronic warfarin cause increased blood loss and transfusion during lumbar spinal surgery?. Spine Journal, 2013, 13, 1253-8 4	11
991	[Early evaluation of anaemia in patients with acute gastrointestinal bleeding: venous blood gas analysis compared to conventional laboratory]. 2013 , 141, 332-7	
990	Drivers for change: Western Australia Patient Blood Management Program (WA PBMP), World Health Assembly (WHA) and Advisory Committee on Blood Safety and Availability (ACBSA). 2013 , 27, 43-58	55
989	Practical Approaches to Perioperative Blood Conservation. 2013 , 31, 99-118	
988	[Management of acute lower gastrointestinal hemorrhage: position statement of the Catalan Society of Gastroenterology]. 2013 , 36, 534-45	1
987	Transfusion rates are increasing following total hip arthroplasty: risk factors and outcomes. 2013 , 28, 34-7	96
986	Drotrecogin alfa (activated) in severe sepsisauthors' reply. 2013 , 13, 110-1	
985	Hematological variables and iron status in abdominoplasty after bariatric surgery. 2013, 23, 7-16	9

984	Guidelines on the management of anaemia and red cell transfusion in adult critically ill patients. 2013 , 160, 445-64		166
983	Transfusion-related acute lung injury: a clinical review. 2013 , 382, 984-94		238
982	A brief review of 50 years of perioperative thrombosis and hemostasis management. 2013 , 50, 79-87		9
981	Anaemia: can we define haemoglobin thresholds for impaired oxygen homeostasis and suggest new strategies for treatment?. 2013 , 27, 85-98		26
980	Relationship between red cell storage duration and outcomes in adults receiving red cell transfusions: a systematic review. 2013 , 17, R66		85
979	Safety and efficacy of intravenous iron therapy in reducing requirement for allogeneic blood transfusion: systematic review and meta-analysis of randomised clinical trials. 2013 , 347, f4822		226
978	Safety of off-label erythropoiesis stimulating agents in critically ill patients: a meta-analysis. 2013 , 39, 1896-908		21
977	Board 543 - Technology Innovations Abstract How to Supply Your Drug Habit. 2013 , 8, 631		
976	[Blood transfusions: risks beyond communicable diseases]. 2013 , 151, 194-9		2
975	Blood Management for Patients Undergoing Total Joint Arthroplasty. 2013, 1,		7
974	Intravenous iron therapy for treatment of anaemia. 2013 , 347, f5378		4
973	Time course of iron metabolism in critically ill patients. 2013 , 68, 22-7		15
972	Haemoglobin management in acute brain injury. 2013 , 19, 83-91		41
971	Anemia, bleeding, and blood transfusion in the intensive care unit: causes, risks, costs, and new strategies. 2013 , 22, eS1-13; quiz eS14		39
970	Toward a restrictive transfusion practice in the PICU: if not now, when? if not us, who?. 2013 , 14, 895-6		
969	RBC transfusion practices among critically ill patients: has evidence changed practice?. <i>Critical Care Medicine</i> , 2013 , 41, 2344-53	1.4	17
968	Red blood cell transfusion: what is the evidence when to transfuse?. 2013 , 20, 546-51		29
96 7	Blood component transfusion in critically ill patients. 2013 , 19, 326-33		25

966	Priming blood transfusion tubing: a critical review of the blood transfusion process. 2013 , 33, 80-4		1
965	A systematic review of the effect of red blood cell transfusion on mortality: evidence from large-scale observational studies published between 2006 and 2010. 2013 , 3,		57
964	Here we go againblood transfusion kills patients?: comment on "Association of blood transfusion with increased mortality in myocardial infarction: a meta-analysis and diversity-adjusted study sequential analysis". 2013 , 173, 139-41		15
963	Low hemoglobin concentration is associated with poor outcome after peripheral arterial surgery. 2013 , 47, 449-53		14
962	Utilization of banked blood in pediatric surgical procedures in Calabar, Nigeria. 2013 , 10, 145-9		
961	Abstracts of the 14th Annual NATA (Network for the Advancement of Transfusion) Symposium. April 18-19 2013. Vienna, Austria. 2013 , 23 Suppl 1, 1-46		
960	Association of age and packed red blood cell transfusion to 1-year survivalan observational study of ICU patients. 2013 , 23, 231-7		
959	Examining and mitigating acellular hemoglobin vasoactivity. 2013 , 18, 2329-41		14
958	Serious Hazards of Transfusion (SHOT): Its Implications for Intensive Care. 2013 , 14, 215-219		
957	Anaemia in the older surgical patient: a review of prevalence, causes, implications and management. 2013 , 106, 269-77		41
956	Modern management of acute non-variceal upper gastrointestinal bleeding. 2013, 89, 591-8		7
955	Infections acquired by adults who receive extracorporeal membrane oxygenation: risk factors and outcome. 2013 , 34, 24-30		97
954	Blood transfusion for upper gastrointestinal bleeding: is less more again?. 2013 , 17, 325		9
953	Blood Substitutes: Fluorocarbon Approach. 2013 , 312-329		
952	Impact of erythropoietin on intensive care unit patients. <i>Transfusion Medicine and Hemotherapy</i> , 2013 , 40, 310-8	4.2	25
951	Prospective comparison of packed red blood cell-to-fresh frozen plasma transfusion ratio of 4: 1 versus 1: 1 during acute massive burn excision. 2013 , 74, 76-83		23
950	Board 542 - Technology Innovations Abstract Tablet App for Training Patient Blood Management (Submission #311). 2013 , 8, 631		
949	Management of severe perioperative bleeding: guidelines from the European Society of Anaesthesiology. 2013 , 30, 270-382		576

948	Blood management: Best-practice transfusion strategies. 2013 , 43, 40-7; quiz 48		3
947	Counterpoint: Are the best patient outcomes achieved when ICU bundles are rigorously adhered to? No. 2013 , 144, 374-378		2
946	Blood transfusions might be bad for you; that is unless you are bleeding. <i>Anesthesia and Analgesia</i> , 2013 , 116, 1201-3	3.9	6
945	Variation of blood transfusion in patients undergoing major noncardiac surgery. 2013 , 257, 266-78		54
944	Potential value of transfusion protocols in cardiac surgery. 2013 , 26, 230-43		71
943	Implementation of an institutional protocol for rational use of blood products and its impact on postoperative of coronary artery bypass graft surgery. 2013 , 11, 310-6		4
942	Serum soluble-Fas is a predictor of red blood cell transfusion in critically ill patients. 2013 , 11, 472-8		
941	Timing of blood transfusion in relation to ICU admission-a single centre audit. 2013 , 41, 788-92		
940	Effectiveness of a patient blood management data system in monitoring blood use in Western Australia. 2013 , 41, 207-15		22
939	8 Anhang. 2013 ,		
938	Anemia and transfusion of red blood cells. <i>Colombia Medica</i> , 2013 , 236-242	1.5	0
937	. 2014,		2
936	Post-operative management in transfusion-free medicine and surgery in the ICU. 2014 , 207-221		
935	Anemia in the critically ill: do we need to live with it?*. Critical Care Medicine, 2014, 42, 2140-1	1.4	3
934	Meta-analysis of high- versus low-chloride content in perioperative and critical care fluid resuscitation. 2015 , 102, 24-36		195
933	Red blood cell transfusion and mortality in trauma patients: risk-stratified analysis of an observational study. 2014 , 11, e1001664		35
932	Safety and effectiveness of a Patient Blood Management (PBM) program in surgical patientsthe study design for a multi-centre prospective epidemiologic non-inferiority trial. 2014 , 14, 576		12
931	A pragmatic approach to embedding patient blood management in a tertiary hospital. <i>Transfusion</i> , 2014 , 54, 1133-45	2.9	64

930	Red blood cell transfusion practices in two surgical intensive care units: a mixed methods assessment of barriers to evidence-based practice. <i>Transfusion</i> , 2014 , 54, 2658-67	12
929	Resuscitative goals and new strategies in severe trauma patient resuscitation. <i>Medicina Intensiva</i> , 2014, 38, 502-12	11
928	Influence of cross-match on posttransfusion packed cell volume in feline packed red blood cell transfusion. 2014 , 24, 429-36	19
927	Tolerance of intraoperative hemoglobin decrease during cardiac surgery. <i>Transfusion</i> , 2014 , 54, 2696-70 <u>4</u> .9	25
926	Response to "regarding the benefits and harms of blood transfusion in septic patients". 2014 , 47, 694-5	
925	Regarding the benefits and harms of blood transfusion in septic patients. 2014 , 47, 694	
924	Postoperative management of severe acute anemia in a Jehovah's Witness. <i>Transfusion</i> , 2014 , 54, 1153-Z.9	28
923	Abstracts of the AAGBI GAT Annual Scientific Meeting, 11-13 June 2014, Newcastle, UK. 2014 , 69 Suppl 3, 13-31	1
922	Injured children are resistant to the adverse effects of early high volume crystalloid resuscitation. 2014 , 49, 1852-5	22
921	Leukoreduced blood transfusion does not increase circulating soluble markers of inflammation: a randomized controlled trial. <i>Transfusion</i> , 2014 , 54, 2404-11	9
920	Factors influencing lengths of stay in the intensive care unit for surviving trauma patients: a retrospective analysis of 30,157 cases. 2014 , 18, R143	35
919	In-hospital mortality following treatment with red blood cell transfusion or inotropic therapy during early goal-directed therapy for septic shock: a retrospective propensity-adjusted analysis. 2014 , 18, 496	11
918	Association of red blood cell transfusion and in-hospital mortality in patients admitted to the intensive care unit: a systematic review and meta-analysis. 2014 , 18, 515	4
917	Blood management. 2014 , 9, 16-24	
916	RBC transfusion in pediatric patients supported with extracorporeal membrane oxygenation: is there an impact on tissue oxygenation?. 2014 , 15, 806-13	32
915	Transfusion triggers for guiding RBC transfusion for cardiovascular surgery: a systematic review and meta-analysis*. <i>Critical Care Medicine</i> , 2014 , 42, 2611-24	66
914	Blood transfusion and risk of infection: new convincing evidence. 2014 , 311, 1293-4	17
913	Transfusion transmitted diseases in perioperative and intensive care settings. 2014 , 58, 552-7	1

912	Initial assessment and management of patients with nonvariceal upper gastrointestinal bleeding. 2014 , 48, 823-9	5
911	Transfusion Medicine: Use of Red Blood Cells in Hospital Medicine. 2014 , 3, e430-e440	
910	The benefit of early identification of anemia preoperatively in patients undergoing hip and knee joint arthroplasty. 2014 , 18, 39-44	
909	Teaching and practicing cost-awareness in the intensive care unit: a TARGET to aim for. 2014 , 29, 107-11	12
908	The impact of low hemoglobin levels and transfusion on critical care patients with severe ischemic stroke: STroke: RelevAnt Impact of HemoGlobin, Hematocrit and Transfusion (STRAIGHT)an observational study. 2014 , 29, 236-40	30
907	Duration of red blood cells storage and outcome in critically ill patients. 2014 , 29, 476.e1-8	13
906	Endothelial nitric oxide synthase in red blood cells: key to a new erythrocrine function?. 2014 , 2, 251-8	107
905	Anaemia secondary to critical illness: an unexplained phenomenon. 2014 , 3, 4	15
904	The association between red blood cell and platelet transfusion and subsequently developing idiopathic pneumonia syndrome after hematopoietic stem cell transplantation. <i>Transfusion</i> , 2014 , 54, 1071-80	22
903	Variceal Hemorrhage. 2014 ,	2
902	Resuscitative goals and new strategies in severe trauma patient resuscitation. <i>Medicina Intensiva</i> (English Edition), 2014 , 38, 502-512	0
901	Impact of perioperative allogeneic and autologous blood transfusion on acute wound infection following total knee and total hip arthroplasty. 2014 , 96, 279-84	106
900	Abstracts of the 34th International Symposium on Intensive Care and Emergency Medicine, March 18-21, 2014, Brussels, Belgium. 2014 , 18 Suppl 1, P1-P502	2
899	The Limpet controlled drug cabinet alarm and camera. 2014 , 18, P2	1
898	Role of pharmacist in multidisciplinary pediatric intensive care rounds: a retrospective descriptive study. 2014 , 18, P3	1
897	Improvement in the identification and management of inadvertent hypothermia in the critically ill: an audit cycle. 2014 , 18, P4	78
896	Compliance of a ventilator-associated pneumonia care bundle in an adult intensive care setting. 2014 , 18, P6	1

894	Organisational changes in service provision outside critical care impact on referral patterns. 2014 , 18, P8	78
893	Demands on a continuing education online-study program for physicians. 2014 , 18, P10	78
892	Do generic measures fully capture health-related quality of life in adult, general critical care survivors?. 2014 , 18, P11	78
891	Surgical HDU admissions: utilisation, organ support and finance. 2014 , 18, P12	78
890	Convalescence via critical care collaboration. 2014 , 18, P13	78
889	Can dynamic light improve melatonin production and quality of sleep?. 2014 , 18, P14	О
888	Targeting blood tests in the ICU may lead to a significant cost reduction. 2014 , 18, P15	O
887	Results of the Telemedicine Program for implementation of the Surviving Sepsis Campaign Protocol in a community Brazilian hospital. 2014 , 18, P17	78
886	ICU nursing connectivity and the quality of care in an academic medical center: a network analysis. 2014 , 18, P18	78
885	Compassion fatigue and burnout among healthcare professionals in the ICU. 2014 , 18, P19	6
884	Effect of divergences about patient's care plan on the outcome of critically ill patients. 2014 , 18, P20	78
883	Prevalence, risk factors and consequences of intra-team conflicts in the ICU. 2014 , 18, P21	78
882	Do we spend less on older critically ill patients? Relationship among intensity of care, severity of illness and mortality. 2014 , 18, P22	78
881	New policy for ICU visits: prospective study. 2014 , 18, P23	1
880	Dealing with cultural diversity during the process of communication and decision-making in the ICU: a literature review. 2014 , 18, P24	1
879	Symptoms of anxiety, depression and post-traumatic stress in pairs of patients and their family members during and following ICU stay: who suffers most?. 2014 , 18, P25	1
878	Heart-focused anxiety in critically ill patients' relatives. 2014 , 18, P26	78
877	Family satisfaction in the ICU: a 6-month experience. 2014 , 18, P27	78

876	Qualitative analysis of a family satisfaction in an adult ICU. 2014 , 18, P28	1
875	Outcomes of ventilated surgical and medical ICU patients: do patients die from ARDS or with ARDS?. 2014 , 18, P29	1
874	Advance care planning in critically ill haematology patients. 2014 , 18, P30	78
873	A new questionnaire to determine the effect of team interaction in the ICU on perceived futility and intention to quit: results of a pilot study in two German hospitals. 2014 , 18, P31	78
872	ASA helps prediction of the death rate in surgical ICU patients. 2014 , 18, P32	78
871	Till death do us part: amyotrophic lateral sclerosis in the ICU. 2014 , 18, P33	78
870	Death rate of patients admitted to a Brazilian ICU on weekends and holidays. 2014, 18, P34	1
869	How many ways are there to die? Identification of ICU death typologies using cluster analysis. 2014 , 18, P35	78
868	Independent risk factors associated with the decision to withhold therapeutic intervention in patients admitted to the emergency room. 2014 , 18, P36	78
867	Autopsy-detected diagnostic errors in critically ill patients with cirrhosis. 2014, 18, P37	78
866	Profile, outcomes, and predictors of mortality of abdomino-pelvic trauma patients in a tertiary ICU in Saudi Arabia. 2014 , 18, P38	78
865	Radiation exposure in trauma patients is affected by age. 2014 , 18, P39	78
864	Survival rate and predictors of outcome in intubated patients with haematological malignancies in a Greek ICU. 2014 , 18, P40	78
863	Predictors of outcome in patients with haematological malignancies admitted to critical care. 2014 , 18, P41	78
862	Early risk stratification in patients with oncological and hematological malignancies in the emergency department. 2014 , 18, P42	78
861	Calculated radiation exposure for trauma patients is lower when using the New Injury Severity Score versus the Injury Severity Score to calculate injury severity. 2014 , 18, P43	78
860	Early warning scores: breaking or building barriers to critical care. 2014 , 18, P44	78
859	Impact of obesity on outcomes in patients with sepsis. 2014 , 18, P46	78

858	Obesity is not associated with poor outcomes in older patients with sepsis. 2014 , 18, P47	78
857	Long-term outcome in COPD patients with pneumonic and nonpneumonic exacerbation: a 6-year prospective follow-up study. 2014 , 18, P48	78
856	Frailty predicts need for medical review but not degree of organ support after complex orthopaedic surgery. 2014 , 18, P49	1
855	Frailty measures in the critically ill: are we approaching a critical age? A systematic review. 2014 , 18, P50	1
854	Prediction of 1-year mortality of patients treated for more than 72 hours in an ICU. 2014 , 18, P51	78
853	Long-term physical functioning and health-related outcomes in survivors of intensive care. 2014 , 18, P52	78
852	Patients with prolonged stay on ICUs and the risk of mortality within 1-year of cardiac surgery. 2014 , 18, P53	78
851	Six-month outcomes in lung cancer patients surviving ICU admission: results from a multinational multicenter study. 2014 , 18, P54	78
850	Survival and quality of life in patients acquiring acute kidney injury in the first 24 hours of ICU admission. 2014 , 18, P55	78
849	Increasing age of patients admitted to intensive care, and association between increased age and greater risk of post-ICU death. 2014 , 18, P56	1
848	Outcomes of military patients treated at the UK Royal Centre for Defence Medicine 2007 to 2013. 2014 , 18, P57	78
847	Very old patients with cancer admitted to the ICU: outcome and predictive factors of mortality. 2014 , 18, P58	78
846	A retrospective review of mortality and complications following oesophagectomy in a large UK teaching hospital. 2014 , 18, P59	O
845	SwissScoring: a nationwide survey about SAPS II assessing accuracy. 2014 , 18, P60	78
844	Abandoning the National Early Warning Score in our district general hospital. 2014, 18, P61	78
843	Endpoint resuscitation-based prediction model for early mortality of severe sepsis and septic shock. 2014 , 18, P62	78
842	Is the Golden hour important? Looking at disability and health-related quality of life in a Portuguese trauma registry. 2014 , 18, P63	78
841	Predicting outcomes after blunt chest wall trauma: development and external validation of a new prognostic model. 2014 , 18, P64	2

840	Transplantation of bone marrow-derived mononuclear cells can improve the survival rate and suppress the inflammatory response in a rat crush injury model. 2014 , 18, P65	78
839	Impact of a dedicated trauma desk in ambulance control on the identification of major trauma in Scotland. 2014 , 18, P66	78
838	The Manchester Triage System in optimizing triage in adult general medical emergency patients: the Triage Project. 2014 , 18, P67	1
837	Introduction of the Kaifu telemedicine system for emergency medicine to ambulance services with improvement of the survival rates. 2014 , 18, P68	78
836	Training to achieve coordination of rescue and ambulance and medical teams. 2014, 18, P69	78
835	Complementary cooperation of an ambulance helicopter and car with medical doctors: meaning of simultaneous dispatch. 2014 , 18, P70	78
834	Evaluation and prevention of violence in the emergency department in Lebanon. 2014, 18, P71	78
833	Epidemiology and critical care management of patients admitted after intentional self-poisoning. 2014 , 18, P72	78
832	Price per unit: the cost of alcohol-related admissions to a regional ICU. 2014 , 18, P73	78
831	Clinical research of patients with multiple organ dysfunction syndrome induced by severe heat stroke: nine case reports and literature review. 2014 , 18, P74	78
830	Effect of low-dose hydrocortisone on gene expression profiles after severe burn injury. 2014 , 18, P75	78
829	Low socioeconomic status, ethnicity and geographical location confers high risk of significant accidental burns injuries in London. 2014 , 18, P77	2
828	Effectiveness of noncontrast abdominal multidetector CT for evaluating the patient with renal insufficiency in the emergency department. 2014 , 18, P78	78
827	Antipyretics in the emergency department - intravenous paracetamol versus intramuscular diclofenac: a comparative study. 2014 , 18, P79	78
826	Survey of severe sepsis and septic shock management in Thailand: THAI-SHOCK SURVEY 2013. 2014 , 18, P80	78
825	Laboratory early warning score versus clinical early warning score as a predictor of imminent cardiac arrest. 2014 , 18, P81	78
824	Hospital mortality predictive factors following Rapid Response Team activation. 2014, 18, P82	1
823	Long-term outcome of the Emergency Response Team system in in-hospital cardiac arrest. 2014 , 18, P83	78

822	Epidemiology of unplanned intensive care admissions through inhospital referrals at a tertiary referral centre university hospital. 2014 , 18, P84	78
821	Use of low-dose CT KUB: is it becoming the easy way out?. 2014 , 18, P85	78
820	Bled dry? An audit of blood sampling practices on an adult intensive therapy unit. 2014 , 18, P86	78
819	Decreasing central-line blood draws by consolidation of phlebotomy timing: results of a quality improvement project. 2014 , 18, P87	78
818	Introducing an arterial non-injectable connector into clinical practice. 2014 , 18, P88	78
817	Novel hemostatic technique using a silicone gel dressing for tangential excision in burn surgery. 2014 , 18, P89	78
816	Should we avoid invasive treatment in cancer patients with pericardial tamponade?. 2014, 18, P90	78
815	Goal-directed hemostatic therapy using rotational thromboelastometry in patients requiring emergent cardiovascular surgery. 2014 , 18, P91	78
814	Thromboelastometric examination on the ICU before elective procedures. 2014 , 18, P92	78
813	ROTEM: Multiplate monitoring in the ICU and outcome scores. 2014 , 18, P93	1
812	Retrospective observational study of interventional radiology and critical care coagulopathy. 2014 , 18, P94	78
811	Monitoring of treatment with low molecular weight heparins using viscoelastic devices. 2014 , 18, P95	1
810	Heparin stability in parenteral nutrition bags prepared in a neonatal ICU. 2014, 18, P96	78
	Divaligadia os hoposias which apticographation stratogy for scitically ill cardias susgess, patients?	
809	Bivalirudin or heparin: which anticoagulation strategy for critically ill cardiac surgery patients?. 2014 , 18, P97	78
809		78 78
	2014, 18, P97 Reversal of edoxaban-induced anticoagulation by the four-factor prothrombin complex	, i
808	Reversal of edoxaban-induced anticoagulation by the four-factor prothrombin complex concentrate Beriplex in a rabbit model. 2014, 18, P98 Use of a specific antidote to dabigatran (idarucizumab) reduces blood loss and mortality in	78

804	Fatty acid composition of blood plasma in multiple organ dysfunction syndrome. 2014 , 18, P102	78
803	Response of coagulation and fibrinolysis system was different between older and nonolder patients with severe sepsis. 2014 , 18, P103	78
802	EAminocaproic acid does not increase adverse effects in cardiac surgery: an analysis of 2,852 cases. 2014 , 18,	78
801	Eculizumab treatment of atypical haemolytic uraemic syndrome: results from the largest prospective clinical trial to date. 2014 , 18, P105	1
800	Variation in red blood cell transfusion thresholds in critically ill patients. 2014 , 18, P106	3
799	A liberal strategy of red blood cell transfusion reduces cardiovascular complications in older patients undergoing cardiac surgery. 2014 , 18, P107	78
798	Anemia and high hematocrit are associated with in-hospital mortality in emergency department patients with suspected infection. 2014 , 18, P108	78
797	New simplified criteria for predicting massive transfusion in trauma. 2014 , 18, P109	78
796	Blood product transfusions in septic patients are associated with mortality, ARDS, and more days on mechanical ventilation. 2014 , 18, P111	78
795	Inflammatory properties of microparticles in stored red blood cell transfusion products. 2014 , 18, P113	2
794	Influenza A (H1N1): the first hit for transfusion-related acute lung injury?. 2014 , 18, P114	78
793	Prothrombin complex concentrate restores haemostasis in a dabigatran anticoagulated polytrauma pig model. 2014 , 18, P115	2
79 ²	Effect of a fixed dose of fresh frozen plasma on systemic inflammation and endothelial damage in nonbleeding critically ill patients. 2014 , 18, P116	78
791	Application of damage control resuscitation strategies to patients with severe traumatic hemorrhage: review of plasma to packed red blood cell ratios at a single institution. 2014 , 18, P117	78
790	In a trauma experimental pig model prothrombin complex concentrates and a specific antidote (idarucizumab) are effective to reverse the anticoagulant effects of dabigatran. 2014 , 18, P118	3
789	Attenuation of ischemia-reperfusion injury in swine resuscitated for hemorrhagic shock by low-dose inhaled nitrite or carbon monoxide. 2014 , 18, P119	78
788	Validation of inflationary non-invasive blood pressure monitoring in emergency room patients. 2014 , 18, P120	78
787	Influence of the oscillometric calibration method on accuracy and precision of continuous non-invasive arterial pressure measurements using the CNAPâldevice. 2014 , 18, P121	78

786	Arterial pulse waveform as an n-soliton evolution of the left ventricular pressure pulse. 2014 , 18, P122	78
785	Tackling the burden of postsurgical complications in the USA: would perioperative goal-directed therapy help?. 2014 , 18, P123	1
784	Radiological control of central venous catheter (CVC) versus electrocardiogram-guided control inserted CVC: confirm with transesophageal echocardiography. 2014 , 18, P124	1
783	Impact of the neutral position and rotation of the head in ultrasound-guided internal jugular vein catheterization on duration of procedure and complications. 2014 , 18, P125	78
782	Anthropometric formulas versus intracavitary ECG for optimal tip position of central venous catheters. 2014 , 18, P126	78
781	Residents learning ultrasound-guided catheterization are not sufficiently skilled to use landmarks. 2014 , 18, P127	78
780	Development of a standardized method of peripherally inserted central catheter (PICC-line) bedside installation. 2014 , 18, P128	1
779	Is chest X-ray necessary after central venous catheter insertion?. 2014 , 18, P129	1
778	Diagnostic value of chest ultrasound after cardiac surgery: a comparison with chest X-ray and auscultation. 2014 , 18, P130	2
777	Ultrasound measurement of carotid flow time changes with volume status. 2014 , 18, P131	6
776	Real-time ultrasound-guided subclavian vein cannulation in cardiac surgery: comparison between short-axis and long-axis techniques. 2014 , 18, P132	78
775	Transthoracic echocardiography used in conjunction with passive leg raising for assessment of fluid responsiveness in severe sepsis or septic shock patients. 2014 , 18, P133	78
774	Transoesophageal echocardiography and extracorporeal membrane oxygenation: fancy for enthusiasts or indispensable tool?. 2014 , 18, P134	4
773	Accuracy of synthesized right-sided/posterior chest lead electrocardiograms. 2014, 18, P135	78
772	Applies this species are this property with species 2014, 10, P126	
	Aortic stiffness in patients with early sepsis. 2014 , 18, P136	78
771	Novel technology for non-invasive thoracic fluid measurement: an animal model comparative study. 2014, 18, P136	7 ⁸
771 770	Novel technology for non-invasive thoracic fluid measurement: an animal model comparative study.	·

768	Validation of cardiac output from Mostcare compared with a pulmonary artery catheter in septic patients. 2014 , 18, P140	1
767	Novel non-invasive technology for cardiac output determination. 2014 , 18, P141	78
766	Performance of pulse contour and pulse wave transit time-based continuous cardiac output analyses: clinical validation of two methods in Thai patients undergoing cardiac surgery. 2014 , 18, P142	1
765	Comparison of PiCCO and VolumeView: simultaneous measurement in sepsis pig models. 2014 , 18, P143	1
764	Effects of the restrictive fluid strategy on postoperative pulmonary and renal function following pulmonary resection surgery. 2014 , 18, P144	78
763	Perioperative fluid balance and postoperative changes in serum creatinine in patients admitted to critical care after elective major surgery. 2014 , 18, P145	78
762	Very limited usefulness of pulse pressure variation as a predictor of volume responsiveness in critically ill septic patients. 2014 , 18, P146	78
761	Effects of central hypovolemia induced by tilt table on the Doppler- based renal resistive index in healthy volunteers. 2014 , 18, P147	78
760	Tissue oxygenation as a target for goal-directed therapy in high-risk surgery. 2014 , 18, P148	78
759	Why measurements do (not) work: the human factor. 2014 , 18, P149	78
758	Fluid responsiveness in septic shock. 2014 , 18, P150	78
757	Use of pulse pressure variation and stroke volume variation in spontaneously breathing patients to assess dynamic arterial elastance and to predict arterial pressure response to fluid administration. 2014 , 18, P151	2
756	Accuracy of the plethysmographic variation index as a predictor of fluid responsiveness after cardiac surgery. 2014 , 18, P152	78
755	Kinetics of volume expansion during a fluid challenge. 2014 , 18, P153	78
754	Fluid challenge with shock. 2014 , 18, P154	78
753	In vivo effect of hydroxyethyl starch solution (HES 130/0.4) on different fibrinogen assays. 2014 , 18, P155	78
75 ²	BXL 628 ameliorates toxicity of lactated Ringer in HK-2 human renal proximal tubule cells in a hypovolemia mimicking model. 2014 , 18, P156	78
75 ¹	Hypotonic fluids after liver transplantation may be associated with prolonged ICU stay. 2014 , 18, P157	78

750	Early Vasopressin Application in Shock study. 2014 , 18, P158	6
749	Terlipressin-induced hyponatraemia. 2014 , 18, P159	1
748	Savoring every drop - vampire or mosquito?. 2014 , 18, 306	22
747	Red blood cell transfusion: impact of an education program and a clinical guideline on transfusion practice. 2014 , 9, 745-9	17
746	Lower versus higher hemoglobin threshold for transfusion in septic shock. 2014 , 371, 1381-91	553
745	Effect of age, gender and mannose-binding lectin (MBL) status on the inflammatory profile in peripheral blood plasma of Australian blood donors. 2014 , 75, 973-9	7
744	Appropriate Haemoglobin in Intensive Care. 2014 , 105-111	
743	Fibrinogen concentrate for bleedinga systematic review. 2014 , 58, 1061-74	44
742	Red blood cell transfusion in patients with traumatic brain injury: a systematic review protocol. 2014 , 3, 66	6
74 ¹	Incidence of adverse events in a Brazilian coronary ICU. 2014 , 18, P5	78
740	Care of Burns in Scotland: 3-year data from the Managed Clinical Network National Registry. 2014 , 18, P76	1
739	Transfusion requirements in septic shock patients: a randomized controlled trial. 2014 , 18, P112	1
738	An official American Thoracic Society/American Association of Critical-Care Nurses/American College of Chest Physicians/Society of Critical Care Medicine policy statement: the Choosing Wisely Top 5 list in Critical Care Medicine. 2014 , 190, 818-26	99
737	Anemia in the general population: prevalence, clinical correlates and prognostic impact. 2014 , 29, 489-98	48
736	Red blood cell transfusion in septic shock - clinical characteristics and outcome of unselected patients in a prospective, multicentre cohort. 2014 , 22, 14	22
735	Severe traumatic brain injury management and clinical outcome using the Lund concept. 2014 , 283, 245-55	22
734	Core Knowledge in Critical Care Medicine. 2014 ,	
733	Does adoption of a regional sepsis protocol reduce mortality?. 2014 , 32, 280-1	5

732	Risks associated with red blood cell transfusion in the trauma population, a meta-analysis. <i>Injury</i> , 2014 , 45, 1522-33	5	33
731	Transfusion practices in a neonatal intensive care unit in a city in Brazil. 2014 , 36, 245-9		6
730	Safety of off-label erythropoiesis-stimulating agents for critically ill patients. 2014,		1
729	Fibrinogen at admission is an independent predictor of mortality in severe sepsis and septic shock. 2014 , 18, P209		2
728	Anemia and blood transfusion. 53-67		
727	Urinary tissue inhibitor of metalloproteinases-2 and insulin-like growth factor-binding protein 7 as early biomarkers of acute kidney injury and renal recovery following cardiac surgery. 2014 , 18, P381		78
726	Plasma platelet-derived microparticles to platelet count ratio as a marker of mortality in critically ill patients. 2014 , 18, P210		1
725	Oxygen delivery, cardiac function and monitoring. 1-12		
724	Efficacy of terutroban in preventing delayed cerebral ischemia after subarachnoid hemorrhage: a functional isotope imaging study on a rat model. 2014 , 18, P461		78
723	Clinical pulmonary infection score calculator in the early diagnosis and treatment of ventilator-associated pneumonia in the ICU. 2014 , 18, P304		5
722	Ability to speak in ventilator-dependent tracheostomized ICU patients. 2014 , 18, P323		0
721	Vasopressin versus norepinephrine for the management of septic shock in cancer patients. 2014 , 18, P161		2
720	Effect of nasal high flow for postoperative respiratory failure: a prospective observational study. 2014 , 18, P311		78
719	Effect of subglottic secretion drainage for preventing ventilator-associated pneumonia. 2014 , 18, P331		2
718	Enteral administration of antiepileptic agents could have efficacy for prevention of post-traumatic seizures in severe traumatic brain injury. 2014 , 18, P481		78
717	Demand versus supply in intensive care: an ever-growing problem. 2014 , 18, P9		2
716	Analysis of the acoustic environment in an ICU using patient information as a covariate. 2014 , 18, P16		78
715	Factors affecting the clinical response to National Early Warning score triggers. 2014 , 18, P45		1

714	Haemodynamic effects of phenylephrine commenced prior to induction of anaesthesia in older patients undergoing high-risk vascular surgery. 2014 , 18, P164	78
713	Acetaminophen-induced hypotension in the surgical ICU. 2014 , 18, P165	1
712	Experiences of a tertiary center with use of extracorporeal membrane oxygenation support in patients with cardiogenic shock after cardiac surgery. 2014 , 18, P166	78
711	Potential use of veno-arterial extracorporeal membrane oxygenation for cardiogenic shock refractory to mechanical assist devices: baseline physiology and mortality data. 2014 , 18, P167	78
710	Normobaric oxygen paradox and the microcirculation in the critically ill patient: a prospective observational study. 2014 , 18, P168	78
709	Predictive criteria for the development of intra-abdominal hypertension and abdominal compartment syndrome. 2014 , 18, P169	78
708	Early lactate-guided therapy in cardiac surgery patients: a randomized controlled trial. 2014 , 18, P170	1
707	Lactate as a predictor of deterioration in emergency department patients with and without infection. 2014 , 18, P171	78
706	Correlation between conventional and advanced hemodynamic parameters versus serum lactate in patients with severe sepsis. 2014 , 18, P173	78
705	Delayed assessment of serum lactate in sepsis is associated with an increased mortality rate. 2014 , 18, P174	78
704	Lactate quartile concentration and prognosis in severe sepsis and septic shock. 2014 , 18, P176	78
703	Comparison of the effects of histidine-triptophan-ketoglutarate solution and crystalloid cardioplegia on myocardial protection during pediatric cardiac surgery. 2014 , 18, P178	78
702	Hyperdynamic ejection fraction in the critically ill patient. 2014 , 18, P179	78
701	Impact of nitric oxide on pulmonary regurgitation and cardiac function in the acute stage after right ventricular outflow surgery. 2014 , 18, P180	78
700	Cardiogenic oscillation in pediatric patients after cardiac surgery. 2014 , 18, P181	1
699	Intraoperative dexamethasone on left atrial function and postoperative atrial fibrillation in cardiac surgical patients. 2014 , 18, P182	78
698	White blood cell count and new-onset atrial fibrillation after cardiac surgery. 2014 , 18, P183	78
697	Anti-adrenergic effects of ranolazine in isolated rat aorta. 2014 , 18, P184	78

696	Delays in extubation following elective adult cardiac surgery. 2014 , 18, P185	78
695	Effects of perfusion pressure on the splanchnic circulation after cardiopulmonary bypass: a randomized double cross-over study. 2014 , 18, P186	1
694	Isoflurane attenuates left ventricular akinesia and preserves cardiac output in the Tako-tsubo rat model. 2014 , 18, P187	78
693	Preoperative therapy with angiotensin-converting enzyme inhibitors in cardiac surgery patients: is there any impact on postoperative renal function?. 2014 , 18, P188	78
692	Characterization of the profile and clinical variables associated with mortality in a Brazilian coronary ICU. 2014 , 18, P189	78
691	Hospital visit pattern and its effect on reperfusion time and clinical outcomes in ST-segment elevation acute myocardial infarction. 2014 , 18, P190	78
690	Tissue-aggressive inflammatory response defines the tissue aggressiveness of the post-infarction milieu. 2014 , 18, P191	78
689	Impact of positive end-expiratory pressure application on ventriculo-arterial coupling in decompensated left ventricles after cardiac surgery: a non-invasive echocardiographic study. 2014 , 18, P192	78
688	Prevalence of elevated cardiac troponin T in ICU patients using the high-sensitivity assay and the relationship with mortality. 2014 , 18, P193	78
687	Rhabdomyolysis following cardiac surgery: from prevalence to prevention. 2014 , 18, P194	78
686	Open cavity abdominal surgery in octogenarians and nonagenarians admitted to a university teaching hospital ICU: a retrospective review. 2014 , 18, P195	78
685	Postoperative resource utilization and survival among liver transplant recipients with Model for End-stage Liver Disease score â40: a retrospective cohort study. 2014 , 18, P201	78
684	Causes and consequences of infections in patients after liver transplantation: 2-year study in the only ICU that hospitalizes these cases in Greece. 2014 , 18, P202	78
683	Extracorporeal membrane oxygenation before and after adult liver transplantation: worth the effort?. 2014 , 18, P203	9
682	Is cirrhotic cardiomyopathy a risk factor for post-reperfusion syndrome during liver transplantation?. 2014 , 18, P204	78
681	Perioperative management of patients undergoing combined heart-liver transplantation. 2014 , 18, P205	1
68o	Impaired balance between coagulation and fibrinolysis plays a prominent role in patients with sepsis. 2014 , 18, P206	78
679	Clinical usefulness of measurement of plasma soluble fibrin levels in critically ill patients. 2014 , 18, P207	78

678	Value of microbial metabolites in blood serum as criteria for bacterial load in the pathogenesis of hemodynamic disorders in critically ill patients. 2014 , 18, P208	3
677	Receptor for advanced glycation end products axis in critically ill patients. 2014 , 18, P211	78
676	Usefulness of the endotoxin activity assay as a biomarker to assess severity in ICU patients. 2014 , 18, P212	78
675	Usefulness of presepsin and procalcitonin levels in the diagnosis of sepsis in patients with acute kidney injury. 2014 , 18, P213	78
674	Differentiating sepsis from non-infective systemic inflammatory response syndrome: comparison between C-reactive protein and leptin. 2014 , 18, P214	78
673	Use of procalcitonin and white blood cells as combined predictors of infection in cardiac surgery patients. 2014 , 18, P215	1
672	Single pro-adrenomedullin determination in septic shock and 28-day mortality. 2014 , 18, P216	78
671	Club Cell protein: a candidate diagnostic biomarker of Pseudomonas aeruginosa nosocomial pneumonia. 2014 , 18, P218	78
670	Plasma cholinesterase activity as diagnostic marker for systemic inflammation. 2014 , 18, P219	1
669	Pre-analytic factors and initial biomarker levels in community- acquired pneumonia patients. 2014 , 18, P221	78
668	Altered T-cell repertoire diversity in septic shock patients. 2014 , 18, P223	78
667	Association between DNA haplogroups and severe sepsis in patients who underwent major surgery. 2014 , 18, P224	78
666	Activated protein C consumption and coagulation parameters in severe sepsis and septic shock. 2014 , 18, P226	78
665	Flow-cytometric analysis in traumatic brain injury to evaluate immunosuppression. 2014 , 18, P227	1
664	Polymorphonuclear cell surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P228	78
663	Lymphocyte surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P229	78
662	Cl:Na ratio on ICU admission as a prognostic indicator of mortality in sepsis patients. 2014 , 18, P230	78
661	Dysfunction of peroxisomes as one of the possible causes of multiple organ dysfunction syndrome development. 2014 , 18, P231	78

660	Differential effect of alcohol on TNFIFeceptor II production in the presence of LPS challenge ex vivo. 2014 , 18, P232	78
659	Neutrophil phenotype model for extracorporeal treatment of sepsis. 2014 , 18, P233	78
658	Prolactin, cortisol and heat shock proteins in early sepsis: preliminary data. 2014 , 18, P234	78
657	AMP-protein kinase may protect against sepsis-induced acute kidney injury through modulation of immune response and endothelial activation. 2014 , 18, P235	78
656	Study of the ex vivo immune response of polytrauma older patients in the ICU on admission: preliminary results. 2014 , 18, P236	1
655	Multiple trauma is linked with reversal of immunoparalysis and provides survival benefit from Pseudomonas aeruginosa. 2014 , 18, P237	78
654	Delayed admission to the ICU is associated with increased in-hospital mortality in patients with community-acquired severe sepsis or shock. 2014 , 18, P241	О
653	Effect of clarithromycin in patients with Gram-negative sepsis: subgroup analysis of a randomized trial. 2014 , 18, P242	1
652	Benefit profile of recombinant human soluble thrombomodulin in sepsis-induced DIC. 2014 , 18, P243	78
651	Comprehensive assessment of the true sepsis burden using electronic health record screening augmented by natural language processing. 2014 , 18, P244	1
650	Outcomes of neutropenic patients with severe sepsis on a specialist cancer ICU. 2014 , 18, P245	2
649	Vitamin D and ICU outcome in septic patients: a difficult connection?. 2014 , 18, P246	78
648	A meta-analysis of randomized controlled trials on the use of statins in septic patients. 2014 , 18, P247	78
647	Efficacy of early administration of thrombomodulin alfa in patients with sepsis-induced disseminated intravascular coagulation: subanalysis from post-marketing surveillance data. 2014 , 18, P248	78
646	Dynamic myocardial depression in septic cardiomyopathy. 2014 , 18, P249	78
645	Significant change in the practice of chest radiography in Dutch ICUs. 2014 , 18, P250	78
644	Stating clear indications for chest radiographs after cardiac surgery increases their efficacy and safely reduces costs. 2014 , 18, P251	78
643	Evaluation of early graft function in a case series of lung-transplanted patients. 2014 , 18, P252	78

642	Lung function in the immediate postoperative period after videoassisted thoracoscopic and thoracotomy pulmonary resection. 2014 , 18, P254	78
641	Lung ultrasound reaeration score: a useful tool to predict non-invasive ventilation effectiveness. 2014 , 18, P255	2
640	Ultrasound in the diagnosis of pneumothorax: a survey of current practice. 2014 , 18, P256	78
639	Computed tomographic assessment of airflow obstruction in smoke inhalation injury. 2014 , 18, P257	78
638	Semi-upright position improves ventilation and oxygenation in mechanically ventilated intensive care patients. 2014 , 18, P258	3
637	Effects of sitting on the respiratory pattern, mechanics and work of breathing in mechanically ventilated patients. 2014 , 18, P259	78
636	The win ratio method: a novel hierarchical endpoint for pneumonia trials in patients on mechanical ventilation. 2014 , 18, P260	5
635	Failure to obtain admission sputum culture is associated with higher mortality and fewer ventilator-free days for intubated pneumonia patients: a quality improvement project. 2014 , 18, P261	78
634	Nonventilatory factors affecting noninvasive mechanical ventilation success in hypercapnic critical care patients. 2014 , 18, P263	78
633	Physiologic comparison between NAVA, PAV+ and PSV in critically ill patients. 2014 , 18, P264	78
632	Oxygenation index outperforms the P/F ratio for mortality prediction. 2014 , 18, P266	1
631	Determining the mechanical ventilation mode and pressure support combination that is best compatible with the rapid shallow breathing index calculated in spontaneous ventilation. 2014 , 18, P267	1
630	New setting of neurally adjusted ventilatory assist during mask noninvasive ventilation. 2014 , 18, P268	78
629	A new setting to improve noninvasive neurally adjusted ventilatory assist by helmet. 2014 , 18, P269	78
628	Is neurally adjusted ventilatory assist feasible during anesthesia?. 2014 , 18, P270	78
627	PEEP titration on the basis of intratidal resistance-volume profiles. 2014 , 18, P273	78
626	US study of gliding in nondependent lung regions: the dark side of the moon. 2014 , 18, P274	78
625	Protective ventilation reduces bacterial growth and lung injury in a porcine pneumonia model. 2014 , 18, P275	78

624	Changes in computed tomography and ventilation/perfusion mismatch with positive end-expiratory pressure. 2014 , 18, P276	78
623	Ventilator settings in ICUs: comparing a Dutch with a global cohort. 2014 , 18, P277	78
622	Graphical user interface for visualization of a decision support system for PEEP titration. 2014 , 18, P278	78
621	Time-dependent apoptosis induction after spontaneous-breathing or ventilation-analogue experimental mechanostimulation of monolayer lung cell cultures. 2014 , 18, P279	78
620	Influence of positive end-expiratory pressure on cyclic recruitment and derecruitment during one breathing cycle in porcine acute lung injury. 2014 , 18, P280	78
619	Effect of positive end-expiratory pressure on right ventricle function assessed by speckle tracking echocardiography. 2014 , 18, P281	78
618	Airway pressure release ventilation restores hemodynamic stability in patients with cardiogenic shock: initial experience in cardiac intensive care. 2014 , 18, P282	78
617	Experimental VILI begins with subpleural lung lesions. 2014 , 18, P283	78
616	CT scan and ultrasound comparative assessment of PEEP-induced lung aeration changes in ARDS. 2014 , 18, P285	8
615	Effect of tidal volume and positive end-expiratory pressure on lung hysteresis of healthy piglets. 2014 , 18, P286	78
614	Evaluation and quantification of pulmonary hyperinflation in three gravitational zones of domestic felines by computed tomography. 2014 , 18, P287	78
613	Effect of inhaled nitric oxide on apoptosis of lymphocytes in newborns in a critical state. 2014 , 18, P288	1
612	High-frequency oscillatory ventilation use in patients with H1N1: a single-centre review. 2014 , 18, P290	78
611	EIT comparison of airway pressure release ventilation and conventional ventilation. 2014 , 18, P291	78
610	Comparison of HFOV and conventional ventilation in H1N1 influenza ARDS. 2014 , 18, P293	78
609	Opening pressures and intratidal opening and closing in ARDS lung. 2014 , 18, P294	78
608	Compliance with protective lung ventilation in an Irish teaching hospital. 2014 , 18, P295	78
60 7	Mechanisms underlying the lung-protective effects of FLow- controlled EXpiration. 2014 , 18, P296	2

606	Fluid balance predicts weaning failure in chronic obstructive pulmonary disease patients. 2014 , 18, P299	2
605	Role of the rapid shallow breathing index to predict the success of mechanical ventilator liberation in acute respiratory failure. 2014 , 18, P300	78
604	Determinants of ventilator weaning outcome in a medical-surgical ICU. 2014 , 18, P301	78
603	Microbiology and outcomes of severe pneumonia in critically ill cancer patients. 2014 , 18, P302	78
602	Biomarker-based exclusion of ventilator-associated pneumonia: a multicentre validation study. 2014 , 18, P303	1
601	Validation of the 2005 American Thoracic Society/Infectious Diseases Society of America guidelines for ventilator-associated pneumonia: a Japanese multicenter observational study. 2014 , 18, P305	78
600	Surveillance and evaluation of ventilator-associated events as per Centers for Disease Control and Prevention guidelines. 2014 , 18, P306	78
599	Extracorporeal carbon dioxide removal as a bridge to lung transplantation in life-threatening hypercapnia. 2014 , 18, P307	78
598	Quantifying sputum production in intensive therapy. 2014 , 18, P309	78
597	Outcomes of patients with acute respiratory failure of mixed aetiology treated with non-invasive ventilation in a large teaching hospital critical care unit. 2014 , 18, P310	78
596	Inhalation injury and clinical course in major burned patients. 2014 , 18, P312	78
595	Severe respiratory failure in multiple trauma patients: extracorporeal support as a salvage therapy - a single-center experience. 2014 , 18, P313	78
594	Advanced respiratory care techniques in a severe adult respiratory failure unit. 2014, 18, P314	78
593	Novel carbon dioxide removal device driven by a renal-replacement system without hemofilter: an experimental approach and validation. 2014 , 18, P316	2
592	Does geography affect referral rates for extracorporeal membrane oxygenation in England?. 2014 , 18, P317	78
591	Assessment of an endotracheal tube cleaning closed-suctioning system by micro-computed tomography: preliminary clinical data. 2014 , 18, P318	78
590	Does cost affect endotracheal tube performance?. 2014 , 18, P319	78
589	Tracheostomy in obese patients: the best tube choice issue. 2014 , 18, P320	1

588	Development of the novel Tracoe Twist Plus tracheostomy tube. 2014 , 18, P322	78
587	Double-lumen endotracheal tube for percutaneous tracheostomy: in vitro and in vivo preliminary data. 2014 , 18, P324	78
586	National survey of ICUs in the UK: discharging patients with tracheostomies. 2014 , 18, P325	78
585	Percutaneous dilatational tracheostomy in patients with severe coagulopathy or thrombocytopenia. 2014 , 18, P326	78
584	Repeat bedside percutaneous tracheostomy: still a contraindication?. 2014 , 18, P327	O
583	National UK survey: a review of percutaneous tracheostomy and auxiliary subglottic suction port use. 2014 , 18, P328	2
582	Is the post-critical care environment safe for tracheostomy patients?. 2014 , 18, P329	78
581	Survey on the use of chlorhexidine and toothpaste as part of oral care in UK ICUs. 2014, 18, P330	78
580	Survey of the use and practicalities of subglottic suction drainage in the UK. 2014 , 18, P332	78
579	Intravenous perfluorocarbons increased oxygen delivery/ consumption in ARDS in swine. 2014 , 18, P333	78
579 57 ⁸	Intravenous perfluorocarbons increased oxygen delivery/ consumption in ARDS in swine. 2014 , 18, P333 Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334	78 1
	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with	
578	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334 Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in	1
57 ⁸ 577	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334 Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014 , 18, P335	1
578577576	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334 Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014 , 18, P335 Role of Th1 and Th17 imbalance in acute lung injury mice. 2014 , 18, P336	1 1 78
578 577 576 575	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014, 18, P334 Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014, 18, P335 Role of Th1 and Th17 imbalance in acute lung injury mice. 2014, 18, P336 Comparison of CD80 level on dendritic cells in acute lung injury mice. 2014, 18, P337 Five-year single-centre review of ARDS patients receiving high-frequency oscillatory ventilation.	1 1 78 78
578577576575574	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014, 18, P334 Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014, 18, P335 Role of Th1 and Th17 imbalance in acute lung injury mice. 2014, 18, P336 Comparison of CD80 level on dendritic cells in acute lung injury mice. 2014, 18, P337 Five-year single-centre review of ARDS patients receiving high-frequency oscillatory ventilation. 2014, 18, P338 Blocking angiotensin type 1 receptor modulates Thl-mediated and Th17-mediated responses in	1 78 78 78

570	Clostridium difficile infection in ICU patients. 2014 , 18, P344	78
569	Retrospective observational analysis of the infective risk of arterial lines in a general ICU. 2014 , 18, P345	78
568	Reducing CR-BSI in a general ICU. 2014 , 18, P346	78
567	Risk factors of candidemia in postoperative ICU patients: a prospective study. 2014 , 18, P347	1
566	Escherichia coli infection in Polish neonatology ICUs in 2009 to 2012. 2014 , 18, P348	78
565	Infection control as a nonpharmacologic strategy for the prevention of healthcare-associated infections in a Ukrainian hospital. 2014 , 18, P349	78
564	Surveillance for nosocomial pathogens in our ICU. 2014 , 18, P350	78
563	Candida in the respiratory tract secretions of critically ill patients and the impact of antifungal treatment: a randomized placebocontrolled pilot trial (CANTREAT study). 2014 , 18, P352	78
562	Retrospective analysis of respiratory isolates post out-of-hospital cardiac arrest to establish choices in empirical antibiotic cover. 2014 , 18, P353	78
561	Pharmacokinetics of antituberculosis drugs in critically ill patients with tuberculosis and acute respiratory failure. 2014 , 18, P354	78
560	Eight-year study of the Staphylococcus epidermidis resistance profile against glycopeptides, oxazolidinones and glycylcyclines in an ICU of a Greek tertiary hospital. 2014 , 18, P355	78
559	Vancomycin-resistant enterococci: eradication using vancomycin?. 2014 , 18, P356	78
558	Audit of bacteraemia management in a university hospital ICU. 2014 , 18, P357	78
557	Sepsis: impact of timely and appropriate empirical antibiotic therapy on mortality. 2014 , 18, P358	1
556	Safety and efficacy of amphotericin B inhalation for Candida spp. in the respiratory tract of critically ill patients. 2014 , 18, P359	78
555	Inhaled tobramycin for the treatment of nosocomial pneumonia in sepsis. 2014 , 18, P360	78
554	Sternal wound infections in cardiac surgery: effects of vancomycin prophylaxis. 2014 , 18, P361	78
553	Retrospective analysis of the clinical utility of blood cultures taken surrounding intensive care admission. 2014 , 18, P362	78

552	Employing quality improvement methodology in sepsis: an electronic sepsis order set further improves compliance with the Surviving Sepsis Campaign 3-hour bundle. 2014 , 18, P363	78
551	Acute kidney injury in cardiorenal syndrome type 1: a meta-analysis. 2014 , 18, P364	78
550	Early detection of postoperative acute kidney injury by Doppler renal resistive index in major lung and cardiac operations. 2014 , 18, P365	78
549	Renal resistive index at ICU admission and its change after 24 hours predict acute kidney injury in sepsis. 2014 , 18, P366	4
548	Acute kidney injury and cardiac surgery: impact of fluid balance on AKI classification and prognosis. 2014 , 18, P367	78
547	Acute kidney injury of all severity is associated with extended hospitalization after critical illness. 2014 , 18, P368	2
546	Early acute kidney injury in nonsepsis, noncardiac surgical patients admitted to a general surgical ICU. 2014 , 18, P369	78
545	Impact of kidney function calculation formulae on predicting early adverse renal events in cardiac surgery. 2014 , 18, P370	78
544	Fluid accumulation increases the risk of AKI progression and death in critically ill patients with early AKI. 2014 , 18, P371	1
543	Postoperative acute kidney injury in patients with gynecologic malignancies. 2014 , 18, P372	78
542	Acute kidney injury after elective adult cardiac surgery. 2014 , 18, P373	78
541	Incidence and outcomes of contrast-induced nephropathy in adult ICU patients. 2014, 18, P374	78
540	Human acute kidney injury is associated with a proinflammatory phenotype. 2014 , 18, P375	78
539	Risk factors for the development of contrast-induced nephropathy in ICU patients. 2014 , 18, P376	78
538	Test characteristics of acute kidney injury biomarkers in animal models of sepsis. 2014 , 18, P377	78
537	Perioperative measurement of urinary oxygen tension as a tool in the prevention of acute kidney injury?. 2014 , 18, P378	78
536	Postoperative acute kidney injury can be predicted by the novel biomarkers insulin-like growth factor-binding protein 7/tissue inhibitor of metalloproteinases-2 as early as 6 hours after surgery. 2014 , 18, P379	78
535	Urine TIMP2 [IGFBP7 increases 24 hours before severe AKI. 2014 , 18, P380	78

534	Resveratrol ameliorates apoptosis induced by contrast medium ioxitalamate in HK-2 human renal proximal tubule cells in vitro. 2014 , 18, P383	78
533	Estimated GFR versus creatinine clearance for evaluation of recovery from acute kidney injury. 2014 , 18, P385	78
532	Recovery from AKI by KDIGO criteria. 2014 , 18, P386	1
531	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014 , 18, P387	1
530	Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014 , 18, P388	78
529	Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. 2014 , 18, P389	78
528	Relation between preoperative use of diuretics and renal replacement therapy after cardiac surgery: a propensity score analysis. 2014 , 18, P390	78
527	Continuous renal replacement therapy (CVVHD) for acute kidney injury in critical care: incidence and outcome across South West Wales. 2014 , 18, P391	2
526	Renal replacement therapy in very elderly critical care patients. 2014 , 18, P392	78
525	Preventing continuous renal replacement therapies (CRRT)-induced hypophosphatemia using a phosphate-containing CRRT solution in the setting of regional citrate anticoagulation. 2014 , 18, P393	78
524	Evaluation of functional differences between two anticoagulation methods used in continuous renal replacement therapy in critical patients. 2014 , 18, P395	78
523	Development of key performance indicators for renal replacement therapy in adult intensive care to guide safe and cost-effective therapy. 2014 , 18, P396	78
522	Effectiveness of sub-albumin protein leakage membrane EMIC2 in post-cardiac surgery rhabdomyolysis. 2014 , 18, P397	78
521	Myoglobin removal of small-protein leakage membrane (EMIC2) in patients in the ICU: a case series. 2014 , 18, P398	2
520	Plasma filtration with dialysis (plasma diafiltration) in critically ill patients with acute liver failure. 2014 , 18, P399	78
519	Efficacy of continuous plasma diafiltration therapy. 2014 , 18, P400	78
518	Hemodialysis with high cutoff membranes improves tissue perfusion in severe sepsis: preliminary data of the Sepsis in Florence sTudy (SIFT). 2014 , 18, P401	1
517	Pharmacodynamics and pharmacokinetics of ciprofloxacin during sustained low-efficiency dialysis. 2014 , 18, P402	78

516	Pharmacokinetics of meropenem during continuous renal replacement therapy in critically ill patients. 2014 , 18, P403	1
515	Impact of ideal versus estimated body weight on haemofiltration dosing in critically ill patients with AKI. 2014 , 18, P404	1
514	ICU patients treated with RRT for AKI who have chronic kidney disease have better 1-year outcome compared with patients with better kidney function. 2014 , 18, P405	78
513	Long-term outcomes in acute kidney injury patients treated with renal replacement therapy who were alive at hospital discharge. 2014 , 18, P406	78
512	Polymyxin B-immobilized fiber hemoperfusion therapy improves sepsis-related immunosuppression. 2014 , 18, P407	78
511	Endotoxin activity assay and polymyxin B hemoperfusion use in a cohort of critically ill patients. 2014 , 18, P408	78
510	An assessment of long-term sleep quality using actigraphy in survivors of critical illness. 2014 , 18, P410	78
509	Study to assess whether staff are able to accurately assess sleep quality and quantity in intensive care patients. 2014 , 18, P411	78
508	Simplified versus standard EEG to measure the depth of sedation in mechanically ventilated ICU patients. 2014 , 18, P412	78
507	Haemodynamic effects of clonidine in an ovine model of severe sepsis with septic acute kidney injury. 2014 , 18, P414	78
506	Off-label use of clonidine for sedation in Dutch ICUs. 2014 , 18, P415	1
505	Different effects of propofol and dexmedetomidine on preload dependency in endotoxemic shock with norepinephrine infusion: a randomized case-control study. 2014 , 18, P417	1
504	Propofol: monitoring for complications. 2014 , 18, P418	О
503	Influence of increased intracranial pressure on sevoflurane-fentanyl anesthesia in major abdominal surgery. 2014 , 18, P419	78
502	Quantifying sedation satisfaction during bronchoscopy using the Bispectral Index. 2014 , 18, P420	78
501	Risk factor of withdrawal syndrome in the paediatric ICU. 2014 , 18, P421	1
500	Epidural analgesia reduces perioperative myocardial infarction and all-cause mortality after cardiac surgery: but at least 25 epidural hematomas have already happened. 2014 , 18, P422	78
499	Delirium screening, prevention and treatment in the ICU: a systematic review of implementation strategies. 2014 , 18, P423	1

498	Effect of enteral and/or parenteral glutamine supplementation on mortality and morbidity in the critically ill. 2014 , 18, P424	78
497	Increased threshold for gastric residual volumes and impact on nutrition in the ICU. 2014 , 18, P425	78
496	Early enteral feeding in the septic critically ill patient: evaluation of our feeding protocol. 2014 , 18, P426	1
495	A nutritional protocol and personalized support reduce the cumulative caloric deficit of cardiac surgery patients. 2014 , 18, P427	1
494	Vitamin B and C levels of homeless patients who visit the emergency department with alcohol ingestion. 2014 , 18, P428	78
493	Acid-base disorders according to the Stewart approach in septic patients. 2014 , 18, P429	78
492	Changes in urinary electrolytes during acute respiratory acid-base modifications. 2014, 18, P430	1
491	Admission hypomagnesemia as a mortality predictor in medical critically ill patients. 2014 , 18, P431	2
490	Impact of reduced frequency of phosphate testing on detected phosphate levels and phosphate prescription in critical care. 2014 , 18, P432	78
489	Effect of albumin and total protein concentration on plasma sodium measurements in the ICU. 2014 , 18, P433	78
488	Main causes of water-electrolyte disturbances in patients with acute brain injury: central diabetes insipidus and cerebral salt wasting syndrome. 2014 , 18, P434	78
487	Cardiac surgery alters the sensitivity of the dynamic interaction between the pituitary and adrenal glands. 2014 , 18, P435	78
486	Melatonin blood values and total antioxidant capacity in critically ill patients. 2014, 18, P436	2
485	Continuous prediction of glucose-level changes using an electronic nose in critically ill patients. 2014 , 18, P437	1
484	Evaluation of blood glucose control in ICU patients with Space GlucoseControl: a European study. 2014 , 18, P438	78
483	Evaluation of Symphony CGM, a non-invasive, transdermal continuous glucose monitoring system for use in critically ill patients. 2014 , 18, P439	2
482	Time-course evaluation of blood glucose changes in response to insulin delivery in critically ill patients. 2014 , 18, P440	78
481	Glycaemia and critical care outcomes. 2014 , 18, P441	78

480	First clinical study data from therapeutic use of a novel continuous glucose monitoring system in the ICU. 2014 , 18, P443	1
479	Impact of corticosteroid administration in septic shock on glycemic variability. 2014 , 18, P445	78
47 ⁸	Blood glucose target in acute phase suggested by the analysis of the relationship between blood glucose profile and the severity of the diseases. 2014 , 18, P446	78
477	Anti-inflammatory and antioxidant effects of ranolazine on primary cultured astrocytes. 2014 , 18, P447	1
476	Intrathecal lactate to predict spinal cord ischemia in major abdominal surgery. 2014 , 18, P449	78
475	Predictors of ventilatory outcome in cervical spinal injuries. 2014 , 18, P450	78
474	Evaluation of the ocular microcirculation in brain-dead patients: first step towards a new method of multimodal neuromonitoring?. 2014 , 18, P452	78
473	External validation of an early warning alert for elevated intracranial pressure in the Avert-IT database. 2014 , 18, P453	78
472	New support system using a mobile device for diagnostic image display and treatment of acute stroke in Japanese depopulated areas. 2014 , 18, P454	78
471	Effects of cardiac output-guided hemodynamic management on fluid administration after aneurysmal subarachnoid hemorrhage. 2014 , 18, P455	1
470	Effect of transient cerebral ischemia on the expression of receptor for advanced glycation end products in the gerbil hippocampus proper. 2014 , 18, P456	78
469	Correlation of thermal Doppler flowmetry and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury. 2014 , 18, P457	78
468	New look at the 20 mmHg ICP threshold. 2014 , 18, P458	1
467	Model of intracranial hypertension of tumor etiology in laboratory rats. 2014 , 18, P459	78
466	Arterial-jugular bulb differences in pCO2, lactate, serum sodium and C-reactive protein in neurocritical patients. 2014 , 18, P460	78
465	Accuracy of transcranial color-coded duplex sonography in predicting clinical vasospasm and delayed cerebral ischemia in patients with subarachnoid hemorrhage. 2014 , 18, P462	7 8
464	Brain death determination in Europe: one condition with too many nuances. 2014 , 18, P464	78
463	What do brain-dead patients ultimately die of?. 2014 , 18, P465	78

462	Acute and long-term outcomes of ICU-acquired weakness: a cohort study and propensity matched analysis. 2014 , 18, P466	3
461	Early electrophysiological diagnosis of ICU-acquired weakness. 2014 , 18, P467	78
460	Choosing a cerebral near-infrared spectroscopy system for use in traumatic brain injury: deriving the ideal source detector layout. 2014 , 18, P468	1
459	Single-subject assessment of the distribution of white matter abnormalities measured by diffusion tensor imaging in patients with severe traumatic brain injury. 2014 , 18, P469	78
458	Long-term outcome after severe traumatic brain injury. 2014 , 18, P470	78
457	Vitamin D level could affect the recovery rate in traumatic brain injury: a retrospective study. 2014 , 18, P471	1
456	Could selected probiotics have beneficial effects on clinical outcome of severe traumatic brain injury patients?. 2014 , 18, P472	5
455	Effect of blood alcohol level on outcome of patients with traumatic brain injury. 2014 , 18, P473	78
454	Long-term outcome prediction using IMPACT and APACHE II in patients with traumatic brain injury treated in the ICU. 2014 , 18, P474	78
453	Validating and comparing the CAM-ICU and the ICDSC in mild and moderate traumatic brain injury patients: a multicenter prospective study. 2014 , 18, P475	1
452	Functional status after 3 years in ICU patients with traumatic brain injury. 2014 , 18, P476	78
451	Demographic profiles and extent of critical care resources utilisation in patients with severe traumatic brain injury: a Tan Tock Seng Hospital National Neuroscience Institute study. 2014 , 18, P477	78
45 ⁰	Outcome measures in randomized controlled trials of patients with severe traumatic brain injury: a systematic review. 2014 , 18, P478	78
449	Predicting 6-month mortality of patients with traumatic brain injury: usefulness of common severity scores. 2014 , 18, P479	78
448	Work activities after 3-year follow-up in ICU patients with traumatic brain injury. 2014 , 18, P480	78
447	Simulation-based education for cardiopulmonary resuscitation and airway management protocols: a brief report of a systematic review and meta-analysis. 2014 , 18, P482	1
446	Video analysis of cardiopulmonary resuscitation performance of ambulance crews during transportation. 2014 , 18, P483	78
445	Implementation of the PulsePoint smartphone application for crowd-sourcing bystander resuscitation. 2014 , 18, P484	6

444	Emergency room advanced life support after cardiac arrest: outcomes and survival, nursing care and team response. 2014 , 18, P485	78
443	What is the role of head computed tomography in post-resuscitation care?. 2014 , 18, P486	1
442	To see or not to see: does video CPR perform better than telephone CPR?. 2014 , 18, P487	78
441	Initial anticoagulation strategy for extracorporeal cardiopulmonary resuscitation patients. 2014 , 18, P488	78
440	Predictors of poor outcome in out-of-hospital cardiac arrest. 2014 , 18, P489	78
439	Mean initial cerebral saturation and time to start advanced life support in out-of-hospital cardiac arrest: are they correlated?. 2014 , 18, P490	78
438	Predicting survival in patients admitted to intensive care following out-of-hospital cardiac arrest using the Prognosis After Resuscitation score. 2014 , 18, P491	2
437	Post Arrest Consult Team: a knowledge translation strategy for post-cardiac arrest care. 2014 , 18, P492	78
436	One-year assessment of in-hospital cardiac arrest. 2014 , 18, P493	3
435	Endovascular hypothermia after cardiac arrest in a Chilean ICU. 2014 , 18, P494	78
434	Knowledge and use of therapeutic hypothermia in cardiac arrest victims among healthcare staff in Greece. 2014 , 18, P495	78
433	Induced hypothermia of 33°C does not affect host response compared with maintaining 36°C. 2014 , 18, P496	78
432	Shivering during targeted temperature management after cardiac arrest: a physiologic description. 2014 , 18, P498	78
431	Temperature management following cardiac arrest: introducing a protocol improves compliance with targets. 2014 , 18, P499	78
430	Factors involved in prolonged effect of neuromuscular blockade in therapeutic hypothermia. 2014 , 18, P500	78
429	Serum phosphate concentration during the rewarming period after deep hypothermic circulatory arrest. 2014 , 18, P501	O
428	Influence of baseline magnesium concentrations on shivering in therapeutic temperature modulation. 2014 , 18, P502	O
427	Derived electromyography is an accurate measure of shivering burden during targeted temperature management. 2014 , 18, P497	78

426	Lactate clearance as a predictor of mortality in colonic perforation. 2014 , 18, P175		78	
425	Intensive alveolar recruitment after cardiac surgery: a randomized controlled clinical trial. 2014 , 18,		78	
424	Adipose tissue lactate clearance but not blood lactate clearance is associated with clinical outcome in severe sepsis or septic shock during the post-resuscitation period. 2014 , 18, P172		78	
423	Correlation between arterial lactate and venous lactate in patients with sepsis and septic shock. 2014 , 18, P177		6	
422	Value of peak flow rates measured during a spontaneous breathing trial to predict success of weaning from mechanical ventilation. 2014 , 18, P297		78	
421	Implementation of the Behavioural Pain Scale in sedated mechanically ventilated patients in a UK ICU. 2014 , 18, P413		78	
420	Management of vasospasm in subarachnoid hemorrhage. 464-479			
419	Blood component transfusion increases the risk of death in children with traumatic brain injury. 2014 , 76, 1082-7; discussion 1087-8		21	
418	Assessment of hemoglobin threshold for packed RBC transfusion in a medical-surgical PICU. 2014 , 15, e89-94		9	
417	T-cell receptor activation-associated cytokine release is impaired in septic patients with faecal peritonitis. 2014 , 18, P225		78	
416	Red cell transfusion management for patients undergoing cardiac surgery for congenital heart disease. <i>The Cochrane Library</i> , 2014 , CD009752	5.2	19	
415	Early management of severe sepsis: concepts and controversies. 2014 , 145, 1407-1418		62	
414	Paradigm shifts in critical care medicine: the progress we have made. 2015 , 19 Suppl 3, S10		21	
413	Hemodynamic management of septic shock: is it time for "individualized goal-directed hemodynamic therapy" and for specifically targeting the microcirculation?. <i>Shock</i> , 2015 , 43, 522-9	3.4	38	
412	The three-pillar matrix of patient blood management. 2015 , 10, 286-294		9	
411	Management of operative blood loss in spinal deformity surgery. 2015 , 26, 291-298		1	
410	Transfusion of cryopreserved packed red blood cells is safe and effective after trauma: a prospective randomized trial. 2015 , 262, 426-33; discussion 432-3		18	
409	Renitrosylation of banked human red blood cells improves deformability and reduces adhesivity. <i>Transfusion</i> , 2015 , 55, 2452-63	2.9	14	

408	Safety and effectiveness of a Patient Blood Management Programme in surgical patients âlthe study design for a multicentre epidemiological non-inferiority trial by the German PBM network. 2015 , 10, 141-145	5
407	Microcirculatory disorders during septic shock. 2015 , 21, 271-5	24
406	Hospital-Acquired Anemia: A Contemporary Review of Etiologies and Prevention Strategies. 2015 , 38, 330-8	6
405	Critical Care. 2015 , 1-4	
404	9 Blood Replacement. 2015 ,	
403	Viable bacteria associated with red blood cells and plasma in freshly drawn blood donations. <i>PLoS ONE</i> , 2015 , 10, e0120826	62
402	Plasma free hemoglobin and microcirculatory response to fresh or old blood transfusions in sepsis. <i>PLoS ONE</i> , 2015 , 10, e0122655	42
401	Practices for rational use of blood components in a universitary hospital. 2015 , 61, 355-61	1
400	Iron-restricted erythropoiesis and risk of red blood cell transfusion in the intensive care unit: a prospective observational study. 2015 , 43, 612-6	6
399	Diagnosis and therapy of non-variceal upper gastrointestinal bleeding. 2015 , 6, 172-82	15
398	A study in scarlet: restrictive red blood cell transfusion strategy. 2015 , 38, 217-9	
397	Restrictive and liberal red cell transfusion strategies in adult patients: reconciling clinical data with best practice. 2015 , 19, 202	31
396	A New Heat Treatment Topology for Reheating of Blood Tissues After Open Heart Surgery. 2015 , 101-108	
395	Transfusion strategy for acute upper gastrointestinal bleeding. 2015 , 17, 582-5	3
394	Variation in Transfusion Practices and the Effect on Outcomes After Noncardiac Surgery. 2015 , 262, 1-6	32
393	Transfusion of Blood and Blood Products. 2015 , 585-619	1
392	The prognostic impact of perioperative blood transfusion on survival in patients with bladder urothelial carcinoma treated with radical cystectomy. 2015 , 56, 295-304	18
391	Clinical effects of blood donor characteristics in transfusion recipients: protocol of a framework to study the blood donor-recipient continuum. 2015 , 5, e007412	15

(2015-2015)

390	cardiac arrest. 2015 , 96, 280-6		22
389	Diagnosis and management of nonvariceal upper gastrointestinal hemorrhage: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. 2015 , 47, a1-46		434
388	[Treatment of anemia in Patient Blood Management from an economic perspective]. 2015 , 62 Suppl 1, 80-5		1
387	Potential Impact of Modifiable Clinical Variables on Length of Stay After First-Time Cardiac Surgery. 2015 , 100, 2102-7; discussion 2107-8		9
386	Utilisation of Blood Components in Trauma Surgery: A Single-Centre, Retrospective Analysis before and after the Implementation of an Educative PBM Initiative. <i>Transfusion Medicine and Hemotherapy</i> , 2015 , 42, 83-9	4.2	6
385	Patient blood management implementation strategies and their effect on physicians' risk perception, clinical knowledge and perioperative practice - the frankfurt experience. <i>Transfusion Medicine and Hemotherapy</i> , 2015 , 42, 91-7	4.2	25
384	Blood component use in a sub-Saharan African country: results of a 4-year evaluation of diagnoses associated with transfusion orders in Namibia. 2015 , 29, 45-51		22
383	The demise of early goal-directed therapy for severe sepsis and septic shock. 2015 , 59, 561-7		32
382	Pathogenesis of non-antibody mediated transfusion-related acute lung injury from bench to bedside. 2015 , 29, 51-61		52
381	Association of perioperative blood transfusion and adverse events after operative treatment of proximal humerus fractures. <i>Injury</i> , 2015 , 46, 270-4	2.5	12
380	Blood transfusion and risk of infection in frail elderly after hip fracture surgery: the TRIFE randomized controlled trial. 2015 , 25, 1031-8		36
379	Recommandations hmodynamiques de la Surviving Sepsis Campaign : olen sommes-nous aujourdâliui ?. 2015 , 24, 122-128		
378	Which carries the biggest risk: Anaemia or blood transfusion?. 2015 , 22, 148-50		13
377	Sepsis-Induced Acute Kidney Injury. 2015 , 31, 649-60		52
376	Red Blood Cell Storage in Transfusion-Related Acute Gut Injury. 2015 , 16, e420-e430		3
375	A multivariate analysis to assess the effect of packed red cell transfusion and the unit age of transfused red cells on postoperative complications in patients undergoing cardiac surgeries. 2015 , 9, 12-7		7
374	Blood transfusion and adverse surgical outcomes: The good and the bad. <i>Surgery</i> , 2015 , 158, 608-17	3.6	54
373	âlless Is MoreâllThe New Paradigm in Critical Care. 2015 , 7-11		О

372	Initial Assessment and Resuscitation in Nonvariceal Upper Gastrointestinal Bleeding. 2015 , 25, 429-42	8
371	Association of Hematocrit and Red Blood Cell Transfusion with Outcomes in Infants Undergoing Norwood Operation. 2015 , 36, 1212-8	8
370	Continuous and noninvasive hemoglobin monitoring reduces red blood cell transfusion during neurosurgery: a prospective cohort study. 2015 , 29, 733-40	33
369	Alternatives to Red Blood Cell Transfusion. 2015 , 77-91	O
368	Changes in gene expression following trauma are related to the age of transfused packed red blood cells. 2015 , 78, 535-42	17
367	PREPARE: the prevalence of perioperative anaemia and need for patient blood management in elective orthopaedic surgery: a multicentre, observational study. 2015 , 32, 160-7	99
366	Factors associated with failure-to-rescue in patients undergoing trauma laparotomy. <i>Surgery</i> , 2015 , 158, 393-8	22
365	Liberal transfusion strategy improves survival in perioperative but not in critically ill patients. A meta-analysis of randomised trials. 2015 , 115, 511-9	70
364	Author's reply re: Sepsis mortality at Kaiser Permanente Northern California. 2015, 33, 1306-7	
363	Early, Goal-Directed Resuscitation for Septic Shock. 2015 , 373, 577-8	7
362	Patient Blood Management auf der Intensivstation âll Transfusionspolitik im Rahmen einer individuellen Hithotherapie. 2015 , 44, 152-156	
361	[Goal-directed hemodynamic therapy: Concepts, indications and risks]. 2015, 64, 494-505	2
360	[Septic shock in intensive care units. Current focus on treatment]. 2015 , 86, 224-35	O
359	Iron metabolism and iron supplementation in cancer patients. 2015 , 127, 907-19	73
358	Hemoglobin Level and Hospital Mortality Among ICU Patients With Cardiac Disease Who Received Transfusions. 2015 , 66, 2510-8	11
357	Microfluidic deformability analysis of the red cell storage lesion. 2015 , 48, 4065-4072	34
356	Transfusion in the Intensive Care Unit. 2015 ,	0
355	Perioperative Hemostasis. 2015,	2

References and Further Reading. 2016, 431-442 354 Decreasing the critical value of hemoglobin required for physician notification reduces the rate of 2.3 353 blood transfusions. International Journal of General Medicine, 2016, 9, 133-6 Chapter 9 Appendix. 2016, 352 Association of Blood Component Ratio With Clinical Outcomes in Patients After Trauma and 351 Massive Transfusion: A Systematic Review. 2016, 38, 157-68 Preoperative Cardiac Evaluation and Management of the Patient Undergoing Major Vascular 350 10 Surgery. **2016**, 54, 1-32 Prothrombin Complex Concentrates for Bleeding in the Perioperative Setting. Anesthesia and 349 3.9 57 Analgesia, 2016, 122, 1287-300 Continuous Noninvasive Hemoglobin Monitoring: A Measured Response to a Critical Review. 348 3.9 37 Anesthesia and Analgesia, 2016, 122, 565-72 Sepsis and Septic Shock: Lingering Questions. 2016, 39, 3-13 347 Proteomics of the red blood cell carbonylome during blood banking of erythrocyte concentrates. 346 28 2016, 10, 257-66 Preoperative platelet transfusions and perioperative red blood cell requirements in patients with 18 2.9 345 thrombocytopenia undergoing noncardiac surgery. Transfusion, 2016, 56, 682-90 Cytomegalovirus in Australian blood donors: seroepidemiology and seronegative red blood cell 344 2.9 4 component inventories. Transfusion, 2016, 56, 1616-21 The pre-operative levels of haemoglobin in the blood can be used to predict the risk of allogenic 343 37 blood transfusion after total knee arthroplasty. **2016**, 98-B, 490-7 The essentials, 1-2 342 Blood transfusion improves renal oxygenation and renal function in sepsis-induced acute kidney 341 27 injury in rats. **2016**, 20, 406 Postoperative autotransfusion drain after total hip arthroplasty: a meta-analysis of randomized 340 4 controlled trials. 2016, 6, 27461 Abstracts of the AAGBI Annual Congress, 14-16 September 2016, Birmingham, UK. 2016, 71 Suppl 339 4.9-79 History of graft-versus-host disease. 2016, 44, 674-88 338 14 Efficacy and Safety of Fibrinogen Concentrate in Surgical Patients: A Meta-Analysis of Randomized 337 35 Controlled Trials. 2016, 30, 1196-204

336	Incorporation of fluorescein conjugated function-spacer-lipid constructs into the red blood cell membrane facilitates detection of labeled cells for the duration of ex-vivo storage. 2016 , 429, 66-70	2
335	Smoking is Associated with Increased Blood Loss and Transfusion Use After Lumbar Spinal Surgery. 2016 , 474, 1019-25	30
334	The European guideline on management of major bleeding and coagulopathy following trauma: fourth edition. 2016 , 20, 100	629
333	Transfusion thresholds and other strategies for guiding allogeneic red blood cell transfusion. <i>The Cochrane Library</i> , 2016 , 10, CD002042	145
332	Anemia in the Surgical ICU. 2016 , 295-312	1
331	Iron supplementation to treat anaemia in adult critical care patients: a systematic review and meta-analysis. 2016 , 20, 306	36
330	Retrospective Study of 122 Dogs That Were Treated with the Antifibrinolytic Drug Aminocaproic Acid: 2010-2012. 2016 , 52, 144-8	8
329	ESICM LIVES 2016: part one. 2016 , 4,	5
328	Red blood cell microvesicles: a storage lesion or a possible salvage mechanism. 2016 , 11, 171-177	4
327	Optimizing Blood Transfusion Practices in Traumatic Brain Injury and Subarachnoid Hemorrhage. 2016 , 6, 250-256	1
326	Spine tumor resection among patients who refuse blood product transfusion: a retrospective case series. 2016 , 35, 434-440	3
325	Extracellular vesicles in transfusion-related immunomodulation and the role of blood component manufacturing. <i>Transfusion and Apheresis Science</i> , 2016 , 55, 281-291	31
324	Point-of-care platelet function testing to predict blood loss after coronary artery bypass grafting surgery: a prospective observational pilot study. <i>Perfusion (United Kingdom)</i> , 2016 , 31, 676-682	11
323	Patientenzentrierte Medizin in Orthop@ie und Unfallchirurgie. 2016,	
322	Monocyte-mediated activation of endothelial cells occurs only after binding to extracellular vesicles from red blood cell products, a process mediated by Entegrin. <i>Transfusion</i> , 2016 , 56, 3012-3020 ^{2.9}	22
321	Blood Products. 2016 , 473-493	
320	Patient optimization for surgery relating to Crohn's disease. 2016 , 13, 707-719	52
319	Fluids or blood products?. 33-40	

(2016-2016)

318	Response, Dependent on Both Numbers and Storage Duration. <i>Transfusion Medicine and Hemotherapy</i> , 2016 , 43, 302-305	4.2	31
317	Observational studies - should we simply ignore them in assessing transfusion outcomes?. 2016 , 16, 96		14
316	Epidemiology of RBC Transfusions in Patients With Severe Acute Kidney Injury: Analysis From the Randomized Evaluation of Normal Versus Augmented Level Study. <i>Critical Care Medicine</i> , 2016 , 44, 892-9	1 010	7
315	Iron Use in Critically Ill Patients: No More Stress?. <i>Critical Care Medicine</i> , 2016 , 44, 638-9	1.4	
314	Anemia management after acute brain injury. 2016 , 20, 152		49
313	29 Postoperative Care and Complications Management. 2016 ,		
312	Blood Transfusions for Hospitalized Patients with Cancer. 2016 , 5, 356-367		
311	Nursing home status is an independent risk factor for adverse 30-day postoperative outcomes after common, nonemergent inpatient procedures. 2016 , 212, 202-8		8
310	Red Blood Cell Transfusion in the Emergency Department. 2016 , 51, 120-30		9
309	Postoperative intravenously administered iron sucrose versus postoperative orally administered iron to treat post-bariatric abdominoplasty anaemia (ISAPA): the study protocol for a randomised controlled trial. 2016 , 17, 196		1
308	Patient Blood Management is Associated With a Substantial Reduction of Red Blood Cell Utilization and Safe for Patient's Outcome: A Prospective, Multicenter Cohort Study With a Noninferiority Design. 2016 , 264, 203-11		99
307	Red cell transfusions as an independent risk for mortality in critically ill children. 2016 , 4, 2		23
306	Donor-variation effect on red blood cell storage lesion: A close relationship emerges. 2016 , 10, 791-804		52
305	Blood transfusions and pulmonary complications after hematopoietic cell transplantation. <i>Transfusion</i> , 2016 , 56, 653-61	2.9	7
304	Clearance of stored red blood cells is not increased compared with fresh red blood cells in a human endotoxemia model. <i>Transfusion</i> , 2016 , 56, 1362-9	2.9	13
303	Anemia and Transfusion in Critical Care: Physiology and Management. 2016 , 31, 295-306		18
302	Interventional Algorithms for the Control of Coagulopathic Bleeding in Surgical, Trauma, and Postpartum Settings: Recommendations From the Share Network Group. 2016 , 22, 121-37		17
301	Anaemia is not a risk factor for progression of acute kidney injury: a retrospective analysis. 2016 , 20, 52		7

300	Risk factors affecting morbidity and mortality following emergency laparotomy for small bowel obstruction: A retrospective cohort study. 2016 , 28, 63-8	17
299	Systemic and Topical Use of Tranexamic Acid in Spinal Surgery: A Systematic Review. 2016 , 6, 284-95	53
298	Impact of a Patient Blood Management Program and an Outpatient Anemia Management Protocol on Red Cell Transfusions in Oncology Inpatients and Outpatients. 2016 , 21, 327-32	15
297	Prophylactic plasma transfusion for surgical patients with abnormal preoperative coagulation tests: a single-institution propensity-adjusted cohort study. 2016 , 3, e139-48	18
296	Transfusion practices and infectious risks. 2016 , 9, 597-605	11
295	Beneficial Effects of CpG-Oligodeoxynucleotide Treatment on Trauma and Secondary Lung Infection. 2016 , 196, 767-77	4
294	Aesthetic Plastic Surgery of the Abdomen. 2016 ,	0
293	CORR Insights([]): Can an Arthroplasty Registry Help Decrease Transfusions in Primary Total Joint Replacement? A Quality Initiative. 2016 , 474, 132-3	
292	Red Blood Cell Transfusion in Patients With Traumatic Brain Injury: A Systematic Review and Meta-Analysis. 2016 , 30, 15-24	33
291	Association of Serum Phosphate Levels and Anemia in Critically Ill Surgical Patients. 2017 , 41, 986-992	3
290	Improved outcomes and reduced costs associated with a health-system-wide patient blood management program: a retrospective observational study in four major adult tertiary-care hospitals. <i>Transfusion</i> , 2017 , 57, 1347-1358	159
289	Validation of a smartphone-based point-of-care hemoglobin assay for use in dogs. 2017 , 27, 206-211	2
288	Mimicking oxygen delivery and waste removal functions of blood. 2017 , 122, 84-104	21
287	Association of Donor Age and Sex With Survival of Patients Receiving Transfusions. 2017 , 177, 854-860	37
286	Current use of factor concentrates in pediatric cardiac anesthesia. 2017 , 27, 678-687	18
285	Non antibody-mediated TRALI âlturrent understanding. 2017 , 12, 260-267	5
284	Fluid Resuscitation of the Adult Trauma Patient: Where Have We Been and Where Are We Going?. 2017 , 52, 237-247	2
283	[Management of Massive Intraoperative Blood Loss Using a Case Study]. 2017 , 52, 288-296	O

282	Evaluation of RBC Transfusion Practice in Adult ICUs and the Effect of Restrictive Transfusion Protocols on Routine Care. <i>Critical Care Medicine</i> , 2017 , 45, 271-281	1.4	14
281	Management of severe perioperative bleeding: guidelines from the European Society of Anaesthesiology: First update 2016. 2017 , 34, 332-395		416
280	Procoagulant role of microparticles in routine storage of packed red blood cells: potential risk for prothrombotic post-transfusion complications. 2017 , 49, 62-69		18
279	Cardiac arrest triggered by hyperkalemia during red blood cell transfusion: a case report and literature review. 2017 , 27 Suppl 5, 384-386		3
278	Efficacy and Safety of Topical Use of Tranexamic Acid in Reducing Blood Loss During Primary Lumbar Spinal Surgery: A Retrospective Case Control Study. 2017 , 42, 1779-1784		19
277	Consequences of Transfusing Blood Components in Patients With Trauma: A Conceptual Model. 2017 , 37, 18-30		7
276	Transfusion of red blood cells in patients with traumatic brain injuries admitted to Canadian trauma health centres: a multicentre cohort study. 2017 , 7, e014472		17
275	A special article following the relicence of aprotinin injection in Europe. 2017 , 36, 97-102		9
274	Dramatic impact of blood transfusion on cancer-specific survival after radical cystectomy irrespective of tumor stage. 2017 , 51, 130-136		22
273	Transfusion of 35-day-stored red blood cells does not alter lipopolysaccharide tolerance during human endotoxemia. <i>Transfusion</i> , 2017 , 57, 1359-1368	2.9	6
272	Immunmodulation durch Transfusion von Erythrozytenkonzentraten. 2017, 7, 40-58		О
271	Reducing liberal red blood cell transfusions at an academic medical center. <i>Transfusion</i> , 2017 , 57, 959-9	9 64 .9	8
270	Making transfusion decisions in critical care. 2017 , 12, 429-434		
269	Demographic and epidemiologic characterization of transfusion recipients from four US regions: evidence from the REDS-III recipient database. <i>Transfusion</i> , 2017 , 57, 2903-2913	2.9	45
268	Rat red blood cell storage lesions in various additive solutions. 2017 , 67, 45-57		6
267	Topical use of tranexamic acid can effectively decrease hidden blood loss during posterior lumbar spinal fusion surgery: A retrospective study. 2017 , 96, e8233		22
266	Harms of off-label erythropoiesis-stimulating agents for critically ill people. <i>The Cochrane Library</i> , 2017 , 8, CD010969	5.2	11
265	Effects of red blood cell storage time on transfused patients in the ICU-protocol for a systematic review. 2017 , 61, 1384-1397		3

From Donor to Recipient: Considerations for Blood Transfusion Outcomes Research. 2017, 19, 491-498

263	Possible TRALI is a real entity. <i>Transfusion</i> , 2017 , 57, 2539-2541	2.9	11
262	The Risks Associated with Red Blood Cell Transfusion: Implications for Critical Care Practice. 2017 , 29, 305-314		4
261	The long-term quality of life in patients with persistent inflammation-immunosuppression and catabolism syndrome after severe acute pancreatitis: A retrospective cohort study. 2017 , 42, 101-106		11
260	The Effects of red Blood Cell Transfusion on Tissue Oxygenation and the Microcirculation in the Intensive Care Unit: A Systematic Review. 2017 , 31, 205-222		26
259	Mortality of severe septic patients between physician's high and low care volumes. 2017 , 40, 226-231		2
258	Endotoxemia Results in Trapping of Transfused Red Blood Cells in Lungs with Associated Lung Injury. <i>Shock</i> , 2017 , 48, 484-489	3.4	4
257	Patient Blood Management in the Intensive Care Unit. 2017 , 31, 264-271		20
256	Restrictive or Liberal Red-Cell Transfusion for Cardiac Surgery. 2017, 377, 2133-2144		338
255	Controlling Phlebotomy Volume Diminishes PICU Transfusion: Implementation Processes and Impact. 2017 , 140,		4
254	Clinical outcome and inflammatory response after transfusion of washed and unwashed red blood cells in children following cardiovascular surgery. 2017 , 47, 73-79		
253	Post-operative Management. 2017 , 111-129		
252	Hematologic Abnormalities and Acute Lung Syndromes. 2017,		2
251	Transfusion of 35-day stored red blood cells does not result in increase of plasma non-transferrin bound iron in human endotoxemia. <i>Transfusion</i> , 2017 , 57, 53-59	2.9	8
250	"Bloodless" Neurosurgery Among Jehovah's Witnesses: A Comparison with Matched Concurrent Controls. 2017 , 97, 132-139		6
249	Transfusion-related immunomodulation: review of the literature and implications for pediatric critical illness. <i>Transfusion</i> , 2017 , 57, 195-206	2.9	86
248	Anticoagulation and Transfusion Therapy in Patients Requiring Extracorporeal Membrane Oxygenation. 2017 , 31, 1051-1059		22
247	Orthogeriatrics. 2017 ,		4

246 Red Blood Cell Transfusion and Functional Dose. 2017,

245	Perioperative red blood cell transfusion in orofacial surgery. 2017 , 17, 163-181		5
244	Acute respiratory distress syndrome in traumatic brain injury: how do we manage it?. 2017 , 9, 5368-5381		44
243	Critical Evaluation of the Lund Concept for Treatment of Severe Traumatic Head Injury, 25 Years after Its Introduction. 2017 , 8, 315		28
242	A new era of thromboelastometry. 2017 , 15, 380-385		25
241	Blood transfusion in elderly patients with chronic anemia: a qualitative analysis of the general practitioners' attitudes. 2017 , 18, 76		4
240	In silico Prediction and in vitro Verification of a Novel Multi-Epitope Antigen for HBV Detection. 2017 , 32, 230-240		15
239	Blood groups and acute aortic dissection type III. 2017 , 13, 597-600		3
238	Stiffness increase of red blood cells during storage. 2018 , 4,		32
237	Hematocrit and impact of transfusion in patients receiving extracorporeal life support. <i>Perfusion</i> (United Kingdom), 2018 , 33, 546-552	1.9	9
236	Red blood cell transfusion in perioperative pediatric anesthesia: a survey of current practice in Germany. <i>Transfusion</i> , 2018 , 58, 1597-1605	2.9	5
235	Transfusion of autologous extracellular vesicles from stored red blood cells does not affect coagulation in a model of human endotoxemia. <i>Transfusion</i> , 2018 , 58, 1486-1493	2.9	4
234	Day or overnight transfusion in critically ill patients: does it matter?. 2018, 113, 275-282		
233	Anaemia and red blood cell transfusion in intracranial neurosurgery: a comprehensive review. 2018 , 120, 988-998		14
232	Promoting a Restrictive Intraoperative Transfusion Strategy: The Influence of a Transfusion Guideline and a Novel Software Tool. <i>Anesthesia and Analgesia</i> , 2018 , 127, 744-752	3.9	2
231	Thirty-day hospital readmissions among mechanically ventilated emergency department patients. 2018 , 35, 252-256		3
230	Anemia and Patient Blood Management in Cardiac Surgery-Literature Review and Current Evidence. 2018 , 32, 2726-2742		14
229	Safety and cost efficiency of a restrictive transfusion protocol in patients with traumatic brain injury. 2018 , 128, 1530-1537		10

228	Extremely Low Transfusion Rates: Contemporary Primary Total Hip and Knee Arthroplasties. 2018 , 33, 51-54	12
227	Implementation of a Standardized Transfusion Protocol for Cardiac Patients Treated With Venoarterial Extracorporeal Membrane Oxygenation Is Associated With Decreased Blood 3.9 Component Utilization and May Improve Clinical Outcome. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1262-1267	11
226	Perioperative Patient Blood Management to Improve Outcomes. <i>Anesthesia and Analgesia</i> , 2018 , 127, 1211-1220	39
225	Transfusion and blood stream infections after coronary surgery. 2018 , 26, 325-327	4
224	The risk factors of venous thromboembolism in massively transfused patients. 2018 , 222, 115-121	12
223	Effects of a restrictive blood transfusion protocol on acute pediatric burn care: Transfusion threshold in pediatric burns. 2018 , 85, 1048-1054	9
222	Red Blood Cell Transfusions and Anemia on Admission Are Associated with Poor Outcomes in Necrotizing Soft Tissue Infections. 2018 , 3, 250-260	
221	Perioperative considerations in spinal deformity surgery. 2018 , 29, 445-448	
220	Childrenâ Rights in Health Care. 2018 ,	1
219	Bloodless living donor liver transplantation: Risk factors, outcomes, and diagnostic predictors. 2018 , 97, e13581	2
218	Utility of 4-Factor Prothrombin Complex Concentrate in Trauma and Acute-Care Surgical Patients. 2018 , 118, 789-797	1
217	1 Grundlagen. 2018 ,	
216	6 PBM im nicht chirurgischen Bereich. 2018 ,	
215	Abstract. 2018 , 6, 103-104	78
214	Effectiveness of intervention due to feedback on errors arising from inappropriate transportation and storage of blood bags in hospitals: a quasi-experimental study. 2018 , 10, 6764-6770	1
213	To transfuse or not transfuse: an intensive appraisal of red blood cell transfusions in the ICU. 2018 , 25, 468-472	4
212	Management of Postoperative Seizures. 2018 , 497-507	
211	Preoperative anemia and extensive transfusion during stay-in-hospital are critical for patient's mortality: A retrospective multicenter cohort study of oncological patients undergoing radical 2.4 cystectomy. <i>Transfusion and Apheresis Science</i> , 2018 , 57, 739-745	7

210	Trauma Patients Based on the Geriatric Trauma Outcome Scoring System: A Cross-Sectional Analysis Based on Trauma Registered Data. 2018 , 15,	2	
209	Controversies in Severe Traumatic Brain Injury Management. 2018 ,	0	
208	Minimal Dose of Tranexamic Acid Is Effective in Reducing Blood Loss in Complex Spine Surgeries: A Randomized Double-Blind Placebo Controlled Study. 2018 , 12, 484-489	16	
207	Prevention of hospital-acquired pneumonia. 2018 , 24, 370-378	15	
206	Analysis of red blood cell use in elective surgeries over 12 years in Korea. <i>Transfusion</i> , 2018 , 58, 2335-23 4 .49		
205	Consensus Recommendations for RBC Transfusion Practice in Critically Ill Children From the Pediatric Critical Care Transfusion and Anemia Expertise Initiative. 2018 , 19, 884-898	72	
204	Recommendations on RBC Transfusion in Infants and Children With Acquired and Congenital Heart Disease From the Pediatric Critical Care Transfusion and Anemia Expertise Initiative. 2018 , 19, S137-S148	25	
203	Predictors and variation of routine home discharge in critically ill adults with cystic fibrosis. 2018 , 47, 511-515		
202	Intravenous iron sucrose versus oral iron administration for the postoperative treatment of post-bariatric abdominoplasty anaemia: an open-label, randomised, superiority trial in Brazil. 2018 , 5, e310-e320	8	
201	Surgery performed by supervised registrars does not adversely affect medium-term functional outcomes after total knee replacement. 2018 , 100, 57-62	13	
200	Abstracts of the AAGBI GAT Annual Scientific Meeting, Glasgow, UK, 04-06 July 2018. 2018 , 73 Suppl 3, 12-123		
199	Transfusion for Patients With Sepsis in 2018. 2018 , 25, 138-143		
198	Anaemia and transfusion triggers in critically ill patients - What we have learnt thus far. 2019, 20, 284-289	6	
197	The efficacy and safety of intravenous tranexamic acid in hip fracture surgery: A systematic review and meta-analysis. 2019 , 19, 1-11	27	
196	Clearance and phenotype of extracellular vesicles after red blood cell transfusion in a human endotoxemia model. <i>Transfusion and Apheresis Science</i> , 2019 , 58, 508-511	4	
195	Patient blood management: A solution for South Africa. 2019 , 109, 471-476	11	
194	Treatment options for anemia in the elderly. <i>Transfusion and Apheresis Science</i> , 2019 , 58, 416-421 2.4	7	
193	The effect of red blood cell transfusion on platelet function in critically ill patients. 2019 , 184, 115-121	1	

192	Stiffness and ATP recovery of stored red blood cells in serum. 2019 , 5, 51		11
191	Red cell transfusion practices after stage 1 palliation: a survey of practitioners from the Pediatric Cardiac Intensive Care Society. 2019 , 29, 1452-1458		1
190	Low hemoglobin and hematoma expansion after intracerebral hemorrhage. 2019 , 93, e372-e380		21
189	Effect of Low-Dose Supplementation of Arginine Vasopressin on Need for Blood Product Transfusions in Patients With Trauma and Hemorrhagic Shock: A Randomized Clinical Trial. 2019 , 154, 994-1003		37
188	Erythropoietin in Critical Illness and Trauma. 2019 , 35, 277-287		12
187	[Cell salvage : Scientific evidence, clinical practice and legal framework]. 2019 , 68, 69-82		1
186	Clinical Outcomes Associated With Allogeneic Red Blood Cell Transfusions in Spinal Surgery: A Systematic Review. 2019 , 9, 434-445		6
185	Blood Therapy in the Acute Care Surgery Patient. 2019 , 181-194		
184	Intensive Care for Emergency Surgeons. 2019,		
183	Liberal red blood cell transfusions impair quality of life after cardiac surgery. <i>Medicina Intensiva</i> (English Edition), 2019 , 43, 156-164	0.2	
183		0.2	10
	(English Edition), 2019, 43, 156-164 Associations of Anemia With Outcomes in Patients With Spontaneous Intracerebral Hemorrhage: A	0.2	10
182	(English Edition), 2019, 43, 156-164 Associations of Anemia With Outcomes in Patients With Spontaneous Intracerebral Hemorrhage: A Meta-Analysis. 2019, 10, 406 Biological mechanisms implicated in adverse outcomes of sex mismatched transfusions. <i>Transfusion</i>		
182	(English Edition), 2019, 43, 156-164 Associations of Anemia With Outcomes in Patients With Spontaneous Intracerebral Hemorrhage: A Meta-Analysis. 2019, 10, 406 Biological mechanisms implicated in adverse outcomes of sex mismatched transfusions. <i>Transfusion and Apheresis Science</i> , 2019, 58, 351-356		5
182 181 180	(English Edition), 2019, 43, 156-164 Associations of Anemia With Outcomes in Patients With Spontaneous Intracerebral Hemorrhage: A Meta-Analysis. 2019, 10, 406 Biological mechanisms implicated in adverse outcomes of sex mismatched transfusions. <i>Transfusion and Apheresis Science</i> , 2019, 58, 351-356 Sepsis: The evolution in definition, pathophysiology, and management. 2019, 7, 2050312119835043 The European guideline on management of major bleeding and coagulopathy following trauma:		119
182 181 180	(English Edition), 2019, 43, 156-164 Associations of Anemia With Outcomes in Patients With Spontaneous Intracerebral Hemorrhage: A Meta-Analysis. 2019, 10, 406 Biological mechanisms implicated in adverse outcomes of sex mismatched transfusions. <i>Transfusion and Apheresis Science</i> , 2019, 58, 351-356 Sepsis: The evolution in definition, pathophysiology, and management. 2019, 7, 2050312119835043 The European guideline on management of major bleeding and coagulopathy following trauma: fifth edition. 2019, 23, 98		119
182 181 180 179	(English Edition), 2019, 43, 156-164 Associations of Anemia With Outcomes in Patients With Spontaneous Intracerebral Hemorrhage: A Meta-Analysis. 2019, 10, 406 Biological mechanisms implicated in adverse outcomes of sex mismatched transfusions. <i>Transfusion and Apheresis Science</i> , 2019, 58, 351-356 Sepsis: The evolution in definition, pathophysiology, and management. 2019, 7, 2050312119835043 The European guideline on management of major bleeding and coagulopathy following trauma: fifth edition. 2019, 23, 98 Transferrin as a Possible Treatment for Anemia of Inflammation in the Critically Ill. 2019, 585-596 Ventilator-Associated Pneumonia due to Drug-Resistant: Risk Factors and Mortality Relation with		5 119 467

(2020-2019)

174	Standardized Implementation of Evidence-based Guidelines to Decrease Blood Transfusions in Pediatric Intensive Care Units. 2019 , 4, e165		3
173	Association between preoperative anaemia and blood transfusion with long-term functional and quality of life outcomes amongst patients undergoing primary total knee arthroplasty in Singapore: a single-centre retrospective study. 2019 , 28, 85-98		5
172	Evaluation of the real-world impact of rotational thromboelastometry-guided transfusion protocol in patients undergoing proximal aortic surgery. 2019 , 157, 1045-1054.e4		7
171	Clinical experience with ferric carboxymaltose in the management of anemia in acute gastrointestinal bleeding. 2019 , 31, 116-122		5
170	Liberal red blood cell transfusions impair quality of life after cardiac surgery. <i>Medicina Intensiva</i> , 2019 , 43, 156-164	1.2	4
169	Effect of Perioperative Transfusion on Postoperative Morbidity Following Minimally Invasive Hysterectomy for Benign Indications. 2020 , 27, 200-205		1
168	Potential of Parameters of Iron Metabolism for the Diagnosis of Anemia of Inflammation in the Critically Ill. <i>Transfusion Medicine and Hemotherapy</i> , 2020 , 47, 61-67	4.2	2
167	Role of Nitric Oxide Carried by Hemoglobin in Cardiovascular Physiology: Developments on a Three-Gas Respiratory Cycle. 2020 , 126, 129-158		32
166	The effect of anemia severity on postoperative morbidity among patients undergoing laparoscopic hysterectomy for benign indications. 2020 , 99, 112-118		4
165	Iron Deficiency and Anemia in Cancer Patients: The Role of Iron Treatment in Anemic Cancer Patients. 2020 , 72, 864-872		5
164	Examining 1:1 vs. 4:1 Packed Red Blood Cell to Fresh Frozen Plasma Ratio Transfusion During Pediatric Burn Excision. 2020 , 41, 443-449		5
163	Red blood cell transfusion results in adhesion of neutrophils in human endotoxemia and in critically ill patients with sepsis. <i>Transfusion</i> , 2020 , 60, 294-302	2.9	1
162	The emerging role of red blood cells in cytokine signalling and modulating immune cells. 2020 , 41, 100	644	5
161	Iatrogenic anemia: an underestimated and solvable problem in the intensive care unit. 2020 , 5, 19-19		О
160	Red Blood Cell Transfusions and Outcomes After Intracerebral Hemorrhage. 2020 , 29, 105317		4
159	Is haemoglobin below 7.0 g/dL an optimal trigger for allogenic red blood cell transfusion in patients admitted to intensive care units? A meta-analysis and systematic review. 2020 , 10, e030854		4
158	Thromboelastography-guided blood transfusion during cytoreductive surgery combined with hyperthermic intraperitoneal chemotherapy: study protocol for a prospective randomised controlled trial. 2020 , 10, e042741		1
157	Trasfusione di prodotti sanguigni labili nelle strutture dâŪrgenza. 2020 , 24, 1-9		

156	Transfusion in the mechanically ventilated patient. 2020 , 46, 2450-2457	9
155	Patient's performance status should dictate transfusion strategy in nonvariceal acute upper gastrointestinal bleeding (NV-AUGIB): A prospective multicenter cohort study: Transfusion strategy in NV-AUGIB. 2020 , 52, 1156-1163	1
154	Post-operative of bleeding, haemolysis and coagulation in mechanical circulatory support patients. 2020 , 8, 832	4
153	Allogeneic red blood cell transfusion is an independent risk factor for 1-year mortality in elderly patients undergoing femoral neck fracture surgery: Retrospective study. 2020 , 99, e21897	2
152	Middle East experience from the Asia And Latin America Fracture Observational Study (ALAFOS): Baseline characteristics of postmenopausal women with osteoporosis using teriparatide. 2020 , 48, 30006052	0 9 40855
151	Anemia in Pediatric Critical Care. 2020 , Volume 8, 23-33	Ο
150	Comparison of oral and intravenous tranexamic acid in total hip arthroplasty: a systematic review and meta-analysis 2020 , 2, 9	0
149	Sepsis-related anemia in a pediatric intensive care unit: transfusion-associated outcomes. Transfusion, 2020 , 60 Suppl 1, S4-S9	3
148	Are Blood Products Routinely Required in Pediatric Heart Surgery?. 2020 , 41, 932-938	1
147	Liberal Versus Restrictive Red Blood Cell Transfusion Thresholds in Hematopoietic Cell Transplantation: A Randomized, Open Label, Phase III, Noninferiority Trial. 2020 , 38, 1463-1473	18
146	Is there a role for granulocyte-macrophage colony-stimulating factor and/or erythropoietin in critical illness?. 2020 , 593-597.e1	
145	Association of hospital transfusion use and infection-related rehospitalizations among patients receiving hemodialysis: A retrospective cohort study. 2020 , 24, 79-88	
144	Current problems in burn immunology. 2020 , 57, 100779	4
143	Patient Blood Management in Adult Extracorporeal Membrane Oxygenation Patients. 2020 , 10, 147-156	1
142	Viscoelastic haemostatic assays in the perioperative period of surgical procedures: Systematic review and meta-analysis. 2020 , 64, 109809	7
141	Coagulation Profile as a Significant Risk Factor for Short-Term Complications and Mortality after Anterior Cervical Discectomy and Fusion. 2021 , 148, e74-e86	3
140	Associations of a Preoperative Anemia and Suboptimal Iron Stores Screening and Management Clinic in Colorectal Surgery With Hospital Cost, Reimbursement, and Length of Stay: A Net Cost 3.9 Analysis. <i>Anesthesia and Analgesia</i> , 2021 , 132, 344-352	9
139	Screening and treating pre-operative anaemia and suboptimal iron stores in elective colorectal surgery: a cost effectiveness analysis. 2021 , 76, 357-365	9

138	Is There a Role for Preoperative Local Infiltration of Tranexamic Acid in Elective Spine Surgery? A Prospective Randomized Controlled Trial Analyzing the Efficacy of Intravenous, Local Infiltration, and Topical Administration of Tranexamic Acid. 2021 , 11, 21-27		5
137	Blood transfusion in major emergency abdominal surgery. 2021 , 1		
136	Evaluation of ferric carboxymaltose treatment efficacy in women with postpartum iron deficiency anemia. 2021 , 4, 23-27		
135	Rationale Therapie mit Erythrozytenkonzentraten âl/Dpdate 2020. 2021 , 11, 39-54		1
134	Hurts So Good: Uncovering the Relationship Between Blood Transfusions and Allograft Outcome. 2021 , 6, 875-877		
133	Management of Blunt Solid Organ Injuries: the Indian Society for Trauma and Acute Care (ISTAC) Consensus Guidelines. 2021 , 83, 3-41		
132	Understanding the awareness, perception and practices of community healthcare workers for high risk antenatal cases: A survey conducted in India. 2021 , 10, 100710		О
131	Machine learning models to predict red blood cell transfusion in patients undergoing mitral valve surgery. 2021 , 9, 530		2
130	Intraoperative transfusion practice in burned children in a university hospital over four years: a retrospective analysis. 2021 , 21, 118		
129	Intelligent prediction of RBC demand in trauma patients using decision tree methods. 2021 , 8, 33		4
128	Red blood cell transfusion in animal models of acute brain injuries: a systematic review protocol. 2021 , 10, 177		
127	Oral Is as Effective as Intravenous Tranexamic Acid at Reducing Blood Loss in Thoracolumbar Spinal Fusions: A Prospective Randomized Trial. 2022 , 47, 91-98		O
126	Effect of red blood cell transfusion on inflammation, endothelial cell activation and coagulation in the critically ill. 2021 ,		1
125	Ability of a Machine Learning Algorithm to Predict the Need for Perioperative Red Blood Cells Transfusion in Pelvic Fracture Patients: A Multicenter Cohort Study in China. 2021 , 8, 694733		1
124	Restrictive versus liberal transfusion thresholds in very low birth weight infants: A systematic review with meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0256810	3.7	1
123	How well do critical care audit and feedback interventions adhere to best practice? Development and application of the REFLECT-52 evaluation tool. 2021 , 16, 81		
122	Castigating intraoperative bleeding: Tranexamic acid, a new ally. 2021 , 16, 51-55		2
121	Clinical Features and Outcomes of Very Elderly Patients Admitted to the Intensive Care Unit: A Retrospective and Observational Study. 2021 , 25, 629-634		O

120	Medical chart validation of inpatient diagnosis codes for transfusion-related acute lung injury 2013-2015. <i>Transfusion</i> , 2021 , 61, 754-766	2.9	2
119	The incidence, risk, presentation, pathophysiology, treatment, and effects of perioperative acute kidney injury. 2021 , 68, 409-422		1
118	Acute Traumatic Hemorrhage and Anemia. 79-106		2
117	Classic Critical Care Papers. 2010 , 7-12		1
116	Chronic Critical Illness. 2010 , 43-54		1
115	Management of Fluids, Electrolytes, and Blood Products in Neurosurgical Patients. 2020 , 31-34		О
114	Management of Emergency Department Patients with Gastrointestinal Hemorrhage. 2020, 223-244		1
113	Post-operative Management. 2021 , 155-180		2
112	Introduction. 2015 , 1-4		2
111	Chronic Critical Illness and the Long Term Sequela of Critical Care. 2015 , 47-56		O
110	Supportive therapy in multiple myeloma. 2011 , 183, 307-33		2
109	Chronic Kidney Disease After Partial Nephrectomy in Patients With Preoperative Inconspicuous Renal Function - Curiosity or Relevant Issue?. 2020 , 18, e754-e761		6
108	Hemoglobin levels and weaning outcome of mechanical ventilation in difficult-to-wean patients: a retrospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e73743	3.7	20
107	Storage duration of red blood cell transfusion and Clostridium difficile infection: a within person comparison. <i>PLoS ONE</i> , 2014 , 9, e89332	3.7	8
106	Successful implementation of a packed red blood cell and fresh frozen plasma transfusion protocol in the surgical intensive care unit. <i>PLoS ONE</i> , 2015 , 10, e0126895	3.7	5
105	Fresh red blood cells transfusion protects against aluminum phosphide-induced metabolic acidosis and mortality in rats. <i>PLoS ONE</i> , 2018 , 13, e0193991	3.7	12
104	Perioperative changes in platelet count and function in patients undergoing cardiac surgery. 2017 , 31, 37		7
103	Impact of the age of stored blood on trauma patient mortality: a systematic review. 2015 , 58, 335-42		13

(2011-2018)

102	Interaction between peri-operative blood transfusion, tidal volume, airway pressure and postoperative ARDS: an individual patient data meta-analysis. 2018 , 6, 23	8
101	The use of tranexamic acid in spine surgery. 2019 , 7, S172	12
100	Recommendations for the transfusion management of patients in the peri-operative period. II. The intra-operative period. <i>Blood Transfusion</i> , 2011 , 9, 189-217	60
99	A Randomized Controlled Trial of Topical Application of Tranexamic Acid in Patients with Thoracolumbar Spine Trauma Undergoing Long-Segment Instrumented Posterior Spinal Fusion. 2019 , 13, 146-154	8
98	Anemia and digestive diseases: an update for the clinician. 2009 , 15, 4615-6	5
97	A review of the use of blood and blood products in HIV-infected patients. 2012 , 13, 87-104	3
96	The Association between Arterial Oxygen Tension, Hemoglobin Concentration, and Mortality in Mechanically Ventilated Critically Ill Patients. 2018 , 22, 477-484	3
95	Relationship between low hemoglobin levels and mortality in patients with septic shock. 2019 , 34, 141-147	4
94	Critical evaluation of justifications for the transfusion of red blood cells: the reality of a government emergency hospital. 2013 , 35, 263-7	6
93	Systemic Complications after Subarachnoid Hemorrhage. 2010 , 419-427	
92	Systemic Complications after Subarachnoid Hemorrhage. 2010 , 419-427	
91	Anemia y terapia transfusional en el paciente crtico. 2010 , 483-497	
90	Anemia and Red Blood Transfusion in Critical Care. 476-489	
89	Long-Term Complications and Management. 2011 , 1086-1106	1
88	Intensivmedizin. 2011 , 909-921	
87	Lower Gastrointestinal Hemorrhage. 2011 , 407-420	
86	Anemia and Red Blood Cell Transfusion in Critically Ill Patients. 2011 , 1127-1132	
85	Blood Component Therapies. 2011 , 1133-1140	1

84	Anemia. 2011 , 72-77	
83	Management of Fluids, Electrolytes, and Blood Products in Neurosurgical Patients. 2012 , 49-55	
82	Anînie et transfusion. 2012 , 297-312	
81	Anäthesie bei Niereninsuffizienz und Nierenversagen. 2012 , 1314-1325	
80	Aneurysmal Subarachnoid Hemorrhage: Evidence-Based Medicine, Diagnosis, Treatment, and Complications. 2013 , 541-563	
79	Intra-operative Anticoagulation, Hemostasis and Blood Conservation. 2014 , 659-681	
78	Blut und Blutprodukte. 2014 , 89-108	
77	Shock. 2014 , 159-271	
76	Blood transfusion. 2014 , 973-986.e3	
75	Transfusion Policy. 2014 , 107-122	
74	Perioperative care. 2014 , 27-68	
73	Early recognition and treatment of severe sepsis and septic shock in CAP. 2014 , 184-204	Ο
72	Bleeding Management in Elective Orthopedic Surgery. 2015 , 351-364	
71	Economic Aspects and Organization. 2015 , 421-445	3
70	Blood-Sparing Strategies in the Intensive Care Unit. 2015 , 93-100	
69	BLOOD CONSERVATION TECHNIQUES IN SURGICAL PATIENTS: A REVIEW ARTICLE. 2014 , 3, 13588-13601	
68	Sepsis. 2015 , 107-148	Ο
67	Hithostase, Hithotherapie und Lyse. 2015 , 479-509	

65	Hithostase. 2015 , 1-48	
64	Patientensicherheit in der Intensivmedizin. 2015 , 1-28	
63	Blutmanagement in der Orthopflie und Unfallchirurgie. 2016 , 157-172	
62	Hematological Variables and Iron Status in Abdominoplasty After Bariatric Surgery. 2016 , 499-506	
61	Restrictive versus Liberal Blood Transfusion Strategies in Egyptian Patients with Esophageal Variceal Bleeding. 2016 , 06, 151-157	
60	Anäthesie bei Patienten mit Niereninsuffizienz und Nierenversagen. 2016 , 1-16	
59	Transfusion and Acute Respiratory Distress Syndrome: Pathogenesis and Potential Mechanisms. 2017 , 193-211	
58	Anîhie und Erythrozytentransfusionen. 2017 , 295-311	
57	Treatment of Anemia. 2018 , 117-143	1
57 56	Treatment of Anemia. 2018, 117-143 Blood Transfusion in Neurosurgery. 2019, 383-400	1
		1
56	Blood Transfusion in Neurosurgery. 2019 , 383-400	1
56 55	Blood Transfusion in Neurosurgery. 2019, 383-400 AnEthesie bei Patienten mit Niereninsuffizienz und Nierenversagen. 2019, 1771-1786 Allogenic blood transfusion requirements and effects of storage age of blood units on	1
565554	Blood Transfusion in Neurosurgery. 2019, 383-400 Anthesie bei Patienten mit Niereninsuffizienz und Nierenversagen. 2019, 1771-1786 Allogenic blood transfusion requirements and effects of storage age of blood units on postoperative period in cardiac surgeries: An analytical study. 2019, 4, 180	1
56555453	Blood Transfusion in Neurosurgery. 2019, 383-400 An Sthesie bei Patienten mit Niereninsuffizienz und Nierenversagen. 2019, 1771-1786 Allogenic blood transfusion requirements and effects of storage age of blood units on postoperative period in cardiac surgeries: An analytical study. 2019, 4, 180 Appropriate Clinical Application of Thrombocytes Concentrate. 2019, 46-51 Oral tranexamic acid for bleeding during spinal surgery: A randomized double-blind placebo clinical	1
5655545352	Blood Transfusion in Neurosurgery. 2019, 383-400 An Sthesie bei Patienten mit Niereninsuffizienz und Nierenversagen. 2019, 1771-1786 Allogenic blood transfusion requirements and effects of storage age of blood units on postoperative period in cardiac surgeries: An analytical study. 2019, 4, 180 Appropriate Clinical Application of Thrombocytes Concentrate. 2019, 46-51 Oral tranexamic acid for bleeding during spinal surgery: A randomized double-blind placebo clinical trial Running title: Oral tranexamic acid for spinal surgery. 2020, 7, 57-68	2

48	Assessment of a continuing medical education intervention designed to change physician practice regarding blood transfusion. 2020 , 5, 44		
47	The Effect of Washing of Stored Red Blood Cell Transfusion Units on Post Transfusion Recovery and Outcome in a Pneumosepsis Animal Model. <i>Shock</i> , 2020 , 54, 794-801	3.4	
46	South African Society of Anaesthesiologists Perioperative Patient Blood Management Guidelines 2020. Southern African Journal of Anaesthesia and Analgesia, 2020 , S1-S68	0.4	1
45	Epidemiology of blood transfusion in the Spanish Critical Care Units: «Transfusion Day». <i>Medicina Intensiva</i> , 2020 ,	1.2	1
44	A new device to relieve venipuncture pain can affect haematology test results. <i>Blood Transfusion</i> , 2014 , 12 Suppl 1, s6-10	3.6	1
43	Anemia and transfusion of red blood cells. <i>Colombia Medica</i> , 2013 , 44, 236-42	1.5	1
42	Transfusion thresholds and beyond. <i>Blood Transfusion</i> , 2016 , 14, 123-5	3.6	10
41	Predicting intervention onset in the ICU with switching state space models. <i>AMIA Summits on Translational Science Proceedings</i> , 2017 , 2017, 82-91	1.1	11
40	The Effect of Sex-Mismatched Red Blood Cell Transfusion on Endothelial Cell Activation in Critically Ill Patients. <i>Transfusion Medicine and Hemotherapy</i> , 1-8	4.2	0
39	Red blood cell transfusion practice in a single institution in Poland in 2018-2019 - Is there room for improvement?. <i>Transfusion and Apheresis Science</i> , 2021 , 103323	2.4	
38	Intraoperative transfusion practices and perioperative outcome in the European elderly: A secondary analysis of the observational ETPOS study <i>PLoS ONE</i> , 2022 , 17, e0262110	3.7	0
37	Patient blood management in oncology in the Russian Federation: Resolution to improve oncology care <i>Journal of Cancer Policy</i> , 2022 , 31, 100315	1	
36	Epidemiology of blood transfusion in the Spanish Critical Care Units: «Transfusion Day» <i>Medicina Intensiva (English Edition)</i> , 2022 ,	0.2	
35	Pro-Con Debate: Cardiac Troponin Measurement as Part of Routine Follow-up of Myocardial Damage Following Noncardiac Surgery <i>Anesthesia and Analgesia</i> , 2022 , 134, 257-265	3.9	1
34	Transfusion thresholds for guiding red blood cell transfusion The Cochrane Library, 2021, 12, CD00204	25.2	4
33	Lung-brain 'cross-talk': systemic propagation of cytokines in the ARDS the bloodstream using a blood transfusion model does not influence cerebral inflammatory response in pigs <i>PeerJ</i> , 2022 , 10, e13024	3.1	
32	Preoperative embolization in surgical treatment of spinal metastases originating from non-hypervascular primary tumors: a propensity score matched study using 495 patients <i>Spine Journal</i> , 2022 ,	4	0
31	Improving packed red blood cell storage with a high-viscosity buffered storage solution <i>Surgery</i> , 2021 ,	3.6	

30	Incidence, risk factors and clinical implications of postoperative urinary tract infection in geriatric hip fractures <i>Injury</i> , 2022 ,	2.5	
29	Mortality and morbidity in non-transfusable and transfusable patients: A systematic review and meta-analysis <i>Transfusion</i> , 2021 ,	2.9	O
28	Cell saver blood transfusions may be associated with a decrease in inflammation and improved outcome measures in pediatric cardiac surgery patients <i>Perfusion (United Kingdom)</i> , 2022 , 267659122	1 078 4	20 ^O
27	Data_Sheet_1.docx. 2019 ,		
26	Investigating the association between blood transfusion and clinical outcomes in patients with acute coronary syndromes: a data linkage approach to Patient Blood Management. <i>Blood Transfusion</i> , 2020 ,	3.6	
25	Predictive Value of the Geriatric Trauma Outcome Score in Older Patients After Trauma: A Retrospective Cohort Study <i>International Journal of General Medicine</i> , 2022 , 15, 4379-4390	2.3	O
24	Systematic Review and Meta-Analysis on the Role of Perioperative Blood Transfusion in Patients Undergoing Radical Cystectomy for Urothelial Carcinoma. <i>Bladder Cancer</i> , 2022 , 1-13	1	
23	Blood Transfusion Practices in Sepsis. 2022 , 541-546		
22	Dissemination of patient blood management practices in Swiss intensive care units: a cross-sectional survey. 152,		О
21	Rationale Therapie mit Erythrozytenkonzentraten âl Update 2022. <i>Deutsche Medizinische Wochenschrift</i> , 2022 , 147, 780-796	0	
20	Predictors of Postoperative Systemic Inflammatory Response Syndrome after Scoliosis Surgery in Adolescents with Cerebral Palsy: A Retrospective Analysis. <i>North American Spine Society Journal (NASSJ)</i> , 2022 , 100135	0.3	
19	A risk scoring system integrating postoperative factors for predicting early mortality after major non-cardiac surgery. <i>Clinical and Translational Science</i> ,	4.9	
18	Epidemiology and Associated Factors in Transfusion Management in Intensive Care Unit. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3532	5.1	
17	Restrictive blood transfusion and 1-year mortality in patients undergoing open abdominal surgery: A retrospective propensity score-matched cohort study. 2022 ,		
16	Brain-Lung Crosstalk: Management of Concomitant Severe Acute Brain Injury and Acute Respiratory Distress Syndrome.		О
15	Introduction to Acute Upper Gastrointestinal Hemorrhage. 2022 , 431-445		О
14	Gastrointestinal Emergencies and the Role of Endoscopy. 2022 , 13, 179-192		О
13	Rationale and Design for the Myocardial Ischemia and Transfusion (MINT) Randomized Clinical Trial. 2022 ,		O

12	Comparacifi de la eficacia de la transfusifi de paquetes globulares de 15 vs 16 a 40 dâs de extraccifi sobre los efectos hemodinfinicos y gasomtricos de pacientes con traumatismo craneoenceffico severo en la Unidad de Cuidados Intensivos. 2022 , 36, 463-471	0
11	A descriptive study of routine laboratory testing in intensive care unit in nearly 140,000 patient stays. 2022 , 12,	O
10	Outcomes following Total Hip and Knee Arthroplasty in Patients who have Paget's Disease of Bone: A Systematic Review. 2023 ,	0
9	The Impact of Restrictive Transfusion Practices on Hemodynamically Stable Critically Ill Children Without Heart Disease: A Secondary Analysis of the Age of Blood in Children in the PICU Trial*. 2023 , 24, 84-92	О
8	Preoperative hemoglobin and perioperative blood transfusion in major head and neck surgery: a systematic review and meta-analysis. 2023 , 52,	0
7	Effect of Deferoxamine on Post-Transfusion Iron, Inflammation, and In Vitro Microbial Growth in a Canine Hemorrhagic Shock Model: A Randomized Controlled Blinded Pilot Study. 2023 , 10, 121	O
6	Patient Blood Management. 2023 , 1-7	0
6 5	Patient Blood Management. 2023 , 1-7 Management of severe peri-operative bleeding: Guidelines from the European Society of Anaesthesiology and Intensive Care. 2023 , 40, 226-304	0
	Management of severe peri-operative bleeding: Guidelines from the European Society of	
5	Management of severe peri-operative bleeding: Guidelines from the European Society of Anaesthesiology and Intensive Care. 2023 , 40, 226-304 An Individualized Red Blood Cell Transfusion Strategy Using Pediatric Perioperative-Transfusion-Trigger Score Reduced Perioperative Blood Exposure for Children: A	0
5 4	Management of severe peri-operative bleeding: Guidelines from the European Society of Anaesthesiology and Intensive Care. 2023, 40, 226-304 An Individualized Red Blood Cell Transfusion Strategy Using Pediatric Perioperative-Transfusion-Trigger Score Reduced Perioperative Blood Exposure for Children: A Randomized Controlled Clinical Trial. Volume 19, 229-237 Red blood cell transfusion-related eicosanoid profiles in intensive care patientsâl prospective,	0