

CITATION REPORT

List of articles citing

Wnt/beta-catenin signaling promotes renal interstitial fibros

DOI: 10.1681/asn.2008060566

Journal of the American Society of Nephrology: JASN,
2009, 20, 765-76.

Source: <https://exaly.com/paper-pdf/45297896/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
475	Aberrant planar cell polarity induced by urinary tract obstruction. 2009 , 297, F1526-33		16
474	Activation of canonical Wnt signaling meets with podocytopathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 1864-6	12.7	8
473	Wnt/beta-catenin signaling promotes podocyte dysfunction and albuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 1997-2008	12.7	302
472	Wnt pathway regulation in chronic renal allograft damage. 2009 , 9, 2223-39		74
471	Wnt/beta-catenin signaling: a novel target for therapeutic intervention of fibrotic kidney disease. 2009 , 32, 1653-62		51
470	Alpha-defensins increase lung fibroblast proliferation and collagen synthesis via the beta-catenin signaling pathway. 2009 , 276, 6603-14		20
469	Combination therapy with paricalcitol and trandolapril reduces renal fibrosis in obstructive nephropathy. <i>Kidney International</i> , 2009 , 76, 1248-57	9.9	56
468	Cardiovascular and renal pathologic implications of prorenin, renin, and the (pro)renin receptor: promising young players from the old renin-angiotensin-aldosterone system. 2010 , 56, 570-9		37
467	Prevention of diabetic nephropathy in Ins2(+/?)(AkitaJ) mice by the mitochondria-targeted therapy MitoQ. 2010 , 432, 9-19		176
466	Mouse prostate cancer cell lines established from primary and postcastration recurrent tumors. 2010 , 1, 44-54		28
465	Lefty A attenuates the TGF-beta1-induced epithelial to mesenchymal transition of human renal proximal epithelial tubular cells. 2010 , 339, 263-70		12
464	Tankyrase is necessary for canonical Wnt signaling during kidney development. 2010 , 239, 2014-23		36
463	Journal Club. <i>Kidney International</i> , 2010 , 78, 1055-1056	9.9	
462	Plasminogen activator inhibitor-1 is a transcriptional target of the canonical pathway of Wnt/beta-catenin signaling. <i>Journal of Biological Chemistry</i> , 2010 , 285, 24665-75	5.4	87
461	Wnt signaling and aging-related heart disorders. 2010 , 107, 1295-303		53
460	Epigenetically altered wound healing in keloid fibroblasts. 2010 , 130, 2489-96		112
459	New insights into epithelial-mesenchymal transition in kidney fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 212-22	12.7	657

458	Inhibition of connective tissue growth factor overexpression in diabetic retinopathy by SERPINA3K via blocking the WNT/beta-catenin pathway. 2010 , 59, 1809-16		61
457	ECatenin is markedly induced in a murine model of an arteriovenous fistula: the effect of metalloproteinase inhibition. 2010 , 299, F1270-7		11
456	Serum- and glucocorticoid-regulated kinase 1 is upregulated following unilateral ureteral obstruction causing epithelial-mesenchymal transition. <i>Kidney International</i> , 2010 , 78, 668-78	9.9	49
455	Pathways and promoter networks analysis provides systems topology for systems biology approaches. 2010 , 30, 477-86		3
454	Vitamin D receptor attenuates renal fibrosis by suppressing the renin-angiotensin system. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 966-73	12.7	169
453	Dickkopf-1 promotes hyperglycemia-induced accumulation of mesangial matrix and renal dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 124-35	12.7	70
452	The influence of fasudil on the epithelial-mesenchymal transdifferentiation of renal tubular epithelial cells from diabetic rats. 2010 , 64, 124-9		11
451	Chronic cadmium exposure induces transcriptional activation of the Wnt pathway and upregulation of epithelial-to-mesenchymal transition markers in mouse kidney. 2010 , 198, 69-76		48
450	Molecular mechanisms in renal degenerative disease. 2010 , 21, 831-7		7
449	Wnt signaling in heart valve development and osteogenic gene induction. 2010 , 338, 127-35		96
448	Differential activation of canonical Wnt signaling determines cranial sutures fate: a novel mechanism for sagittal suture craniosynostosis. 2010 , 344, 922-40		48
447	Physiology of the (pro)renin receptor: Wnt of change?. <i>Kidney International</i> , 2010 , 78, 246-56	9.9	65
446	Myofibroblast differentiation and survival in fibrotic disease. 2011 , 13, e27		145
445	Potential cross-talk between (pro)renin receptors and Wnt/frizzled receptors in cardiovascular and renal disorders. 2011 , 34, 1161-70		19
444	Wnt-signaling pathways in progressive renal fibrosis. 2011 , 15, 1073-83		24
443	The response to valve injury. A paradigm to understand the pathogenesis of heart valve disease. 2011 , 20, 183-90		30
442	Cellular and molecular mechanisms of renal fibrosis. 2011 , 7, 684-96		801
441	HRP and prorenin: focus on the (pro)renin receptor and vacuolar H ⁺ -ATPase. 2011 , 3, 1205-15		7

440	Association analysis of canonical Wnt signalling genes in diabetic nephropathy. 2011 , 6, e23904		8
439	Activation of WNT/ β -catenin signaling in pulmonary fibroblasts by TGF- β s increased in chronic obstructive pulmonary disease. 2011 , 6, e25450		110
438	Blockade of the Wnt/ β -catenin pathway attenuates bleomycin-induced pulmonary fibrosis. 2011 , 223, 45-54		92
437	Renal (pro)renin receptor contributes to development of diabetic kidney disease through transforming growth factor- β -connective tissue growth factor signalling cascade. 2011 , 38, 215-21		39
436	Epithelial-mesenchymal transition in renal fibrosis - evidence for and against. 2011 , 92, 143-50		125
435	Delayed graft function in the kidney transplant. 2011 , 11, 2279-96		462
434	The kidney as a target organ in pharmaceutical research. 2011 , 16, 244-59		2
433	CTGF/CCN2 activates canonical Wnt signalling in mesangial cells through LRP6: implications for the pathogenesis of diabetic nephropathy. 2011 , 585, 531-8		55
432	Epithelial to mesenchymal transition as a biomarker in renal fibrosis: are we ready for the bedside?. 2011 , 4, 11		64
431	Ischemic kidney injury and mechanisms of tissue repair. 2011 , 3, 606-18		75
430	Alterations in Wnt pathway activity in mouse serum and kidneys during lupus development. 2011 , 63, 513-22		26
429	β -catenin mediates mechanically regulated, transforming growth factor- β -induced myofibroblast differentiation of aortic valve interstitial cells. 2011 , 31, 590-7		143
428	Altered AIB1 or AIB1 β expression impacts ER α effects on mammary gland stromal and epithelial content. 2011 , 25, 549-63		15
427	BMP promotes motility and represses growth of smooth muscle cells by activation of tandem Wnt pathways. 2011 , 192, 171-88		61
426	Blockade of Wnt/ β -catenin signaling by paricalcitol ameliorates proteinuria and kidney injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 90-103	12.7	217
425	Targeted inhibition of β -catenin/CBP signaling ameliorates renal interstitial fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1642-53	12.7	181
424	Canonical Wnt/ β -catenin signaling mediates transforming growth factor- β -driven podocyte injury and proteinuria. <i>Kidney International</i> , 2011 , 80, 1159-1169	9.9	109
423	Obstructive uropathy. 2011 , 169, 311-326		47

422	Sonic hedgehog signaling mediates epithelial-mesenchymal communication and promotes renal fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 801-13	12.7	146
421	Tubule-specific ablation of endogenous E-catenin aggravates acute kidney injury in mice. <i>Kidney International</i> , 2012 , 82, 537-47	9.9	138
420	Impaired wound healing in hypoxic renal tubular cells: roles of hypoxia-inducible factor-1 and glycogen synthase kinase 3β/E-catenin signaling. 2012 , 340, 176-84		25
419	Activation of Wnt11 by transforming growth factor-β drives mesenchymal gene expression through non-canonical Wnt protein signaling in renal epithelial cells. <i>Journal of Biological Chemistry</i> , 2012 , 287, 21290-302	5.4	55
418	Klotho protects against mouse renal fibrosis by inhibiting Wnt signaling. 2012 , 303, F1641-51		112
417	Matrix metalloproteinase-7 as a surrogate marker predicts renal Wnt/E-catenin activity in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 294-304	12.7	106
416	Axin pathway activity regulates in vivo pY654-E-catenin accumulation and pulmonary fibrosis. <i>Journal of Biological Chemistry</i> , 2012 , 287, 5164-72	5.4	70
415	Mesangial medium from IgA nephropathy patients induces podocyte epithelial-to-mesenchymal transition through activation of the phosphatidylinositol-3-kinase/Akt signaling pathway. 2012 , 29, 743-52		24
414	Matrix metalloproteinases in kidney homeostasis and diseases. 2012 , 302, F1351-61		156
413	Prorenin receptor regulates more than the renin-angiotensin system. 2012 , 44 Suppl 1, S43-8		10
412	Protective role of the vitamin D receptor. 2012 , 279, 160-6		63
411	Epithelial-mesenchymal crosstalk alteration in kidney fibrosis. 2012 , 228, 131-47		38
410	WNT7B in fibroblastic foci of idiopathic pulmonary fibrosis. 2012 , 13, 62		33
409	TGF-β-activated kinase-1: New insights into the mechanism of TGF-β signaling and kidney disease. 2012 , 31, 94-105		42
408	A systems approach identifies HIPK2 as a key regulator of kidney fibrosis. 2012 , 18, 580-8		110
407	Activation of canonical Wnt signalling is required for TGF-β-mediated fibrosis. 2012 , 3, 735		501
406	Role changes of E-catenin in kidney injury and repair. <i>Kidney International</i> , 2012 , 82, 509-11	9.9	12
405	Biochemical, Structural and Pathophysiological Aspects of Prorenin and (Pro)renin Receptor. 2012 ,		1

404	TDAG51 mediates epithelial-to-mesenchymal transition in human proximal tubular epithelium. 2012 , 303, F467-81	33
403	β-catenin is a central mediator of pro-fibrotic Wnt signaling in systemic sclerosis. 2012 , 71, 761-7	147
402	What's past is prologue: developmental pathways and chronic allograft dysfunction. 2012 , 12, 5-6	4
401	Modulation of Wnt and Hedgehog signaling pathways is linked to retinoic acid-induced amelioration of chronic allograft dysfunction. 2012 , 12, 55-68	8
400	Implication of dysregulation of the canonical wingless-type MMTV integration site (WNT) pathway in diabetic nephropathy. 2012 , 55, 255-66	77
399	Procalcitonin induced cytotoxicity and apoptosis in mesangial cells: implications for septic renal injury. 2013 , 62, 887-94	28
398	Haplotype association analysis of genes within the WNT signalling pathways in diabetic nephropathy. 2013 , 14, 126	11
397	Matrix Producing Cells in Chronic Kidney Disease: Origin, Regulation, and Activation. 2013 , 1, 301	32
396	Myofibroblasts in Fibrotic Kidneys. 2013 , 1, 189	18
395	Sp1 mediates microRNA-29c-regulated type I collagen production in renal tubular epithelial cells. 2013 , 319, 2254-65	27
394	Cellular mechanisms of tissue fibrosis. 3. Novel mechanisms of kidney fibrosis. 2013 , 304, C591-603	120
393	Molecular targets for treatment of kidney fibrosis. 2013 , 91, 549-59	59
392	Morphogen pathways as molecular targets for the treatment of fibrosis in systemic sclerosis. 2013 , 305, 1-8	23
391	Wnt signalling in kidney diseases: dual roles in renal injury and repair. 2013 , 229, 221-31	139
390	Principles of Cell Signaling. 2013 , 369-403	
389	Role of the Wnt-Frizzled system in cardiac pathophysiology: a rapidly developing, poorly understood area with enormous potential. 2013 , 591, 1409-32	88
388	Strategies for anti-fibrotic therapies. 2013 , 1832, 1088-103	116
387	Loss of Klotho contributes to kidney injury by derepression of Wnt/β-catenin signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 771-85	12.7 243

386	New insights into the pathogenesis and treatment of peritoneal fibrosis: a potential role of Wnt/ β -catenin induced epithelial to mesenchymal transition and stem cells for therapy. 2013 , 81, 97-100		12
385	Morphogen pathways in systemic sclerosis. 2013 , 15, 299		19
384	Systemic effects of Wnt signaling. 2013 , 228, 1428-32		36
383	Genetic mechanisms of atrial fibrillation: impact on response to treatment. 2013 , 10, 317-29		60
382	Therapy for patients with CKD and low bone mineral density. 2013 , 9, 681-92		27
381	Canonical Wnt signalling as a key regulator of fibrogenesis - implications for targeted therapies?. 2013 , 22, 710-3		39
380	Association of URG11 and Twist with clinical pathological characteristics and prognosis in patients with IgA nephropathy. 2013 , 28, 2268-76		5
379	A glimpse of the pathogenetic mechanisms of Wnt/ β -catenin signaling in diabetic nephropathy. 2013 , 2013, 987064		56
378	Zona occludens-2 protects against podocyte dysfunction induced by ADR in mice. 2013 , 304, F77-87		15
377	Rheb/mTORC1 signaling promotes kidney fibroblast activation and fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1114-26	12.7	63
376	TGF β -dependent podocyte dysfunction. 2013 , 22, 93-9		26
375	Wnt4/ β -catenin signaling in medullary kidney myofibroblasts. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1399-412	12.7	123
374	Osteoporosis Associated with Chronic Kidney Disease. 2013 , 1387-1424		1
373	Diabetic nephropathy: the role of inflammation in fibroblast activation and kidney fibrosis. 2013 , 4, 7		147
372	PKB/SGK-resistant GSK-3 signaling following unilateral ureteral obstruction. 2013 , 38, 156-64		13
371	Activation of Wnt5a-Ror2 signaling associated with epithelial-to-mesenchymal transition of tubular epithelial cells during renal fibrosis. 2013 , 18, 608-19		31
370	Disruption of the Dapper3 gene aggravates ureteral obstruction-mediated renal fibrosis by amplifying Wnt/ β -catenin signaling. <i>Journal of Biological Chemistry</i> , 2013 , 288, 15006-14	5-4	16
369	Kidney tubular β -catenin signaling controls interstitial fibroblast fate via epithelial-mesenchymal communication. 2013 , 3, 1878		52

368	Protective effect of the herbal medicine Gan-fu-kang against carbon tetrachloride-induced liver fibrosis in rats. 2013 , 8, 954-62		12
367	Functional implications of microRNA-215 in TGF- β -induced phenotypic transition of mesangial cells by targeting CTNNBIP1. 2013 , 8, e58622		70
366	Imbalance of Wnt/Dkk negative feedback promotes persistent activation of pancreatic stellate cells in chronic pancreatitis. 2014 , 9, e95145		20
365	Role of WNT10A-expressing kidney fibroblasts in acute interstitial nephritis. 2014 , 9, e103240		10
364	β -catenin is overexpressed in hepatic fibrosis and blockage of Wnt/ β -catenin signaling inhibits hepatic stellate cell activation. 2014 , 9, 2145-51		70
363	Role of Wnt signaling in tissue fibrosis, lessons from skeletal muscle and kidney. 2014 , 14, 510-22		36
362	Multiple mechanisms in renal artery stenosis-induced renal interstitial fibrosis. 2014 , 128, 57-66		11
361	Secreted Frizzled-related protein 1 (Sfrp1) regulates the progression of renal fibrosis in a mouse model of obstructive nephropathy. <i>Journal of Biological Chemistry</i> , 2014 , 289, 31526-33	5-4	29
360	Opposite role of CD44-standard and CD44-variant-3 in tubular injury and development of renal fibrosis during chronic obstructive nephropathy. <i>Kidney International</i> , 2014 , 86, 558-69	9-9	11
359	Wnt/ β -catenin signaling and kidney fibrosis. 2014 , 4, 84-90		160
358	The FOXD1 lineage of kidney perivascular cells and myofibroblasts: functions and responses to injury. 2014 , 4, 26-33		46
357	Astragaloside IV inhibits the up-regulation of Wnt/ β -catenin signaling in rats with unilateral ureteral obstruction. 2014 , 33, 1316-28		17
356	Improved understanding of the pathophysiology of atrial fibrillation through the lens of discrete pathological pathways. 2014 , 2014, 24-36		11
355	Wnt pathway activation in long term remnant rat model. 2014 , 2014, 324713		4
354	TWIST interacts with β -catenin signaling on osteosarcoma cell survival against cisplatin. 2014 , 53, 440-6		32
353	Morin ameliorates chemically induced liver fibrosis in vivo and inhibits stellate cell proliferation in vitro by suppressing Wnt/ β -catenin signaling. 2014 , 277, 210-20		52
352	Urinary excretion of RAS, BMP, and WNT pathway components in diabetic kidney disease. 2014 , 2, e12010		10
351	The regulatory peptide apelin: a novel inhibitor of renal interstitial fibrosis. 2014 , 46, 2693-704		23

350	A platform technique for growth factor delivery with novel mode of action. 2014 , 35, 9888-9896	5
349	Is Alzheimer's disease related to metabolic syndrome? A Wnt signaling conundrum. 2014 , 121, 125-46	79
348	1,25-Vitamin D3 promotes cardiac differentiation through modulation of the WNT signaling pathway. 2014 , 53, 303-17	27
347	The cellular microenvironment: a new target in the search for cellular and molecular treatment for Dupuytren's disease. 2014 , 2, 1291-1299	
346	Calcium ions promote primary renal epithelial cell differentiation into cells with bone-associated phenotypes via transforming growth factor- β -induced epithelial-mesenchymal transition in idiopathic hypercalciuria patients. 2015 , 11, 2199-206	9
345	Endothelial-to-mesenchymal transition induced by Wnt 3a in keloid pathogenesis. 2015 , 23, 435-42	41
344	Protective effect of Huang Gan formula in 5/6 nephrectomized rats by depressing the Wnt/ β -catenin signaling pathway. 2015 , 9, 2867-81	9
343	The Wnt11 Signaling Pathway in Potential Cellular EMT and Osteochondral Differentiation Progression in Nephrolithiasis Formation. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 16313-29 ^{6.3}	12
342	Signaling in Fibrosis: TGF- β /WNT, and YAP/TAZ Converge. 2015 , 2, 59	234
341	β -Catenin-Dependent Signaling Pathway Contributes to Renal Fibrosis in Hypertensive Rats. 2015 , 2015, 726012	11
340	Wnt/ β -catenin signalling and podocyte dysfunction in proteinuric kidney disease. 2015 , 11, 535-45	132
339	Primary cilia modulate balance of canonical and non-canonical Wnt signaling responses in the injured kidney. 2015 , 8, 6	20
338	Glycogen synthase kinase-3 inhibition attenuates fibroblast activation and development of fibrosis following renal ischemia-reperfusion in mice. 2015 , 8, 931-40	38
337	Klotho Ameliorates Kidney Injury and Fibrosis and Normalizes Blood Pressure by Targeting the Renin-Angiotensin System. 2015 , 185, 3211-23	84
336	Angiotensin II increases fibronectin and collagen I through the β -catenin-dependent signaling in mouse collecting duct cells. 2015 , 308, F358-65	39
335	Extracellular Superoxide Dismutase Protects against Proteinuric Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2447-59	12.7 39
334	Chronic exposure to nanoparticulate TiO ₂ causes renal fibrosis involving activation of the Wnt pathway in mouse kidney. 2015 , 63, 1639-47	37
333	β -Catenin Signaling and Roles in Liver Homeostasis, Injury, and Tumorigenesis. 2015 , 148, 1294-310	285

332	Development and application of human adult stem or progenitor cell organoids. 2015 , 11, 546-54	50
331	From pathogenesis to therapy--Perspective on treatment strategies in fibrotic diseases. 2015 , 100, 93-100	15
330	Inhibition of Wnt/ β Catenin signal is alleviated reactive gliosis in rats with hydrocephalus. 2015 , 31, 227-34	9
329	Key Fibrogenic Signaling. 2015 , 3, 183-192	44
328	An overview of hedgehog signaling in fibrosis. 2015 , 87, 174-82	54
327	Inhibition of Wnt/ β Catenin pathway promotes regenerative repair of cutaneous and cartilage injury. 2015 , 29, 4881-92	32
326	Tissue-nonspecific alkaline phosphatase as a target of sFRP2 in cardiac fibroblasts. 2015 , 309, C139-47	19
325	Disorders of Mineral and Bone Metabolism in Chronic Kidney Disease. 2015 , 320-331	
324	Multiple genes of the renin-angiotensin system are novel targets of Wnt/ β Catenin signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 107-20	12.7 138
323	Research progress in signalling pathway in diabetic nephropathy. 2015 , 31, 221-33	48
322	Study on damage of pig renal cell induced by CdTe quantum dots and their toxicity to Wnt pathway by microcalorimetry. 2015 , 120, 369-374	1
321	Numb contributes to renal fibrosis by promoting tubular epithelial cell cycle arrest at G2/M. 2016 , 7, 25604-19	17
320	Investigating the Process of Renal Epithelial Repair to Develop New Therapies. 2016 , 381-393	1
319	Wnt, Notch, and Tubular Pathology. 2016 , 201-207	
318	Bioinformatic Evaluation of Transcriptional Regulation of WNT Pathway Genes with reference to Diabetic Nephropathy. 2016 , 2016, 7684038	4
317	Expression of Wnt/ β Catenin Signaling Pathway and Its Regulatory Role in Type I Collagen with TGF- β 1 in Scleral Fibroblasts from an Experimentally Induced Myopia Guinea Pig Model. 2016 , 2016, 5126560	21
316	Activation of the wnt/ β Catenin Signaling Pathway in Polymyositis, Dermatomyositis and Duchenne Muscular Dystrophy. 2016 , 12, 351-60	4
315	Overexpression of Heme Oxygenase-1 Prevents Renal Interstitial Inflammation and Fibrosis Induced by Unilateral Ureter Obstruction. 2016 , 11, e0147084	35

314	β-Catenin/CBP-Dependent Signaling Regulates TGF-β-Induced Epithelial to Mesenchymal Transition of Lens Epithelial Cells. 2016 , 57, 5736-5747		30
313	Activation of Peroxisome Proliferator-activated Receptor γ Prevents Development of Heart Failure With Preserved Ejection Fraction; Inhibition of Wnt-β-Catenin Signaling as a Possible Mechanism. 2016 , 68, 155-61		15
312	Sonic hedgehog signaling in kidney fibrosis: a master communicator. 2016 , 59, 920-9		26
311	Wnt5a induces renal AQP2 expression by activating calcineurin signalling pathway. 2016 , 7, 13636		41
310	sFRP2 activates Wnt/β-Catenin signaling in cardiac fibroblasts: differential roles in cell growth, energy metabolism, and extracellular matrix remodeling. 2016 , 311, C710-C719		50
309	Effects of Shen'an granules on Wnt signaling pathway in mouse models of diabetic nephropathy. 2016 , 12, 3515-3520		6
308	Wnt4 is a novel biomarker for the early detection of kidney tubular injury after ischemia/reperfusion injury. 2016 , 6, 32610		6
307	Enhanced protection against renal ischemia-reperfusion injury with combined melatonin and exendin-4 in a rodent model. 2016 , 241, 1588-602		17
306	Prokineticin receptor 1 is required for mesenchymal-epithelial transition in kidney development. 2016 , 30, 2733-40		6
305	Cell Phenotype Transitions in Renal Fibrosis. 2016 , 4, 19-25		
304	Deletion of ADP Ribosylation Factor-Like GTPase 13B Leads to Kidney Cysts. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 3628-3638	12.7	20
303	Developmental signalling pathways in renal fibrosis: the roles of Notch, Wnt and Hedgehog. 2016 , 12, 426-39		199
302	Direct inhibition of osteoblastic Wnt pathway by Fibroblast growth factor 23 contributes to bone loss in chronic kidney disease. <i>Kidney International</i> , 2016 , 90, 77-89	9.9	92
301	TGF-β the master regulator of fibrosis. 2016 , 12, 325-38		1405
300	Yi Qi Qing Re Gao-containing serum inhibits lipopolysaccharide-induced rat mesangial cell proliferation by suppressing the Wnt pathway and TGF-β expression. 2016 , 11, 1410-1416		3
299	Snail and kidney fibrosis. 2017 , 32, 224-233		24
298	Sipa1l1 is an early biomarker of liver fibrosis in CCl4-treated rats. 2016 , 5, 858-65		3
297	Tankyrase inhibition aggravates kidney injury in the absence of CD2AP. <i>Cell Death and Disease</i> , 2016 , 7, e2302	9.8	12

296	Wnt/ β -catenin signaling promotes VSMCs to osteogenic transdifferentiation and calcification through directly modulating Runx2 gene expression. 2016 , 345, 206-17		124
295	Interaction of PPAR γ With the Canonic Wnt Pathway in the Regulation of Renal Fibrosis. 2016 , 65, 3730-3743		41
294	The Hippo-Salvador signaling pathway regulates renal tubulointerstitial fibrosis. 2016 , 6, 31931		51
293	[Mechanism of and Therapy for Kidney Fibrosis]. 2016 , 38, 25-34		9
292	Nutrigenomic effects of glucosinolates on liver, muscle and distal kidney in parasite-free and salmon louse infected Atlantic salmon. 2016 , 9, 639		13
291	Signaling Crosstalk between Tubular Epithelial Cells and Interstitial Fibroblasts after Kidney Injury. 2016 , 2, 136-144		59
290	Wnt/ β -catenin pathway in tissue injury: roles in pathology and therapeutic opportunities for regeneration. 2016 , 30, 3271-3284		67
289	Wnt/ β -catenin signaling and renin-angiotensin system in chronic kidney disease. 2016 , 25, 100-6		41
288	Canonical Wnt signaling in systemic sclerosis. 2016 , 96, 151-5		36
287	SIRT3 Blocks Aging-Associated Tissue Fibrosis in Mice by Deacetylating and Activating Glycogen Synthase Kinase 3 β . 2015 , 36, 678-92		125
286	CTGF mediates high-glucose induced epithelial-mesenchymal transition through activation of β -catenin in podocytes. <i>Renal Failure</i> , 2016 , 38, 1711-1716	2.9	7
285	Endometriotic mesenchymal stem cells significantly promote fibrogenesis in ovarian endometrioma through the Wnt/ β -catenin pathway by paracrine production of TGF- β 1 and Wnt1. 2016 , 31, 1224-35		26
284	Downregulation of renal tubular Wnt/ β -catenin signaling by Dickkopf-3 induces tubular cell death in proteinuric nephropathy. <i>Cell Death and Disease</i> , 2016 , 7, e2155	9.8	13
283	Experimental inhibition of porcupine-mediated Wnt O-acylation attenuates kidney fibrosis. <i>Kidney International</i> , 2016 , 89, 1062-1074	9.9	32
282	p300/ β -catenin Interactions Regulate Adult Progenitor Cell Differentiation Downstream of WNT5a/Protein Kinase C (PKC). <i>Journal of Biological Chemistry</i> , 2016 , 291, 6569-82	5.4	55
281	The Biochemistry of the Eye. 2016 , 83-157		2
280	Overexpression of transcription factor FOXC2 in cultured human podocytes upregulates injury markers and increases motility. 2016 , 340, 32-42		7
279	Bone marrow fibrosis with fibrocytic and immunoregulatory responses induced by β -catenin activation in osteoprogenitors. 2016 , 84, 38-46		5

278	Wnts talking with the TGF- β superfamily: WISPers about modulation of osteoarthritis. 2016 , 55, 1536-47		19
277	Wnt/ β catenin signaling in kidney injury and repair: a double-edged sword. 2016 , 96, 156-67		111
276	Lithium in the Kidney: Friend and Foe?. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1587-95	12.7	37
275	Sustained Activation of Wnt/ β catenin Signaling Drives AKI to CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1727-40	12.7	141
274	Paracrine Wnt1 Drives Interstitial Fibrosis without Inflammation by Tubulointerstitial Cross-Talk. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 781-90	12.7	86
273	The chronic kidney disease - Mineral bone disorder (CKD-MBD): Advances in pathophysiology. 2017 , 100, 80-86		90
272	Oligo-fucoidan prevents renal tubulointerstitial fibrosis by inhibiting the CD44 signal pathway. 2017 , 7, 40183		15
271	Novel Therapeutics Identification for Fibrosis in Renal Allograft Using Integrative Informatics Approach. 2017 , 7, 39487		21
270	Connective Tissue Growth Factor Domain 4 Amplifies Fibrotic Kidney Disease through Activation of LDL Receptor-Related Protein 6. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1769-1782	12.7	17
269	A Novel Inhibitor of Homeodomain Interacting Protein Kinase 2 Mitigates Kidney Fibrosis through Inhibition of the TGF-1/Smad3 Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2133-2143	12.7	30
268	(Pro)renin Receptor Is an Amplifier of Wnt/ β -Catenin Signaling in Kidney Injury and Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2393-2408	12.7	68
267	Activation of Wnt/ β catenin signalling is required for TGF- β /Smad2/3 signalling during myofibroblast proliferation. 2017 , 21, 1545-1554		52
266	Mass Spectrometry Imaging of Kidney Tissue Sections of Rat Subjected to Unilateral Ureteral Obstruction. 2017 , 7, 41954		34
265	Physiology and Pathophysiology of the Intrarenal Renin-Angiotensin System: An Update. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1040-1049	12.7	118
264	A biomimetic gelatin-based platform elicits a pro-differentiation effect on podocytes through mechanotransduction. 2017 , 7, 43934		24
263	ZO-2, a tight junction protein involved in gene expression, proliferation, apoptosis, and cell size regulation. 2017 , 1397, 35-53		20
262	: WNT signalling in chronic lung diseases. 2017 , 72, 746-759		100
261	Role of the Wnt/ β catenin signaling pathway in inducing apoptosis and renal fibrosis in 5/6-nephrectomized rats. 2017 , 15, 3575-3582		30

260	DNA hypermethylation of sFRP5 contributes to indoxyl sulfate-induced renal fibrosis. 2017 , 95, 601-613		17
259	Dact1, a Wnt-Pathway Inhibitor, Mediates Human Mesangial Cell TGF- β -Induced Apoptosis. 2017 , 232, 2104-2111		4
258	Pigment epithelium-derived factor, a noninhibitory serine protease inhibitor, is renoprotective by inhibiting the Wnt pathway. <i>Kidney International</i> , 2017 , 91, 642-657	9.9	23
257	Developmental Signaling and Organ Fibrosis. 2017 , 5, 133-143		2
256	Regulation of endogenous brakes to kidney fibrosis: turning the view upside down. 2017 , 95, 571-573		1
255	Protection of CTGF Antibody Against Diabetic Nephropathy in Mice Via Reducing Glomerular β Catenin Expression and Podocyte Epithelial-Mesenchymal Transition. 2017 , 118, 3706-3712		9
254	Tubule-Derived Wnts Are Required for Fibroblast Activation and Kidney Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2322-2336	12.7	68
253	Multiple Mechanisms are Involved in Salt-Sensitive Hypertension-Induced Renal Injury and Interstitial Fibrosis. 2017 , 7, 45952		21
252	Epigenetic factors as drivers of fibrosis in systemic sclerosis. 2017 , 9, 463-477		24
251	Fibrotic Changes Mediating Acute Kidney Injury to Chronic Kidney Disease Transition. <i>Nephron</i> , 2017 , 137, 264-267	3.3	16
250	Human Fibrotic Diseases: Current Challenges in Fibrosis Research. 2017 , 1627, 1-23		72
249	MicroRNA-200a Inhibits Transforming Growth Factor β -Induced Proximal Tubular Epithelial-Mesenchymal Transition by Targeting β Catenin. <i>Nephron</i> , 2017 , 137, 237-249	3.3	12
248	Exosomes from high glucose-treated glomerular endothelial cells trigger the epithelial-mesenchymal transition and dysfunction of podocytes. 2017 , 7, 9371		80
247	Fluorescence of Picrosirius Red Multiplexed With Immunohistochemistry for the Quantitative Assessment of Collagen in Tissue Sections. 2017 , 65, 479-490		40
246	Yap/Taz Deletion in Gli Cell-Derived Myofibroblasts Attenuates Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3278-3290	12.7	72
245	Wnt signaling controls pro-regenerative Collagen XII in functional spinal cord regeneration in zebrafish. 2017 , 8, 126		77
244	Decoy Wnt receptor (sLRP6E1E2)-expressing adenovirus induces anti-fibrotic effect via inhibition of Wnt and TGF- β signaling. 2017 , 7, 15070		4
243	Defective CFTR leads to aberrant β catenin activation and kidney fibrosis. 2017 , 7, 5233		19

242	The hormetic functions of Wnt pathways in tubular injury. 2017 , 469, 899-906		14
241	The loss of Krüppel-like factor 15 in Foxd1 stromal cells exacerbates kidney fibrosis. <i>Kidney International</i> , 2017 , 92, 1178-1193	9.9	14
240	Does Renal Repair Recapitulate Kidney Development?. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 34-46	12.7	38
239	Progression of chronic kidney disease: too much cellular talk causes damage. <i>Kidney International</i> , 2017 , 91, 552-560	9.9	69
238	The role of Dickkopf-1 in joint remodeling and fibrosis: A link connecting spondyloarthropathies and scleroderma?. 2017 , 46, 430-438		10
237	Matrix Metalloproteinase-7 Is a Urinary Biomarker and Pathogenic Mediator of Kidney Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 598-611	12.7	72
236	Aberrant Wnt/Beta-Catenin Pathway Activation in Dialysate-Induced Peritoneal Fibrosis. <i>Frontiers in Pharmacology</i> , 2017 , 8, 774	5.6	13
235	Drugs and Targets in Fibrosis. <i>Frontiers in Pharmacology</i> , 2017 , 8, 855	5.6	47
234	Transcriptome Identified lncRNAs Associated with Renal Fibrosis in UUO Rat Model. 2017 , 8, 658		26
233	Role of RAS/Wnt/ β -catenin axis activation in the pathogenesis of podocyte injury and tubulo-interstitial nephropathy. <i>Chemico-Biological Interactions</i> , 2017 , 273, 56-72	5	69
232	Effect of Huayu Tongluo Herbs on Reduction of Proteinuria via Inhibition of Wnt/ β -Catenin Signaling Pathway in Diabetic Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 3054145 ²⁻³		4
231	TGF-beta1, WNT, and SHH signaling in tumor progression and in fibrotic diseases. 2017 , 9, 31-45		24
230	Wnt9a Promotes Renal Fibrosis by Accelerating Cellular Senescence in Tubular Epithelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1238-1256	12.7	80
229	Targeting TGF- β signaling for the treatment of fibrosis. 2018 , 68-69, 8-27		116
228	Renal tubule injury: a driving force toward chronic kidney disease. <i>Kidney International</i> , 2018 , 93, 568-579.	9.9	263
227	Fibroblast-Specific β -Catenin Signaling Dictates the Outcome of AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1257-1271	12.7	40
226	Inherited Conduction Disease and Atrial Fibrillation. 2018 , 481-522		
225	Bioactive phytochemicals that regulate the cellular processes involved in diabetic nephropathy. 2018 , 39, 146-159		34

224	Emerging role of Twist1 in fibrotic diseases. 2018 , 22, 1383-1391		20
223	Role of Wnt4/ β -catenin, Ang II/TGF β /ACE2, NF- κ B, and IL-18 in attenuating renal ischemia/reperfusion-induced injury in rats treated with Vit D and pioglitazone. 2018 , 831, 68-76		32
222	mitigates hyperglycemia-induced upregulated Wnt/ β -catenin expression and kidney injury in diabetic rats. 2018 , 15, 3874-3882		9
221	Activated renal tubular Wnt/ β -catenin signaling triggers renal inflammation during overload proteinuria. <i>Kidney International</i> , 2018 , 93, 1367-1383	9.9	33
220	The WNT signaling pathways in wound healing and fibrosis. 2018 , 68-69, 67-80		72
219	Nicotine enhances mesangial cell proliferation and fibronectin production in high glucose milieu via activation of Wnt/ β -catenin pathway. 2018 , 38,		4
218	Mechanisms of Renal Fibrosis. 2018 , 80, 309-326		325
217	miR-34c-5p and CaMKII are involved in aldosterone-induced fibrosis in kidney collecting duct cells. 2018 , 314, F329-F342		18
216	Zhen-wu-tang ameliorates adenine-induced chronic renal failure in rats: regulation of the canonical Wnt4/ β -catenin signaling in the kidneys. 2018 , 219, 81-90		13
215	FHL2 promotes tubular epithelial-to-mesenchymal transition through modulating β -catenin signalling. 2018 , 22, 1684-1695		18
214	Inhibition of canonical WNT signaling pathway by β -catenin/CBP inhibitor ICG-001 ameliorates liver fibrosis in vivo through suppression of stromal CXCL12. 2018 , 1864, 804-818		39
213	β -Arrestin-1 deficiency ameliorates renal interstitial fibrosis by blocking Wnt1/ β -catenin signaling in mice. 2018 , 96, 97-109		14
212	Interrelationship of canonical and non-canonical Wnt signalling pathways in chronic metabolic diseases. 2018 , 15, 3-13		57
211	Fibroblast heterogeneity: implications for human disease. 2018 , 128, 26-35		167
210	YAP/TAZ Signaling as a Molecular Link between Fibrosis and Cancer. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	100
209	The Use of Targeted Next Generation Sequencing to Explore Candidate Regulators of TGF- β 's Impact on Kidney Cells. 2018 , 9, 1755		6
208	WNT signaling is required for peritoneal membrane angiogenesis. 2018 , 314, F1036-F1045		7
207	New insights into the role and mechanism of Wnt/ β -catenin signalling in kidney fibrosis. 2018 , 23 Suppl 4, 38-43		41

206	Fibrogenic Secretome of Sirtuin 1-Deficient Endothelial Cells: Wnt, Notch and Glycocalyx Rheostat. 2018 , 9, 1325		13
205	The role of klotho in chronic kidney disease. 2018 , 19, 285		72
204	Expression of β -catenin in regenerating renal tubules of cisplatin-induced kidney failure in rats. 2018 , 22, 1240-1250		2
203	Circulating secreted frizzled-related protein 5 and chronic kidney disease in patients with acute ST-segment elevation myocardial infarction. 2018 , 110, 367-373		4
202	The hedgehog and Wnt/ β -catenin system machinery mediate myofibroblast differentiation of LR-MSCs in pulmonary fibrogenesis. <i>Cell Death and Disease</i> , 2018 , 9, 639	9.8	28
201	Wnt Signaling in Kidney Development and Disease. 2018 , 153, 181-207		65
200	Comparison of acute kidney injury of different etiology reveals in-common mechanisms of tissue damage. 2018 , 50, 127-141		28
199	Wnt4 is significantly upregulated during the early phases of cisplatin-induced acute kidney injury. 2018 , 8, 10555		10
198	Canonical Wnt Signaling Promotes Macrophage Proliferation during Kidney Fibrosis. 2018 , 4, 95-103		16
197	Klotho and PPAR Gamma Activation Mediate the Renoprotective Effect of Losartan in the 5/6 Nephrectomy Model. 2018 , 9, 1033		18
196	Targeted inhibition of the type 2 cannabinoid receptor is a novel approach to reduce renal fibrosis. <i>Kidney International</i> , 2018 , 94, 756-772	9.9	25
195	Renal Tubule Repair: Is Wnt/ β -catenin a Friend or Foe?. <i>Genes</i> , 2018 , 9,	4.2	25
194	Octreotide attenuates hepatic fibrosis and hepatic stellate cells proliferation and activation by inhibiting Wnt/ β -catenin signaling pathway, c-Myc and cyclin D1. 2018 , 63, 183-190		12
193	Molecular Basis of Kidney Disease. 2018 , 531-553		0
192	WNT Signaling in Disease. 2019 , 8,		95
191	How Tubular Epithelial Cell Injury Contributes to Renal Fibrosis. 2019 , 1165, 233-252		24
190	Inflammatory Mediators and Renal Fibrosis. 2019 , 1165, 381-406		30
189	Lipid Metabolism Disorder and Renal Fibrosis. 2019 , 1165, 525-541		10

188	Myofibroblast in Kidney Fibrosis: Origin, Activation, and Regulation. 2019 , 1165, 253-283		46
187	Opposing actions of renal tubular- and myeloid-derived porcupine in obstruction-induced kidney fibrosis. <i>Kidney International</i> , 2019 , 96, 1308-1319	9.9	5
186	Wnt/ β catenin/RAS signaling mediates age-related renal fibrosis and is associated with mitochondrial dysfunction. 2019 , 18, e13004		78
185	Age-related changes in DNA methylation affect renal histology and post-transplant fibrosis. <i>Kidney International</i> , 2019 , 96, 1195-1204	9.9	11
184	Acupuncture attenuates renal interstitial fibrosis via the TGF- β /Smad pathway. 2019 , 20, 2267-2275		5
183	Roles of Wnt7a in embryo development, tissue homeostasis, and human diseases. 2019 , 120, 18588-18598		7
182	Factors affecting the transition of acute kidney injury to chronic kidney disease: Potential mechanisms and future perspectives. 2019 , 865, 172711		11
181	Shared and distinct mechanisms of fibrosis. 2019 , 15, 705-730		134
180	Dopamine D receptor modulates Wnt expression and control of cell proliferation. 2019 , 9, 16861		9
179	A bigenic mouse model of FSGS reveals perturbed pathways in podocytes, mesangial cells and endothelial cells. 2019 , 14, e0216261		6
178	Wnt/ β catenin regulates blood pressure and kidney injury in rats. 2019 , 1865, 1313-1322		17
177	Qingshen Buyang Formula Attenuates Renal Fibrosis in 5/6 Nephrectomized Rats via Inhibiting EMT and Wnt/ β -Catenin Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019 , 2019, 5370847 ^{2,3}		3
176	WNT4 Expression in Primary and Secondary Kidney Diseases: Dependence on Staging. 2019 , 44, 200-210		5
175	Salidroside ameliorates Adriamycin nephropathy in mice by inhibiting β catenin activity. 2019 , 23, 4443-4453		13
174	Urinary procollagen III aminoterminal propeptide and β catenin - New diagnostic biomarkers in solitary functioning kidney?. 2019 , 64, 189-194		0
173	Porcupine's dilemma in kidney fibrosis. <i>Kidney International</i> , 2019 , 96, 1269-1271	9.9	
172	Fibrosis and Immune Dysregulation in Systemic Sclerosis. 2019 , 25-60		
171	Cell-free microRNA-148a is associated with renal allograft dysfunction: Implication for biomarker discovery. 2019 , 120, 5737-5746		9

170	Dysregulation of the Wnt signaling pathway in South African patients with diffuse systemic sclerosis. 2019 , 38, 933-938		9
169	The Shh/Gli signaling cascade regulates myofibroblastic activation of lung-resident mesenchymal stem cells via the modulation of Wnt10a expression during pulmonary fibrogenesis. 2020 , 100, 363-377		14
168	Chronic Kidney DiseaseMineral and Bone Disorders. 2020 , 551-569		3
167	The deacetylase sirtuin 6 protects against kidneyfibrosis by epigenetically blocking Ecatenin targetgene expression. <i>Kidney International</i> , 2020 , 97, 106-118	9.9	28
166	The regulation effect of WNT-RAS signaling in hypothalamic paraventricular nucleus on renal fibrosis. 2020 , 33, 289-297		6
165	Lysyl hydroxylase 3 increases collagen deposition and promotes pulmonary fibrosis by activating TGFβ/Smad3 and Wnt/Ecatenin pathways. 2020 , 16, 436-445		5
164	The acute kidney injury to chronic kidney disease transition in a mouse model of acuteCardiorenal syndrome emphasizes the role of inflammation. <i>Kidney International</i> , 2020 , 97, 95-105	9.9	19
163	Increased Levels of DKK1 in Vitreous Fluid of Patients with Pathological Myopia and the Correlation between DKK1 Levels and Axial Length. 2020 , 45, 104-110		4
162	Epigallocatechin-3-gallate prevents TGF-β-induced epithelial-mesenchymal transition and fibrotic changes of renal cells via GSK-3β/Ecatenin/Snail1 and Nrf2 pathways. 2020 , 76, 108266		18
161	WNT1-inducible signaling protein-1 mediates TGF-β-induced renal fibrosis in tubular epithelial cells and unilateral ureteral obstruction mouse models via autophagy. 2020 , 235, 2009-2022		18
160	Deletion of FHL2 in fibroblasts attenuates fibroblasts activation and kidney fibrosis via restraining TGF-β-induced Wnt/Ecatenin signaling. 2020 , 98, 291-307		8
159	Soluble (pro)renin receptor regulation of ENaC involved in aldosterone signaling in cultured collecting duct cells. 2020 , 318, F817-F825		12
158	Role of telomerase in the tumour microenvironment. 2020 , 47, 357-364		6
157	Regulators of calcineurin 1 deficiency attenuates tubulointerstitial fibrosis through improving mitochondrial fitness. 2020 , 34,		5
156	Pinostilbene hydrate suppresses hepatic stellate cell activation via inhibition of miR-17-5p-mediated Wnt/Ecatenin pathway. 2020 , 79, 153321		2
155	Podocyte-derived extracellular vesicles mediate renal proximal tubule cells dedifferentiation via microRNA-221 in diabetic nephropathy. 2020 , 518, 111034		15
154	Relationship of Wnt pathway activity and organ involvement in scleroderma types. 2020 , 23, 1558-1567		0
153	WNT/Ecatenin signal inhibitor IC-2-derived small-molecule compounds suppress TGF-β-induced fibrogenic response of renal epithelial cells by inhibiting SMAD2/3 signalling. 2020 , 47, 940-946		5

152	Emerging Roles of Long Non-Coding RNAs in Renal Fibrosis. 2020 , 10,	8
151	Emerging role of lncRNAs in renal fibrosis. 2020 , 692, 108530	9
150	WNT1-inducible-signaling pathway protein 1 regulates the development of kidney fibrosis through the TGF- β pathway. 2020 , 34, 14507-14520	3
149	The Role of Wnt Signalling in Chronic Kidney Disease (CKD). <i>Genes</i> , 2020 , 11,	4.2 6
148	TGF- β and WNT signaling pathways in cardiac fibrosis: non-coding RNAs come into focus. 2020 , 18, 87	46
147	Klotho/FGF23 and Wnt Signaling as Important Players in the Comorbidities Associated with Chronic Kidney Disease. 2020 , 12,	21
146	Kidney allograft fibrosis: what we learned from latest translational research studies. 2020 , 33, 1201-1211	7
145	Targeting the Wnt signaling pathway through R-spondin 3 identifies an anti-fibrosis treatment strategy for multiple organs. 2020 , 15, e0229445	7
144	The Genetic Puzzle of Familial Atrial Fibrillation. 2020 , 7, 14	9
143	C-X-C motif chemokine receptor 4 aggravates renal fibrosis through activating JAK/STAT/GSK3 β /E-catenin pathway. 2020 , 24, 3837-3855	15
142	The role of WNT5A and Ror2 in peritoneal membrane injury. 2020 , 24, 3481-3491	7
141	Cyclin G2 regulates canonical Wnt signalling via interaction with Dapper1 to attenuate tubulointerstitial fibrosis in diabetic nephropathy. 2020 , 24, 2749-2760	6
140	Targeting the Wnt signaling pathway: the challenge of reducing scarring without affecting repair. 2020 , 29, 179-190	4
139	Therapeutic molecular targets of SSc-ILD.. 2020 , 5, 17-30	6
138	A novel role of LRP5 in tubulointerstitial fibrosis through activating TGF- β /Smad signaling. 2020 , 5, 45	12
137	The MicroRNA MiR-29c Alleviates Renal Fibrosis via TPM1-Mediated Suppression of the Wnt/E-catenin Pathway. 2020 , 11, 331	10
136	WNT-E-catenin signalling - a versatile player in kidney injury and repair. 2021 , 17, 172-184	57
135	The Nuclear Receptor ESRRB Protects from Kidney Disease by Coupling Metabolism and Differentiation. 2021 , 33, 379-394.e8	27

134	Renal tubular cell binding of β -catenin to TCF1 versus FoxO1 is associated with chronic interstitial fibrosis in transplanted kidneys. 2021 , 21, 727-739		5
133	Qishen Yiqi Dripping Pill Protects Against Diabetic Nephropathy by Inhibiting the Wnt/ β -Catenin and Transforming Growth Factor- β /Smad Signaling Pathways in Rats. 2020 , 11, 613324		1
132	Protective role of kallistatin in renal fibrosis via modulation of Wnt/ β -catenin signaling. <i>Clinical Science</i> , 2021 , 135, 429-446	6.5	6
131	Role of the RANK/RANKL/OPG and Wnt/ β -Catenin Systems in CKD Bone and Cardiovascular Disorders. 2021 , 108, 439-451		17
130	Polystyrene microplastics cause granulosa cells apoptosis and fibrosis in ovary through oxidative stress in rats. 2021 , 449, 152665		38
129	Intratubular Fibrosis in Facilitating Renal Cancer Aggressiveness: Underlying Mechanisms and Promising Targets. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 651620	5.7	2
128	Metastatic suppression by DOC2B is mediated by inhibition of epithelial-mesenchymal transition and induction of senescence. 2021 , 1		0
127	Inactivation of Wnt/ β -catenin/renin angiotensin axis by tumor necrosis factor-alpha inhibitor, infliximab, ameliorates CKD induced in rats. 2021 , 185, 114426		3
126	Danegaptide Prevents TGF β 1-Induced Damage in Human Proximal Tubule Epithelial Cells of the Kidney. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
125	Postnatal deletion of Bmal1 in mice protects against obstructive renal fibrosis via suppressing Gli2 transcription. 2021 , 35, e21530		2
124	Targeting of canonical WNT signaling ameliorates experimental sclerodermatous chronic graft-versus-host disease. 2021 , 137, 2403-2416		5
123	Loss of endothelial glucocorticoid receptor accelerates diabetic nephropathy. 2021 , 12, 2368		30
122	Selective Wnt/ β -Catenin Pathway Activation Concomitant With Sustained Overexpression of miR-21 is Responsible for Aristolochic Acid-Induced AKI-to-CKD Transition. <i>Frontiers in Pharmacology</i> , 2021 , 12, 667282	5.6	3
121	The effect of Wnt/ β -catenin pathway on the scleral remodeling in the mouse during form deprivation. 2021 , 41, 3099-3107		1
120	LRP5 and LRP6 in Wnt Signaling: Similarity and Divergence. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 670960	5.7	10
119	Druggability of lipid metabolism modulation against renal fibrosis. 2021 ,		7
118	Aging modulates the effects of ischemic injury upon mesenchymal cells within the renal interstitium and microvasculature. 2021 , 10, 1232-1248		2
117	(Pro)renin receptor antagonist PRO20 attenuates nephrectomy-induced nephropathy in rats via inhibition of intrarenal RAS and Wnt/ β -catenin signaling. 2021 , 9, e14881		1

116	Urinary Dickkopf-3 and Contrast-Associated Kidney Damage. 2021 , 77, 2667-2676		4
115	Indoleamine-2,3-Dioxygenase Activates Wnt/ β Catenin Inducing Kidney Fibrosis after Acute Kidney Injury. 2021 , 67, 611-619		6
114	Application of weighted gene co-expression network analysis to identify novel key genes in diabetic nephropathy. 2021 ,		0
113	Canonical Wnt signaling in the kidney in different hypertension models. 2021 , 44, 1054-1066		1
112	Targeting the Wnt/ β Catenin Signaling Pathway as a Potential Therapeutic Strategy in Renal Tubulointerstitial Fibrosis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 719880	5.6	10
111	Heterogeneity of Fibroblasts in Healthy and Diseased Kidneys.		
110	Brahma-related gene-1 promotes tubular senescence and renal fibrosis through Wnt/ β catenin/autophagy axis. <i>Clinical Science</i> , 2021 , 135, 1873-1895	6.5	4
109	Podocyte Glucocorticoid Receptors Are Essential for Glomerular Endothelial Cell Homeostasis in Diabetes Mellitus. 2021 , 10, e019437		12
108	Uterine Sensitization-Associated Gene-1 in the Progression of Kidney Diseases. 2021 , 2021, 9752139		1
107	Potential therapeutic efficacy of pachymic acid in chronic kidney disease induced in rats: role of Wnt/ β catenin/renin-angiotensin axis. 2021 ,		1
106	Wnt/ β catenin pathway proteins in end-stage renal disease. 2021 , 15, 1423-1434		0
105	Dysregulations of miR-503-5p and Wnt/ β catenin pathway coordinate in mediating cadmium-induced kidney fibrosis. 2021 , 224, 112667		2
104	FoxM1 promotes Wnt/ β catenin pathway activation and renal fibrosis via transcriptionally regulating multi-Wnts expressions. 2021 , 25, 1958-1971		5
103	Osteoporosis associated with chronic kidney disease. 2021 , 1325-1380		0
102	Wnt/ β Catenin in Acute Kidney Injury and Progression to Chronic Kidney Disease. 2020 , 40, 126-137		17
101	MicroRNA-27a targets Sfrp1 to induce renal fibrosis in diabetic nephropathy by activating Wnt/ β Catenin signalling. 2020 , 40,		11
100	Tubular β Catenin and FoxO3 interactions protect in chronic kidney disease. 2020 , 5,		5
99	Tubular Dickkopf-3 promotes the development of renal atrophy and fibrosis. 2016 , 1, e84916		49

98	Intronic locus determines SHROOM3 expression and potentiates renal allograft fibrosis. 2015 , 125, 208-21	47
97	TGF- β -driven downregulation of the transcription factor TCF7L2 affects Wnt/ β -catenin signaling in PDGFR β fibroblasts. 2020 , 133,	16
96	Aberrant activation of the WNT/ β -catenin signaling pathway in lupus nephritis. 2014 , 9, e84852	33
95	Gpr48 deficiency induces polycystic kidney lesions and renal fibrosis in mice by activating Wnt signal pathway. 2014 , 9, e89835	12
94	TGF- β -activated kinase 1 (TAK1) signaling regulates TGF- β -induced WNT-5A expression in airway smooth muscle cells via Sp1 and β -catenin. 2014 , 9, e94801	32
93	Grouper tsh β -promoter-driven transgenic zebrafish marks proximal kidney tubule development. 2014 , 9, e97806	10
92	Temporary, Systemic Inhibition of the WNT/ β -Catenin Pathway promotes Regenerative Cardiac Repair following Myocardial Infarct. 2016 , 2,	35
91	XIST/miR-139 axis regulates bleomycin (BLM)-induced extracellular matrix (ECM) and pulmonary fibrosis through β -catenin. 2017 , 8, 65359-65369	13
90	FGF19 promotes epithelial-mesenchymal transition in hepatocellular carcinoma cells by modulating the GSK3/ β -catenin signaling cascade via FGFR4 activation. 2016 , 7, 13575-86	70
89	Insights into the Mechanisms Involved in the Expression and Regulation of Extracellular Matrix Proteins in Diabetic Nephropathy. 2015 , 22, 2858-70	117
88	Dkk1: A key molecule in joint remodelling and fibrosis. 2017 , 28, 174-182	3
87	Wnt/beta-catenin signaling: a promising new target for fibrosis diseases. 2012 , 61, 337-46	166
86	Fenofibrate Inhibits Subretinal Fibrosis Through Suppressing TGF- β -Smad2/3 signaling and Wnt signaling in Neovascular Age-Related Macular Degeneration. <i>Frontiers in Pharmacology</i> , 2020 , 11, 580884 ^{5.6}	2
85	Understanding the Renal Fibrotic Process in Leptospirosis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3 0
84	Perspective on Stem Cell Therapy in Organ Fibrosis: Animal Models and Human Studies. 2021 , 11,	2
83	Taking the road less traveled - the therapeutic potential of CBP/ β -catenin antagonists. 2021 , 25, 701-719	0
82	Human Liver Stem Cell Derived Extracellular Vesicles Alleviate Kidney Fibrosis by Interfering with the β -Catenin Pathway through miR29b. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3 1
81	Introduction to Virtual Cell and its Possible Application to Toxicity. 2013 , 152-168	

80	Interstitial Disease of Autosomal Dominant Polycystic Kidney Disease. 2014 , 02, 5-11		
79	The Pathogenesis of Intraabdominal Adhesions: Similarities and Differences to Luminal Fibrosis. 2018 , 319-346		
78	A Bigenic mouse model of FSGS reveals perturbed pathways in podocytes, mesangial cells and endothelial cells.		
77	Renal Parenchymal Hypertension. 2020 , 125-185		
76	Loss of endothelial glucocorticoid receptor accelerates diabetic nephropathy.		1
75	EIF4A3-induced circular RNA PRKAR1B promotes osteosarcoma progression by miR-361-3p-mediated induction of FZD4 expression. <i>Cell Death and Disease</i> , 2021 , 12, 1025	9.8	3
74	TGF- β -driven downregulation of the Wnt/ β -Catenin transcription factor TCF7L2/TCF4 in PDGFR β fibroblasts.		1
73	Pathophysiology of The Chronic Kidney DiseaseMineral Bone Disorder. 2020 , 43-56		
72	Shenning II Decoction Inhibits Epithelial-Mesenchymal Transition of Renal Tubular Epithelial Cells via Regulation of Wnt/ β -Catenin Signaling. <i>Open Journal of Nephrology</i> , 2020 , 10, 323-337		9
71	Fibroblasts as the subject of proliferative activity research in vitro. <i>Science and Innovations in Medicine</i> , 2020 , 5, 210-215	0.2	2
70	Renal proximal tubule cell state and metabolism are coupled by nuclear receptors.		1
69	Wnt3a promotes epithelial-mesenchymal transition, migration, and proliferation of lens epithelial cells. <i>Molecular Vision</i> , 2012 , 18, 1983-90	2.3	34
68	The differential expression of TGF- β , ILK and wnt signaling inducing epithelial to mesenchymal transition in human renal fibrogenesis: an immunohistochemical study. <i>International Journal of Clinical and Experimental Pathology</i> , 2013 , 6, 1747-58	1.4	42
67	Parathyroid hormone induces epithelial-to-mesenchymal transition via the Wnt/ β -catenin signaling pathway in human renal proximal tubular cells. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 5978-87	1.4	11
66	Effects of hydrogen sulfide on high glucose-induced glomerular podocyte injury in mice. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 6814-20	1.4	11
65	Macrophages and Fibrosis Resolution. Harnessing Wnt/ β -Catenin Signaling as the Way and the Means. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2017 , 56, 150-151	5.7	2
64	Serum levels of WNT1-inducible signaling pathway protein-1 (WISP-1): a noninvasive biomarker of renal fibrosis in subjects with chronic kidney disease. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 2920-2932	3	14
63	Upregulation of non-canonical Wnt ligands and oxidative glucose metabolism in NASH induced by methionine-choline deficient diet. <i>Trends in Cell & Molecular Biology</i> , 2018 , 13, 47-56		6

62	Overexpression of BPIFB1 promotes apoptosis and inhibits proliferation via the MEK/ERK signal pathway in nasopharyngeal carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2019 , 12, 356-364	1.4	2
61	Long non-coding RNA Hottip modulates high-glucose-induced inflammation and ECM accumulation through miR-455-3p/WNT2B in mouse mesangial cells. <i>International Journal of Clinical and Experimental Pathology</i> , 2019 , 12, 2435-2445	1.4	10
60	PAK4 enhances TGF- β -induced epithelial-mesenchymal transition through activating β -catenin signaling pathway in renal tubular epithelial cells. <i>International Journal of Clinical and Experimental Pathology</i> , 2018 , 11, 3026-3035	1.4	1
59	Reduced hydration-induced decreased caveolin-1 expression causes epithelial-to-mesenchymal transition. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 8067-8083	3	1
58	Differential Kat3 Usage Orchestrates the Integration of Cellular Metabolism with Differentiation. <i>Cancers</i> , 2021 , 13,	6.6	0
57	The Long Noncoding RNA-H19 Mediates the Progression of Fibrosis from Acute Kidney Injury to Chronic Kidney Disease by Regulating the miR-196a/Wnt/ β Catenin Signaling. <i>Nephron</i> , 2021 , 1-11	3.3	0
56	The Wnt Signaling Pathway in Diabetic Nephropathy.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 701547	5.7	3
55	WNT1-inducible-signaling pathway protein 1 regulates kidney inflammation through the NF- κ B pathway.. <i>Clinical Science</i> , 2021 ,	6.5	0
54	CXCR4 induces podocyte injury and proteinuria by activating β -catenin signaling.. <i>Theranostics</i> , 2022 , 12, 767-781	12.1	0
53	Emerging Therapeutic Strategies for Attenuating Tubular EMT and Kidney Fibrosis by Targeting Wnt/ β Catenin Signaling.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 830340	5.6	0
52	Blood DNA Methylation Predicts Diabetic Kidney Disease Progression in High Fat Diet-Fed Mice.. <i>Nutrients</i> , 2022 , 14,	6.7	1
51	S100A16 promotes acute kidney injury by activating HRD1-induced ubiquitination and degradation of GSK3 β and CK1 β . <i>Cellular and Molecular Life Sciences</i> , 2022 , 79, 184	10.3	
50	Relaxin inhibits renal fibrosis and the epithelial-to-mesenchymal transition via the Wnt/ β catenin signaling pathway.. <i>Renal Failure</i> , 2022 , 44, 513-524	2.9	0
49	Deletion of STAT3 from Foxd1 cell population protects mice from kidney fibrosis by inhibiting pericytes trans-differentiation and migration.. <i>Cell Reports</i> , 2022 , 38, 110473	10.6	2
48	Iguratimod alleviates tubulo-interstitial injury in mice with lupus.. <i>Renal Failure</i> , 2022 , 44, 636-647	2.9	0
47	Role of Endothelial Glucocorticoid Receptor in the Pathogenesis of Kidney Diseases.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
46	Wnt8b regulates myofibroblast differentiation of lung-resident mesenchymal stem cells via the activation of Wnt/ β catenin signaling in pulmonary fibrogenesis.. <i>Differentiation</i> , 2022 , 125, 35-44	3.5	0
45	Knockout of KLF10 Ameliorated Diabetic Renal Fibrosis via Downregulation of DKK-1.. <i>Molecules</i> , 2022 , 27,	4.8	1

44 Image_1.TIF. **2020**,

43 Image_2.TIF. **2020**,

42 Image_3.TIF. **2020**,

41 Image_4.TIF. **2020**,

40 Table_1.docx. **2018**,

39 datasheet1.pdf. **2020**,

38 Table_1.XLS. **2018**,

37 Table_2.XLS. **2018**,

36 Table_3.XLS. **2018**,

35 Table_4.XLSX. **2018**,

34 Table_5.XLSX. **2018**,

33 Table_6.XLS. **2018**,

32 Table_7.XLSX. **2018**,

31 Macrophages and Fibrosis Resolution. Harnessing Wnt/ β Catenin Signaling as the Way and the Means. *American Journal of Respiratory Cell and Molecular Biology*, **2017**, 56, 150-151 5-7 2

30 Icariin attenuates renal interstitial fibrosis through G protein-coupled estrogen receptor in a UUO murine model.. *American Journal of Translational Research (discontinued)*, **2022**, 14, 1567-1577 3

29 Recent Advances in Epigenetics of Age-Related Kidney Diseases. *Genes*, **2022**, 13, 796 4.2 1

28 Follistatin-like 1 (FSTL1) interacts with Wnt ligands and Frizzled receptors to enhance Wnt/ β catenin signaling in obstructed kidneys in vivo.. *Journal of Biological Chemistry*, **2022**, 102010 5-4 1

27 Klotho-derived peptide 6 ameliorates diabetic kidney disease by targeting Wnt/ β catenin signaling. *Kidney International*, **2022**, 9-9 0

26	Lung Fibrosis and Fibrosis in the Lungs: Is It All about Myofibroblasts?. <i>Biomedicines</i> , 2022 , 10, 1423	4.8	1
25	Biochemical interaction of pyrvinium in gentamicin-induced acute kidney injury by modulating calcium dyshomeostasis and mitochondrial dysfunction. <i>Chemico-Biological Interactions</i> , 2022 , 363, 110020		
24	Wnt signaling pathway in the development of atherosclerosis: Sclerostin as a new surrogate marker of global vascular calcification?. 2022 , 100010		
23	ShenKang Injection Attenuates Renal Fibrosis by Inhibiting EMT and Regulating the Wnt/ β Catenin Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 1-15	2.3	1
22	SIRT2 Alleviated Renal Fibrosis by Deacetylating Conserved Lysine 451 on SMAD2 in Renal Tubular Epithelial Cells.		
21	Angiopoietin-2 inhibition attenuates kidney fibrosis by hindering chemokine C-C motif ligand 2 expression and apoptosis of endothelial cells. 2022 ,		0
20	The Histone Demethylase Inhibitor GSK-J4 Is a Therapeutic Target for the Kidney Fibrosis of Diabetic Kidney Disease via DKK1 Modulation. 2022 , 23, 9407		0
19	IKK β Aggravates Renal Fibrogenesis by Positively Regulating the Wnt/ β Catenin Pathway.		
18	Fibrosis in frozen shoulder: Activation of IL-6 through PI3K-Akt signaling pathway in synovial fibroblast. 2022 , 150, 29-38		0
17	The m6A demethylase FTO promotes renal epithelial-mesenchymal transition by reducing the m6A modification of lncRNA GAS5. 2022 , 159, 156000		0
16	A broad look into the future of systemic sclerosis. 2022 , 14, 1759720X2211094		0
15	Molecular mechanisms of histone deacetylases and inhibitors in renal fibrosis progression. 9,		1
14	Small-molecule Wnt inhibitors are a potential novel therapy for intestinal fibrosis in Crohns disease.		0
13	Altered Expression of EMT-Related Factors Snail, Wnt4, and Notch2 in the Short-Term Streptozotocin-Induced Diabetic Rat Kidneys. 2022 , 12, 1486		0
12	T-2 Toxin Induces Kidney Fibrosis via the mtROS-NLRP3-Wnt/ β Catenin Axis. 2022 , 70, 13765-13777		1
11	Higher Concentrations of Folic Acid Cause Oxidative Stress, Acute Cytotoxicity, and Long-Term Fibrogenic Changes in Kidney Epithelial Cells.		0
10	Gastrodin attenuates renal injury and collagen deposition via suppression of the TGF- β /Smad2/3 signaling pathway based on network pharmacology analysis. 14,		0
9	Klotho, Oxidative Stress, and Mitochondrial Damage in Kidney Disease. 2023 , 12, 239		0

- 8 Wnt Signaling Inhibitors and Their Promising Role in Tumor Treatment. **2023**, 24, 6733 ○
- 7 The Exciting Future for Scleroderma. **2023**, 49, 445-462 ○
- 6 HIPK2 as a Novel Regulator of Fibrosis. **2023**, 15, 1059 1
- 5 Lactoferrin alleviates cyclophosphamide induced-nephropathy through suppressing the orchestration between Wnt4/βcatenin and ERK1/2/NF-β signaling and modulating klotho and Nrf2/HO-1 pathway. **2023**, 319, 121528 ○
- 4 Cellular senescence of renal tubular epithelial cells in renal fibrosis. 14, 1
- 3 Tenascin-C promotes the proliferation and fibrosis of mesangial cells in diabetic nephropathy through the βcatenin pathway. ○
- 2 Kidney fibrosis: from mechanisms to therapeutic medicines. **2023**, 8, ○
- 1 Renal Cl⁻/H⁺ antiporter CLC-5 regulates collagen production and release in Dent Disease models. ○