

PINK ROT OF THE POTATO

Annals of Applied Biology

20, 381-403

DOI: [10.1111/j.1744-7348.1933.tb07437.x](https://doi.org/10.1111/j.1744-7348.1933.tb07437.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	ROOT ROT, SHOOT ROT AND SHANKING OF TULIP CAUSED BY <i>PHYTOPHTHORA CRYPTOGEA</i> PETHYBR. & LAFF. AND <i>P. ERYTHROSEPTICA</i> PETHYBR.. Annals of Applied Biology, 1938, 25, 705-729.	2.5	7
2	<i>PHYTOPHTHORA ERYTHROSEPTICA</i> PETHYBR. IN RELATION TO ITS ENVIRONMENT. Annals of Applied Biology, 1939, 26, 470-480.	2.5	14
4	Untersuchungen zur Systematik der Gattung <i>Phytophthora</i> de Bary. Archives of Microbiology, 1959, 33, 223-252.	2.2	15
5	Das Wirtsspektrum von <i>Phytophthora cactorum</i> (Leb. et Cohn) Schroet.. Journal of Phytopathology, 1960, 38, 33-68.	1.0	26
6	Behaviour of <i>Phytophthora erythroseptica</i> in soil. Transactions of the British Mycological Society, 1964, 47, 455-458.	0.6	20
7	<i>Phytophthora erythroseptica</i> in Peru: Its identification and pathogenesis. American Potato Journal, 1972, 49, 309-320.	0.3	22
8	Transmission of <i>Phytophthora erythroseptica</i> on stored potatoes. Transactions of the British Mycological Society, 1977, 69, 27-30.	0.6	16
9	Parasitism of oospores of <i>Phytophthora erythroseptica</i> in soil. Transactions of the British Mycological Society, 1979, 73, 255-259.	0.6	15
10	Possible Routes of Entry of <i>Phytophthora erythroseptica</i> Pethyb. and its Growth within Potato Plants. Journal of Phytopathology, 1980, 97, 109-117.	1.0	19
11	Studies on <i>Phytophthora megasperma</i> isolates with different levels of pathogenicity on alfalfa cultivars. Canadian Journal of Plant Pathology, 1983, 5, 29-33.	1.4	9
12	The Effect of Wounding, Temperature, and Inoculum on the Development of Pink Rot of Potatoes Caused by <i>Phytophthora erythroseptica</i> . Plant Disease, 2000, 84, 1327-1333.	1.4	33
13	Assessment of Resistance of Tubers of Potato Cultivars to <i>Phytophthora erythroseptica</i> and <i>Pythium ultimum</i> . Plant Disease, 2003, 87, 91-97.	1.4	35
14	In vitro somatic growth and reproduction of phenylamide-resistant and -sensitive isolates of <i>Phytophthora erythroseptica</i> from infected potato tubers in Idaho. Plant Pathology, 2006, 56, 492-499.	2.4	16
15	Resistance to <i>phytophthora erythroseptica</i> and <i>pythium ultimum</i> in a potato clone derived from <i>s. berthaultii</i> and <i>s. etuberosum</i> . American Journal of Potato Research, 2007, 84, 149.	0.9	18
16	A Foliar Blight and Tuber Rot of Potato Caused by <i>Phytophthora nicotianae</i> : New Occurrences and Characterization of Isolates. Plant Disease, 2008, 92, 492-503.	1.4	14
17	Prevalence of Mefenoxam Resistance Among <i>Phytophthora erythroseptica</i> Pethybridge Isolates in Minnesota and North Dakota. American Journal of Potato Research, 2010, 87, 521-530.	0.9	10
18	Methodology and Assessment of the Susceptibility of Potato Genotypes to <i>Phytophthora erythroseptica</i> , Causal Organism of Pink Rot. American Journal of Potato Research, 2011, 88, 105-113.	0.9	5
19	Effect of Application Method and Rate on Residual Efficacy of Mefenoxam and Phosphorous Acid Fungicides in the Control of Pink Rot of Potato. Plant Disease, 2011, 95, 997-1006.	1.4	20

#	ARTICLE	IF	CITATIONS
20	Tuber Rot of Potato Caused by <i>Phytophthora nicotianae</i> : Isolate Aggressiveness and Cultivar Susceptibility. <i>Plant Disease</i> , 2012, 96, 693-704.	1.4	6
21	Beta Regression Model for Predicting the Development of Pink Rot in Potato Tubers During Storage. <i>Plant Disease</i> , 2016, 100, 1118-1124.	1.4	14
23	Potato Tuber Lenticels: A Review of Their Development, Structure, Function, and Disease Susceptibility. <i>American Journal of Potato Research</i> , 0, , .	0.9	0