The mortality risk of overhydration in haemodialysis pa

Nephrology Dialysis Transplantation 24, 1574-1579 DOI: 10.1093/ndt/gfn707

Citation Report

#	Article	IF	CITATIONS
1	Blood pressure control in CKD stage 5D patients-are we more or less certain what to do in 2009?. Nephrology Dialysis Transplantation, 2009, 24, 3597-3601.	0.4	10
2	Disordered aldosterone-volume relationship in end-stage kidney disease. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2009, 10, 230-236.	1.0	27
4	Did 20 Years of Technological Innovations in Hemodialysis Contribute to Better Patient Outcomes?. Clinical Journal of the American Society of Nephrology: CJASN, 2009, 4, S30-S40.	2.2	50
6	Detecting a proper patient with a help of medical data retrieval. Proceedings of SPIE, 2009, , .	0.8	0
7	The relationship between chronic volume overload and elevated blood pressure in hemodialysis patients: use of bioimpedance provides a different perspective from echocardiography and biomarker methodologies. International Urology and Nephrology, 2010, 42, 789-797.	0.6	56
8	Relative Plasma Volume Monitoring for Identifying Volume-Sensitive and -Resistant Hypertension. Seminars in Dialysis, 2010, 23, 462-465.	0.7	11
9	Hypervolemic Hemorrhage after Dialysis Catheter Placement. Journal of Vascular Access, 2010, 11, 173-174.	0.5	0
10	Dry-Weight. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1255-1260.	2.2	137
11	Relative Plasma Volume Monitoring During Hemodialysis Aids the Assessment of Dry Weight. Hypertension, 2010, 55, 305-311.	1.3	86
12	Hypervolemia Is Associated With Increased Mortality Among Hemodialysis Patients. Hypertension, 2010, 56, 512-517.	1.3	128
13	Relative Blood Volume Monitoring during hemodialysis in end stage renal disease patients. , 2010, 2010, 5282-5.		2
14	Hospital Treatment for Fluid Overload in the Medicare Hemodialysis Population. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1054-1063.	2.2	68
15	Study of the autonomic response in hemodialysis patients with different fluid overload levels. , 2010, 2010, 3796-9.		2
16	Body Composition, Hydration, and Related Parameters in Hemodialysis versus Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2010, 30, 208-214.	1.1	91
17	Dialysis Prescription: A Modifiable Risk Factor for Chronic Kidney Disease Patients. Blood Purification, 2010, 29, 366-374.	0.9	14
18	Comparison of alternative methods for scaling dialysis dose. Nephrology Dialysis Transplantation, 2010, 25, 1232-1239.	0.4	20
19	Hypertension in end-stage renal disease: different measures and their prognostic significance. Nephrology Dialysis Transplantation, 2010, 25, 3161-3166.	0.4	12
20	Improving Volume Status by Comprehensive Dietary and Dialytic Sodium Management in Chronic Hemodialysis Patients. Blood Purification, 2010, 30, 71-78.	0.9	31

#	Article	IF	CITATIONS
21	La bioimpedancia como valoración del peso seco y del estado de hidratación. Dialisis Y Trasplante, 2010, 31, 137-139.	0.4	4
23	Guided optimization of fluid status in haemodialysis patients. Nephrology Dialysis Transplantation, 2010, 25, 538-544.	0.4	186
24	Development and Validation of a New Dry Weight Estimation Method Using Single Frequency Bioimpedance in Hemodialysis Patients. Blood Purification, 2011, 32, 278-285.	0.9	8
25	Why Assistive Technology Is Needed for Probing of Dry Weight. Blood Purification, 2011, 31, 197-202.	0.9	18
26	Volume Control in Peritoneal Dialysis Patients Guided by Bioimpedance Spectroscopy Assessment. Blood Purification, 2011, 31, 296-302.	0.9	52
27	Extracorporeal Blood Purification Systems. , 2011, , 597-619.		0
28	Formulation of a Dry Weight Bioimpedance Index in Hemodialysis Patients. International Journal of Artificial Organs, 2011, 34, 1075-1084.	0.7	5
29	Fluid Status in Peritoneal Dialysis Patients: The European Body Composition Monitoring (EuroBCM) Study Cohort. PLoS ONE, 2011, 6, e17148.	1.1	216
30	Dialysis Patients' Fluid Overload, Antihypertensive Medications, and Obesity. ASAIO Journal, 2011, 57, 511-515.	0.9	30
31	Nocturnal hemodialysis: effects on solute clearance, quality of life, and patient survival. Current Opinion in Nephrology and Hypertension, 2011, 20, 182-188.	1.0	18
32	Hydration status of patients with end-stage renal disease after kidney transplantation. Clinical Transplantation, 2011, 25, E656-E663.	0.8	9
33	The Hypo/Hypertension Quandary. Artificial Organs, 2011, 35, 559-564.	1.0	1
34	Current Perspectives on Diagnosis of Heart Failure in Long-term Dialysis Patients. American Journal of Kidney Diseases, 2011, 57, 308-319.	2.1	30
35	Body composition monitor measurement technique for the detection of volume status in peritoneal dialysis patients: the effect of abdominal fullness. International Urology and Nephrology, 2011, 43, 1195-1199.	0.6	25
36	Haemodynamic stability in standard bicarbonate haemodialysis and long-hour slow-flow bicarbonate haemodialysis. Nephrology Dialysis Transplantation, 2011, 26, 252-258.	0.4	11
37	Modeled Urea Distribution Volume and Mortality in the HEMO Study. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1129-1138.	2.2	15
38	Intradialytic Hypotension Strikes Again. Journal of the American Society of Nephrology: JASN, 2011, 22, 1396-1398.	3.0	8
39	What Is the Upper Limitation of Volume in Chinese Peritoneal Dialysis Patients. Blood Purification, 2011, 31, 289-295.	0.9	13

	СІТАТ	CITATION REPORT	
#	Article	IF	CITATIONS
40	Determination of Dialysis Dose: A Clinical Comparison of Methods. Blood Purification, 2011, 32, 271-277	. 0.9	14
41	The Achilles Heel of Mortality Risk by Dialysis Modality is Selection Bias. Journal of the American Society of Nephrology: JASN, 2011, 22, 1398-1400.	3.0	12
42	Fluid overload correction and cardiac history influence brain natriuretic peptide evolution in in in incident haemodialysis patients. Nephrology Dialysis Transplantation, 2011, 26, 2630-2634.	0.4	42
43	Bioimpedance and the Duration of the Hemodialysis Session. ASAIO Journal, 2011, 57, 310-313.	0.9	6
44	The rise of hemodialysis machines: new technologies in minimizing cardiovascular complications. Expert Review of Cardiovascular Therapy, 2011, 9, 155-164.	0.6	22
45	Probing 'dry weight' in haemodialysis patients: 'back to the future'. Nephrology Dialysis Transplantation, 2012, 27, 2140-2143.	0.4	18
46	Importance of normohydration for the long-term survival of haemodialysis patients. Nephrology Dialysis Transplantation, 2012, 27, 2404-2410.	0.4	191
47	Pulmonary Congestion and Physical Functioning in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2012, 32, 531-536.	1.1	28
48	Dialysate Sodium Concentration and the Association with Interdialytic Weight Gain, Hospitalization, and Mortality. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 92-100.	2.2	131
49	Uraemic toxins versus volume and water as the major factor that matters with dialysis. Nephrology Dialysis Transplantation, 2012, 27, 58-62.	0.4	28
50	Dialysis adequacy today: a European perspective. Nephrology Dialysis Transplantation, 2012, 27, 3043-3048.	0.4	38
51	Determinants and Short-Term Reproducibility of Relative Plasma Volume Slopes during Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 1996-2001.	2.2	11
52	Volume Status in Patients on Peritoneal Dialysis: The Role of Apelin and Bio-Impedance Spectroscopy. Renal Failure, 2012, 34, 1068-1073.	0.8	4
53	Predialysis Systolic Blood Pressure Evolution in Incident Hemodialysis Patients: Effects of the Dry Weight Method and Prognostic Value. Blood Purification, 2012, 33, 275-283.	0.9	23
54	Acetate-Free Biofiltration Reduces Intradialytic Hypotension: A European Multicenter Randomized Controlled Trial. Blood Purification, 2012, 34, 354-363.	0.9	32
55	Peritoneal Dialysis as Compared with Hemodialysis Is Associated with Higher Overhydration but Non-Inferior Blood Pressure Control and Heart Function. Blood Purification, 2012, 34, 40-47.	0.9	13
56	Volume Is Not the Only Key to Hypertension Control in Dialysis Patients. Nephron Clinical Practice, 2012, 120, c173-c177.	2.3	16
57	Can Aortic Elastic Parameters be Used for the Diagnosis of Volume Overload in Patients with End Stage Renal Disease. Kidney and Blood Pressure Research, 2012, 36, 268-277.	0.9	1

#	Article	IF	CITATIONS
58	Utility of bioimpedance spectroscopy (BIS) in the management of refractory hypertension in patients with chronic kidney disease (CKD). Nephrology Dialysis Transplantation, 2012, 27, iv31-iv35.	0.4	21
59	Hemodynamic and Biochemical Benefits of the Objective Measurement of Fluid Status in Hemodialysis Patients. Tohoku Journal of Experimental Medicine, 2012, 228, 125-133.	0.5	3
60	Blood pressure levels and mortality risk among hemodialysis patients in the Dialysis Outcomes and Practice Patterns Study. Kidney International, 2012, 82, 570-580.	2.6	120
61	Nutritional problems, overhydration and the association with quality of life in elderly dialysis patients. International Urology and Nephrology, 2012, 44, 1885-1892.	0.6	4
62	Debate from the 2012 ASH Annual Scientific Sessions: should blood pressure be reduced in hemodialysis patients? con position. Journal of the American Society of Hypertension, 2012, 6, 443-447.	2.3	6
63	Symptomatic Intradialytic Hypotension and Mortality: An Opinionated Review. Seminars in Dialysis, 2012, 25, 320-325.	0.7	32
64	Assessment of Extracellular Fluid Volume and Fluid Status in Hemodialysis Patients: Current Status and Technical Advances. Seminars in Dialysis, 2012, 25, 377-387.	0.7	49
65	A randomized controlled trial of long term effect of BCM guided fluid management in MHD patients (BOCOMO study): rationales and study design. BMC Nephrology, 2012, 13, 120.	0.8	9
66	Blood volume-monitored regulation of ultrafiltration in fluid-overloaded hemodialysis patients: study protocol for a randomized controlled trial. Trials, 2012, 13, 79.	0.7	15
67	Assessment of fluid status in <scp>CAPD</scp> patients using the body composition monitor. Journal of Clinical Nursing, 2013, 22, 741-748.	1.4	7
69	Randomized trial of bioelectrical impedance analysis versus clinical criteria for guiding ultrafiltration in hemodialysis patients: effects on blood pressure, hydration status, and arterial stiffness. International Urology and Nephrology, 2012, 44, 583-591.	0.6	60
70	Changes in arterial stiffness following dialysis in relation to overhydration and to endothelial function. International Urology and Nephrology, 2012, 44, 897-905.	0.6	18
71	Preload dependence of gated cardiac SPECT-derived ventricular volumes in hemodialysis patients. Journal of Nuclear Cardiology, 2012, 19, 743-751.	1.4	0
72	Determination of fluid status in haemodialysis patients with whole body and calf bioimpedance techniques. Nephrology, 2012, 17, 131-140.	0.7	23
73	Assessment of body fluid status in hemodialysis patients using the body composition monitor measurement technique. Journal of Clinical Nursing, 2012, 21, 2879-2885.	1.4	21
74	Optimal fluid control can normalize cardiovascular risk markers and limit left ventricular hypertrophy in thrice weekly dialysis patients. Hemodialysis International, 2012, 16, 465-472.	0.4	22
75	Individualized reduction in dialysate sodium in conventional inâ€eenter hemodialysis. Hemodialysis International, 2012, 16, 473-480.	0.4	29
76	Using a mobile application to selfâ€monitor diet and fluid intake among adults receiving hemodialysis. Research in Nursing and Health, 2013, 36, 284-298.	0.8	57

#	Article	IF	CITATIONS
77	Fluid overload in hemodialysis patients: a cross-sectional study to determine its association with cardiac biomarkers and nutritional status. BMC Nephrology, 2013, 14, 266.	0.8	77
78	Diastolic Dysfunction and High Levels of New Cardiac Biomarkers as Risk Factors for Cardiovascular Events and Mortality in Hemodialysis Patients. Blood Purification, 2013, 36, 98-106.	0.9	17
79	Modelling and Control of Dialysis Systems. Studies in Computational Intelligence, 2013, , .	0.7	6
80	Effect of Fluid Management Guided by Bioimpedance Spectroscopy on Cardiovascular Parameters in Hemodialysis Patients: A Randomized Controlled Trial. American Journal of Kidney Diseases, 2013, 61, 957-965.	2.1	281
81	Hydration measurement by bioimpedance spectroscopy and blood pressure management in children on hemodialysis. Pediatric Nephrology, 2013, 28, 2169-2177.	0.9	51
82	Abnormal muscle vascular responses during exercise in myocardial infarction patients. International Journal of Cardiology, 2013, 165, 210-212.	0.8	2
83	Evaluation of short-term changes in body fluid status by a novel method using a commercially available body-fat analyzer: Observations from maintenance hemodialysis patients. International Journal of Cardiology, 2013, 165, 208-210.	0.8	0
84	Characteristics and clinical outcomes of hyponatraemia in peritoneal dialysis patients. Nephrology, 2013, 18, 132-137.	0.7	18
85	Fluid Overload and Inflammation—A Vicious Cycle. Seminars in Dialysis, 2013, 26, 31-35.	0.7	18
86	Bioimpedance Technology and Optimal Fluid Management. American Journal of Kidney Diseases, 2013, 61, 861-864.	2.1	16
87	Design and Characterization of an Osmotic Sensor for the Detection of Events Associated With Dehydration and Overhydration. IEEE Journal of Translational Engineering in Health and Medicine, 2013, 1, 2700309-2700309.	2.2	8
88	Sensitivity of Blood Volume Monitoring for Fluid Status Assessment in Hemodialysis Patients. Blood Purification, 2013, 35, 202-208.	0.9	268
89	Effects of Increasing Diffusive Sodium Removal on Blood Pressure Control in Hemodialysis Patients with Optimal Dry Weight. Blood Purification, 2013, 35, 209-215.	0.9	22
90	Volume excess in chronic haemodialysis patients—effects of treatment frequency and treatment spacing. Nephrology Dialysis Transplantation, 2013, 28, 170-175.	0.4	4
91	Predicting mortality in haemodialysis patients: a comparison between lung ultrasonography, bioimpedance data and echocardiography parameters. Nephrology Dialysis Transplantation, 2013, 28, 2851-2859.	0.4	94
92	Lung congestion as a hidden threat in end-stage kidney disease: a call to action. Nephrology Dialysis Transplantation, 2013, 28, 2657-2660.	0.4	12
93	Pulmonary Congestion Predicts Cardiac Events and Mortality in ESRD. Journal of the American Society of Nephrology: JASN, 2013, 24, 639-646.	3.0	221
94	Magnitude of End-Dialysis Overweight is Associated with All-Cause and Cardiovascular Mortality: A 3-Year Prospective Study. American Journal of Nephrology, 2013, 37, 370-377.	1.4	25

#	Article	IF	CITATIONS
95	Calf Bioimpedance Spectroscopy for Determination of Dry Weight in Hemodialysis Patients: Effects on Hypertension and Left Ventricular Hypertrophy. Kidney and Blood Pressure Research, 2013, 37, 58-67.	0.9	17
96	Lung Congestion as a Risk Factor in End-Stage Renal Disease. Blood Purification, 2013, 36, 184-191.	0.9	32
97	Bioimpedance-Guided Fluid Management in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1575-1582.	2.2	130
98	Significance of Interdialytic Weight Gain versus Chronic Volume Overload: Consensus Opinion. American Journal of Nephrology, 2013, 38, 78-90.	1.4	107
99	Time to Improve Fluid Management in Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1474-1475.	2.2	15
100	Pulmonary Congestion in Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1279-1281.	2.2	3
101	Application of Bioimpedance Spectroscopy in Asian Dialysis Patients (ABISAD): serial follow-up and dry weight evaluation. CKJ: Clinical Kidney Journal, 2013, 6, 29-34.	1.4	11
102	Volume estimation in dialysis patients: The concordance of brainâ€type natriuretic peptide measurements and bioimpedance values. Hemodialysis International, 2013, 17, 406-412.	0.4	38
103	Pulmonary hypertension in patients with chronic and end-stage kidney disease. Kidney International, 2013, 84, 682-692.	2.6	99
104	Accuracy of segmental multi-frequency bioelectrical impedance analysis for assessing whole-body and appendicular fat mass and lean soft tissue mass in frail women aged 75 years and older. European Journal of Clinical Nutrition, 2013, 67, 395-400.	1.3	113
105	Interdialytic weight gain, systolic blood pressure, serum albumin, and C-reactive protein levels change in chronic dialysis patients prior to death. Kidney International, 2013, 84, 149-157.	2.6	53
106	Dialysis time, survival, and dose-targeting bias. Kidney International, 2013, 83, 9-13.	2.6	26
107	Prevalence and Risk Factors of Fluid Overload in Southern Chinese Continuous Ambulatory Peritoneal Dialysis Patients. PLoS ONE, 2013, 8, e53294.	1.1	65
108	Is Fluid Overload More Important than Diabetes in Renal Progression in Late Chronic Kidney Disease?. PLoS ONE, 2013, 8, e82566.	1.1	23
109	Body composition of chronic renal patients: anthropometry and bioimpedance vector analysis. Revista Latino-Americana De Enfermagem, 2013, 21, 1240-1247.	0.4	9
110	Advances in Hemodialysis Techniques. , 0, , .		11
111	Fluid Overload, Pulse Wave Velocity, and Ratio of Brachial Pre-Ejection Period to Ejection Time in Diabetic and Non-Diabetic Chronic Kidney Disease. PLoS ONE, 2014, 9, e111000.	1.1	8
112	Bioimpedance Spectroscopy for Assessment of Volume Status in Patients before and after General Anaesthesia. PLoS ONE, 2014, 9, e111139.	1.1	25

#	Article	IF	CITATIONS
113	Quantification of Hemodialysis Dose: What Kt/V to Choose?. International Journal of Artificial Organs, 2014, 37, 29-38.	0.7	8
114	Shenfu Injection for Intradialytic Hypotension: A Systematic Review and Meta-Analysis. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-11.	0.5	6
115	Heart Failure in Patients with Chronic Kidney Disease: A Systematic Integrative Review. BioMed Research International, 2014, 2014, 1-21.	0.9	107
116	Effect of change in fluid distribution in segments in hemodialysis patients at different ultrafiltration rates on accuracy of whole body bioimpedance measurement. Journal of Applied Physiology, 2014, 116, 1382-1389.	1.2	20
117	Volume overload correlates with cardiovascular risk factors in patients with chronic kidney disease. Kidney International, 2014, 85, 703-709.	2.6	194
118	Evaluation of volume overload by bioelectrical impedance analysis, NT-proBNP and inferior vena cava diameter in patients with stage 3&4 and 5 chronic kidney disease. Renal Failure, 2014, 36, 495-501.	0.8	17
119	Effect of gradually lowering dialysate sodium concentration on the interdialytic weight gain, blood pressure, and extracellular water in anuric hemodialysis patients. Renal Failure, 2014, 36, 23-27.	0.8	15
120	Assessment of volume status and arterial stiffness in chronic kidney disease. Renal Failure, 2014, 36, 28-34.	0.8	15
121	The Association between Arterial Stiffness and Fluid Status in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2014, 34, 781-790.	1.1	32
122	Interdialytic Weight Gain and Cardiovascular Outcome in Incident Hemodialysis Patients. American Journal of Nephrology, 2014, 39, 427-435.	1.4	54
123	How is the Heart Best Protected in Chronic Dialysis Patients?. Seminars in Dialysis, 2014, 27, 335-339.	0.7	1
124	What are the Causes of the Ill Effects of Chronic Hemodialysis?. Seminars in Dialysis, 2014, 27, 13-15.	0.7	14
125	Which fluid space is affected by ultrafiltration during hemodiafiltration?. Hemodialysis International, 2014, 18, 384-390.	0.4	23
126	What are the Causes of the Ill Effects of Chronic Hemodialysis?. Seminars in Dialysis, 2014, 27, 11-13.	0.7	4
127	Multi-channel electrical impedance tomography for regional tissue hydration monitoring. Physiological Measurement, 2014, 35, 1137-1147.	1.2	9
128	Serum copeptin level predicts a rapid decrease of overhydration after kidney transplantation. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1297-303.	1.4	5
130	Control of fluid balance guided by body composition monitoring in patients on peritoneal dialysis (COMPASS): study protocol for a randomized controlled trial. Trials, 2014, 15, 432.	0.7	8
131	Ultrafiltration biofeedback guided by blood volume monitoring to reduce intradialytic hypotensive episodes in hemodialysis: study protocol for a randomized controlled trial. Trials, 2014, 15, 483.	0.7	9

#	Article	IF	CITATIONS
132	Hypervolemia and Blood Pressure in Prevalent Kidney Transplant Recipients. Transplantation, 2014, 98, 320-327.	0.5	16
133	Evaluation of fluid status related parameters in hemodialysis and peritoneal dialysis patients: Clinical usefulness of bioimpedance analysis. Medicina (Lithuania), 2014, 50, 269-274.	0.8	28
134	Clinical significance of multi-frequency bioimpedance spectroscopy in peritoneal dialysis patients: independent predictor of patient survival. Nephrology Dialysis Transplantation, 2014, 29, 1430-1437.	0.4	100
135	Assessment of Fluid and Nutritional Status Using Multifrequency Bioelectrical Impedance Analysis in Peritoneal Dialysis Patients. Blood Purification, 2014, 37, 152-162.	0.9	11
136	Effects of Crit-Line® Monitor Use on Patient Outcomes and Epoetin Alfa Dosing following Onset of Hemodialysis: A Propensity Score-Matched Study. Blood Purification, 2014, 37, 249-257.	0.9	3
137	Hemodynamic Behavior During Hemodialysis: Effects of Dialysate Concentrations of Bicarbonate and Potassium. Kidney and Blood Pressure Research, 2014, 39, 490-496.	0.9	199
138	Hypervolemia for Hypertension Pathophysiology: A Population-Based Study. BioMed Research International, 2014, 2014, 1-9.	0.9	12
139	Fluid Management. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 2033-2035.	2.2	8
140	Bioimpedance-Guided Fluid Management in Maintenance Hemodialysis: A Pilot Randomized Controlled Trial. American Journal of Kidney Diseases, 2014, 64, 111-118.	2.1	207
141	Whole-body single-frequency bioimpedance analysis in pediatric hemodialysis patients. Pediatric Nephrology, 2014, 29, 1417-1423.	0.9	16
142	Effects of fluid overload on heart rate variability in chronic kidney disease patients on hemodialysis. BMC Nephrology, 2014, 15, 26.	0.8	35
143	Dialysis Dosing for Chronic Hemodialysis: Beyond <i>Kt/V</i> . Seminars in Dialysis, 2014, 27, 98-107.	0.7	18
144	Body Composition Monitor Assessing Malnutrition in the Hemodialysis Population Independently Predicts Mortality. , 2014, 24, 172-176.		69
145	Assessment and Management of Hypertension in Patients on Dialysis. Journal of the American Society of Nephrology: JASN, 2014, 25, 1630-1646.	3.0	134
146	Techniques for the Assessment of Volume Status in Patients with End Stage Renal Disease. Seminars in Dialysis, 2014, 27, 538-541.	0.7	11
147	Improving Clinical Outcomes Among Hemodialysis Patients: AÂProposal for a "Volume First―Approach From the Chief Medical Officers of US Dialysis Providers. American Journal of Kidney Diseases, 2014, 64, 685-695.	2.1	131
148	Association of Fluid Overload With Kidney Disease Progression in Advanced CKD: A Prospective Cohort Study. American Journal of Kidney Diseases, 2014, 63, 68-75.	2.1	92
149	Left ventricular hypertrophy and chronic fluid overload in peritoneal dialysis patients. International Urology and Nephrology, 2014, 46, 1209-1215.	0.6	11

#	Article	IF	CITATIONS
150	Systemic Hydration: Relating Science to Clinical Practice in Vocal Health. Journal of Voice, 2014, 28, 652.e1-652.e20.	0.6	46
151	Association between bioimpedance analysis parameters and left ventricular hypertrophy in peritoneal dialysis patients. International Urology and Nephrology, 2014, 46, 1851-1856.	0.6	14
152	Residual Urinary Volume Is a Predictor of Overhydration in Patients on Peritoneal Dialysis. Tohoku Journal of Experimental Medicine, 2014, 233, 295-300.	0.5	3
153	Interventions for promoting adherence to fluid intake and dietary salt restriction in people with end-stage kidney disease. The Cochrane Library, 2014, , .	1.5	2
154	Overhydration prevalence in peritoneal dialysis – A 2 year longitudinal analysis1. Nefrologia, 2015, 35, 189-196.	0.2	6
155	Evaluation of a new bio-impedance spectroscopy device in healthy Japanese. Bio-Medical Materials and Engineering, 2015, 26, 97-102.	0.4	2
156	Factors Contributing to Erythropoietin Hyporesponsiveness in Patients on Long-Term Continuous Ambulatory Peritoneal Dialysis: A Cross-Sectional Study. Nephron Extra, 2015, 5, 79-86.	1.1	6
157	Lower Plasma Sodium Is Associated with a Microinflammatory State among Patients with Advanced Chronic Kidney Disease. Nephron Clinical Practice, 2015, 128, 312-318.	2.3	5
159	Fluid Volume Expansion and Depletion in Hemodialysis Patients Lack Association with Clinical Parameters. Canadian Journal of Kidney Health and Disease, 2015, 2, 90.	0.6	14
160	Effective and Timely Evaluation of Pulmonary Congestion. Medicine (United States), 2015, 94, e473.	0.4	48
161	Adipokines in Peritoneal Dialysis: Relevant Clinical Impact According to Body Composition. Therapeutic Apheresis and Dialysis, 2015, 19, 144-153.	0.4	3
162	Comparing lung ultrasound with bioimpedance spectroscopy for evaluating hydration in peritoneal dialysis patients. Nephrology, 2015, 20, 1-5.	0.7	25
164	Comparison of hydration and nutritional status between young and elderly hemodialysis patients through bioimpedance analysis. Clinical Interventions in Aging, 2015, 10, 1327.	1.3	31
165	Overhydration, Cardiac Function and Survival in Hemodialysis Patients. PLoS ONE, 2015, 10, e0135691.	1.1	87
166	Effect of fluid loading on left ventricular volume and stroke volume variability in patients with end-stage renal disease: a pilot study. Therapeutics and Clinical Risk Management, 2015, 11, 1619.	0.9	5
167	Hydration Status Is Associated with Aortic Stiffness, but Not with Peripheral Arterial Stiffness, in Chronically Hemodialysed Patients. International Journal of Nephrology, 2015, 2015, 1-11.	0.7	11
168	Nutritional Markers and Body Composition in Hemodialysis Patients. International Scholarly Research Notices, 2015, 2015, 1-7.	0.9	8
169	Overhydration measured by bioimpedance analysis and the survival of patients on maintenance hemodialysis: a single-center study. Kidney Research and Clinical Practice, 2015, 34, 212-218.	0.9	57

		TION REPORT	
#	ARTICLE	IF	CITATIONS
170	The first year on haemodialysis: a critical transition. CKJ: Clinical Kidney Journal, 2015, 8, 271-277.	1.4	33
171	Atherosclerotic Renal Artery Stenosis Prevalence and Correlations in Acute Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Interventions: Data From Nonrandomized Singleâ€Center Study (RENâ€ACS)â€"A Single Center, Prospective, Observational Study. Journal of the American Heart Association, 2015, 4, e002379.	1.6	17
172	Bilateral photoplethysmography analysis for arteriovenous fistula dysfunction screening with fractionalâ€order feature and cooperative gameâ€based embedded detector. Healthcare Technology Letters, 2015, 2, 64-69.	1.9	15
173	Body composition monitoring and nutrition in maintenance hemodialysis and CAPD patients—a multicenter longitudinal study. Renal Failure, 2015, 37, 66-72.	0.8	20
174	Bioimpedance Can Solve Problems of Fluid Overload. , 2015, 25, 234-237.		28
175	Bioimpedance at the Bedside. Nutrition in Clinical Practice, 2015, 30, 180-193.	1.1	250
176	Intraperitoneal Fluid Overestimates Hydration Status Assessment by Bioimpedance Spectroscopy. Peritoneal Dialysis International, 2015, 35, 85-89.	1.1	24
177	Acute effects of haemodialysis on central venous and arterial pressure characteristics. Nephrology, 2015, 20, 91-95.	0.7	4
178	Body Composition in Dialysis Patients: A Functional Assessment of Bioimpedance Using Different Prediction Models. , 2015, 25, 121-128.		27
179	Association of Fluid Overload with Cardiovascular Morbidity and All-Cause Mortality in Stages 4 and 5 CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 39-46.	2.2	118
180	Norepinephrine, left ventricular disorders and volume excess in ESRD. Journal of Nephrology, 2015, 28, 729-737.	0.9	4
181	What are the Consequences of Volume Expansion in Chronic Dialysis Patients?. Seminars in Dialysis, 2015, 28, 242-247.	0.7	15
182	Can Bioimpedance Measurements of Lean and Fat Tissue Mass Replace Subjective Global Assessments i Peritoneal Dialysis Patients?. , 2015, 25, 480-487.	n	24
183	Graft Function and Arterial Stiffness: Can Bioimpedance Analysis Be Useful in Renal Transplant Recipients?. Transplantation Proceedings, 2015, 47, 1182-1185.	0.3	4
184	Baseline hydration status in incident peritoneal dialysis patients: the initiative of patient outcomes in dialysis (IPOD-PD study). Nephrology Dialysis Transplantation, 2015, 30, 849-858.	0.4	67
185	Kt/V (and especially its modifications) remains a useful measure of hemodialysis dose. Kidney International, 2015, 88, 466-473.	2.6	44
186	N-Terminal Pro–B-Type Natriuretic Peptide Variability in Stable Dialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 620-629.	2.2	29
187	Practical Aspects of Volume Control in Chronic Kidney Disease Using Whole Body Bioimpedance. Blood Purification, 2015, 39, 32-36.	0.9	16

#	Article	IF	CITATIONS
188	Bioimpedance for assessing volume status in children with nephrotic syndrome. Turkish Journal of Medical Sciences, 2015, 45, 339-344.	0.4	11
189	USE OF HANDâ€TOâ€HAND MEASUREMENTS FOR BODY COMPOSITION MONITORING IN PATIENTS WITH INACCESSIBLE OR AMPUTATED FEET. Journal of Renal Care, 2015, 41, 28-32.	0.6	7
190	A year-long quality improvement project on fluid management using blood volume monitoring during hemodialysis. Current Medical Research and Opinion, 2015, 31, 1323-1331.	0.9	8
191	Volume Overload in CKD: Pathophysiology, Assessment Techniques, Consequences and Treatment. , 2015, , 119-144.		1
192	Incidental Microscopic Bile Duct Tumor Thrombi in Hepatocellular Carcinoma after Curative Hepatectomy. Medicine (United States), 2015, 94, e450.	0.4	18
193	Posthemodialysis Weights and Mortality. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 729-731.	2.2	0
194	Season affects body composition and estimation of fluid overload in haemodialysis patients: variations in body composition; a survey from the European MONDO database. Nephrology Dialysis Transplantation, 2015, 30, 676-681.	0.4	25
195	The Effect of Fluid Overload on Clinical Outcome in Southern Chinese Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. Peritoneal Dialysis International, 2015, 35, 691-702.	1.1	60
196	KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. American Journal of Kidney Diseases, 2015, 66, 884-930.	2.1	822
197	A retrospective, longitudinal study estimating the association between interdialytic weight gain and cardiovascular events and death in hemodialysis patients. BMC Nephrology, 2015, 16, 113.	0.8	41
198	The need to differ between fluid retention and muscle mass. American Journal of Clinical Nutrition, 2015, 102, 989-990.	2.2	0
199	Body Composition Tools for Assessment of Adult Malnutrition at the Bedside. Journal of Parenteral and Enteral Nutrition, 2015, 39, 787-822.	1.3	158
200	Overhydration prevalence in peritoneal dialysis – A 2 year longitudinal analysis. Nefrologia, 2015, 35, 189-196.	0.2	15
201	Euvolemia in Hemodialysis Patients: A Potentially Dangerous Goal?. Seminars in Dialysis, 2015, 28, 1-5.	0.7	25
203	Dialysis vintage stratified comparison of body composition, hydration and nutritional state in peritoneal dialysis and hemodialysis patients. Archives of Medical Science, 2018, 14, 807-817.	0.4	9
204	Changes in Body Composition in the Two Years after Initiation of Haemodialysis: A Retrospective Cohort Study. Nutrients, 2016, 8, 702.	1.7	17
205	Overhydration Is a Strong Predictor of Mortality in Peritoneal Dialysis Patients – Independently of Cardiac Failure. PLoS ONE, 2016, 11, e0158741.	1.1	34
206	High mortality in diabetic recipients of high KDPI deceased donor kidneys. Clinical Transplantation, 2016, 30, 940-945.	0.8	8

#	Article	IF	CITATIONS
207	UK National Survey of Practice Patterns of Fluid Volume Management in Haemodialysis Patients: A Need for Evidence. Blood Purification, 2016, 41, 324-331.	0.9	33
210	The effect of ambient temperature and humidity on interdialytic weight gains in end-stage renal disease patients on maintenance hemodialysis. International Urology and Nephrology, 2016, 48, 1171-1176.	0.6	5
211	Controversies and problems of volume control and hypertension in haemodialysis. Lancet, The, 2016, 388, 285-293.	6.3	52
212	Impedance ratio: a novel marker and a powerful predictor of mortality in hemodialysis patients. International Urology and Nephrology, 2016, 48, 1155-1162.	0.6	18
213	Unraveling the relationship between mortality, hyponatremia, inflammation and malnutrition in hemodialysis patients: results from the international MONDO initiative. European Journal of Clinical Nutrition, 2016, 70, 779-784.	1.3	57
215	Identificar situaciones de riesgo para los pacientes en hemodiálisis mediante la adecuada valoración de su composición corporal. Nefrologia, 2016, 36, 268-274.	0.2	14
216	Clinical Characteristics of Overhydration in Patients with Idiopathic Edema. Nephron, 2016, 133, 81-88.	0.9	1
217	Appropriate assessment of body composition to identify haemodialysis patients at risk. Nefrologia, 2016, 36, 268-274.	0.2	8
218	Efficacy of a remote web-based lung ultrasound training for nephrologists and cardiologists: a LUST trial sub-project. Nephrology Dialysis Transplantation, 2016, 31, 1982-1988.	0.4	60
219	The standard deviation of extracellular water/intracellular water is associated with all-cause mortality and technique failure in peritoneal dialysis patients. International Urology and Nephrology, 2016, 48, 1547-1554.	0.6	11
220	Clinical praxis for assessment of dry weight in <scp>S</scp> weden and <scp>D</scp> enmark: A mixedâ€methods study. Hemodialysis International, 2016, 20, 111-119.	0.4	11
221	Epidemiology, diagnosis and management of hypertension among patients on chronic dialysis. Nature Reviews Nephrology, 2016, 12, 636-647.	4.1	56
222	Ultrafiltration Rate Thresholds in Maintenance Hemodialysis: An NKF-KDOQI Controversies Report. American Journal of Kidney Diseases, 2016, 68, 522-532.	2.1	27
223	ESICM LIVES 2016: part three. Intensive Care Medicine Experimental, 2016, 4, .	0.9	8
224	Evaluation and Treatment of Hypertension in End-Stage Renal Disease Patients on Hemodialysis. Current Cardiology Reports, 2016, 18, 125.	1.3	5
225	Application of bioimpedance spectroscopy in Asian dialysis patients (ABISAD-III): a randomized controlled trial for clinical outcomes. International Urology and Nephrology, 2016, 48, 1897-1909.	0.6	29
226	Hypertension in the Dialysis Patient. , 2016, , 133-166.		0
227	Pre-Dialysis and Post-Dialysis Hydration Status and N-Terminal Pro-Brain Natriuretic Peptide and Survival in Haemodialysis Patients. International Journal of Artificial Organs, 2016, 39, 282-287.	0.7	14

ARTICLE IF CITATIONS # Identification of volume overload hospitalizations among hemodialysis patients using administrative 228 0.8 18 claims: a validation study. BMC Nephrology, 2016, 17, 173. Impact of residual urine volume decline on the survival of chronic hemodialysis patients in Kinshasa. 229 0.8 BMC Nephrology, 2016, 17, 182. Is the Effect of Low-Gdp Solutions on Residual Renal Function Mediated by Fluid State? An Enigmatic 230 1.1 4 Question which Still Needs to be Solved. Peritoneal Dialysis International, 2016, 36, 239-242. Fat tissue and inflammation in patients undergoing peritoneal dialysis. CKJ: Clinical Kidney Journal, 1.4 2016, 9, 374-380. Comparison of Turkish and US haemodialysis patient mortality rates: an observational cohort study. 232 1.4 4 CKJ: Clinical Kidney Journal, 2016, 9, 476-480. Bioimpedance analysis versus lung ultrasonography for optimal risk prediction in hemodialysis patients. International Journal of Cardiovascular Imaging, 2016, 32, 263-270. 234 Are Diuretics Underutilized in Dialysis Patients?. Seminars in Dialysis, 2016, 29, 338-341. 0.7 15 Usefulness of US imaging in overhydrated nephropathic patients. Journal of Ultrasound, 2016, 19, 7-13. 236 Body Composition and Mortality Predictors inÂHemodialysis Patients., 2016, 26, 81-86. 60 Fibroblast growth factor 23 correlates with volume status in haemodialysis patients and is not 0.4 reduced by haemodialysis. Nephrology Dialysis Transplantation, 2016, 31, 1494-1501. Assessment of Arterial Stiffness, Volume, and Nutritional Status in Stable Renal Transplant Recipients. 238 4 0.4 Medicine (United States), 2016, 95, e2819. Does low peritoneal glucose load protect from the development of left ventricular hypertrophy in peritoneal dialysis patients?. Clinical and Experimental Nephrology, 2016, 20, 770-777. Increased risk of hydrocephalus in long-term dialysis patients. Nephrology Dialysis Transplantation, 240 0.4 4 2016, 31, 807-813. No Difference in Average Interdialytic Weight Gain Observed in a Randomized Trial With a Technology-Supported Behavioral Intervention to Reduce Dietary Sodium Intake in Adults Undergoing 241 38 Maintenance Hemodialysis in the United States: Primary Outcomes of the BalanceWise Study. , 2016, 26, 149-158 Pre-dialysis serum sodium and mortality in a national incident hemodialysis cohort. Nephrology 242 0.4 41 Dialysis Transplantation, 2016, 31, 992-1001. Bilateral Photoplethysmography Analysis for Peripheral Arterial Stenosis Screening With a 243 2.4 33 Fractional-Order Intégrator and Info-Gap Decision-Making. IEEE Sensors Journal, 2016, 16, 2691-2700. High versus low dialysate sodium concentration in chronic haemodialysis patients: a systematic 244 0.4 42 review of 23 studies. Nephrology Dialysis Transplantation, 2016, 31, 548-563. Bilateral photoplethysmography for arterial steal detection in arteriovenous fistula using a 246 fractional-order decision-making quantizer. Medical and Biological Engineering and Computing, 2017, 1.6 55, 257-270.

	CITATION	Report	
#	Article	IF	CITATIONS
247	Hemodialysis Treatment Time: As Important as it Seems?. Seminars in Dialysis, 2017, 30, 93-98.	0.7	13
248	Fluid Overload in Peritoneal Dialysis Patients. Seminars in Nephrology, 2017, 37, 43-53.	0.6	42
249	Calf Resistivity Values in Chronic Kidney Disease in a Caucasian Population. Nephron, 2017, 135, 196-200.	0.9	4
250	Contribution of volume overload to the arterial stiffness of hemodialysis patients. Renal Failure, 2017, 39, 333-339.	0.8	10
251	Investigation of optimum N-terminal probrain natriuretic peptide level in patients on maintained hemodialysis. Renal Failure, 2017, 39, 372-378.	0.8	1
252	Impact of fluid status and inflammation and their interaction on survival: a study in an international hemodialysis patient cohort. Kidney International, 2017, 91, 1214-1223.	2.6	126
253	Impact of rapid ultrafiltration rate on changes in the echocardiographic left atrial volume index in patients undergoing haemodialysis: a longitudinal observational study. BMJ Open, 2017, 7, e013990.	0.8	8
254	Chronic Fluid Overload and Mortality in ESRD. Journal of the American Society of Nephrology: JASN, 2017, 28, 2491-2497.	3.0	286
255	Maintenance of negative fluid balance can improve endothelial and cardiac functions in primary hypertensive patients. Clinical and Experimental Hypertension, 2017, 39, 579-586.	0.5	3
256	Perioperative Management of Patients With End-Stage Renal Disease. Journal of Cardiothoracic and Vascular Anesthesia, 2017, 31, 2251-2267.	0.6	63
257	The Dialysis Sodium Gradient: A Modifiable Risk Factor for Fluid Overload. Nephron Extra, 2017, 7, 10-17.	1.1	11
258	Aortic–Radial Pulse Wave Velocity Ratio in End-stage Renal Disease Patients: Association with Age, Body Tissue Hydration Status, Renal Failure Etiology and Five Years of Hemodialysis. High Blood Pressure and Cardiovascular Prevention, 2017, 24, 37-48.	1.0	15
259	Dry weight assessment by combined ultrasound and bioimpedance monitoring in low cardiovascular risk hemodialysis patients: a randomized controlled trial. International Urology and Nephrology, 2017, 49, 143-153.	0.6	47
260	Comparison of multiple fluid status assessment methods in patients on chronic hemodialysis. International Urology and Nephrology, 2017, 49, 525-532.	0.6	28
261	Value of bioimpedance analysis estimated "dry weight―in maintenance dialysis patients: a systematic review and meta-analysis. International Urology and Nephrology, 2017, 49, 2231-2245.	0.6	69
262	Use of lung ultrasonography to determine the accuracy of clinically estimated dry weight in chronic hemodialysis patients. International Urology and Nephrology, 2017, 49, 2223-2230.	0.6	13
263	Body Composition and Inflammation in Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2017, 21, 556-564.	0.4	8
264	Physical Activity in End-Stage Renal Disease Patients: The Effects of Starting Dialysis in the First 6 Months after the Transition Period. Nephron, 2017, 137, 47-56.	0.9	38

-		_	
C 1^{-}		Drnc	NDT.
	IAL	REPU	ואכ

#	Article	IF	CITATIONS
265	Intravenous Fluid Challenge Decreases Intracellular Volume: A Bioimpedance Spectroscopy-Based Crossover Study in Healthy Volunteers. Scientific Reports, 2017, 7, 9644.	1.6	8
266	Echocardiographic findings in haemodialysis patients according to their state of hydration. Nefrologia, 2017, 37, 47-53.	0.2	3
267	Diagnosis and Management of Heart Failure in Long-Term Dialysis Patients. Current Heart Failure Reports, 2017, 14, 404-409.	1.3	6
268	Use of the Body Composition Monitor for Fluid Status Measurements in Elderly Malnourished Subjects. ASAIO Journal, 2017, 63, 507-511.	0.9	11
269	Inflammatory and Angiogenic Factors Linked to Longitudinal Microvascular Changes in Hemodialysis Patients Irrespective of Treatment Dose Intensity. Kidney and Blood Pressure Research, 2017, 42, 905-918.	0.9	8
270	Brain Natriuretic Peptide Is a Marker of Fluid Overload in Incident Hemodialysis Patients. CardioRenal Medicine, 2017, 7, 218-226.	0.7	20
271	Real-time monitoring of the hydration level by multi-frequency bioimpedance spectroscopy. , 2017, , .		5
272	Rationale and design of BISTRO: a randomized controlled trial to determine whether bioimpedance spectroscopy-guided fluid management maintains residual kidney function in incident haemodialysis patients. BMC Nephrology, 2017, 18, 138.	0.8	17
273	Target weight achievement and ultrafiltration rate thresholds: potential patient implications. BMC Nephrology, 2017, 18, 185.	0.8	17
274	Setting the dry weight and its cardiovascular implications. Seminars in Dialysis, 2017, 30, 481-488.	0.7	27
275	A brief review of intradialytic hypotension with a focus on survival. Seminars in Dialysis, 2017, 30, 473-480.	0.7	88
276	Lung Ultrasound in the Management of Fluid Volume in Dialysis Patients: Potential Usefulness. Seminars in Dialysis, 2017, 30, 6-9.	0.7	32
277	Interdialytic Weight Gain: Trends, Predictors, and Associated Outcomes in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). American Journal of Kidney Diseases, 2017, 69, 367-379.	2.1	88
278	Echocardiographic findings in haemodialysis patients according to their state of hydration. Nefrologia, 2017, 37, 47-53.	0.2	7
279	Predialysis volume overload and patientâ€reported sleep duration and quality in patients receiving hemodialysis. Hemodialysis International, 2017, 21, 133-141.	0.4	10
280	Hydration health literacy in the elderly. Nutrition and Healthy Aging, 2017, 4, 227-237.	0.5	44
281	The Body Composition Monitor: a flexible tool for routine fluid management across the haemodialysis population. Biomedical Physics and Engineering Express, 2017, 3, 035017.	0.6	22
282	Relationship between Bioimpedance-determined Body Composition and Peritoneal Transport in Peritoneal Dialysis. International Journal of Artificial Organs, 2017, 40, 212-218.	0.7	2

#	Article	IF	CITATIONS
283	Predictive abilities of baseline measurements of fluid overload, assessed by bioimpedance spectroscopy and serum N-terminal pro-B-type natriuretic peptide, for mortality in hemodialysis patients. Archives of Medical Science, 2017, 5, 1121-1129.	0.4	15
284	Impact of Compression Stockings vs. Continuous Positive Airway Pressure on Overnight Fluid Shift and Obstructive Sleep Apnea among Patients on Hemodialysis. Frontiers in Medicine, 2017, 4, 57.	1.2	12
285	Measurement of Fluid Status Using Bioimpedance Methods in Korean Pediatric Patients on Hemodialysis. Journal of Korean Medical Science, 2017, 32, 1828.	1.1	25
286	Extracellular overhydration linked with endothelial dysfunction in the context of inflammation in haemodialysis dependent chronic kidney disease. PLoS ONE, 2017, 12, e0183281.	1.1	49
287	Blood volume-monitored regulation of ultrafiltration to decrease the dry weight in fluid-overloaded hemodialysis patients: a randomized controlled trial. BMC Nephrology, 2017, 18, 238.	0.8	33
288	Fluid status evaluation by inferior vena cava diameter and bioimpedance spectroscopy in pediatric chronic hemodialysis. BMC Nephrology, 2017, 18, 373.	0.8	17
289	A Systems Engineering Approach to Restoring Kidney Structure and Function. , 2017, , 769-784.		1
290	Acid-Base and Electrolyte Managements in Chronic Kidney Disease and End-Stage Renal Disease: Case-Based Discussion. Blood Purification, 2018, 45, 179-186.	0.9	10
291	Repeated Bioimpedance Measurements Predict Prognosis of Peritoneal Dialysis Patients. American Journal of Nephrology, 2018, 47, 120-129.	1.4	18
292	Cardiovascular and Patient Phenotype of Extended Haemodialysis: A Critical Analysis of Studying a Unique Patient Population. Blood Purification, 2018, 45, 356-363.	0.9	4
293	Does Ramadan Fasting Affect Hydration Status and Kidney Function in CKD Patients?. Annals of Nutrition and Metabolism, 2018, 72, 241-247.	1.0	25
294	Hydration and nutritional status in patients on homeâ€dialysis—A single centre study. Journal of Renal Care, 2018, 44, 142-151.	0.6	1
295	Time to Reconsider the Role of Relative Blood Volume Monitoring for Fluid Management in Hemodialysis. ASAIO Journal, 2018, 64, 812-818.	0.9	16
296	Hemodialysis: A model for extreme physiology in a vulnerable patient population. Seminars in Dialysis, 2018, 31, 500-506.	0.7	28
297	Bioimpedance Spectroscopy as a Practical Tool for the Early Detection and Prevention of Protein-Energy Wasting in Hemodialysis Patients. , 2018, 28, 324-332.		17
298	Greater fluid overload and lower interdialytic weight gain are independently associated with mortality in a large international hemodialysis population. Nephrology Dialysis Transplantation, 2018, 33, 1832-1842.	0.4	69
299	Associations of Peritoneal Glucose Load With Male Sexual Dysfunction and Depression in Peritoneal Dialysis Patients. Therapeutic Apheresis and Dialysis, 2018, 22, 380-388.	0.4	4
300	Impact of Systemic Volume Status on Cardiac Magnetic Resonance T1 Mapping. Scientific Reports, 2018, 8, 5572.	1.6	17

#	Article	IF	CITATIONS
301	Any grade of relative overhydration is associated with long-term mortality in patients with Stages 4 and 5 non-dialysis chronic kidney disease. CKJ: Clinical Kidney Journal, 2018, 11, 372-376.	1.4	9
302	Assessing Extracellular Volume in Hemodialysis Patients Using Intradialytic Blood Pressure Slopes. Nephron, 2018, 139, 120-130.	0.9	4
303	Fluid Overload and Inflammation Axis. Blood Purification, 2018, 45, 159-165.	0.9	49
304	Risk of overhydration and low lean tissue index as measured using a body composition monitor in patients on hemodialysis: a systemic review and meta-analysis. Renal Failure, 2018, 40, 51-59.	0.8	21
305	Use of Lung Ultrasound for the Assessment of Volume Status in CKD. American Journal of Kidney Diseases, 2018, 71, 412-422.	2.1	48
306	Assessing the hydration status of children with chronic kidney disease and on dialysis: a comparison of techniques. Nephrology Dialysis Transplantation, 2018, 33, 847-855.	0.4	37
307	Pre-dialysis fluid status, pre-dialysis systolic blood pressure and outcome in prevalent haemodialysis patients: results of an international cohort study on behalf of the MONDO initiative. Nephrology Dialysis Transplantation, 2018, 33, 2027-2034.	0.4	34
308	Bioimpedance in Biomedical Applications and Research. , 2018, , .		32
310	Serum nitric oxide level correlates with serum brain natriuretic peptide and whole blood viscosity in hemodialysis patients. Nitric Oxide - Biology and Chemistry, 2018, 77, 1-5.	1.2	1
311	Body Composition by Bioelectrical Impedance Analysis. , 2018, , 219-241.		4
312	Bioimpedance-defined overhydration predicts survival in end stage kidney failure (ESKF): systematic review and subgroup meta-analysis. Scientific Reports, 2018, 8, 4441.	1.6	80
313	Recording patient bodyweight in hospitals: are we doing well enough?. Internal Medicine Journal, 2018, 48, 124-128.	0.5	11
314	Overhydration, underhydration, and total body sodium: A tricky "ménage a trois―in dialysis patients. Seminars in Dialysis, 2018, 31, 21-25.	0.7	9
315	Body composition is associated with clinical outcomes in patients with non–dialysis-dependent chronic kidney disease. Kidney International, 2018, 93, 733-740.	2.6	56
316	Effect of Change in Fluid Status Evaluated by Bioimpedance Techniques on Body Composition in Hemodialysis Patients. , 2018, 28, 183-190.		9
317	Relevance of B-Lines on Lung Ultrasound in Volume Overload and Pulmonary Congestion: Clinical Correlations and Outcomes in Patients on Hemodialysis. CardioRenal Medicine, 2018, 8, 83-91.	0.7	29
318	Adjustment of target weight based on absolute blood volume reduces the frequency of intradialytic morbid events. Hemodialysis International, 2018, 22, 254-260.	0.4	19
319	Anything Goes? High Time for Smart Blood Volume Monitors. ASAIO Journal, 2018, 64, 697-700.	0.9	11

#	Article	IF	Citations
320	Prognostic value of pre-dialysis blood pressure and risk threshold on clinical outcomes in hemodialysis patients. Medicine (United States), 2018, 97, e13485.	0.4	8
322	Clinical usefulness of bioimpedance analysis for assessing volume status in patients receiving maintenance dialysis. Korean Journal of Internal Medicine, 2018, 33, 660-669.	0.7	42
323	The Necessity of Human Kidney and Artificial Kidneys for the Human Health. Journal of Kidney, 2018, 04,	0.1	1
325	Cardiovascular Disease in Dialysis Patients. , 0, , .		2
326	The relationship between hydration status, male sexual dysfunction and depression in hemodialysis patients. Therapeutics and Clinical Risk Management, 2018, Volume 14, 523-529.	0.9	10
327	Patient-Centered Approach for Hypertension Management in End-Stage Kidney Disease: Art or Science?. Seminars in Nephrology, 2018, 38, 355-368.	0.6	0
328	Clinical Outcome of Twice-Weekly Hemodialysis Patients with Long-Term Dialysis Vintage. Kidney and Blood Pressure Research, 2018, 43, 1104-1112.	0.9	13
329	Soluble CD146 and B-type natriuretic peptide dissect overhydration into functional components of prognostic relevance in haemodialysis patients. Nephrology Dialysis Transplantation, 2018, 33, 2035-2042.	0.4	17
330	Clinical Studies of Interventions to Mitigate Cardiovascular Risk in Peritoneal Dialysis Patients. Seminars in Nephrology, 2018, 38, 277-290.	0.6	24
331	Independent Association of Overhydration with All-Cause and Cardiovascular Mortality Adjusted for Global Left Ventricular Longitudinal Systolic Strain and E/E' Ratio in Maintenance Hemodialysis Patients. Kidney and Blood Pressure Research, 2018, 43, 1322-1332.	0.9	10
332	Association between OH/ECW and echocardiographic parameters in CKD5 patients not undergoing dialysis. PLoS ONE, 2018, 13, e0195202.	1.1	7
333	Effect of Strict Volume Control on Renal Progression and Mortality in Non-Dialysis-Dependent Chronic Kidney Disease Patients: A Prospective Interventional Study. Medical Principles and Practice, 2018, 27, 420-427.	1.1	13
334	Interactions Between Malnutrition, Inflammation, and Fluid Overload and Their Associations With Survival in Prevalent Hemodialysis Patients. , 2018, 28, 435-444.		41
335	Asymptomatic fluid overload predicts survival and cardiovascular event in incident Chinese peritoneal dialysis patients. PLoS ONE, 2018, 13, e0202203.	1.1	38
336	Perspectives on clinical use of bioimpedance in hemodialysis: focus group interviews with renal care professionals. BMC Nephrology, 2018, 19, 121.	0.8	7
337	Cardiorenal Interactions Revisited: How to Improve Heart Failure Outcomes in Patients With Chronic Kidney Disease. Current Heart Failure Reports, 2018, 15, 307-314.	1.3	12
338	Validating the use of bioimpedance spectroscopy for assessment of fluid status in children. Pediatric Nephrology, 2018, 33, 1601-1607.	0.9	31
339	Dry weight targeting: The art and science of conventional hemodialysis. Seminars in Dialysis, 2018, 31, 551-556.	0.7	29

#	Article	IF	Citations
340	Ultrafiltration rate in conventional hemodialysis: Where are the limits and what are the consequences?. Seminars in Dialysis, 2018, 31, 544-550.	0.7	8
341	Influencia de la concentración de calcio en el lÃquido de hemodiálisis sobre el control de la tensión arterial. Nefrologia, 2019, 39, 44-49.	0.2	3
342	Volume disorders and assessment. , 2019, , 487-500.		0
343	The " <i>Mikidney</i> ―smartphone app pilot study: Empowering patients with Chronic Kidney Disease. Journal of Renal Care, 2019, 45, 133-140.	0.6	16
344	Is Health Literacy of Dialyzed Patients Related to Their Adherence to Dietary and Fluid Intake Recommendations?. International Journal of Environmental Research and Public Health, 2019, 16, 4295.	1.2	18
345	Intra-Dialytic Hemoglobin Changes and Cardiovascular Events: A Cohort Study on Dialysis Outcomes and Practice Patterns in Japan. American Journal of Nephrology, 2019, 50, 272-280.	1.4	1
346	Is high-volume post-dilution haemodiafiltration associated with risk of fluid volume imbalance? A national multicentre cross-sectional cohort study. Nephrology Dialysis Transplantation, 2019, 34, 2089-2095.	0.4	9
347	Meta-Analysis of Randomized Controlled Trials Using Tool-Assisted Target Weight Adjustments in Chronic Dialysis Patients. Kidney International Reports, 2019, 4, 1426-1434.	0.4	21
348	Salt and Water Retention Is Associated with Microinflammation and Endothelial Injury in Chronic Kidney Disease. Nephron, 2019, 143, 234-242.	0.9	17
349	Associations between Hemodialysis Facility Practices to Manage Fluid Volume and Intradialytic Hypotension and Patient Outcomes. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 385-393.	2.2	50
350	Sodium and water handling during hemodialysis: new pathophysiologic insights and management approaches for improving outcomes in end-stage kidney disease. Kidney International, 2019, 95, 296-309.	2.6	44
351	Evolution Over Time of Volume Status and PD-Related Practice Patterns in an Incident Peritoneal Dialysis Cohort. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 882-893.	2.2	51
352	The association of overhydration with megafistulas in hemodialysis patients. Renal Failure, 2019, 41, 440-445.	0.8	4
353	A swan song for Kt/V _{urea} . Seminars in Dialysis, 2019, 32, 424-437.	0.7	26
354	The association of overhydration with chronic inflammation in chronic maintenance hemodiafiltration patients. Hemodialysis International, 2019, 23, 384-391.	0.4	11
355	Influence of calcium concentration in haemodialysis fluid on blood pressure control. Nefrologia, 2019, 39, 44-49.	0.2	3
356	Towards a generalizable method for detecting fluid intake with wrist-mounted sensors and adaptive segmentation. , 2019, 2019, 80-85.		17
357	Brain natriuretic peptide reflects individual variation in hydration status in hemodialysis patients. Hemodialysis International, 2019, 23, 402-413.	0.4	22

#	Article	IF	CITATIONS
358	Classification of Hydration in Clinical Conditions: Indirect and Direct Approaches Using Bioimpedance. Nutrients, 2019, 11, 809.	1.7	102
359	Use of body composition measurements to guide the assessment of dry weight in anuric dialysis patients: improvements in blood pressure control. Biochemistry and Biophysics Reports, 2019, 17, 191-196.	0.7	2
360	Does the intravascular volume status in haemodialysis patients measured by inferior vena cava ultrasound correlate with bioimpedance spectroscopy?. Journal of Clinical Nursing, 2019, 28, 2135-2146.	1.4	10
361	Blood volume analysis as a guide for dry weight determination in chronic hemodialysis patients: a crossover study. BMC Nephrology, 2019, 20, 47.	0.8	4
362	Combined Predictive Value of Extracellular Fluid/Intracellular Fluid Ratio and the Geriatric Nutritional Risk Index for Mortality in Patients Undergoing Hemodialysis. Nutrients, 2019, 11, 2659.	1.7	16
363	The Effect of Strict Volume Control Assessed by Repeated Bioimpedance Spectroscopy on Cardiac Function in Peritoneal Dialysis Patients. Scientific Reports, 2019, 9, 17679.	1.6	9
364	Feasibility of Assessing Sodium-Associated Body Fluid Composition in End-Stage Renal Disease. Nursing Research, 2019, 68, 246-252.	0.8	3
365	All-cause mortality in relation to changes in relative blood volume during hemodialysis. Nephrology Dialysis Transplantation, 2019, 34, 1401-1408.	0.4	30
366	Relationship Between Leptin Level, Inflammation, and Volume Status in Maintenance Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2019, 23, 59-64.	0.4	6
367	Role of Lung Ultrasound in Adjusting Ultrafiltration Volume in Hemodialysis Patients. Ultrasound in Medicine and Biology, 2019, 45, 732-740.	0.7	10
368	Inflammation in Chronic Kidney Disease. , 2019, , 208-223.e9.		0
369	Hypertension in patients on dialysis: diagnosis, mechanisms, and management. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2019, 41, 400-411.	0.4	26
370	Sex-specific analysis of haemodialysis prevalence, practices and mortality over time: the Austrian Dialysis Registry from 1965 to 2014. Nephrology Dialysis Transplantation, 2019, 34, 1026-1035.	0.4	18
371	An analysis of the impact of fluid overload and fluid depletion for all-cause and cardiovascular mortality. Nephrology Dialysis Transplantation, 2019, 34, 1385-1393.	0.4	20
372	Frequent Hemodialysis. , 2019, , 427-436.e4.		1
373	Coffee consumption in hemodialysis patients: how many?. European Journal of Clinical Nutrition, 2019, 73, 924-929.	1.3	4
374	Body Fluids in End-Stage Renal Disease: Statics and Dynamics. Blood Purification, 2019, 47, 223-229.	0.9	14
375	Evaluation of factors affecting time to achieve dry weight among hemodialysis patients using bioimpedance spectroscopy. Irish Journal of Medical Science, 2019, 188, 311-319.	0.8	3

#	Article	IF	CITATIONS
376	Is N-terminal pro-brain natriuretic peptide a reliable marker for body fluid status in children with chronic kidney disease?. Archives of Medical Science, 2020, 16, 802-810.	0.4	12
377	The new marker YKL-40, a molecule related to inflammation, is associated with cardiovascular events in stable haemodialysis patients. CKJ: Clinical Kidney Journal, 2020, 13, 172-178.	1.4	5
378	Are Currently Used Bioimpedance Methods in Hemodialysis Comparable for Calculating Dialysis Dose?. Therapeutic Apheresis and Dialysis, 2020, 24, 154-162.	0.4	0
379	Bioimpedance Spectroscopyâ€Based Fluid Status in Combined Dialysis Compared With Hemodialysis and Peritoneal Dialysis: A Crossâ€6ectional Study. Therapeutic Apheresis and Dialysis, 2020, 24, 373-379.	0.4	7
380	Risk stratification for patients awaiting kidney transplantation: Role of bioimpedance derived edema index and nutrition status. Clinical Nutrition, 2020, 39, 2759-2763.	2.3	15
381	Using Bioimpedance Spectroscopy to Assess Volume Status in Dialysis Patients. Blood Purification, 2020, 49, 178-184.	0.9	38
382	Relationship of serum magnesium level with body composition and survival in hemodialysis patients. Hemodialysis International, 2020, 24, 99-107.	0.4	4
383	Fluid management in chronic kidney disease: what is too much, what is the distribution, and how to manage fluid overload in patients with chronic kidney disease?. Current Opinion in Nephrology and Hypertension, 2020, 29, 572-580.	1.0	5
384	Serum levels of protein carbonyl, a marker of oxidative stress, are associated with overhydration, sarcopenia and mortality in hemodialysis patients. BMC Nephrology, 2020, 21, 281.	0.8	36
385	Volume overload in hemodialysis: diagnosis, cardiovascular consequences, and management. Nephrology Dialysis Transplantation, 2021, 36, 2182-2193.	0.4	45
386	Clinical efficacy of biomarkers for evaluation of volume status in dialysis patients. Medicine (United) Tj ETQq0 0 (ΩrgBT /Ον 9.4	erlgck 10 Tf
387	Non-contact vital-sign monitoring of patients undergoing haemodialysis treatment. Scientific Reports, 2020, 10, 18529.	1.6	18
388	Clinical and predictive value of simplified creatinine index used as muscle mass surrogate in end-stage kidney disease haemodialysis patients—results from the international MONitoring Dialysis Outcome initiative. Nephrology Dialysis Transplantation, 2020, 35, 2161-2171.	0.4	39
389	Treatment-resistant hypertension in the hemodialysis population: a 44-h ambulatory blood pressure monitoring-based study. Journal of Hypertension, 2020, 38, 1849-1856.	0.3	15
390	Impact of extracellularâ€ŧoâ€intracellular fluid volume ratio on albuminuria in patients with typeÂ2 diabetes: A crossâ€sectional and longitudinal cohort study. Journal of Diabetes Investigation, 2021, 12, 1202-1211.	1.1	11
391	Comparative Performance of Body Composition Parameters in Prediction of Death in Hospitalized Patients on Maintenance Hemodialysis: A Cohort Study. Scientific Reports, 2020, 10, 10199.	1.6	4
392	Association of predialysis serum sodium level with fluid status in patients on maintenance hemodialysis. International Urology and Nephrology, 2020, 52, 1571-1579.	0.6	2
393_	Fluid overload is associated with use of a higher number of antihypertensive drugs in hemodialysis	0.4	6

#	Article	IF	CITATIONS
394	Feedback control of absolute blood volume: A new technical approach in hemodialysis. Hemodialysis International, 2020, 24, 344-350.	0.4	10
395	Low Predialysis Plasma Calculated Osmolality Is Associated with Higher All-Cause Mortality: The Japanese Dialysis Outcomes and Practice Patterns Study (J-DOPPS). Nephron, 2020, 144, 138-146.	0.9	6
396	Intravascular volumes evaluated by a carbon monoxide rebreathing method in patients undergoing chronic hemodialysis. Hemodialysis International, 2020, 24, 252-260.	0.4	8
397	Three compartment bioimpedance spectroscopy in the nutritional assessment and the outcome of patients with advanced or end stage kidney disease: What have we learned so far?. Hemodialysis International, 2020, 24, 148-161.	0.4	20
398	Association between extracellular volume control and survival in patients on short daily haemodialysis. BMC Nephrology, 2020, 21, 153.	0.8	5
399	Uncertainties in BP management in dialysis patients. Seminars in Dialysis, 2020, 33, 223-235.	0.7	6
400	The effect of BCM guided dry weight assessment on short-term survival in Chinese hemodialysis patients. BMC Nephrology, 2020, 21, 135.	0.8	7
402	Vascular endothelial growth factor D is a biomarker of fluid overload in haemodialysis patients. Nephrology Dialysis Transplantation, 2021, 36, 529-536.	0.4	5
403	Lung ultrasound and BNP to detect hidden pulmonary congestion in euvolemic hemodialysis patients: a single centre experience. BMC Nephrology, 2021, 22, 36.	0.8	11
404	Extracellular water/total body water ratio as predictor of mortality in hemodialysis patients. Renal Failure, 2021, 43, 821-829.	0.8	11
405	Difference in Cerebral and Hepatic Oxygenation in Response to Ultrafiltration in a Hemodialysis Patient With Congestive Heart Failure. Cureus, 2021, 13, e13023.	0.2	1
406	Application of survival classification and regression tree analysis for identification of subgroups of risk in patients with heart failure and reduced left ventricular ejection fraction. International Journal of Cardiovascular Imaging, 2021, 37, 1853-1861.	0.7	3
407	Comparison of nutritional and hydration status in patients undergoing twice and thrice-weekly hemodialysis: a silent drama in developing countries. International Urology and Nephrology, 2021, 53, 571-581.	0.6	2
408	Body composition and ventricular function in hemodialysis patients. Seminars in Dialysis, 2021, 34, 285-291.	0.7	1
409	Diagnostic performance of pulmonary ultrasonography and a clinical score for the evaluation of fluid overload in haemodialysis patients. Nephrologie Et Therapeutique, 2021, 17, 42-49.	0.2	3
410	Association of N-Terminal Pro-brain Natriuretic Peptide With Volume Status and Cardiac Function in Hemodialysis Patients. Frontiers in Cardiovascular Medicine, 2021, 8, 646402.	1.1	6
411	Are there any further modalities for prediction of subclinical volume overload in advanced stages of chronic kidney disease?. Kidney Research and Clinical Practice, 2021, 40, 143-152.	0.9	2
412	Physical examination for the detection of hypervolemia among patients on chronic dialysis: A diagnosticâ€ŧest study. Hemodialysis International, 2021, 25, 391-398.	0.4	2

#	Article	IF	CITATIONS
413	Effect of volume indices of bioimpedance analysis on clinical outcomes, including left ventricular hypertrophy, in patients undergoing peritoneal dialysis. Kidney Research and Clinical Practice, 2021, 40, 6-8.	0.9	0
414	Ratio of Overhydration and Extracellular Water Versus Ratio of Extracellular Water and Body Cell Mass in the Assessment of Fluid Status in Patients With Acute Kidney Injury Requiring Kidney Replacement Therapy: A Cohort Study. , 2022, 32, 152-160.		3
415	Bioimpedance analysis is not superior to clinical assessment in determining hydration status: A prospective randomizedâ€controlled trial in a Western dialysis population. Hemodialysis International, 2021, 25, 380-390.	0.4	4
416	A novel approach to dry weight adjustments for dialysis patients using machine learning. PLoS ONE, 2021, 16, e0250467.	1.1	8
417	Relationship between sodium removal, hydration and outcomes in peritoneal dialysis patients. Nephrology, 2021, 26, 676-683.	0.7	1
418	Cost-effectiveness and value of information analysis of multiple frequency bioimpedance devices for fluid management in people with chronic kidney disease having dialysis. Cost Effectiveness and Resource Allocation, 2021, 19, 24.	0.6	2
419	Can Inferior Vena Cava Diameter and Collapsibility Index Be a Predictor in Detecting Preoperative Intravascular Volume Change in Pediatric Patients?. Journal of Cardiovascular Emergencies, 2021, 7, 47-51.	0.1	0
420	Tasa de ultrafiltración horaria ajustada a peso corporal y mortalidad en hemodiálisis. Nefrologia, 2021, 41, 426-435.	0.2	3
421	Usefulness of foot-to-foot bioimpedance analysis for assessing volume status in chronic hemodialysis patients at the Aristide Le Dantec University Hospital (Senegal). Journal of Clinical Nephrology, 2021, 5, 056-060.	0.1	0
422	Effect of bioimpedance-defined overhydration parameters on mortality and cardiovascular events in patients undergoing dialysis: a systematic review and meta-analysis. Journal of International Medical Research, 2021, 49, 030006052110310.	0.4	12
423	Reduction of Tissue Na+ Accumulation After Renal Transplantation. Kidney International Reports, 2021, 6, 2338-2347.	0.4	11
424	A new technique for the detection of dry weight in hemodialysis patients: Estimated pulmonary capillary wedge pressure. A tissue Doppler imaging study. Nefrologia, 2022, 42, 471-480.	0.2	0
425	Volume Balance in Chronic Kidney Disease: Evaluation Methodologies and Innovation Opportunities. Kidney and Blood Pressure Research, 2021, 46, 396-410.	0.9	5
426	B-type natriuretic peptide levels and volume status in twice-weekly hemodialysis patients. Renal Failure, 2021, 43, 1259-1265.	0.8	5
427	Chronic PD in Children: Prescription, Management, and Complications. , 2016, , 1675-1703.		1
428	Interplay of volume, blood pressure, organ ischemia, residual renal function, and diet: certainties and uncertainties with dialytic management. Seminars in Dialysis, 2017, 30, 420-429.	0.7	17
429	Use of Multifrequency Bioimpedance Analysis in Male Patients with Acute Kidney Injury Who Are Undergoing Continuous Veno-Venous Hemodiafiltration. PLoS ONE, 2015, 10, e0133199.	1.1	29
430	Extracellular Fluid/Intracellular Fluid Volume Ratio as a Novel Risk Indicator for All-Cause Mortality and Cardiovascular Disease in Hemodialysis Patients. PLoS ONE, 2017, 12, e0170272.	1.1	57

#	Article	IF	CITATIONS
431	Body Composition Changes in Hemodialysis Patients: Implications for Prognosis. Enliven Nephrology and Renal Studies, 2014, 01, .	0.0	2
432	NT‑proBNP: a biomarker with new potential application. Polish Archives of Internal Medicine, 2015, 125, 509-510.	0.3	3
433	Assessment and Management of Volume Overload Among Patients on Chronic Dialysis. Current Vascular Pharmacology, 2020, 19, 34-40.	0.8	3
434	Limitations of Existing Dialysis Diet Apps in Promoting User Engagement and Patient Self-Management: Quantitative Content Analysis Study. JMIR MHealth and UHealth, 2020, 8, e13808.	1.8	8
435	Numerical expression of volume status using the bioimpedance ratio in continuous ambulatory peritoneal dialysis patients: A pilot study. Kidney Research and Clinical Practice, 2017, 36, 290-295.	0.9	3
436	Nutritional status and overhydration: can bioimpedance spectroscopy be useful in haemodialysis patients?. Nefrologia, 2013, 33, 667-74.	0.2	25
437	Sodium set-point in haemodialysis: is it what we see clinically?. Nefrologia, 2013, 33, 808-15.	0.2	5
438	Study on overhydration in dialysis patients and its association with inflammation. Nefrologia, 2014, 34, 579-83.	0.2	19
439	Clinical, analytical and bioimpedance characteristics of persistently overhydrated haemodialysis patients. Nefrologia, 2014, 34, 716-23.	0.2	7
441	Multiple-frequency bioimpedance devices for fluid management in people with chronic kidney disease receiving dialysis: a systematic review and economic evaluation. Health Technology Assessment, 2018, 22, 1-138.	1.3	27
442	Chest Ultrasound as a New Tool for Assessment of Volume Status in Hemodialysis Patients. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2020, 31, 805.	0.4	4
443	Bioimpedance spectroscopy-guided ultrafiltration normalizes hydration and reduces intradialytic adverse events in hemodialysis patients. Indian Journal of Nephrology, 2019, 29, 1.	0.2	10
444	Determination of Volume Overload by Bioelectrical Impedance Analysis and NT-ProBNP in Diabetic Pre-dialysis Patients. Acta Endocrinologica, 2016, 12, 19-25.	0.1	2
445	Effects of different dialysate calcium concentrations on intradialysis hemodynamic stability. Journal of Nephrology, 2012, 25, 506-514.	0.9	5
446	Is overhydration in peritoneal dialysis patients associated with cardiac mortality that might be reversible?. World Journal of Nephrology, 2016, 5, 448.	0.8	16
447	Biomarkers in Chronic Kidney Disease - The Linkage Between Inflammation, Ventricular Dysfunction and Overhydration. , 0, , .		1
448	Body Fat Plays an Important Role in of Bioimpedance Spectroscopy-Based Dry Weight Measurement Error for Patients with Hemodialysis. Diagnostics, 2021, 11, 1907.	1.3	0
449	Extrakorporale Blutreinigungssysteme. , 2011, , 495-514.		1

#	Article	IF	CITATIONS
451	Applications of Bioimpedance to End Stage Renal Disease (ESRD). Studies in Computational Intelligence, 2013, , 689-769.	0.7	8
452	Los efectos de una intervención educativa sobre la ingesta de sal para disminuir la sobrehidratación y la hipertensión arterial en pacientes con hemodiálisis. Enfermeria Nefrologica, 0, 16, 87-88.	0.3	1
453	ÜREMİK TOKSİKLERİN TEMİZLENMESİNDE DİYALİZ VE ONLİNE HEMODİAFİLTRASYONUN KARÅ [Comparison of hemodialysis and online hemodiafiltration in removal of uremic toxins]. Zeynep Kamil Tip Bulteni, 2014, 45, 178.	ÅžILAÅžTII 0.1	RILMASI O
454	Valoración de la eficacia de la consulta de enfermerÃa en relación a la kalemia y la ganancia ponderal del paciente en hemodiálisis. Enfermeria Nefrologica, 2014, 17, 175-185.	0.3	Ο
455	Relationship of abdominal aortic calcification documented by abdominal plain X-ray at the onset of congestive heart failure and overall mortality in chronic hemodialysis patients. Nihon Toseki Igakkai Zasshi, 2015, 48, 295-301.	0.2	1
456	Blutreinigungssysteme. , 2015, , 1-26.		0
457	Blutreinigungssysteme. , 2017, , 505-530.		0
458	The relevance of dry weight estimation by electrical bioimpedance in dialysed children and adolescents. Annales Academiae Medicae Silesiensis, 2017, 71, 66-72.	0.1	0
459	The Relationship Between Bioimpedance-Measured Volume and Nutritional Parameters and Mortality in Hemodialysis Patients. Turkish Nephrology, Dialysis and Transplantation Journal, 2017, 26, .	0.0	2
460	Impact of hemodialysis on the state of water compartments in CKD VD patients. Ukrainian Journal of Nephrology and Dialysis, 2019, , 24-32.	0.0	Ο
461	Clinical Relevance of Fluid Volume Status Assessment by Bioimpedance Spectroscopy in Children Receiving Maintenance Hemodialysis or Peritoneal Dialysis. Journal of Clinical Medicine, 2021, 10, 79.	1.0	4
462	Ultrafiltration and other treatments of volume overload in congestive heart failure. , 2020, , 129-151.		0
463	Ultrafiltration rate adjusted to body weight and mortality in hemodialysis patients. Nefrologia, 2021, 41, 426-435.	0.2	0
464	Association between Dialysis Adequacy and Cognition in Patients with Peritoneal Dialysis. Psychiatry Investigation, 2020, 17, 1143-1148.	0.7	2
465	Prevalence of adherence to fluid restriction in kidney patients in haemodialysis: objective indicator and perceived compliance. Nefrologia, 2012, 32, 477-85.	0.2	9
466	Bioimpedance and echocardiography used interchangeably in volume comparison of dialysis patients. Hippokratia, 2012, 16, 329-34.	0.3	5
467	The impact of sub-clinical over-hydration on left ventricular mass in peritoneal dialysis patients. International Journal of Clinical and Experimental Medicine, 2015, 8, 5890-6.	1.3	10
468	Bioimpedance spectroscopy method to determine hypervolemia in maintenance hemodialysis patients. Hippokratia, 2015, 19, 324-31.	0.3	2

#	Article	IF	CITATIONS
469	Role of the new bioimpedance monitoring device (Seca®) in assessing dry weight in hemodialysis patients. Clinical and Experimental Nephrology, 2022, 26, 460.	0.7	1
470	Blood Volume Monitoring: A Clinical Tool to Guide Ultrafiltration in Volume Control and Optimisation of Intradialytic Blood Pressure. , 0, , 70-78.		1
471	Annual change in the extracellular fluid/intracellular fluid ratio and mortality in patients undergoing maintenance hemodialysis. Scientific Reports, 2022, 12, 242.	1.6	3
473	Inter- and intradialytic fluid volume changes and vascular stiffness parameters in patients on hemodialysis. PLoS ONE, 2022, 17, e0262519.	1.1	1
474	Progress in volume assessment for the hemodialysis patients. Journal of Central South University (Medical Sciences), 2021, 46, 759-766.	0.1	1
475	A Comparison of SARC-F, Calf Circumference, and Their Combination for Sarcopenia Screening among Patients Undergoing Peritoneal Dialysis. Nutrients, 2022, 14, 923.	1.7	10
476	Consistency of the estimated target weights and ECW/TBW using BIA after hemodialysis in patients between standing and lying-down positions. BMC Nephrology, 2022, 23, 106.	0.8	5
477	Personalized wearable electrodermal sensing-based human skin hydration level detection for sports, health and wellbeing. Scientific Reports, 2022, 12, 3715.	1.6	8
478	Point-of-Care Ultrasound (POCUS) for Dialysis Patients: A Step Forward. Kidney and Dialysis, 2022, 2, 140-152.	0.5	0
479	Prevalence of fluid overload in an urban <scp>US</scp> hemodialysis population: A crossâ€sectional study. Hemodialysis International, 2022, 26, 264-273.	0.4	5
480	Accuracy of Bioimpedance Spectroscopy in the Detection of Hydration Changes in Patients on Hemodialysis. , 2023, 33, 193-200.		1
481	Home-delivered meals as an adjuvant to improve volume overload and clinical outcomes in hemodialysis. CKJ: Clinical Kidney Journal, 2022, 15, 1829-1837.	1.4	1
482	The Extracellular Mass to Body Cell Mass Ratio as a Predictor of Mortality Risk in Hemodialysis Patients. Nutrients, 2022, 14, 1659.	1.7	4
483	Bioimpedance spectroscopy: Is a picture worth a thousand words?. Seminars in Dialysis, 2022, , .	0.7	2
484	Echocardiographic impact of hydration status in dialysis patients. Nefrologia, 2012, 32, 94-102.	0.2	13
485	Changes in body composition parameters in patients on haemodialysis and peritoneal dialysis. Nefrologia, 2012, 32, 108-13.	0.2	13
486	Analysis of concordance between the bioelectrical impedance vector analysis and the bioelectrical impedance spectroscopy in haemodialysis patients. Nefrologia, 2012, 32, 389-95.	0.2	6
487	Investigation of the Relationship between Lean Muscle Mass and Erythropoietin Resistance in Maintenance Haemodialysis Patients: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 5704.	1.2	1

#	ARTICLE	IF	Citations
488	New aspects in cardiorenal syndrome and HFpEF. CKJ: Clinical Kidney Journal, 2022, 15, 1807-1815.	1.4	7
489	Identification of fluid overload in elderly patients with chronic kidney disease using bioimpedance techniques. Journal of Applied Physiology, 2022, 133, 205-213.	1.2	1
492	Benefits of BNP/NT-proBNP serum level evaluation for dry weight adjustment in pediatric hemodialysis patients. Pediatric Nephrology, 0, , .	0.9	0
493	Predictors and prognostic significance of persistent fluid overload: A longitudinal study in Chinese peritoneal dialysis patients. Peritoneal Dialysis International, 2023, 43, 252-262.	1.1	4
494	The impact of chronic pre-dialysis hyponatremia on clinical outcomes in maintenance hemodialysis patients. International Urology and Nephrology, 2022, 54, 3221-3232.	0.6	1
495	Concordance between bio-impedance analysis and clinical score in fluid-status assessment of maintenance haemodialysis patients: A single centre experience. World Journal of Nephrology, 2022, 11, 127-138.	0.8	0
496	The predictive value of bioimpedance-derived fluid parameters for cardiovascular events in patients undergoing hemodialysis. Renal Failure, 2022, 44, 1192-1200.	0.8	2
497	Bioelectrical impedance analysis versus physician adjustment in acute kidney injury patients to reduce intradialytic hypotension: A randomized controlled trial. Annals of Medicine and Surgery, 2022, 80, .	0.5	0
498	Association between phase angle and coronary artery calcium score in patients on peritoneal dialysis. Frontiers in Nutrition, 0, 9, .	1.6	1
499	Hydration status according to impedance vectors and its association with clinical and biochemical outcomes and mortality in patients with chronic kidney disease. Nutricion Hospitalaria, 2022, , .	0.2	1
501	Bioimpedance Indices of Fluid Overload and Cardiorenal Outcomes in Heart Failure and Chronic Kidney Disease: a Systematic Review. Journal of Cardiac Failure, 2022, 28, 1628-1641.	0.7	12
502	High Inferior Vena Cava Diameter with High Left Ventricular End Systolic Diameter as a Risk Factor for Major Adverse Cardiovascular Events, Cardiovascular and Overall Mortality among Chronic Hemodialysis Patients. Journal of Clinical Medicine, 2022, 11, 5485.	1.0	2
503	Prevalence of Overhydration in Patients on Maintenance Haemodialysis As Determined by Body Composition Monitor and Effects of Attaining Target Dry Weight. Cureus, 2022, , .	0.2	0
504	Multifrequency bioimpedance by spectroscopy vs. routine methods in the management of hydration status in peritoneal dialysis patients: A randomized control trial. Frontiers in Medicine, 0, 9, .	1.2	0
505	Portable sauna stimulated-diaphoresis for the treatment of fluid-overload in peritoneal dialysis patients: A pilot study. Frontiers in Medicine, 0, 9, .	1.2	0
506	A comparison of fluid status determination using bioelectric impedance and the isotope dilution method in hemodialysis and peritoneal dialysis patients. Renal Failure, 2022, 44, 1698-1707.	0.8	0
507	Left Ventricular Diastolic Dysfunction in Chronic Kidney Disease Patients Not Treated with Dialysis. Nutrients, 2022, 14, 4664.	1.7	2
509	A new technique for the detection of dry weight in hemodialysis patients: Estimated pulmonary capillary wedge pressure. A tissue Doppler imaging study. Nefrologia, 2022, 42, 471-480.	0.2	0

#	Article	IF	CITATIONS
510	Bioimpedanciometria em avaliações nutricionais e de hidratação em um único centro de diálise. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2023, 45, 277-286.	0.4	0
511	Bioimpedanciometry in nutritional and hydration assessments in a single dialysis center. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2023, 45, 277-286.	0.4	1
512	Association of serum osmolality with all-cause and cardiovascular mortality in US adults: A prospective cohort study. Nutrition, Metabolism and Cardiovascular Diseases, 2023, 33, 844-852.	1.1	1
513	The significance of volume overload in the development of pulmonary arterial hypertension in continuous ambulatory peritoneal dialysis patients. Therapeutic Apheresis and Dialysis, 2023, 27, 760-770.	0.4	2
514	The role of plasma volume and fluid overload in the tolerance to ultrafiltration and hypotension in hemodialysis patients. Renal Failure, 2023, 45, .	0.8	1
515	Ultrafiltrationâ€induced decrease in relative blood volume is larger in hemodialysis patients with low specific blood volume: Results from a dialysate bolus administration study. Hemodialysis International, 0, , .	0.4	0
516	Hyponatraemia and fluid overload are associated with higher risk of mortality in dialysis patients. Nephrology Dialysis Transplantation, 2023, 38, 2248-2256.	0.4	1
517	Visit-to-visit ultrafiltration volume variability predicts all-cause mortality in patients receiving hemodialysis. Renal Failure, 2023, 45, .	0.8	0
518	Feasibility and effect of emotional freedom therapy on sleep quality in patients with end-stage renal disease receiving maintenance hemodialysis: A pilot study. Geriatric Nursing, 2023, 51, 112-120.	0.9	0
519	Reliability and validity of the Patient Generated Index (PGI) in patients with chronic kidney disease (CKD) on dialysis, a new approach to quality of life. Disability and Rehabilitation, 2024, 46, 773-782.	0.9	0
520	Role of Lung Ultrasound in the Assessment of Hydration Status of Chronic Haemodialysis Patients. Open Journal of Radiology, 2023, 13, 1-16.	0.1	0
521	Utility of Bedside Lung Ultrasound in the Assessment of Volume Status in Patients on Chronic Haemodialysis. EMJ Radiology, 0, , .	0.0	0
522	Ratio of extracellular water to intracellular water and simplified creatinine index as predictors of all-cause mortality for patients receiving hemodialysis. PLoS ONE, 2023, 18, e0282864.	1.1	4
523	Combining bioimpedance and clinical assessment for individualised fluid management in haemodialysis. Journal of Kidney Care, 2023, 8, 70-76.	0.1	0