

CITATION REPORT

List of articles citing

ERK phosphorylation mediates sildenafil-induced myocardial protection against ischemia-reperfusion injury in mice

DOI: 10.1152/ajpheart.00100.2009

American Journal of Physiology - Heart and Circulatory Physiology, 2009, 296, H1236-43.

Source: <https://exaly.com/paper-pdf/45727111/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
114	How does Viagra protect the ischemic heart?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 296, H1209-10	5.2	1
113	Pretreatment of sildenafil attenuates ischemia-reperfusion renal injury in rats. 2009 , 297, F362-70		90
112	Sildenafil [®] protective effect against cardiac hypertrophy. 2009 , 2, 323-7		2
111	Phosphodiesterase 5 inhibitors: are they cardioprotective?. 2009 , 83, 204-12		29
110	Sildenafil citrate augments myocardial protection in heart transplantation. 2010 , 89, 169-77		16
109	Chronic acetaminophen attenuates age-associated increases in cardiac ROS and apoptosis in the Fischer Brown Norway rat. 2010 , 105, 535-44		22
108	Beta(2)-adrenoceptor agonist clenbuterol reduces infarct size and myocardial apoptosis after myocardial ischaemia/reperfusion in anaesthetized rats. 2010 , 160, 1561-72		32
107	Curcumin prevents cardiac remodeling secondary to chronic renal failure through deactivation of hypertrophic signaling in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H975-84	5.2	39
106	Cardioprotective actions of cyclic GMP: lessons from genetic animal models. 2010 , 55, 453-8		3
105	Decreased activity of the Na ⁺ /H ⁺ exchanger by phosphodiesterase 5A inhibition is attributed to an increase in protein phosphatase activity. 2010 , 56, 690-5		19
104	Mitochondrial kinase signalling pathways in myocardial protection from ischaemia/reperfusion-induced necrosis. 2010 , 88, 7-15		96
103	cGMP-dependent protein kinases and cGMP phosphodiesterases in nitric oxide and cGMP action. 2010 , 62, 525-63		677
102	Sildenafil increases chemotherapeutic efficacy of doxorubicin in prostate cancer and ameliorates cardiac dysfunction. 2010 , 107, 18202-7		116
101	Transient hypoxia induces ERK-dependent anti-apoptotic cell survival in endothelial cells. 2010 , 298, C1501-9		23
100	Single administration of the CXC chemokine-binding protein Evasin-3 during ischemia prevents myocardial reperfusion injury in mice. 2010 , 30, 1371-7		65
99	Mitogen-activated protein kinase signaling in the heart: angels versus demons in a heart-breaking tale. 2010 , 90, 1507-46		519
98	Periodic acceleration (pGz) prior to whole body ischemia reperfusion injury provides early cardioprotective preconditioning. 2010 , 86, 707-15		14

97	Alterations in mitochondrial function as a harbinger of cardiomyopathy: lessons from the dystrophic heart. 2010 , 48, 310-21	39
96	Netrin-1 prevents ischemia/reperfusion-induced myocardial infarction via a DCC/ERK1/2/eNOS s1177/NO/DCC feed-forward mechanism. 2010 , 48, 1060-70	65
95	Investigational noncardiovascular uses of phosphodiesterase-5 inhibitors. 2011 , 12, 2297-313	12
94	Phosphodiesterase inhibition in heart failure. 2011 , 237-49	27
93	Roles of the nitric oxide signaling pathway in cardiac ischemic preconditioning against myocardial ischemia-reperfusion injury. 2011 , 17, RA44-52	41
92	ROS and RNS signaling in heart disorders: could antioxidant treatment be successful?. 2011 , 2011, 293769	64
91	Are phosphodiesterase type 5 inhibitors associated with vision-threatening adverse events? A critical analysis and review of the literature. 2011 , 8, 2894-903	55
90	Overexpression of cGMP-dependent protein kinase I (PKG-I) attenuates ischemia-reperfusion-induced kidney injury. 2012 , 302, F561-70	19
89	Serpins: role in granule biogenesis, inhibition of cell death and cardiac function. 2012 , 19, 4086-92	7
88	Fibroblast growth factor-2-induced cardioprotection against myocardial infarction occurs via the interplay between nitric oxide, protein kinase signaling, and ATP-sensitive potassium channels. 2012 , 30, 124-39	9
87	The novel chromogranin A-derived serpinin and pyroglutaminated serpinin peptides are positive cardiac β adrenergic-like inotropes. 2012 , 26, 2888-98	37
86	Phosphodiesterases and cyclic GMP regulation in heart muscle. 2012 , 27, 248-58	38
85	Rapamycin protects against myocardial ischemia-reperfusion injury through JAK2-STAT3 signaling pathway. 2012 , 53, 858-69	99
84	Cytoprotective regulation of the mitochondrial permeability transition pore is impaired in type 2 diabetic Goto-Kakizaki rat hearts. 2012 , 53, 870-9	14
83	Ginsenoside Rg1 protection against β myloid peptide-induced neuronal apoptosis via estrogen receptor α and glucocorticoid receptor-dependent anti-protein nitration pathway. 2012 , 63, 349-61	52
82	Nitric oxide preserves XIAP and reduces hypoxia/reoxygenation-induced cardiomyocytes apoptosis via ERK1/2 activation. 2012 , 421, 134-9	4
81	Neuroprotective effect of early and short-time applying sophoridine in pMCAO rat brain: down-regulated TRAF6 and up-regulated p-ERK1/2 expression, ameliorated brain infarction and edema. 2012 , 88, 379-84	22
80	Effects of sildenafil and/or muscle derived stem cells on myocardial infarction. 2012 , 10, 159	13

79	Signaling of endothelial cytoprotection in transplantation. 2012 , 73, 1245-52		6
78	Cyclic guanosine monophosphate signaling and phosphodiesterase-5 inhibitors in cardioprotection. 2012 , 59, 1921-7		58
77	ST-segment elevation myocardial infarction in a 37-year-old man with normal coronaries--it is not always cocaine!. 2012 , 30, 2091.e3-5		31
76	A key role of toll-like receptor 3 in tissue factor activation through extracellular signal regulated kinase 1/2 pathway in a murine hypoxia model. 2012 , 49, 92-101		12
75	Anti-inflammatory and cardioprotective effects of tadalafil in diabetic mice. <i>PLoS ONE</i> , 2012 , 7, e45243 3-7		65
74	Role of Mitogen-Activated Protein Kinases in Myocardial Ischemia-Reperfusion Injury during Heart Transplantation. 2012 , 2012, 928954		36
73	Leptin relieves intestinal ischemia/reperfusion injury by promoting ERK1/2 phosphorylation and the NO signaling pathway. 2012 , 72, 143-9		14
72	Sildenafil promotes neuroprotection of the pelvic ganglia neurones after bilateral cavernosal nerve resection in the rat. 2013 , 111, 159-70		21
71	Pharmacological postconditioning by bolus injection of phosphodiesterase-5 inhibitors vardenafil and sildenafil. 2013 , 379, 43-9		10
70	Addition of vardenafil into storage solution protects the endothelium in a hypoxia-reoxygenation model. 2013 , 46, 242-8		13
69	The ERK1/2 signaling pathway is involved in sulfur dioxide preconditioning-induced protection against cardiac dysfunction in isolated perfused rat heart subjected to myocardial ischemia/reperfusion. 2013 , 14, 22190-201		13
68	Ginsenoside RK3 Prevents Hypoxia-Reoxygenation Induced Apoptosis in H9c2 Cardiomyocytes via AKT and MAPK Pathway. 2013 , 2013, 690190		40
67	The safety of preoperative vardenafil in patients undergoing coronary artery bypass graft surgery. 2013 , 62, 106-9		3
66	Inhibition of ERK1/2 worsens intestinal ischemia/reperfusion injury. <i>PLoS ONE</i> , 2013 , 8, e76790 3-7		22
65	Oxidative stress induced mitochondrial protein kinase A mediates cytochrome c oxidase dysfunction. <i>PLoS ONE</i> , 2013 , 8, e77129 3-7		44
64	Hyperglycemia-induced inhibition of DJ-1 expression compromised the effectiveness of ischemic postconditioning cardioprotection in rats. 2013 , 2013, 564902		22
63	Novel approaches and opportunities for cardioprotective signaling through 3'Rcyclic guanosine monophosphate manipulation. 2014 , 19, 269-82		16
62	Hyperthermia differently affects connexin43 expression and gap junction permeability in skeletal myoblasts and HeLa cells. 2014 , 2014, 748290		10

61	Bilirubin rinse of the graft ameliorates ischemia reperfusion injury in heart transplantation. 2014 , 27, 504-13		10
60	PDE5 inhibitors enhance the lethality of standard of care chemotherapy in pediatric CNS tumor cells. 2014 , 15, 758-67		41
59	ZFP580, a novel zinc-finger transcription factor, is involved in cardioprotection of intermittent high-altitude hypoxia against myocardial ischemia-reperfusion injury. <i>PLoS ONE</i> , 2014 , 9, e94635	3.7	16
58	Sildenafil citrate in a donation after circulatory death experimental model of renal ischemia-reperfusion injury. 2014 , 98, 612-7		6
57	Time-varying causal inference from phosphoproteomic measurements in macrophage cells. 2014 , 8, 74-86		4
56	Phosphodiesterase 5 inhibitors enhance chemotherapy killing in gastrointestinal/genitourinary cancer cells. 2014 , 85, 408-19		56
55	Turning on cGMP-dependent pathways to treat cardiac dysfunctions: boom, bust, and beyond. 2014 , 35, 404-13		45
54	Glucocorticoid receptor agonist dexamethasone attenuates renal ischemia/reperfusion injury by up-regulating eNOS/iNOS. 2014 , 34, 516-520		13
53	Sepiapterin prevents left ventricular hypertrophy and dilatory remodeling induced by pressure overload in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H1782-91	5.2	12
52	Sildenafil Protects against Myocardial Ischemia-Reperfusion Injury Following Cardiac Arrest in a Porcine Model: Possible Role of the Renin-Angiotensin System. 2015 , 16, 27015-31		14
51	Hydroxychloroquine Protects against Cardiac Ischaemia/Reperfusion Injury In Vivo via Enhancement of ERK1/2 Phosphorylation. <i>PLoS ONE</i> , 2015 , 10, e0143771	3.7	15
50	Hydrogen sulfide mediates the cardioprotective effects of gene therapy with PKG-I. 2015 , 110, 42		21
49	Priming the proteasome by protein kinase G: a novel cardioprotective mechanism of sildenafil. 2015 , 11, 177-89		5
48	Role of the bradykinin B2 receptor in a rat model of local heart irradiation. 2015 , 91, 634-42		1
47	Carbon monoxide increases inducible NOS expression that mediates CO-induced myocardial damage during ischemia-reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 308, H759-67	5.2	19
46	Myocardial protection from ischemia-reperfusion injury post coronary revascularization. 2015 , 13, 1045-57		69
45	Targeted Inhibition of Phosphoinositide 3-Kinase/Mammalian Target of Rapamycin Sensitizes Pancreatic Cancer Cells to Doxorubicin without Exacerbating Cardiac Toxicity. 2015 , 88, 512-23		9
44	Inhibition of mammalian target of rapamycin protects against reperfusion injury in diabetic heart through STAT3 signaling. 2015 , 110, 31		38

43	Induction of cardioprotection by small netrin-1-derived peptides. 2015 , 309, C100-6		9
42	PDE5 inhibitors as therapeutics for heart disease, diabetes and cancer. <i>Pharmacology & Therapeutics</i> , 2015 , 147, 12-21	13.9	144
41	Vasonatin peptide attenuates myocardial ischemia-reperfusion injury in diabetic rats and underlying mechanisms. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 308, H281-90	5.2	44
40	PDE5 inhibitors protect against post-infarction heart failure. 2016 , 21, 1194-210		13
39	Differential Effects of E2 on MAPK Activity in the Brain and Heart of Aged Female Rats. <i>PLoS ONE</i> , 2016 , 11, e0160276	3.7	13
38	Protein kinase G signaling in cardiac pathophysiology: Impact of proteomics on clinical trials. 2016 , 16, 894-905		9
37	Dexmedetomidine protects the heart against ischemia-reperfusion injury by an endothelial eNOS/NO dependent mechanism. 2016 , 103, 318-27		48
36	PDE5 Inhibitor Tadalafil and Hydroxychloroquine Cotreatment Provides Synergistic Protection against Type 2 Diabetes and Myocardial Infarction in Mice. 2017 , 361, 29-38		5
35	Chronic treatment with novel nanoformulated micelles of rapamycin, Rapatar, protects diabetic heart against ischaemia/reperfusion injury. 2017 , 174, 4771-4784		13
34	cGMP-Elevating Compounds and Ischemic Conditioning Provide Cardioprotection Against Ischemia and Reperfusion Injury via Cardiomyocyte-Specific BK Channels. 2017 , 136, 2337-2355		92
33	Reperfusion Therapy with Rapamycin Attenuates Myocardial Infarction through Activation of AKT and ERK. 2017 , 2017, 4619720		38
32	Cardioprotective effects of PKG activation by soluble GC activator, BAY 60-2770, in ischemia-reperfusion-injured rat hearts. <i>PLoS ONE</i> , 2017 , 12, e0180207	3.7	10
31	Long-term inhibition of PDE5 ameliorates aging-induced changes in rat testis. 2018 , 108, 139-148		9
30	Cardioprotection by ischemic postconditioning and cyclic guanosine monophosphate-elevating agents involves cardiomyocyte nitric oxide-sensitive guanylyl cyclase. 2018 , 114, 822-829		30
29	Mammalian target of rapamycin inhibition attenuates myocardial ischaemia-reperfusion injury in hypertrophic heart. 2018 , 22, 1708-1719		25
28	Hypertrophied myocardium is vulnerable to ischemia/reperfusion injury and refractory to rapamycin-induced protection due to increased oxidative/nitrative stress. 2018 , 132, 93-110		12
27	Melatonin protects diabetic heart against ischemia-reperfusion injury, role of membrane receptor-dependent cGMP-PKG activation. 2018 , 1864, 563-578		72
26	Ischemia Reperfusion Injury: Mechanisms of Damage/Protection and Novel Strategies for Cardiac Recovery/Regeneration. 2019 , 20,		33

25	Inhibition of cardiomyocyte Sprouty1 protects from cardiac ischemia-reperfusion injury. 2019 , 114, 7		11
24	Serum Exosomes Attenuate HO-Induced Apoptosis in Rat H9C2 Cardiomyocytes via ERK1/2. 2019 , 12, 37-44		9
23	STAT3-miR-17/20 signalling axis plays a critical role in attenuating myocardial infarction following rapamycin treatment in diabetic mice. 2020 , 116, 2103-2115		10
22	Phosphodiesterase Inhibitors: Could They Be Beneficial for the Treatment of COVID-19?. 2020 , 21,		22
21	β-cryptoxanthin alleviates myocardial ischaemia/reperfusion injury by inhibiting NF-κB-mediated inflammatory signalling in rats. 2020 , 1-8		5
20	PDE5 inhibition improves cardiac morphology and function in SHR by reducing NHE1 activity: Repurposing Sildenafil for the treatment of hypertensive cardiac hypertrophy. 2021 , 891, 173724		2
19	Sildenafil beyond erectile dysfunction and pulmonary arterial hypertension: Thinking about new indications. 2021 , 35, 235-259		7
18	Novel Insights Regarding Nitric Oxide and Cardiovascular Diseases. 2021 , 72, 411-425		7
17	Exercise-induced peptide TAG-23 protects cardiomyocytes from reperfusion injury through regulating PKG-cCbl interaction. 2021 , 116, 41		1
16	cGMP and mitochondrial K channels-Compartmentalized but closely connected in cardioprotection. 2021 ,		2
15	Synthesis of β-Glucan Nanoparticles from Red Algae-Derived β-Glucan for Potential Biomedical Applications. 2021 , 193, 3983-3995		0
14	Role of phosphodiesterase 1 in the pathophysiology of diseases and potential therapeutic opportunities. <i>Pharmacology & Therapeutics</i> , 2021 , 226, 107858	13-9	2
13	Impact of Mitochondrial Ca ²⁺ -Sensitive Potassium (mBKCa) Channels in Sildenafil-Induced Cardioprotection in Rats. <i>PLoS ONE</i> , 2015 , 10, e0144737	3-7	34
12	The Effect of Sorafenib, Tadalafil and Macitentan Treatments on Thyroxin-Induced Hemodynamic Changes and Cardiac Abnormalities. <i>PLoS ONE</i> , 2016 , 11, e0153694	3-7	4
11	Homocysteine induces mitochondrial dysfunction and oxidative stress in myocardial ischemia/reperfusion injury through stimulating ROS production and the ERK1/2 signaling pathway. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 938-944	2-1	8
10	Emerging new uses of phosphodiesterase-5 inhibitors in cardiovascular diseases. <i>Experimental and Clinical Cardiology</i> , 2011 , 16, e30-5		39
9	[Effect of endomorphin-1 postconditioning against myocardial ischemia-reperfusion injury in rats and the role of Erk1/2 signaling pathway]. <i>Nan Fang Yi Ke Da Xue Xue Bao = Journal of Southern Medical University</i> , 2017 , 37, 1028-1034	0-5	
8	Icariin Protects H9c2 Rat Cardiomyoblasts from Doxorubicin-Induced Cardiotoxicity: Role of Caveolin-1 Upregulation and Enhanced Autophagic Response. <i>Nutrients</i> , 2021 , 13,	6-7	0

7	Evidence for the Benefits of Melatonin in Cardiovascular Disease. <i>Frontiers in Cardiovascular Medicine</i> , 9,	5-4	7
6	Stress Kinase Signaling in Cardiac Myocytes. 2022 , 67-110		0
5	Treating diabetes with combination of phosphodiesterase 5 inhibitors and hydroxychloroquine: a possible prevention strategy for COVID-19?.		0
4	Beyond Erectile Dysfunction: cGMP-Specific Phosphodiesterase 5 Inhibitors for Other Clinical Disorders. 2023 , 63,		1
3	Cell-Based Phenotypic Screen for Antifibrotic Compounds Targets Eicosanoid Metabolism. 2023 , 132, 30-33		0
2	Changes in Left Ventricular Ejection Fraction and Oxidative Stress after Phosphodiesterase Type-5 Inhibitor Treatment in an Experimental Model of Retrograde Rat Perfusion. 2023 , 59, 458		0
1	Nitric Oxide-cGMP-PKG Signaling in the Cardioprotective Effects of Phosphodiesterase 5 Inhibitors. 2023 , 111-126		0