

Lymphopenia as a Prognostic Factor for Overall Survival in Sarcomas, and Lymphomas

Cancer Research

69, 5383-5391

DOI: [10.1158/0008-5472.can-08-3845](https://doi.org/10.1158/0008-5472.can-08-3845)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Analysis of prognostic factors in 108 patients with non-Hodgkin's lymphoma. <i>Clinical Oncology and Cancer Research</i> , 2010, 7, 44-47.	0.1	0
2	Prognostic significance of early lymphocyte recovery in pediatric osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2010, 55, 1096-1102.	0.8	50
3	Predicting and facilitating survival of pediatric cancer patients: The ALC story. <i>Pediatric Blood and Cancer</i> , 2010, 55, 1041-1042.	0.8	10
4	Lymphopenia as a prognostic factor in patients with peripheral T-cell lymphoma, unspecified. <i>Leukemia and Lymphoma</i> , 2010, 51, 1822-1828.	0.6	38
5	Assessment of immunological biomarkers in patients with advanced cancer treated by personalized peptide vaccination. <i>Cancer Biology and Therapy</i> , 2010, 10, 1266-1279.	1.5	46
6	Long-Term Results of the International Adjuvant Lung Cancer Trial Evaluating Adjuvant Cisplatin-Based Chemotherapy in Resected Lung Cancer. <i>Journal of Clinical Oncology</i> , 2010, 28, 35-42.	0.8	379
7	Neutrophil to lymphocyte ratio for preoperative diagnosis of uterine sarcomas: A case-matched comparison. <i>European Journal of Surgical Oncology</i> , 2010, 36, 691-698.	0.5	74
8	Decreased Ratio of CD8+ T Cells to Regulatory T Cells Associated with Decreased Survival in Dogs with Osteosarcoma. <i>Journal of Veterinary Internal Medicine</i> , 2010, 24, 1118-1123.	0.6	86
9	Association of Blood Monocyte and Lymphocyte Count and Disease-Free Interval in Dogs with Osteosarcoma. <i>Journal of Veterinary Internal Medicine</i> , 2010, 24, 1439-1444.	0.6	57
10	Lymphopenia a simple prognostic factor in lymphoma and other cancers: why not use it more as a guide?. <i>Leukemia and Lymphoma</i> , 2010, 51, 1773-1774.	0.6	10
11	8038 POSTER Lymphopenia is an Independent Prognostic Factor in Ovarian Cancer and Could Be Associated With Immune Activation. <i>European Journal of Cancer</i> , 2011, 47, S538-S539.	1.3	0
12	Blood Neutrophil-to-lymphocyte Ratio Predicts Survival in Patients with Unresectable Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Journal of Vascular and Interventional Radiology</i> , 2011, 22, 702-709.	0.2	106
13	Autophagy-Dependent Anticancer Immune Responses Induced by Chemotherapeutic Agents in Mice. <i>Science</i> , 2011, 334, 1573-1577.	6.0	1,159
14	Immune parameters affecting the efficacy of chemotherapeutic regimens. <i>Nature Reviews Clinical Oncology</i> , 2011, 8, 151-160.	12.5	592
16	Performance status is the most powerful risk factor for early death among patients with advanced soft tissue sarcoma. <i>British Journal of Cancer</i> , 2011, 104, 1544-1550.	2.9	33
17	Predictive Value of Baseline Neutrophil/Lymphocyte Ratio for T4 Disease in Wall's Penetrating Gastric Cancer. <i>World Journal of Surgery</i> , 2011, 35, 2717-2722.	0.8	42
18	Low absolute lymphocyte count and addition of rituximab confer high risk for interstitial pneumonia in patients with diffuse large B-cell lymphoma. <i>Annals of Hematology</i> , 2011, 90, 1145-1151.	0.8	40
19	Pre-treatment lymphopenia as a prognostic biomarker in colorectal cancer patients receiving chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 1305-1313.	1.1	99

#	ARTICLE	IF	CITATIONS
20	Validation of prognostic scores for survival in cancer patients beyond first-line therapy. <i>BMC Cancer</i> , 2011, 11, 95.	1.1	33
21	Lymphopenia is an important prognostic factor in peripheral T-cell lymphoma (NOS) treated with anthracycline-containing chemotherapy. <i>Journal of Hematology and Oncology</i> , 2011, 4, 34.	6.9	37
22	Absolute lymphocyte count is a novel prognostic indicator in extranodal natural killer/T-cell lymphoma, nasal type. <i>Annals of Oncology</i> , 2011, 22, 149-155.	0.6	82
23	Comparison of Two Inflammation-Based Prognostic Scores in Patients with Unresectable Advanced Gastric Cancer. <i>Oncology</i> , 2012, 83, 292-299.	0.9	71
24	Loss-of-function alleles of <i>P2RX7</i> and <i>TLR4</i> fail to affect the response to chemotherapy in non-small cell lung cancer. <i>Oncolmmunology</i> , 2012, 1, 271-278.	2.1	36
25	A novel, externally validated inflammation-based prognostic algorithm in hepatocellular carcinoma: the prognostic nutritional index (PNI). <i>British Journal of Cancer</i> , 2012, 106, 1439-1445.	2.9	322
26	Advanced well-differentiated/dedifferentiated liposarcomas: role of chemotherapy and survival. <i>Annals of Oncology</i> , 2012, 23, 1601-1607.	0.6	117
28	Lymphopenia combined with low TCR diversity (divpenia) predicts poor overall survival in metastatic breast cancer patients. <i>Oncolmmunology</i> , 2012, 1, 432-440.	2.1	102
29	Relationship Between Lymphocytopenia and Circulating Tumor Cells as Prognostic Factors for Overall Survival in Metastatic Breast Cancer. <i>Clinical Breast Cancer</i> , 2012, 12, 264-269.	1.1	87
30	An inflammation-based prognostic index predicts survival advantage after transarterial chemoembolization in hepatocellular carcinoma. <i>Translational Research</i> , 2012, 160, 146-152.	2.2	59
31	Patterns of Response in Patients with Pretreated Metastatic Melanoma who Received Ipilimumab 3 mg/kg in a European Expanded Access Program: Five Illustrative Case Reports. <i>Cancer Investigation</i> , 2012, 30, 712-720.	0.6	10
32	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Advanced Colorectal Cancer Patients Receiving Oxaliplatin-Based Chemotherapy. <i>Oncology</i> , 2012, 82, 261-268.	0.9	72
33	Prognostic Value of Platelet Count in Diffuse Large B-Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2012, 12, 32-37.	0.2	31
34	Presence of chemotherapy-induced toxicity predicts improved survival in patients with localised extremity osteosarcoma treated with doxorubicin and cisplatin: A report from the European Osteosarcoma Intergroup. <i>European Journal of Cancer</i> , 2012, 48, 703-712.	1.3	42
35	Treatment patterns and outcomes among patients diagnosed with unresectable stage III or IV melanoma in Europe: A retrospective, longitudinal survey (MELODY study). <i>European Journal of Cancer</i> , 2012, 48, 3205-3214.	1.3	24
37	Immune Response and Immunotherapy in Chronic Lymphocytic Leukemia. , 0, , .		0
38	Cardiac Glycosides Exert Anticancer Effects by Inducing Immunogenic Cell Death. <i>Science Translational Medicine</i> , 2012, 4, 143ra99.	5.8	367
39	Absolute lymphocyte counts refine minimal residual disease-based risk stratification in childhood acute lymphoblastic leukemia. <i>Pediatric Blood and Cancer</i> , 2012, 59, 468-474.	0.8	20

#	ARTICLE	IF	CITATIONS
40	The prognostic significance of lymphopenia in peripheral Tâ€cell and natural killer/Tâ€cell lymphomas: A study of 826 cases from the International Peripheral Tâ€cell Lymphoma Project. American Journal of Hematology, 2012, 87, 790-794.	2.0	38
41	Human immunodeficiency virusâ€associated plasmablastic lymphoma. Cancer, 2012, 118, 5270-5277.	2.0	147
42	Interleukin-7 and immune reconstitution in cancer patients: a new paradigm for dramatically increasing overall survival. Targeted Oncology, 2012, 7, 55-68.	1.7	47
43	Clinical characteristics and prognostic factors in Chinese patients with Hodgkinâ€™s lymphoma. Medical Oncology, 2012, 29, 1127-1133.	1.2	9
44	Immunology in the clinic review series; focus on cancer: multiple roles for the immune system in oncogene addiction. Clinical and Experimental Immunology, 2012, 167, 188-194.	1.1	24
45	Predictive value of peripheral blood lymphocyte count in breast cancer patients treated with primary chemotherapy. Breast, 2012, 21, 468-474.	0.9	49
46	Absolute lymphocyte count is associated with survival in ovarian cancer independent of tumor-infiltrating lymphocytes. Journal of Translational Medicine, 2012, 10, 33.	1.8	93
47	Lymphopenia following the completion of first-line therapy predicts early relapse in patients with diffuse large B cell lymphoma. Annals of Hematology, 2012, 91, 375-382.	0.8	23
48	The impact of chemotherapy-associated neutrophil/ lymphocyte counts on prognosis of adjuvant chemotherapy in colorectal cancer. BMC Cancer, 2013, 13, 177.	1.1	29
49	The Prognostic Nutritional Index Predicts Long-term Outcomes of Gastric Cancer Patients Independent of Tumor Stage. Annals of Surgical Oncology, 2013, 20, 2647-2654.	0.7	268
50	Comparison of prognostic models for patients with diffuse large B-cell lymphoma in the rituximab era. Annals of Hematology, 2013, 92, 1513-1520.	0.8	16
51	Absolute lymphocyte count is associated with minimal residual disease level in childhood B-cell precursor acute lymphoblastic leukemia. Leukemia Research, 2013, 37, 671-674.	0.4	13
52	Fibroblast growth factor-2 (FGF2) and syndecan-1 (SDC1) are potential biomarkers for putative circulating CD15+/CD30+ cells in poor outcome Hodgkin lymphoma patients. Journal of Hematology and Oncology, 2013, 6, 62.	6.9	26
53	Prognostic nutritional index predicts outcomes of malignant pleural mesothelioma. Journal of Cancer Research and Clinical Oncology, 2013, 139, 2117-2123.	1.2	67
54	Systems Biology of Tumor Dormancy. Advances in Experimental Medicine and Biology, 2013, , .	0.8	9
55	Tumor Dormancy, Oncogene Addiction, Cellular Senescence, and Self-Renewal Programs. Advances in Experimental Medicine and Biology, 2013, 734, 91-107.	0.8	36
56	Is the Pretreatment Neutrophil to Lymphocyte Ratio an Important Prognostic Parameter in Patients with Metastatic Renal Cell Carcinoma?. Clinical Genitourinary Cancer, 2013, 11, 141-148.	0.9	41
57	Les mÃ©tastases osseuses au cours des cancers broncho-pulmonaires. Revue Des Maladies Respiratoires Actualites, 2013, 5, 538-546.	0.0	0

#	ARTICLE	IF	CITATIONS
58	Patients with metastatic breast cancer leading to CD4+ T cell lymphopaenia have poor outcome. <i>European Journal of Cancer</i> , 2013, 49, 1673-1682.	1.3	42
59	Are aging biomarkers clinically relevant in oncogeriatrics?. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 85, 257-265.	2.0	36
60	Noncanonical roles of the immune system in eliciting oncogene addiction. <i>Current Opinion in Immunology</i> , 2013, 25, 246-258.	2.4	11
61	CD4 lymphopenia to identify end-of-life metastatic cancer patients. <i>European Journal of Cancer</i> , 2013, 49, 1080-1089.	1.3	31
62	Can preoperative neutrophil:lymphocyte and platelet:lymphocyte ratios be used as predictive markers for lymph node metastasis in squamous cell carcinoma of the vulva?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 171, 138-142.	0.5	25
63	High neutrophil-to-lymphocyte ratio is an independent marker of poor disease-specific survival in patients with oral cancer. <i>Medical Oncology</i> , 2013, 30, 334.	1.2	85
64	Pretreatment neutrophil/lymphocyte ratio is superior to platelet/lymphocyte ratio as a predictor of long-term mortality in breast cancer patients. <i>Medical Oncology</i> , 2013, 30, 432.	1.2	206
65	Immunogenic Cell Death in Cancer Therapy. <i>Annual Review of Immunology</i> , 2013, 31, 51-72.	9.5	2,489
66	Blood neutrophil-to-lymphocyte ratio correlates with tumor size in patients with differentiated thyroid cancer. <i>Journal of Surgical Oncology</i> , 2013, 107, 493-497.	0.8	108
67	Development of a geriatric vulnerability score in elderly patients with advanced ovarian cancer treated with first-line carboplatin: a GINECO prospective trial. <i>Annals of Oncology</i> , 2013, 24, 2808-2813.	0.6	97
68	Treatment-related Lymphopenia in Patients With Stage III Non-Small-Cell Lung Cancer. <i>Cancer Investigation</i> , 2013, 31, 183-188.	0.6	179
69	Lymphoma occurring in patients over 90 years of age: characteristics, outcomes, and prognostic factors. A retrospective analysis of 234 cases from the LYSA. <i>Annals of Oncology</i> , 2013, 24, 2612-2618.	0.6	30
70	Ipilimumab for Patients With Advanced Mucosal Melanoma. <i>Oncologist</i> , 2013, 18, 726-732.	1.9	140
71	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Advanced Pancreatic Ductal Adenocarcinoma: Impact of Baseline Fluctuation and Changes during Chemotherapy. <i>Tumori</i> , 2013, 99, 516-522.	0.6	20
72	Clinical Significance of Preoperative Inflammatory Parameters in Gastric Cancer Patients. <i>Journal of Gastric Cancer</i> , 2013, 13, 111.	0.9	55
73	Significance of the prognostic nutritional index in patients with esophageal squamous cell carcinoma. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 1.	0.9	65
74	Prognostic value of preoperative absolute lymphocyte count in recurrent hepatocellular carcinoma following thermal ablation: a retrospective analysis. <i>OncoTargets and Therapy</i> , 2014, 7, 1829.	1.0	9
76	The preoperative lymphocyte to monocyte ratio predicts clinical outcomes in patients with stage II/III gastric cancer. <i>Tumor Biology</i> , 2014, 35, 11659-11666.	0.8	58

#	ARTICLE	IF	CITATIONS
77	Pre-operative prognostic nutritional index predicts the outcomes for triple-negative breast cancer. <i>Tumor Biology</i> , 2014, 35, 12165-12171.	0.8	43
78	The Relationship of T Helper-2 Pathway Components Interleukin-4, Interleukin-10, Immunoglobulin E, and Eosinophils with Prognostic Markers in Non-Hodgkin Lymphoma: A Case-Control Study. <i>Turkish Journal of Haematology</i> , 2014, 31, 381-387.	0.2	0
79	Association between severe treatment-related lymphopenia and progression-free survival in patients with newly diagnosed squamous cell head and neck cancer. <i>Head and Neck</i> , 2014, 36, 1747-1753.	0.9	141
80	A prognostic model based on pretreatment platelet lymphocyte ratio for stage IE/IIIE upper aerodigestive tract extranodal NK/T cell lymphoma, nasal type. <i>Medical Oncology</i> , 2014, 31, 318.	1.2	19
81	A comparison of DNA methylation specific droplet digital PCR (ddPCR) and real time qPCR with flow cytometry in characterizing human T cells in peripheral blood. <i>Epigenetics</i> , 2014, 9, 1360-1365.	1.3	41
82	Cancer inflammation and inflammatory biomarkers: can neutrophil, lymphocyte, and platelet counts represent the complexity of the immune system?. <i>Transplant International</i> , 2014, 27, 28-31.	0.8	13
83	Vitamin D deficiency is associated with greater tumor size and poorer outcome in Merkel cell carcinoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 298-308.	1.3	24
84	Long-term responders and survivors on pazopanib for advanced soft tissue sarcomas: subanalysis of two European Organisation for Research and Treatment of Cancer (EORTC) clinical trials 62043 and 62072. <i>Annals of Oncology</i> , 2014, 25, 719-724.	0.6	92
85	Oncogene withdrawal engages the immune system to induce sustained cancer regression. , 2014, 2, 24.		19
86	Lymphopenia and clinical outcome of elderly patients treated with sunitinib for metastatic renal cell cancer. <i>Journal of Geriatric Oncology</i> , 2014, 5, 156-163.	0.5	22
87	Initial absolute lymphocyte count as a prognostic factor for outcome in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2014, 55, 855-862.	0.6	16
88	Pre-treatment Haemoglobin and Peripheral Blood Lymphocyte Count as Independent Predictors of Outcome in Carcinoma of Cervix. <i>Clinical Oncology</i> , 2014, 26, 179-184.	0.6	24
89	Evaluating the physiological reserves of older patients with cancer: The value of potential biomarkers of aging?. <i>Journal of Geriatric Oncology</i> , 2014, 5, 204-218.	0.5	74
90	An essential role for the immune system in the mechanism of tumor regression following targeted oncogene inactivation. <i>Immunologic Research</i> , 2014, 58, 282-291.	1.3	18
91	Safety and efficacy of progressive resistance training in breast cancer: a systematic review and meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2014, 148, 249-268.	1.1	111
92	The prognostic utility and the association of serum light chains (free and total) and absolute lymphocyte count in patients with newly diagnosed diffuse large B-cell lymphoma. <i>Leukemia Research</i> , 2014, 38, 1291-1298.	0.4	13
93	Prognostic performance of inflammation-based prognostic indices in primary operable non-small cell lung cancer. <i>British Journal of Cancer</i> , 2014, 110, 1930-1935.	2.9	139
94	Combined immunotherapy with dendritic cells and cytokine-induced killer cells for malignant tumors: A systematic review and meta-analysis. <i>International Immunopharmacology</i> , 2014, 22, 451-464.	1.7	33

#	ARTICLE	IF	CITATIONS
95	Investigating an incidental finding of lymphopenia. <i>BMJ, The</i> , 2014, 348, g1721-g1721.	3.0	29
96	High Numbers of Differentiated Effector CD4 T Cells Are Found in Patients with Cancer and Correlate with Clinical Response after Neoadjuvant Therapy of Breast Cancer. <i>Cancer Research</i> , 2014, 74, 2204-2216.	0.4	34
97	The elevated preoperative platelet-to-lymphocyte ratio predicts poor prognosis in breast cancer patients. <i>British Journal of Cancer</i> , 2014, 110, 2524-2530.	2.9	232
98	Ratio of peripheral blood absolute lymphocyte count to absolute monocyte count at diagnosis is associated with progression-free survival in follicular lymphoma. <i>International Journal of Hematology</i> , 2014, 99, 737-742.	0.7	31
99	Absolute lymphocyte count: A potential prognostic factor for Merkel cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 1028-1035.	0.6	20
100	Comparison of prognostic impact of absolute lymphocyte count, absolute monocyte count, absolute lymphocyte count/absolute monocyte count prognostic score and ratio in patients with diffuse large B cell lymphoma. <i>European Journal of Internal Medicine</i> , 2014, 25, 296-302.	1.0	31
101	Cell-Death-Associated Molecular Patterns As Determinants of Cancer Immunogenicity. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1098-1116.	2.5	36
102	Preoperative Neutrophil-Lymphocyte Ratio Before Platelet-Lymphocyte Ratio Predicts Clinical Outcome in Patients With Cervical Cancer Treated With Initial Radical Surgery. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1319-1325.	1.2	62
103	The CYVADIC Regimen as a Combination Chemotherapy Treatment Option for Advanced Soft Tissue Sarcomas Originating from the Non-Extremities. <i>Internal Medicine</i> , 2015, 54, 187-193.	0.3	2
104	Factors affecting disease-free survival in patients with human epidermal growth factor receptor 2-positive breast cancer who receive adjuvant trastuzumab. <i>Molecular and Clinical Oncology</i> , 2015, 3, 1109-1112.	0.4	22
105	Survival in Patients With Severe Lymphopenia Following Treatment With Radiation and Chemotherapy for Newly Diagnosed Solid Tumors. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 1225-1231.	2.3	232
106	First line palliative chemotherapy in elderly patients with advanced soft tissue sarcoma. <i>Clinical Sarcoma Research</i> , 2015, 5, 10.	2.3	13
107	Post-transplant persistent lymphopenia is a strong predictor of late survival in isolated intestine and multivisceral transplantation. <i>Transplant International</i> , 2015, 28, 1195-1204.	0.8	5
108	Preoperative platelet-lymphocyte ratio is superior to neutrophil-lymphocyte ratio as a prognostic factor for soft-tissue sarcoma. <i>BMC Cancer</i> , 2015, 15, 648.	1.1	49
109	Preoperative Neutrophil-to-Lymphocyte Ratio as Prognostic Predictor for Hypopharyngeal Squamous Cell Carcinoma after Radical Resections. <i>Journal of Craniofacial Surgery</i> , 2015, 26, e137-e140.	0.3	23
110	Prognostic value of baseline absolute lymphocyte concentration and neutrophil/lymphocyte ratio in dogs with newly diagnosed multi-centric lymphoma. <i>Veterinary and Comparative Oncology</i> , 2015, 13, 337-347.	0.8	38
111	A Low Lymphocyte-to-Monocyte Ratio Predicts Unfavorable Prognosis in Pathological T3N0 Rectal Cancer Patients Following Total Mesorectal Excision. <i>Journal of Cancer</i> , 2015, 6, 616-622.	1.2	36
112	Baseline blood immunological profiling differentiates between Her2– breast cancer molecular subtypes: implications for immunomediated mechanisms of treatment response. <i>OncoTargets and Therapy</i> , 2015, 8, 3415.	1.0	6

#	ARTICLE	IF	CITATIONS
113	Neutrophil-to-Lymphocyte and Platelet-to-Lymphocyte Ratios as Predictors of Survival and Metastasis for Recurrent Hepatocellular Carcinoma after Transarterial Chemoembolization. PLoS ONE, 2015, 10, e0119312.	1.1	77
114	Involvement of IL17A, IL17F and IL23R Polymorphisms in Colorectal Cancer Therapy. PLoS ONE, 2015, 10, e0128911.	1.1	20
115	Novel immunological and nutritional-based prognostic index for gastric cancer. World Journal of Gastroenterology, 2015, 21, 5961-5971.	1.4	82
116	Absolute Lymphocyte Count Recovery Independently Predicts Outcome in Childhood Acute Lymphoblastic Leukemia. Journal of Pediatric Hematology/Oncology, 2015, 37, e143-e149.	0.3	16
117	Prognostic value of lymphocyte-to-monocyte ratio in patients with solid tumors: A systematic review and meta-analysis. Cancer Treatment Reviews, 2015, 41, 971-978.	3.4	239
118	Analysis of prognostic factors and comparison of prognostic scores in peripheral T cell lymphoma, not otherwise specified: a single-institution study of 105 Chinese patients. Annals of Hematology, 2015, 94, 239-247.	0.8	28
119	Serum macrophage-derived chemokine/CCL22 levels are associated with glioma risk, CD4 T cell lymphopenia and survival time. International Journal of Cancer, 2015, 137, 826-836.	2.3	38
120	The prognostic nutritional index (PNI) predicts overall survival of small-cell lung cancer patients. Tumor Biology, 2015, 36, 3389-3397.	0.8	93
121	Lymphopenia in early arthritis: Impact on diagnosis and 3-year outcomes (ESPOIR cohort). Joint Bone Spine, 2015, 82, 417-422.	0.8	5
122	Platelet-lymphocyte ratio is a predictor of venous thromboembolism in cancer patients. Thrombosis Research, 2015, 136, 212-215.	0.8	40
123	Mechanism of Action of IL-7 and Its Potential Applications and Limitations in Cancer Immunotherapy. International Journal of Molecular Sciences, 2015, 16, 10267-10280.	1.8	100
124	The prognostic nutritional index predicts survival for patients with extranodal natural killer/T cell lymphoma, nasal type. Annals of Hematology, 2015, 94, 1389-1400.	0.8	32
125	High Neutrophil-to-lymphocyte Ratio Persistent During First-line Chemotherapy Predicts Poor Clinical Outcome in Patients with Advanced Urothelial Cancer. Annals of Surgical Oncology, 2015, 22, 1377-1384.	0.7	80
126	Neutrophil-to-lymphocyte ratio, calprotectin and YKL-40 in patients with chronic obstructive pulmonary disease: correlations and 5-year mortality – a cohort study. Journal of Inflammation, 2015, 12, 20.	1.5	42
127	The Neutrophil-to-Lymphocyte Ratio Correlates with Age in Patients with Papillary Thyroid Carcinoma. Orl, 2015, 77, 109-116.	0.6	39
128	Clinical significance of preoperative platelet-to-lymphocyte ratio in recurrent hepatocellular carcinoma after thermal ablation: A retrospective analysis. International Journal of Hyperthermia, 2015, 31, 758-763.	1.1	13
129	The prognostic significance of the postoperative prognostic nutritional index in patients with colorectal cancer. BMC Cancer, 2015, 15, 521.	1.1	45
130	Absolute lymphocyte count recovery at 1 month after transplantation predicts favorable outcomes of patients with hepatocellular carcinoma. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 706-711.	1.4	6

#	ARTICLE	IF	CITATIONS
131	Pre-radiation lymphocyte harvesting and post-radiation reinfusion in patients with newly diagnosed high grade gliomas. <i>Journal of Neuro-Oncology</i> , 2015, 124, 307-316.	1.4	36
132	Neurotoxicity as a Prognostic Factor in Patients with Metastatic Breast Cancer Treated with Ixabepilone as a First-Line Therapy. <i>Oncology</i> , 2015, 88, 180-188.	0.9	4
133	Distinguishing Benign Mediastinal Masses from Malignancy in Histoplasmosis-Endemic Region. <i>Journal of Pediatrics</i> , 2015, 167, 409-415.	0.9	21
134	Prognostic nutritional index predicts prognosis in patients with metastatic nasopharyngeal carcinoma. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5955-5961.	1.0	19
135	Overall Survival and Response to Systemic Therapy in Metastatic Extruterine Leiomyosarcoma. <i>Sarcoma</i> , 2016, 2016, 1-8.	0.7	10
136	Role of monocyte and lymphocyte counts in prognosis of cervical cancer. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2016, , 2243-2249.	0.0	1
137	Autophagy-Dependent Secretion: Contribution to Tumor Progression. <i>Frontiers in Oncology</i> , 2016, 6, 251.	1.3	40
138	Additive value of pre-operative and one-month post-operative lymphocyte count for death-risk stratification in patients with resectable pancreatic cancer: a multicentric study. <i>BMC Cancer</i> , 2016, 16, 823.	1.1	25
139	Low Prognostic Nutritional Index Correlates with Worse Survival in Patients with Advanced NSCLC following EGFR-TKIs. <i>PLoS ONE</i> , 2016, 11, e0147226.	1.1	31
140	A Preoperative Nutritional Index for Predicting Cancer-Specific and Overall Survival in Chinese Patients With Laryngeal Cancer. <i>Medicine (United States)</i> , 2016, 95, e2962.	0.4	24
141	Pretreatment Neutrophil to Lymphocyte Ratio Independently Predicts Disease-specific Survival in Resectable Gastroesophageal Junction and Gastric Adenocarcinoma. <i>Annals of Surgery</i> , 2016, 263, 292-297.	2.1	124
142	Minimum absolute lymphocyte count during radiotherapy as a new prognostic factor for nasopharyngeal cancer. <i>Head and Neck</i> , 2016, 38, E1061-7.	0.9	46
143	Identification of a novel human memory T-cell population with the characteristics of stem-like chemo-resistance. <i>Oncolmmunology</i> , 2016, 5, e1165376.	2.1	17
144	Predictive impact for postoperative recurrence using the preoperative prognostic nutritional index in pathological stage I non-small cell lung cancer. <i>Lung Cancer</i> , 2016, 98, 15-21.	0.9	87
145	The effect of preoperative neutrophil, platelet and lymphocyte counts on local recurrence and survival in early-stage tongue cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 4425-4429.	0.8	23
146	A promising prediction model for survival in gallbladder carcinoma patients: pretreatment prognostic nutrient index. <i>Tumor Biology</i> , 2016, 37, 15773-15781.	0.8	6
147	La lymphopénie dans la polyarthrite d'adulte: impact sur le diagnostic et les résultats à 3 ans (la Tj ETQq0,0 0 rgBT/Overlock		
148	Significance of the prognostic nutritional index in patients with glioblastoma: A retrospective study. <i>Clinical Neurology and Neurosurgery</i> , 2016, 151, 86-91.	0.6	40

#	ARTICLE	IF	CITATIONS
150	The prognostic nutritional index is a predictive indicator of prognosis and postoperative complications in gastric cancer: A meta-analysis. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1176-1182.	0.5	164
151	Chemotherapy and immunotherapy: A close interplay to fight cancer?. <i>Oncolmmunology</i> , 2016, 5, e1190061.	2.1	18
152	Sustaining Blood Lymphocyte Count during Preoperative Chemoradiotherapy as a Predictive Marker for Pathologic Complete Response in Locally Advanced Rectal Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 232-239.	1.3	32
153	Pre-treatment lymphocytopaenia is an adverse prognostic biomarker in muscle-invasive and advanced bladder cancer. <i>Annals of Oncology</i> , 2016, 27, 294-299.	0.6	48
154	Hematologic Toxicity in Patients Treated With Postprostatectomy Whole-Pelvis Irradiation With Different Intensity Modulated Radiation Therapy Techniques Is Not Negligible and Is Prolonged: Preliminary Results of a Longitudinal, Observational Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 95, 690-695.	0.4	26
155	Long-term outcome of molecular subgroups of GIST patients treated with standard-dose imatinib in the BFR14 trial of the French Sarcoma Group. <i>European Journal of Cancer</i> , 2016, 52, 173-180.	1.3	68
156	Therapy-induced microenvironmental changes in cancer. <i>Journal of Molecular Medicine</i> , 2016, 94, 497-508.	1.7	19
157	Lymphopenia as a predictor of sarcoidosis in patients with uveitis. <i>British Journal of Ophthalmology</i> , 2016, 100, 1393-1396.	2.1	46
158	Association between treatment-related lymphopenia and overall survival in elderly patients with newly diagnosed glioblastoma. <i>Journal of Neuro-Oncology</i> , 2016, 127, 329-335.	1.4	88
159	Combining antibody-drug conjugates and immune-mediated cancer therapy: What to expect?. <i>Biochemical Pharmacology</i> , 2016, 102, 1-6.	2.0	119
160	Lymphopenia and its association with survival in patients with locally advanced cervical cancer. <i>Gynecologic Oncology</i> , 2016, 140, 76-82.	0.6	110
161	Radiation-related lymphopenia as a new prognostic factor in limited-stage small cell lung cancer. <i>Tumor Biology</i> , 2016, 37, 971-978.	0.8	73
162	The elevated preoperative derived neutrophil-to-lymphocyte ratio predicts poor clinical outcome in breast cancer patients. <i>Tumor Biology</i> , 2016, 37, 361-368.	0.8	39
163	The neutrophil-to-lymphocyte ratio is an independent prognostic factor in patients with peripheral T-cell lymphoma, unspecified. <i>Leukemia and Lymphoma</i> , 2016, 57, 58-62.	0.6	34
164	Preoperative controlling nutritional status (CONUT) is useful to estimate the prognosis after esophagectomy for esophageal cancer. <i>Langenbeck's Archives of Surgery</i> , 2017, 402, 333-341.	0.8	61
166	Hematological parameters during concurrent chemoradiotherapy as potential prognosticators in patients with stage IIB cervical cancer. <i>Tumor Biology</i> , 2017, 39, 101042831769430.	0.8	7
167	Immodin and its immune system supportive role in paclitaxel therapy of 4T1 mouse breast cancer. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 245-256.	2.5	14
168	Prognostic impact of absolute lymphocyte count/absolute monocyte count ratio and prognostic score in patients with nasal-type, extranodal natural killer/T-cell lymphoma. <i>Tumor Biology</i> , 2017, 39, 101042831770550.	0.8	14

#	ARTICLE	IF	CITATIONS
169	Transient CDK4/6 inhibition protects hematopoietic stem cells from chemotherapy-induced exhaustion. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	107
170	Radiation-related lymphopenia is associated with spleen irradiation dose during radiotherapy in patients with hepatocellular carcinoma. <i>Radiation Oncology</i> , 2017, 12, 90.	1.2	54
171	Efficacy of Trabectedin in Patients with Advanced Translocation-Related Sarcomas: Pooled Analysis of Two Phase II Studies. <i>Oncologist</i> , 2017, 22, 979-988.	1.9	19
172	Associations Between Nutritional Parameters and Clinicopathologic Factors in Patients with Gastric Cancer: A Comprehensive Study. <i>Nutrition and Cancer</i> , 2017, 69, 752-761.	0.9	8
173	Immune Therapy for Sarcomas. <i>Advances in Experimental Medicine and Biology</i> , 2017, 995, 127-140.	0.8	9
174	Prognostic significance of the preoperative lymphocyte-to-monocyte ratio in patients with colorectal cancer. <i>Oncology Letters</i> , 2017, 13, 1000-1006.	0.8	32
175	Impact of the prognostic nutritional index on the recovery and long-term oncologic outcome of patients with colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1235-1242.	1.2	41
177	How many diseases is triple negative breast cancer: the protagonism of the immune microenvironment. <i>ESMO Open</i> , 2017, 2, e000208.	2.0	47
179	The renaissance of anti-neoplastic immunity from tumor cell demise. <i>Immunological Reviews</i> , 2017, 280, 194-206.	2.8	53
180	Significance of preoperative prognostic nutrition index as prognostic predictors in patients with metastatic renal cell carcinoma with tyrosine kinase inhibitors as first-line target therapy. <i>International Urology and Nephrology</i> , 2017, 49, 1955-1963.	0.6	20
181	A Validated Prognostic Biomarker Score for Adult Patients with Nonmetastatic Soft Tissue Sarcomas of the Trunk and Extremities. <i>Translational Oncology</i> , 2017, 10, 942-948.	1.7	20
182	Animal Models of Diabetic Retinopathy. <i>Current Diabetes Reports</i> , 2017, 17, 93.	1.7	160
183	Baseline lymphopenia should not be used as exclusion criteria in early clinical trials investigating immune checkpoint blockers (PD-1/PD-L1 inhibitors). <i>European Journal of Cancer</i> , 2017, 84, 202-211.	1.3	29
184	Evaluation of Complete Blood Count Indices (NLR, PLR, MPV/PLT, and PLCRi) in Healthy Dogs, Dogs With Periodontitis, and Dogs With Oropharyngeal Tumors as Potential Biomarkers of Systemic Inflammatory Response. <i>Journal of Veterinary Dentistry</i> , 2017, 34, 231-240.	0.1	37
185	Prognostic Significance of Lymphocyte Counts in Colon Cancer Patients Treated with FOLFOX Chemotherapy. <i>World Journal of Surgery</i> , 2017, 41, 2898-2905.	0.8	16
186	Prognostic nutritional index predicts initial response to treatment and prognosis in metastatic castration-resistant prostate cancer patients treated with abiraterone. <i>Prostate</i> , 2017, 77, 1233-1241.	1.2	33
187	Early Lymphocyte Recovery and Outcome in Osteosarcoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2017, 39, 179-183.	0.3	15
188	Pretreatment Neutrophil-to-Lymphocyte Ratio and Lymphocyte Recovery: Independent Prognostic Factors for Survival in Pediatric Sarcomas. <i>Journal of Pediatric Hematology/Oncology</i> , 2017, 39, 538-546.	0.3	35

#	ARTICLE	IF	CITATIONS
189	Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2017, 41, 2805-2812.	0.8	49
190	Prognostic nutritional index as a predictor of prognosis in patients with diffuse large B-cell lymphoma. <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 411-419.	1.0	21
191	Pretreatment leukocyte ratios and concentrations as predictors of outcome in dogs with cutaneous mast cell tumours. <i>Veterinary and Comparative Oncology</i> , 2017, 15, 1333-1345.	0.8	32
192	Pretreatment Prognostic Nutritional Index Is an Independent Predictor of Survival in Patients With Metastatic Renal Cell Carcinoma Treated With Targeted Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 100-111.	0.9	28
193	Immunogenic and Non-immunogenic Cell Death in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1036, 65-79.	0.8	70
194	Inflammatory status and prognosis of locally advanced non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2017, 9, 2782-2785.	0.6	3
195	Preoperative lymphocyte-to-monocyte ratio as a strong predictor of survival and recurrence for gastric cancer after radical-intent surgery. <i>Oncotarget</i> , 2017, 8, 79234-79247.	0.8	31
196	Platelet to lymphocyte ratio (PLR) retains independent prognostic significance in advanced stage marginal zone lymphoma patients treated with rituximab, cyclophosphamide, vincristine, and prednisone combination chemotherapy (R-CVP): Consortium for Improving Survival of Lymphoma trial. <i>Blood Research</i> , 2017, 52, 200.	0.5	9
197	Prognostic Significance of Platelet-Based Inflammatory Indicators in Patients with Gastric Cancer. <i>World Journal of Surgery</i> , 2018, 42, 2542-2550.	0.8	22
198	Oropharyngeal squamous cell carcinoma induces an innate systemic inflammation, affected by the size of the tumour and the lymph node spread. <i>Clinical Otolaryngology</i> , 2018, 43, 1117-1121.	0.6	8
200	Prognostic significance of pretreatment total lymphocyte count and neutrophil-to-lymphocyte ratio in extensive-stage small-cell lung cancer. <i>Radiotherapy and Oncology</i> , 2018, 126, 499-505.	0.3	56
201	Prognostic significance of clinical presentation, induction and rescue treatment in 42 cases of canine centroblastic diffuse large B-cell multicentric lymphoma in the United Kingdom. <i>Veterinary and Comparative Oncology</i> , 2018, 16, 276-287.	0.8	26
202	Pretreatment blood neutrophil/lymphocyte ratio is associated with metastasis and predicts survival in patients with pancreatic cancer. <i>Bulletin Du Cancer</i> , 2018, 105, 146-154.	0.6	8
203	Preoperative Prognostic Nutritional Index Predicts Long-Term Surgical Outcomes in Patients with Esophageal Squamous Cell Carcinoma. <i>World Journal of Surgery</i> , 2018, 42, 2199-2208.	0.8	39
204	Concurrent use of capecitabine with radiation therapy and survival in breast cancer (BC) after neoadjuvant chemotherapy. <i>Clinical and Translational Oncology</i> , 2018, 20, 1280-1288.	1.2	4
205	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Patients with Human Papillomavirus-Positive Oropharyngeal Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2018, 159, 303-309.	1.1	16
206	Combined analysis of the preoperative and postoperative prognostic nutritional index offers a precise predictor of the prognosis of patients with gastric cancer. <i>Surgery Today</i> , 2018, 48, 395-403.	0.7	26
207	Bioengineering Solutions for Manufacturing Challenges in CAR T Cells. <i>Biotechnology Journal</i> , 2018, 13, 1700095.	1.8	56

#	ARTICLE	IF	CITATIONS
208	Nanomaterials as nanocarriers: a critical assessment why these are multi-chore vanquisher in breast cancer treatment. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2018, 46, 899-916.	1.9	19
209	Immunotherapy for Pediatric Malignancies. , 2018, , .		0
210	Reduction of circulating lymphocyte count is a predictor of good tumor response after neoadjuvant treatment for rectal cancer. <i>Medicine (United States)</i> , 2018, 97, e11435.	0.4	13
211	Preoperative High Neutrophil-Lymphocyte Ratio May Be Associated with Lateral Lymph Node Metastasis in Patients with Papillary Thyroid Cancers. <i>International Journal of Thyroidology</i> , 2018, 11, 41.	0.1	1
212	Combined intra-arterial and intravenous chemotherapy for unresectable, advanced gastric cancer has an improved curative effect compared with intravenous chemotherapy only. <i>Oncology Letters</i> , 2018, 15, 5662-5670.	0.8	5
213	Total lymphocyte count, neutrophil–lymphocyte ratio, and platelet–lymphocyte ratio as prognostic factors in advanced non–small cell lung cancer with chemoradiotherapy. <i>Cancer Management and Research</i> , 2018, Volume 10, 6677-6683.	0.9	25
214	Pre-treatment prognostic nutritional index may serve as a potential biomarker in urinary cancers: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2018, 18, 207.	1.8	20
215	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	0.9	18
216	The prognostic and predictive value of tumor-infiltrating lymphocytes and hematologic parameters in patients with breast cancer. <i>BMC Cancer</i> , 2018, 18, 938.	1.1	94
217	Lymphopenia and risk of infection and infection-related death in 98,344 individuals from a prospective Danish population-based study. <i>PLoS Medicine</i> , 2018, 15, e1002685.	3.9	119
218	The Utility of Pretreatment and Posttreatment Lymphopenia in Cervical Squamous Cell Carcinoma Patients Treated With Definitive Chemoradiotherapy. <i>International Journal of Gynecological Cancer</i> , 2018, 28, 1553-1559.	1.2	13
219	The prognostic impact of neutrophil-to-lymphocyte ratio, lymphocyte-to-monocyte ratio, and platelet-to-lymphocyte ratio in patients with advanced colorectal cancer treated with first-line chemotherapy. <i>Przegląd Gastroenterologiczny</i> , 2018, 13, 218-222.	0.3	8
220	Predictive impact of absolute lymphocyte counts for progression-free survival in human epidermal growth factor receptor 2-positive advanced breast cancer treated with pertuzumab and trastuzumab plus eribulin or nab-paclitaxel. <i>BMC Cancer</i> , 2018, 18, 982.	1.1	33
221	Prealbumin and lymphocyte-based prognostic score, a new tool for predicting long-term survival after curative resection of stage II/III gastric cancer. <i>British Journal of Nutrition</i> , 2018, 120, 1359-1369.	1.2	38
222	Prognostic Value of Preoperative Nutritional and Immunological Factors in Patients with Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2018, 25, 3996-4003.	0.7	46
223	The Combination of Neutrophil–lymphocyte Ratio and Serum Carbohydrate Antigen 19-9 Level as a Prognostic Indicator in Patients with Recurrent Pancreatic Cancer. <i>Anticancer Research</i> , 2018, 38, 5497-5503.	0.5	10
224	Peripheral inflammation/immune indicators of chemosensitivity and prognosis in breast cancer patients treated with neoadjuvant chemotherapy. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 1423-1432.	1.0	34
225	A lower ALC/AMC ratio is associated with poor prognosis of peripheral T-cell lymphoma-not otherwise specified. <i>Leukemia Research</i> , 2018, 73, 5-11.	0.4	7

#	ARTICLE	IF	CITATIONS
226	Prognostic role of neutrophil-to-lymphocyte ratio in diffuse large B cell lymphoma patients: an updated doseâ€‘response meta-analysis. <i>Cancer Cell International</i> , 2018, 18, 119.	1.8	35
227	High neutrophil to lymphocyte ratio and decreased CD69<sup>+</sup>NK cells represent a phenotype of high risk in early-stage breast cancer patients. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 2901-2910.	1.0	13
228	Association between pretreatment lymphocyte count and response to PD1 inhibitors in head and neck squamous cell carcinomas. , 2018, 6, 84.		83
229	The value of inflammation based prognostic scores in patients undergoing surgical resection for oesophageal and gastric carcinoma. <i>Journal of Surgical Oncology</i> , 2018, 117, 1697-1707.	0.8	37
230	Absolute Lymphocyte Count in Preoperative Chemoradiotherapy for Rectal Cancer: Changes Over Time and Prognostic Significance. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303381878006.	0.8	22
231	Outcome for Advanced or Metastatic Soft Tissue Sarcoma of Nonextremities Treated with Doxorubicin-Based Chemotherapy: A Retrospective Study from a Single Cancer Institution. <i>Sarcoma</i> , 2018, 2018, 1-7.	0.7	5
232	Elevated peripheral blood B lymphocytes and CD3+CD4â€‘CD8â€‘ T lymphocytes in patients with nonâ€‘small cell lung cancer: A preliminary study on peripheral immune profile. <i>Oncology Letters</i> , 2018, 15, 8387-8395.	0.8	7
233	Baseline Neutrophilâ€‘Lymphocyte and Plateletâ€‘Lymphocyte Ratios as Biomarkers of Survival in Cutaneous Melanoma: A Multicenter Cohort Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 3341-3349.	0.7	31
234	Clinical impact of pretreatment prognostic nutritional index (PNI) in small cell lung cancer patients treated with platinumâ€‘based chemotherapy. <i>Clinical Respiratory Journal</i> , 2018, 12, 2433-2440.	0.6	31
235	Prognostic value of systemic inflammatory markers and development of a nomogram in breast cancer. <i>PLoS ONE</i> , 2018, 13, e0200936.	1.1	85
236	Preoperative Prognostic Nutritional Index Predicts Long-term Outcome in Gastric Cancer: A Propensity Score-matched Analysis. <i>Anticancer Research</i> , 2018, 38, 4735-4746.	0.5	19
237	The Making of a PreCancer Atlas: Promises, Challenges, and Opportunities. <i>Trends in Cancer</i> , 2018, 4, 523-536.	3.8	36
238	Prognostic nutritional index as a predictor of survival in resectable gastric cancer patients with normal preoperative serum carcinoembryonic antigen levels: a propensity score matching analysis. <i>BMC Cancer</i> , 2018, 18, 285.	1.1	43
239	The prognostic value of preoperative prognostic nutritional index in patients with hypopharyngeal squamous cell carcinoma: a retrospective study. <i>Journal of Translational Medicine</i> , 2018, 16, 12.	1.8	23
240	Modelling the immunosuppressive effect of liver SBRT by simulating the dose to circulating lymphocytes: an in-silico planning study. <i>Radiation Oncology</i> , 2018, 13, 10.	1.2	29
241	Blood neutrophil-to-lymphocyte ratio is associated with prognosis in advanced gastrointestinal stromal tumors treated with imatinib. <i>Tumori</i> , 2018, 104, 415-422.	0.6	11
242	Severe Treatment-Related Lymphopenia in Patients with Newly Diagnosed Rectal Cancer. <i>Cancer Investigation</i> , 2018, 36, 356-361.	0.6	9
243	Pretreatment prognostic nutritional index as a prognostic factor in lung cancer: Review and meta-analysis. <i>Clinica Chimica Acta</i> , 2018, 486, 303-310.	0.5	86

#	ARTICLE	IF	CITATIONS
244	Prognostic role of neutrophil–lymphocyte ratio in multiple myeloma: a dose–response meta-analysis. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 499-507.	1.0	15
245	Macrophages Promote Circulating Tumor Cell"Mediated Local Recurrence following Radiotherapy in Immunosuppressed Patients. <i>Cancer Research</i> , 2018, 78, 4241-4252.	0.4	36
246	Hematologic variables associated with brain failure in patients with small-cell lung cancer. <i>Radiotherapy and Oncology</i> , 2018, 128, 505-512.	0.3	8
247	Inflammatory markers and overall survival in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2019, 10, 279-284.	0.5	16
248	Lymphopenia as a Potential Predictor of Ipsilateral Breast Tumor Recurrence in Early Breast Cancer. <i>Anticancer Research</i> , 2019, 39, 4467-4474.	0.5	15
249	Lymphopenia at diagnosis is highly prevalent in myelodysplastic syndromes and has an independent negative prognostic value in IPSS-R-low-risk patients. <i>Blood Cancer Journal</i> , 2019, 9, 63.	2.8	23
250	The Relation between Hemogram Parameters and Survival in Extensive-Stage Small Cell Lung Cancer. <i>Oncology Research and Treatment</i> , 2019, 42, 506-514.	0.8	17
251	Perioperative change in lymphocyte count and prognosis in esophageal squamous cell carcinoma. <i>Journal of Thoracic Disease</i> , 2019, 11, 2332-2339.	0.6	5
252	Systemic immune response in squamous cell carcinoma of the head and neck: a comparative concordance index analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 2913-2922.	0.8	14
253	Lymphopenia as a predictor of survival in chemoradiation-treated stage III non-small-cell lung cancer (NSCLC): a multi-center retrospective analysis. <i>Journal of Radiation Oncology</i> , 2019, 8, 163-170.	0.7	1
254	Cytotoxic Chemotherapy as an Immune Stimulus: A Molecular Perspective on Turning Up the Immunological Heat on Cancer. <i>Frontiers in Immunology</i> , 2019, 10, 1654.	2.2	101
255	Predictive Effects of Inflammatory Scores in Patients with BCLC 0-A Hepatocellular Carcinoma after Hepatectomy. <i>Journal of Clinical Medicine</i> , 2019, 8, 1676.	1.0	20
256	Systemic immune-inflammation index predicts prognosis of patients with advanced pancreatic cancer. <i>Journal of Translational Medicine</i> , 2019, 17, 30.	1.8	58
257	Preoperative total cholesterol-lymphocyte score as a novel immunonutritional predictor of survival in gastric cancer. <i>Langenbeck's Archives of Surgery</i> , 2019, 404, 743-752.	0.8	3
258	Changes in total lymphocyte count and neutrophil"to"lymphocyte ratio after curative pancreatectomy in patients with pancreas adenocarcinoma and their prognostic role. <i>Journal of Surgical Oncology</i> , 2019, 120, 1102-1111.	0.8	14
259	Elevated Neutrophil"Lymphocyte Ratio in Luminal-Type Locally Advanced Breast Cancer to Circumvent Neo-Adjuvant Chemotherapy. <i>Indian Journal of Surgical Oncology</i> , 2019, 10, 454-459.	0.3	3
260	Lurbinectedin synergizes with immune checkpoint blockade to generate anticancer immunity. <i>Oncolmmunology</i> , 2019, 8, e1656502.	2.1	45
261	<p>The prognostic value of the lymphocyte-to-monocyte ratio for high-risk papillary thyroid carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 8451-8462.	0.9	20

#	ARTICLE	IF	CITATIONS
262	Impact of Treatment-Related Lymphopenia on Immunotherapy for Advanced Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 1065-1073.	0.4	79
263	Development of Novel Prognostic Prediction Models including the Prognostic Nutritional Index for Patients with Colorectal Cancer after Curative Resection. <i>Journal of the Anus, Rectum and Colon</i> , 2019, 3, 106-115.	0.4	10
264	Lymphopenia in Esophageal Squamous Cell Carcinoma: Relationship to Malnutrition, Various Disease Parameters, and Response to Concurrent Chemoradiotherapy. <i>Oncologist</i> , 2019, 24, e677-e686.	1.9	25
265	The Hemoglobin, Albumin, Lymphocyte, and Platelet (HALP) Score is a Novel Significant Prognostic Factor for Patients with Metastatic Prostate Cancer Undergoing Cytoreductive Radical Prostatectomy. <i>Journal of Cancer</i> , 2019, 10, 81-91.	1.2	58
266	Lymphopenia after induction chemotherapy correlates with incomplete surgical resection in patients with advanced ovarian cancer. <i>International Journal of Clinical Oncology</i> , 2019, 24, 428-436.	1.0	8
267	Leukotoxicity after moderately Hypofractionated radiotherapy versus conventionally fractionated dose escalated radiotherapy for localized prostate Cancer: a secondary analysis from a randomized study. <i>Radiation Oncology</i> , 2019, 14, 23.	1.2	9
268	<p>Isocitrate dehydrogenase 1 mutation is associated with reduced levels of inflammation in glioma patients</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 3227-3236.	0.9	17
269	High Endogenous DNA Damage Levels Predict Hematological Toxicity in Testicular Germ Cell Tumor Patients Treated With First-Line Chemotherapy. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1020-e1025.	0.9	1
270	<p>A novel preoperative plasma indicator to predict prognoses for patients with esophageal squamous cell carcinoma after radical esophagectomy: fibrinogen-to-lymphocyte ratio</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 4719-4728.	0.9	8
271	Preoperative lymphocyte count in relation to sarcoma prognosis. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901985495.	0.4	9
272	Discrimination of Head and Neck Squamous Cell Carcinoma Patients and Healthy Adults by 10-Color Flow Cytometry: Development of a Score Based on Leukocyte Subsets. <i>Cancers</i> , 2019, 11, 814.	1.7	5
273	Radiotherapy, Lymphopenia, and Host Immune Capacity in Glioblastoma: A Potentially Actionable Toxicity Associated With Reduced Efficacy of Radiotherapy. <i>Neurosurgery</i> , 2019, 85, 441-453.	0.6	33
274	Long-term Survivors in Metastatic Pancreatic Ductal Adenocarcinoma: A Retrospective and Matched Pair Analysis. <i>Oncologist</i> , 2019, 24, 1543-1548.	1.9	15
275	Score of the preoperative absolute number of lymphocytes, monocytes, and neutrophils as a prognostic indicator for patients with gastric cancer. <i>Surgery Today</i> , 2019, 49, 850-858.	0.7	5
276	Clinical significance of prognostic nutritional index (PNI) in malignant melanoma. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1301-1310.	1.0	65
277	The role of pretreatment prognostic nutritional index in esophageal cancer: A meta-analysis. <i>Journal of Cellular Physiology</i> , 2019, 234, 19655-19662.	2.0	39
278	Neutrophil"to"Lymphocyte Ratio as a Prognostic Indicator in Patients With Unresectable Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 2583-2589.	0.5	33
279	Combined preoperative platelet-to-lymphocyte ratio and serum carbohydrate antigen 19"9 level as a prognostic factor in patients with resected pancreatic cancer. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 278-284.	0.6	13

#	ARTICLE	IF	CITATIONS
280	Lymphopenia predicts response to stereotactic radiosurgery in lung cancer patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2019, 143, 337-347.	1.4	15
281	Bevacizumab-Based Chemotherapy Triggers Immunological Effects in Responding Multi-Treated Recurrent Ovarian Cancer Patients by Favoring the Recruitment of Effector T Cell Subsets. <i>Journal of Clinical Medicine</i> , 2019, 8, 380.	1.0	25
282	Prognostic Value of Platelet Count in Patients with Peripheral T Cell Lymphoma. <i>Acta Haematologica</i> , 2019, 141, 176-186.	0.7	16
283	Very long-term survivors among patients with metastatic soft tissue sarcoma. <i>Cancer Medicine</i> , 2019, 8, 1368-1378.	1.3	16
284	Controlling Nutritional Status score: A new prognostic indicator for patients with oligometastatic prostate cancer. <i>Current Problems in Cancer</i> , 2019, 43, 461-470.	1.0	16
285	Combined assessment of peritumoral Th1/Th2 polarization and peripheral immunity as a new biomarker in the prediction of BCG response in patients with high-risk NMIBC. <i>Oncolimmunology</i> , 2019, 8, 1602460.	2.1	22
286	Prognostic nutritional index as a prognostic marker in glioblastoma: Data from a cohort of 282 Italian patients. <i>Journal of the Neurological Sciences</i> , 2019, 400, 175-179.	0.3	16
287	A novel method to address the association between received dose intensity and survival outcome: benefits of approaching treatment intensification at a more individualised level in a trial of the European Osteosarcoma Intergroup. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 951-962.	1.1	20
288	Lymphopenia in Cancer Patients and its Effects on Response to Immunotherapy: an opportunity for combination with Cytokines?. , 2019, 7, 85.		175
289	Prognostic Nutritional Index Predicts Outcomes of Patients after Gastrectomy for Cancer: A Systematic Review and Meta-Analysis of Nonrandomized Studies. <i>Nutrition and Cancer</i> , 2019, 71, 557-568.	0.9	23
290	Systemic inflammation score predicts survival in patients with intrahepatic cholangiocarcinoma undergoing curative resection. <i>Journal of Cancer</i> , 2019, 10, 494-503.	1.2	36
291	Enhancement of the Follicular Lymphoma International Prognostic Index (FLIPI) with lymphopenia (FLIPI-L): a predictor for overall survival and histologic transformation. <i>Blood Cancer Journal</i> , 2019, 9, 104.	2.8	11
292	Neutrophil/Lymphocyte Ratio and Platelet/Lymphocyte Ratio in Branch Retinal Vein Occlusion. <i>Journal of Ophthalmology</i> , 2019, 2019, 1-5.	0.6	19
293	Preoperative prognostic nutritional index shows no significant prognostic value for short-term outcomes of anastomosis-leakage patients after cancerous esophagectomy. <i>Annals of Palliative Medicine</i> , 2019, 8, 698-707.	0.5	2
294	Prognostic Significance of Hematological Indices in Malignant Melanoma Treated With Immune Checkpoint Inhibitors. <i>Journal of Immunotherapy</i> , 2019, 42, 251-264.	1.2	13
295	A novel scoring system predicting survival benefits of palliative primary tumor resection for patients with unresectable metastatic colorectal cancer. <i>Medicine (United States)</i> , 2019, 98, e17178.	0.4	3
296	Prognostic role of disease extent and lymphocyte-monocyte ratio in advanced melanoma. <i>Melanoma Research</i> , 2019, 29, 510-515.	0.6	12
297	Combined Pre- and Postoperative Lymphocyte Count Accurately Predicts Outcomes of Patients with Colorectal Cancer. <i>Digestive Surgery</i> , 2019, 36, 487-494.	0.6	16

#	ARTICLE	IF	CITATIONS
298	Neutrophil-to-lymphocyte ratio as a predictor of survival in patients with triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 443-452.	1.1	54
299	Usefulness of the preoperative prognostic nutritional index score as a predictor of the outcomes of lung transplantation: A single-institution experience. <i>Clinical Nutrition</i> , 2019, 38, 2423-2429.	2.3	31
300	A prognostic index for colorectal cancer based on preoperative absolute lymphocyte, monocyte, and neutrophil counts. <i>Surgery Today</i> , 2019, 49, 245-253.	0.7	20
301	Prognostic Significance of Pre- and Postoperative Lymphocyte Counts in Patients with Gastric Cancer. <i>Digestive Surgery</i> , 2019, 36, 137-143.	0.6	21
302	The Systemic-immune-inflammation Index Independently Predicts Survival and Recurrence in Resectable Pancreatic Cancer and its Prognostic Value Depends on Bilirubin Levels. <i>Annals of Surgery</i> , 2019, 270, 139-146.	2.1	179
303	Novel hematological biomarkers predict survival in renal cell carcinoma patients treated with nephrectomy. <i>Archives of Medical Science</i> , 2020, 16, 1062-1071.	0.4	16
304	Effect of COPD on Inflammation, Lymphoid Functions and Progression-Free Survival during First-Line Chemotherapy in Advanced Non-small Cell Lung Cancer. <i>Pathology and Oncology Research</i> , 2020, 26, 1117-1128.	0.9	6
305	The prognostic nutritional index in resected high-grade pulmonary neuroendocrine carcinoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2020, 68, 43-48.	0.4	6
306	Complete blood count-based inflammatory score (CBCS) is a novel prognostic marker for gastric cancer patients after curative resection. <i>BMC Cancer</i> , 2020, 20, 11.	1.1	18
307	The association between total lymphocyte count after concomitant chemoradiation and overall survival in patients with newly diagnosed glioblastoma. <i>Journal of Clinical Neuroscience</i> , 2020, 71, 21-25.	0.8	15
308	Prognostic capacity of Systemic Inflammation Response Index (SIRI) in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2020, 42, 336-343.	0.9	48
309	A framework for modeling radiation induced lymphopenia in radiotherapy. <i>Radiotherapy and Oncology</i> , 2020, 144, 105-113.	0.3	26
310	Prognostic value of combined preoperative prognostic nutritional index and neutrophil to lymphocyte ratio in esophageal squamous cell carcinoma. <i>Translational Cancer Research</i> , 2020, 9, 5117-5127.	0.4	1
311	Prognostic nutritional index and the prognosis of diffuse large b-cell lymphoma: a meta-analysis. <i>Cancer Cell International</i> , 2020, 20, 455.	1.8	23
312	The immuno-oncological challenge of COVID-19. <i>Nature Cancer</i> , 2020, 1, 946-964.	5.7	96
313	Prognostic value of systemic inflammatory markers for oral cancer patients based on the 8th edition of AJCC staging system. <i>Scientific Reports</i> , 2020, 10, 12111.	1.6	20
314	The prognostic and predictive value of tumor infiltrating Macrophage and Neutrophil in patient with clear cell renal cell carcinoma: Tumor infiltrating lymphocytes in renal cell carcinoma. <i>Medicine (United States)</i> , 2020, 99, e23181.	0.4	13
315	Predictive Factors for Non-sentinel Nodal Metastasis in Patients With Sentinel Lymph Node-positive Breast Cancer. <i>Anticancer Research</i> , 2020, 40, 4405-4412.	0.5	4

#	ARTICLE	IF	CITATIONS
316	The prognostic value of combined tumor markers and systemic immune-inflammation index in colorectal cancer patients. <i>Langenbeck's Archives of Surgery</i> , 2020, 405, 1119-1130.	0.8	6
317	<p>Prognostic Value of Fibrinogen and Lymphocyte Count in Intermediate and High Risk Gastrointestinal Stromal Tumors</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 8149-8157.	0.9	4
318	Pre-operative prognostic nutritional index was associated with recurrence after surgery in giant cell tumor of bone patients. <i>Journal of Bone Oncology</i> , 2020, 25, 100324.	1.0	7
319	Chemoradiationâ€Related Lymphopenia and Its Association with Survival in Patients with Squamous Cell Carcinoma of the Anal Canal. <i>Oncologist</i> , 2020, 25, 1015-1022.	1.9	11
320	Determinants of the outcomes of patients with cancer infected with SARS-CoV-2: results from the Gustave Roussy cohort. <i>Nature Cancer</i> , 2020, 1, 965-975.	5.7	98
321	Lymphopenia and clinical outcomes in patients with residual nodal disease after neoadjuvant chemotherapy for breast cancer. <i>Cancer Causes and Control</i> , 2020, 31, 1021-1026.	0.8	4
322	Prognostic value of intratumoral lymphocyte-to-monocyte ratio and M0 macrophage enrichment in tumor immune microenvironment of melanoma. <i>Melanoma Management</i> , 2020, 7, MMT51.	0.1	14
323	Prognostic effect of systemic inflammation in patients undergoing surgery for hepatocellular carcinoma: comparison of composite ratios and cumulative scores. <i>Translational Cancer Research</i> , 2020, 9, 6154-6165.	0.4	4
324	Analysis of tumor-infiltrating NK and T cells highlights IL-15 stimulation and TIGIT blockade as a combination immunotherapy strategy for soft tissue sarcomas. , 2020, 8, e001355.		55
325	A Novel Prognostic Marker Systemic Inflammation Response Index (SIRI) for Operable Cervical Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 766.	1.3	77
326	A review of radiation-induced lymphopenia in patients with esophageal cancer: an immunological perspective for radiotherapy. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592092682.	1.4	28
327	Glutamine for Amelioration of Radiation and Chemotherapy Associated Mucositis during Cancer Therapy. <i>Nutrients</i> , 2020, 12, 1675.	1.7	80
328	Prognostic value of preoperative prognostic nutritional index in patients with renal cell carcinoma after nephrectomy. <i>Clinica Chimica Acta</i> , 2020, 509, 210-216.	0.5	7
329	<p>Association of the Preoperative Inflammation-Based Scores with TNM Stage and Recurrence in Patients with Papillary Thyroid Carcinoma: A Retrospective, Multicenter Analysis</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 1809-1818.	0.9	18
330	Determining Malnutrition Assessment Criteria to Predict One-Year Mortality for Locally Advanced Head and Neck Cancer Patients Undergoing Concurrent Chemoradiotherapy. <i>Nutrients</i> , 2020, 12, 836.	1.7	8
331	The Geriatric Nutritional Risk Index predicts postoperative complications and prognosis in elderly patients with colorectal cancer after curative surgery. <i>Scientific Reports</i> , 2020, 10, 10744.	1.6	70
332	DC-CIK as a widely applicable cancer immunotherapy. <i>Expert Opinion on Biological Therapy</i> , 2020, 20, 601-607.	1.4	28
333	Prognostic impact of preoperative immunonutritional status in rectal mucinous adenocarcinoma. <i>Future Oncology</i> , 2020, 16, 339-351.	1.1	4

#	ARTICLE	IF	CITATIONS
334	Neutrophil-to-lymphocyte ratio and histological type might predict clinical responses to eribulin-based treatment in patients with metastatic breast cancer. <i>Breast Cancer</i> , 2020, 27, 732-738.	1.3	14
335	Postoperative Complications have Minimal Impact on Long-Term Prognosis in Immunodeficient Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 3064-3070.	0.7	4
336	Incidental lymphopenia and mortality: a prospective cohort study. <i>Cmaj</i> , 2020, 192, E25-E33.	0.9	34
337	Postradiotherapy persistent lymphopenia as a poor prognostic factor in patients with cervical cancer receiving radiotherapy: a single-center, retrospective study. <i>International Journal of Clinical Oncology</i> , 2020, 25, 955-962.	1.0	14
338	The neutrophil-lymphocyte ratio and locoregional melanoma: a multicentre cohort study. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 559-568.	2.0	28
339	Preoperative Immune-Nutritional Abnormality Predicts Poor Outcome in Elderly Non-Small-Cell Lung Cancer Patients with Comorbidities. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2020, 26, 240-247.	0.3	5
340	Prognostic role of pretreatment blood lymphocyte count in patients with solid tumors: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2020, 20, 15.	1.8	48
341	hIL-7 γ Fc, A Long-Acting IL-7, Increased Absolute Lymphocyte Count in Healthy Subjects. <i>Clinical and Translational Science</i> , 2020, 13, 1161-1169.	1.5	30
342	The influence of nutritional status on the incidence of postoperative complications in patients following distal pancreatectomy. <i>Przegląd Gastroenterologiczny</i> , 2020, 15, 65-75.	0.3	9
343	A maintained absolute lymphocyte count predicts the overall survival benefit from eribulin therapy, including eribulin re-administration, in HER2-negative advanced breast cancer patients: a single-institutional experience. <i>Breast Cancer Research and Treatment</i> , 2020, 181, 211-220.	1.1	24
344	High neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio predict poor survival in rectal cancer patients receiving neoadjuvant concurrent chemoradiotherapy. <i>Medicine (United States)</i> , 2020, 99, e19877.	0.4	24
345	The prognostic impact of neutrophil-to-lymphocyte ratio (NLR) and lymphocyte-to-monocyte ratio (LMR) in patients with distal bile duct cancer. <i>World Journal of Surgical Oncology</i> , 2020, 18, 78.	0.8	20
346	Prognostic Significance of Absolute Lymphocyte Count, Absolute Monocyte Count, and Absolute Lymphocyte Count to Absolute Monocyte Count Ratio in Follicular Non-Hodgkin Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e606-e615.	0.2	15
347	Dynamics of clinical biomarkers as predictors of immunotherapy benefit in metastatic melanoma patients. <i>Clinical and Translational Oncology</i> , 2021, 23, 311-317.	1.2	12
348	Prediction Efficacy for Clinical Outcome of Prognostic Nutritional Index in Patients with Resectable Biliary Tract Cancer Depends on Sex and Obstructive Jaundice Status. <i>Annals of Surgical Oncology</i> , 2021, 28, 430-438.	0.7	11
349	Lymphocyte- α -reactive protein ratio as a novel prognostic index in intrahepatic cholangiocarcinoma: A multicentre cohort study. <i>Liver International</i> , 2021, 41, 378-387.	1.9	35
350	The Usefulness of the Pretreatment Neutrophil/Lymphocyte Ratio as a Predictor of the 5-Year Survival in Stage 1-3 Triple Negative Breast Cancer Patients. <i>Breast Care</i> , 2021, 16, 43-49.	0.8	0
351	Comparison of Inflammation-Based Prognostic Scores Associated with the Prognostic Impact of Adenocarcinoma of Esophagogastric Junction and Upper Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 2059-2067.	0.7	26

#	ARTICLE	IF	CITATIONS
352	The prognostic role of prognostic nutritional index in nasopharyngeal carcinoma: A systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021, 26, 66-77.	1.0	16
353	Prognostic impact of peripheral blood neutrophil to lymphocyte ratio in advanced-stage pulmonary large cell neuroendocrine carcinoma and its association with the immune-related tumour microenvironment. <i>British Journal of Cancer</i> , 2021, 124, 925-932.	2.9	10
354	Clinical relevance of NKT cells and soluble MIC-A in Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2021, 62, 801-809.	0.6	6
355	Is Preoperative Plate-Lymphocyte Ratio a Predictor of Deep Vein Thrombosis in Patients With Oral Cancer During Surgery?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021, 79, 914-924.	0.5	6
356	The Prognostic Significance of C-reactive Protein-To-Lymphocyte Ratio in Colorectal Liver Metastases. <i>Journal of Surgical Research</i> , 2021, 258, 414-421.	0.8	17
357	Prognostic significance of dynamic changes in lymphocyte-to-monocyte ratio in patients with head and neck cancer treated with radiotherapy: results from a large cohort study. <i>Radiotherapy and Oncology</i> , 2021, 154, 76-86.	0.3	13
358	Prognostic value of preoperative lymphocyte-to-monocyte ratio in oral cancer patients and establishment of a dynamic nomogram. <i>Oral Diseases</i> , 2021, 27, 1127-1136.	1.5	11
359	The Combination of Prognostic Nutritional Indicator and Serum Carcinoembryonic Antigen is Useful in Predicting Postoperative Recurrence in Stage II Colorectal Cancer. <i>Yonago Acta Medica</i> , 2021, 64, 176-183.	0.3	3
360	Low-Blood Lymphocyte Number and Lymphocyte Decline as Key Factors in COPD Outcomes: A Longitudinal Cohort Study. <i>Respiration</i> , 2021, 100, 618-630.	1.2	8
361	Prognostic significance of preoperative Naples prognostic score on short- and long-term outcomes after pancreatoduodenectomy for ampullary carcinoma. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 0-0.	0.7	10
362	Prognostic impact of the prognostic nutritional index in cases of resected oral squamous cell carcinoma: a retrospective study. <i>BMC Oral Health</i> , 2021, 21, 40.	0.8	14
363	Prognostic Role of Peripheral Neutrophil-Lymphocyte Ratio (NLR) and Platelet-Lymphocyte Ratio (PLR) in Patients with Rectal Cancer Undergoing Neoadjuvant Chemoradiotherapy. <i>Journal of Gastrointestinal Cancer</i> , 2022, 53, 151-160.	0.6	16
364	Clinical importance of the absolute count of neutrophils, lymphocytes, monocytes, and platelets in newly diagnosed hepatocellular carcinoma. <i>Scientific Reports</i> , 2021, 11, 2614.	1.6	5
365	Controlling Nutritional Status Score Evaluates Prognosis in Patients With Non-Muscle Invasive Bladder Cancer. <i>Cancer Control</i> , 2021, 28, 107327482110210.	0.7	4
366	Prognostic Nutritional Index identifies risk of early progression and survival outcomes in Advanced Non-small Cell Lung Cancer patients treated with PD-1 inhibitors. <i>Journal of Cancer</i> , 2021, 12, 2960-2967.	1.2	25
367	Comparative prognostic value of different preoperative complete blood count cell ratios in patients with oral cavity cancer treated with surgery and postoperative radiotherapy. <i>Cancer Medicine</i> , 2021, 10, 1975-1988.	1.3	9
368	Systemic immune-inflammation index: a prognostic tiebreaker among all in advanced pancreatic cancer. <i>Annals of Translational Medicine</i> , 2021, 9, 251-251.	0.7	22
369	Systemic Immune-Inflammation Index and Changes of Neutrophil-Lymphocyte Ratio as Prognostic Biomarkers for Patients With Pancreatic Cancer Treated With Immune Checkpoint Blockade. <i>Frontiers in Oncology</i> , 2021, 11, 585271.	1.3	27

#	ARTICLE	IF	CITATIONS
370	Preoperative prognostic nutritional index level is associated with tumour-infiltrating lymphocyte status in patients with surgically resected lung squamous cell carcinoma. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 60, 393-401.	0.6	14
371	Prognostic Value of Preoperative Inflammatory Markers in Melanoma Patients with Brain Metastases. <i>Journal of Clinical Medicine</i> , 2021, 10, 634.	1.0	12
372	Dynamic Changes in the Systemic Inflammation Response Index Predict the Outcome of Resectable Gastric Cancer Patients. <i>Frontiers in Oncology</i> , 2021, 11, 577043.	1.3	22
373	The longitudinal relationship between immune cell profiles and frailty in patients with breast cancer receiving chemotherapy. <i>Breast Cancer Research</i> , 2021, 23, 19.	2.2	16
374	The prognostic nutritional index is correlated negatively with the lung allocation score and predicts survival after both cadaveric and living-donor lobar lung transplantation. <i>Surgery Today</i> , 2021, 51, 1610-1618.	0.7	9
375	Clinical, inflammatory and immunohistochemical features in a cohort of Peruvian patients with diffuse large B-cell lymphoma. <i>Leukemia Research</i> , 2021, 102, 106513.	0.4	1
376	Systemic immunity markers associated with lymphocytes predict the survival benefit from paclitaxel plus bevacizumab in HER2 negative advanced breast cancer. <i>Scientific Reports</i> , 2021, 11, 6328.	1.6	15
377	Prognostic value of pretreatment prognostic nutritional index in intravenous immunoglobulin-resistant Kawasaki disease. <i>Heart and Vessels</i> , 2021, 36, 1366-1373.	0.5	9
378	Evaluation of Absolute Lymphocyte Count at Diagnosis and Mortality Among Patients With Localized Bone or Soft Tissue Sarcoma. <i>JAMA Network Open</i> , 2021, 4, e210845.	2.8	10
379	Lymphopenia and intratumoral lymphocytic balance in the era of cancer immuno-radiotherapy. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 159, 103226.	2.0	19
380	Immunological Prognostic Factors in Multiple Myeloma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3587.	1.8	16
381	Ivermectin converts cold tumors hot and synergizes with immune checkpoint blockade for treatment of breast cancer. <i>Npj Breast Cancer</i> , 2021, 7, 22.	2.3	16
382	Indices of peripheral leukocytes predict longer overall survival in breast cancer patients on eribulin in Japan. <i>Breast Cancer</i> , 2021, 28, 945-955.	1.3	6
383	Modeling Radioimmune Response—Current Status and Perspectives. <i>Frontiers in Oncology</i> , 2021, 11, 647272.	1.3	10
384	Risk and impact of radiation related lymphopenia in lung cancer: A systematic review and meta-analysis. <i>Radiotherapy and Oncology</i> , 2021, 157, 225-233.	0.3	32
385	Systemic immunity in cancer. <i>Nature Reviews Cancer</i> , 2021, 21, 345-359.	12.8	605
386	Systemic inflammatory markers and serum lactate dehydrogenase predict survival in patients with Wilms tumour. <i>Archives of Medical Science</i> , 2021, , .	0.4	1
387	Nomograms to predict the prognosis in locally advanced oral squamous cell carcinoma after curative resection. <i>BMC Cancer</i> , 2021, 21, 372.	1.1	14

#	ARTICLE	IF	CITATIONS
388	Phase I Trial of N-803, an IL15 Receptor Agonist, with Rituximab in Patients with Indolent Non-Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2021, 27, 3339-3350.	3.2	26
389	Systemic immune-inflammation index predicts prognosis of sequential therapy with sorafenib and regorafenib in hepatocellular carcinoma. <i>BMC Cancer</i> , 2021, 21, 569.	1.1	17
390	Predictive impact of prognostic nutritional index in early-stage hepatocellular carcinoma after operative microwave ablation. <i>Asian Journal of Surgery</i> , 2021, 45, 202-202.	0.2	2
391	Role of systemic immune-inflammation index in patients treated with salvage radical prostatectomy. <i>World Journal of Urology</i> , 2021, 39, 3771-3779.	1.2	10
392	Mature and Immature/Activated Cells Fractionation: Time for a Paradigm Shift in Differential Leucocyte Count Reporting?. <i>Diagnostics</i> , 2021, 11, 922.	1.3	1
393	The diagnostic predictive value of neutrophil-to-lymphocyte ratio in thyroid cancer adjusted for tumor size. <i>PLoS ONE</i> , 2021, 16, e0251446.	1.1	16
394	Prognostic Impact of Preoperative Naples Prognostic Score in Gastric Cancer Patients Undergoing Surgery. <i>Frontiers in Surgery</i> , 2021, 8, 617744.	0.6	12
395	Association between absolute lymphocyte count and overall mortality in patients with surgically resected gastric cancer. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 679-688.	0.7	15
396	Mortality of patients with solid and haematological cancers presenting with symptoms of COVID-19 with vs without detectable SARS-COV-2: a French nationwide prospective cohort study. <i>British Journal of Cancer</i> , 2021, 125, 658-671.	2.9	20
397	Prognostic Significance of Prognostic Nutritional Index in Patients with Renal Cell Carcinoma: A Meta-Analysis. <i>Nutrition and Cancer</i> , 2021, , 1-9.	0.9	4
398	Dynamic Changes in Absolute Lymphocyte Counts During Eribulin Therapy Are Associated With Survival Benefit. <i>Anticancer Research</i> , 2021, 41, 3109-3119.	0.5	11
399	Exploring miRNA Signature and Other Potential Biomarkers for Oligometastatic Prostate Cancer Characterization: The Biological Challenge behind Clinical Practice. A Narrative Review. <i>Cancers</i> , 2021, 13, 3278.	1.7	6
400	Impact of systemic Immuneâ€inflammation Index on oncologic outcomes in patients treated with radical prostatectomy for clinically nonmetastatic prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 785.e19-785.e27.	0.8	14
401	Remote Combined Effects of Coal Dust and High-Dose Î±-Irradiation on Immune System Changes. <i>Revista GEINTEC</i> , 2021, 11, 192-203.	0.2	0
402	The Influence of Severe Radiation-Induced Lymphopenia on Overall Survival in Solid Tumors: A Systematic Review and Meta-Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 936-948.	0.4	53
403	Combined prognostic nutritional index and albumin-bilirubin grade to predict the postoperative prognosis of HBV-associated hepatocellular carcinoma patients. <i>Scientific Reports</i> , 2021, 11, 14624.	1.6	5
404	The Correlation of Preoperative Neutrophil-to-Lymphocyte Ratio with Neck Ultrasonography and Pathological Findings in Patients with Differentiated Thyroid Cancer. <i>Ankara EÄYitim Ve AraÄYtÄ±rma Hastanesi TÄ±p Dergisi</i> , 2021, 54, 243-248.	0.1	1
405	Lymphocyteâ€toâ€monocyte ratio combined with CA19â€9 for predicting postoperative recurrence of colorectal cancer in patients with diabetes. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23944.	0.9	5

#	ARTICLE	IF	CITATIONS
406	Identification of diagnostic and prognostic signatures derived from preoperative blood parameters for oral squamous cell carcinoma. <i>Annals of Translational Medicine</i> , 2021, 9, 1220-1220.	0.7	3
407	Coincidental splenic irradiation and risk of functional hyposplenism in oesophageal cancer treatment. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2021, 65, 925-930.	0.9	1
408	Prognostic Value of the Systemic Inflammatory Response Index in Patients Undergoing Radical Cystectomy for Bladder Cancer: A Population-Based Study. <i>Frontiers in Oncology</i> , 2021, 11, 722151.	1.3	8
409	Predictive Value of Preoperative Controlling Nutritional Status Score Combined with Fibrinogen-Albumin Ratio in Postoperative Local Recurrence-Free Survival of Patients with Retroperitoneal Liposarcoma. <i>Cancer Management and Research</i> , 2021, Volume 13, 6157-6167.	0.9	5
410	The Geriatric Nutritional Risk Index and Prognostic Nutritional Index Predict the Overall Survival of Advanced Non-Small Cell Lung Cancer Patients. <i>Nutrition and Cancer</i> , 2022, 74, 1606-1613.	0.9	11
411	The prognostic values of prognostic nutritional index in extensive-stage small-cell lung cancer. <i>Anti-Cancer Drugs</i> , 2021, Publish Ahead of Print, .	0.7	2
412	Neutrophil-Lymphocyte Ratio and Absolute Lymphocyte Count as Prognostic Markers in Patients Treated with Curative-intent Radiotherapy for Non-small Cell Lung Cancer. <i>Clinical Oncology</i> , 2021, 33, e331-e338.	0.6	9
413	Peripheral Blood Lymphocyte Percentage May Predict Chemotolerance and Survival in Patients with Advanced Pancreatic Cancer. Association between Adaptive Immunity and Nutritional State. <i>Current Oncology</i> , 2021, 28, 3280-3296.	0.9	2
415	Postoperative controlling nutritional status score is an independent risk factor of survival for patients with small hepatocellular carcinoma: a retrospective study. <i>BMC Surgery</i> , 2021, 21, 338.	0.6	3
416	Small molecule tyrosine kinase inhibitors modulated blood immune cell counts in patients with oncogene-driven NSCLC. <i>Biomarker Research</i> , 2021, 9, 69.	2.8	4
417	Lymphopenia Caused by Virus Infections and the Mechanisms Beyond. <i>Viruses</i> , 2021, 13, 1876.	1.5	42
418	Prognostic nutritional index, a novel biomarker which predicts worse prognosis in diffuse large B cell lymphoma. <i>Leukemia Research</i> , 2021, 110, 106664.	0.4	5
419	Prognostic Nutritional Index Considering Resection Range Is Useful for Predicting Postoperative Morbidity of Hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 2788-2795.	0.9	10
420	Neutrophil-to-Lymphocyte Ratio After Definitive Concurrent Chemoradiotherapy Predicts Survival in Patients With Esophageal Squamous Cell Carcinoma. <i>In Vivo</i> , 2021, 35, 1133-1139.	0.6	6
421	Prognostic Relevance of Pretreatment Peripheral Neutrophil Count and Neutrophil-to-lymphocyte Ratio in Primary Cutaneous Angiosarcoma. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00527.	0.6	2
422	Peritransplant Lymphopenia Is a Novel Prognostic Factor in Recurrence of Hepatocellular Carcinoma After Liver Transplantation. <i>Transplantation</i> , 2014, 97, 694-701.	0.5	45
423	Blood Lymphocyte-to-Monocyte Ratio Identifies High-Risk Patients in Diffuse Large B-Cell Lymphoma Treated with R-CHOP. <i>PLoS ONE</i> , 2012, 7, e41658.	1.1	129
424	An Inflammation Based Score Can Optimize the Selection of Patients with Advanced Cancer Considered for Early Phase Clinical Trials. <i>PLoS ONE</i> , 2014, 9, e83279.	1.1	25

#	ARTICLE	IF	CITATIONS
425	More Accurate Prediction of Metastatic Pancreatic Cancer Patients's Survival with Prognostic Model Using Both Host Immunity and Tumor Metabolic Activity. <i>PLoS ONE</i> , 2016, 11, e0145692.	1.1	14
426	Effect of Cumulative Dexamethasone Dose during Concomitant Chemoradiation on Lymphopenia in Patients with Newly Diagnosed Glioblastoma. <i>Brain Tumor Research and Treatment</i> , 2020, 8, 71.	0.4	14
427	Frailty and inflammatory markers in older adults with cancer. <i>Aging</i> , 2017, 9, 650-664.	1.4	49
428	Prognostic significance of preoperative prognostic nutritional index in colorectal cancer: results from a retrospective cohort study and a meta-analysis. <i>Oncotarget</i> , 2016, 7, 58543-58552.	0.8	75
429	Preoperative combined hemoglobin, albumin, lymphocyte and platelet levels predict survival in patients with locally advanced colorectal cancer. <i>Oncotarget</i> , 2016, 7, 72076-72083.	0.8	57
430	Preoperative monocyte-lymphocyte and neutrophil-lymphocyte but not platelet-lymphocyte ratios are predictive of clinical outcomes in resected patients with non-metastatic Siewert type II/III adenocarcinoma of esophagogastric junction: a prospective cohort study (the AMONP cohort). <i>Oncotarget</i> , 2017, 8, 57516-57527.	0.8	17
431	Combined use of preoperative lymphocyte counts and the post/preoperative lymphocyte count ratio as a prognostic marker of recurrence after curative resection of stage II colon cancer. <i>Oncotarget</i> , 2018, 9, 2553-2564.	0.8	7
432	Concepts and mechanisms underlying chemotherapy induced immunogenic cell death: impact on clinical studies and considerations for combined therapies. <i>Oncotarget</i> , 2015, 6, 41600-41619.	0.8	102
433	Lymphopenia association with accelerated hyperfractionation and its effects on limited-stage small cell lung cancer patients's clinical outcomes. <i>Annals of Translational Medicine</i> , 2019, 7, 385-385.	0.7	11
434	Inflammation-based Prognostic Score in Patients with Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 5537-5542.	0.5	20
435	The Preoperative Controlling Nutritional Status Score Predicts Survival After Curative Surgery in Patients with Pathological Stage I Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2017, 37, 741-748.	0.5	59
436	Lymphocyte-monocyte ratio at day 14 of first cisplatin-doxorubicin chemotherapy is associated with treatment outcome of pediatric patients with localized osteosarcoma. <i>Korean Journal of Pediatrics</i> , 2019, 62, 62-67.	1.9	2
437	Comparison of selected inflammation-based prognostic markers in relapsed or refractory metastatic colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2015, 21, 12410.	1.4	61
438	Is Absolute Lymphocyte Count Just Another Prognostic Factor in Cancer?. <i>SRX Medicine</i> , 2010, 2010, 1-8.	0.0	7
439	Total Peripheral Lymphocyte Count in Malignant Tumors: An Index of Prognostication. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2011, 12, 24-28.	0.0	4
440	Neutrophil lymphocyte ratio is an independent prognosticator in patients with locally advanced head and neck squamous cell carcinoma receiving induction chemotherapy with docetaxel, cisplatin, and fluorouracil. <i>Journal of Cancer Research and Practice</i> , 2019, 6, 170.	0.2	3
441	Peripheral and Tissue Lymphocytes as Predictors of Pathological Response in Locally Advanced Rectal Cancer Post Neoadjuvant Chemoradiotherapy. <i>Journal of Cancer Therapy</i> , 2017, 08, 250-267.	0.1	1
442	Lymphopenia and mortality among patients undergoing coronary angiography: Long-term follow-up study. <i>Cardiology Journal</i> , 2020, , .	0.5	7

#	ARTICLE	IF	CITATIONS
443	The Neutrophil to Lymphocyte Ratio has a High Negative Predictive Value for Pathologic Complete Response in Locally Advanced Breast Cancer Patients Receiving Neoadjuvant Chemotherapy. Asian Pacific Journal of Cancer Prevention, 2014, 15, 7737-7740.	0.5	31
444	Impact of lymphopenia on survival for elderly patients with glioblastoma: A secondary analysis of the CCTG CE.6 (EORTC 26062-22061, TROG08.02) randomized clinical trial. Neuro-Oncology Advances, 2021, 3, vdab153.	0.4	8
445	Associations between Nutritional and Immune Status and Clinicopathologic Factors in Patients with Pancreatic Cancer: A Comprehensive Analysis. Cancers, 2021, 13, 5041.	1.7	16
446	Molecular and Metabolic Cues of the Key-Lock Paradigm Dictating Immunogenic Cell Death. , 2014, , 213-220.		0
447	The Effect of Intravenous Immunoglobulin (IVIg) on In vitro Activation of Circulating Neutrophils from CBA and C57BL/6 Mice with Fibrosarcoma S37. Immunome Research, 2014, 09, .	0.1	0
448	Identification des voies de signalisations essentielles À la progression tumorale dans les sarcomes : un modèle pour les interactions cellules tumorales et stroma. Bulletin De L'Academie Nationale De Medecine, 2015, 199, 41-61.	0.0	0
450	Immune Biomarkers in Paediatric Malignancies. , 2018, , 259-273.		0
451	Research Progress between Prognostic Nutrition Index and Prognosis of Gastrointestinal Cancer. Hans Journal of Surgery, 2018, 07, 49-54.	0.0	1
452	Biomarkers of Aging (With a Clinical Potential in Oncology). , 2019, , 1-11.		0
453	Systemic inflammatory response predicts poor prognoses in Barcelona Clinic Liver Cancer stage B/C hepatocellular carcinoma with transarterial chemoembolization: a prospective study. Translational Cancer Research, 2019, 8, 2552-2563.	0.4	3
455	Prognostic Significance of Preoperative Controlling Nutritional Status Score in Patients Who Underwent Hepatic Resection for Hepatocellular Carcinoma. Journal of Liver Cancer, 2020, 20, 106-112.	0.3	1
456	Prognostic Value of Lymphocyteâ€”C-Reactive Protein Ratio in Patients Undergoing Radical Cystectomy for Bladder Cancer: A Population-Based Study. Frontiers in Oncology, 2021, 11, 760389.	1.3	4
457	Synergies Radiotherapy-Immunotherapy in Head and Neck Cancers. A New Concept for Radiotherapy Target Volumesâ€”â€œImmunological Dose Paintingâ€œ. Medicina (Lithuania), 2021, 57, 6.	0.8	6
458	Oral enteral nutrition as a component of maintenance therapy in cancer patients. Onkologiya Zhurnal Imeni P A Gertsena, 2020, 9, 86.	0.0	0
459	Biomarkers of Aging (With a Clinical Potential in Oncology). , 2020, , 395-405.		0
460	Evaluation of lymphocyte apoptosis in patients with oral cancer. Journal of Applied Oral Science, 2020, 28, e20200124.	0.7	6
461	Prognostic inflammatory markers in metastatic renal cell carcinoma: Neutrophil-to-lymphocyte ratio and prognostic nutritional index. Medical Science and Discovery, 2020, 7, 459-465.	0.1	0
462	Absolute Lymphocyte Count, Platelet-to-Lymphocyte Ratio, and Overall Survival in Eribulin-treated HER2-negative Metastatic Breast Cancer Patients. Cancer Diagnosis & Prognosis, 2021, 1, 435-441.	0.3	5

#	ARTICLE	IF	CITATIONS
463	The Systemic Immune Markers at Diagnosis Can Predict the Survival Benefit in Advanced Breast Cancer. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 471-478.	0.3	1
464	Prognostic Utility of Geriatric Nutritional Risk Index After Curative Resection of Colorectal Cancer: A Propensity Score-matched Study. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 479-484.	0.3	3
465	Prognostic Value of Lymphocyte-to-Monocyte Ratio for Japanese Patients With Differentiated Thyroid Cancer Treated With Sorafenib Therapy. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 491-498.	0.3	1
467	Analysis of prognostic factors in lymphoma patients with bone marrow involvement: a single center cohort study. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 9676-83.	1.3	1
469	Prognostic significance of preoperative platelet-lymphocyte ratio in a Chinese cohort patient with colorectal cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 8686-8694.	0.5	0
470	T cell recruitment triggered by optimal dose platinum compounds contributes to the therapeutic efficacy of sequential PD-1 blockade in a mouse model of colon cancer. <i>American Journal of Cancer Research</i> , 2020, 10, 473-490.	1.4	11
471	Evaluation of Predictive Values of Naples Prognostic Score in Patients with Unresectable Stage III Non-Small Cell Lung Cancer. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 6129-6141.	1.6	6
472	Remote immune processes revealed by immune-derived circulating cell-free DNA. <i>ELife</i> , 2021, 10, .	2.8	28
473	Evaluation of the Predictive Role of Blood-Based Biomarkers in the Context of Suspicious Prostate MRI in Patients Undergoing Prostate Biopsy. <i>Journal of Personalized Medicine</i> , 2021, 11, 1231.	1.1	5
474	The Impact of Preoperative and Postoperative Malnutrition on Outcomes for Ampullary Carcinoma After Pancreaticoduodenectomy. <i>Frontiers in Oncology</i> , 2021, 11, 748341.	1.3	7
475	Natural Killer and T Cell Infiltration in Canine Osteosarcoma: Clinical Implications and Translational Relevance. <i>Frontiers in Veterinary Science</i> , 2021, 8, 771737.	0.9	1
476	Baseline lymphopenia as prognostic factor in patients with metastatic breast cancer treated with palbociclib. <i>Oncology Letters</i> , 2021, 23, 25.	0.8	10
477	The global status of research in breast cancer liver metastasis: a bibliometric and visualized analysis. <i>Bioengineered</i> , 2021, 12, 12246-12262.	1.4	21
478	Peripheral lymphocyte count as a surrogate marker of immune checkpoint inhibitor therapy outcomes in patients with non-small-cell lung cancer. <i>Scientific Reports</i> , 2022, 12, 626.	1.6	14
479	The effect of performance score, prognostic nutritional index, serum neutrophil-to-lymphocyte ratio, and thrombocyte-to-lymphocyte ratio on prognosis in non-small cell lung cancer. <i>Marmara Medical Journal</i> , 0, , .	0.2	0
480	The effect of performance score, prognostic nutritional index, serum neutrophil-to-lymphocyte ratio, and thrombocyte-to-lymphocyte ratio on prognosis in non-small cell lung cancer. <i>Marmara Medical Journal</i> , 0, , 94-99.	0.2	0
481	Keep a Little Fire Burning—The Delicate Balance of Targeting Sphingosine-1-Phosphate in Cancer Immunity. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1289.	1.8	2
482	Lymphopenia as a Predictor for Adverse Clinical Outcomes in Hospitalized Patients with COVID-19: A Single Center Retrospective Study of 4485 Cases. <i>Journal of Clinical Medicine</i> , 2022, 11, 700.	1.0	23

#	ARTICLE	IF	CITATIONS
483	DNA methylation-derived systemic inflammation indices and their association with oropharyngeal cancer risk and survival. <i>Head and Neck</i> , 2022, 44, 904-913.	0.9	2
484	Neutrophil-to-lymphocyte ratio (NLR), platelet-to-lymphocyte ratio (PLR) are more prominent in retinal artery occlusion (RAO) compared to retinal vein occlusion (RVO). <i>PLoS ONE</i> , 2022, 17, e0263587.	1.1	8
485	Prognostic significance of baseline neutrophil-lymphocyte ratio in patients with non-small-cell lung cancer: a pooled analysis of open phase III clinical trial data. <i>Future Oncology</i> , 2022, 18, 1679-1689.	1.1	9
486	Strategies to Mitigate Chemotherapy and Radiation Toxicities That Affect Eating. <i>Nutrients</i> , 2021, 13, 4397.	1.7	9
487	Correlation between Lymphocyte-to-Monocyte Ratio (LMR), Neutrophil-to-Lymphocyte Ratio (NLR), Platelet-to-Lymphocyte Ratio (PLR) and Tumor-Infiltrating Lymphocytes (TILs) in Left-Sided Colorectal Cancer Patients. <i>Biology</i> , 2022, 11, 385.	1.3	17
488	The MLR, NLR, PLR and D-dimer are associated with clinical outcome in lung cancer patients treated with surgery. <i>BMC Pulmonary Medicine</i> , 2022, 22, 104.	0.8	21
489	Platelet-lymphocyte ratio predicts poor prognosis in stage II / III colon and rectum cancer. <i>Journal of Health Sciences and Medicine</i> , 2022, 5, 491-498.	0.0	0
490	The prognostic value of prognostic nutritional index in advanced cancer receiving <sc>PD</sc> inhibitors: A meta-analysis. <i>Cancer Medicine</i> , 2022, 11, 3048-3056.	1.3	7
491	Impact of hematologic toxicities during concurrent chemoradiation for cervical cancer. <i>Obstetrics and Gynecology Science</i> , 2022, 65, 176-187.	0.6	4
492	Relationship between nutritional biomarkers and occlusal status in gastric cancer patients using the Eichen index. <i>Medicine (United States)</i> , 2022, 101, .	0.4	1
493	Impact of radiotherapy parameters on the risk of lymphopenia in urological tumors: A systematic review of the literature. <i>Radiotherapy and Oncology</i> , 2022, 170, 64-69.	0.3	4
494	Prognostic Impact of Inflammatory Markers PLR, LMR, PDW, MPV in Medullary Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2022, 13, 861869.	1.5	10
496	Nomogram based on clinical characteristics and serological inflammation markers to predict overall survival of oral tongue squamous cell carcinoma patient after surgery. <i>BMC Oral Health</i> , 2021, 21, 667.	0.8	9
497	The hemoglobin, albumin, lymphocyte, and platelet (HALP) score is a novel prognostic factor for patients with diffuse large B-cell lymphoma. <i>Journal of Cancer Research and Therapeutics</i> , 2022, 18, 725.	0.3	4
498	Pretreatment Systemic Immune-Inflammation Index Can Predict Response to Neoadjuvant Chemotherapy in Cervical Cancer at Stages IB2-IB. <i>Pathology and Oncology Research</i> , 2022, 28, 1610294.	0.9	10
499	Prognostic value of CD4+ T lymphopenia in non-small cell lung Cancer. <i>BMC Cancer</i> , 2022, 22, 529.	1.1	11
500	Detection of Specific Immune Cell Subpopulation Changes Associated with Systemic Immune Inflammation Index Level in Germ Cell Tumors. <i>Life</i> , 2022, 12, 678.	1.1	1
501	Cancer evolution: special focus on the immune aspect of cancer. <i>Seminars in Cancer Biology</i> , 2022, , .	4.3	4

#	ARTICLE	IF	CITATIONS
502	Management of Hematologic Malignancies in the Era of COVID-19 Pandemic: Pathogenetic Mechanisms, Impact of Obesity, Perspectives, and Challenges. <i>Cancers</i> , 2022, 14, 2494.	1.7	7
503	Gamma Irradiation Triggers Immune Escape in Glioma-Propagating Cells. <i>Cancers</i> , 2022, 14, 2728.	1.7	1
504	Role of the Systemic Immune-Inflammation Index in Patients with Metastatic Renal Cell Carcinoma Treated with First-Line Ipilimumab plus Nivolumab. <i>Cancers</i> , 2022, 14, 2972.	1.7	13
505	Prognostic role of neutrophil-to-lymphocyte ratio and EPSILoN score in advanced non-small-cell lung cancer patients treated with first-line chemo-immunotherapy. <i>Future Oncology</i> , 2022, 18, 2593-2604.	1.1	3
506	Prognostic Values of Combined Ratios of White Blood Cells in Glioblastoma: A Retrospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 3397.	1.0	12
507	Epidemiology and blood parameter changes in Cushing's syndrome – a population-based study. <i>Hormones</i> , 2022, 21, 467-476.	0.9	3
508	The Geriatric Nutritional Risk Index as a Prognosis Predictor in Patients With Rectal Cancer Receiving Neoadjuvant Chemotherapy. <i>Anticancer Research</i> , 2022, 42, 3759-3766.	0.5	1
509	Prospective Trial of Neutrophil/Lymphocyte Ratio and Other Blood Counts as Biomarkers of Survival among Patients with High-Grade Soft Tissue Sarcomas Treated with Pegylated Liposomal Doxorubicin and Ifosfamide. <i>Cancers</i> , 2022, 14, 3419.	1.7	3
510	Splenic irradiation contributes to grade 3 lymphopenia after adjuvant chemoradiation for stomach cancer. <i>Clinical and Translational Radiation Oncology</i> , 2022, 36, 83-90.	0.9	3
511	The impact of the prognostic nutritional index (PNI) in gastric cancer. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2703-2714.	0.8	15
512	Prognostic significance of inflammatory markers LMR, PLR, MPV, FIB in intermediate-and high-risk papillary thyroid carcinoma. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	4
513	Combined fibrinogen and neutrophil-lymphocyte ratio as a biomarker in predicting recurrence of giant cell tumor of bone. <i>Future Oncology</i> , 2022, 18, 3191-3197.	1.1	1
514	Proton Beam Therapy for Esophageal Cancer. <i>Cancers</i> , 2022, 14, 4045.	1.7	1
515	Immune-modified Glasgow prognostic score: A new prognostic marker for head and neck cancer. <i>Head and Neck</i> , 2022, 44, 2555-2563.	0.9	4
516	Synchronous or collision solid neoplasms and lymphomas: A systematic review of 308 case reports. <i>Medicine (United States)</i> , 2022, 101, e28988.	0.4	5
517	Ischemia and reperfusion injury combined with cisplatin induces immunogenic cell death in lung cancer cells. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	5
519	Absolute lymphocyte count decreases with disease progression and is a potential prognostic marker for metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2022, 196, 291-298.	1.1	5
520	Prognostic role of preoperative circulating systemic inflammatory response markers in primary breast cancer: meta-analysis. <i>British Journal of Surgery</i> , 2022, 109, 1206-1215.	0.1	15

#	ARTICLE	IF	CITATIONS
521	Inflammatory Surrogate Parameters for Predicting Ifosfamide-Induced Neurotoxicity in Sarcoma Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 5798.	1.0	0
522	A single administration of hIL-7-hyFc induces long-lasting T-cell expansion with maintained effector functions. <i>Blood Advances</i> , 2022, 6, 6093-6107.	2.5	6
523	Prognostic value of lymphocyte count for in-hospital mortality in patients with severe AECOPD. <i>BMC Pulmonary Medicine</i> , 2022, 22, .	0.8	6
524	Prognostic prediction of the platelet-to-lymphocyte ratio in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Translational Cancer Research</i> , 2022, 11, 4037-4050.	0.4	4
525	Outcome of docetaxel in treatment of metastatic hormone-sensitive prostate cancer and correlation with hemoglobin, albumin, lymphocyte and platelets score. <i>Wspolczesna Onkologia</i> , 2022, 26, 196-203.	0.7	0
526	The Role of Inflammatory Markers in the Differential Diagnosis of Skin Cancers. <i>Journal of Contemporary Medicine</i> , 2022, 12, 761-769.	0.1	1
527	Exponential Slope from Absolute Lymphocyte Counts during Radio-Chemotherapy Can Predict an Aggressive Course of Cervical Cancer. <i>Cancers</i> , 2022, 14, 5109.	1.7	2
528	High platelet-to-lymphocyte ratios in triple-negative breast cancer associates with immunosuppressive status of TILs. <i>Breast Cancer Research</i> , 2022, 24, .	2.2	13
529	A Systematic Review on the Impact of Hypofractionated and Stereotactic Radiotherapy on Immune Cell Subpopulations in Cancer Patients. <i>Cancers</i> , 2022, 14, 5190.	1.7	1
530	Lymphocyte sparing normal tissue effects in the clinic (LymphoTEC): A systematic review of dose constraint considerations to mitigate radiation-related lymphopenia in the era of immunotherapy. <i>Radiotherapy and Oncology</i> , 2022, 177, 81-94.	0.3	13
531	Hypofractionated concurrent chemoradiotherapy related lymphopenia and its association with survival in locally advanced non-small cell lung cancer patients. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	1
533	Decrease in CD4 T-Cell Count and Risk of Severe Morbid Conditions in People With Human Immunodeficiency Virus Infection With Controlled Viral Load After Initiating Combination Antiretroviral Therapy Between 2006 and 2018. <i>Clinical Infectious Diseases</i> , 2023, 76, 1364-1371.	2.9	0
534	The association between pan-immune-inflammation value and survival in head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2023, 280, 2471-2478.	0.8	10
535	Impact of lymphopenia on efficacy of nivolumab in head and neck cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2023, 280, 2453-2461.	0.8	3
537	Prognostic and clinicopathological significance of the Prognostic Nutritional Index in patients with gastrointestinal stromal tumours undergoing surgery: a meta-analysis. <i>BMJ Open</i> , 2022, 12, e064577.	0.8	5
538	On-treatment derived neutrophil-to-lymphocyte ratio and survival with palbociclib and endocrine treatment: analysis of a multicenter retrospective cohort and the PALOMA-2/3 study with immune correlates. <i>Breast Cancer Research</i> , 2023, 25, .	2.2	4
539	The role of neutrophil to lymphocyte and platelet to lymphocyte ratios in diagnosing thyroid nodule. <i>Mustansiriya Medical Journal</i> , 2022, 21, 155.	0.1	0
540	Relationship between prognostic nutritional index and neutrophil lymphocyte ratio with overall survival in patients with metastatic colorectal cancer receiving regorafenib. <i>Journal of Cancer Research and Therapeutics</i> , 2022, .	0.3	0

#	ARTICLE	IF	CITATIONS
541	Prognostic value of pretreatment immune inflammation indices in patients with immune-related tumors. <i>Current Medical Research and Opinion</i> , 2023, 39, 425-431.	0.9	0
542	Hemoglobin and Neutrophil Count as Prognostic Factors in Cholangiocarcinoma Patients in 2nd Line Treatment Setting: Results from a Small Monocentric Retrospective Study. <i>Current Oncology</i> , 2023, 30, 1032-1045.	0.9	1
543	Lymphopenia at the time of transplant is associated with short-term mortality after deceased donor liver transplantation. <i>American Journal of Transplantation</i> , 2023, 23, 248-256.	2.6	1
545	Predictive significance of surgery-induced lymphopenia on the survival after curative resection for locally advanced gastric cancer: a retrospective cohort analysis. <i>World Journal of Surgical Oncology</i> , 2023, 21, .	0.8	2
546	Diagnostic Efficiency of Pan-Immune-Inflammation Value to Predict Prostate Cancer in Patients with Prostate-Specific Antigen between 4 and 20 ng/mL. <i>Journal of Clinical Medicine</i> , 2023, 12, 820.	1.0	0
548	Post-Treatment Neutrophil and Lymphocyte Counts Predict Progression-Free Survival Following First-Line Chemotherapy in Hodgkin's Lymphoma. <i>Hematology Reports</i> , 2023, 15, 108-118.	0.3	0
549	Prognostic Significance of the Post-Treatment Neutrophil-to-Lymphocyte Ratio in Pharyngeal Cancers Treated with Concurrent Chemoradiotherapy. <i>Cancers</i> , 2023, 15, 1248.	1.7	2
550	Beyond lymphopenia, unraveling radiation-induced leucocyte subpopulation kinetics and mechanisms through modeling approaches. <i>Journal of Experimental and Clinical Cancer Research</i> , 2023, 42, .	3.5	5
551	The predictive value of lymphocyte to monocyte ratio for overall survival in cholangiocarcinoma patients with hepatic resection. <i>Cancer Medicine</i> , 2023, 12, 9482-9495.	1.3	4
552	Utility of gamma-glutamyl transpeptidase to lymphocyte count ratio in predicting prognosis of patients with oral cancer: A prospective cohort study in Southeastern China. <i>Head and Neck</i> , 2023, 45, 1172-1183.	0.9	0
553	The value of pretreatment glucose-to-lymphocyte ratio for predicting survival of metastatic gastric cancer. <i>Future Oncology</i> , 0, , .	1.1	1
555	The effect of the HALP Score on survival in colorectal cancers. <i>Gazzetta Medica Italiana Archivio Per Le Scienze Mediche</i> , 2023, 182, .	0.0	0
556	Efficacy of elotuzumab for multiple myeloma in reference to lymphocyte counts and kappa/lambda ratio or B2 microglobulin. <i>Scientific Reports</i> , 2023, 13, .	1.6	2
557	Predictive value of nutritional indicators with regard to the survival outcomes in patients with metastatic esophageal squamous cell carcinoma treated with camrelizumab. <i>Oncology Letters</i> , 2023, 25, .	0.8	1
558	Prognostic value of the systemic immune-inflammation index, systemic inflammation response index, and prognostic nutritional index in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2023, 280, 3821-3830.	0.8	8
559	Prognostic value of systemic immune inflammation index and geriatric nutrition risk index in early-onset colorectal cancer. <i>Frontiers in Nutrition</i> , 0, 10, .	1.6	2
597	Lymphopenia confers poorer prognosis in Myelodysplastic Syndromes with very low and low IPSS-M. <i>Blood Cancer Journal</i> , 2023, 13, .	2.8	0