

CITATION REPORT

List of articles citing

Accuracy of a new partial coherence interferometry analyser for biometric measurements

DOI: 10.1136/bjo.2008.152736

British Journal of Ophthalmology, 2009, 93, 807-10.

Source: <https://exaly.com/paper-pdf/45773823/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
135	Accommodating intraocular lenses: a review of design concepts, usage and assessment methods. 2010 , 93, 441-52		49
134	Axial length changes during accommodation in myopes and emmetropes. <i>Optometry and Vision Science</i> , 2010 , 87, 656-62	2.1	56
133	Intraocular lens power calculation: clinical comparison of 2 optical biometry devices. <i>Journal of Cataract and Refractive Surgery</i> , 2010 , 36, 230-4	2.3	64
132	Comparison of 2 laser instruments for measuring axial length. <i>Journal of Cataract and Refractive Surgery</i> , 2010 , 36, 644-8	2.3	87
131	Water drinking influences eye length and IOP in young healthy subjects. 2010 , 91, 180-5		24
130	[Comparison between Lenstar LS 900 non-contact biometry and OcuScan RXP contact biometry for task delegation]. 2011 , 34, 175-80		5
129	Comparison of the ultrasonographic method with 2 partial coherence interferometry methods for intraocular lens power calculation. 2011 , 82, 140-7		39
128	Agreement analysis of LENSTAR with other techniques of biometry. 2011 , 25, 717-24		59
127	Comparison of anterior segment measurements with rotating Scheimpflug photography and partial coherence reflectometry. <i>Journal of Cataract and Refractive Surgery</i> , 2011 , 37, 341-8	2.3	50
126	Performance of three biometry devices in patients with different grades of age-related cataract. 2011 , 89, e237-41		29
125	Retinal nerve fiber layer assessment: area versus thickness measurements from elliptical scans centered on the optic nerve. 2011 , 52, 2477-89		41
124	Comparison of Ocular Biometry Measured by Ultrasound and Two Kinds of Partial Coherence Interferometers. <i>Journal of Korean Ophthalmological Society</i> , 2011 , 52, 169	0.2	9
123	Correlations between refractive error and biometric parameters in human eyes using the LenStar 900. <i>Contact Lens and Anterior Eye</i> , 2011 , 34, 26-31	4.1	22
122	Comparison of optical low-coherence reflectometry and applanation ultrasound biometry on intraocular lens power calculation. 2011 , 249, 69-75		27
121	Intraobserver and interobserver repeatability of ocular components measurement in cataract eyes using a new optical low coherence reflectometer. 2011 , 249, 83-7		28
120	[Effect of applanation tonometry on precision of biometry measurements]. 2011 , 108, 52-6		2
119	[Precision of a new device for biometric measurements in pseudophakic eyes]. 2011 , 108, 739-44		7

118	Can partial coherence interferometry be used to determine retinal shape?. <i>Optometry and Vision Science</i> , 2011 , 88, E601-7	2.1	19
117	Intraoperative wavefront aberrometry in cataract surgery. <i>Seminars in Ophthalmology</i> , 2012 , 27, 100-6	2.4	19
116	Clinically relevant biometry. 2012 , 23, 47-53		42
115	The effect of cycloplegia on the lenstar and the IOLMaster biometry. <i>Optometry and Vision Science</i> , 2012 , 89, 1691-6	2.1	45
114	Monocular myopic defocus and daily changes in axial length and choroidal thickness of human eyes. 2012 , 103, 47-54		89
113	Challenges and approaches in modern biometry and IOL calculation. 2012 , 26, 7-12		37
112	Repeatability and reproducibility of biometry and keratometry measurements using a noncontact optical low-coherence reflectometer and keratometer. 2012 , 153, 55-61.e2		55
111	Axial length and choroidal thickness changes accompanying prolonged accommodation in myopes and emmetropes. 2012 , 72, 34-41		67
110	Comparison of Ocular Biometry and Postoperative Refraction in Cataract Patients Between Lenstar [®] and IOL Master [®] . <i>Journal of Korean Ophthalmological Society</i> , 2012 , 53, 833	0.2	8
109	Comparison of Corneal Curvatures Obtained with Different Devices. <i>Journal of Korean Ophthalmological Society</i> , 2012 , 53, 618	0.2	3
108	Keratometry obtained by corneal mapping versus the IOLMaster in the prediction of postoperative refraction in routine cataract surgery. 2013 , 41, 12-8		5
107	Evaluation of the repeatability of the Lenstar and comparison with two other non-contact biometric devices in myopes. 2013 , 96, 92-9		38
106	Biometric measurements in highly myopic eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2013 , 39, 180-7	2.3	24
105	Intraocular lens calculation for aspheric intraocular lenses. <i>Journal of Cataract and Refractive Surgery</i> , 2013 , 39, 867-72	2.3	14
104	Comparison of the new biometer OA-1000 with IOLMaster and Tomey AL-3000. 2013 , 38, 910-6		11
103	Evaluation and management of patients with previous excimer laser vision correction undergoing cataract surgery. 2013 , 53, 153-61		1
102	Hyperopic defocus and diurnal changes in human choroid and axial length. <i>Optometry and Vision Science</i> , 2013 , 90, 1187-98	2.1	60
101	Re: Evaluation of the repeatability of the Lenstar and comparison with two other non-contact biometric devices in myopes. 2013 , 96, 510		1

100	Response to re: evaluation of the repeatability of the Lenstar and comparison with two other non-contact biometric devices in myopes. 2013 , 96, 510-1		2
99	Cohort profile: Shahroud Eye Cohort Study. 2013 , 42, 1300-8		54
98	Binocular saccades in myopes and emmetropes. <i>Optometry and Vision Science</i> , 2013 , 90, 980-7	2.1	2
97	Repeatability and comparison of peripheral eye lengths with two instruments. <i>Optometry and Vision Science</i> , 2013 , 90, 215-22	2.1	14
96	Central anterior chamber depth changes after prophylactic laser iridotomy. <i>Optometry and Vision Science</i> , 2013 , 90, 707-10	2.1	10
95	The effect of pupil dilation on biometric parameters of the Lenstar 900. 2013 , 32, e21-4		17
94	Central corneal thickness measurements with different imaging devices and ultrasound pachymetry. 2013 , 32, 766-71		57
93	Refractive Error According to the Anterior Chamber Depth and Corneal Refractive Power in Short Eyes. <i>Journal of Korean Ophthalmological Society</i> , 2013 , 54, 65	0.2	4
92	Accuracy of Ocular Biometry and Postoperative Refraction in Cataract Patients with AL-Scan . <i>Journal of Korean Ophthalmological Society</i> , 2013 , 54, 1688	0.2	10
91	Comparison of White-to-White Diameters Measured by IOLMaster, Lenstar, Orbscan, and a Manual Method. <i>Journal of Korean Ophthalmological Society</i> , 2013 , 54, 1187	0.2	1
90	Is Hyperopia an Important Risk Factor for PACG in the Dutch Population?-A Case Control Study. 2013 , 2013, 630481		10
89	Comparison of Ocular Biometry Measured Using Four Applanation Ultrasonographic Biometry Devices. <i>Journal of Korean Ophthalmological Society</i> , 2014 , 55, 1631	0.2	
88	Evaluation of the Repeatability and the Reproducibility of AL-Scan Measurements Obtained by Residents. 2014 , 2014, 739652		7
87	Axial length measurement acquisition rates of two optical biometers in cataractous eyes. 2014 , 8, 1369-76		9
86	The effect of topical adrenergic and anticholinergic agents on the choroidal thickness of young healthy adults. 2014 , 128, 181-9		49
85	Correlation of choroidal thickness and volume measurements with axial length and age using swept source optical coherence tomography and optical low-coherence reflectometry. 2014 , 2014, 639160		41
84	Diurnal variations in ocular aberrations of human eyes. 2014 , 39, 271-81		10
83	Reproducibility of the optical Biometer OA-1000 (Tomey). 2014 , 2014, 814761		4

82	Comparison of two optical biometers in intraocular lens power calculation. <i>Indian Journal of Ophthalmology</i> , 2014 , 62, 931-4	1.6	14
81	Comparison of anterior segment measurements obtained by three different devices in healthy eyes. 2014 , 2014, 498080		8
80	Agreement study of keratometric values measured by Biograph/LENSTAR, auto-kerato-refractometer and Pentacam: decision for IOL calculation. 2014 , 97, 450-5		10
79	Keratometry with five different techniques: a study of device repeatability and inter-device agreement. <i>International Ophthalmology</i> , 2014 , 34, 869-75	2.2	29
78	Retinal thickness measurements with optical coherence biometry and optical coherence tomography. 2014 , 28, 121-125		1
77	Biometry and intraocular lens power calculation results with a new optical biometry device: comparison with the gold standard. <i>Journal of Cataract and Refractive Surgery</i> , 2014 , 40, 593-600	2.3	55
76	White-to-white corneal diameter distribution in an adult population. 2015 , 27, 21-4		19
75	Predictive Accuracy of Intraocular Lens Power Calculation: Comparison of Optical Low-Coherence Reflectometry and Immersion Ultrasound Biometry. 2015 , 41, 245-51		7
74	Comparison of Ocular Biometry and Postoperative Refraction in Cataract Patients between Galilei-G6 and IOL Master . <i>Journal of Korean Ophthalmological Society</i> , 2015 , 56, 515	0.2	5
73	Comparison of Ocular Biometry Using Low-Coherence Reflectometry with Other Devices for Intraocular Lens Power Calculation. <i>Journal of Korean Ophthalmological Society</i> , 2015 , 56, 1558	0.2	3
72	Axial Length Measurement Failure Rates with the IOLMaster and Lenstar LS 900 in Eyes with Cataract. <i>PLoS ONE</i> , 2015 , 10, e0128929	3.7	35
71	Comparison of Biometric Measurements and Refractive Results between Applanation Ultrasonography and Three Different Interferometries. <i>Journal of Korean Ophthalmological Society</i> , 2015 , 56, 1720	0.2	2
70	Accuracy of predicted refraction with multifocal intraocular lenses using two biometry measurement devices and multiple intraocular lens power calculation formulas. 2015 , 43, 328-34		35
69	[Comparison of IOL-Master 500 vs. Lenstar LS900 concerning the calculation of target refraction: A retrospective analysis]. 2015 , 112, 444-50		6
68	Comparison of keratometry and white-to-white measurements obtained by Lenstar with those obtained by autokeratometry and corneal topography. <i>Contact Lens and Anterior Eye</i> , 2015 , 38, 363-7	4.1	6
67	Ocular components during the ages of ocular development. 2015 , 93, e74-81		20
66	Comparison of Ocular Biometry Measurements Using A-Scan Ultrasound and Two Types of Partial Coherence Interferometers. <i>Journal of Korean Ophthalmological Society</i> , 2016 , 57, 757	0.2	1
65	Comparison of Partial Interferometry and Ultrasound A-scan for Axial Length Measurement in Retinal Vein Occlusions. <i>Journal of Korean Ophthalmological Society</i> , 2016 , 57, 1228	0.2	

64	Measurement of Corneal Power and Astigmatism Using Placido-based Videokeratography and Comparison with Other Keratometers. <i>Journal of Korean Ophthalmological Society</i> , 2016 , 57, 1874	0.2	1
63	Influence on intraocular lens power calculation of corneal radii measurement using an image-guided system. <i>Journal of Cataract and Refractive Surgery</i> , 2016 , 42, 1588-1594	2.3	4
62	Comparison of a new optical biometer using swept-source optical coherence tomography and a biometer using optical low-coherence reflectometry. <i>Journal of Cataract and Refractive Surgery</i> , 2016 , 42, 1165-72	2.3	52
61	Comparison of Two Optical Biometers. <i>Optometry and Vision Science</i> , 2016 , 93, 259-65	2.1	16
60	The effect of pupil dilation on AL-Scan biometric parameters. <i>International Ophthalmology</i> , 2016 , 36, 179-83	2.2	5
59	Baseline peripheral refractive error and changes in axial refraction during one year in a young adult population. 2016 , 9, 32-9		4
58	Meta-analysis of optical low-coherence reflectometry versus partial coherence interferometry biometry. <i>Scientific Reports</i> , 2017 , 7, 43414	4.9	13
57	Comparison of biometry and intraocular lens power calculation performed by a new optical biometry device and a reference biometer. <i>Journal of Cataract and Refractive Surgery</i> , 2017 , 43, 74-79	2.3	24
56	Precision of a new ocular biometer in eyes with cataract using swept source optical coherence tomography combined with Placido-disk corneal topography. <i>Scientific Reports</i> , 2017 , 7, 13736	4.9	16
55	Comparison of ocular biometric measurements between a new swept-source optical coherence tomography and a common optical low coherence reflectometry. <i>Scientific Reports</i> , 2017 , 7, 2484	4.9	16
54	Comparison of a new Scheimpflug imaging combined with partial coherence interferometry biometer and a low-coherence reflectometry biometer. <i>Journal of Cataract and Refractive Surgery</i> , 2017 , 43, 1406-1412	2.3	12
53	Agreement and clinical comparison between a new swept-source optical coherence tomography-based optical biometer and an optical low-coherence reflectometry biometer. 2017 , 31, 437-442		28
52	A Comparison of Axial Length, Keratometry, and Measured White-to-white Using Different Devices. <i>Journal of Korean Ophthalmological Society</i> , 2017 , 58, 1325	0.2	0
51	Assessment of eye length changes in accommodation using dynamic extended-depth OCT. <i>Biomedical Optics Express</i> , 2017 , 8, 2709-2719	3.5	3
50	Comparison of corneal power obtained from VERION image-guided surgery system and four other devices. 2017 , 11, 1291-1299		9
49	Precision of a new ocular biometer in children and comparison with IOLMaster. <i>Scientific Reports</i> , 2018 , 8, 1304	4.9	5
48	Accuracy of intraocular lens power calculation using three optical biometry measurement devices: the OA-2000, Lenstar-LS900 and IOLMaster-500. 2018 , 32, 1244-1252		21
47	Haigis and SRKT formulae accuracy for intentional myopic overcorrection. <i>International Ophthalmology</i> , 2018 , 38, 1459-1463	2.2	6

46	Evaluation of the Effect of Cycloplegia on Anterior Chamber Depth in Cataract Patients Using Optical Low-Coherence Reflectometry. 2018 , 44 Suppl 1, S59-S61		2
45	Comparison of Axial Length and Postoperative Refraction between Applanation Ultrasonography and Low-coherence Reflectometry. <i>Journal of Korean Ophthalmological Society</i> , 2018 , 59, 629	0.2	
44	Clinical application of accommodating intraocular lens. <i>International Journal of Ophthalmology</i> , 2018 , 11, 1028-1037	1.4	5
43	Comparison of immersion ultrasound and low coherence reflectometry for ocular biometry in cataract patients. <i>International Journal of Ophthalmology</i> , 2018 , 11, 966-969	1.4	1
42	Comparison of preoperative and postoperative measurements of optical low-coherence reflectometry biometry and assessment of its refractive predictability. <i>International Ophthalmology</i> , 2019 , 39, 1337-1343	2.2	0
41	Comparison of three optical biometers: IOLMaster 500, Lenstar LS 900 and Aladdin. <i>International Ophthalmology</i> , 2019 , 39, 1809-1818	2.2	12
40	Accuracy of Intraocular Lens Power Calculation Using Anterior Chamber Depth from Two Devices with Barrett Universal II Formula. 2019 , 2019, 8172615		4
39	Repeatability and reproducibility of optical biometry implemented in a new optical coherence tomographer and comparison with a optical low-coherence reflectometer. <i>Journal of Cataract and Refractive Surgery</i> , 2019 , 45, 1619-1624	2.3	8
38	Calculation of Axial Length Using a Single Group Refractive Index versus Using Different Refractive Indices for Each Ocular Segment: Theoretical Study and Refractive Outcomes. <i>Ophthalmology</i> , 2019 , 126, 663-670	7.3	17
37	An Evaluation of the IOLMaster 700. 2019 , 45, 117-123		20
36	[Comparison of two optical biometric devices for intraocular lens calculation]. 2019 , 116, 253-260		1
35	Comparison of anterior segment parameters and axial lengths of myopic, emmetropic, and hyperopic children. <i>International Ophthalmology</i> , 2019 , 39, 335-340	2.2	7
34	Intraocular Lens Power Formulas, Biometry, and Intraoperative Aberrometry: A Review. <i>Ophthalmology</i> , 2021 , 128, e94-e114	7.3	12
33	Influence of measurement differences of anterior chamber depth and axial length on lens thickness evaluation in cataract patients: a comparison of two tests. <i>BMC Ophthalmology</i> , 2020 , 20, 481	2.3	0
32	Effect of orthokeratology on precision and agreement assessment of a new swept-source optical coherence tomography biometer. <i>Eye and Vision (London, England)</i> , 2020 , 7, 13	4.9	6
31	Ocular biometrics as a function of age, gender, height, weight, and its association with spherical equivalent in children. <i>European Journal of Ophthalmology</i> , 2021 , 31, 688-697	1.9	5
30	Repeatability of automated measurements by a new anterior segment optical coherence tomographer and biometer and agreement with standard devices. <i>Scientific Reports</i> , 2021 , 11, 983	4.9	14
29	Agreement of keratometric readings measured using rotating Scheimpflug imaging, auto-refractometer, and biograph in eyes with keratoconus. <i>International Ophthalmology</i> , 2021 , 41, 1659-1669	2.2	0

28	Feasibility and repeatability of ocular biometry measured with Lenstar LS 900 in a large group of children and adolescents. <i>Ophthalmic and Physiological Optics</i> , 2021 , 41, 512-522	4.1	4
27	Evaluating the prediction accuracy of the Hill-RBF 3.0 formula using a heteroscedastic statistical method. <i>Journal of Cataract and Refractive Surgery</i> , 2021 ,	2.3	3
26	Effects of Axial Length and Anterior Chamber Depth on Intrasccleral Fixation Using a Fibrin Adhesive. <i>Journal of Korean Ophthalmological Society</i> , 2021 , 62, 656-664	0.2	
25	Repeatability of biometry measured by three devices and its impact on predicted intraocular lens power. <i>Journal of Cataract and Refractive Surgery</i> , 2021 , 47, 585-592	2.3	3
24	Effects of brief periods of clear vision on the defocus-mediated changes in axial length and choroidal thickness of human eyes. <i>Ophthalmic and Physiological Optics</i> , 2021 , 41, 932-940	4.1	1
23	Repeatability and reproducibility of manual choroidal thickness measurement using Lenstar images in children before and after orthokeratology treatment. <i>Contact Lens and Anterior Eye</i> , 2021 , 101484	4.1	0
22	Precision (repeatability and reproducibility) of ocular parameters obtained by the Tomey OA-2000 biometer compared to the IOLMaster in healthy eyes. <i>PLoS ONE</i> , 2018 , 13, e0193023	3.7	17
21	Comparison of Anterior Segment Measurements Using Scanning-Slit Topography and Optical Low-Coherence Reflectometry (OLCR) Biometry. <i>Journal of Korean Ophthalmological Society</i> , 2014 , 55, 656	0.2	1
20	Comparison of Ocular Biometry and Refractive Outcomes Using IOL Master 500, IOL Master 700, and Lenstar LS900. <i>Korean Journal of Ophthalmology: KJO</i> , 2020 , 34, 126-132	1.2	9
19	Comparison of immersion ultrasound, partial coherence interferometry, and low coherence reflectometry for ocular biometry in cataract patients. <i>Journal of Refractive Surgery</i> , 2011 , 27, 665-71	3.3	24
18	Comparison of age-derived lens thickness to optically measured lens thickness in IOL power calculation: a clinical study. <i>Journal of Refractive Surgery</i> , 2012 , 28, 154-5	3.3	7
17	Correlation between central corneal thickness, anterior chamber depth, and corneal keratometry as measured by Oculyzer II and WaveLight OB820 in preoperative cataract surgery patients. <i>Journal of Refractive Surgery</i> , 2012 , 28, 895-900	3.3	24
16	Comparison of AL-Scan and IOLMaster 500 Partial Coherence Interferometry Optical Biometers. <i>Journal of Refractive Surgery</i> , 2016 , 32, 694-698	3.3	10
15	Comparison of Anterior Segment Measurements with Optical Low-coherence Reflectometry and Partial-coherence Interferometry Optical Biometers. <i>Middle East African Journal of Ophthalmology</i> , 2016 , 23, 288-292	0.9	1
14	Variant myopia: A new presentation?. <i>Indian Journal of Ophthalmology</i> , 2018 , 66, 799-805	1.6	3
13	Calculation and Selection of Intraocular Lens Power for Children. 2017 , 177-185		
12	Accuracy of Predicting Refractive Outcomes Using Swept-source Optical Coherence Tomography in Nuclear Cataracts. <i>Journal of Korean Ophthalmological Society</i> , 2019 , 60, 1043	0.2	0
11	Changes in Refractive Errors after Cataract Surgery Using Coaxial Incision and IOL Implantation. <i>Journal of Korean Ophthalmic Optics Society</i> , 2020 , 25, 413-419	0.2	

10	Topical Review: Causes of Refractive Error After Silicone-oil Removal Combined with Cataract Surgery. <i>Optometry and Vision Science</i> , 2020 , 97, 1099-1104	2.1	
9	Evaluation of a New IOL Power Calculator in Cataract Patients with Normal and Long Axial Lengths. <i>Seminars in Ophthalmology</i> , 2020 , 35, 370-376	2.4	
8	Comparison of anterior segment measurements using rotating Scheimpflug imaging and partial coherence interferometry. <i>International Journal of Ophthalmology</i> , 2013 , 6, 510-4	1.4	3
7	Effects of mild- and moderate-intensity illumination on short-term axial length and choroidal thickness changes in young adults.. <i>Ophthalmic and Physiological Optics</i> , 2022 ,	4.1	1
6	Emetropik, Miyop ve Hipermetrop G�zlerde Lenstar 900 Kullanarak G�z Biyometrik Değerlerinin Anatomik Değerlerle Karşılaştırılması. <i>Harran Üniversitesi Tıp Fakültesi Dergisi</i> , 188-192		
5	Retinal magnification factors at the preferred locus of fixation derived from refraction-corrected optical biometry in 4-surface schematic eyes. <i>Biomedical Optics Express</i> ,	3.5	4
4	Repeatability of new optical biometer and agreement with two validated optical biometers, all based on swept-source optical coherence tomography. 2022 , Publish Ahead of Print,		
3	Success Rate of Swept-Source Optical Coherence Tomography Biometry of Eyes of Elementary School Students. Volume 16, 3607-3612		0
2	Swept-Source Optical Coherence Tomography-Based Biometry: A Comprehensive Overview. 2022 , 9, 951		0
1	Feasibility and repeatability of ocular biometry measured with IOLMaster 700 in a large population-based study.		0