Targeted Muscle Reinnervation for Real-time Myoelect Artificial Arms

JAMA - Journal of the American Medical Association 301, 619 DOI: 10.1001/jama.2009.116

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | In vivo localization of fascicular activity. , 2009, 2009, 2940-2. | | 1 |
| 2 | Enhanced EMG signal processing for simultaneous and proportional myoelectric control. , 2009, 2009, 4335-8. | | 34 |
| 3 | A strategy for minimizing the effect of misclassifications during real time pattern recognition myoelectric control. , 2009, 2009, 1327-30. | | 12 |
| 4 | EMG pattern recognition control of multifunctional prostheses by transradial amputees. , 2009, 2009, 6914-7. | | 14 |
| 5 | Toward the development of a neural interface for lower limb prosthesis control. , 2009, 2009, 2111-4. | | 13 |
| 6 | Taking Control of Prosthetic Arms. JAMA - Journal of the American Medical Association, 2009, 301, 670. | 3.8 | 7 |
| 7 | Reinnervated Muscles Produce EMG Information for Real-Time Control of Artificial Arms. Neurology Today: an Official Publication of the American Academy of Neurology, 2009, 9, 1. | 0.0 | 1 |
| 8 | Adaptive Pattern Recognition of Myoelectric Signals: Exploration of Conceptual Framework and Practical Algorithms. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2009, 17, 270-278. | 2.7 | 178 |
| 9 | Exoskeletons and orthoses: classification, design challenges and future directions. Journal of NeuroEngineering and Rehabilitation, 2009, 6, 21. | 2.4 | 334 |
| 10 | The fitting of a unilateral shoulder disarticulation prosthesis after electrical burn injury: A case report. Journal of Pediatric Rehabilitation Medicine, 2009, 2, 229-233. | 0.3 | 0 |
| 11 | Targeted Muscle Reinnervation for Real-time Myoelectric Control of Multifunction Artificial Arms. Yearbook of Orthopedics, 2010, 2010, 91-93. | 0.0 | 2 |
| 12 | Functional reorganization of upper-body movement after spinal cord injury. Experimental Brain Research, 2010, 207, 233-247. | 0.7 | 51 |
| 13 | Multiple Binary Classifications via Linear Discriminant Analysis for Improved Controllability of a Powered Prosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2010, 18, 49-57. | 2.7 | 182 |
| 14 | Quantifying Pattern Recognition—Based Myoelectric Control of Multifunctional Transradial Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2010, 18, 185-192. | 2.7 | 366 |
| 15 | Study of stability of time-domain features for electromyographic pattern recognition. Journal of NeuroEngineering and Rehabilitation, 2010, 7, 21. | 2.4 | 413 |
| 16 | Cognitive vision system for control of dexterous prosthetic hands: Experimental evaluation. Journal of NeuroEngineering and Rehabilitation, 2010, 7, 42. | 2.4 | 96 |
| 17 | Selection of sampling rate for EMG pattern recognition based prosthesis control. , 2010, 2010, 5058-61. | | 14 |
| 18 | Peripheral nerve signal recording and processing for artificial limb control. , 2010, 2010, 6206-9. | | 6 |

ATION RED

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | WiiEMG: A real-time environment for control of the Wii with surface electromyography. , 2010, , . | | 26 |
| 20 | Traumatic and Trauma-Related Amputations. Journal of Bone and Joint Surgery - Series A, 2010, 92, 2934-2945. | 1.4 | 115 |
| 21 | A Feedback Information-Theoretic Approach to the Design of Brain–Computer Interfaces. International Journal of Human-Computer Interaction, 2010, 27, 5-23. | 3.3 | 29 |
| 22 | Examining the adverse effects of limb position on pattern recognition based myoelectric control. , 2010, 2010, 6337-40. | | 106 |
| 23 | What's New in Hand Surgery. Journal of Bone and Joint Surgery - Series A, 2010, 92, 783-789. | 1.4 | 7 |
| 24 | Control of Hand Prostheses Using Peripheral Information. IEEE Reviews in Biomedical Engineering, 2010, 3, 48-68. | 13.1 | 308 |
| 25 | Double nerve intraneural interface implant on a human amputee for robotic hand control. Clinical Neurophysiology, 2010, 121, 777-783. | 0.7 | 367 |
| 26 | Adaptación de unos dedos biónicos en una paciente con doble amputación de extremidades superiores. Rehabilitacion, 2010, 44, 376-380. | 0.2 | 0 |
| 27 | Recent Trends in the Development and Evaluation of Assistive Robotic Manipulation Devices. Physical Medicine and Rehabilitation Clinics of North America, 2010, 21, 59-77. | 0.7 | 24 |
| 28 | A Pilot Study of EMG Pattern Based Classification of Arm Functional Movements. , 2010, , . | | 4 |
| 29 | Homeokinetic prosthetic control: collaborative selection of myosignal features. , 2010, , . | | 0 |
| 30 | Online human training of a myoelectric prosthesis controller via actor-critic reinforcement learning. , 2011, 2011, 5975338. | | 85 |
| 31 | A Novel CPS System for Evaluating a Neural-Machine Interface for Artificial Legs. , 2011, , . | | 19 |
| 32 | Neural Interfaces for Control of Upper Limb Prostheses: The State of the Art and Future Possibilities. PM and R, 2011, 3, 55-67. | 0.9 | 148 |
| 33 | Long-term stability of neural prosthetic control signals from silicon cortical arrays in rhesus macaque motor cortex. Journal of Neural Engineering, 2011, 8, 045005. | 1.8 | 285 |
| 34 | Cómo ayudar a los pacientes portadores de prótesis de la extremidad superior. Nursing (Ed Española), 2011, 29, 25-28. | 0.0 | 0 |
| 35 | Update on Advances in Upper Extremity Prosthetics. Journal of Hand Surgery, 2011, 36, 1711-1717. | 0.7 | 63 |
| 36 | Bionic prosthetic hands: A review of present technology and future aspirations. Journal of the Royal College of Surgeons of Edinburgh, 2011, 9, 336-340. | 0.8 | 131 |

| # 37 | ARTICLE Development of a Neural Interface for PNS Motor Control. , 0, , . | IF | CITATIONS 0 |
|---------|---|-----|----------------|
| 38 | Electromyography Pattern-Recognition-Based Control of Powered Multifunctional Upper-Limb Prostheses. , 0, , . | | 36 |
| 39 | Nerve-Muscle-Endplate Band Grafting. Operative Neurosurgery, 2011, 69, ons208-ons224. | 0.4 | 14 |
| 40 | Provide a helping hand to patients with upper extremity prostheses. Nursing, 2011, 41, 49-52. | 0.2 | Ο |
| 41 | Selective Classification for Improved Robustness of Myoelectric Control Under Nonideal Conditions. IEEE Transactions on Biomedical Engineering, 2011, 58, 1698-1705. | 2.5 | 139 |
| 42 | A Decision-Based Velocity Ramp for Minimizing the Effect of Misclassifications During Real-Time Pattern Recognition Control. IEEE Transactions on Biomedical Engineering, 2011, 58, 2360-2368. | 2.5 | 97 |
| 43 | The Effects of Electrode Size and Orientation on the Sensitivity of Myoelectric Pattern Recognition Systems to Electrode Shift. IEEE Transactions on Biomedical Engineering, 2011, 58, 2537-2544. | 2.5 | 222 |
| 44 | Subject-Specific Myoelectric Pattern Classification of Functional Hand Movements for Stroke Survivors. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2011, 19, 558-566. | 2.7 | 115 |
| 45 | Determining the Optimal Window Length for Pattern Recognition-Based Myoelectric Control: Balancing the Competing Effects of Classification Error and Controller Delay. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2011, 19, 186-192. | 2.7 | 375 |
| 46 | Development of a Model Osseo-Magnetic Link for Intuitive Rotational Control of Upper-Limb Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2011, 19, 213-220. | 2.7 | 13 |
| 47 | Resolving the Limb Position Effect in Myoelectric Pattern Recognition. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2011, 19, 644-651. | 2.7 | 299 |
| 48 | Limb-State Information Encoded by Peripheral and Central Somatosensory Neurons: Implications for an Afferent Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2011, 19, 501-513. | 2.7 | 88 |
| 49 | Conditioning and Sampling Issues of EMG Signals in Motion Recognition of Multifunctional Myoelectric Prostheses. Annals of Biomedical Engineering, 2011, 39, 1779-1787. | 1.3 | 82 |
| 50 | Stump nerve signals during transcranial magnetic motor cortex stimulation recorded in an amputee via longitudinal intrafascicular electrodes. Experimental Brain Research, 2011, 210, 1-11. | 0.7 | 19 |
| 51 | Prosthetic finger phalanges with lifelike skin compliance for low-force social touching interactions. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 16. | 2.4 | 28 |
| 52 | Decoding of grasping information from neural signals recorded using peripheral intrafascicular interfaces. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 53. | 2.4 | 89 |
| 53 | Skeletal myotube integration with planar microelectrode arrays in vitro for spatially selective recording and stimulation: A comparison of neuronal and myotube extracellular action potentials. Biotechnology Progress, 2011, 27, 891-895. | 1.3 | 21 |
| 54 | Stimulus-driven changes in sensorimotor behavior and neuronal functional connectivity. Progress in Brain Research, 2011, 192, 83-102. | 0.9 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Sensory motor remapping of space in human–machine interfaces. Progress in Brain Research, 2011, 191, 45-64. | 0.9 | 28 |
| 56 | A tongue input device for creating conversations. , 2011, , . | | 10 |
| 57 | The tracking of reaches in three-dimensions. , 2011, 2011, 5440-3. | | 0 |
| 58 | Effects of interelectrode distance on the robustness of myoelectric pattern recognition systems. , 2011, 2011, 3873-9. | | 4 |
| 59 | A compact representation of locally-shortest paths and its application to a human-robot interface. , 2011, , . | | 2 |
| 60 | Virtual Reality Environment for Simulating Tasks With a Myoelectric Prosthesis: An Assessment and Training Tool. Journal of Prosthetics and Orthotics, 2011, 23, 89-94. | 0.2 | 48 |
| 61 | Real-Time Myoelectric Control of Knee and Ankle Motions for Transfemoral Amputees. JAMA - Journal of the American Medical Association, 2011, 305, 1542. | 3.8 | 58 |
| 62 | Non-invasive physiological monitoring of exercise and fitness. Neurological Research, 2011, 33, 3-17. | 0.6 | 14 |
| 63 | Selective recovery of fascicular activity in peripheral nerves. Journal of Neural Engineering, 2011, 8, 056005. | 1.8 | 42 |
| 64 | Radio frequency identification — An innovative solution to guide dexterous prosthetic hands. , 2011, 2011, 3511-4. | | 14 |
| 65 | Activities on PNS neural interfaces for the control of hand prostheses. , 2011, 2011, 4637-40. | | 8 |
| 66 | Performance of electromyography recorded using textile electrodes in classifying arm movements. , 2011, 2011, 4243-6. | | 9 |
| 67 | Design principles for noninvasive brain-machine interfaces. , 2011, 2011, 4223-6. | | 0 |
| 68 | Using virtual reality environment to facilitate training with advanced upper-limb prosthesis. Journal of Rehabilitation Research and Development, 2011, 48, 707. | 1.6 | 77 |
| 69 | Two-degree-of-freedom powered prosthetic wrist. Journal of Rehabilitation Research and Development, 2011, 48, 609. | 1.6 | 44 |
| 70 | Target Achievement Control Test: Evaluating real-time myoelectric pattern-recognition control of multifunctional upper-limb prostheses. Journal of Rehabilitation Research and Development, 2011, 48, 619. | 1.6 | 183 |
| 71 | Physically interactive robotic technology for neuromotor rehabilitation. Progress in Brain Research, 2011, 192, 59-68. | 0.9 | 21 |
| 72 | Electromyogram pattern recognition for control of powered upper-limb prostheses: State of the art and challenges for clinical use. Journal of Rehabilitation Research and Development, 2011, 48, 643. | 1.6 | 741 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Case report of modified Box and Blocks test with motion capture to measure prosthetic function. Journal of Rehabilitation Research and Development, 2012, 49, 1163. | 1.6 | 56 |
| 74 | Patient Training for Functional Use of Pattern Recognition–Controlled Prostheses. Journal of Prosthetics and Orthotics, 2012, 24, 56-64. | 0.2 | 80 |
| 75 | Bernstein's Levels of Construction of Movements Applied to Upper Limb Prosthetics. Journal of Prosthetics and Orthotics, 2012, 24, 67-76. | 0.2 | 26 |
| 76 | Interactions Between the Phantom Limb Sensations, Prosthesis Use, and Rehabilitation as Seen by Amputees and Health Professionals. Journal of Prosthetics and Orthotics, 2012, 24, 25-33. | 0.2 | 11 |
| 77 | Case 36-2012. New England Journal of Medicine, 2012, 367, 2027-2037. | 13.9 | 6 |
| 78 | Development of a Physics-Based Target Shooting Game to Train Amputee Users of Multijoint Upper Limb Prostheses. Presence: Teleoperators and Virtual Environments, 2012, 21, 85-95. | 0.3 | 17 |
| 79 | Performance of pattern recognition myoelectric control using a generic electrode grid with Targeted Muscle Reinnervation patients. , 2012, 2012, 4319-23. | | 4 |
| 80 | Prediction of distal arm joint angles from EMG and shoulder orientation for prosthesis control. , 2012, 2012, 4160-3. | | 23 |
| 81 | Material considerations for peripheral nerve interfacing. MRS Bulletin, 2012, 37, 573-580. | 1.7 | 41 |
| 82 | DYNAMIC HAND MOTION RECOGNITION BASED ON TRANSIENT AND STEADY-STATE EMG SIGNALS. International Journal of Humanoid Robotics, 2012, 09, 1250007. | 0.6 | 43 |
| 83 | Prosthesis-guided training of pattern recognition-controlled myoelectric prosthesis. , 2012, 2012, 1876-9. | | 15 |
| 84 | Natural muscular recruitment during reaching tasks to control hand prostheses. , 2012, , . | | 1 |
| 85 | An automatic and user-driven training method for locomotion mode recognition for artificial leg control. , 2012, 2012, 6116-9. | | 5 |
| 86 | Reduction of the effect of arm position variation on real-time performance of motion classification. , 2012, 2012, 2772-5. | | 9 |
| 87 | PEDOT Electrochemical Polymerization Improves Electrode Fidelity and Sensitivity. Plastic and Reconstructive Surgery, 2012, 129, 933-942. | 0.7 | 21 |
| 88 | An energy-efficient, dynamic voltage scaling neural stimulator for a proprioceptive prosthesis. , 2012, , | | 3 |
| 89 | On the viability of implantable electrodes for the natural control of artificial limbs: Review and discussion. BioMedical Engineering OnLine, 2012, 11, 33. | 1.3 | 120 |
| 90 | A new hierarchical approach for simultaneous control of multi-joint powered prostheses. , 2012, , . | | 21 |

ARTICLE IF CITATIONS # Dynamic switching and real-time machine learning for improved human control of assistive 29 91 biomedical robots., 2012,,. Effect of dynamic change of arm position on myoelectric pattern recognition., 2012,,. A comparison of direct and pattern recognition control for a two degree-of-freedom above elbow 93 6 virtual prosthesis., 2012, 2012, 4332-5. The Body-Machine Interface: A New Perspective on an Old Theme. Journal of Motor Behavior, 2012, 44, 94 419-433. Haptic Feedback Enhances Grip Force Control of sEMG-Controlled Prosthetic Hands in Targeted 95 Reinnervation Amputees. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2012, 20, 2.7 118 798-805. A Quasi-stationary Approach to the Approximate Solution of a FEA 3D Subject-Specific EMG Model. , 2012,,. Intuitive control for robotic rehabilitation devices by human-machine interface with EMG and EEG 97 5 signals., 2012,,. Control of Upper Limb Prostheses: Terminology and Proportional Myoelectric Controlâ€"A Review. IEEE 2.7 450 Transactions on Neural Systems and Rehabilitation Engineering, 2012, 20, 663-677. High density electromyography data of normally limbed and transradial amputee subjects for 99 0.7 112 multifunction prosthetic control. Journal of Electromyography and Kinesiology, 2012, 22, 478-484. Toward attenuating the impact of arm positions on electromyography pattern-recognition based motion classification in transradial amputees. Journal of NeuroEngineering and Rehabilitation, 2012, 2.4 9,74. On Design and Implementation of Neural-Machine Interface for Artificial Legs. IEEE Transactions on 101 7.2 54 Industrial Informatics, 2012, 8, 418-429. Quantification of Feature Space Changes With Experience During Electromyogram Pattern Recognition Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2012, 20, 2.7 239-246. 103 Cyborgs., 2012, , 699-704. 1 Man to Machine, Applications in Electromyography., 0, , . 104 Toward improved control of prosthetic fingers using surface electromyogram (EMG) signals. Expert 105 258 4.4 Systems With Applications, 2012, 39, 10731-10738. sEMG-based continuous estimation of joint angles of human legs by using BP neural network. 163 Neurocomputing, 2012, 78, 139-148. Improving Myoelectric Pattern Recognition Robustness to Electrode Shift by Changing Interelectrode 107 2.5201 Distance and Electrode Configuration. IEEE Transactions on Biomedical Engineering, 2012, 59, 645-652. Real-Time Animation Software for Customized Training to Use Motor Prosthetic Systems. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2012, 20, 134-142.

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Non-weight-bearing neural control of a powered transfemoral prosthesis. Journal of NeuroEngineering and Rehabilitation, 2013, 10, 62. | 2.4 | 60 |
| 110 | BioPatRec: A modular research platform for the control of artificial limbs based on pattern recognition algorithms. Source Code for Biology and Medicine, 2013, 8, 11. | 1.7 | 150 |
| 111 | Abstract and Proportional Myoelectric Control for Multi-Fingered Hand Prostheses. Annals of Biomedical Engineering, 2013, 41, 2687-2698. | 1.3 | 85 |
| 112 | An Energy-Efficient, Dynamic Voltage Scaling Neural Stimulator for a Proprioceptive Prosthesis. IEEE Transactions on Biomedical Circuits and Systems, 2013, 7, 129-139. | 2.7 | 84 |
| 113 | The reconstructive microsurgery ladder in orthopaedics. Injury, 2013, 44, 376-385. | 0.7 | 42 |
| 114 | Using textile electrode EMG for prosthetic movement identification in transradial amputees. , 2013, , . | | 9 |
| 115 | DIY Prosthetics Workshops: 'critical making' for public understanding of human augmentation. , 2013, , . | | 8 |
| 116 | Boosting-Based EMG Patterns Classification Scheme for Robustness Enhancement. IEEE Journal of Biomedical and Health Informatics, 2013, 17, 545-552. | 3.9 | 61 |
| 117 | Classification of Simultaneous Movements Using Surface EMG Pattern Recognition. IEEE Transactions on Biomedical Engineering, 2013, 60, 1250-1258. | 2.5 | 258 |
| 118 | Personalized Neuroprosthetics. Science Translational Medicine, 2013, 5, 210rv2. | 5.8 | 141 |
| 119 | Translating the Brain-Machine Interface. Science Translational Medicine, 2013, 5, 210ps17. | 5.8 | 103 |
| 120 | Hybrid brain/muscle-actuated control of an intelligent wheelchair. , 2013, , . | | 13 |
| 121 | Robotic Leg Control with EMG Decoding in an Amputee with Nerve Transfers. New England Journal of Medicine, 2013, 369, 1237-1242. | 13.9 | 211 |
| 122 | Validation of a Selective Ensemble-Based Classification Scheme for Myoelectric Control Using a Three-Dimensional Fitts' Law Test. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2013, 21, 616-623. | 2.7 | 68 |
| 123 | Evaluation of a Noninvasive Command Scheme for Upper-Limb Prostheses in a Virtual Reality Reach and Grasp Task. IEEE Transactions on Biomedical Engineering, 2013, 60, 792-802. | 2.5 | 35 |
| 124 | Augmenting neuroprosthetic hand control through evaluation of a bioacoustic interface. , 2013, , . | | 0 |
| 125 | Vibrotactile Sensory Substitution for Electromyographic Control of Object Manipulation. IEEE Transactions on Biomedical Engineering, 2013, 60, 2226-2232. | 2.5 | 53 |
| 126 | High-performance neuroprosthetic control by an individual with tetraplegia. Lancet, The, 2013, 381, 557-564. | 6.3 | 1,550 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Intense Focused Ultrasound Preferentially Stimulates Subcutaneous and Focal Neuropathic Tissue: Preliminary Results. Pain Medicine, 2013, 14, 84-92. | 0.9 | 12 |
| 128 | The Paralympic effect on amputees' legal claims for prosthetics. BMJ, The, 2013, 346, f1165-f1165. | 3.0 | 0 |
| 129 | Myoelectric neural interface enables accurate control of a virtual multiple degree-of-freedom foot-ankle prosthesis. , 2013, 2013, 6650499. | | 17 |
| 133 | Adaptive artificial limbs: a real-time approach to prediction and anticipation. IEEE Robotics and Automation Magazine, 2013, 20, 53-64. | 2.2 | 43 |
| 136 | The Use of a Bone-Anchored Device as a Hard-Wired Conduit for Transmitting EMG Signals From Implanted Muscle Electrodes. IEEE Transactions on Biomedical Engineering, 2013, 60, 1654-1659. | 2.5 | 17 |
| 137 | A Training Strategy for Learning Pattern Recognition Control for Myoelectric Prostheses. Journal of Prosthetics and Orthotics, 2013, 25, 30-41. | 0.2 | 50 |
| 138 | Computational modeling of direct neuronal recruitment during intracortical microstimulation in somatosensory cortex. Journal of Neural Engineering, 2013, 10, 066016. | 1.8 | 41 |
| 139 | Online estimation of EMG signals model based on a renewal process. , 2013, , . | | 0 |
| 140 | Intramuscular EMG after targeted muscle reinnervation for pattern recognition control of myoelectric prostheses. , 2013, , . | | 1 |
| 141 | Classifying the intent of novel users during human locomotion using powered lower limb prostheses. , 2013, , . | | 38 |
| 142 | Crosspoint switching of EMG signals to increase number of channels for pattern recognition myoelectric control. , 2013, , . | | 1 |
| 143 | Decoding the evolving grasping gesture from electroencephalographic (EEG) activity. , 2013, 2013, 5590-3. | | 13 |
| 144 | Real-time movement prediction for improved control of neuroprosthetic devices. , 2013, , . | | 22 |
| 145 | Towards improved partial-hand prostheses: The effect of wrist kinematics on pattern-recognition-based control. , 2013, , . | | 5 |
| 146 | Evaluation of classifier topologies for the real-time classification of simultaneous limb motions. , 2013, 2013, 6651-4. | | 9 |
| 147 | Implantable wireless body area networks. , 2013, , 437-468. | | 4 |
| 148 | Powered prosthesis control during walking, sitting, standing, and non-weight bearing activities using neural and mechanical inputs. , 2013, , . | | 13 |
| 149 | A preliminary analysis of reconstructed nerve function using targeted muscle reinnervation in a rat model. , 2013, , . | | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 150 | Understanding the role of haptic feedback in a teleoperated/prosthetic grasp and lift task. , 2013, , . | | 30 |
| 151 | Pattern recognition based forearm motion classification for patients with chronic hemiparesis. , 2013, 2013, 5918-21. | | 5 |
| 152 | Pattern recognition control outperforms conventional myoelectric control in upper limb patients with targeted muscle reinnervation. , 2013, 2013, 1599-602. | | 46 |
| 153 | Comparison of surface and intramuscular EMG pattern recognition for simultaneous wrist/hand motion classification. , 2013, 2013, 4223-6. | | 53 |
| 154 | An adaptation strategy of using LDA classifier for EMG pattern recognition. , 2013, 2013, 4267-70. | | 36 |
| 155 | EMG control of robotic reaching by people with tetraplegia improved through proprioceptive and force feedback. , 2013, , . | | 3 |
| 156 | Modelling muscle spindle dynamics for a proprioceptive prosthesis. , 2013, 2013, 1923-6. | | 2 |
| 157 | Interfaces with the Peripheral Nerve for the Control of Neuroprostheses. International Review of Neurobiology, 2013, 109, 63-83. | 0.9 | 77 |
| 158 | Using speech for mode selection in control of multifunctional myoelectric prostheses. , 2013, 2013, 3602-5. | | 3 |
| 159 | Intrafascicular stimulation of monkey arm nerves evokes coordinated grasp and sensory responses. Journal of Neurophysiology, 2013, 109, 580-590. | 0.9 | 54 |
| 160 | Implantable Silicone Electrode for Measurement of Muscle Activity: Results of First in Vivo Evaluation. Biomedizinische Technik, 2013, 58 Suppl 1, . | 0.9 | 5 |
| 161 | Innovations in Prosthetic Interfaces for the Upper Extremity. Plastic and Reconstructive Surgery, 2013, 132, 1515-1523. | 0.7 | 56 |
| 162 | The Bionic Limb Gets a Leg Up. Neurology Today: an Official Publication of the American Academy of Neurology, 2013, 13, 1. | 0.0 | 0 |
| 163 | Human-Machine Interface for Mechatronic Devices Control. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 614-618. | 0.4 | 8 |
| 164 | Aesthetic finger prosthesis with silicone biomaterial. BMJ Case Reports, 2013, 2013, bcr2013010385-bcr2013010385. | 0.2 | 13 |
| 165 | Are muscle synergies useful for neural control?. Frontiers in Computational Neuroscience, 2013, 7, 19. | 1.2 | 86 |
| 166 | A Simple ERP Method for Quantitative Analysis of Cognitive Workload in Myoelectric Prosthesis Control and Human-Machine Interaction. PLoS ONE, 2014, 9, e112091. | 1.1 | 45 |
| 168 | Epidural electrocorticography of phantom hand movement following long-term upper-limb amputation. Frontiers in Human Neuroscience, 2014, 8, 285. | 1.0 | 22 |

| # 169 | ARTICLE Treatment of phantom limb pain (PLP) based on augmented reality and gaming controlled by myoelectric pattern recognition: a case study of a chronic PLP patient. Frontiers in Neuroscience, 2014, 8, 24. | IF 1.4 | CITATIONS |
|----------|---|-----------|-----------|
| 170 | Does EMG control lead to distinct motor adaptation?. Frontiers in Neuroscience, 2014, 8, 302. | 1.4 | 26 |
| 171 | A functional model and simulation of spinal motor pools and intrafascicular recordings of motoneuron activity in peripheral nerve. Frontiers in Neuroscience, 2014, 8, 371. | 1.4 | 3 |
| 172 | Introduction and Testing of an Alternative Control Approach for a Robotic Prosthetic Arm. Open Biomedical Engineering Journal, 2014, 8, 93-105. | 0.7 | 4 |
| 173 | Dexterous motion recognition for myoelectric control of multifunctional transradial prostheses. Advanced Robotics, 2014, 28, 1533-1543. | 1.1 | 13 |
| 174 | Electrically stimulated signals from a long-term Regenerative Peripheral Nerve Interface. , 2014, 2014, 1989-92. | | 12 |
| 175 | Observation-based training for neuroprosthetic control of grasping by amputees. , 2014, 2014, 3989-92. | | 4 |
| 176 | Within-socket myoelectric prediction of continuous ankle kinematics for control of a powered transtibial prosthesis. Journal of Neural Engineering, 2014, 11, 056027. | 1.8 | 33 |
| 177 | Channel selection for simultaneous and proportional myoelectric prosthesis control of multiple degrees-of-freedom. Journal of Neural Engineering, 2014, 11, 056008. | 1.8 | 34 |
| 178 | Exploring the mechanism of neural-function reconstruction by reinnervated nerves in targeted muscles. Journal of Zhejiang University: Science C, 2014, 15, 813-820. | 0.7 | 3 |
| 180 | Blind source identification from the multichannel surface electromyogram. Physiological Measurement, 2014, 35, R143-R165. | 1.2 | 121 |
| 181 | CYBERLEGs: A User-Oriented Robotic Transfemoral Prosthesis with Whole-Body Awareness Control. IEEE Robotics and Automation Magazine, 2014, 21, 82-93. | 2.2 | 53 |
| 182 | A wireless wearable sEMG and NIRS acquisition system for an enhanced human-computer interface. , 2014, , . | | 10 |
| 183 | The role of muscle synergies in myoelectric control: trends and challenges for simultaneous multifunction control. Journal of Neural Engineering, 2014, 11, 051001. | 1.8 | 143 |
| 184 | Hand Transplantation. JBJS Reviews, 2014, 2, . | 0.8 | 12 |
| 185 | A review of source separation and source localization approaches in peripheral nerves. , 2014, , . | | 6 |
| 186 | Guest Editorial. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 711-715. | 2.7 | 15 |
| 187 | Extending myoelectric prosthesis control with shapable automation. , 2014, , . | | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 188 | Development of a miniaturized bioreactor for neural culture and axon stretch growth. , 2014, 2014, 1416-9. | | 1 |
| 189 | A body machine interface based on inertial sensors. , 2014, 2014, 6120-4. | | 28 |
| 190 | Using wavelet analysis to reveal the muscle functional recovery following nerve reinnervation in a rat model. , 2014, 2014, 2549-52. | | 2 |
| 191 | Real-time simultaneous and proportional myoelectric control using intramuscular EMG. Journal of Neural Engineering, 2014, 11, 066013. | 1.8 | 101 |
| 192 | Internal models of upper limb prosthesis users when grasping and lifting a fragile object with their prosthetic limb. Experimental Brain Research, 2014, 232, 3785-3795. | 0.7 | 36 |
| 193 | Using thin-film piezoelectret to detect tactile and slip signals for restoring sensation of prosthetic hands. , 2014, 2014, 2565-8. | | 5 |
| 194 | An open and configurable embedded system for EMG pattern recognition implementation for artificial arms. , 2014, 2014, 4095-8. | | 1 |
| 195 | Decellular biological scaffold polymerized with PEDOT for improving peripheral nerve interface charge transfer. , 2014, 2014, 422-5. | | 2 |
| 196 | Dexterous Control of a Prosthetic Hand Using Fine-Wire Intramuscular Electrodes in Targeted Extrinsic Muscles. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 828-836. | 2.7 | 79 |
| 197 | Optimizing pattern recognition-based control for partial-hand prosthesis application. , 2014, 2014, 3574-7. | | 9 |
| 198 | An osseointegrated human-machine gateway for long-term sensory feedback and motor control of artificial limbs. Science Translational Medicine, 2014, 6, 257re6. | 5.8 | 378 |
| 199 | Principles of Nerve and Muscle Rehabilitation. , 2014, , 27-35. | | 0 |
| 200 | Microelectrode Array Recordings from the Ventral Roots in Chronically Implanted Cats. Frontiers in Neurology, 2014, 5, 104. | 1.1 | 20 |
| 201 | Quantification of muscle-derived signal interference during monopolar needle electromyography of a peripheral nerve interface in the rat hind limb. , 2014, 2014, 4382-5. | | 5 |
| 202 | A quantitative evaluation of gross versus histologic neuroma formation in a rabbit forelimb amputation model: potential implications for the operative treatment and study of neuromas. Journal of Brachial Plexus and Peripheral Nerve Injury, 2014, 06, e23-e32. | 1.0 | 14 |
| 203 | Development of Upper Limb Prostheses: Current Progress and Areas for Growth. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1013-1014. | 0.5 | 16 |
| 204 | Amputation Surgery. Physical Medicine and Rehabilitation Clinics of North America, 2014, 25, 35-43. | 0.7 | 12 |
| 205 | A comparison of the real-time controllability of pattern recognition to conventional myoelectric control for discrete and simultaneous movements. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 5. | 2.4 | 76 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 206 | Targeted Muscle Reinnervation in the Initial Management of Traumatic Upper Extremity Amputation Injury. Hand, 2014, 9, 253-257. | 0.7 | 52 |
| 207 | Intent Recognition in a Powered Lower Limb Prosthesis Using Time History Information. Annals of Biomedical Engineering, 2014, 42, 631-641. | 1.3 | 131 |
| 208 | Targeted Muscle Reinnervation: A Novel Approach to Postamputation Neuroma Pain. Clinical Orthopaedics and Related Research, 2014, 472, 2984-2990. | 0.7 | 280 |
| 209 | Prosthetic Myoelectric Control Strategies: A Clinical Perspective. Current Surgery Reports, 2014, 2, 1. | 0.4 | 191 |
| 210 | Updates in Targeted Sensory Reinnervation for Upper Limb Amputation. Current Surgery Reports, 2014, 2, 1. | 0.4 | 24 |
| 211 | Preliminary studies on the basic factors of bionics. Science China Technological Sciences, 2014, 57, 520-530. | 2.0 | 33 |
| 212 | A Training Method for Locomotion Mode Prediction Using Powered Lower Limb Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 671-677. | 2.7 | 120 |
| 213 | Restoring Natural Sensory Feedback in Real-Time Bidirectional Hand Prostheses. Science Translational Medicine, 2014, 6, 222ra19. | 5.8 | 805 |
| 214 | sEMG-Based Joint Force Control for an Upper-Limb Power-Assist Exoskeleton Robot. IEEE Journal of Biomedical and Health Informatics, 2014, 18, 1043-1050. | 3.9 | 207 |
| 215 | The Cyborg Revolution. NanoEthics, 2014, 8, 263-273. | 0.5 | 29 |
| 216 | A multi-DoF anthropomorphic transradial prosthetic arm. , 2014, , . | | 12 |
| 217 | Real-Time Control of an Interactive Impulsive Virtual Prosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 363-370. | 2.7 | 57 |
| 218 | PDMS microchannel scaffolds for neural interfaces with the peripheral nervous system. , 2014, , . | | 4 |
| 219 | Real-Time and Offline Performance of Pattern Recognition Myoelectric Control Using a Generic Electrode Grid With Targeted Muscle Reinnervation Patients. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 727-734. | 2.7 | 42 |
| 220 | The DEKA Arm. Prosthetics and Orthotics International, 2014, 38, 492-504. | 0.5 | 163 |
| 221 | User Training for Pattern Recognition-Based Myoelectric Prostheses: Improving Phantom Limb Movement Consistency and Distinguishability. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 522-532. | 2.7 | 100 |
| 222 | Real-Time and Simultaneous Control of Artificial Limbs Based on Pattern Recognition Algorithms. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 756-764. | 2.7 | 123 |
| 223 | Development of a multi-DOF prosthetic hand with intrinsic actuation, intuitive control and sensory feedback. Industrial Robot, 2014, 41, 381-392. | 1.2 | 38 |

ARTICLE IF CITATIONS # A novel channel selection method for multiple motion classification using high-density 224 1.3 51 electromyography. BioMedical Engineering OnLine, 2014, 13, 102. A state-based, proportional myoelectric control method: online validation and comparison with the 2.4 28 clinical state-of-the-art. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 110. Experimental Study of an EMG-Controlled 5-DOF Anthropomorphic Prosthetic Hand for Motion 226 2.0 26 Restoration. Journal of Intelligent and Robotic Systems: Theory and Applications, 2014, 76, 427-441. Novel Method for Predicting Dexterous Individual Finger Movements by Imaging Muscle Activity Using a Wearable Ultrasonic System. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 69-76. Novel Targeted Sensory Reinnervation Technique to Restore Functional Hand Sensation After Transhumeral Amputation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 228 2.7 112 22, 765-773. Noninvasive, Accurate Assessment of the Behavior of Representative Populations of Motor Units in 229 Targeted Reinnervated Muscles. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2.7 2014, 22, 810-819. The Extraction of Neural Information from the Surface EMG for the Control of Upper-Limb Prostheses: Emerging Avenues and Challenges. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 797-809. 230 2.7 725 A real-time comparison between direct control, sequential pattern recognition control and simultaneous pattern recognition control using a Fitts' law style assessment procedure. Journal of 2.4 79 NeuroEngineering and Rehabilitation, 2014, 11, 91. Upper extremity limb loss: Functional restoration from prosthesis and targeted reinnervation to 232 0.7 34 transplantation. Journal of Hand Therapy, 2014, 27, 106-114. Crossmodal representation of a functional robotic hand arises after extensive training in healthy participants. Neuropsychologia, 2014, 53, 178-186. Does Targeted Nerve Implantation Reduce Neuroma Pain in Amputees?. Clinical Orthopaedics and 234 113 0.7 Related Research, 2014, 472, 2991-3001. Bioelectric signal detrending using smoothness prior approach. Medical Engineering and Physics, 0.8 2014, 36, 1007-1013. Quantification and solutions of arm movements effect on sEMG pattern recognition. Biomedical 236 3.5 57 Signal Processing and Control, 2014, 13, 189-197. Evaluation of EMG, force and joystick as control interfaces for active arm supports. Journal of 2.4 NeuroEngineering and Rehabilitation, 2014, 11, 68. Implanted myoneural interface for artificial hand control. International Journal of Biomedical 238 0.2 3 Engineering and Technology, 2014, 14, 13. Non-invasive control interfaces for intention detection in active movement-assistive devices. Journal 113 of NeuroEngineering and Rehabilitation, 2014, 11, 168. Electromyography data for non-invasive naturally-controlled robotic hand prostheses. Scientific 240 2.4 482 Data, 2014, 1, 140053. An Evidence-Based Structured Review to Assess the Results of Common Peroneal Nerve Repair. Plastic 241 and Reconstructive Surgery, 2014, 134, 302e-311e.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 242 | Processing of surface EMG through pattern recognition techniques aimed at classifying shoulder joint movements. , 2015, 2015, 2107-10. | | 8 |
| 243 | Surveying the interest of individuals with upper limb loss in novel prosthetic control techniques. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 53. | 2.4 | 126 |
| 244 | Reconstruction for All: The Case for Pediatric Hand Transplantation. Vascularized Composite Allotransplantation, 2015, 2, 47-52. | 0.5 | 6 |
| 245 | EEG Complex Grasping Patterns Recognition For BMI Robotic And Prosthesis Motion Control. , 2015, , . | | 1 |
| 246 | Improving robustness against electrode shift of high density EMG for myoelectric control through common spatial patterns. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 110. | 2.4 | 77 |
| 247 | Novel Control Strategies for Arm Prostheses : A Partnership between Man and Machine. The Japanese Journal of Rehabilitation Medicine, 2015, 52, 91-95. | 0.0 | 2 |
| 248 | Subchronic Stimulation Performance of Transverse Intrafascicular Multichannel Electrodes in the Median Nerve of the Göttingen Minipig. Artificial Organs, 2015, 39, E36-48. | 1.0 | 12 |
| 249 | Handcrafted Microwire Regenerative Peripheral Nerve Interfaces with Wireless Neural Recording and Stimulation Capabilities. Internatinoal Journal of Sensor Networks and Data Communications, 2015, 05, . | 0.1 | 0 |
| 250 | Novel postural control algorithm for control of multifunctional myoelectric prosthetic hands. Journal of Rehabilitation Research and Development, 2015, 52, 449-66. | 1.6 | 24 |
| 251 | Decoding of human hand actions to handle missing limbs in neuroprosthetics. Frontiers in Computational Neuroscience, 2015, 9, 27. | 1.2 | 31 |
| 252 | Global cortical activity predicts shape of hand during grasping. Frontiers in Neuroscience, 2015, 9, 121. | 1.4 | 78 |
| 253 | Control Capabilities of Myoelectric Robotic Prostheses by Hand Amputees: A Scientific Research and Market Overview. Frontiers in Systems Neuroscience, 2015, 9, 162. | 1.2 | 135 |
| 254 | Virtual Training of the Myosignal. PLoS ONE, 2015, 10, e0137161. | 1.1 | 29 |
| 255 | Human-Machine Interface for the Control of Multi-Function Systems Based on Electrocutaneous Menu: Application to Multi-Grasp Prosthetic Hands. PLoS ONE, 2015, 10, e0127528. | 1.1 | 19 |
| 256 | Vascularised composite allotransplants: Transplant of upper extremities and face. Indian Journal of Plastic Surgery, 2015, 48, 111-118. | 0.2 | 6 |
| 257 | Bioelectronic interfaces for artificially driven human movements. , 0, , 281-293. | | 0 |
| 258 | Targeted Muscle Reinnervation and Advanced Prosthetic Arms. Seminars in Plastic Surgery, 2015, 29, 062-072. | 0.8 | 139 |
| 259 | Intuitive Control of a Powered Prosthetic Leg During Ambulation. JAMA - Journal of the American Medical Association, 2015, 313, 2244. | 3.8 | 124 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 260 | A pilot study assessing ipsilateral vs. contralateral feedback in EMG-force models of the wrist for upper-limb prosthesis control. , 2015, , . | | 0 |
| 261 | Phantom movements from physiologically inappropriate muscles: A case study with a high transhumeral amputee. , 2015, 2015, 3488-91. | | 6 |
| 262 | Assistive robotic manipulation through shared autonomy and a Body-Machine Interface. , 2015, 2015, 526-531. | | 34 |
| 263 | Nonlinear mappings between discrete and simultaneous motions to decrease training burden of simultaneous pattern recognition myoelectric control. , 2015, 2015, 1675-8. | | 3 |
| 264 | Residuals of autoregressive model providing additional information for feature extraction of pattern recognition-based myoelectric control. , 2015, 2015, 7270-3. | | 2 |
| 265 | A wireless, smart EEG system for volitional control of lower-limb prosthesis. , 2015, , . | | 12 |
| 266 | Effects of prosthesis use on the capability to control myoelectric robotic prosthetic hands. , 2015, 2015, 3456-9. | | 3 |
| 267 | Real-time simultaneous myoelectric control by transradial amputees using linear and probability-weighted regression. , 2015, 2015, 1119-23. | | 3 |
| 268 | Extrinsic Finger and Thumb Muscles Command a Virtual Hand to Allow Individual Finger and Grasp Control. IEEE Transactions on Biomedical Engineering, 2015, 62, 218-226. | 2.5 | 28 |
| 269 | Decoding a Wide Range of Hand Configurations from Macaque Motor, Premotor, and Parietal Cortices. Journal of Neuroscience, 2015, 35, 1068-1081. | 1.7 | 147 |
| 270 | Robotic Prosthetics : Moving Beyond Technical Performance. IEEE Technology and Society Magazine, 2015, 34, 71-79. | 0.6 | 4 |
| 271 | Control strategies for active lower extremity prosthetics and orthotics: a review. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 1. | 2.4 | 773 |
| 272 | A real-time, practical sensor fault-tolerant module for robust EMG pattern recognition. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 18. | 2.4 | 52 |
| 273 | Vibrotactile Stimulation Promotes Embodiment of an Alien Hand in Amputees With Phantom Sensations. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2015, 23, 450-457. | 2.7 | 94 |
| 274 | Regenerative engineering and bionic limbs. Rare Metals, 2015, 34, 143-155. | 3.6 | 8 |
| 275 | Outcomes and Perception of a Conventional and Alternative Myoelectric Control Strategy. Journal of Prosthetics and Orthotics, 2015, 27, 53-62. | 0.2 | 11 |
| 276 | Visual Guidance in Control of Grasping. Annual Review of Neuroscience, 2015, 38, 69-86. | 5.0 | 61 |
| 277 | Clinical Investigation of High-Density Electromyography Data and Pattern Classification Accuracy for Prosthetic Control. Journal of Prosthetics and Orthotics, 2015, 27, 8-14. | 0.2 | 2 |

| | | CITATION REPORT | |
|-----|---|-----------------|-----------|
| # | Article | IF | CITATIONS |
| 278 | Recent advances in bioelectric prostheses. Neurology: Clinical Practice, 2015, 5, 164-170. | 0.8 | 21 |
| 279 | Ultra-low noise miniaturized neural amplifier with hardware averaging. Journal of Neural Engineering, 2015, 12, 046024. | 1.8 | 17 |
| 280 | A piezoelectret-based approach for touching and slipping detection in robotic hands. , 2015, , . | | 5 |
| 282 | An Ultra-Low-Power RF Energy-Harvesting Transceiver for Multiple-Node Sensor Application. IEEE Transactions on Circuits and Systems II: Express Briefs, 2015, 62, 1028-1032. | 2.2 | 63 |
| 283 | A \$24,mu ext{W}\$, Batteryless, Crystal-free, Multinode Synchronized SoC "Bionode―for Wire Prosthesis Control. IEEE Journal of Solid-State Circuits, 2015, 50, 2714-2727. | less 3.5 | 56 |
| 284 | New Control Strategies for Multifunctional Prostheses that Combine Electromyographic and Speec Signals. IEEE Intelligent Systems, 2015, 30, 47-53. | h 4.0 | 18 |
| 285 | Classification of motor unit activity following targeted muscle reinnervation. , 2015, , . | | 10 |
| 286 | Low-cost wearable multichannel surface EMG acquisition for prosthetic hand control. , 2015, , . | | 38 |
| 287 | Remapping residual coordination for controlling assistive devices and recovering motor functions. Neuropsychologia, 2015, 79, 364-376. | 0.7 | 27 |
| 288 | A review on hybrid myoelectric control systems for upper limb prosthesis. , 2015, , . | | 27 |
| 289 | First-in-man demonstration of a fully implanted myoelectric sensors system to control an advanced electromechanical prosthetic hand. Journal of Neuroscience Methods, 2015, 244, 85-93. | 1.3 | 170 |
| 290 | The Extremity Trauma and Amputation Center of Excellence: Overview of the Research and Surveillance Division. Military Medicine, 2016, 181, 3-12. | 0.4 | 7 |
| 291 | New developments in prosthetic arm systems. Orthopedic Research and Reviews, 2016, Volume 8, | 31-39. 0.7 | 111 |
| 292 | The Evolution of Neuroprosthetic Interfaces. Critical Reviews in Biomedical Engineering, 2016, 44, 123-152. | 0.5 | 56 |
| 293 | Development of a Regenerative Peripheral Nerve Interface for Control of a Neuroprosthetic Limb. BioMed Research International, 2016, 2016, 1-8. | 0.9 | 72 |
| 294 | Automatic Training of Rat Cyborgs for Navigation. Computational Intelligence and Neuroscience, 2020, 1-12. | 016, 1.1 | 13 |
| 295 | Effect of clinical parameters on the control of myoelectric robotic prosthetic hands. Journal of Rehabilitation Research and Development, 2016, 53, 345-358. | 1.6 | 49 |
| 296 | Force Myography to Control Robotic Upper Extremity Prostheses: A Feasibility Study. Frontiers in Bioengineering and Biotechnology, 2016, 4, 18. | 2.0 | 103 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 297 | Deep Learning with Convolutional Neural Networks Applied to Electromyography Data: A Resource for the Classification of Movements for Prosthetic Hands. Frontiers in Neurorobotics, 2016, 10, 9. | 1.6 | 436 |
| 298 | Evaluating EMG Feature and Classifier Selection for Application to Partial-Hand Prosthesis Control. Frontiers in Neurorobotics, 2016, 10, 15. | 1.6 | 67 |
| 299 | Dual Window Pattern Recognition Classifier for Improved Partial-Hand Prosthesis Control. Frontiers in Neuroscience, 2016, 10, 58. | 1.4 | 26 |
| 300 | Control of Prosthetic Hands via the Peripheral Nervous System. Frontiers in Neuroscience, 2016, 10, 116. | 1.4 | 93 |
| 301 | A Review of Control Strategies in Closed-Loop Neuroprosthetic Systems. Frontiers in Neuroscience, 2016, 10, 312. | 1.4 | 44 |
| 302 | Characterization of the Statistical Signatures of Micro-Movements Underlying Natural Gait Patterns in Children with Phelan McDermid Syndrome: Towards Precision-Phenotyping of Behavior in ASD. Frontiers in Integrative Neuroscience, 2016, 10, 22. | 1.0 | 27 |
| 303 | Complexity Analysis of Surface EMG for Overcoming ECG Interference toward Proportional Myoelectric Control. Entropy, 2016, 18, 106. | 1.1 | 18 |
| 304 | Homo Technologicus: Threat or Opportunity?. Philosophies, 2016, 1, 199-208. | 0.4 | 10 |
| 305 | Motor Unit Characteristics after Targeted Muscle Reinnervation. PLoS ONE, 2016, 11, e0149772. | 1.1 | 43 |
| 306 | Myoelectric control of prosthetic hands: state-of-the-art review. Medical Devices: Evidence and Research, 2016, Volume 9, 247-255. | 0.4 | 240 |
| 307 | Management of Upper Extremity Amputations. , 2016, , 535-539. | | 0 |
| 308 | SoftHand Pro-D: Matching dynamic content of natural user commands with hand embodiment for enhanced prosthesis control. , 2016, , . | | 26 |
| 309 | Biomimetic rehabilitation engineering: the importance of somatosensory feedback for brain–machine interfaces. Journal of Neural Engineering, 2016, 13, 041001. | 1.8 | 26 |
| 310 | Design of a highly biomimetic anthropomorphic robotic hand towards artificial limb regeneration. , $2016,$, . | | 49 |
| 311 | An Epidermal Stimulation and Sensing Platform for Sensorimotor Prosthetic Control, Management of Lower Back Exertion, and Electrical Muscle Activation. Advanced Materials, 2016, 28, 4462-4471. | 11.1 | 240 |
| 312 | Phantom motor execution facilitated by machine learning and augmented reality as treatment for phantom limb pain: a single group, clinical trial in patients with chronic intractable phantom limb pain. Lancet, The, 2016, 388, 2885-2894. | 6.3 | 178 |
| 313 | MyoHMI: A low-cost and flexible platform for developing real-time human machine interface for myoelectric controlled applications. , 2016, , . | | 12 |
| 314 | IBVS and EMC based reach-to-grasp task planning method for a trans-humeral prosthesis. , 2016, , | | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 315 | Six Prosthetic Arm Movements Using Electromyogram Signals: A Prototype. , 2016, , . | | 3 |
| 316 | A Comparison of Pattern Recognition Control and Direct Control of a Multiple Degree-of-Freedom Transradial Prosthesis. IEEE Journal of Translational Engineering in Health and Medicine, 2016, 4, 1-8. | 2.2 | 102 |
| 317 | A new approach to mitigate the effect of force variation on pattern recognition for myoelectric control. , 2016, 2016, 1684-1687. | | 12 |
| 318 | Automatic grasp selection using a camera in a hand prosthesis. , 2016, 2016, 431-434. | | 36 |
| 319 | Towards reducing the impacts of unwanted movements on identification of motion intentions. Journal of Electromyography and Kinesiology, 2016, 28, 90-98. | 0.7 | 35 |
| 320 | Restoring motor control and sensory feedback in people with upper extremity amputations using arrays of 96 microelectrodes implanted in the median and ulnar nerves. Journal of Neural Engineering, 2016, 13, 036001. | 1.8 | 268 |
| 321 | A novel immersive augmented reality system for prosthesis training and assessment. , 2016, , . | | 10 |
| 322 | The effect of wrist position and hand-grasp pattern on virtual prosthesis task performance. , 2016, , . | | 2 |
| 323 | Fusion of M-IMU and EMG signals for the control of trans-humeral prostheses. , 2016, , . | | 15 |
| 324 | Virtual Environments for Hand Rehabilitation with Force Feedback. Lecture Notes in Computer Science, 2016, , 459-470. | 1.0 | 0 |
| 325 | Lumped-parameter electromyogram-driven musculoskeletal hand model: A potential platform for real-time prosthesis control. Journal of Biomechanics, 2016, 49, 3901-3907. | 0.9 | 63 |
| 326 | Real-time evaluation of a myoelectric control method for high-level upper limb amputees based on homologous leg movements. , 2016, 2016, 6365-6368. | | 5 |
| 327 | Comparison of patient-reported outcomes after traumatic upper extremity amputation: Replantation versus prosthetic rehabilitation. Injury, 2016, 47, 2783-2788. | 0.7 | 45 |
| 328 | The RIC Arm—A Small Anthropomorphic Transhumeral Prosthesis. IEEE/ASME Transactions on Mechatronics, 2016, 21, 2660-2671. | 3.7 | 70 |
| 329 | Bioelectric Medicine and Devices for the Treatment of Spinal Cord Injury. Cells Tissues Organs, 2016, 202, 6-22. | 1.3 | 5 |
| 330 | Comparisons on different sEMG-features with dimension-reduction methods in hand motion recognition. , 2016, , . | | 4 |
| 331 | Targeted Muscle Reinnervation for Transradial Amputation: Description of Operative Technique. Techniques in Hand and Upper Extremity Surgery, 2016, 20, 166-171. | 0.3 | 60 |
| 332 | Comprehensive Rehabilitation Following Combat Extremity Trauma: Evolution and Its Impact on Outcomes. Journal of Orthopaedic Trauma, 2016, 30, S31-S33. | 0.7 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 333 | Reinnervated Split-Muscle Technique for Creating Additional Myoelectric Sites in an Animal Model. Plastic and Reconstructive Surgery, 2016, 138, 997e-1010e. | 0.7 | 2 |
| 334 | Chronic recording of hand prosthesis control signals via a regenerative peripheral nerve interface in a rhesus macaque. Journal of Neural Engineering, 2016, 13, 046007. | 1.8 | 51 |
| 335 | Enhancing the versatility of wireless biopotential acquisition for myoelectric prosthetic control. Journal of Neural Engineering, 2016, 13, 046012. | 1.8 | 8 |
| 336 | Multisession, noninvasive closed-loop neuroprosthetic control of grasping by upper limb amputees. Progress in Brain Research, 2016, 228, 107-128. | 0.9 | 28 |
| 337 | Experimental nerve transfer model in the rat forelimb. European Surgery - Acta Chirurgica Austriaca, 2016, 48, 334-341. | 0.3 | 12 |
| 338 | Biomechatronic design and control of an anthropomorphic artificial hand for prosthetic applications. Robotica, 2016, 34, 2291-2308. | 1.3 | 14 |
| 339 | Recording and decoding for neural prostheses. Proceedings of the IEEE, 2016, 104, 374-391. | 16.4 | 42 |
| 340 | <i>In vivo</i> characterization of regenerative peripheral nerve interface function. Journal of Neural Engineering, 2016, 13, 026012. | 1.8 | 33 |
| 341 | Ethical issues in neuroprosthetics. Journal of Neural Engineering, 2016, 13, 021002. | 1.8 | 35 |
| 342 | Incremental Learning of Muscle Synergies: From Calibration to Interaction. Springer Series on Touch and Haptic Systems, 2016, , 171-193. | 0.2 | 5 |
| 343 | Improving the Robustness of Myoelectric Pattern Recognition for Upper Limb Prostheses by Covariate Shift Adaptation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 961-970. | 2.7 | 126 |
| 344 | Schizophrenia: The micro-movements perspective. Neuropsychologia, 2016, 85, 310-326. | 0.7 | 27 |
| 345 | Development of a Multi-Channel Compact-Size Wireless Hybrid sEMG/NIRS Sensor System for Prosthetic Manipulation. IEEE Sensors Journal, 2016, 16, 447-456. | 2.4 | 68 |
| 346 | An Analysis of Intrinsic and Extrinsic Hand Muscle EMG for Improved Pattern Recognition Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 485-494. | 2.7 | 98 |
| 347 | Evaluation of Linear Regression Simultaneous Myoelectric Control Using Intramuscular EMG. IEEE Transactions on Biomedical Engineering, 2016, 63, 737-746. | 2.5 | 87 |
| 348 | Design and Fabrication of a Six Degree-of-Freedom Open Source Hand. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 562-572. | 2.7 | 49 |
| 349 | Measuring human locomotor control using EMG and EEG: Current knowledge, limitations and future considerations. European Journal of Sport Science, 2016, 16, 416-426. | 1.4 | 31 |
| 350 | Myoelectric Control System and Task-Specific Characteristics Affect Voluntary Use of Simultaneous Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 109-116. | 2.7 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 351 | An Empirical Evaluation of Force Feedback in Body-Powered Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 215-226. | 2.7 | 22 |
| 352 | Multichannel Electrotactile Feedback With Spatial and Mixed Coding for Closed-Loop Control of Grasping Force in Hand Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 183-195. | 2.7 | 98 |
| 353 | Cascaded Adaptation Framework for Fast Calibration of Myoelectric Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 254-264. | 2.7 | 37 |
| 354 | A correlation analysis of metacarpal & phalangeal injury pattern from improvised explosive devices amongst armed force personnel. Injury, 2017, 48, 738-744. | 0.7 | 3 |
| 355 | Toward an Enhanced Human–Machine Interface for Upper-Limb Prosthesis Control With Combined EMG and NIRS Signals. IEEE Transactions on Human-Machine Systems, 2017, 47, 564-575. | 2.5 | 81 |
| 356 | A motion-classification strategy based on sEMG-EEG signal combination for upper-limb amputees. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 2. | 2.4 | 144 |
| 357 | Neuroengineering: Deciphering neural drive. Nature Biomedical Engineering, 2017, 1, . | 11.6 | 11 |
| 358 | Mechanomyography Assisted Myoeletric Sensing for Upper-Extremity Prostheses: A Hybrid Approach. IEEE Sensors Journal, 2017, 17, 3100-3108. | 2.4 | 64 |
| 359 | Current trends in the development of intelligent unmanned autonomous systems. Frontiers of Information Technology and Electronic Engineering, 2017, 18, 68-85. | 1.5 | 93 |
| 360 | Man/machine interface based on the discharge timings of spinal motor neurons after targeted muscle reinnervation. Nature Biomedical Engineering, 2017, 1, . | 11.6 | 245 |
| 361 | A Real-Time Method for Decoding the Neural Drive to Muscles Using Single-Channel Intra-Muscular EMG Recordings. International Journal of Neural Systems, 2017, 27, 1750025. | 3.2 | 29 |
| 362 | Body-Machine Interface Enables People With Cervical Spinal Cord Injury to Control Devices With Available Body Movements: Proof of Concept. Neurorehabilitation and Neural Repair, 2017, 31, 487-493. | 1.4 | 29 |
| 363 | Sensory feedback add-on for upper-limb prostheses. Prosthetics and Orthotics International, 2017, 41, 314-317. | 0.5 | 10 |
| 364 | Development of regenerative peripheral nerve interfaces for motor control of neuroprosthetic devices. Proceedings of SPIE, 2017, , . | 0.8 | 1 |
| 365 | Embedded System for Prosthetic Control Using Implanted Neuromuscular Interfaces Accessed Via an Osseointegrated Implant. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 867-877. | 2.7 | 73 |
| 366 | On prosthetic control: A regenerative agonist-antagonist myoneural interface. Science Robotics, 2017, 2, . | 9.9 | 59 |
| 367 | Two degrees of freedom quasi-static EMG-force at the wrist using a minimum number of electrodes. Journal of Electromyography and Kinesiology, 2017, 34, 24-36. | 0.7 | 29 |
| 368 | Saliency Driven Object recognition in egocentric videos with deep CNN: toward application in assistance to Neuroprostheses. Computer Vision and Image Understanding, 2017, 164, 82-91. | 3.0 | 22 |

| # 369 | ARTICLE A nanostructured cell-free photosynthetic biocomposite via molecularly controlled layer-by-layer assembly. Sensors and Actuators B: Chemical 2017, 244, 1-10 | lF 4.0 | CITATIONS |
|----------|--|-----------|-----------|
| 370 | Myoelectric Pattern Recognition Outperforms Direct Control for Transhumeral Amputees with Targeted Muscle Reinnervation: A Randomized Clinical Trial. Scientific Reports, 2017, 7, 13840. | 1.6 | 149 |
| 371 | Resolving the adverse impact of mobility on myoelectric pattern recognition in upper-limb multifunctional prostheses. Computers in Biology and Medicine, 2017, 90, 76-87. | 3.9 | 52 |
| 372 | Towards Efficient Decoding of Multiple Classes of Motor Imagery Limb Movements Based on EEG Spectral and Time Domain Descriptors. Journal of Medical Systems, 2017, 41, 194. | 2.2 | 43 |
| 373 | Common Synaptic Input to Motor Neurons and Neural Drive to Targeted Reinnervated Muscles. Journal of Neuroscience, 2017, 37, 11285-11292. | 1.7 | 32 |
| 374 | Novel neural interface electrode array for the peripheral nerve. , 2017, 2017, 1067-1072. | | 7 |
| 375 | MoBio: A 5 DOF trans-humeral robotic prosthesis. , 2017, 2017, 1627-1632. | | 17 |
| 376 | Motor imagery classification of upper limb movements based on spectral domain features of EEG patterns. , 2017, 2017, 2976-2979. | | 16 |
| 377 | A Classifier of Shoulder Movements for a Wearable EMG-Based Device. Journal of Medical Robotics Research, 2017, 02, 1740003. | 1.0 | 2 |
| 378 | Longitudinal high-density EMG classification: Case study in a glenohumeral TMR subject. , 2017, 2017, 1-6. | | 1 |
| 379 | Independent, voluntary control of extra robotic limbs. , 2017, , . | | 43 |
| 380 | Targeted Muscle Reinnervation to Improve Pain, Prosthetic Tolerance, and Bioprosthetic Outcomes in the Amputee. Advances in Wound Care, 2017, 6, 261-267. | 2.6 | 84 |
| 381 | sEMG feature selection and classification using SVM-RFE. , 2017, 2017, 390-393. | | 17 |
| 382 | The myokinetic control interface: tracking implanted magnets as a means for prosthetic control. Scientific Reports, 2017, 7, 17149. | 1.6 | 42 |
| 383 | Adjacent regenerative peripheral nerve interfaces produce phase-antagonist signals during voluntary walking in rats. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 33. | 2.4 | 9 |
| 384 | Resolving the effect of wrist position on myoelectric pattern recognition control. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 39. | 2.4 | 21 |
| 385 | Dynamic training protocol improves the robustness of PR-based myoelectric control. Biomedical Signal Processing and Control, 2017, 31, 249-256. | 3.5 | 26 |
| 386 | Classification of Human Hand Movements Using Surface EMG for Myoelectric Control. Advances in Intelligent Systems and Computing, 2017, , 331-339. | 0.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 387 | Real-Time Control of an Exoskeleton Hand Robot with Myoelectric Pattern Recognition. International Journal of Neural Systems, 2017, 27, 1750009. | 3.2 | 56 |
| 388 | Evaluation of Computer-Based Target Achievement Tests for Myoelectric Control. IEEE Journal of Translational Engineering in Health and Medicine, 2017, 5, 1-10. | 2.2 | 20 |
| 389 | Gaussian Process Autoregression for Simultaneous Proportional Multi-Modal Prosthetic Control With Natural Hand Kinematics. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 1785-1801. | 2.7 | 68 |
| 390 | Grasp specific and user friendly interface design for myoelectric hand prostheses. , 2017, 2017, 1621-1626. | | 8 |
| 391 | The evaluation of elbow joint motion using bio-impedance signal. , 2017, , . | | 2 |
| 392 | Upper-limb prosthetic control using wearable multichannel mechanomyography. , 2017, 2017, 1293-1298. | | 35 |
| 393 | The role of EMG module in hybrid interface of prosthetic arm. , 2017, , . | | 6 |
| 394 | Extrapolation of Emerging Technologies and Their Long-Term Implications for Myoelectric versus Body-Powered Prostheses: An Engineering Perspective. Journal of Prosthetics and Orthotics, 2017, 29, P63-P74. | 0.2 | 3 |
| 395 | Myoelectric versus Body-Powered Upper-Limb Prostheses: A Clinical Perspective. Journal of Prosthetics and Orthotics, 2017, 29, P25-P29. | 0.2 | 15 |
| 396 | Development of a Hybrid Arm Prosthesis Controlled by EEG Signals. , 2017, , . | | 5 |
| 397 | Development of an upper limb neuroprosthesis to voluntarily control elbow and hand. , 2017, , . | | 3 |
| 398 | Body-Borne Computers as Extensions of Self. Computers, 2017, 6, 12. | 2.1 | 18 |
| 399 | Improving the Robustness of Electromyogram-Pattern Recognition for Prosthetic Control by a Postprocessing Strategy. Frontiers in Neurorobotics, 2017, 11, 51. | 1.6 | 24 |
| 400 | Real-time Classification of Non-Weight Bearing Lower-Limb Movements Using EMG to Facilitate Phantom Motor Execution: Engineering and Case Study Application on Phantom Limb Pain. Frontiers in Neurology, 2017, 8, 470. | 1.1 | 25 |
| 401 | Electroencephalogram-Based Brain–Computer Interface and Lower-Limb Prosthesis Control: A Case Study. Frontiers in Neurology, 2017, 8, 696. | 1.1 | 36 |
| 402 | A Novel Hybrid Model for Drawing Trace Reconstruction from Multichannel Surface Electromyographic Activity. Frontiers in Neuroscience, 2017, 11, 61. | 1.4 | 6 |
| 403 | Simultaneous and Continuous Estimation of Shoulder and Elbow Kinematics from Surface EMG Signals. Frontiers in Neuroscience, 2017, 11, 280. | 1.4 | 59 |
| 404 | Broadband Prosthetic Interfaces: Combining Nerve Transfers and Implantable Multichannel EMG Technology to Decode Spinal Motor Neuron Activity. Frontiers in Neuroscience, 2017, 11, 421. | 1.4 | 39 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 405 | Improving the Robustness of Real-Time Myoelectric Pattern Recognition against Arm Position Changes in Transradial Amputees. BioMed Research International, 2017, 2017, 1-10. | 0.9 | 36 |
| 406 | Factors associated with interest in novel interfaces for upper limb prosthesis control. PLoS ONE, 2017, 12, e0182482. | 1.1 | 20 |
| 407 | Classification complexity in myoelectric pattern recognition. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 68. | 2.4 | 20 |
| 408 | Gaze controlled prosthetic arm with EMG and EEG input interface. , 2017, , . | | 3 |
| 409 | Muscle redistribution surgery based capacitive sensing for upper-limb motion recognition: Preliminary results. , 2017, , . | | 3 |
| 410 | A pilot study of two degrees of freedom dynamic EMG-force at the wrist using a minimum number of electrodes. , 2017, , . | | 3 |
| 411 | Cyborgs. , 2017, , 705-715. | | 0 |
| 412 | Upper Limb Prosthesis Control for High-Level Amputees via Myoelectric Recognition of Leg Gestures. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1056-1066. | 2.7 | 26 |
| 413 | An Alternative Myoelectric Pattern Recognition Approach for the Control of Hand Prostheses: A Case Study of Use in Daily Life by a Dysmelia Subject. IEEE Journal of Translational Engineering in Health and Medicine, 2018, 6, 1-12. | 2.2 | 36 |
| 414 | Targeted muscle reinnervation: Advances and opportunities. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2018, 71, 920-921. | 0.5 | 3 |
| 415 | Closed-Loop Continuous Hand Control via Chronic Recording of Regenerative Peripheral Nerve Interfaces. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 515-526. | 2.7 | 45 |
| 416 | Innovative Use of Thighplasty to Improve Prosthesis Fit and Function in a Transfemoral Amputee. Plastic and Reconstructive Surgery - Clobal Open, 2018, 6, e1632. | 0.3 | 8 |
| 417 | A Review on Upper-Limb Myoelectric Prosthetic Control. IETE Journal of Research, 2018, 64, 740-752. | 1.8 | 41 |
| 418 | Towards Wearable A-Mode Ultrasound Sensing for Real-Time Finger Motion Recognition. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1199-1208. | 2.7 | 86 |
| 419 | Illusory movement perception improves motor control for prosthetic hands. Science Translational Medicine, 2018, 10, . | 5.8 | 162 |
| 420 | Targeted Muscle Reinnervation: Considerations for Future Implementation in Adolescents and Younger Children. Plastic and Reconstructive Surgery, 2018, 141, 1447-1458. | 0.7 | 14 |
| 421 | Pattern recognition of electromyography signals based on novel time domain features for amputees' limb motion classification. Computers and Electrical Engineering, 2018, 67, 646-655. | 3.0 | 135 |
| 422 | Engineering skeletal muscle - from two to three dimensions. Journal of Tissue Engineering and Regenerative Medicine, 2018, 12, e1-e6. | 1.3 | 16 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 423 | Robust extraction of basis functions for simultaneous and proportional myoelectric control via sparse non-negative matrix factorization. Journal of Neural Engineering, 2018, 15, 026017. | 1.8 | 51 |
| 424 | The Effect of Split Nerve on Electromyography Signal Pattern in a Rat Model. Journal of Reconstructive Microsurgery, 2018, 34, 095-102. | 1.0 | 0 |
| 425 | Targeted muscle reinnervation for pain control in an elective transradial amputation. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2018, 71, 258-259. | 0.5 | 7 |
| 426 | Classification of Upper limb phantom movements in transhumeral amputees using electromyographic and kinematic features. Engineering Applications of Artificial Intelligence, 2018, 68, 153-164. | 4.3 | 30 |
| 427 | Improved Prosthetic Control Based on Myoelectric Pattern Recognition via Wavelet-Based De-Noising. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 506-514. | 2.7 | 33 |
| 428 | Neural Prostheses for Reaching and Grasping. , 2018, , . | | 0 |
| 429 | Improving the Robustness of Myoelectric Control System Using Linear Regression Classifier. , 2018, , . | | 0 |
| 430 | Comparing the Effects of Signal Noise on Pattern Recognition and Linear Regression-Based Myoelectric Controllers. , 2018, 2018, 2132-2135. | | 2 |
| 431 | Lower limbs motion intention detection by using pattern recognition. , 2018, , . | | 2 |
| 432 | To Realize Bimanual Coordination for Trans-humeral Prosthesis Users in a Box-lifting Task with Various Box Configurations. , 2018, , . | | 0 |
| 433 | Classification of Hand Movements by Surface Myoelectric Signal Using Artificial-Spiking Neural Network Model. , 2018, , . | | 5 |
| 434 | Control of Human Motor Rehabilitation Devices. Human Physiology, 2018, 44, 686-695. | 0.1 | 1 |
| 435 | Influence of Functional Electrical Stimulation on Muscle and Nerve Rehabilitation in Post Targeted Muscle Reinnervation Surgery. , 2018, , . | | 0 |
| 436 | Neuroengineering and neuroprosthetics. Brain and Neuroscience Advances, 2018, 2, 239821281881749. | 1.8 | 9 |
| 437 | Forearm Muscle Synergy Reducing Dimension of the Feature Matrix in Hand Gesture Recognition. , 2018, , . | | 6 |
| 438 | Hybrid control combined with a voluntary biosignal to control a prosthetic hand. Robotics and Biomimetics, 2018, 5, 4. | 1.7 | 8 |
| 439 | Regenerative peripheral nerve interfaces for real-time, proportional control of a Neuroprosthetic hand. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 108. | 2.4 | 37 |
| 440 | Myoelectric signals and pattern recognition from implanted electrodes in two TMR subjects with an osseointegrated communication interface. , 2018, 2018, 5174-5177. | | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 441 | Surgical Algorithm for Neuroma Management: A Changing Treatment Paradigm. Plastic and Reconstructive Surgery - Global Open, 2018, 6, e1952. | 0.3 | 120 |
| 442 | The Ewing Amputation: The First Human Implementation of the Agonist-Antagonist Myoneural Interface. Plastic and Reconstructive Surgery - Global Open, 2018, 6, e1997. | 0.3 | 51 |
| 443 | An Approach for Brain-Controlled Prostheses Based on a Facial Expression Paradigm. Frontiers in Neuroscience, 2018, 12, 943. | 1.4 | 16 |
| 444 | Adjacent Features for High-Density EMG Pattern Recognition. , 2018, 2018, 5978-5981. | | 3 |
| 445 | Motorized Biomechatronic Upper and Lower Limb Prostheses—Clinically Relevant Outcomes. PM and R, 2018, 10, S207-S219. | 0.9 | 11 |
| 446 | On-line Synergy Identification for Personalized Active Arm Prosthesis: a Feasibility Study. , 2018, , . | | 5 |
| 447 | Applying Mechanical Pressure and Skin Stretch Simultaneously for Sensory Feedback in Prosthetic Hands. , 2018, , . | | 7 |
| 448 | Causes of Performance Degradation in Non-invasive Electromyographic Pattern Recognition in Upper Limb Prostheses. Frontiers in Neurorobotics, 2018, 12, 58. | 1.6 | 67 |
| 449 | Using Vibration Motors to Create Tactile Apparent Movement for Transradial Prosthetic Sensory Feedback. , 2018, , . | | 6 |
| 450 | The SoftHand Pro: Functional evaluation of a novel, flexible, and robust myoelectric prosthesis. PLoS ONE, 2018, 13, e0205653. | 1.1 | 62 |
| 451 | A fingertip force prediction model for grasp patterns characterised from the chaotic behaviour of EEG. Medical and Biological Engineering and Computing, 2018, 56, 2095-2107. | 1.6 | 14 |
| 452 | An approach for brain-controlled prostheses based on Scene Graph Steady-State Visual Evoked Potentials. Brain Research, 2018, 1692, 142-153. | 1.1 | 12 |
| 453 | Proprioception from a neurally controlled lower-extremity prosthesis. Science Translational Medicine, 2018, 10, . | 5.8 | 145 |
| 454 | Evaluating Internal Model Strength and Performance of Myoelectric Prosthesis Control Strategies. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1046-1055. | 2.7 | 41 |
| 455 | Myoelectric Control Based on a Generic Musculoskeletal Model: Toward a Multi-User Neural-Machine Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1435-1442. | 2.7 | 51 |
| 456 | A novel gel liner system with embedded electrodes for use with upper limb myoelectric prostheses. PLoS ONE, 2018, 13, e0198934. | 1.1 | 6 |
| 457 | Approaching Human Hand Dexterity Through Highly Biomimetic Design. , 2018, , 87-114. | | 0 |
| 458 | Classification of Transient Myoelectric Signals for the Control of Multi-Grasp Hand Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1756-1764. | 2.7 | 44 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 459 | EMG Pattern Recognition in the Era of Big Data and Deep Learning. Big Data and Cognitive Computing, 2018, 2, 21. | 2.9 | 165 |
| 460 | Spike detection: The first step towards an ENC-based neuroprosheses. Journal of Neuroscience Methods, 2018, 308, 294-308. | 1.3 | 8 |
| 461 | Comparing Surface and Intramuscular Electromyography for Simultaneous and Proportional Control Based on a Musculoskeletal Model: A Pilot Study. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1735-1744. | 2.7 | 28 |
| 462 | Decoding the grasping intention from electromyography during reaching motions. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 57. | 2.4 | 45 |
| 463 | The Evolution of Man and Machine—a Review of Current Surgical Techniques and Cutting Technologies After Upper Extremity Amputation. Current Trauma Reports, 2018, 4, 339-347. | 0.6 | 1 |
| 464 | Human's Capability to Discriminate Spatial Forces at the Big Toe. Frontiers in Neurorobotics, 2018, 12, 13. | 1.6 | 1 |
| 465 | Initial Clinical Evaluation of the Modular Prosthetic Limb. Frontiers in Neurology, 2018, 9, 153. | 1.1 | 33 |
| 466 | Human-Inspired Reflex to Autonomously Prevent Slip of Grasped Objects Rotated with a Prosthetic Hand. Journal of Healthcare Engineering, 2018, 2018, 1-11. | 1.1 | 9 |
| 467 | A Robust Sparse Representation Based Pattern Recognition Approach for Myoelectric Control. IEEE Access, 2018, 6, 38326-38335. | 2.6 | 39 |
| 468 | Effect of threshold values on the combination of EMG time domain features: Surface versus intramuscular EMG. Biomedical Signal Processing and Control, 2018, 45, 267-273. | 3.5 | 39 |
| 469 | Analysis and Comparison of Features and Algorithms to Classify Shoulder Movements From sEMG Signals. IEEE Sensors Journal, 2018, 18, 3714-3721. | 2.4 | 21 |
| 470 | Two ways to improve myoelectric control for a transhumeral amputee after targeted muscle reinnervation: a case study. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 37. | 2.4 | 11 |
| 471 | Development of an upper-limb neuroprosthesis to voluntarily control elbow and hand. Advanced Robotics, 2018, 32, 879-886. | 1.1 | 3 |
| 472 | Towards Control of a Transhumeral Prosthesis with EEG Signals. Bioengineering, 2018, 5, 26. | 1.6 | 19 |
| 473 | Long-term stability of neural signals from microwire arrays implanted in common marmoset motor cortex and striatum. Biomedical Physics and Engineering Express, 2018, 4, 055025. | 0.6 | 16 |
| 474 | Current Concepts in Upper-Extremity Amputation. Journal of Hand Surgery, 2018, 43, 657-667. | 0.7 | 38 |
| 475 | Autonomy in Rehabilitation Robotics: An Intersection. Annual Review of Control, Robotics, and Autonomous Systems, 2018, 1, 441-463. | 7.5 | 28 |
| 476 | Myoelectric control with abstract decoders. Journal of Neural Engineering, 2018, 15, 056003. | 1.8 | 41 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 477 | Machine learning for electroencephalography decoding and robotics dextrous hands movement. , 2018, , . | | 0 |
| 478 | Evaluation of feature extraction techniques and classifiers for finger movement recognition using surface electromyography signal. Medical and Biological Engineering and Computing, 2018, 56, 2259-2271. | | 38 |
| 479 | Innervation of an engineered muscle graft for reconstruction of muscle defects. American Journal of Transplantation, 2019, 19, 37-47. | | 15 |
| 480 | Myoelectric Pattern Recognition for Controlling a Robotic Hand: A Feasibility Study in Stroke. IEEE Transactions on Biomedical Engineering, 2019, 66, 365-372. | | 64 |
| 481 | Evaluation of the Role of Proprioception During Proportional Position Control Using Sonomyography: Applications in Prosthetic Control. , 2019, 2019, 830-836. | | 7 |
| 482 | Pattern recognition and direct control home use of a multi-articulating hand prosthesis. , 2019, 2019, 386-391. | | 16 |
| 483 | Biomimetic sensory feedback through peripheral nerve stimulation improves dexterous use of a bionic hand. Science Robotics, 2019, 4, . | | 244 |
| 484 | Reach-to-grasp motions: Towards a dynamic classification approach for upper-limp prosthesis. , 2019, , . | | 0 |
| 485 | Adapting isokinetic dynamometry to accommodate transradial amputation: The development of a new dynamometer attachment and user case study. Cogent Engineering, 2019, 6, . | 1.1 | 0 |
| 486 | Development of an Embedded Myokinetic Prosthetic Hand Controller. Sensors, 2019, 19, 3137. | | 13 |
| 487 | Proprioceptive Sonomyographic Control: A novel method for intuitive and proportional control of multiple degrees-of-freedom for individuals with upperÂextremity limb loss. Scientific Reports, 2019, 9, 9499. | | 60 |
| 488 | A Physics-based Virtual Reality Environment to Quantify Functional Performance of Upper-limb Prostheses. , 2019, 2019, 3807-3810. | | 5 |
| 489 | Rehabilitation Engineering: A perspective on the past 40-years and thoughts for the future. Medical Engineering and Physics, 2019, 72, 3-12. | 0.8 | 17 |
| 490 | The Prosthetic Arm: A Dramatic Improvement For The Limb Amputation From The Humerus. , 2019, , . | | 3 |
| 491 | Regression-based reconstruction of human grip force trajectories with noninvasive scalp electroencephalography. Journal of Neural Engineering, 2019, 16, 066030. | | 9 |
| 492 | MyoBeatz: Using music and rhythm to improve prosthetic control in a mobile game for health. , 2019, , . | | 10 |
| 493 | Stationary Wavelet Processing and Data Imputing in Myoelectric Pattern Recognition on a Low-Cost Embedded System. IEEE Transactions on Medical Robotics and Bionics, 2019, 1, 256-266. | 2.1 | 5 |
| 494 | Comparative Analysis of Classifiers for EMG Signals. , 2019, , . | | 6 |

| # | Article | | CITATIONS |
|-----|---|-----|-----------|
| 495 | Bioactuators based on stimulus-responsive hydrogels and their emerging biomedical applications. NPG Asia Materials, 2019, 11, . | | 202 |
| 496 | Real-Time EMG Based Pattern Recognition Control for Hand Prostheses: A Review on Existing Methods, Challenges and Future Implementation. Sensors, 2019, 19, 4596. | | 195 |
| 497 | The Effect of Feedback During Training Sessions on Learning Pattern-Recognition-Based Prosthesis Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 2087-2096. | | 27 |
| 498 | Design and Assessment of Myoelectric Games for Prosthesis Training of Upper Limb Amputees. , 2019, , . | | 11 |
| 499 | Effect of User Practice on Prosthetic Finger Control With an Intuitive Myoelectric Decoder. Frontiers in Neuroscience, 2019, 13, 891. | 1.4 | 34 |
| 500 | Patient perspectives on benefits and risks of implantable interfaces for upper limb prostheses: a national survey. Expert Review of Medical Devices, 2019, 16, 515-540. | 1.4 | 6 |
| 501 | A Modular Transradial Bypass Socket for Surface Myoelectric Prosthetic Control in Non-Amputees. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 2070-2076. | 2.7 | 18 |
| 502 | Targeted Muscle Reinnervation for Prosthesis Optimization and Neuroma Management in the Setting of Transradial Amputation. Journal of Hand Surgery, 2019, 44, 525.e1-525.e8. | 0.7 | 34 |
| 503 | Adaptive Auto-Regressive Proportional Myoelectric Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 314-322. | | 25 |
| 504 | Bionic reconstruction. Wiener Klinische Wochenschrift, 2019, 131, 599-607. | 1.0 | 15 |
| 505 | Targeted muscle reinnervation in oncologic amputees: Early experience of a novel institutional protocol. Journal of Surgical Oncology, 2019, 120, 348-358. | 0.8 | 69 |
| 507 | Upper Arm Motion High-Density sEMG Recognition Optimization Based on Spatial and Time-Frequency Domain Features. Journal of Healthcare Engineering, 2019, 2019, 1-16. | | 21 |
| 508 | Offline and online myoelectric pattern recognition analysis and real-time control of a robotic hand after spinal cord injury. Journal of Neural Engineering, 2019, 16, 036018. | 1.8 | 24 |
| 509 | Counteracting Electrode Shifts in Upper-Limb Prosthesis Control via Transfer Learning. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 956-962. | 2.7 | 39 |
| 510 | Feature Selection and Non-Linear Classifiers: Effects on Simultaneous Motion Recognition in Upper Limb. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 743-750. | 2.7 | 33 |
| 511 | Priorities for the design and control of upper limb prostheses: A focus group study. Disability and Health Journal, 2019, 12, 706-711. | 1.6 | 11 |
| 512 | Synergistic Myoelectrical Activities of Forearm Muscles Improving Robust Recognition of Multi-Fingered Gestures. Sensors, 2019, 19, 610. | 2.1 | 18 |
| 513 | Fixed muscle synergies and their potential to improve the intuitive control of myoelectric assistive technology for upper extremities. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 6. | 2.4 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 514 | Large-area MRI-compatible epidermal electronic interfaces for prosthetic control and cognitive monitoring. Nature Biomedical Engineering, 2019, 3, 194-205. | 11.6 | 253 |
| 515 | Development of Human Mashine Interface for an Electromyogram Recorder. , 2019, , . | | 2 |
| 516 | Treatment of Neuroma-induced Chronic Pain and Management of Nerve Defects with Processed Nerve Allografts. Plastic and Reconstructive Surgery - Global Open, 2019, 7, e2467. | | 9 |
| 517 | Analysis of upper limb rehabilitation using muscle mechanics: current and future perspectives using Mechanomyography signals. , 2019, , . | | 1 |
| 518 | Does Training on Broad Band Tactile Stimulation Promote the Generalization of Learning?. , 2019, , . | | 0 |
| 519 | Myoelectric Control for Upper Limb Prostheses. Electronics (Switzerland), 2019, 8, 1244. | 1.8 | 27 |
| 520 | Hard-wired Epimysial Recordings from Normal and Reinnervated Muscle Using a Bone-anchored Device. Plastic and Reconstructive Surgery - Global Open, 2019, 7, e2391. | 0.3 | 3 |
| 522 | Stable, three degree-of-freedom myoelectric prosthetic control via chronic bipolar intramuscular electrodes: a case study. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 147. | 2.4 | 21 |
| 523 | New Innovations in Targeted Muscle Reinnervation. JBJS Reviews, 2019, 7, e3-e3. | 0.8 | 15 |
| 524 | Seamless Integrated Textrode-Band for Real-time Lower Limb Movements Classification to Facilitate Self-Administrated Phantom Limb Pain Treatment. , 2019, 2019, 1753-1756. | | 0 |
| 525 | Caprine Models of the Agonist-Antagonist Myoneural Interface Implemented at the Above- and Below-Knee Amputation Levels. Plastic and Reconstructive Surgery, 2019, 144, 218e-229e. | 0.7 | 15 |
| 526 | Histologic Analysis of Sensory and Motor Axons in Branches of the Human Brachial Plexus. Plastic and Reconstructive Surgery, 2019, 144, 1359-1368. | 0.7 | 7 |
| 527 | Modular Prosthetic Limb Control by an Individual with Congenital Upper-Limb Amputation: A Case Report. Journal of Prosthetics and Orthotics, 2019, 31, 213-221. | 0.2 | 2 |
| 528 | The Role of Muscle Stem Cells in Regeneration and Recovery after Denervation: A Review. Plastic and Reconstructive Surgery, 2019, 143, 779-788. | 0.7 | 16 |
| 529 | Prosthetic Rehabilitation and Vascularized Composite Allotransplantation following Upper Limb Loss. Plastic and Reconstructive Surgery, 2019, 143, 1688-1701. | 0.7 | 16 |
| 530 | Electrotactile Feedback in a Virtual Hand Rehabilitation Platform: Evaluation and Implementation. IEEE Transactions on Automation Science and Engineering, 2019, 16, 1556-1565. | 3.4 | 23 |
| 531 | Peripheral nerve transfers change target muscle structure and function. Science Advances, 2019, 5, eaau2956. | 4.7 | 46 |
| 532 | Micro-channel sieve electrode for concurrent bidirectional peripheral nerve interface. Part A: recording. Journal of Neural Engineering, 2019, 16, 026001. | 1.8 | 6 |

| # 533 | ARTICLE Intelligent EMG Pattern Recognition Control Method for Upper-Limb Multifunctional Prostheses: Advances, Current Challenges, and Future Prospects. IEEE Access, 2019, 7, 10150-10165. | IF 2.6 | CITATIONS |
|----------|--|-----------|-----------|
| 534 | On the robustness of real-time myoelectric control investigations: a multiday Fitts' law approach. Journal of Neural Engineering, 2019, 16, 026003. | 1.8 | 20 |
| 535 | Decoding motor neuron activity from epimysial thin-film electrode recordings following targeted muscle reinnervation. Journal of Neural Engineering, 2019, 16, 016010. | 1.8 | 27 |
| 536 | Improving the functionality, robustness, and adaptability of myoelectric control for dexterous motion restoration. Experimental Brain Research, 2019, 237, 291-311. | 0.7 | 42 |
| 537 | Comparative Study of Segmentation and Feature Extraction Method on Finger Movement. Advances in Intelligent Systems and Computing, 2019, , 117-127. | 0.5 | 0 |
| 538 | The Progressive Intertwinement Between Design, Human Needs and the Regulation of Care Technology: The Case of Lower-Limb Exoskeletons. International Journal of Social Robotics, 2020, 12, 959-972. | 3.1 | 18 |
| 539 | Advanced technologies for intuitive control and sensation of prosthetics. Biomedical Engineering Letters, 2020, 10, 119-128. | 2.1 | 19 |
| 540 | Finger Joint Angle Estimation Based on Motoneuron Discharge Activities. IEEE Journal of Biomedical and Health Informatics, 2020, 24, 760-767. | 3.9 | 62 |
| 541 | An experimental study on upper limb position invariant EMG signal classification based on deep neural network. Biomedical Signal Processing and Control, 2020, 55, 101669. | 3.5 | 94 |
| 542 | Hand gesture recognition based on motor unit spike trains decoded from high-density electromyography. Biomedical Signal Processing and Control, 2020, 55, 101637. | 3.5 | 65 |
| 543 | Artificial sensory feedback for bionic hands. , 2020, , 131-145. | | 6 |
| 544 | A Novel Postprocessing Method for Robust Myoelectric Pattern-Recognition Control Through Movement Pattern Transition Detection. IEEE Transactions on Human-Machine Systems, 2020, 50, 32-41. | 2.5 | 13 |
| 545 | A database of multi-channel intramuscular electromyogram signals during isometric hand muscles contractions. Scientific Data, 2020, 7, 10. | 2.4 | 16 |
| 546 | Amputation Surgeries for the Lower Limb. , 2020, , 471-503. | | 1 |
| 547 | Rehabilitation for Persons With Upper Extremity Amputation. , 2020, , 784-797. | | 0 |
| 548 | Evaluation of surface EMG-based recognition algorithms for decoding hand movements. Medical and Biological Engineering and Computing, 2020, 58, 83-100. | 1.6 | 54 |
| 549 | The Modular Prosthetic Limb. , 2020, , 393-444. | | 19 |
| 550 | Sensing and Control for Prosthetic Hands in Clinical and Research Applications. , 2020, , 445-468. | | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 551 | Serious gaming to generate separated and consistent EMG patterns in pattern-recognition prosthesis control. Biomedical Signal Processing and Control, 2020, 62, 102140. | | 19 |
| 552 | Advancing limb neural prostheses. Science, 2020, 370, 290-291. | 6.0 | 34 |
| 553 | The Myokinetic Control Interface: How Many Magnets Can be Implanted in an Amputated Forearm? Evidence From a Simulated Environment. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 2451-2458. | 2.7 | 10 |
| 554 | Rehabilitation of high upper limb amputees after Targeted Muscle Reinnervation. Journal of Hand Therapy, 2022, 35, 58-66. | 0.7 | 10 |
| 555 | Wearable mechatronic devices for upper-limb amputees. , 2020, , 205-234. | | 4 |
| 556 | Controlling a robotic arm for functional tasks using a wireless head-joystick: A case study of a child with congenital absence of upper and lower limbs. PLoS ONE, 2020, 15, e0226052. | 1.1 | 4 |
| 557 | Brain–Machine Interfaces as Commodities: Exchanging Mind for Matter. Linacre quarterly, The, 2020, 87, 387-398. | 0.1 | 4 |
| 558 | Neuromusculoskeletal Arm Prostheses: Personal and Social Implications of Living With an Intimately Integrated Bionic Arm. Frontiers in Neurorobotics, 2020, 14, 39. | 1.6 | 31 |
| 559 | Functional Electrical Stimulation Controlled by Motor Imagery Brain-Computer Interface for Rehabilitation. Brain Sciences, 2020, 10, 512. | 1.1 | 12 |
| 560 | Targeted Muscle Reinnervation in the Oncologic Population: A Literature Review and Current Practice. Current Surgery Reports, 2020, 8, 1. | 0.4 | 2 |
| 561 | Smartphone Control for People with Tetraplegia by Decoding Wearable Electromyography with an On-Device Convolutional Neural Network. , 2020, , . | | 2 |
| 562 | Targeted Muscle Reinnervation as a Solution for Nerve Pain. Plastic and Reconstructive Surgery, 2020, 146, 651e-663e. | 0.7 | 24 |
| 563 | Flexible Dry Electrodes for EMG Acquisition within Lower Extremity Prosthetic Sockets. , 2020, 2020, 1088-1095. | | 12 |
| 564 | Dexterous Force Estimation during Finger Flexion and Extension Using Motor Unit Discharge Information. , 2020, 2020, 3130-3133. | | 4 |
| 565 | Exploring augmented grasping capabilities in a multi-synergistic soft bionic hand. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 116. | 2.4 | 13 |
| 566 | Targeted Muscle Reinnervation Improves Residual Limb Pain, Phantom Limb Pain, and Limb Function: A Prospective Study of 33 Major Limb Amputees. Clinical Orthopaedics and Related Research, 2020, 478, 2161-2167. | 0.7 | 52 |
| 567 | Robustness of Muscle Synergies under Variant Muscle Contraction Force during Forearm Movements. , 2020, 2020, 3306-3309. | | 2 |
| 568 | Novel approach for electromyography-controlled prostheses based on facial action. Medical and Biological Engineering and Computing, 2020, 58, 2685-2698. | 1.6 | 7 |

| # | Article | | CITATIONS |
|-----|--|-----|-----------|
| 569 | Surface EMG in Clinical Assessment and Neurorehabilitation: Barriers Limiting Its Use. Frontiers in Neurology, 2020, 11, 934. | | 100 |
| 570 | CORR Insights®: Targeted Muscle Reinnervation Improves Residual Limb Pain, Phantom Limb Pain, and Limb Function: A Prospective Study of 33 Major Limb Amputees. Clinical Orthopaedics and Related Research, 2020, 478, 2168-2169. | | Ο |
| 571 | Targeted muscle reinnervation following external hemipelvectomy or hip disarticulation: An anatomic description of technique and clinical case correlates. Journal of Surgical Oncology, 2020, 122, 1693-1710. | | 11 |
| 572 | Evaluation of a Simultaneous Myoelectric Control Strategy for a Multi-DoF Transradial Prosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 2286-2295. | 2.7 | 14 |
| 573 | EMG-Force and EMG-Target Models During Force-Varying Bilateral Hand-Wrist Contraction in Able-Bodied and Limb-Absent Subjects. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 3040-3050. | 2.7 | 10 |
| 574 | CLoSES: A platform for closed-loop intracranial stimulation in humans. NeuroImage, 2020, 223, 117314. | 2.1 | 21 |
| 575 | Feasibility of Two Different EMC-Based Pattern Recognition Control Paradigms to Control a Robot After Stroke – Case Study. , 2020, 2020, 833-838. | | 0 |
| 576 | Pose Estimation from Electromyographical Data using Convolutional Neural Networks. , 2020, 2020, 653-656. | | 1 |
| 577 | Assessment of an Automatic Prosthetic Elbow Control Strategy Using Residual Limb Motion for Transhumeral Amputated Individuals With Socket or Osseointegrated Prostheses. IEEE Transactions on Medical Robotics and Bionics, 2020, 2, 38-49. | | 22 |
| 578 | Real-Time Hand Gesture Recognition Using Surface Electromyography and Machine Learning: A Systematic Literature Review. Sensors, 2020, 20, 2467. | 2.1 | 119 |
| 579 | Intent Prediction Based on Biomechanical Coordination of EMG and Vision-Filtered Gaze for End-Point Control of an Arm Prosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 1471-1480. | | 30 |
| 580 | The future of upper extremity rehabilitation robotics: research and practice. Muscle and Nerve, 2020, 61, 708-718. | 1.0 | 22 |
| 581 | Soft Electronics for the Skin: From Health Monitors to Human–Machine Interfaces. Advanced Materials Technologies, 2020, 5, . | 3.0 | 80 |
| 582 | Innervation: the missing link for biofabricated tissues and organs. Npj Regenerative Medicine, 2020, 5, 11. | 2.5 | 56 |
| 583 | The current state of bionic limbs from the surgeon's viewpoint. EFORT Open Reviews, 2020, 5, 65-72. | 1.8 | 23 |
| 584 | A regenerative peripheral nerve interface allows real-time control of an artificial hand in upper limb amputees. Science Translational Medicine, 2020, 12, . | 5.8 | 166 |
| 585 | Decoding of grasping tasks from intraneural recordings in trans-radial amputee. Journal of Neural Engineering, 2020, 17, 026034. | 1.8 | 39 |
| 586 | Surgery for lower extremity symptomatic neuroma: Long-term outcomes. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 73, 1456-1464. | 0.5 | 11 |

| # | Article | | CITATIONS |
|-----|--|------|-----------|
| 587 | Spirally Arrayed Electrode for Spatially Selective and Minimally Displacive Peripheral Nerve Interface. Journal of Microelectromechanical Systems, 2020, 29, 514-521. | | 3 |
| 588 | Fabric Vest Socket with Embroidered Electrodes for Control of Myoelectric Prosthesis. Sensors, 2020, 20, 1196. | 2.1 | 11 |
| 589 | Targeted Muscle Reinnervation for Treatment of Neuropathic Pain. Clinics in Plastic Surgery, 2020, 47, 285-293. | 0.7 | 24 |
| 590 | Model-Based Control of Individual Finger Movements for Prosthetic Hand Function. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 612-620. | 2.7 | 23 |
| 591 | A Comparison of Recognition and Sensitivity in the Upper Arm and Lower Arm to Mechanotactile Stimulation. IEEE Transactions on Medical Robotics and Bionics, 2020, 2, 76-85. | 2.1 | 3 |
| 592 | Self-Contained Neuromusculoskeletal Arm Prostheses. New England Journal of Medicine, 2020, 382, 1732-1738. | 13.9 | 151 |
| 593 | Identification of Upper-Limb Movements Based on Muscle Shape Change Signals for Human-Robot Interaction. Computational and Mathematical Methods in Medicine, 2020, 2020, 1-14. | 0.7 | 10 |
| 594 | Skill transfer learning for autonomous robots and human–robot cooperation: A survey. Robotics and Autonomous Systems, 2020, 128, 103515. | 3.0 | 50 |
| 595 | Agency and Performance of Reach-to-Grasp With Modified Control of a Virtual Hand: Implications for Rehabilitation. Frontiers in Human Neuroscience, 2020, 14, 126. | 1.0 | 16 |
| 596 | Human-machine shared control: New avenue to dexterous prosthetic hand manipulation. Science China Technological Sciences, 2021, 64, 767-773. | 2.0 | 12 |
| 597 | Restoring Form and Function to the Partial Hand Amputee. Hand Clinics, 2021, 37, 167-187. | 0.4 | 12 |
| 598 | Risk Factors for Neuropathic Pain Following Major Upper Extremity Amputation. Journal of Reconstructive Microsurgery, 2021, 37, 413-420. | 1.0 | 17 |
| 599 | Exploring the Relationship Between EMG Feature Space Characteristics and Control Performance in Machine Learning Myoelectric Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 21-30. | 2.7 | 13 |
| 600 | Body-Powered Prosthetic Systems. , 2021, , 27-35. | | 1 |
| 601 | Biomimetics and Its Influence in Plastic and Reconstructive Surgery. Series in Bioengineering, 2021, , 29-43. | 0.3 | 1 |
| 602 | Stand-Up, Squat, Lunge, and Walk With a Robotic Knee and Ankle Prosthesis Under Shared Neural Control. IEEE Open Journal of Engineering in Medicine and Biology, 2021, 2, 267-277. | 1.7 | 18 |
| 603 | A KNN-Based Approach for Myoelectric Arm. Lecture Notes in Networks and Systems, 2021, , 301-308. | 0.5 | 1 |
| 604 | A Multi-Variate Approach to Predicting Myoelectric Control Usability. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 1312-1327. | 2.7 | 11 |

| # 605 | ARTICLE Targeted reinnervation for somatosensory feedback. , 2021, , 245-263. | IF | CITATIONS 0 |
|----------|--|------|----------------|
| 606 | Shoulder kinematics plus contextual target information enable control of multiple distal joints of a simulated prosthetic arm and hand. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 3. | 2.4 | 13 |
| 607 | Activities of daily living with bionic arm improved by combination training and latching filter in prosthesis control comparison. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 45. | 2.4 | 15 |
| 608 | Validity and Reliability of Surface Electromyography Features in Lower Extremity Muscle Contraction in Healthy and Spinal Cord–Injured Participants. Topics in Spinal Cord Injury Rehabilitation, 2021, 27, 14-27. | 0.8 | 3 |
| 609 | User training for machine learning controlled upper limb prostheses: a serious game approach. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 32. | 2.4 | 25 |
| 610 | Neural interfacing architecture enables enhanced motor control and residual limb functionality postamputation. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 13 |
| 611 | Surgical and technological advances in the management of upper limb amputees. Bone and Joint Journal, 2021, 103-B, 430-439. | 1.9 | 15 |
| 612 | Control Strategies and Performance Assessment of Upper-Limb TMR Prostheses: A Review. Sensors, 2021, 21, 1953. | 2.1 | 17 |
| 613 | Extended home use of an advanced osseointegrated prosthetic arm improves function, performance, and control efficiency. Journal of Neural Engineering, 2021, 18, 026020. | 1.8 | 17 |
| 614 | Sensory feedback for limb prostheses in amputees. Nature Materials, 2021, 20, 925-939. | 13.3 | 121 |
| 615 | Targeted Muscle Reinnervation in Partial Hand Amputations. Plastic and Reconstructive Surgery - Global Open, 2021, 9, e3542. | 0.3 | 6 |
| 616 | Toward higher-performance bionic limbs for wider clinical use. Nature Biomedical Engineering, 2023, 7, 473-485. | 11.6 | 104 |
| 617 | Recent Advances in Myoelectric Control for Finger Prostheses for Multiple Finger Loss. Applied Sciences (Switzerland), 2021, 11, 4464. | 1.3 | 6 |
| 618 | Toward Hand Pattern Recognition in Assistive and Rehabilitation Robotics Using EMG and Kinematics. Frontiers in Neurorobotics, 2021, 15, 659876. | 1.6 | 17 |
| 619 | Perception of Static Position and Kinesthesia of the Finger using Vibratory Stimulation. , 2021, 2021, 1087-1090. | | 0 |
| 620 | Surface Electromyogram Based Techniques for Upper and Lower Extremity Rehabilitation Therapy - A Comprehensive Review. , 2021, , . | | 2 |
| 621 | Concurrent Estimation of Finger Flexion and Extension Forces Using Motoneuron Discharge Information. IEEE Transactions on Biomedical Engineering, 2021, 68, 1638-1645. | 2.5 | 12 |
| 622 | Hybrid Tongue - Myoelectric Control Improves Functional Use of a Robotic Hand Prosthesis. IEEE Transactions on Biomedical Engineering, 2021, 68, 2011-2020. | 2.5 | 4 |

| # | Article | | CITATIONS |
|-----|---|-----|-----------|
| 623 | Dielectric Elastomer Actuators, Neuromuscular Interfaces, and Foreign Body Response in Artificial Neuromuscular Prostheses: A Review of the Literature for an In Vivo Application. Advanced Healthcare Materials, 2021, 10, e2100041. | | 25 |
| 624 | Static and dynamic proprioceptive recognition through vibrotactile stimulation. Journal of Neural Engineering, 2021, 18, 046093. | 1.8 | 8 |
| 625 | The Need to Work Arm in Arm: Calling for Collaboration in Delivering Neuroprosthetic Limb Replacements. Frontiers in Neurorobotics, 2021, 15, 711028. | 1.6 | 3 |
| 626 | Myoelectric control of robotic lower limb prostheses: a review of electromyography interfaces, control paradigms, challenges and future directions. Journal of Neural Engineering, 2021, 18, 041004. | 1.8 | 75 |
| 627 | An integrated deep learning model for motor intention recognition of multi-class EEG Signals in upper limb amputees. Computer Methods and Programs in Biomedicine, 2021, 206, 106121. | 2.6 | 22 |
| 629 | EMG Based Control of Transhumeral Prosthesis Using Machine Learning Algorithms. International Journal of Control, Automation and Systems, 2021, 19, 3522-3532. | 1.6 | 15 |
| 630 | Real-Time and Offline Evaluation of Myoelectric Pattern Recognition for the Decoding of Hand Movements. Sensors, 2021, 21, 5677. | 2.1 | 5 |
| 631 | Acquisition of Surface EMG Using Flexible and Low-Profile Electrodes for Lower Extremity Neuroprosthetic Control. IEEE Transactions on Medical Robotics and Bionics, 2021, 3, 563-572. | 2.1 | 10 |
| 632 | Brain-Machine Interfaces. Hand Clinics, 2021, 37, 391-399. | 0.4 | 1 |
| 633 | Recommendations for the Successful Implementation of Upper Limb Prosthetic Technology. Hand Clinics, 2021, 37, 457-466. | 0.4 | 4 |
| 634 | Starfish Procedure. Hand Clinics, 2021, 37, 447-455. | 0.4 | 4 |
| 635 | Training for users of myoelectric multigrip hand prostheses: a scoping review. Prosthetics and Orthotics International, 2021, 45, 393-400. | 0.5 | 7 |
| 636 | Targeted Muscle Reinnervation for Prosthetic Control. Hand Clinics, 2021, 37, 415-424. | 0.4 | 10 |
| 637 | Regenerative Peripheral Nerve Interfaces for the Treatment and Prevention of Neuromas and Neuroma Pain. Hand Clinics, 2021, 37, 361-371. | 0.4 | 14 |
| 638 | Simulation of human lower limb skeletal muscle motion based on deep learning. International Journal of Systems Assurance Engineering and Management, 0, , 1. | 1.5 | 0 |
| 639 | Engineering and surgical advancements enable more cognitively integrated bionic arms. Science Robotics, 2021, 6, eabk3123. | 9.9 | 7 |
| 640 | A new strategy based on feature filtering technique for improving the real-time control performance of myoelectric prostheses. Biomedical Signal Processing and Control, 2021, 70, 102969. | 3.5 | 8 |
| 641 | Design, Construction and Tests of a Low-Cost Myoelectric Thumb. Technologies, 2021, 9, 63. | 3.0 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 642 | Factors influencing perceived function in the upper limb prosthesis user population. PM and R, 2023, 15, 69-79. | | 2 |
| 643 | Proof of concept for multiple nerve transfers to a single target muscle. ELife, 2021, 10, . | 2.8 | 5 |
| 644 | Optimal Spatial Sensor Design for Magnetic Tracking in a Myokinetic Control Interface. Computer Methods and Programs in Biomedicine, 2021, 211, 106407. | | 8 |
| 645 | Salvage v Amputation: Lower Extremity and Upper Extremity. , 2021, , 225-242. | | Ο |
| 646 | Targeted Muscle Reinnervation: A Paradigm Shift for Neuroma Management and Improved Prosthesis Control in Major Limb Amputees. Journal of the American Academy of Orthopaedic Surgeons, The, 2021, 29, 288-296. | 1.1 | 10 |
| 647 | Enhancing Classification Accuracy of Transhumeral Prosthesis: A Hybrid sEMG and fNIRS Approach. IEEE Access, 2021, 9, 113246-113257. | | 7 |
| 648 | Semi-Automated Control System for Reaching Movements in EMG Shoulder Disarticulation Prosthesis Based on Mixed Reality Device. IEEE Open Journal of Engineering in Medicine and Biology, 2021, 2, 55-64. | 1.7 | 4 |
| 649 | Armadillo-inspired micro-foldable metal electrodes with a negligible resistance change under large stretchability. Journal of Materials Chemistry C, 2021, 9, 4046-4052. | 2.7 | 1 |
| 650 | Bioinspired Prosthetic Interfaces. Advanced Materials Technologies, 2020, 5, 1900856. | 3.0 | 42 |
| 651 | Performance Evaluation Methods for Assistive Robotic Technology. , 2009, , 41-66. | | 18 |
| 652 | Peripheral Nerve Interface Applications, EMG/ENG. , 2014, , 1-10. | | 3 |
| 653 | Novel Control Strategies for Upper Limb Prosthetics. Biosystems and Biorobotics, 2019, , 171-174. | 0.2 | 5 |
| 654 | Regenerative Neural Electrodes. , 2020, , 281-298. | | 1 |
| 655 | Towards a Natural Interface for the Control of a Whole Arm Prosthesis. Mechanisms and Machine Science, 2016, , 47-59. | 0.3 | 2 |
| 656 | Prospects of Neurorehabilitation Technologies Based on Robust Decoding of the Neural Drive to Muscles Following Targeted Muscle Reinnervation. Biosystems and Biorobotics, 2017, , 1359-1363. | 0.2 | 1 |
| 657 | Design and Control of Lightweight Supernumerary Robotic Limbs for Sitting/Standing Assistance. Springer Proceedings in Advanced Robotics, 2017, , 299-308. | 0.9 | 10 |
| 658 | Conduction Properties of Decellularized Nerve Biomaterials. IFMBE Proceedings, 2010, 32, 430-433. | 0.2 | 10 |
| 659 | Recognition of Combined Arm Motions Using Support Vector Machine. Lecture Notes in Electrical Engineering, 2011, , 807-814. | 0.3 | 2 |

| # | Article | | CITATIONS |
|-----|---|-----|-----------|
| 661 | Passive Mechanical Skin Stretch for Multiple Degree-of-Freedom Proprioception in a Hand Prosthesis. Lecture Notes in Computer Science, 2014, , 120-128. | | 25 |
| 662 | Realizing Efficient EMG-Based Prosthetic Control Strategy. Advances in Experimental Medicine and Biology, 2019, 1101, 149-166. | | 9 |
| 663 | Chronic Use of a Sensitized Bionic Hand Does Not Remap the Sense of Touch. Cell Reports, 2020, 33, 108539. | 2.9 | 25 |
| 664 | A large electroencephalographic motor imagery dataset for electroencephalographic brain computer interfaces. Scientific Data, 2018, 5, 180211. | | 94 |
| 665 | Enhancing classification accuracy of fNIRS-BCI using features acquired from vector-based phase analysis. Journal of Neural Engineering, 2020, 17, 056025. | 1.8 | 36 |
| 666 | Forequarter Amputation and Reconstructive Options. Annals of Plastic Surgery, 2020, 84, 651-656. | 0.5 | 5 |
| 667 | Reinventing Extremity Amputation in the Era of Functional Limb Restoration. Annals of Surgery, 2021, 273, 269-279. | 2.1 | 36 |
| 670 | Surface Eletromyography Feature Extraction Techniques $\hat{a} \in \hat{A}$ A Review. , 2020, , . | | 18 |
| 671 | Electromyography (EMG) based Classification of Finger Movements using SVM. Journal of the Malaysian Branch of the Royal Asiatic Society, 2018, 8, . | 0.2 | 10 |
| 672 | Integrating neuromuscular and cyber systems for neural control of artificial legs. , 2010, , . | | 24 |
| 673 | Future Research Directions. Series in Medical Physics and Biomedical Engineering, 2013, , 165-184. | 0.1 | 1 |
| 674 | The LET Procedure for Prosthetic Myocontrol: Towards Multi-DOF Control Using Single-DOF Activations. PLoS ONE, 2016, 11, e0161678. | 1.1 | 23 |
| 675 | Get Your Paws off of My Pixels: Personal Identity and Avatars as Self. Journal of Medical Internet Research, 2010, 12, e28. | 2.1 | 8 |
| 676 | Sensory Feedback in Upper Limb Prostheses. Proceedings of the Latvian Academy of Sciences, 2020, 74, 308-317. | 0.0 | 3 |
| 678 | An open-source and cross-platform framework for Brain Computer Interface-guided robotic arm control. , 2012, 3, 149. | | 4 |
| 679 | 15 Years of Evolution of Non-Invasive EEG-Based Methods for Restoring Hand & Arm Function with Motor Neuroprosthetics in Individuals with High Spinal Cord Injury: A Review of Graz BCI Research. Journal of Biomedical Science and Engineering, 2017, 10, 317-325. | 0.2 | 4 |
| 680 | Title is missing!. Journal of Medical and Biological Engineering, 2010, 30, 399. | 1.0 | 42 |
| 681 | Deprivation-related and use-dependent plasticity go hand in hand. ELife, 2013, 2, e01273. | 2.8 | 93 |

| | | CITATION REPORT | |
|----------|--|------------------|-----------|
| # 682 | ARTICLE Spinal Interfacing via Muscle Recordings for Neuroprosthesis Control. , 2021, , 1-29. | IF | Citations |
| 683 | Evaluating the Ability of Congenital Upper Extremity Amputees to Control a Multi-Degree of Myoelectric Prosthesis. Journal of Hand Surgery, 2022, 47, 1019.e1-1019.e9. | Freedom 0.7 | 2 |
| 684 | Evaluation of Grasping Motion Using a Virtual Prosthetic Control System. Transactions of the Society of Instrument and Control Engineers, 2010, 46, 578-585. | [,] 0.1 | 0 |
| 686 | Estimation of Arm Joint Angles from Surface Electromyography signals using Artificial Neural Networks. IOSR Journal of Computer Engineering, 2013, 15, 38-44. | 0.1 | 1 |
| 687 | Constraints and Flexibility in Cortical Control of the Hand. Springer Tracts in Advanced Robot 2014, , 3-21. | ics, 0.3 | 1 |
| 688 | A Learning-Based Approach to Artificial Sensory Feedback. Springer Briefs in Electrical and Co Engineering, 2014, , 31-46. | mputer 0.3 | Ο |
| 689 | ä≌å·¥ã®æ‰∢ã®ç"ç©¶é–‹ç™≗å‹•å'. Journal of the Society of Biomechanisms, 2014, 38, 3-10. | 0.0 | 0 |
| 690 | ç‹é›»å^¶å¾¡åž‹ã@義手. Journal of the Society of Biomechanisms, 2014, 38, 39-46. | 0.0 | 3 |
| 691 | Chronic Pain and Body Experience: Neuroscientific Basis and Implications For Treatment. , 20 249-268. | 15,, | 1 |
| 692 | Achievement of a Myoelectric Clamp Provided by an Optical Shifting Control for Upper Limb Amputations. Lecture Notes in Computer Science, 2015, , 180-188. | 1.0 | 1 |
| 693 | Limb Transplantation. , 2015, , 537-543. | | 0 |
| 695 | Achievement of a Multi DOF Myoelectric Interface for Hand Prosthesis. Lecture Notes in Com Science, 2016, , 637-644. | puter 1.0 | Ο |
| 696 | Advances in Targeted Re-innervation. Anaplastology, 2016, 05, . | 0.1 | 0 |
| 697 | Grasping force estimation for prosthetic hands via feature extraction of surface EMG. , 2016, | y. | 0 |
| 698 | Targeted Reinnervation Strategies to Restore Upper Limb Function. , 2017, , 281-288. | | 0 |
| 699 | Hand Transplantation: Current concepts and management algorithm. Revista Facultad De Me 2017, 65, 491-500. | edicina, 0.0 | 1 |
| 702 | Mechanism and control of powered artificial arm with bi-articular muscular hydraulic bilateral servo. Biomechanisms, 2018, 24, 91-101. | 0.1 | 0 |
| 704 | A Hybrid Non-invasive Method for the Classification of Amputee's Hand and Wrist Mover Proceedings, 2019, , 161-166. | nents. IFMBE 0.2 | 0 |

| # 705 | ARTICLE Development of EMG Controlled Electric Wheelchair Using SVM and kNN Classifier for SCI Patients. Communications in Computer and Information Science, 2019, , 75-83. | IF 0.4 | CITATIONS |
|----------|--|-----------|-----------|
| 706 | Biologisierte Robotik und Biomechatronik. , 2019, , 203-228. | | 0 |
| 711 | Targeted Muscle Reinnervation and the Volar Forearm Filet Flap for Forequarter Amputation: Description of Operative Technique. Journal of Hand Surgery Global Online, 2020, 2, 306-311. | 0.3 | 2 |
| 715 | Limbs from the Windy City. , 2022, , 275-286. | | Ο |
| 716 | Modern Myoprostheses in Electric Burn Injuries of the Upper Extremity. , 2020, , 317-324. | | 0 |
| 717 | Selective Chronic Recording in the Peripheral Nervous System. , 2020, , 315-330. | | 0 |
| 718 | Estimation of Targeted-Reaching-Positions by Around-Shoulder Muscle Activities and Images from an Action Camera for Trans-Humeral Prosthesis Control. , 0, , . | | 0 |
| 720 | Neural Engineering. , 0, , 713-744. | | 0 |
| 721 | Prosthetic and Orthotic Devices. , 0, , 788-852. | | 1 |
| 722 | Prosthetic and Orthotic Devices. , 0, , 549-613. | | 1 |
| 723 | A Biomimetic Adaptive Algorithm and Micropower Circuit Architecture for Implantable Neural Decoders. , 0, , 216-254. | | 1 |
| 728 | The Starfish Procedure. Techniques in Orthopaedics, 2021, 36, 345-348. | 0.1 | 1 |
| 729 | The Octopus Procedure Combined with Targeted Muscle Reinnervation for Elective Transhumeral Amputation. Plastic and Reconstructive Surgery - Global Open, 2021, 9, e3931. | 0.3 | 2 |
| 730 | Utilization of Techniques for Upper Extremity Amputation Neuroma Treatment and Prevention. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2022, 75, 1551-1556. | 0.5 | 6 |
| 731 | Nerve Injury After Distal Radius, Metacarpal, and Finger Fractures. , 2022, , 145-166. | | 0 |
| 732 | Targeted Muscle Reinnervation as a Surgical Approach for Phantom Limb Pain Management Following Amputation. Current Physical Medicine and Rehabilitation Reports, 2021, 9, 200-206. | 0.3 | 0 |
| 734 | A biomechatronics-based EPP topology for upper-limb prosthesis control: Modeling & benchtop prototype. Biomedical Signal Processing and Control, 2022, 73, 103454. | 3.5 | 0 |
| 735 | A Robust Multi-Channel EEG Signals Preprocessing Method for Enhanced Upper Extremity Motor Imagery Decoding. , 2020, , . | | 0 |

ARTICLE IF CITATIONS The Real Time Motion Pattern Recognition of Lower Limb Based on sEMG signals., 2020,,. 736 1 Comparing Reinforcement Learning Agents and Supervised Learning Neural Networks for EMG-Based Decoding of Continuous Movements., 2021, 2021, 6297-6300. A parallel classification strategy to simultaneous control elbow, wrist, and hand movements. Journal 738 2.4 4 of NeuroEngineering and Rehabilitation, 2022, 19, 10. A review of haptic feedback through peripheral nerve stimulation for upper extremity prosthetics. 1.8 Current Opinion in Biomedical Engineering, 2022, 21, 100368. Surgical and Technological Advances in the Management of Upper Limb Amputation. Current Physical 741 0.3 0 Medicine and Rehabilitation Reports, 2022, 10, 1-7. A multidimensional facial surface EMG analysis for objective assessment of bulbar involvement in 742 amyotrophic lateral sclerosis. Clinical Neurophysiology, 2022, 135, 74-84. Review on electromyography based intention for upper limb control using pattern recognition for human-machine interaction. Proceedings of the Institution of Mechanical Engineers, Part H: Journal 743 1.0 17 of Engineering in Medicine, 2022, 236, 628-645. Trajectory Control–An Effective Strategy for Controlling Multi-DOF Upper Limb Prosthetic Devices. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 420-430. 2.7 Advances in Upper Extremity Prosthetic Technology: Rehabilitation and the Interprofessional Team. 745 0.3 3 Current Physical Medicine and Rehabilitation Reports, 2022, 10, 71-76. Prosthetic embodiment: systematic review on definitions, measures, and experimental paradigms. 746 2.4 Journal of NeuroEngineering and Rehabilitation, 2022, 19, 37. Hand Transplants, Daily Functioning, and the Human Capacity for Limb Regeneration. Frontiers in Cell 747 1.8 1 and Developmental Biology, 2022, 10, 812124. A generic neural network model to estimate populational neural activity for robust neural decoding. 748 Computers in Biology and Medicine, 2022, 144, 105359. Design and Validation of a Sensor Fault-Tolerant Module for Real-Time High-Density EMG Pattern 749 1 Recognition., 2021, 2021, 6738-6742. Biorealistic Control of Hand Prosthesis Augments Functional Performance of Individuals With 1.4 Amputation. Frontiers in Neuroscience, 2021, 15, 783505. Age-Dependent Upper Limb Myoelectric Control Capability in Typically Developing Children. IEEE 751 2.7 2 Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 1009-1018. A Novel Myoelectric Control Scheme Supporting Synchronous Gesture Recognition and Muscle Force Estimation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 1127-1137. 753 On Eliciting a Sense of Self when Integrating with Computers., 2022, , . 6 Skin stimulation and recording: Moving towards metal-free electrodes. Biosensors and 754 Bioelectronics: X, 2022, , 100143.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 763 | End-to-End Estimation of Hand- and Wrist Forces From Raw Intramuscular EMG Signals Using LSTM Networks. Frontiers in Neuroscience, 2021, 15, 777329. | 1.4 | 4 |
| 764 | Domain Adaptation With Self-Guided Adaptive Sampling Strategy: Feature Alignment for Cross-User Myoelectric Pattern Recognition. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 1374-1383. | 2.7 | 10 |
| 765 | First Demonstration of Functional Task Performance Using a Sonomyographic Prosthesis: A Case Study. Frontiers in Bioengineering and Biotechnology, 2022, 10, . | 2.0 | 10 |
| 766 | Monitoring at-home prosthesis control improvements through real-time data logging. Journal of Neural Engineering, 2022, 19, 036021. | 1.8 | 2 |
| 767 | Bionic Prostheses: The Emerging Alternative to Vascularised Composite Allotransplantation of the Limb. Frontiers in Surgery, 2022, 9, . | 0.6 | 0 |
| 768 | Identifying Oscillations under Multi-site Sensory Stimulation for High-level Peripheral Nerve Injured Patients:A Pilot Study. Journal of Neural Engineering, 2022, , . | 1.8 | 0 |
| 769 | Disruption of targeted muscle reinnervation due to heterotopic ossification in an amputated lower extremity. BMJ Case Reports, 2022, 15, e249705. | 0.2 | 1 |
| 770 | Surgically Implanted Electrodes Enable Real-Time Finger and Grasp Pattern Recognition for Prosthetic Hands. IEEE Transactions on Robotics, 2022, 38, 2841-2857. | 7.3 | 8 |
| 772 | The Effect of Signal Interval from sEMG sensors Combined with Mechanical Sensors on the Classification of Walking Patterns and Posture Activities. , 2022, , . | | 0 |
| 773 | Management of conflict injuries to the upper limb. Part 2: reconstruction and managing complications. Journal of Hand Surgery: European Volume, 2022, 47, 787-797. | 0.5 | 4 |
| 774 | Factors Related to Neuropathic Pain following Lower Extremity Amputation. Plastic and Reconstructive Surgery, 2022, 150, 446-455. | 0.7 | 8 |
| 775 | Extra-neural signals from severed nerves enable intrinsic hand movements in transhumeral amputations. Scientific Reports, 2022, 12, . | 1.6 | 3 |
| 776 | Peripheral Nerve Interface Applications, EMG/ENG. , 2022, , 2660-2668. | | 0 |
| 777 | A Real-Time EMG-Based Fixed-Bandwidth Frequency-Domain Embedded System for Robotic Hand. Frontiers in Neurorobotics, 0, 16, . | 1.6 | 4 |
| 778 | Evaluation of Simple Algorithms for Proportional Control of Prosthetic Hands Using Intramuscular Electromyography. Sensors, 2022, 22, 5054. | 2.1 | 2 |
| 779 | Surgical Treatment of Peripheral Nerve Neuromas: A Systematic Review and Meta-Analysis. Plastic and Reconstructive Surgery, 2022, 150, 823e-834e. | 0.7 | 7 |
| 780 | Strenuous exercise-tolerance stretchable dry electrodes for continuous multi-channel electrophysiological monitoring. Npj Flexible Electronics, 2022, 6, . | 5.1 | 15 |
| 781 | Agonist-antagonist muscle strain in the residual limb preserves motor control and perception after amputation. Communications Medicine, 2022, 2, . | 1.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 782 | Targeted Muscle Reinnervation of the brachial plexus region: A cadaveric study and case series. Orthoplastic Surgery, 2022, 9, 116-121. | 0.2 | 1 |
| 784 | Molecular mechanisms by which targeted muscle reinnervation improves the microenvironment of spinal cord motor neurons and target muscles. Neuroscience Letters, 2022, 789, 136879. | 1.0 | 0 |
| 785 | A Wearable Ultrasound Interface for Prosthetic Hand Control. IEEE Journal of Biomedical and Health Informatics, 2022, 26, 5384-5393. | 3.9 | 12 |
| 786 | Simultaneous and Proportional Real-Time Myocontrol of Up to Three Degrees of Freedom of the Wrist and Hand. IEEE Transactions on Biomedical Engineering, 2023, 70, 459-469. | 2.5 | 19 |
| 787 | Brain-Machine Interfaces for Upper and Lower Limb Prostheses. , 2022, , 1-45. | | 0 |
| 789 | Efficacy of Biological and Physical Enhancement on Targeted Muscle Reinnervation. Cyborg and Bionic Systems, 2022, 2022, . | 3.7 | 4 |
| 792 | The Starfish Procedure for Independent Digital Control of a Myoelectric Prosthesis. Techniques in Hand and Upper Extremity Surgery, 2023, 27, 61-67. | 0.3 | 1 |
| 793 | sEMC-Based Hand Posture Recognition and Visual Feedback Training for the Forearm Amputee. Sensors, 2022, 22, 7984. | 2.1 | 4 |
| 795 | Use of regenerative peripheral nerve interfaces and intramuscular electrodes to improve prosthetic grasp selection: a case study. Journal of Neural Engineering, 2022, 19, 066010. | 1.8 | 7 |
| 796 | Neurostimulation artifact removal for implantable sensors improves signal clarity and decoding of motor volition. Frontiers in Human Neuroscience, 0, 16, . | 1.0 | 2 |
| 797 | User Performance With a Transradial Multi-Articulating Hand Prosthesis During Pattern Recognition and Direct Control Home Use. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 271-281. | 2.7 | 8 |
| 798 | A Deep CNN Framework for Neural Drive Estimation From HD-EMG Across Contraction Intensities and Joint Angles. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 2950-2959. | 2.7 | 7 |
| 799 | 3D Bioelectronics with a Remodellable Matrix for Longâ€Term Tissue Integration and Recording. Advanced Materials, 2023, 35, . | 11.1 | 8 |
| 800 | Active upper limb prostheses: a review on current state and upcoming breakthroughs. Progress in Biomedical Engineering, 2023, 5, 012001. | 2.8 | 17 |
| 801 | Toward a generalizable deep CNN for neural drive estimation across muscles and participants. Journal of Neural Engineering, 2023, 20, 016006. | 1.8 | 3 |
| 802 | Embodied Communication: How Robots and People Communicate Through Physical Interaction. Annual Review of Control, Robotics, and Autonomous Systems, 2023, 6, 205-232. | 7.5 | 7 |
| 803 | Online Classification of Transient EMG Patterns for the Control of the Wrist and Hand in a Transradial Prosthesis. IEEE Robotics and Automation Letters, 2023, 8, 1045-1052. | 3.3 | 3 |
| 804 | Simultaneous Gesture Classification and Speed Control for Myoelectric Prosthetic Hand Using Joint-Loss Neural Network. , 2022, , . | | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 805 | Reconstruction of Forequarter and Extended Forequarter Amputations: Indications and Outcomes. Plastic and Reconstructive Surgery, 2023, 152, 194-205. | 0.7 | 0 |
| 806 | Spinal Interfacing via Muscle Recordings for Neuroprosthesis Control. , 2023, , 975-1002. | | Ο |
| 807 | Multi-source domain generalization and adaptation toward cross-subject myoelectric pattern recognition. Journal of Neural Engineering, 2023, 20, 016050. | 1.8 | 7 |
| 808 | X-reality for phantom limb management for amputees: A systematic review and meta-analysis. Engineered Regeneration, 2023, 4, 134-151. | 3.0 | 1 |
| 809 | Hierarchical strategy for sEMG classification of the hand/wrist gestures and forces of transradial amputees. Frontiers in Neurorobotics, 0, 17, . | 1.6 | 1 |
| 810 | Comparing Online Performance of EMG Pattern Recognition with and Without Joint Movements. Journal of Bionic Engineering, 0, , . | 2.7 | 0 |
| 811 | Targeted muscle reinnervation and regenerative peripheral nerve interfaces for pain prophylaxis and treatment: A systematic review. PM and R, 2023, 15, 1457-1465. | 0.9 | 3 |
| 812 | Prosthetics and Innovation. , 2022, , 421-435. | | 0 |
| 813 | Myoelectric prosthesis hand grasp control following targeted muscle reinnervation in individuals with transradial amputation. PLoS ONE, 2023, 18, e0280210. | 1.1 | 8 |
| 814 | Brain-Machine Interfaces for Upper and Lower Limb Prostheses. , 2023, , 1091-1135. | | 0 |
| 815 | Electrical nerve stimulation for sensory-neural pathway reconstruction in upper-limb amputees. Frontiers in Neuroscience, 0, 17, . | 1.4 | 0 |
| 817 | A review of current state-of-the-art control methods for lower-limb powered prostheses. Annual Reviews in Control, 2023, 55, 142-164. | 4.4 | 17 |
| 818 | Long-term upper-extremity prosthetic control using regenerative peripheral nerve interfaces and implanted EMG electrodes. Journal of Neural Engineering, 2023, 20, 026039. | 1.8 | 12 |
| 822 | An intelligent prosthetic system for EMG pattern recognition based prosthesis control [*] ., 2023,,. | | 0 |
| 830 | EMG-based Gesture Recognition using Extreme Learning Machine. , 2023, , . | | 1 |
| 836 | A testosterone pattern-based sEMG signal classification method using Singular Spectrum Analysis. , 2023, , . | | 0 |
| 843 | Below Knee Amputation: Techniques to Improve Rehabilitation, Pain Management, and Function. , 2023, , 545-557. | | 0 |
| 845 | Neural encoding of artificial sensations evoked by peripheral nerve stimulation for neuroprosthetic applications. , 2023, , 237-265. | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 856 | Limb Amputations in Cancer: Modern Perspectives, Outcomes, and Alternatives. Current Oncology Reports, 0, , . | 1.8 | 0 |
| 858 | Reactive-Accelerated-Aging Testing of Thinned Tissue-Engineered Electronic Nerve Interfaces. , 2023, , . | | 0 |
| 864 | A survey on the state of the art of force myography technique (FMG): analysis and assessment. Medical and Biological Engineering and Computing, 2024, 62, 1313-1332. | 1.6 | 0 |