

CITATION REPORT

List of articles citing

Estimation of proteinuria as a predictor of complications of pre-eclampsia: a systematic review

DOI: 10.1186/1741-7015-7-10
BMC Medicine, 2009, 7, 10.

Source: <https://exaly.com/paper-pdf/45877848/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
112	Proteinuria as a predictor of complications of pre-eclampsia. <i>BMC Medicine</i> , 2009 , 7, 11	11.4	8
111	Hypertensive Schwangerschaftserkrankungen und Präeklampsie. 2009 , 4, 312-320		0
110	Clinical and ultrasound work-up and follow-up of preeclampsia. 2010 , 65, 85-90		1
109	Interpreting abnormal proteinuria in pregnancy: the need for a more pathophysiological approach. 2010 , 115, 365-375		109
108	Periodic urinary protein creatinine ratio for predicting significant proteinuria in preeclampsia in different alternatives: time effectiveness analysis. 2010 , 281, 571-3		3
107	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, e12-e13	6.4	5
106	PROTEINURIA IN PREECLAMPSIA: FROM BENCH TO BEDSIDE. 2010 , 21, 1-23		3
105	Maternal plasma concentrations of angiogenic/anti-angiogenic factors are of prognostic value in patients presenting to the obstetrical triage area with the suspicion of preeclampsia. 2011 , 24, 1187-207		100
104	Proteinuria in special populations: pregnant women and children. 2011 , 18, 267-72		1
103	PIERS proteinuria: relationship with adverse maternal and perinatal outcome. 2011 , 33, 588-597		37
102	Accuracy of liver function tests for predicting adverse maternal and fetal outcomes in women with preeclampsia: a systematic review. 2011 , 90, 574-85		23
101	Assessment, surveillance and prognosis in pre-eclampsia. 2011 , 25, 449-62		26
100	Characterization of discriminatory urinary proteomic biomarkers for severe preeclampsia using SELDI-TOF mass spectrometry. 2011 , 39, 391-6		14
99	Biomarkers in Preeclampsia. 2011 , 385-426		2
98	Pre-eclampsia, severe pre-eclampsia and hemolysis, elevated liver enzymes and low platelets syndrome: what is new?. 2011 , 7, 555-69		16
97	Risk indicators for eclampsia in gestational hypertension or mild preeclampsia at term. 2011 , 30, 433-46		12
96	Evaluation of Aution Max AX-4030 and 9UB Uriflet, 10PA Aution Sticks urine dipsticks in the automated urine test strip analysis. 2011 , 50, 139-46		4

95	Diagnostic accuracy of spot urinary protein and albumin to creatinine ratios for detection of significant proteinuria or adverse pregnancy outcome in patients with suspected pre-eclampsia: systematic review and meta-analysis. 2012 , 345, e4342	97
94	Understanding urinalysis: clues for the obstetrician-gynecologist. 2012 , 7, 269-279	3
93	Deep vein thrombosis and pulmonary embolism. 15-23	
92	Severe preeclampsia and eclampsia. 24-32	
91	Low molecular weight heparin decreases the permeability of glomerular endothelial cells when exposed to pre-eclampsia serum in vitro. 2012 , 17, 754-9	5
90	Hypertensive Disorders. 2012 , 99-110	4
89	Dynamic proteome in enigmatic preeclampsia: an account of molecular mechanisms and biomarker discovery. 2012 , 6, 79-90	8
88	Hypertensive disorders in pregnancy. 2013 , 2, 47-55	6
87	Pregnancies complicated by preeclampsia and non-preeclampsia-related nephrotic range proteinuria. 2013 , 6, 159-64	2
86	Diagnostic accuracy of placental growth factor in women with suspected preeclampsia: a prospective multicenter study. 2013 , 128, 2121-31	289
85	Hypertension in Pregnancy. 2013 , 521-528	
84	Association of proteinuria threshold in pre-eclampsia with maternal and perinatal outcomes: a nested case control cohort of high risk women. 2013 , 8, e76083	23
83	Clinical applications of biomarkers in preeclampsia. 2014 , 8, 459-70	5
82	Short-term prediction of preeclampsia: how close are we?. 2014 , 8, 455-8	4
81	Protein misfolding, congophilia, oligomerization, and defective amyloid processing in preeclampsia. 2014 , 6, 245ra92	122
80	Maternofoetal complications and their association with proteinuria in a tertiary care hospital of a developing country. 2014 , 2014, 431837	8
79	Major changes in diagnosis and management of preeclampsia. 2014 , 59, 596-605	28
78	Pre-eclampsia part 1: current understanding of its pathophysiology. 2014 , 10, 466-80	585

77	Maternal genotype and severe preeclampsia: a HuGE review. 2014 , 180, 335-45	53
76	Spot urine protein-creatinine ratio and 24-h urine protein excretion: Diagnostic accuracy in women with pre-eclampsia. 2014 , 4, 87-90	2
75	Development of maternal and neonatal composite outcomes for trials evaluating management of late-onset pre-eclampsia. 2014 , 33, 115-31	6
74	Association of serum N-terminal pro-brain natriuretic peptide levels with the severity of preeclampsia. 2016 , 29, 2802-6	7
73	Uric Acid Determination in Gestational Hypertension: Is it as Effective a Delineator of Risk as Proteinuria in High-Risk Women?. 2015 , 22, 1212-9	17
72	Chronic kidney disease in pregnancy: Maternal and fetal outcomes and progression of kidney disease. 2015 , 8, 92-8	9
71	Pregnancy outcome in proteinuria-onset and hypertension-onset preeclampsia. 2015 , 34, 284-90	19
70	A New Look at Care in Pregnancy: Simple, Effective Interventions for Neglected Populations. 2016 , 11, e0160562	21
69	Current best practice in the management of hypertensive disorders in pregnancy. 2016 , 9, 79-94	85
68	Managing pregnancy in chronic kidney disease: improving outcomes for mother and baby. 2016 , 8, 273-85	25
67	Diagnostic Biomarkers in Women With Suspected Preeclampsia in a Prospective Multicenter Study. 2016 , 128, 245-252	22
66	Evaluation of 5-HT7 receptor expression in the placentae of normal and pre-eclamptic women. 2016 , 38, 189-93	7
65	Prediction of Adverse Maternal Outcomes in Preeclampsia Using a Risk Prediction Model. 2016 , 66, 104-11	8
64	Pre-eclampsia. 2016 , 387, 999-1011	889
63	Development and validation of prediction models for risk of adverse outcomes in women with early-onset pre-eclampsia: protocol of the prospective cohort PREP study. 2017 , 1, 6	2
62	Is the first urinary albumin/creatinine ratio (ACR) in women with suspected preeclampsia a prognostic factor for maternal and neonatal adverse outcome? A retrospective cohort study. 2017 , 96, 580-588	5
61	Biomarkers for Adverse Pregnancy Outcomes in Rheumatic Diseases. 2017 , 43, 201-214	7
60	Massive Urinary Protein Excretion Associated with Greater Neonatal Risk in Preeclampsia. 2017 , 7, e49-e58	15

59	Proteinuria in preeclampsia: Not essential to diagnosis but related to disease severity and fetal outcomes. 2017 , 8, 60-64	28
58	Hematocrit and plasma albumin levels difference may be a potential biomarker to discriminate preeclampsia and eclampsia in patients with hypertensive disorders of pregnancy. 2017 , 464, 218-222	14
57	Prediction of progression to severe disease in women with late preterm hypertensive disorders of pregnancy. 2017 , 96, 96-105	4
56	Biomarkers in Preeclampsia. 2017 , 555-594	2
55	CE: Preeclampsia: Current Approaches to Nursing Management. 2017 , 117, 30-38	9
54	Spot Urine Protein-to-Creatinine Ratio to Predict the Magnitude of 24-Hour Total Proteinuria in Preeclampsia of Varying Severity. 2017 , 39, 854-860	9
53	Prediction of complications in early-onset pre-eclampsia (PREP): development and external multinational validation of prognostic models. <i>BMC Medicine</i> , 2017 , 15, 68	11.4 27
52	Epidemiology of hypertensive disorders in pregnancy: prevalence, risk factors, predictors and prognosis. 2017 , 40, 213-220	180
51	Is massive proteinuria associated with maternal and fetal morbidities in preeclampsia?. 2017 , 60, 260-265	12
50	Prediction of adverse maternal outcomes from pre-eclampsia and other hypertensive disorders of pregnancy: A systematic review. 2018 , 11, 115-123	53
49	Preeclampsia in 2018: Revisiting Concepts, Physiopathology, and Prediction. 2018 , 2018, 6268276	65
48	Hypertensive Disorders. 2018 , 71-84	
47	Risk factors for bleeding complications of postoperative prophylactic anticoagulation therapy after cesarean section in preeclampsia cases. 2018 , 6, 20-25	
46	Pregnancy and the Kidney. 2018 , 319-345	2
45	Preeclampsia: Risk Factors, Diagnosis, Management, and the Cardiovascular Impact on the Offspring. 2019 , 8,	68
44	Managing hypertensive disorders during pregnancy in low resource settings. 2019 , 38, 230-236	5
43	Increased proteinuria and uric acid levels are associated with eclamptic crisis. 2019 , 15, 93-97	6
42	Endogenous Bufadienolides, Fibrosis and Preeclampsia. 2019 , 2019, 5019287	2

41	Development and Validation of a Nomogram for Predicting the Risk of Pregnancy-Induced Hypertension: A Retrospective Cohort Study. 2021 , 30, 1182-1191		
40	Circulating miRNAs Associated with Dysregulated Vascular and Trophoblast Function as Target-Based Diagnostic Biomarkers for Preeclampsia. 2020 , 9,		11
39	Proteinuria during pregnancy: definition, pathophysiology, methodology, and clinical significance. <i>American Journal of Obstetrics and Gynecology</i> , 2020 ,	6.4	12
38	Renal impairment in Alport syndrome pregnant woman: Case report and review of the literature. 2020 , 8, 3003-3007		2
37	The predictive value of signs and symptoms in predicting adverse maternal and perinatal outcomes in severe preeclampsia in a low-resource setting, findings from a cross-sectional study at Mpilo Central Hospital, Bulawayo, Zimbabwe. 2020 , 21, 77-83		4
36	Reappraisal of the relationship between 24-hour proteinuria and preeclampsia in terms of the maternal and perinatal outcomes. 2020 , 39, 82-88		2
35	Severe proteinuria as a parameter of worse perinatal/neonatal outcomes in women with preeclampsia. 2020 , 19, 119-126		5
34	Association between proteinuria and maternal and neonatal outcomes in pre-eclampsia pregnancy: a retrospective observational study. 2020 , 48, 300060520908114		3
33	The impact of the definition of preeclampsia on disease diagnosis and outcomes: a retrospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 217.e1-217.e11	6.4	5
32	Prediction of stillbirth: an umbrella review of evaluation of prognostic variables. 2021 , 128, 238-250		8
31	Preeclampsia: Cardiotoxic Steroids, Fibrosis, Fli1 and Hint to Carcinogenesis. 2021 , 22,		2
30	Maternal and Perinatal Outcomes in Hypertensive Disorders of Pregnancy and Factors Influencing It: A Prospective Hospital-Based Study in Northeast India. <i>Cureus</i> , 2021 , 13, e13982	1.2	4
29	Progression from isolated gestational proteinuria to preeclampsia with severe features. 2021 , 100, 1620-1626		1
28	Earlier onset of proteinuria or hypertension is a predictor of progression from gestational hypertension or gestational proteinuria to preeclampsia. 2021 , 11, 12708		2
27	Chronic hypertension and superimposed preeclampsia: screening and diagnosis.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 , 226, S1182-S1195	6.4	1
26	Pre-eclampsia. 2021 , 398, 341-354		54
25	Congo red dot test in the early prediction and diagnosis of pre-eclampsia in a tertiary health care centre in India. 2021 , 25, 225-229		1
24	Angiogenic markers and their longitudinal change for predicting adverse outcomes in pregnant women with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 305.e1-305.e14	6.4	0

23	Vibrational Spectroscopy: A Valuable Screening and Diagnostic Tool for Obstetric Disorders?. 2020 , 1, 610582		3
22	Placental growth factor for the prediction of adverse outcomes in patients with suspected preeclampsia or intrauterine growth restriction. 2012 , 7, e50208		57
21	THE COMMITTEE OF EXPERTS OF THE RUSSIAN SOCIETY OF CARDIOLOGY (RSC). SECTION OF CARDIOVASCULAR DISEASES IN PREGNANT WOMEN. NATIONAL GUIDELINES FOR DIAGNOSIS AND TREATMENT OF CARDIOVASCULAR DISEASES DURING PREGNANCY 2018. NEW REVISION: JULY, 2018 (TEXT IS AVAILABLE IN ELECTRONIC VERSION). 2018 , 156-200		4
20	Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. 2017 , 21, 1-100		18
19	Spot protein-creatinine ratio and spot albumin-creatinine ratio in the assessment of pre-eclampsia: a diagnostic accuracy study with decision-analytic model-based economic evaluation and acceptability analysis. 2017 , 21, 1-90		18
18	Correlation between 24-h urine protein, spot urine protein/creatinine ratio, and serum uric acid and their association with fetomaternal outcomes in preeclamptic women. 2014 , 5, 255-60		8
17	Association of hypoproteinemia in preeclampsia with maternal and perinatal outcomes: A retrospective analysis of high-risk women. 2016 , 21, 98		6
16	Correlation of serum neutrophil gelatinase associated lipocalin with disease severity in hypertensive disorders of pregnancy. 2014 , 3, 223		7
15	Characteristics of symptoms of imminent eclampsia: A case referent study from a tertiary hospital in Tanzania. 2012 , 02, 311-317		2
14	Hypertensive Schwangerschaftserkrankungen. 2011 , 305-342		
13	Hypertension and Kidney Disease in Pregnancy. 2012 , 1792-1823		
12	Hypertensive Schwangerschaftserkrankungen. 2015 , 1-71		
11	Preeclampsia: from history to the present day. <i>Russian Journal of Human Reproduction</i> , 2015 , 21, 120	0.3	1
10	Hypertensive Schwangerschaftserkrankungen. 2016 , 449-494		1
9	Preeklampsii ile komplike olmulu gebelerde 24 saatlik idrarda proteinu degerlerini maternal ve perinatal sonular zerine etkisi.		
8	A fetal variant in the GCM1 gene is associated with pregnancy induced hypertension in a predominantly hispanic population. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011 , 2, 196-206	0.9	7
7	Thrombophilia and damage of kidney during pregnancy. <i>Journal of Prenatal Medicine</i> , 2011 , 5, 78-82		1
6	On-the-Job Evidence-Based Medicine Training for Clinician-Scientists of the Next Generation. <i>Clinical Biochemist Reviews</i> , 2013 , 34, 93-103	7.3	8

- 5 The Kidney in Normal Pregnancy and Preeclampsia. **2022**, 289-334
- 4 The evolution of the diagnostic criteria of preeclampsia-eclampsia.. *American Journal of Obstetrics and Gynecology*, **2022**, 226, S835-S843 6.4 2
- 3 Urinary Protein-to-Creatinine Ratio: An Indicator of Adverse Clinical Outcomes in Preeclampsia With Proteinuria.. *Cureus*, **2022**, 14, e23341 1.2
- 2 Risk factors and foetal growth restriction associated with expectant treatment of early-onset preeclampsia. **2022**, 54, 3250-3257 0
- 1 Role of CA-125 Level as a Marker in the Management of Severe Pre-Eclampsia. **2022**, 10, 2474 0