

CITATION REPORT

List of articles citing

Effects of clinical pathways in the joint replacement: a meta-

DOI: 10.1186/1741-7015-7-32
BMC Medicine, 2009, 7, 32.

Source: <https://exaly.com/paper-pdf/45877872/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
199	The impact of pathways: a significant decrease in mortality. 2009 , 13, 57-61		1
198	Is there a future for pathways? Five pieces of the puzzle. 2009 , 13, 82-86		19
197	Quality of life after joint replacement for osteoarthritis. 2010 , 6, 481-494		
196	The influence of procedure volumes and standardization of care on quality and efficiency in total joint replacement surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010 , 92, 2643-52	5.6	201
195	[Clinical pathway "total knee arthroplasty"]. 2010 , 39, 758-63		0
194	[Clinical pathway for total knee arthroplasty (EGON). II. The impact of enhanced patient information]. 2010 , 39, 860-5		2
193	[Clinical pathway for total knee arthroplasty. I: Pathway conception and effect on functional quality of results]. 2010 , 39, 853-9		4
192	Readmissions after fast-track hip and knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010 , 130, 1185-91	3.6	124
191	Decreasing medical complications for total knee arthroplasty: effect of critical pathways on outcomes. 2010 , 11, 160		19
190	An orthopaedic enhanced recovery pathway. 2010 , 21, 114-120		60
189	Evidence-based review of enhancing postoperative recovery after breast surgery. 2011 , 98, 181-96		80
188	The impact of care pathways for exacerbation of Chronic Obstructive Pulmonary Disease: rationale and design of a cluster randomized controlled trial. 2010 , 11, 111		32
187	Adverse events in total knee arthroplasty: Results of a physician independent survey in 260 patients. 2010 , 4, 12		8
186	Waiting lists for lumbar spine referrals in Canada: what is the solution?. 2010 , 37, 719-20		11
185	Total hip and knee joint replacement: perioperative clinical aspects. 2010 , 8, 350-3		11
184	Management challenges in care pathways: Conclusions of a qualitative study within 57 health-care organizations. 2010 , 14, 142-149		9
183	Why pathways cannot be taken from the shelf. 2010 , 14, 150-154		4

182	Hip and knee replacement continuum of care: combining clinical and functional outcome measurement. 2010 , 14, 102-108		
181	The European Quality of Care Pathway (EQCP) Study: history, project management and approach. 2010 , 14, 52-56		21
180	An overview on the history and concept of care pathways as complex interventions. 2010 , 14, 117-123		95
179	Care pathways and organizational systems: the basis for a successful connection. 2010 , 14, 45-46		1
178	Clinical Pathways for Total Joint Arthroplasty: Essential Components for Success. 2011 , 29, 149-171		2
177	Clinical reasoning: the core of clinical practice. 2011 , 175-185		
176	Fast-track programmes for hepatopancreatic resections: where do we stand?. 2011 , 13, 833-8		28
175	Cost effectiveness of total knee arthroplasty from a health care providers perspective before and after introduction of an interdisciplinary clinical pathway--is investment always improvement?. <i>BMC Health Services Research</i> , 2011 , 11, 338	2.9	16
174	[Evidence-based update in hip arthroplasty]. 2011 , 40, 535-42		2
173	Enhanced recovery for arthroplasty: good for the patient or good for the hospital?. <i>Canadian Journal of Anaesthesia</i> , 2011 , 58, 891-4, 894-6	3	17
172	Integrated Systems and Continuity in Health Care: A Navigation through the Concepts and Models. 2011 , 15, 82-89		2
171	Can a care pathway help streamline the care process for patients with chronic fatigue syndrome?. 2011 , 15, 115-118		3
170	Why still in hospital after fast-track hip and knee arthroplasty?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011 , 82, 679-84	4.3	269
169	Fast-track revision knee arthroplasty. A feasibility study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011 , 82, 438-40	4.3	24
168	Fast-track hip and knee arthroplasty: clinical and organizational aspects. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012 , 83, 1-39	4.3	175
167	Care pathways for the organization of patients care. 2012 , 28,		2
166	Comparative efficacy of different doses of fibrin sealant to reduce bleeding after total knee arthroplasty. 2012 , 23, 278-84		28
165	Regional Anesthesia in the Community Practice Setting. 2012 , 37-80		

164	Rehabilitation and total joint arthroplasty. 2012 , 28, 489-508		31
163	[Impact of the financial crisis and health workforce crisis on the sustainability of the healthcare system: what's next?]. 2012 , 22, 179-81		4
162	Effects of care pathways on the in-hospital treatment of heart failure: a systematic review. 2012 , 12, 81		25
161	The role of surgeon volume on patient outcome in total knee arthroplasty: a systematic review of the literature. 2012 , 13, 250		123
160	The effects of knee arthroplasty on walking speed: a meta-analysis. 2012 , 13, 66		18
159	The European quality of care pathways (EQCP) study on the impact of care pathways on interprofessional teamwork in an acute hospital setting: study protocol: for a cluster randomised controlled trial and evaluation of implementation processes. 2012 , 7, 47		16
158	Assessing DRG cost accounting with respect to resource allocation and tariff calculation: the case of Germany. 2012 , 2, 15		46
157	The changing demographics of total joint arthroplasty recipients in the United States and Ontario from 2001 to 2007. 2012 , 26, 637-47		156
156	Comparative effectiveness of alternative clinical pathways for primary hip and knee joint replacement patients: a pragmatic randomized, controlled trial. 2012 , 20, 1086-94		30
155	Assessing the value of a total joint replacement. 2012 , 5, 274-82		44
154	Clinical pathways as instruments for risk and cost management in hospitals - a discussion paper. 2012 , 4, 50-9		17
153	The effect of care pathways for hip fractures: a systematic review. 2012 , 91, 1-14		33
152	Pathway-controlled fast-track rehabilitation after total knee arthroplasty: a randomized prospective clinical study evaluating the recovery pattern, drug consumption, and length of stay. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012 , 132, 1153-63	3.6	119
151	Care pathways lead to better teamwork: results of a systematic review. 2012 , 75, 264-8		80
150	Important variations in the content of care pathway documents for total knee arthroplasty may lead to quality and patient safety problems. 2013 , 19, 11-5		8
149	Integrated care pathways in lower-limb arthroplasty: are they effective in reducing length of hospital stay?. 2013 , 37, 1157-63		26
148	[Return to work after total hip arthroplasty]. 2013 , 116, 755-9		15
147	Application of clinical pathway using electronic medical record system in pediatric patients with supracondylar fracture of the humerus: a before and after comparative study. 2013 , 13, 87		9

146	Care pathways across the primary-hospital care continuum: using the multi-level framework in explaining care coordination. <i>BMC Health Services Research</i> , 2013 , 13, 296	2.9	32
145	Reduced length of hospital stay after the introduction of a rapid recovery protocol for primary THA procedures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 444-7	4.3	69
144	A New Multi-disciplinary Rehabilitation Outcome Checklist for the Rehabilitation of Total Knee and Total Hip Replacement Patients. <i>Journal of Orthopaedics, Trauma and Rehabilitation</i> , 2013 , 17, 40-45	0.1	2
143	Improving patient-level costing in the English and the German DRGSystem. 2013 , 109, 290-300		29
142	A systematic review of outcomes in patients undergoing liver surgery in an enhanced recovery after surgery pathways. 2013 , 15, 245-51		98
141	Systematic review and meta-analysis of enhanced recovery after pancreatic surgery with particular emphasis on pancreaticoduodenectomies. <i>World Journal of Surgery</i> , 2013 , 37, 1909-18	3.3	153
140	Does Physical Therapy Visit Frequency Influence Acute Care Length of Stay Following Knee Arthroplasty? A Systematic Review. 2013 , 29, 25-29		4
139	A self-paired comparison of perioperative outcomes before and after implementation of a clinical pathway in patients undergoing total knee arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 533-8	3.4	33
138	Patient race and surgical outcomes after total knee arthroplasty: an analysis of a large regional database. 2013 , 65, 414-20		37
137	Enhanced recovery after surgery (ERAS): an orthopaedic perspective. 2013 , 23, 228-32		15
136	Better interprofessional teamwork, higher level of organized care, and lower risk of burnout in acute health care teams using care pathways: a cluster randomized controlled trial. 2013 , 51, 99-107		74
135	Monitoring adherence to evidence-based practices: a method to utilize HL7 messages from hospital information systems. 2013 , 4, 126-43		11
134	Development and Long Term Evaluation of a Critical Pathway for the Management of Microvascular Decompression. 2014 , 20, 117		1
133	Focus groups to explore healthcare professionals' experiences of care coordination: towards a theoretical framework for the study of care coordination. 2014 , 15, 177		12
132	Risk of re-admission, reoperation, and mortality within 90 days of total hip and knee arthroplasty in fast-track departments in Denmark from 2005 to 2011. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 493-500	4.3	57
131	Optimizing perioperative management of total joint arthroplasty. <i>Anesthesiology Clinics</i> , 2014 , 32, 865-80.	0.3	22
130	Narrowing the gap between organisational demands and the quest for patient involvement: The case for coordinated care pathways. 2014 , 17, 72-78		20
129	Improving outcome after pancreaticoduodenectomy: experiences with implementing an enhanced recovery after surgery (ERAS) program. 2014 , 31, 177-84		54

128	Continuous adductor canal blocks are superior to continuous femoral nerve blocks in promoting early ambulation after TKA. 2014 , 472, 1377-83		99
127	Is current perioperative practice in hepatic surgery based on enhanced recovery after surgery (ERAS) principles?. <i>World Journal of Surgery</i> , 2014 , 38, 1127-40	3-3	35
126	Developing a pathway for high-value, patient-centered total joint arthroplasty. 2014 , 472, 1619-35		48
125	Similarity measure between patient traces for clinical pathway analysis: problem, method, and applications. 2014 , 18, 4-14		42
124	Evidence-based review for patients undergoing elective hip and knee replacement. 2014 , 84, 17-24		25
123	The application of clinical pathways in laparoscopic cholecystectomy. 2014 , 13, 348-53		9
122	[Implementation of the EndoCert system for certification of arthroplasty centers. Experiences from the pilot phase]. 2014 , 43, 534-40		10
121	Factors that determine the length of stay after carotid endarterectomy represent opportunities to avoid financial losses. 2014 , 60, 966-72.e1		21
120	Length of Stay and Achievement of Functional Milestones in a Rural First Nations Population in Northwestern Ontario during Acute-Care Admission after Total Hip Replacement: A Retrospective Chart Review. 2015 , 67, 268-72		
119	Teamwork in Trauma: System Adjustment to a Protocol for the Management of Multiply Injured Patients. <i>Journal of Orthopaedic Trauma</i> , 2015 , 29, e446-50	3-1	13
118	Improving postoperative pain management in subpectoral tissue expander implant reconstruction of the breast using an elastomeric pump. 2015 , 97, 364-8		6
117	What augmented physical activity and empowerment can bring to patients receiving total knee replacement: content, implementation, and comparative effectiveness of a new function-tailored care pathway in a routine care setting. 2015 , 2015, 745864		6
116	The first 6 weeks of recovery after total knee arthroplasty with fast track. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 708-13	4-3	25
115	Predictive factors of length of hospital stay after primary total knee arthroplasty. 2015 , 23, 1856-62		23
114	Fast-Track Programs for Liver Surgery: A Meta-Analysis. 2015 , 19, 1640-52		12
113	Avoiding readmissions-support systems required after discharge to continue rapid recovery?. <i>Journal of Arthroplasty</i> , 2015 , 30, 527-30	4-4	34
112	Orthopaedic Healthcare Worldwide: The Role of Standardization in Improving Outcomes. 2015 , 473, 3360-3		20
111	Reduced Length of Hospitalization in Primary Total Knee Arthroplasty Patients Using an Updated Enhanced Recovery After Orthopedic Surgery (ERAS) Pathway. <i>Journal of Arthroplasty</i> , 2015 , 30, 1705-9	4-4	117

110	Enhancing Postoperative Rehabilitation Following Knee Arthroplasty Using a New Cryotherapy Product: A Prospective Study. 2015 , 6, 316-21		9
109	Implementing an enhanced recovery program after pancreaticoduodenectomy in elderly patients: is it feasible?. <i>World Journal of Surgery</i> , 2015 , 39, 251-8	3-3	33
108	The potential influence of regionalization strategies on delivery of care for elective total joint arthroplasty. <i>Journal of Arthroplasty</i> , 2015 , 30, 1-6	4-4	87
107	Physical Rehabilitation after Total Knee Arthroplasty. 2016 , 836-850		
106	Care pathways for organ donation after brain death: guidance from available literature?. 2016 , 72, 2369-80		6
105	Enhanced recovery after surgery for primary hip and knee arthroplasty: a review of the evidence. <i>British Journal of Anaesthesia</i> , 2016 , 117, iii62-iii72	5-4	159
104	Impact of centralization of pancreaticoduodenectomy coupled with fast track recovery protocol: a comparative study from India. 2016 , 15, 546-552		6
103	Real-Time Discovery Services over Large, Heterogeneous and Complex Healthcare Datasets Using Schema-Less, Column-Oriented Methods. 2016 ,		7
102	Enhanced Recovery After Surgery Program in Patients Undergoing Pancreaticoduodenectomy: A PRISMA-Compliant Systematic Review and Meta-Analysis. <i>Medicine (United States)</i> , 2016 , 95, e3497	1-8	88
101	Shorter Hospital Stay and Lower 30-Day Readmission After Unicompartmental Knee Arthroplasty Compared to Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016 , 31, 356-61	4-4	44
100	Effect of Total Joint Arthroplasty Surgical Day of the Week on Length of Stay and Readmissions: A Clinical Pathway Approach. <i>Journal of Arthroplasty</i> , 2016 , 31, 2726-2729	4-4	17
99	Systematic evaluation of the clinical nursing pathway with the GRADE approach applied to functional exercise in patients with hip replacements before and after surgery. <i>Chinese Nursing Research</i> , 2016 , 3, 185-193		1
98	Lack of evidence and standardization in care pathway documents for patients with ST-elevated myocardial infarction. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, e45-51	3-3	4
97	The first 6 weeks of recovery after primary total hip arthroplasty with fast track. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 140-144	4-3	30
96	Effects of the Length of Stay on the Cost of Total Knee and Total Hip Arthroplasty from 2002 to 2013. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 402-407	5-6	134
95	Peripheral Nerve Blockade for Primary Total Knee Arthroplasty: A Population-based Cohort Study of Outcomes and Resource Utilization. <i>Anesthesiology</i> , 2017 , 126, 312-320	4-3	32
94	BPCI: Everyone Wins, Including the Patient. <i>Journal of Arthroplasty</i> , 2017 , 32, 1728-1731	4-4	25
93	Adherence to a Multimodal Analgesic Clinical Pathway: A Within-Group Comparison of Staged Bilateral Knee Arthroplasty Patients. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 368-371	3-4	17

92	Does surgeon volume affect the outcome of total knee arthroplasties in a developing country? - A retrospective cohort study. <i>Annals of Medicine and Surgery</i> , 2017 , 24, 38-43	2	2
91	24 hours stay after hip replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 24-28	4.3	12
90	Perioperative restrictive versus goal-directed fluid therapy for adults undergoing major non-cardiac surgery. <i>The Cochrane Library</i> , 2017 ,	5.2	2
89	Perspectives of Post-Acute Transition of Care for Cardiac Surgery Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2017 , 4, 70	5.4	8
88	Implementation of a Total Hip Arthroplasty Care Pathway at a High-Volume Health System: Effect on Length of Stay, Discharge Disposition, and 90-Day Complications. <i>Journal of Arthroplasty</i> , 2018 , 33, 1675-1680	4.4	25
87	Identifying and classifying indicators affected by performing clinical pathways in hospitals: a scoping review. <i>International Journal of Evidence-Based Healthcare</i> , 2018 , 16, 3-24	2.6	2
86	Hospital Discharge Within 1 Day After Total Joint Arthroplasty From a Veterans Affairs Hospital Does Not Increase Complication and Readmission Rates. <i>Journal of Arthroplasty</i> , 2018 , 33, 1337-1342	4.4	14
85	Does Total Intravenous Anesthesia With Short-acting Spinal Anesthetics in Primary Hip and Knee Arthroplasty Facilitate Early Hospital Discharge?. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2018 , 26, e221-e229	4.5	7
84	The impact of surgeon volume and hospital volume on postoperative mortality and morbidity after hip fractures: A systematic review. <i>International Journal of Surgery</i> , 2018 , 54, 316-327	7.5	24
83	Is Rapid Recovery Hip and Knee Replacement Possible and Safe in the Octogenarian Patient?. <i>Journal of Arthroplasty</i> , 2018 , 33, 316-319	4.4	14
82	Anesthesia for Clavicle Fractures. 2018 , 87-93		1
81	Clinical pathway improves implementation of evidence-based strategies for the management of androgen deprivation therapy-induced side effects in men with prostate cancer. <i>BJU International</i> , 2018 , 121, 610-618	5.6	7
80	Enhanced recovery after surgery (ERAS) Concepts, components, and application to spine surgery. <i>Seminars in Spine Surgery</i> , 2018 , 30, 104-110	0.2	11
79	The effectiveness of clinical pathway-directed care on hospitalisation-related outcomes in patients with severe traumatic brain injury: A quasi-experimental study. <i>Journal of Clinical Nursing</i> , 2018 , 27, e820-e832 ^o	3.2	3
78	Care professionals' experiences about using Liverpool Care Pathway in end-of-life care in residential care homes. <i>Scandinavian Journal of Caring Sciences</i> , 2018 , 32, 299-308	2.3	6
77	Impact of enhanced recovery after surgery on postoperative recovery after joint arthroplasty: results from a systematic review and meta-analysis. <i>Postgraduate Medical Journal</i> , 2018 , 94, 678-693	2	46
76	Unplanned emergency department or urgent care visits after outpatient rotator cuff repair: potential for avoidance. <i>Journal of Shoulder and Elbow Surgery</i> , 2018 , 27, 993-997	4.3	14
75	Does Surgeon Volume Affect Outcomes Following Primary Total Hip Arthroplasty? A Systematic Review. <i>Journal of Arthroplasty</i> , 2018 , 33, 3329-3342	4.4	31

74	Optimal dose of intrathecal isobaric bupivacaine in total knee arthroplasty. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1004-1011	3	5
73	Enhanced Recovery After Shoulder Arthroplasty. <i>Anesthesiology Clinics</i> , 2018 , 36, 417-430	2.3	8
72	Referring equine veterinarians: Expectations of equine veterinary specialists and referral centers. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 253, 479-489	1	6
71	Accelerating Analytics for Clinical Pathways to Drive Cost Reduction and Quality Improvement. 2018 ,		
70	Total knee arthroplasty: improving outcomes with a multidisciplinary approach. <i>Journal of Multidisciplinary Healthcare</i> , 2018 , 11, 63-73	2.8	54
69	Effects of a Total Knee Arthroplasty Care Pathway on Cost, Quality, and Patient Experience: Toward Measuring the Triple Aim. <i>Journal of Arthroplasty</i> , 2019 , 34, 2561-2568	4.4	9
68	Evaluation of the Clinical Efficacy of Using Thermal Camera for Cryotherapy in Patients with Total Knee Arthroplasty: A Prospective Study. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	3
67	Fast-track program of elective joint replacement in hip and knee-patients: Experiences of the clinical pathway and care process. <i>Journal of Orthopaedic Surgery and Research</i> , 2019 , 14, 186	2.8	24
66	Effect of Enhanced Recovery After Surgery program on pancreaticoduodenectomy: a randomized controlled trial. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 360-369	2.8	10
65	Continuous adductor canal blockade facilitates increased home discharge and decreased opioid consumption after total knee arthroplasty. <i>Knee</i> , 2019 , 26, 679-686	2.6	15
64	Clinical practices for primary hip and knee arthroplasties in Spain: A national study. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2019 , 63, 408-415	0.4	1
63	The necessity of routine postoperative laboratory tests in enhanced recovery after surgery for primary hip and knee arthroplasty: A retrospective cohort study protocol. <i>Medicine (United States)</i> , 2019 , 98, e15513	1.8	8
62	Perioperative restrictive versus goal-directed fluid therapy for adults undergoing major non-cardiac surgery. <i>The Cochrane Library</i> , 2019 , 12, CD012767	5.2	21
61	The prescription opioid crisis: role of the anaesthesiologist in reducing opioid use and misuse. <i>British Journal of Anaesthesia</i> , 2019 , 122, e198-e208	5.4	40
60	Health professionals' Perceptions of the allied health role in the acute setting following hip and knee joint replacement surgery: a qualitative study. <i>Disability and Rehabilitation</i> , 2020 , 42, 93-101	2.4	3
59	Clinical information and guidance shared via a patient information system can reduce hospital stay and maintain 2 medical quality for total knee arthroplasty: A single-blinded quasi-randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2020 , 104, 103440	5.8	0
58	Temporal Trends and Predictors of Thirty-Day Readmissions and Emergency Department Visits Following Total Knee Arthroplasty in Ontario Between 2003 and 2016. <i>Journal of Arthroplasty</i> , 2020 , 35, 364-370	4.4	11
57	Meta-analysis of Enhanced Recovery After Surgery (ERAS) Protocols in Emergency Abdominal Surgery. <i>World Journal of Surgery</i> , 2020 , 44, 1336-1348	3.3	22

56	Who Did the Arthroplasty? Hip Fracture Surgery Reoperation Rates are Not Affected by Type of Training-An Analysis of the HEALTH Database. <i>Journal of Orthopaedic Trauma</i> , 2020 , 34 Suppl 3, S64-S69 ^{3,1}	3.1	1
55	Towards a New System for the Assessment of the Quality in Care Pathways: An Overview of Systematic Reviews. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
54	Introducing enhanced recovery after surgery in a high-volume orthopaedic hospital: a health technology assessment. <i>BMC Health Services Research</i> , 2020 , 20, 773	2.9	5
53	Significant Improvement in the Value of Surgical Treatment of Tibial Plateau Fractures Through Surgeon Practice Standardization. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2020 , 28, 772-779	4.5	1
52	Incidence and risk factors for perioperative death after revision total hip arthroplasty: a 20-year analysis. <i>HIP International</i> , 2020 , 1120700020921354	1.7	0
51	Clinical pathway improves medical practice in total knee arthroplasty. <i>PLoS ONE</i> , 2020 , 15, e0232881	3.7	4
50	Extending Enhanced Recovery after Surgery Protocols to the Post-Discharge Setting: A Phone Call Intervention to Support Patients after Expedited Discharge after Pancreaticoduodenectomy. <i>American Surgeon</i> , 2020 , 86, 42-48	0.8	5
49	Retrospective Comparative Study of the Influence on Quality of Primary Total Hip Arthroplasty by the EndoCert-Certification System in a Communal Hospital. <i>Zeitschrift Fur Orthopadie Und Unfallchirurgie</i> , 2021 , 159, 397-405	1.1	0
48	Application of fast-track surgery combined with a clinical nursing pathway in the rehabilitation of patients undergoing total hip arthroplasty. <i>Journal of International Medical Research</i> , 2020 , 48, 300060519889718	1.4	9
47	Outcomes of outpatient total hip arthroplasty: a systematic review. <i>HIP International</i> , 2021 , 31, 4-11	1.7	3
46	Predictive Factors of Extended Length of Hospital Stay Following Total Joint Arthroplasty in a Veterans Affairs Hospital Population. <i>Journal of Arthroplasty</i> , 2021 , 36, 1527-1532	4.4	0
45	Poor nutritional status correlates with mortality and worse postoperative outcomes in patients with femoral neck fractures. <i>Bone and Joint Journal</i> , 2021 , 103-B, 164-169	5.6	4
44	Excellent Functional Outcome and Quality of Life after Primary Cementless Total Hip Arthroplasty (THA) Using an Enhanced Recovery Setup. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
43	Early and Direct Rehab Transfer Leads to Significant Cost Savings and Decreased Hospital Length of Stay for Total Joint Arthroplasty in a Veteran Population. <i>Journal of Arthroplasty</i> , 2021 , 36, 1478-1483	4.4	1
42	Effects of Clinical Pathways on Cesarean Sections in China: Length of Stay and Direct Hospitalization Cost Based on Meta-Analysis of Randomized Controlled Trials and Controlled Clinical Trials. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	
41	Absence of a "July Effect" on Hospital Length of Stay After Primary Total Hip or Knee Arthroplasty. <i>Orthopedics</i> , 2021 , 44, e503-e508	1.5	
40	Enhanced recovery after pancreatic surgery: A prospective randomized controlled clinical trial. <i>Journal of Surgical Oncology</i> , 2021 , 124, 1070-1076	2.8	0
39	Predictors of Successful Early Discharge for Total Hip and Knee Arthroplasty in Octogenarians. <i>HSS Journal</i> , 155633162110306	2	0

38	Wound complications and bleeding with new oral anticoagulants in patients undergoing total joint arthroplasty: A systematic review and meta-analysis of randomized controlled trials. <i>British Journal of Clinical Pharmacology</i> , 2021 ,	3.8	0
37	A continuous PREMs and PROMs Observatory for elective hip and knee arthroplasty: study protocol. <i>BMJ Open</i> , 2021 , 11, e049826	3	0
36	Lower Dosing of Bupivacaine Spinal Anesthesia Is Not Associated With Improved Perioperative Outcomes After Total Joint Arthroplasty. <i>Arthroplasty Today</i> , 2021 , 11, 6-9	2	0
35	Versorgungssituation. 2017 , 43-93		1
34	A cost-effectiveness analysis after implementation of a fast-track protocol for total knee arthroplasty. <i>Knee</i> , 2020 , 27, 451-458	2.6	3
33	Clinical practices for primary hip and knee arthroplasties in Spain: A national study. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2019 , 63, 408-415	0.4	1
32	Enhanced Recovery after Surgery for Knee Arthroplasty in the Era of COVID-19. <i>Journal of Knee Surgery</i> , 2020 ,	2.4	2
31	Better organized care via care pathways: A multicenter study. <i>PLoS ONE</i> , 2017 , 12, e0180398	3.7	16
30	Impact of enhanced recovery after surgery programs on pancreatic surgery: A meta-analysis. <i>World Journal of Gastroenterology</i> , 2018 , 24, 1666-1678	5.6	52
29	An ultrasound-guided fascia iliaca catheter technique does not impair ambulatory ability within a clinical pathway for total hip arthroplasty. <i>Korean Journal of Anesthesiology</i> , 2016 , 69, 368-75	3.8	11
28	Approaches to Delivery of Care at Home Following Elective Hip and Knee Joint Replacement Surgery. <i>Open Journal of Therapy and Rehabilitation</i> , 2015 , 03, 97-100	0.4	1
27	An in-depth analysis of theoretical frameworks for the study of care coordination. <i>International Journal of Integrated Care</i> , 2013 , 13, e024	2	41
26	Elective total knee arthroplasty in haemophilic patients. Proposal for a clinical pathway. <i>Hamostaseologie</i> , 2014 , 34 Suppl 1, S23-9	1.9	6
25	Fast-track rehabilitation after total knee arthroplasty reduces length of hospital stay: A prospective, case-control clinical trial. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2020 , 66, 398-404	1.1	2
24	Continuous Improvements of a Clinical Pathway Increased Its Feasibility and Improved Care Providers Perception in TKA. <i>Knee Surgery and Related Research</i> , 2014 , 26, 199-206	2.5	1
23	Effect of Patient-Focused Clinical Pathway on Anxiety, Depression and Satisfaction of Patients With Coronary Artery Disease: A Quasi-Experimental Study. <i>Iranian Red Crescent Medical Journal</i> , 2015 , 17, e29933	1.3	6
22	Chronic pain in older and senile patients. Clinical guidelines. <i>Russian Journal of Geriatric Medicine</i> , 2021 , 275-320	2	2
21	From ideal to actual practice: Tailoring a clinical pathway to address anxiety or depression in patients with cancer and planning its implementation across individual clinical services. <i>Journal of Psychosocial Oncology Research and Practice</i> , 2021 , 3, e061	0.7	1

20	Bewegungstherapie in der Rehabilitation nach Knie- oder Hüft-TEP-Implantation. 2016 , 305-314		
19	Warum bedarf es neuer Konzepte wie dem Rapid-Recovery-Programm?. 2016 , 267-272		
18	Enhanced Recovery Program After Pancreatectomy. 2017 , 365-376		
17	Status of Healthcare. 2018 , 41-89		
16	Regional Anesthesia in the Community Practice Setting. 2018 , 135-168		
15	Functional Recovery Program after Lumbar Spinal Fusion. <i>The Journal of the Korean Orthopaedic Association</i> , 2020 , 55, 222	0.1	
14	Development of a Model Care Pathway for Myasthenia Gravis. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
13	Implementation of a Ponseti Clubfoot Program Decreases Major Surgery: A Quality Improvement Initiative. <i>Pediatric Quality & Safety</i> , 2020 , 5, e362	1	
12	Acceptability and appropriateness of a clinical pathway for managing anxiety and depression in cancer patients: a mixed methods study of staff perspectives. <i>BMC Health Services Research</i> , 2021 , 21, 1243	2.9	2
11	Does Risk Mitigation Reduce 90-Day Complications in Patients Undergoing Total Knee Arthroplasty?: A Cohort Study.. <i>Clinics in Orthopedic Surgery</i> , 2022 , 14, 56-68	2.9	2
10	Enhanced recovery program - Impact of ASA grade on length of hospital stay in patients undergoing hip and knee arthroplasties.. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2022	2.5	
9	Conventional versus fast track rehabilitation after total hip replacement: A randomized controlled trial. <i>Journal of Orthopaedics, Trauma and Rehabilitation</i> , 2022 , 29, 221049172210765	0.1	
8	Staff perspectives on the feasibility of a clinical pathway for anxiety and depression in cancer care, and mid-implementation adaptations.. <i>BMC Health Services Research</i> , 2022 , 22, 192	2.9	
7	Impact of enhanced recovery pathways on safety and efficacy of hip and knee arthroplasty: A systematic review and meta-analysis.. <i>World Journal of Orthopedics</i> , 2022 , 13, 307-328	2.2	1
6	Neuraxial versus general anesthesia for perioperative outcomes and resource utilization following knee arthroplasty: experience from a large national database. <i>Archives of Orthopaedic and Trauma Surgery</i> ,	3.6	
5	Rehabilitation Variability Following Osteochondral Autograft and Allograft Transplantation of the Knee. <i>Cartilage</i> , 2022 , 13, 194760352210930	3	0
4	EndoProthetikZentrum. 2022 , 17, e3-e14		0
3	Integrated Care Pathway for Hip Fractures in a Subacute Rehabilitation Setting. 2013 , 42, 579-584		2

2 Impact of core versus enhanced implementation strategies on adherence to a clinical pathway for managing anxiety and depression in cancer patients in routine care: A cluster randomised controlled trial. ○

1 Team Approach: Use of Opioids in Orthopaedic Practice. **2023**, 11, ○