A Strategy for Identifying Locomotion Modes Using Sur

IEEE Transactions on Biomedical Engineering 56, 65-73 DOI: 10.1109/tbme.2008.2003293

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Toward the development of a neural interface for lower limb prosthesis control. , 2009, 2009, 2111-4. | | 13 |
| 2 | Adaptive control and signal processing literature survey (No. 11). International Journal of Adaptive Control and Signal Processing, 2009, 23, 541-546. | 4.1 | 0 |
| 3 | Spatial Filtering Improves EMG Classification Accuracy Following Targeted Muscle Reinnervation. Annals of Biomedical Engineering, 2009, 37, 1849-1857. | 2.5 | 48 |
| 4 | Promise of embedded system with GPU in artificial leg control: Enabling time-frequency feature extraction from electromyography. , 2009, 2009, 6926-9. | | 11 |
| 5 | Preliminary Evaluation of Myoelectric Control of an Active Transfemoral Prosthesis During Stair Ascent. , 2010, , . | | 6 |
| 6 | Multiclass Real-Time Intent Recognition of a Powered Lower Limb Prosthesis. IEEE Transactions on Biomedical Engineering, 2010, 57, 542-551. | 4.2 | 354 |
| 7 | Quantifying Pattern Recognition—Based Myoelectric Control of Multifunctional Transradial Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2010, 18, 185-192. | 4.9 | 366 |
| 8 | Study of stability of time-domain features for electromyographic pattern recognition. Journal of NeuroEngineering and Rehabilitation, 2010, 7, 21. | 4.6 | 413 |
| 9 | Design of a robust EMG sensing interface for pattern classification. Journal of Neural Engineering, 2010, 7, 056005. | 3.5 | 71 |
| 10 | The influence of walking speed on muscle activity of thigh and application in prostheses control. , 2010, , . | | 0 |
| 11 | Myoelectric control of a powered knee prosthesis for volitional movement during non-weight-bearing activities. , 2010, 2010, 3515-8. | | 7 |
| 12 | Design and implementation of a special purpose embedded system for neural machine interface. , 2010, , \cdot | | 4 |
| 13 | Locomotion classification using EMG signal. , 2010, , . | | 6 |
| 14 | Active Knee Prosthesis Control With Electromyography. , 2010, , . | | 8 |
| 15 | A study on control mechanism of above knee robotic prosthesis based on CPG model. , 2010, , . | | 10 |
| 16 | SVM classification of locomotion modes using surface electromyography for applications in rehabilitation robotics. , 2010, , . | | 22 |
| 17 | Design and implementation of an embedded system for neural-controlled artificial legs. , 2010, , . | | 3 |
| 18 | A neuromusculoskeletal model of the human lower limb: Towards EMG-driven actuation of multiple joints in powered orthoses. , 2011, 2011, 5975441. | | 25 |

TITATION REDORT

| <u> </u> | | D | _ |
|----------|-----|-------|---|
| (ΙΤΔΤ | ION | Repor | Т |
| CITAL | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Continuous Locomotion-Mode Identification for Prosthetic Legs Based on Neuromuscular–Mechanical Fusion. IEEE Transactions on Biomedical Engineering, 2011, 58, 2867-2875. | 4.2 | 425 |
| 20 | A configuration dependent muscle model for the myoelectric control of a transfemoral prosthesis. , 2011, 2011, 5975480. | | 12 |
| 21 | A Novel CPS System for Evaluating a Neural-Machine Interface for Artificial Legs. , 2011, , . | | 19 |
| 22 | SVM-based classification of EMG signals for enhanced interfaces in lower extremities exoskeletons. Gait and Posture, 2011, 33, S30-S31. | 1.4 | 3 |
| 23 | Myoelectric Torque Control of an Active Transfemoral Prosthesis During Stair Ascent. , 2011, , . | | 3 |
| 24 | Volitional Control of a Prosthetic Knee Using Surface Electromyography. IEEE Transactions on Biomedical Engineering, 2011, 58, 144-151. | 4.2 | 164 |
| 25 | ANFIS based knee angle prediction: An approach to design speed adaptive contra lateral controlled AK prosthesis. Applied Soft Computing Journal, 2011, 11, 4757-4765. | 7.2 | 30 |
| 26 | Electromyography-based control of active above-knee prostheses. Control Engineering Practice, 2011, 19, 875-882. | 5.5 | 38 |
| 27 | Preliminary design of a terrain recognition system. , 2011, 2011, 5452-5. | | 41 |
| 28 | Sensor-fault tolerant control of a powered lower limb prosthesis by mixing mode-specific adaptive Kalman filters. , 2011, 2011, 3696-9. | | 10 |
| 29 | Real-time implementation of an intent recognition system for artificial legs. , 2011, 2011, 2997-3000. | | 17 |
| 30 | A Prototype for Smart Prosthetic Legs-Analysis and Mechanical Design. Advanced Materials Research, 0, 403-408, 1999-2006. | 0.3 | 15 |
| 31 | A special purpose embedded system for neural machine interface for artificial legs. , 2011, 2011, 5207-10. | | 3 |
| 32 | A method to determine the optimal features for control of a powered lower-limb prostheses. , 2011, 2011, 6041-6. | | 19 |
| 33 | Preliminary Evaluation of a Knee-Ankle-Foot Orthosis for the Emulation of Transfemoral Prosthesis Socket Loads. , 2011, , . | | 1 |
| 34 | Trust sensor interface for improving reliability of EMG-based user intent recognition. , 2011, 2011, 7516-20. | | 6 |
| 35 | Improving the performance of a neural-machine interface for artificial legs using prior knowledge of walking environment. , 2011, 2011, 4255-8. | | 9 |
| 36 | Implementing an FPGA system for real-time intent recognition for prosthetic legs. , 2012, , . | | 9 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | A biomechanical model for encoding joint dynamics: applications to transfemoral prosthesis control. Journal of Applied Physiology, 2012, 112, 1600-1611. | 2.5 | 6 |
| 38 | Preliminary study of the effect of user intent recognition errors on volitional control of powered lower limb prostheses. , 2012, 2012, 2768-71. | | 17 |
| 39 | Promise of a low power mobile CPU based embedded system in artificial leg control. , 2012, 2012, 5250-3. | | 8 |
| 40 | Performance of pattern recognition myoelectric control using a generic electrode grid with Targeted Muscle Reinnervation patients. , 2012, 2012, 4319-23. | | 4 |
| 41 | A wearable capacitive sensing system with phase-dependent classifier for locomotion mode recognition. , 2012, , . | | 4 |
| 42 | An automatic and user-driven training method for locomotion mode recognition for artificial leg control. , 2012, 2012, 6116-9. | | 5 |
| 43 | The Design and Initial Experimental Validation of an Active Myoelectric Transfemoral Prosthesis. Journal of Medical Devices, Transactions of the ASME, 2012, 6, . | 0.7 | 55 |
| 44 | Targeted Reinnervation in the Transfemoral Amputee. Plastic and Reconstructive Surgery, 2012, 129, 187-194. | 1.4 | 66 |
| 45 | Design and Development of EMG Controlled Prosthetics Limb. Procedia Engineering, 2012, 38, 3547-3551. | 1.2 | 44 |
| 46 | Toward Design of an Environment-Aware Adaptive Locomotion-Mode-Recognition System. IEEE Transactions on Biomedical Engineering, 2012, 59, 2716-2725. | 4.2 | 53 |
| 47 | Intelligent bionic leg motion estimation based on interjoint coordination using PCA and RBF neural networks. , 2012, , . | | 1 |
| 48 | Co-contraction patterns of trans-tibial amputee ankle and knee musculature during gait. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 29. | 4.6 | 35 |
| 49 | On Design and Implementation of Neural-Machine Interface for Artificial Legs. IEEE Transactions on Industrial Informatics, 2012, 8, 418-429. | 11.3 | 54 |
| 51 | Man to Machine, Applications in Electromyography. , 0, , . | | 6 |
| 52 | Non-weight-bearing neural control of a powered transfemoral prosthesis. Journal of NeuroEngineering and Rehabilitation, 2013, 10, 62. | 4.6 | 60 |
| 53 | BioPatRec: A modular research platform for the control of artificial limbs based on pattern recognition algorithms. Source Code for Biology and Medicine, 2013, 8, 11. | 1.7 | 150 |
| 54 | Intention detection of gait initiation using EMG and kinematic data. Gait and Posture, 2013, 37, 223-228. | 1.4 | 47 |
| 55 | Real-time implementation of a self-recovery EMG pattern recognition interface for artificial arms. , 2013, 2013, 5926-9. | | 11 |

| # 56 | ARTICLE Comparison of muscle activity patterns of transfemoral amputees and control subjects during walking. Journal of NeuroEngineering and Rehabilitation, 2013, 10, 87. | IF 4.6 | Citations 65 |
|---------|--|-----------|-----------------|
| 57 | Stair Ascent With a Powered Transfemoral Prosthesis Under Direct Myoelectric Control. IEEE/ASME Transactions on Mechatronics, 2013, 18, 1191-1200. | 5.8 | 98 |
| 58 | An Adaptive Algorithm for the Determination of the Onset and Offset of Muscle Contraction by EMG Signal Processing. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2013, 21, 65-73. | 4.9 | 67 |
| 59 | Robotic Leg Control with EMG Decoding in an Amputee with Nerve Transfers. New England Journal of Medicine, 2013, 369, 1237-1242. | 27.0 | 211 |
| 60 | Non-contact capacitance sensing for continuous locomotion mode recognition: Design specifications and experiments with an amputee. , 2013, 2013, 6650410. | | 8 |
| 61 | EMG control of a bionic knee prosthesis: Exploiting muscle co-contractions for improved locomotor function. , 2013, 2013, 6650389. | | 41 |
| 62 | Source Selection for Real-Time User Intent Recognition Toward Volitional Control of Artificial Legs. IEEE Journal of Biomedical and Health Informatics, 2013, 17, 907-914. | 6.3 | 82 |
| 63 | An intent recognition strategy for transfemoral amputee ambulation across different locomotion modes. , 2013, 2013, 1587-90. | | 35 |
| 64 | Locomotion Mode Classification Using a Wearable Capacitive Sensing System. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2013, 21, 744-755. | 4.9 | 74 |
| 65 | Towards policy and guidelines for the selection of computational engines. , 2013, , . | | 1 |
| 66 | State detection from electromyographic signals towards the control of prosthetic limbs. , 2013, , . | | 4 |
| 67 | Compact human-machine interface using surface electromyography. , 2013, , . | | 3 |
| 68 | Terrain recognition improves the performance of neural-machine interface for locomotion mode recognition. , 2013, , . | | 11 |
| 69 | Electromyography-Based Locomotion Pattern Recognition and Personal Positioning Toward Improved Context-Awareness Applications. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2013, 43, 1216-1227. | 9.3 | 26 |
| 70 | Myoelectric neural interface enables accurate control of a virtual multiple degree-of-freedom foot-ankle prosthesis. , 2013, 2013, 6650499. | | 17 |
| 71 | Bilateral electromyogram response latency following platform perturbation in unilateral transtibial prosthesis users: Influence of weight distribution and limb position. Journal of Rehabilitation Research and Development, 2013, 50, 531. | 1.6 | 6 |
| 72 | Muscle activity during stance phase of walking: Comparison of males with transfemoral amputation with osseointegrated fixations to nondisabled male volunteers. Journal of Rehabilitation Research and Development, 2013, 50, 499. | 1.6 | 16 |
| 73 | Lower Limb Wearable Capacitive Sensing and Its Applications to Recognizing Human Gaits. Sensors, 2013, 13, 13334-13355. | 3.8 | 24 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | Myoelectric Walking Mode Classification for Transtibial Amputees. IEEE Transactions on Biomedical Engineering, 2013, 60, 2745-2750. | 4.2 | 76 |
| 75 | Leg amputees motion pattern recognition based on principal component analysis and BP network. , 2013, , . | | 3 |
| 76 | Evaluation of a coordinated control system for a pair of powered transfemoral prostheses. , 2013, , . | | 13 |
| 77 | A fuzzy logic based terrain identification approach to prosthesis control using multi-sensor fusion. , 2013, , . | | 9 |
| 78 | Design and implementation of a low power mobile CPU based embedded system for artificial leg control. , 2013, 2013, 5769-72. | | 6 |
| 79 | The effect of involuntary motor activity on myoelectric pattern recognition: a case study with chronic stroke patients. Journal of Neural Engineering, 2013, 10, 046015. | 3.5 | 17 |
| 80 | Improving the performance of a neural-machine interface for prosthetic legs using adaptive pattern classifiers. , 2013, 2013, 1571-4. | | 10 |
| 81 | Real-Time Locomotion Mode Recognition Employing Correlation Feature Analysis Using EMG Pattern. ETRI Journal, 2014, 36, 99-105. | 2.0 | 31 |
| 82 | Analysis of using EMG and mechanical sensors to enhance intent recognition in powered lower limb prostheses. Journal of Neural Engineering, 2014, 11, 056021. | 3.5 | 156 |
| 83 | A Noncontact Capacitive Sensing System for Recognizing Locomotion Modes of Transtibial Amputees. IEEE Transactions on Biomedical Engineering, 2014, 61, 2911-2920. | 4.2 | 72 |
| 84 | Novel wearable EMG sensors based on nanowire technology. , 2014, 2014, 1674-7. | | 4 |
| 85 | A Locomotion Intent Prediction System Based on Multi-Sensor Fusion. Sensors, 2014, 14, 12349-12369. | 3.8 | 52 |
| 86 | Recovery strategy identification throughout swing phase using kinematic data from the tripped leg. , 2014, 2014, 6199-202. | | 7 |
| 87 | Feature dimensionality reduction for myoelectric pattern recognition: A comparison study of feature selection and feature projection methods. Medical Engineering and Physics, 2014, 36, 1716-1720. | 1.7 | 23 |
| 88 | Motion control of a robotic transtibial prosthesis during transitions between level ground and stairs. , 2014, , . | | 3 |
| 89 | A strategy for labeling data for the neural adaptation of a powered lower limb prosthesis. , 2014, 2014, 3090-3. | | 9 |
| 90 | Locomotion mode identification for lower limbs using neuromuscular and joint kinematic signals. , 2014, 2014, 4071-4. | | 7 |
| 91 | A portable system with sample rate of 250ÂHz for characterization of knee and hip angles in the sagittal plane during gait. BioMedical Engineering OnLine, 2014, 13, 34. | 2.7 | 3 |

| | Сітатіоі | n Report | |
|-----|--|----------|-----------|
| # | Article | IF | CITATIONS |
| 92 | Gait cadence detection based on surface electromyography (sEMG) of lower limb muscles. , 2014, , . | | 1 |
| 93 | Activity recognition of the torso based on surface electromyography for exoskeleton control. Biomedical Signal Processing and Control, 2014, 10, 281-288. | 5.7 | 12 |
| 94 | Intent Recognition in a Powered Lower Limb Prosthesis Using Time History Information. Annals of Biomedical Engineering, 2014, 42, 631-641. | 2.5 | 131 |
| 95 | A Training Method for Locomotion Mode Prediction Using Powered Lower Limb Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 671-677. | 4.9 | 120 |
| 96 | Finite-state control of a robotic transtibial prosthesis with motor-driven nonlinear damping behaviors for level ground walking. , 2014, , . | | 6 |
| 97 | Multiple gait phase recognition using boosted classifiers based on sEMG signal and classification matrix. , 2014, , . | | 9 |
| 98 | Towards limb position invariant myoelectric pattern recognition using time-dependent spectral features. Neural Networks, 2014, 55, 42-58. | 5.9 | 153 |
| 99 | Engineering Platform and Experimental Protocol for Design and Evaluation of a Neurally-controlled Powered Transfemoral Prosthesis. Journal of Visualized Experiments, 2014, , . | 0.3 | 11 |
| 100 | On the Design of a Wearable Multi-sensor System for Recognizing Motion Modes and Sit-to-stand Transition. International Journal of Advanced Robotic Systems, 2014, 11, 30. | 2.1 | 27 |
| 101 | Multiple sensor outputs and computational intelligence towards estimating state and speed for control of lower limb prostheses. , 2014, , . | | 0 |
| 102 | A realtime locomotion mode recognition method for an active pelvis orthosis. , 2015, , . | | 10 |
| 103 | Human-Centered Design of Wearable Neuroprostheses and Exoskeletons. Al Magazine, 2015, 36, 12-22. | 1.6 | 22 |
| 104 | Bioelectronic interfaces for artificially driven human movements. , 0, , 281-293. | | 0 |
| 105 | Intuitive Control of a Powered Prosthetic Leg During Ambulation. JAMA - Journal of the American Medical Association, 2015, 313, 2244. | 7.4 | 124 |
| 106 | Adaptive myoelectric pattern recognition toward improved multifunctional prosthesis control. Medical Engineering and Physics, 2015, 37, 424-430. | 1.7 | 44 |
| 107 | Electromyographic assessment on transfemoral amputees to possibly control artificial lower limbs. International Journal of Biomedical Engineering and Technology, 2015, 17, 72. | 0.2 | 2 |
| 108 | Detection of critical errors of locomotion mode recognition for volitional control of powered transfemoral prostheses. , 2015, 2015, 1128-31. | | 2 |
| 109 | Electromyographic movement pattern recognition based on random forest algorithm. , 2015, , . | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | Integration of surface electromyographic sensors with the transfemoral amputee socket. Prosthetics and Orthotics International, 2015, 39, 166-173. | 1.0 | 26 |
| 111 | Towards Autonomous Robotic Systems. Lecture Notes in Computer Science, 2015, , . | 1.3 | 2 |
| 112 | Effect of additional mechanical sensor data on an EMG-based pattern recognition system for a powered leg prosthesis. , 2015, , . | | 30 |
| 113 | Towards ubiquitous mobile-computing-based artificial leg control. , 2015, , . | | 1 |
| 114 | Effect of different terrains on onset timing, duration and amplitude of tibialis anterior activation. Biomedical Signal Processing and Control, 2015, 19, 115-121. | 5.7 | 6 |
| 115 | High energy spectrogram with integrated prior knowledge for EMG-based locomotion classification. Medical Engineering and Physics, 2015, 37, 518-524. | 1.7 | 44 |
| 116 | Control strategies for active lower extremity prosthetics and orthotics: a review. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 1. | 4.6 | 773 |
| 117 | A real-time, practical sensor fault-tolerant module for robust EMG pattern recognition. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 18. | 4.6 | 52 |
| 118 | HHT Based Features for Discrimination of EMG Signals. Advances in Intelligent Systems and Computing, 2015, , 95-103. | 0.6 | 8 |
| 119 | A foot-wearable interface for locomotion mode recognition based on discrete contact force distribution. Mechatronics, 2015, 32, 12-21. | 3.3 | 55 |
| 121 | Intention recognition method for sit-to-stand and stand-to-sit from electromyogram signals for overground lower-limb rehabilitation robots. , 2015, , . | | 2 |
| 122 | Effects of Locomotion Mode Recognition Errors on Volitional Control of Powered Above-Knee Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2015, 23, 64-72. | 4.9 | 58 |
| 123 | A new strategy for parameter optimization to improve phase-dependent locomotion mode recognition. Neurocomputing, 2015, 149, 585-593. | 5.9 | 25 |
| 124 | Nonnegative Matrix Factorization for the Identification of EMG Finger Movements: Evaluation Using Matrix Analysis. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 478-485. | 6.3 | 107 |
| 125 | Fuzzy-Logic-Based Terrain Identification with Multisensor Fusion for Transtibial Amputees. IEEE/ASME Transactions on Mechatronics, 2015, 20, 618-630. | 5.8 | 77 |
| 126 | A survey of sensor fusion methods in wearable robotics. Robotics and Autonomous Systems, 2015, 73, 155-170. | 5.1 | 190 |
| 127 | PSO-SVM-Based Online Locomotion Mode Identification for Rehabilitation Robotic Exoskeletons. Sensors, 2016, 16, 1408. | 3.8 | 55 |
| 128 | Tolerance of neural decoding errors for powered artificial legs: A pilot study. , 2016, 2016, 4630-4633. | | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 129 | MYOELECTRIC ACTIVATION DIFFERENCES IN TRANSFEMORAL AMPUTEES DURING LOCOMOTOR STATE TRANSITIONS. Biomedical Engineering - Applications, Basis and Communications, 2016, 28, 1650041. | 0.6 | 3 |
| 130 | User intent prediction with a scaled conjugate gradient trained artificial neural network for lower limb amputees using a powered prosthesis. , 2016, 2016, 6405-6408. | | 15 |
| 131 | Learning Probabilistic Features from EMG Data for Predicting Knee Abnormalities. IFMBE Proceedings, 2016, , 668-672. | 0.3 | 3 |
| 132 | Gait recognition based on EMG with different individuals and sample sizes. , 2016, , . | | 14 |
| 133 | Continuous estimation of ankle joint angular position based on the myoelectric signals. , 2016, , . | | 6 |
| 134 | Development and preliminary testing of a flexible control system for powered knee-ankle prostheses. , 2016, , . | | 2 |
| 135 | Corticomuscular coherence variation throughout the gait cycle during overground walking and ramp ascent: A preliminary investigation. , 2016, 2016, 4634-4637. | | 11 |
| 136 | Classification of non-weight bearing lower limb movements: Towards a potential treatment for phantom limb pain based on myoelectric pattern recognition. , 2016, 2016, 5457-5460. | | 5 |
| 137 | Delaying ambulation mode transitions in a powered knee-ankle prosthesis. , 2016, 2016, 5079-5082. | | 3 |
| 138 | Development of an Environment-Aware Locomotion Mode Recognition System for Powered Lower Limb Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 434-443. | 4.9 | 111 |
| 139 | Review of Control Strategies for Lower Limb Prostheses. Advances in Intelligent Systems and Computing, 2016, , 209-220. | 0.6 | 16 |
| 140 | Optimizing Support Vector Machine withÂGenetic Algorithm for Capacitive Sensing-Based Locomotion Mode Recognition. Advances in Intelligent Systems and Computing, 2016, , 1035-1047. | 0.6 | 0 |
| 141 | Terrain and Direction Classification of Locomotion Transitions Using Neuromuscular and Mechanical Input. Annals of Biomedical Engineering, 2016, 44, 1275-1284. | 2.5 | 39 |
| 142 | A Classification Method for User-Independent Intent Recognition for Transfemoral Amputees Using Powered Lower Limb Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 217-225. | 4.9 | 99 |
| 143 | Detection of and Compensation for EMG Disturbances for Powered Lower Limb Prosthesis Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 226-234. | 4.9 | 80 |
| 144 | Noncontact Capacitive Sensing-Based Locomotion Transition Recognition for Amputees With Robotic Transtibial Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 161-170. | 4.9 | 62 |
| 145 | Toward an Enhanced Human–Machine Interface for Upper-Limb Prosthesis Control With Combined EMG and NIRS Signals. IEEE Transactions on Human-Machine Systems, 2017, 47, 564-575. | 3.5 | 81 |
| 146 | A murine model of a novel surgical architecture for proprioceptive muscle feedback and its potential application to control of advanced limb prostheses. Journal of Neural Engineering, 2017, 14, 036002. | 3.5 | 40 |

| # | ARTICLE Delaying Ambulation Mode Transition Decisions Improves Accuracy of a Flexible Control System for Powered Knee-Ankle Prosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, | IF 4.9 | CITATIONS |
|-----|---|-----------|-----------|
| 147 | 2017, 25, 1164-1171. Kinematic-based locomotion mode recognition for power augmentation exoskeleton. International Journal of Advanced Robotic Systems, 2017, 14, 172988141773032. | 2.1 | 15 |
| 150 | Volitional Control Research. , 2017, , 137-150. | | 2 |
| 151 | Gait Recognition Using GA-SVM Method Based on Electromyography Signal. Lecture Notes in Computer Science, 2017, , 313-322. | 1.3 | 5 |
| 152 | Real-Time Hybrid Locomotion Mode Recognition for Lower Limb Wearable Robots. IEEE/ASME Transactions on Mechatronics, 2017, 22, 2480-2491. | 5.8 | 63 |
| 153 | A Method for Locomotion Mode Identification Using Muscle Synergies. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 608-617. | 4.9 | 41 |
| 154 | Human falling recognition system design with wearable pressure sensing shoes. , 2017, , . | | 3 |
| 155 | Preliminary study of online gait recognizer for lower limb exoskeletons. , 2017, , . | | 11 |
| 156 | Intent pattern recognition of lower-limb motion based on mechanical sensors. IEEE/CAA Journal of Automatica Sinica, 2017, 4, 651-660. | 13.1 | 51 |
| 157 | Prediction of lower-limb joint kinematics from surface EMG during overground locomotion. , 2017, , . | | 12 |
| 158 | Navigating features: a topologically informed chart of electromyographic features space. Journal of the Royal Society Interface, 2017, 14, 20170734. | 3.4 | 55 |
| 159 | Locomotion mode classification using force myography. , 2017, , . | | 4 |
| 160 | A combined Adaptive Neuro-Fuzzy and Bayesian strategy for recognition and prediction of gait events using wearable sensors. , 2017, , . | | 6 |
| 161 | Recognition of locomotion patterns based on BP neural network during different walking speeds. , 2017, , . | | 5 |
| 162 | Cortical features of locomotion-mode transitions via non-invasive EEG. , 2017, , . | | 3 |
| 163 | Prediction of gait events in walking activities with a Bayesian perception system. , 2017, 2017, 13-18. | | 3 |
| 164 | Prediction of EMG envelopes of multiple terrains over-ground walking from EEG signals using an unscented Kalman filter. , 2017, , . | | 7 |
| 165 | Using bilateral lower limb kinematic and myoelectric signals to predict locomotor activities: A pilot study. , 2017, , . | | 7 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 166 | Usability Comparison of Conventional Direct Control Versus Pattern Recognition Control of Transradial Prostheses. IEEE Transactions on Human-Machine Systems, 2017, 47, 1146-1157. | 3.5 | 36 |
| 167 | Effects of output speed threshold on real-time continuous emg human-machine interface control. , 2017, , . | | 1 |
| 168 | An Adaptive Classification Strategy for Reliable Locomotion Mode Recognition. Sensors, 2017, 17, 2020. | 3.8 | 57 |
| 169 | Early Detection of the Initiation of Sit-to-Stand Posture Transitions Using Orthosis-Mounted Sensors. Sensors, 2017, 17, 2712. | 3.8 | 12 |
| 170 | Research on Lower Limb Motion Recognition Based on Fusion of sEMG and Accelerometer Signals. Symmetry, 2017, 9, 147. | 2.2 | 37 |
| 171 | Whole Body Awareness for Controlling a Robotic Transfemoral Prosthesis. Frontiers in Neurorobotics, 2017, 11, 25. | 2.8 | 23 |
| 172 | Real-time Classification of Non-Weight Bearing Lower-Limb Movements Using EMG to Facilitate Phantom Motor Execution: Engineering and Case Study Application on Phantom Limb Pain. Frontiers in Neurology, 2017, 8, 470. | 2.4 | 25 |
| 173 | Low-Cost 2-Channel Electromyography Telemeter using a Personal Computer Microphone Port. International Journal of Physical Medicine & Rehabilitation, 2017, 05, . | 0.5 | 2 |
| 174 | Voluntary Control of Residual Antagonistic Muscles in Transtibial Amputees: Feedforward Ballistic Contractions and Implications for Direct Neural Control of Powered Lower Limb Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 894-903. | 4.9 | 19 |
| 175 | Continuous-Phase Control of a Powered Knee–Ankle Prosthesis: Amputee Experiments Across Speeds and Inclines. IEEE Transactions on Robotics, 2018, 34, 686-701. | 10.3 | 181 |
| 176 | Electromyographic Signal-Driven Continuous Locomotion Mode Identification Module Design for Lower Limb Prosthesis Control. Arabian Journal for Science and Engineering, 2018, 43, 7817-7835. | 3.0 | 20 |
| 177 | An ICA-EBM-Based sEMG Classifier for Recognizing Lower Limb Movements in Individuals With and Without Knee Pathology. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 675-686. | 4.9 | 55 |
| 178 | Simultaneous Bayesian Recognition of Locomotion and Gait Phases With Wearable Sensors. IEEE Sensors Journal, 2018, 18, 1282-1290. | 4.7 | 51 |
| 179 | Evaluation of EMC pattern recognition for upper limb prosthesis control: a case study in comparison with direct myoelectric control. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 23. | 4.6 | 104 |
| 180 | Adaptive Bayesian inference system for recognition of walking activities and prediction of gait events using wearable sensors. Neural Networks, 2018, 102, 107-119. | 5.9 | 74 |
| 181 | Translational Motion Tracking of Leg Joints for Enhanced Prediction of Walking Tasks. IEEE Transactions on Biomedical Engineering, 2018, 65, 763-769. | 4.2 | 46 |
| 182 | Turn Intent Detection For Control of a Lower Limb Prosthesis. IEEE Transactions on Biomedical Engineering, 2018, 65, 789-796. | 4.2 | 15 |
| 183 | Optimal Mixed Tracking/Impedance Control With Application to Transfemoral Prostheses With Energy Regeneration. IEEE Transactions on Biomedical Engineering, 2018, 65, 894-910. | 4.2 | 24 |

ARTICLE IF CITATIONS # Continuous human locomotion identification for lower limb prosthesis control. CSI Transactions on 184 1.0 22 ICT, 2018, 6, 17-31. Design, Control and Implementation of a Powered Prosthetic Leg., 2018, , . Implementing a SoC-FPGA Based Acceleration System for On-Board SVM Training for Robotic 186 5 Transtibial Prostheses., 2018,,. Real-Time On-Board Recognition of Locomotion Modes for an Active Pelvis Orthosis., 2018,,. Evaluation of Activation Function Capability for Intent Recognition and Development of a 188 1 Computerized Prosthetic Knee., 2018,,. Performance analysis of hardware acceleration for locomotion mode recognition in robotic prosthetic control., 2018,,. 190 Gait Type Classification Using Smart Insole Sensors., 2018,,. 3 Evaluation of a Visual Localization System for Environment Awareness in Assistive Devices. , 2018, 2018, 5135-5141. 192 Real-Time Onboard Human Motion Recognition Based on Inertial Measurement Units., 2018, , . 6 Gait Phase Recognition Based on A Wearable Depth Camera., 2018,,. Lower Limb Movement Intent Recognition Based on Grid Search Random Forest Algorithm., 2018,,. 194 7 An Investigation of Temporally Inspired Time Domain Features for Electromyographic Pattern Recognition. , 2018, 2018, 5236-5240. Human Motion Classification Based on Multi-Modal Sensor Data for Lower Limb Exoskeletons., 2018, 196 20 Implementation issues of EMG-based motion intention detection for exoskeletal robots., 2018, ... Predicting Walking Intentions using sEMG and Mechanical sensors for various environment., 2018, 198 6 2018, 4414-4417. Real-Time On-Board Recognition of Continuous Locomotion Modes for Amputees With Robotic Transtibial Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 2015-2025. Subject-Independent Data Pooling in Classification of Gait Intent Using Mechanomyography on a 200 2 Transtibial Amputee., 2018,,. A Conceptual High Level Controller to Walk with Active Foot Prostheses/Orthoses., 2018,,.

ARTICLE IF CITATIONS # A wearable comprehensive data sampling system for gait analysis. Journal of Medical Engineering and 202 1.4 8 Technology, 2018, 42, 335-343. Estimating the Relationship Between Multivariable Standing Ankle Impedance and Lower Extremity Muscle Activation., 2018, , 204 State-of-the-Art., 2018, , 11-32. 6 Proprioception from a neurally controlled lower-extremity prosthesis. Science Translational 145 Medicine, 2018, 10, . Force Myography Based Novel Strategy for Locomotion Classification. IEEE Transactions on 206 3.5 35 Human-Machine Systems, 2018, 48, 648-657. Evaluation of Pattern Recognition in Myoelectric Signal Using Netlab GLM., 2018, , . Autonomy in Rehabilitation Robotics: An Intersection. Annual Review of Control, Robotics, and 208 11.8 28 Autonomous Systems, 2018, 1, 441-463. Fast Gait Mode Detection and Assistive Torque Control of an Exoskeletal Robotic Orthosis for 209 10.3 Walking Assistance. IEEE Transactions on Robotics, 2018, , 1-18. Identifying classifier input signals to predict a cross-slope during transtibial amputee walking. PLoS 210 2.5 3 ONE, 2018, 13, e0192950. Preliminary Design of an Environment Recognition System for Controlling Robotic Lower-Limb Prostheses and Exoskeletons. , 2019, 2019, 868-873. A Support Vector Regression Approach for Continuous Prediction of Ankle Angle and Moment During 212 Walking: An Implication for Developing a Control Strategy for Active Ankle Prostheses. , 2019, 2019, 16 727-733. Locomotion Mode Recognition With Robotic Transtibial Prosthesis in Inter-Session and Inter-Day Applications. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 1836-1845. Design of a Purely Mechanical Sensor-Controller Integrated System for Walking Assistance on an 214 3.8 17 Ankle-Foot Exoskeleton. Sensors, 2019, 19, 3196. Proportional Myoelectric Control of a Virtual Inverted Pendulum Using Residual Antagonistic Muscles: Toward Voluntary Postural Control. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 1473-1482. 216 Human Locomotion Activity and Speed Recognition Using Electromyography Based Features., 2019,,. 5 Electromyography (EMG) Signal Contributions in Speed and Slope Estimation Using Robotic 217 Exoskeletons. , 2019, 2019, 548-553. User Identification from Gait Analysis Using Multi-Modal Sensors in Smart Insole. Sensors, 2019, 19, 218 3.8 22 3785. A strain gauge based locomotion mode recognition method using convolutional neural network. 219 1.8 Advanced Robotics, 2019, 33, 254-263.

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 220 | Environmental Features Recognition for Lower Limb Prostheses Toward Predictive Walking. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 465-476. | 4.9 | 88 |
| 221 | Common spatial-spectral analysis of EMG signals for multiday and multiuser myoelectric interface. Biomedical Signal Processing and Control, 2019, 53, 101572. | 5.7 | 24 |
| 222 | Daily Motion Recognition System by a Triaxial Accelerometer Usable in Different Positions. IEEE Sensors Journal, 2019, 19, 7543-7552. | 4.7 | 22 |
| 223 | Recognition of walking environments and gait period by surface electromyography. Frontiers of Information Technology and Electronic Engineering, 2019, 20, 342-352. | 2.6 | 48 |
| 224 | A CNN-Based Method for Intent Recognition Using Inertial Measurement Units and Intelligent Lower Limb Prosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 1032-1042. | 4.9 | 97 |
| 225 | A Two-Dimensional Feature Space-Based Approach for Human Locomotion Recognition. IEEE Sensors Journal, 2019, 19, 4271-4282. | 4.7 | 20 |
| 226 | Toward the Development of Knee Prostheses: Review of Current Active Devices. Applied Mechanics Reviews, 2019, 71, . | 10.1 | 16 |
| 227 | Analysis of force myography based locomotion patterns. Measurement: Journal of the International Measurement Confederation, 2019, 140, 497-503. | 5.0 | 14 |
| 228 | Performance evaluation of various classifiers for predicting knee angle from electromyography signals. Expert Systems, 2019, 36, e12381. | 4.5 | 28 |
| 229 | Capacitive Sensing Based Recognition of Ankle Movement Imagery in Patients after Amputation Surgery. , 2019, , . | | 0 |
| 230 | Gait Phase Discrimination during Kinematically Constrained Walking on Slackline. , 2019, , . | | 6 |
| 231 | SVM for Decoding the Human Activity Mode from sEMG Signals. , 2019, , . | | 0 |
| 232 | An Automatic Labeling Strategy for Locomotion Mode Recognition with Robotic Transtibial Prosthesis. , 2019, , . | | 2 |
| 233 | Gaze Fixation Comparisons Between Amputees and Able-bodied Individuals in Approaching Stairs and Level-ground Transitions: A Pilot Study. , 2019, 2019, 3163-3166. | | 10 |
| 234 | Subject- and Environment-Based Sensor Variability for Wearable Lower-Limb Assistive Devices. Sensors, 2019, 19, 4887. | 3.8 | 29 |
| 235 | Techniques for Improving the Reliability of Prosthesis Wearer Muscle Signals Using Pressure and EMG Sensors. , 2019, 2019, 5882-5885. | | 1 |
| 236 | Intent Prediction of Multi-axial Ankle Motion Using Limited EMG Signals. Frontiers in Bioengineering and Biotechnology, 2019, 7, 335. | 4.1 | 15 |
| 237 | Caprine Models of the Agonist-Antagonist Myoneural Interface Implemented at the Above- and Below-Knee Amputation Levels. Plastic and Reconstructive Surgery, 2019, 144, 218e-229e. | 1.4 | 15 |

ARTICLE IF CITATIONS # Gradient-Based Multi-Objective Feature Selection for Gait Mode Recognition of Transfemoral 238 3.8 17 Amputees. Sensors, 2019, 19, 253. Synergy-Based Gaussian Process Estimation of Ankle Angle and Torque: Conceptualization for High Level Controlling of Active Robotic Foot Prostheses/Orthoses. Journal of Biomechanical Engineering, 1.3 2019, 141, . Voluntary Control of Residual Antagonistic Muscles in Transtibial Amputees: Reciprocal Activation, Coactivation, and Implications for Direct Neural Control of Powered Lower Limb Prostheses. IEEE 240 4.9 16 Transactions on Neural Systems and Rehabilitation Engineering, 2019, 27, 85-95. A Comparison of Control Strategies in Commercial and Research Knee Prostheses. IEEE Transactions 241 on Biomedical Engineering, 2020, 67, 277-290. A Geometry Recognition-Based Strategy for Locomotion Transitions Early Prediction of Prosthetic 242 4.7 10 Devices. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 1259-1267. Sensory Systems in Micro-Processor Controlled Prosthetic Leg: A Review. IEEE Sensors Journal, 2020, 20, 4544-4554. 4.7 Lower limb active prosthetic systemsâ€"overview., 2020, , 469-486. 244 8 A Review of Gait Phase Detection Algorithms for Lower Limb Prostheses. Sensors, 2020, 20, 3972. 245 3.8 67 Machine Learning Approaches for Activity Recognition and/or Activity Prediction in Locomotion 246 3.8 26 Assistive Devicesâ€"A Systematic Review. Sensors, 2020, 20, 6345. 247 Continuous locomotion mode classification using a robotic hip exoskeleton., 2020, 2020, 376-381. EEG-Based EMG Estimation of Shoulder Joint for the Power Augmentation System of Upper Limbs. 248 2.2 5 Symmetry, 2020, 12, 1851. Evaluation of Activities of Daily Living Tesbeds for Assessing Prosthetic Device Usability., 2020, , . 249 EMG-Centered Multisensory Based Technologies for Pattern Recognition in Rehabilitation: State of 250 4.7 74 the Art and Challenges. Biosensors, 2020, 10, 85. Motion Planning for Active Prosthetic Knees., 2020, , . Use of Sonomyography for Continuous Estimation of Hip, Knee and Ankle Moments During Multiple 252 10 Ambulation Tasks. , 2020, , . Towards a context-based Bayesian recognition of transitions in locomotion activities. , 2020, , . Gait Control of Robotic Leg Prosthesis Based on Motion Predictive System., 2020,,. 254 1 Locomotion Prediction for Lower Limb Prostheses in Complex Environments via sEMG and Inertial Sensors. Complexity, 2020, 2020, 1-12.

| | | CITATION REPORT | | |
|-----|--|--------------------------|-----|-----------|
| # | Article | | IF | CITATIONS |
| 256 | Feature Analysis of Smart Shoe Sensors for Classification of Gait Patterns. Sensors, 20 | 20, 20, 6253. | 3.8 | 17 |
| 257 | Unsupervised Cross-Subject Adaptation for Predicting Human Locomotion Intent. IEEE Neural Systems and Rehabilitation Engineering, 2020, 28, 646-657. | Transactions on | 4.9 | 25 |
| 258 | Evoking haptic sensations in the foot through high-density transcutaneous electrical n stimulations. Journal of Neural Engineering, 2020, 17, 036020. | erve | 3.5 | 15 |
| 259 | IMU-Based Locomotion Mode Identification for Transtibial Prostheses, Orthoses, and E IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 1334-1 | xoskeletons. 343. | 4.9 | 36 |
| 260 | An Infrared Sensor-Based Instrumented Shoe for Gait Events Detection on Different Te Transitions. IEEE Sensors Journal, 2020, 20, 10779-10791. | rrains and | 4.7 | 12 |
| 261 | Neural control in prostheses and exoskeletons. , 2020, , 153-178. | | | 12 |
| 262 | Intent based recognition of walking and ramp activities for amputee using sEMG based prostheses. Biocybernetics and Biomedical Engineering, 2020, 40, 1110-1123. | l lower limb | 5.9 | 27 |
| 263 | Wearer-Prosthesis Interaction for Symmetrical Gait: A Study Enabled by Reinforcement Prosthesis Control. IEEE Transactions on Neural Systems and Rehabilitation Engineerin 904-913. | Learning g, 2020, 28, | 4.9 | 28 |
| 264 | BPNN-Based Real-Time Recognition of Locomotion Modes for an Active Pelvis Orthosis Assistive Strategies. International Journal of Humanoid Robotics, 2020, 17, 2050004. | with Different | 1.1 | 15 |
| 265 | Novel Activity Detection Algorithm to Characterize Spontaneous Stepping During Mult Neuromodulation After Mid-Thoracic Spinal Cord Injury in Rats. Frontiers in Systems Ne 2019, 13, 82. | | 2.5 | 2 |
| 266 | Real-Time Interface Algorithm for Ankle Kinematics and Stiffness From Electromyograp Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 1416-1427. | hic Signals. IEEE | 4.9 | 8 |
| 267 | A Smart Terrain Identification Technique Based on Electromyography, Ground Reactior Machine Learning for Lower Limb Rehabilitation. Applied Sciences (Switzerland), 2020, | | 2.5 | 19 |
| 268 | Environmental Context Prediction for Lower Limb Prostheses With Uncertainty Quanti Transactions on Automation Science and Engineering, 2021, 18, 458-470. | fication. IEEE | 5.2 | 43 |
| 269 | Optimal Force Myography Placement For Maximizing Locomotion Classification Accura Transfemoral Amputees: A Pilot Study. IEEE Journal of Biomedical and Health Informatio 959-968. | icy in cs, 2021, 25, | 6.3 | 3 |
| 270 | A shoe-mounted infrared sensor-based instrumentation for locomotion identification u learning methods. Measurement: Journal of the International Measurement Confederat 108458. | | 5.0 | 7 |
| 271 | Smart healthcare-oriented online prediction of lower-limb kinematics and kinetics base data-driven neural signal decoding. Future Generation Computer Systems, 2021, 114, | | 7.5 | 19 |
| 272 | Toward an Integrated Multi-Modal sEMG/MMG/NIRS Sensing System for Human–Ma Robust to Muscular Fatigue. IEEE Sensors Journal, 2021, 21, 3702-3712. | chine Interface | 4.7 | 25 |
| 273 | Ultrasound Sensing Can Improve Continuous Classification of Discrete Ambulation Mo to Surface Electromyography. IEEE Transactions on Biomedical Engineering, 2021, 68, | | 4.2 | 18 |

| \sim | | <u>_</u> | |
|--------|------|-------------|-------|
| | | Repo | DT |
| \sim | IIAI | KLPU | ALC L |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 274 | Toward Minimal-Sensing Locomotion Mode Recognition for a Powered Knee-Ankle Prosthesis. IEEE Transactions on Biomedical Engineering, 2021, 68, 967-979. | 4.2 | 14 |
| 275 | Real-time detection and processing of electromyography signal. , 2021, , 83-109. | | 0 |
| 276 | Advancements, Trends and Future Prospects of Lower Limb Prosthesis. IEEE Access, 2021, 9, 85956-85977. | 4.2 | 22 |
| 277 | Efficient Environmental Context Prediction for Lower Limb Prostheses. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2022, 52, 3980-3994. | 9.3 | 17 |
| 278 | Selection of EMG Sensors Based on Motion Coordinated Analysis. Sensors, 2021, 21, 1147. | 3.8 | 3 |
| 279 | Accurate Heuristic Terrain Prediction in Powered Lower-Limb Prostheses Using Onboard Sensors. IEEE Transactions on Biomedical Engineering, 2021, 68, 384-392. | 4.2 | 15 |
| 281 | A Control Method With Terrain Classification and Recognition for Lower Limb Soft Exosuit. , 2021, , . | | 1 |
| 282 | Online Adaptive Prediction of Human Motion Intention Based on sEMG. Sensors, 2021, 21, 2882. | 3.8 | 13 |
| 283 | Locomotion Mode Recognition for Walking on Three Terrains Based on sEMG of Lower Limb and Back Muscles. Sensors, 2021, 21, 2933. | 3.8 | 1 |
| 284 | Gesture Recognition Using Surface Electromyography and Deep Learning for Prostheses Hand: State-of-the-Art, Challenges, and Future. Frontiers in Neuroscience, 2021, 15, 621885. | 2.8 | 60 |
| 285 | Toward higher-performance bionic limbs for wider clinical use. Nature Biomedical Engineering, 2023, 7, 473-485. | 22.5 | 104 |
| 286 | A Machine Learning Strategy for Locomotion Classification and Parameter Estimation Using Fusion of Wearable Sensors. IEEE Transactions on Biomedical Engineering, 2021, 68, 1569-1578. | 4.2 | 30 |
| 287 | Noninvasive Human-Prosthesis Interfaces for Locomotion Intent Recognition: A Review. Cyborg and Bionic Systems, 2021, 2021, . | 7.9 | 22 |
| 288 | SA-SVM-Based Locomotion Pattern Recognition for Exoskeleton Robot. Applied Sciences (Switzerland), 2021, 11, 5573. | 2.5 | 12 |
| 290 | Terrain environment classification and recognition for soft lower-limb exosuit. , 2021, , . | | 2 |
| 291 | Myoelectric control of robotic lower limb prostheses: a review of electromyography interfaces, control paradigms, challenges and future directions. Journal of Neural Engineering, 2021, 18, 041004. | 3.5 | 75 |
| 292 | Neuromechanical Signal-Based Parallel and Scalable Model for Lower Limb Movement Recognition. IEEE Sensors Journal, 2021, 21, 16213-16221. | 4.7 | 7 |
| 293 | A Terrain-based Gait Self-adjusting Planning for Powered Prostheses. , 2021, , . | | 0 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 294 | Sensor Fusion of Vision, Kinetics, and Kinematics for Forward Prediction During Walking With a Transfemoral Prosthesis. IEEE Transactions on Medical Robotics and Bionics, 2021, 3, 813-824. | 3.2 | 16 |
| 295 | Continuous Myoelectric Prediction of Future Ankle Angle and Moment Across Ambulation Conditions and Their Transitions. Frontiers in Neuroscience, 2021, 15, 709422. | 2.8 | 8 |
| 296 | Adaptive Ankle Exoskeleton Control: Validation Across Diverse Walking Conditions. IEEE Transactions on Medical Robotics and Bionics, 2021, 3, 801-812. | 3.2 | 25 |
| 297 | Design and Trajectory Tracking Control of a Magnetorheological Prosthetic Knee Joint. Applied Sciences (Switzerland), 2021, 11, 8305. | 2.5 | 6 |
| 298 | The Role of Surface Electromyography in Data Fusion with Inertial Sensors to Enhance Locomotion Recognition and Prediction. Sensors, 2021, 21, 6291. | 3.8 | 15 |
| 299 | Estimation of knee and ankle angles during walking using thigh and shank angles. Bioinspiration and Biomimetics, 2021, 16, . | 2.9 | 4 |
| 300 | Gaussian-guided feature alignment for unsupervised cross-subject adaptation. Pattern Recognition, 2022, 122, 108332. | 8.1 | 5 |
| 301 | Continuous Prediction of Lower-Limb Kinematics From Multi-Modal Biomedical Signals. IEEE Transactions on Circuits and Systems for Video Technology, 2022, 32, 2592-2602. | 8.3 | 18 |
| 302 | Generating an Adaptive and Robust Walking Pattern for a Prosthetic Ankle–Foot by Utilizing a Nonlinear Autoregressive Network With Exogenous Inputs. IEEE Transactions on Neural Networks and Learning Systems, 2022, 33, 6297-6305. | 11.3 | 5 |
| 303 | A Muscle Synergy-Inspired Method of Detecting Human Movement Intentions Based on Wearable Sensor Fusion. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 1089-1098. | 4.9 | 16 |
| 304 | Direct continuous electromyographic control of a powered prosthetic ankle for improved postural control after guided physical training: A case study. Wearable Technologies, 2021, 2, . | 3.1 | 14 |
| 305 | Classifier Selection for Locomotion Mode Recognition Using Wearable Capacitive Sensing Systems. Advances in Intelligent Systems and Computing, 2014, , 763-774. | 0.6 | 1 |
| 306 | A Wearable Plantar Pressure Measurement System: Design Specifications and First Experiments with an Amputee. Advances in Intelligent Systems and Computing, 2013, , 273-281. | 0.6 | 18 |
| 307 | Force Myography and Its Application to Human Locomotion. Series in Bioengineering, 2020, , 49-70. | 0.6 | 4 |
| 308 | Gesture recognition for transhumeral prosthesis control using EMG and NIR. IET Cyber-Systems and Robotics, 2020, 2, 122-131. | 1.8 | 51 |
| 310 | Integrating neuromuscular and cyber systems for neural control of artificial legs. , 2010, , . | | 24 |
| 311 | Future Research Directions. Series in Medical Physics and Biomedical Engineering, 2013, , 165-184. | 0.1 | 1 |
| 312 | Investigation of Timing to Switch Control Mode in Powered Knee Prostheses during Task Transitions. PLoS ONE, 2015, 10, e0133965. | 2.5 | 30 |

| # 313 | ARTICLE Biologically Inspired Algorithms Applied to Prosthetic Control. , 2012, , . | IF | Citations |
|----------|--|-----|-----------|
| 314 | Gait Phase Recognition based on EMG Signal for Stairs Ascending and Stairs Descending. Journal of the Institute of Electronics and Information Engineers, 2015, 52, 181-189. | 0.0 | 1 |
| 315 | An investigation into the bilateral functional differences of the lower limb muscles in standing and walking. PeerJ, 2016, 4, e2315. | 2.0 | 8 |
| 316 | Gait Percent Estimation during Walking and Running using Sagittal Shank or Thigh Angles. , 2021, , . | | 0 |
| 317 | Learning architecture for the recognition of walking and prediction of gait period using wearable sensors. Neurocomputing, 2022, 470, 1-10. | 5.9 | 3 |
| 318 | Walking Speed Recognition System for Transfemoral Amputee Based on Accelerometer and Gyroscopes. Communications in Computer and Information Science, 2012, , 383-389. | 0.5 | 1 |
| 320 | The research on motion recognition based on EMG of residual thigh. , 2015, , 445-450. | | 0 |
| 321 | A Heterogeneous Clustering Approach for Human Activity Recognition. Lecture Notes in Computer Science, 2016, , 68-81. | 1.3 | 3 |
| 322 | Electromyogram and Inertial Sensor Signal Processing in Locomotion and Transition Classification. Advances in Bioinformatics and Biomedical Engineering Book Series, 2017, , 195-211. | 0.4 | 0 |
| 323 | A Fuzzy sequential locomotion mode recognition system for lower limb prosthesis control. , 2017, , . | | 4 |
| 324 | Identifying the Dynamics of Leg Muscle Activation During Human Gait Using Neural Oscillator and Fuzzy Compensator. International Clinical Neuroscience Journal, 2018, 5, 106-112. | 0.1 | 0 |
| 325 | Correlation Between Ankle Impedance and EMG Signals. Biosystems and Biorobotics, 2019, , 627-631. | 0.3 | 1 |
| 326 | A real-time walking pattern recognition method for soft knee power assist wear. International Journal of Advanced Robotic Systems, 2020, 17, 172988142092529. | 2.1 | 5 |
| 327 | Artificial Intelligence-based Approach for Gait Pattern Identification Using Surface Electromyography (SEMG). , 2020, , . | | 1 |
| 328 | Electromyogram and Inertial Sensor Signal Processing in Locomotion and Transition Classification. , 2020, , 762-778. | | 0 |
| 329 | Real-Time Locomotion Mode Recognition Employing Correlation Feature Analysis Using EMG Pattern. ETRI Journal, 2014, 36, 99-105. | 2.0 | 0 |
| 331 | Challenges and solutions for application and wider adoption of wearable robots. Wearable Technologies, 2021, 2, . | 3.1 | 23 |
| 332 | Motion Intent Recognition in Intelligent Lower Limb Prosthesis Using One-Dimensional Dual-Tree Complex Wavelet Transforms. Computational Intelligence and Neuroscience, 2021, 2021, 1-15. | 1.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 333 | Locomotion Mode Transition Prediction Based on Gait-Event Identification Using Wearable Sensors and Multilayer Perceptrons. Sensors, 2021, 21, 7473. | 3.8 | 6 |
| 334 | Feature Identification with a Heuristic Algorithm and an Unsupervised Machine Learning Algorithm for Prior Knowledge of Gait Events. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, PP, 1-1. | 4.9 | 2 |
| 335 | Performance of Sonomyographic and Electromyographic Sensing for Continuous Estimation of Joint Torque During Ambulation on Multiple Terrains. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 2635-2644. | 4.9 | 10 |
| 336 | Estimation of Knee Angles Based on Thigh Motion: A Functional Approach and Implications for High-Level Controlling of Active Prosthetic Knees. IEEE Control Systems, 2020, 40, 49-61. | 0.8 | 14 |
| 337 | Real Time Level Ground Walking vs Stair-Climbing Locomotion Mode Detection. , 2020, , . | | 0 |
| 338 | Mapping Thigh Motion to Knee Motion: Implications for Motion Planning of Active Prosthetic Knees. , 2020, , . | | 6 |
| 339 | Comparison of Cognitive Workload Assessment Techniques in EMG-based Prosthetic Device Studies. , 2020, , . | | 4 |
| 340 | Evaluation of the offline classification error of human locomotion modes using virtual force-sensing resistor data. , 2020, , . | | 0 |
| 341 | Locomotion Modes and Environmental Features Recognition Using Laser Distance Sensors. IEEE Sensors Journal, 2022, 22, 4625-4633. | 4.7 | 2 |
| 343 | Application of control strategies and machine learning techniques in prosthetic knee: a systematic review. Advances in Computational Intelligence, 2022, 2, 1. | 1.1 | Ο |
| 344 | Subject-Independent Continuous Locomotion Mode Classification for Robotic Hip Exoskeleton Applications. IEEE Transactions on Biomedical Engineering, 2022, 69, 3234-3242. | 4.2 | 11 |
| 345 | Binary Particle Swarm Optimization-Based Feature Selection for Predicting the Class of the Knee Angle from EMG Signals in Lower Limb Movements. Neurophysiology, 2022, 53, 109-119. | 0.3 | 5 |
| 346 | Surface Electromyography Characteristics for Motion Intention Recognition and Implementation Issues in Lower-limb Exoskeletons. International Journal of Control, Automation and Systems, 2022, 20, 1018-1028. | 2.7 | 20 |
| 347 | Gait Recognition for Lower Limb Exoskeletons Based on Interactive Information Fusion. Applied Bionics and Biomechanics, 2022, 2022, 1-19. | 1.1 | 7 |
| 348 | Incrementally Classifying Different Walking Activities Based on Wearable Sensors. , 2021, , . | | 2 |
| 349 | Design of a stepwise safety protocol for lower limb prosthetic risk management in a clinical investigation. , 2021, 2021, 1362-1365. | | 1 |
| 350 | Continuous Prediction of Leg Kinematics During Ambulation using Peripheral Sensing of Muscle Activity and Morphology. , 2021, , . | | 1 |
| 351 | Optimization of Data Quality Related EMG Feature Extraction Parameters to Increase Hand Movement Classification Accuracy. , 2021, 2021, 612-615. | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 352 | Design of an open-source transfemoral, bypass socket. , 2021, 2021, 4578-4582. | | 1 |
| 353 | A Mode-Specific Classification Based on sEMG for User-Independent Locomotion Transition Recognition. , 2021, , . | | 2 |
| 354 | From sensing to control of lower limb exoskeleton: a systematic review. Annual Reviews in Control, 2022, 53, 83-96. | 7.9 | 42 |
| 360 | Fusion of Human Gaze and Machine Vision for Predicting Intended Locomotion Mode. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 1103-1112. | 4.9 | 11 |
| 361 | Continuous and Unified Modeling of Joint Kinematics for Multiple Activities. IEEE Access, 2022, 10, 47509-47523. | 4.2 | 3 |
| 362 | Optimization of immune receptor-related hypersensitive cell death response assay using agrobacterium-mediated transient expression in tobacco plants. Plant Methods, 2022, 18, 57. | 4.3 | 4 |
| 363 | EMG-driven control in lower limb prostheses: a topic-based systematic review. Journal of NeuroEngineering and Rehabilitation, 2022, 19, 43. | 4.6 | 23 |
| 364 | Application of One Dimensional Convolutional Neural Networks in Gait Phase Recognition Based on Surface Electromyography Signals. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 365 | FSM-HSVM-Based Locomotion Mode Recognition for Exoskeleton Robot. Applied Sciences (Switzerland), 2022, 12, 5483. | 2.5 | 3 |
| 366 | A Novel Method for Detecting Misclassifications of the Locomotion Mode in Lower-Limb Exoskeleton Robot Control. IEEE Robotics and Automation Letters, 2022, 7, 7779-7785. | 5.1 | 4 |
| 367 | Characterizing Prosthesis Control Fault During Human-Prosthesis Interactive Walking Using Intrinsic Sensors. IEEE Robotics and Automation Letters, 2022, 7, 8307-8314. | 5.1 | 3 |
| 368 | Integral Real-time Locomotion Mode Recognition Based on GA-CNN for Lower Limb Exoskeleton. Journal of Bionic Engineering, 2022, 19, 1359-1373. | 5.0 | 41 |
| 369 | Human Motion Pattern Recognition and Feature Extraction: An Approach Using Multi-Information Fusion. Micromachines, 2022, 13, 1205. | 2.9 | 8 |
| 370 | Joint Kinematics, Kinetics and Muscle Synergy Patterns During Transitions Between Locomotion Modes. IEEE Transactions on Biomedical Engineering, 2023, 70, 1062-1071. | 4.2 | 4 |
| 371 | Toward Safe Wearer-Prosthesis Interaction: Evaluation of Gait Stability and Human Compensation Strategy Under Faults in Robotic Transfemoral Prostheses. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 2773-2782. | 4.9 | 4 |
| 373 | Ground-Reaction-Force-Based Gait Analysis and Its Application to Gait Disorder Assessment: New Indices for Quantifying Walking Behavior. Sensors, 2022, 22, 7558. | 3.8 | 1 |
| 374 | A Deep CNN Framework for Neural Drive Estimation From HD-EMG Across Contraction Intensities and Joint Angles. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 2950-2959. | 4.9 | 7 |
| 375 | A fuzzy convolutional attention-based GRU network for human activity recognition. Engineering Applications of Artificial Intelligence, 2023, 118, 105702. | 8.1 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 376 | Offline Evaluation Matters: Investigation of the Influence of Offline Performance on Real-Time Operation of Electromyography-Based Neural-Machine Interfaces. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 680-689. | 4.9 | 3 |
| 377 | Comparison of machine learning and deep learning-based methods for locomotion mode recognition using a single inertial measurement unit. Frontiers in Neurorobotics, 0, 16, . | 2.8 | 1 |
| 378 | Locomotion mode recognition method based on inertial measurement units in exoskeleton robot. , 2022, , . | | 0 |
| 379 | Ambulation Mode Classification of Individuals with Transfemoral Amputation through A-Mode Sonomyography and Convolutional Neural Networks. Sensors, 2022, 22, 9350. | 3.8 | 6 |
| 380 | Toward a generalizable deep CNN for neural drive estimation across muscles and participants. Journal of Neural Engineering, 2023, 20, 016006. | 3.5 | 3 |
| 381 | Human-in-the-loop layered architecture for control of a wearable ankle–foot robot. Robotics and Autonomous Systems, 2023, 161, 104353. | 5.1 | 3 |
| 382 | Design of EMG-driven Musculoskeletal Model for Volitional Control of a Robotic Ankle Prosthesis. , 2022, , . | | 1 |
| 383 | Online Human Intention Detection through Machine-learning based Algorithm for the Control of Lower-limbs Wearable Robot. , 2022, , . | | 0 |
| 385 | Artificial Neural Network-Based Activities Classification, Gait Phase Estimation, and Prediction. Annals of Biomedical Engineering, 2023, 51, 1471-1484. | 2.5 | 3 |
| 386 | The Influence of Gait Phase on Predicting Lower-Limb Joint Angles. IEEE Transactions on Medical Robotics and Bionics, 2023, 5, 343-352. | 3.2 | 2 |
| 387 | A quantitative lower limb function assessment method based on fusion of surface EMG and inertial data in stroke patients during cycling task. Biomedical Signal Processing and Control, 2023, 85, 104880. | 5.7 | 2 |
| 388 | ViT-based Terrain Recognition System for wearable soft exosuit. Biomimetic Intelligence and Robotics, 2023, 3, 100087. | 2.0 | 4 |
| 389 | Metrological Aspects of SEMG Signal Acquisition, Processing, and Application Design. , 2023, , 1-45. | | 0 |
| 390 | Silent Speech Recognition Based on Surface Electromyography Using a Few Electrode Sites Under the Guidance From High-Density Electrode Arrays. IEEE Transactions on Instrumentation and Measurement, 2023, 72, 1-11. | 4.7 | 1 |
| 391 | Lower Limb Motion Classification Using Energy Density Features of Surface Electromyography Signals' Activation Region and Dynamic Ensemble Model. IEEE Transactions on Instrumentation and Measurement, 2023, 72, 1-16. | 4.7 | 0 |
| 392 | Early decoding of walking tasks with minimal set of EMG channels. Journal of Neural Engineering, 2023, 20, 026038. | 3.5 | 7 |
| 393 | A review of current state-of-the-art control methods for lower-limb powered prostheses. Annual Reviews in Control, 2023, 55, 142-164. | 7.9 | 17 |
| 394 | Taking Locomotion Mode as Prior: One Algorithm-Enabled Gait Events and Kinematics Prediction on Various Terrains. IEEE Sensors Journal, 2023, 23, 13072-13083. | 4.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 395 | Recent trends and challenges of surface electromyography in prosthetic applications. Biomedical Engineering Letters, 2023, 13, 353-373. | 4.1 | 4 |
| 396 | Motion Pattern Recognition of Lower Limb Exoskeleton Based on SAPSO-SVM. , 2022, , . | | 0 |
| 397 | On Predicting Transitions to Compliant Surfaces in Human Gait via Neural and Kinematic Signals. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 2214-2223. | 4.9 | 1 |
| 398 | The Recognition of Ankle Movement Patterns Using LDA. Lecture Notes in Mechanical Engineering, 2023, , 2233-2251. | 0.4 | 0 |
| 399 | Vision-Based Recognition of Human Motion Intent during Staircase Approaching. Sensors, 2023, 23, 5355. | 3.8 | 1 |
| 400 | Electromyography-Based Control of Lower Limb Prostheses: A Systematic Review. IEEE Transactions on Medical Robotics and Bionics, 2023, 5, 547-562. | 3.2 | 4 |
| 401 | Development of an Ankle Assistive Robot with Instantly Gait-Adaptive Method. Journal of Robotics and Mechatronics, 2023, 35, 669-683. | 1.0 | 3 |
| 402 | Finite-State Impedance and Direct Myoelectric Control for Robotic Ankle Prostheses: Comparing Their Performance and Exploring Their Combination. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 2778-2788. | 4.9 | 1 |
| 403 | An efficient attention-driven deep neural network approach for continuous estimation of knee joint kinematics via sEMG signals during running. Biomedical Signal Processing and Control, 2023, 86, 105103. | 5.7 | 0 |
| 404 | An Improved Feature Extraction Method for Surface Electromyography Based on Muscle Activity Regions. IEEE Access, 2023, 11, 68410-68420. | 4.2 | 1 |
| 405 | The use of nonnormalized surface EMG and feature inputs for LSTM-based powered ankle prosthesis control algorithm development. Frontiers in Neuroscience, 0, 17, . | 2.8 | 0 |
| 406 | Review of adaptive control for stroke lower limb exoskeleton rehabilitation robot based on motion intention recognition. Frontiers in Neurorobotics, 0, 17, . | 2.8 | 4 |
| 407 | A comparative analysis of global optimization algorithms for surface electromyographic signal onset detection. Decision Analytics Journal, 2023, 8, 100294. | 4.8 | 1 |
| 408 | Highly Stable Ladderâ€Type Conjugated Polymer Based Organic Electrochemical Transistors for Low Power and Signal Processingâ€Free Surface Electromyogram Triggered Robotic Hand Control. Advanced Functional Materials, 2024, 34, . | 14.9 | 0 |
| 409 | An Optimization System for Intent Recognition Based on an Improved KNN Algorithm with Minimal Feature Set for Powered Knee Prosthesis. Journal of Bionic Engineering, 2023, 20, 2619-2632. | 5.0 | 1 |
| 410 | Metrological Aspects of SEMG Signal Acquisition, Processing, and Application Design. , 2023, , 1919-1962. | | 0 |
| 411 | Locomotion Decoding (LocoD) – an Open-Source and Modular Platform for Researching Control of Lower Limb Assistive Devices. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 412 | Neural prosthesis control restores near-normative neuromechanics in standing postural control. Science Robotics, 2023, 8, . | 17.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 413 | User- and Speed-Independent Slope Estimation for Lower-Extremity Wearable Robots. Annals of Biomedical Engineering, 2024, 52, 487-497. | 2.5 | 0 |
| 414 | Design trends in actuated lower-limb prosthetic systems: a narrative review. Expert Review of Medical Devices, 2023, 20, 1157-1172. | 2.8 | 0 |
| 415 | Human Lower Limb Motion Intention Recognition for Exoskeletons: A Review. IEEE Sensors Journal, 2023, 23, 30007-30036. | 4.7 | 0 |
| 416 | Ankle Torque Estimation With Motor Unit Discharges in Residual Muscles Following Lower-Limb Amputation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 4821-4830. | 4.9 | 0 |
| 417 | On Intuitive Control of Ankle-Foot Prostheses: A Sensor Fusion-Based Algorithm for Real-Time Prediction of Transitions to Compliant Surfaces. , 2023, , . | | 0 |
| 418 | Offline Evaluation Matters: Investigation of the Influence of Offline Performance of EMG-Based Neural-Machine Interfaces on User Adaptation, Cognitive Load, and Physical Efforts in a Real-Time Application. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 3055-3063. | 4.9 | 0 |
| 419 | Terrain-Adaptive Exoskeleton Control With Predictive Gait Mode Recognition: A Pilot Study During Level Walking and Stair Ascent. IEEE Transactions on Medical Robotics and Bionics, 2024, 6, 281-291. | 3.2 | 0 |
| 421 | Locomotion transition prediction at Anticipatory Locomotor Adjustment phase with SHAP feature selection. Biomedical Signal Processing and Control, 2024, 92, 106105. | 5.7 | 0 |
| 422 | Non-invasive Techniques for Muscle Fatigue Monitoring: A Comprehensive Survey. ACM Computing Surveys, 2024, 56, 1-40. | 23.0 | 0 |