

CITATION REPORT

List of articles citing

Assessing the nutritional status of the elderly: The Mini Nutritional Assessment as part of the geriatric evaluation

DOI: 10.1111/j.1753-4887.1996.tb03793.x
Nutrition Reviews, 1996, 54, S59-65.

Source: <https://exaly.com/paper-pdf/45950690/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
878	Nutrition screening in old people: its place in a coherent practice of preventive health care. 1997 , 17, 101-25		49
877	Involuntary Weight Loss in Elderly Outpatients: Recognition, Etiologies, and Treatment. 1997 , 13, 717-736		84
876	Changes in nutritional status and patterns of morbidity among free-living elderly persons: a 10-year longitudinal study. 1997 , 13, 515-9		112
875	Évaluation nutritionnelle chez le dialysé. 1997 , 11, 445-451		
874	It all depends on what you mean. 1998 , 2, 1-3		0
873	Caregivers of the Elderly. 1998 , 17, 35-44		5
872	Nutritional requirements of an aging population with emphasis on subacute care patients. 1998 , 9, 441-50		9
871	Nutritional assessment and screening: instrument selection. 1998 , 3, 233-242		9
870	A critical evaluation of the use of nutrition screening tools by nurses. 1999 , 8, 1483-90		35
869	A nutritional screening tool for use by nurses in residential and nursing homes for elderly people: development and pilot study results. 1999 , 12, 437-443		10
868	The Mini Nutritional Assessment (MNA) and its use in grading the nutritional state of elderly patients. 1999 , 15, 116-22		1089
867	The effect of different diagnostic criteria on the prevalence of malnutrition in a hospitalized geriatric population. 1999 , 11, 390-4		13
866	Nutrition screening and assessment. 1999 , 83, 1525-46		11
865	Problems of nutritional assessment in the community. 1999 , 58, 47-51		22
864	SENECA's accomplishments and challenges. 2000 , 16, 541-3		6
863	Relationships between nutritional markers and the mini-nutritional assessment in 155 older persons. 2000 , 48, 1300-9		127
862	Gender Differences in Nutritional Risk Among Older Rural Adults. 2000 , 19, 138-150		14

861	Nutritional state and quality of life in old age. 2000 , 12, 320	1
860	Management of nutritional problems in subacute care. 2000 , 16, 817-32	16
859	Mini Nutritional Assessment Test. Aplicaci3n y utilidad en una poblaci3n de pacientes hospitalizados. 2001 , 48, 226-229	
858	Nutritional status and chewing capacity in nursing home residents. 2001 , 13, 370-7	11
857	Does nutritional supplementation influence the voluntary dietary intake in an acute geriatric hospitalized population?. 2001 , 13, 391-4	6
856	Effects of glucose supplementation on gastric emptying, blood glucose homeostasis, and appetite in the elderly. 2001 , 280, R570-6	17
855	Descriptive analysis of emergency hospital admissions of patients with Alzheimer disease. 2001 , 15, 21-5	56
854	Developing and testing the Nutritional Form For the Elderly. 2001 , 7, 336-41	30
853	A concept analysis of malnutrition in the elderly. 2001 , 36, 131-42	216
852	Nutrition in the elderly. 2001 , 15, 869-84	145
851	Nutritional assessment in the elderly: facing up to the challenges of developing new tools for clinical assessment. 2001 , 17, 62-3	7
850	The role of visceral protein markers in protein calorie malnutrition. 2002 , 40, 1360-9	26
849	Effects of oligosaccharide on the faecal flora and non-specific immune system in elderly people. 2002 , 22, 13-25	163
848	Nutritional requirements with aging. Prevention of disease. 2002 , 18, 557-76	10
847	[Nutritional status of the elderly population of Catalonia, Spain]. 2002 , 118, 707-15	6
846	Undernutrition in the European SENECA studies. 2002 , 18, 699-708, vi	37
845	Identifying the elderly at risk for malnutrition. The Mini Nutritional Assessment. 2002 , 18, 737-57	621
844	Malnutrition in subacute care. 2002 , 75, 308-13	192

843	Reliability and validity of the nutritional form for the elderly (NUFFE). 2002 , 37, 28-34		37
842	The methodology of nutritional screening and assessment tools. 2002 , 15, 59-71; quiz 73-5		98
841	Nutritional status using mini nutritional assessment and subjective global assessment predict mortality in geriatric patients. 2002 , 50, 1996-2002		219
840	Evaluation of nutritional assessment techniques in elderly people newly admitted to municipal care. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 810-8	5.2	118
839	Outils et procédures de dépistage de la dénutrition et de son risque en milieu hospitalier. 2003 , 17, 218-226		28
838	Study of respiratory function in the elderly with different nutritional and cognitive status and functional ability assessed by plethysmographic and spirometric parameters. 2003 , 37, 33-43		8
837	[Factors associated with the moderately severe stage of Alzheimer's disease: first results of the REAL.FR study]. 2003 , 24 Suppl 3, 339s-344s		0
836	Baseline nutritional assessment in advanced cancer patients receiving palliative chemotherapy. 2003 , 46, 148-57		68
835	Early nutritional screening of older adults: review of nutritional support. 2003 , 26, 170-7		22
834	Nutritional assessment in the hospitalized patient. 2003 , 6, 531-8		61
833	Hyperhomocysteinemia and vitamin B-12 deficiency in elderly using Title IIIc nutrition services. 2003 , 77, 211-20		84
832	Instruments to Assess Functional Status. 2003 , 185-194		3
831	The Mini Nutritional Assessment as an assessment tool in elders in long-term care. <i>Nutrition in Clinical Practice</i> , 2004 , 19, 463-70	3.6	18
830	Malnutrition screening in hospitalised patients and its implication on reimbursement. 2004 , 34, 176-81		38
829	Valoración antropométrica y bioquímica de ancianos venezolanos institucionalizados. 2004 , 39, 360-366		1
828	[Diagnosis of dementia]. 2004 , 25, 363-75		0
827	Pelvic floor surgery in the older woman: enhanced compared with usual preoperative assessment. 2005 , 105, 800-7		15
826	Appetite assessment: simple appetite questionnaire predicts weight loss in community-dwelling adults and nursing home residents. 2005 , 82, 1074-81		442

825	Dynamics of nutritional health in a community sample of american elders: a multidimensional approach using roy adaptation model. 2005 , 28, 376-89		22
824	A framework for studying the nutritional health of community-dwelling elders. 2005 , 54, 13-21		18
823	Elderly psychiatric patients at risk of folic acid deficiency: a case controlled study. 2005 , 41, 297-302		5
822	Salivary sIgA and cortisol: markers for functional dependence in older adults. 2005 , 25, 242-52		3
821	Nutritional status study of inpatients in hospitals of Galicia. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 938-46	5.2	11
820	Micronutrient dilution associated with added sugar intake in elderly black South African women. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1030-42	5.2	31
819	Screening for nutritional risk in community-dwelling old-old. 2005 , 22, 138-46		35
818	[Healthy seniors with a normal nutritional level in the Mini-Nutritional Assessment (MNA) identified as at risk for status decline and impaired function]. 2005 , 38, 328-33		4
817	[Bioelectric impedance analysis in the diagnosis of malnutrition]. 2005 , 38, 315-21		10
816	Comparison of the Mini Nutritional Assessment, Subjective Global Assessment, and Nutritional Risk Screening (NRS 2002) for nutritional screening and assessment in geriatric hospital patients. 2005 , 38, 322-7		101
815	Poor nutritional habits are predictors of poor outcome in very old hospitalized patients. 2005 , 82, 784-91; quiz 913-4		216
814	Masters of adaptation: learning in late life adjustments. 2005 , 61, 265-91		5
813	Nutritional status and a 3-year follow-up in elderly receiving support at home. 2005 , 51, 192-8		83
812	Importance of nutritional screening in treatment of cancer-related weight loss. 2005 , 6, 334-43		98
811	Nutrition and aging. 2005 , 32, 659-69		8
810	Lower limb function as predictor of falls and loss of mobility with social repercussions one year after discharge among elderly inpatients. 2005 , 17, 82-9		35
809	Evaluation of Mini-Nutritional Assessment for Japanese frail elderly. 2005 , 21, 498-503		126
808	Síndrome del declive gerifírico. 2006 , 13, 193-198		

807	Aproximaci3n al estado nutricional de una poblaci3n en atenci3n domiciliaria. 2006 , 41, 321-326	0
806	Nutrici3n en el anciano hospitalizado. 2006 , 41, 340-356	3
805	Predicting the toxicity of weekly docetaxel in advanced cancer. 2006 , 45, 611-22	27
804	Low levels of carotenoids and retinol in involutinal osteoporosis. 2006 , 38, 244-8	68
803	Undernutrition risk screening and length of stay of hospitalized elderly. 2005 , 25, 5-21	39
802	Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. 2006 , 9, 968-74	26
801	Mini nutritional assessment in the elderly: living alone, with family and nursing home in Turkey. 2006 , 36, 50-58	7
800	Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. 2006 , 9, 968-974	62
799	Comparison of an Institutional Nutrition Screen With 4 Validated Nutrition Screening Tools. 2006 , 21, 122-138	7
798	Why are elderly individuals at risk of nutritional deficiency?. 2006 , 12, 110-8	255
797	Effects of oral functional training for nutritional improvement in Japanese older people requiring long-term care. 2006 , 23, 93-8	43
796	Nutritional status, as determined by the Mini-Nutritional Assessment, and osteoporosis: a cross-sectional study of an elderly female population. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 486-93	5.2 38
795	Evaluation of the effectiveness of treatment with erythropoietin on anemia, cognitive functioning and functions studied by comprehensive geriatric assessment in elderly cancer patients with anemia related to cancer chemotherapy. 2006 , 57, 175-82	57
794	Nutrition in pancreatic diseases. 2006 , 20, 507-29	45
793	Wat zijn de meest relevante parameters voor ondervoeding in een verpleeghuis?. 2006 , 37, 218-226	5
792	The assessment of older people's needs in care homes. 2006 , 10, 549-57	13
791	'Malnutrition Universal Screening Tool' predicts mortality and length of hospital stay in acutely ill elderly. 2006 , 95, 325-30	254
790	Multidisciplinary approach to the geriatric oncology patient. 2007 , 25, 1876-81	90

789	Critical evaluation of nutrition screening tools recommended for oncology patients. 2007 , 30, E1-6	31
788	A single-item approach to screening elders for oral health assessment. 2007 , 56, 332-8	5
787	Energy, macronutrient and fatty acid intake of French elderly community dwellers and association with socio-demographic characteristics: data from the Bordeaux sample of the Three-City Study. 2007 , 98, 1046-57	58
786	[Significance and diagnosis of malnutrition in the elderly]. 2007 , 101, 605-9	7
785	No effect of 16 weeks flavor enhancement on dietary intake and nutritional status of nursing home elderly. 2007 , 48, 29-36	77
784	Rehabilitation inpatients are not meeting their energy and protein needs. 2007 , 2, e120-e126	14
783	[Dementia syndromes in the elderly: diagnostic procedures]. 2007 , 36, 1442-52	1
782	Malnutrition and depression among community-dwelling elderly people. 2007 , 8, 582-4	128
781	Nutritional assessment. 2007 , 36, 1-22, v	19
780	Mise au point de deux échelles de dépistage de la dénutrition pour les personnes âgées hospitalisées en soins de suite ou en soins de longue durée. 2007 , 7, 19-24	1
779	[Relationship between eating dysfunction and life span and mortality in institutionalized elderly people]. 2007 , 44, 95-101	5
778	[Social representations of eating and nutrition by residents of homes for the elderly in São Paulo, Brazil]. 2007 , 23, 3061-5	6
777	Patients' subjective symptoms, quality of life and intake of food during the recovery period 3 and 12 months after upper gastrointestinal surgery. 2007 , 16, 74-85	21
776	Nutritional screening and perceived health in a group of geriatric rehabilitation patients. 2007 , 16, 1997-2006	22
775	Revisiting the concept of malnutrition in older people. 2007 , 16, 2015-26	38
774	Provision of mouth-care in long-term care facilities: an educational trial. 2007 , 35, 25-34	58
773	Mini Nutritional Assessment in geriatric rehabilitation: Inter-rater reliability and relationship to body composition and nutritional biochemistry. 2007 , 64, 179-185	8
772	Self-perceived health among older women living in their own residence. 2007 , 2, 111-8	4

771	Correction of nutrition test errors for more accurate quantification of the link between dental health and malnutrition. 2007 , 23, 301-7		44
770	Nutrition assessment or nutrition screening--how much information is enough to make a diagnosis of malnutrition in acute care?. 2007 , 23, 356-7		7
769	Ghrelin, anthropometry and nutritional assessment in geriatric hospital patients. 2007 , 40, 31-6		10
768	Which are the most efficient items of mini nutritional assessment in multimorbid patients?. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 117-22	5.2	11
767	Use of the mini nutritional assessment tool in elderly people from long-term institutions of southeast of Brazil. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 213-7	5.2	18
766	Assessing the prevalence of malnutrition with the Mini Nutritional Assessment (MNA) in a nationally representative sample of elderly Taiwanese. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 239-43	5.2	37
765	Minimal effect on energy intake by additional evening meal for frail elderly service flat residents--a pilot study. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 295-301	5.2	17
764	An attempt to correlate a "Multidimensional Geriatric Assessment" (MGA), treatment assignment and clinical outcome in elderly cancer patients: results of a phase II open study. 2008 , 66, 75-83		29
763	Predicting posthospital recovery of physical function among older adults after lower extremity surgery in a short-stay skilled nursing facility. 2008 , 33, 170-7		1
762	Recognition by medical and nursing professionals of malnutrition and risk of malnutrition in elderly hospitalised patients. 2008 , 65, 144-150		52
761	A quality improvement nutrition screening and intervention program available to Home and Community Care eligible clients. 2008 , 65, 162-167		30
760	Self-care ability and sense of coherence in older nutritional at-risk patients. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 96-103	5.2	27
759	Malnutrition in women with rheumatoid arthritis is not revealed by clinical anthropometrical measurements or nutritional evaluation tools. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1239-47	5.2	40
758	Correlates of post-hospital physical function at 1 year in skilled nursing facility residents. 2008 , 62, 479-86		4
757	Interrater reliability using Modified Norton Scale, Pressure Ulcer Card, Short Form-Mini Nutritional Assessment by registered and enrolled nurses in clinical practice. 2008 , 17, 618-26		31
756	Growing old at home - a randomized controlled trial to investigate the effectiveness and cost-effectiveness of preventive home visits to reduce nursing home admissions: study protocol [NCT00644826]. 2008 , 8, 185		11
755	Assessment and early diagnosis of dysphagia. 2008 , 29, 376-83		44
754	Strategies for perioperative nutrition support in obese, diabetic and geriatric patients. 2008 , 27, 16-24		15

753	Seemingly paradoxical seasonal influences on vitamin D status in nursing-home elderly people from a Mediterranean area. 2008 , 24, 414-20		28
752	Association between oral health status and nutritional status in south Brazilian independent-living older people. 2008 , 24, 546-53		85
751	Functional status as a risk factor for mortality in very elderly patients with pneumonia. 2008 , 131, 167-70		28
750	Influence of denture improvement on the nutritional status and quality of life of geriatric patients. 2008 , 36, 816-21		53
749	Basic concepts in nutrition: Diagnosis of malnutrition – Screening and assessment. 2008 , 3, e121-e125		10
748	Vitamin D deficiency and insufficiency in the Georgia Older Americans Nutrition Program. 2008 , 27, 29-46		15
747	Cachexia in rheumatoid arthritis is associated with inflammatory activity, physical disability, and low bioavailable insulin-like growth factor. 2008 , 37, 321-8		85
746	Comparison of three validated nutritional screening tools in the oncology setting. 2008 , 67,		5
745	VALIDATION STUDY OF CADAVER RECTUS FEMORIS MUSCLE MEASUREMENT BY ULTRASONOGRAPHY AND ANATOMICAL PLANIMETRY. 2008 , 11, 173-179		1
744	Review of American Society for Parenteral and Enteral Nutrition (ASPEN) Clinical Guidelines for Nutrition Support in Cancer Patients: nutrition screening and assessment. <i>Nutrition in Clinical Practice</i> , 2008 , 23, 182-8	3.6	75
743	Population-specific Mini Nutritional Assessment effectively predicts the nutritional state and follow-up mortality of institutionalized elderly Taiwanese regardless of cognitive status. 2008 , 100, 152-8		30
742	Normative data and determinants for the timed "up and go" test in a population-based sample of elderly individuals without gait disturbances. 2008 , 31, 57-63		78
741	Functional trajectory 6 months posthospitalization: a cohort study of older hospitalized patients in Taiwan. 2008 , 57, 93-100		35
740	Simplified nutritional screening tools for patients on maintenance hemodialysis. 2008 , 87, 106-13		331
739	Nutritional status is associated with disease progression in very mild Alzheimer disease. 2008 , 22, 66-71		48
738	Associaç�o entre risco de disfagia e risco nutricional em idosos internados em hospital universit�rio de Bras�lia. 2008 , 21, 411-421		8
737	Avaliaç�o nutricional de idosos em uma instituiç�o por diferentes instrumentos. 2009 , 22, 571-580		10
736	Evaluation of the Norwegian Version of the Mini Nutritional Assessment (MNA [®]) among Older Nursing Home Patients. 2009 , 29, 50-52		4

735	Combined effects of functionally-oriented exercise regimens and nutritional supplementation on both the institutionalised and free-living frail elderly (double-blind, randomised clinical trial). 2009 , 9, 39		27
734	Evidence based practice guidelines for the nutritional management of malnutrition in adult patients across the continuum of care. 2009 , 66, S1-S34		171
733	Le cancer du sein chez la femme âgée (hors situation métastatique). 2009 , 11, 533-551		2
732	Delirium in elderly home-treated patients: a prospective study with 6-month follow-up. 2009 , 31, 109-17		22
731	Usefulness of the Chinese Nutrition Screening (CNS) tool in predicting 12 month mortality in elderly Hong Kong Chinese living in institutions. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 96-101	5.2	9
730	Dependence of the geriatric depression scores on age, nutritional status, and haematologic variables in elderly institutionalized patients. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 617-21	5.2	21
729	Importance of dietary advice, nutritional supplements and compliance for maintaining body weight and body fat after hip fracture. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 632-8	5.2	8
728	Optimal preferred MSG concentration in potatoes, spinach and beef and their effect on intake in institutionalized elderly people. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 769-75	5.2	31
727	Comparison of two different approaches for the application of the mini nutritional assessment in nursing homes: resident interviews versus assessment by nursing staff. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 863-9	5.2	36
726	Clinical study of mini-nutritional assessment for older Chinese inpatients. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 871-5	5.2	32
725	Malnutrition in a home-living older population: prevalence, incidence and risk factors. A prospective study. 2009 , 18, 1354-64		99
724	Trajectory and determinants of nutritional health in older patients during and six-month post-hospitalisation. 2009 , 18, 3299-307		24
723	The Malnutrition Screening Tool is a useful tool for identifying malnutrition risk in residential aged care. 2009 , 22, 545-50		47
722	Moving forward with nutrition in Alzheimer's disease. 2009 , 16 Suppl 1, 19-22		14
721	Impact of global and subjective mini nutritional assessment (MNA) questions on the evaluation of the nutritional status: the role of gender and age. 2009 , 49, 69-73		16
720	Body composition in Swedish old people aged 65-99 years, living in residential care facilities. 2009 , 49, 98-107		17
719	Multidimensional geriatric evaluation for older cancer patients as a clinical and research tool. 2009 , 35, 487-92		52
718	Virtual Clinical Nutrition University: Nutrition in the elderly, pathophysiology of sarcopenia. 2009 , 4, e77-e80		

717	Basics in clinical nutrition: Nutrition in the elderly. 2009 , 4, e289-e299		15
716	Norwegian version of the Nutritional Form for the Elderly: sufficient psychometric properties for performing institutional screening of elderly patients. 2009 , 29, 761-7		20
715	Inflammation markers and malnutrition as risk factors for infections and impaired health-related quality of life among older nursing home residents. 2009 , 10, 348-53		30
714	Anorexia: aetiology, epidemiology and management in older people. 2009 , 26, 557-70		26
713	But is it malnutrition?. 2009 , 10, 295-7		6
712	[Definition and outline on geriatric oncology]. 2009 , 19 Suppl 3, S75-9		3
711	[Do ablative treatments modify the management of kidney tumors in the elderly?]. 2009 , 19 Suppl 3, S116-23		0
710	The Mini Nutritional Assessment-An Integral Part of Geriatric Assessment. 2009 , 44, 21-28		1
709	Effectiveness of a specific care plan in patients with Alzheimer's disease: cluster randomised trial (PLASA study). 2010 , 340, c2466		36
708	Nutritional screening tools in daily clinical practice: the focus on cancer. 2010 , 18 Suppl 2, S17-27		36
707	The SNAQ(RC), an easy traffic light system as a first step in the recognition of undernutrition in residential care. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 83-9	5.2	36
706	Vitamin B12 deficiency in African American and white octogenarians and centenarians in Georgia. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 339-45	5.2	39
705	Older rehabilitation patients are at high risk of malnutrition: evidence from a large Australian database. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 622-8	5.2	82
704	Validation of the Chinese-Canadian study of health and aging clinical frailty scale (CSHA-CFS) telephone version. 2010 , 50, e74-80		54
703	Predictors of in-hospital mortality and re-hospitalization in older adults with community-acquired pneumonia: a prospective cohort study. <i>BMC Geriatrics</i> , 2010 , 10, 22	4.1	60
702	A trial assessing N-3 as treatment for injury-induced cachexia (ATLANTIC trial): does a moderate dose fish oil intervention improve outcomes in older adults recovering from hip fracture?. <i>BMC Geriatrics</i> , 2010 , 10, 76	4.1	2
701	Predictors of functional recovery (FR) for elderly hospitalized patients in a geriatric evaluation and management unit (GEMU) in Taiwan. 2010 , 50 Suppl 1, S1-5		18
700	Outcomes of hospitalized elderly patients with geriatric syndrome: report of a community hospital reform plan in Taiwan. 2010 , 50 Suppl 1, S30-3		32

699	The effectiveness of a comprehensive geriatric assessment intervention program for frailty in community-dwelling older people: a randomized, controlled trial. 2010 , 50 Suppl 1, S39-42	79
698	Striving for control in eating situations after stroke. 2010 , 24, 772-80	17
697	Nutrition risk screening in community-living older people attending medical or falls prevention services. 2010 , 67, 84-89	18
696	NEW EVIDENCE BASED PRACTICE GUIDELINES ON MALNUTRITION WELCOMED: BUT USE THE REVISED MNA-SF FOR NUTRITION SCREENING IN OLDER ADULTS. 2010 , 67, 121-122	2
695	Nutrition screening practices in Australian healthcare facilities: A decade later. 2010 , 67, 213-218	21
694	Relationships among nutritional self-efficacy, health locus of control and nutritional status in older Taiwanese adults. 2010 , 19, 2117-27	26
693	[Oral health status and nutritional deficit in noninstitutionalized older adults in Londrina, Brazil]. 2010 , 13, 434-45	20
692	[Structural equation modeling on quality of life in stroke survivors]. 2010 , 40, 533-41	16
691	Malnutrition in free-living elderly in rural south India: prevalence and risk factors. 2010 , 13, 1328-32	43
690	Evaluation of the Mini Nutritional Assessment in the elderly, Tehran, Iran. 2010 , 13, 1373-9	26
689	High rates of malnutrition in older adults receiving different levels of health care in Lleida, Catalonia: an assessment of contributory factors. 2010 , 29, 410-22	9
688	Functionality and mortality in obese nursing home residents: an example of 'risk factor paradox'?. 2010 , 11, 428-35	49
687	¿Cómo evaluamos el estado nutricional de un paciente?. 2010 , 13, 1-2	
686	Community controls were preferred to hospital controls in a case-control study where the cases are derived from the hospital. 2010 , 63, 926-31	13
685	Long chain omega 3 polyunsaturated fatty acids supplementation in the treatment of elderly depression: Effects on depressive symptoms, on phospholipids fatty acids profile and on health-related quality of life. <i>Journal of Nutrition, Health and Aging</i> , 2010 ,	5.2
684	Quality of life and wellbeing of the elderly in Lebanese nursing homes. 2010 , 23, 72-93	34
683	Effect of omega-3 fatty acids supplementation on depressive symptoms and on health-related quality of life in the treatment of elderly women with depression: a double-blind, placebo-controlled, randomized clinical trial. 2010 , 29, 55-64	83
682	Cognitive function, physical performance, health, and disease: norms from the georgia centenarian study. 2010 , 36, 394-425	37

681	Simplification de la stratégie de dépistage de la dénutrition du sujet très âgé en EHPAD : un pari sur la pesée mensuelle. 2011 , 11, 76-83	1
680	Oral health status and chewing ability is related to mini-nutritional assessment results in an older adult population in Thailand. 2011 , 30, 291-304	32
679	Mini Nutritional Assessment (MNA) and biochemical markers of cachexia in metastatic lung cancer patients: interrelations and associations with prognosis. 2011 , 74, 516-20	58
678	Efficiency and applicability of comprehensive geriatric assessment in the emergency department: a systematic review. 2011 , 23, 244-54	68
677	Who needs a comprehensive geriatric assessment? A French Onco-Geriatric Screening tool (OGS). 2011 , 2, 130-136	12
676	[Impact of malnutrition on long-term mortality in hospitalized patients with heart failure]. 2011 , 64, 752-8	91
675	Impact of Malnutrition on Long-Term Mortality in Hospitalized Patients With Heart Failure. 2011 , 64, 752-758	3
674	Considerations for screening tool selection and role of predictive and concurrent validity. 2011 , 14, 425-33	62
673	Management of elderly patients with advanced infiltrating and metastatic bladder cancer: an oncogeriatric approach. 2011 , 7, 491-502	
672	Perceived health and risk of undernutrition: a comparison of different nutritional screening results in older patients. 2011 , 20, 2162-71	8
671	Eating difficulties among stroke patients in the acute state: a descriptive, cross-sectional, comparative study. 2011 , 20, 2563-72	14
670	Brain fuel metabolism, aging, and Alzheimer's disease. 2011 , 27, 3-20	374
669	Diagnostic performance of the Minimal Eating Observation and Nutrition Form - Version II (MEONF-II) and Nutritional Risk Screening 2002 (NRS 2002) among hospital inpatients - a cross-sectional study. 2011 , 10, 24	11
668	Patterns of cognitive change in elderly patients during and 6 months after hospitalisation: a prospective cohort study. 2011 , 48, 338-46	25
667	Comparing the predictive ability of population-specific Mini-Nutritional Assessment with Subjective Global Assessment for Taiwanese patients with hemodialysis: a cross-sectional study. 2011 , 48, 326-32	4
666	Modified hospital elder life program: effects on abdominal surgery patients. 2011 , 213, 245-52	105
665	Helping understand nutritional gaps in the elderly (HUNGER): a prospective study of patient factors associated with inadequate nutritional intake in older medical inpatients. 2011 , 30, 320-5	113
664	Self-reported socio-economic status, social, physical and leisure activities and risk for malnutrition in late life: a cross-sectional population-based study. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 233-8	5.2 39

663	Suitability of the short-form Mini Nutritional Assessment in free-living elderly people in the northwest of Spain. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 187-91	5.2	20
662	Long chain omega 3 polyunsaturated fatty acids supplementation in the treatment of elderly depression: effects on depressive symptoms, on phospholipids fatty acids profile and on health-related quality of life. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 37-44	5.2	52
661	Effects of high-intensity exercise and protein supplement on muscle mass in ADL dependent older people with and without malnutrition: a randomized controlled trial. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 554-60	5.2	44
660	Assessment of malnutrition in older persons: a focus on the Mini Nutritional Assessment. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 87-90	5.2	31
659	Nutritional status and health care costs for the elderly living in municipal residential homes--an intervention study. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 92-7	5.2	20
658	Nutritional status in older adults with mild cognitive impairment living in elderly homes in Cairo, Egypt. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 104-8	5.2	32
657	Utility of geriatric assessment tools to identify 85-years old subjects with vitamin D deficiency. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 110-4	5.2	29
656	Predicting the value of the Mini Nutritional Assessment (MNA) as an indicator of functional ability in older Iranian adults (Kahrizak elderly study). <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 175-80	5.2	9
655	Risk of malnutrition among Brazilian institutionalized elderly: a study with the Mini Nutritional Assessment (MNA) questionnaire. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 532-5	5.2	19
654	The oldest old: red blood cell and plasma folate in African American and white octogenarians and centenarians in Georgia. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 744-50	5.2	2
653	Intensive dietary intervention by a dietitian as a case manager among community dwelling older adults: the EDIT study. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 624-30	5.2	29
652	Rationale and design of the B-PROOF study, a randomized controlled trial on the effect of supplemental intake of vitamin B12 and folic acid on fracture incidence. <i>BMC Geriatrics</i> , 2011 , 11, 80	4.1	70
651	Risk of malnutrition is associated with mental health symptoms in community living elderly men and women: the Tromsø study. 2011 , 11, 112		33
650	Pressure ulcer incidence in Dutch and German nursing homes: design of a prospective multicenter cohort study. 2011 , 10, 8		7
649	Association of polypharmacy with nutritional status, functional ability and cognitive capacity over a three-year period in an elderly population. 2011 , 20, 514-22		204
648	Prevalence of geriatric conditions: a hospital-wide survey of 455 geriatric inpatients in a tertiary medical center. 2011 , 53, 46-50		14
647	Influence of geriatric consultation with comprehensive geriatric assessment on final therapeutic decision in elderly cancer patients. 2011 , 79, 302-7		131
646	Baseline nutritional evaluation in metastatic lung cancer patients: Mini Nutritional Assessment versus weight loss history. 2011 , 22, 835-841		63

645	Low co-morbidity, low levels of malnutrition, and low risk of falls in a community-dwelling sample of 85-year-olds are associated with successful aging: the Octabaix study. <i>Rejuvenation Research</i> , 2011 , 14, 309-14	2.6	24
644	Validity and user-friendliness of the minimal eating observation and nutrition form - version II (MEONF - II) for undernutrition risk screening. 2011 , 55,		22
643	Body mass index is associated with dietary patterns and health conditions in georgia centenarians. 2011 , 2011, 138015		6
642	Nutritional status is strongly correlated with grip strength and depression in community-living elderly Japanese. 2011 , 14, 1893-9		32
641	Cut-off scores for the Minimal Eating Observation and Nutrition Form - Version II (MEONF-II) among hospital inpatients. 2011 , 55,		10
640	Physical performance, sarcopenia and respiratory function in older patients with chronic obstructive pulmonary disease. <i>Age and Ageing</i> , 2012 , 41, 237-41	3	22
639	Effects of a diet integration with an oily emulsion of DHA-phospholipids containing melatonin and tryptophan in elderly patients suffering from mild cognitive impairment. 2012 , 15, 46-54		52
638	Association between poor nutritional status and severe depression in Korean cerebral infarction patients. 2012 , 15, 25-30		4
637	Polypharmacy and nutritional status in elderly people. 2012 , 15, 1-6		44
636	Nutritional screening tools as predictors of mortality, functional decline, and move to higher level care in older people: a systematic review. 2012 , 31, 97-145		57
635	A score to predict the development of adverse clinical events after transition from acute hospital wards to post-acute care settings. <i>Rejuvenation Research</i> , 2012 , 15, 553-63	2.6	16
634	Perioperative nutrition support in cancer patients. <i>Nutrition in Clinical Practice</i> , 2012 , 27, 586-92	3.6	38
633	Translation and testing of the Risk Assessment Pressure Ulcer Sore scale used among residents in Norwegian nursing homes. 2012 , 2,		1
632	The challenge of maintaining successful aging at 87 years old: the Octabaix study two-year follow-up. <i>Rejuvenation Research</i> , 2012 , 15, 584-9	2.6	4
631	Malnutrition and Heart Failure: Comments. 2012 , 65, 198		
630	[Nutrition and frailty. What the elderly should eat]. 2012 , 154, 45-8		2
629	Malnutrition and heart failure: comments. 2012 , 65, 198		
628	Beyond malnutrition screening: appropriate methods to guide nutrition care for aged care residents. 2012 , 112, 376-81		64

627	Nutrition education intervention for dependent patients: protocol of a randomized controlled trial. 2012 , 12, 373		7
626	Predicting falls among Egyptian nursing home residents: A 1-year longitudinal study. 2012 , 3, 73-76		7
625	Five-year survival and prognostic factors in a cohort of hospitalized nonagenarians. 2012 , 23, 513-8		23
624	Geriatric assessment and chronic kidney disease in the oldest old: the Octabaix study. 2012 , 23, 534-8		7
623	Vitamins and Minerals. 2012 , 217-236		
622	â€œIt could probably help someone else but not meâ€A feasibility study of a snack programme offered to meals on wheels clients. <i>Journal of Nutrition, Health and Aging</i> , 2012 ,	5.2	
621	Feasibility and reliability of the Mini Nutritional Assessment (MNA) in older adults with intellectual disabilities. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 759-62	5.2	9
620	[Development and evaluation of nutritional screening tools]. 2012 , 65, 607-13		2
619	Psychometric testing of the Norwegian version of the Nutritional Form For the Elderly among older home-dwelling people. 2012 , 5, 121-8		9
618	Ability for self-care in urban living older people in southern Norway. 2012 , 5, 85-95		25
617	Nutritional screening of older home-dwelling Norwegians: a comparison between two instruments. 2012 , 7, 383-91		25
616	[Advanced bladder cancer in elderly patients. Prognostic outcomes and therapeutic strategies]. 2012 , 51, 820-8		14
615	The impact of self-perceived masticatory function on nutrition and gastrointestinal complaints in the elderly. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 175-8	5.2	18
614	A multifaceted intervention model can give a lasting improvement of older peoples' nutritional status. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 378-82	5.2	24
613	Serum high-density lipoprotein cholesterol levels correlate well with functional but not with cognitive status in 85-year-old subjects. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 449-53	5.2	11
612	Malnutrition screening and early nutrition intervention in hospitalised patients in acute aged care: a randomised controlled trial. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 562-8	5.2	46
611	Different components of nutritional status in older inpatients with cognitive impairment. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 468-71	5.2	24
610	Risk of falls in 85-year-olds is associated with functional and cognitive status: the Octabaix Study. 2012 , 54, 352-6		19

609	Factors associated with nutritional risk in 75-year-old community living people. 2012 , 7, 3-10		13
608	An analytic appraisal of nutrition screening tools supported by original data with particular reference to age. 2012 , 28, 477-94		63
607	Mini Nutritional Assessment and functional capacity in community-dwelling elderly in rural Luozi, Democratic Republic of Congo. 2013 , 13, 35-42		15
606	Testing two self-care-related instruments among older home-dwelling people in Norway. 2013 , 8, 189-98		15
605	The MNA in 2013 - still going stronger after almost twenty years. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 288-9	5.2	6
604	The relationship between nutritional status, functional capacity, and health-related quality of life in older adults with type 2 diabetes: a pilot explanatory study. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 315-21	5.2	22
603	Screening for malnutrition among nursing home residents - a comparative analysis of the mini nutritional assessment, the nutritional risk screening, and the malnutrition universal screening tool. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 326-31	5.2	51
602	A self-completed nutrition screening tool for community-dwelling older adults with high reliability: a comparison study. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 339-44	5.2	35
601	"It could probably help someone else but not me": a feasibility study of a snack programme offered to meals on wheels clients. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 364-9	5.2	17
600	Poor nutritional status is associated with urinary tract infection among older people living in residential care facilities. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 186-91	5.2	18
599	The AMEL study, a cross sectional population-based survey on aging and malnutrition in 1200 elderly Lebanese living in rural settings: protocol and sample characteristics. 2013 , 13, 573		36
598	[Multimorbidity in elderly rheumatic patients part 1]. 2013 , 72, 530-8		5
597	Nutrition risk, functional dependence, and co-morbidities affect depressive symptoms in Taiwanese aged 53 years and over: a population-based longitudinal study. 2013 , 75, 173-7		6
596	Association between cognitive function and nutritional status in elderly: A cross-sectional study in three institutions of Beirut-Lebanon. 2013 , 1, 73-81		17
595	Nutritional intervention and physical training in malnourished frail community-dwelling elderly persons carried out by trained lay "buddies": study protocol of a randomized controlled trial. 2013 , 13, 1232		38
594	Micronutrients supplementation and nutritional status in cognitively impaired elderly persons: a two-month open label pilot study. 2013 , 12, 148		17
593	Malnutrition in the elderly: a narrative review. 2013 , 76, 296-302		264
592	Health outcomes of older patients colonized by multi-drug resistant bacteria (MDRB): a one-year follow-up study. 2013 , 56, 231-6		6

591	Improved targeting of cancer care for older patients: a systematic review of the utility of comprehensive geriatric assessment. 2013 , 4, 271-81		76
590	Utilizing multiple methods to classify malnutrition among elderly patients admitted to the medical and surgical intensive care units (ICU). 2013 , 32, 752-7		64
589	Nutritional status of patients in the cardiac ward of a regional hospital. 2013 , 55, e427-e433		
588	Predictive validity of "Malnutrition Universal Screening Tool" (MUST) and Short Form Mini Nutritional Assessment (MNA-SF) in terms of survival and length of hospital stay. 2013 , 8, e44-e50		7
587	Nutritional status, dietary habits, nutritional knowledge and self-care assessment in a group of older adults attending community centres in Pavia, Northern Italy. 2013 , 26, 48-55		21
586	Orexigenic agents in geriatric clinical practice. 2013 , 9, 49-65		2
585	Vitamin B12 and folic acid levels are not related to length of stay in elderly inpatients. 2013 , 29, 757-9		5
584	Impact of nutritional status and dietary quality on stroke: do we need specific recommendations?. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 548-54	5.2	11
583	Mortality as an adverse outcome of sarcopenia. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 259-62	5.2	160
582	Malnutrition screening tools: comparison against two validated nutrition assessment methods in older medical inpatients. 2013 , 29, 101-6		80
581	Cancer cachexia in the age of obesity: skeletal muscle depletion is a powerful prognostic factor, independent of body mass index. 2013 , 31, 1539-47		1371
580	Nutrition assessment in advanced heart failure patients evaluated for ventricular assist devices or cardiac transplantation. <i>Nutrition in Clinical Practice</i> , 2013 , 28, 112-9	3.6	59
579	Predictors of cognitive decline in 85-year-old patients without cognitive impairment at baseline: 2-year follow-up of the octabaix study. 2013 , 28, 147-53		6
578	The effect of poststroke delirium on short-term outcomes of elderly patients undergoing rehabilitation. 2013 , 26, 63-8		13
577	Malnutrition in an elderly population without cognitive impairment living in nursing homes in Spain: study of prevalence using the Mini Nutritional Assessment test. 2013 , 59, 490-8		34
576	Functional recovery of older people with hip fracture: does malnutrition make a difference?. 2013 , 69, 1691-703		35
575	The moderating effect of nutritional status on depressive symptoms in veteran elders with dementia: a spaced retrieval combined with Montessori-based activities. 2013 , 69, 2229-41		6
574	Relationship between oral health and frailty in community-dwelling elderly individuals in Brazil. 2013 , 61, 809-14		70

573	Full mini nutritional assessment and prognosis in elderly patients with pulmonary tuberculosis. 2013 , 32, 307-11		3
572	Utility of geriatric assessment to predict mortality in the oldest old: the Octabaix study 3-year follow-up. <i>Rejuvenation Research</i> , 2013 , 16, 279-84	2.6	17
571	Prevalence of frailty phenotypes and risk of mortality in a community-dwelling elderly cohort. <i>Age and Ageing</i> , 2013 , 42, 46-51	3	77
570	Nutrition Screening. 2013 , 83-96		
569	Alternative geriatric care and quality metrics. 301-312		
568	Functional assessment of the elderly. 313-321		
567	Assessing the nutritional status of elderly Chinese lung cancer patients using the Mini-Nutritional Assessment (MNA(®)) tool. 2013 , 8, 287-91		11
566	Improving engagement in mental health treatment for home meal recipients with depression. 2013 , 8, 1305-12		10
565	Frailty in old age is associated with decreased interleukin-12/23 production in response to toll-like receptor ligation. 2013 , 8, e65325		37
564	Handgrip strength predicts functional decline at discharge in hospitalized male elderly: a hospital cohort study. 2013 , 8, e69849		39
563	Multifactorial assessment and targeted intervention to reduce falls among the oldest-old: a randomized controlled trial. 2014 , 9, 383-93		11
562	Nutritional status and falls in community-dwelling older people: a longitudinal study of a population-based random sample. 2014 , 9, e91044		33
561	Nutritional status in community-dwelling elderly in France in urban and rural areas. 2014 , 9, e105137		27
560	Relationship between cognitive impairment and nutritional assessment on functional status in Calabrian long-term-care. 2014 , 9, 105-10		30
559	[Low weight and functional disability in institutionalized elderly interns in Uberlândia in the State of Minas Gerais, Brazil]. 2014 , 19, 3513-20		8
558	Calf circumference measurement for nutritional assessment in maintenance hemodialysis patients. 2014 , 47, 679-684		
557	Comprehensive geriatric assessment predicts mortality and adverse outcomes in hospitalized older adults. <i>BMC Geriatrics</i> , 2014 , 14, 129	4.1	67
556	The diagnostic accuracy of the revised mini nutritional assessment short form for older people living in the community and in nursing homes. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 725-729	5.2	6

555	Effectiveness of a primary care based multifactorial intervention to improve frailty parameters in the elderly: a randomised clinical trial: rationale and study design. <i>BMC Geriatrics</i> , 2014 , 14, 125	4.1	21
554	Sarcopenia assessment project in the nursing homes in Turkey. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 690-4	5.2	32
553	Nutritional management of older adults with cognitive decline and dementia. 2014 , 14 Suppl 2, 17-22		31
552	Assessing the nutritional status of the elderly living at home. 2014 , 5, 377-381		7
551	Efficacy of nutrition as medication in malnourished hospitalised patients is strongly influenced by environmental factors. 2014 , 71, 73-78		4
550	Does documentation in nursing records of nutritional screening on admission to hospital reflect the use of evidence-based practice guidelines for malnutrition?. 2014 , 25, 43-8		9
549	Dopaminergic agents and nutritional status in Parkinson's disease. 2014 , 29, 1543-7		20
548	An investigation into the association between nutritional status and quality of life in older people admitted to hospital. 2014 , 27, 142-51		46
547	Feasibility of implementing routine nutritional screening for older adults in Australian general practices: a mixed-methods study. 2014 , 15, 186		10
546	Effects of a multidomain lifestyle modification on cognitive function in older adults: an eighteen-month community-based cluster randomized controlled trial. 2014 , 83, 270-8		26
545	Tight calorie control in geriatric patients following hip fracture decreases complications: a randomized, controlled study. 2014 , 33, 23-8		60
544	Effects of individual dietary counseling as part of a comprehensive geriatric assessment (CGA) on nutritional status: a population-based intervention study. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 54-8	5.2	36
543	The role of sex and sex-related hormones in cognition, mood and well-being in older men and women. 2014 , 103, 158-66		35
542	Nutritional status and related risk factors which may lead to functional decline in community-dwelling Turkish elderly. 2014 , 5, 294-297		6
541	[Geriatric assessment tools in Spanish Geriatric Departments]. 2014 , 49, 235-42		5
540	Nutritional and health status among nursing home residents in Lebanon: comparison across gender in a national cross sectional study. 2014 , 14, 629		23
539	Identification and treatment of older persons with sarcopenia. 2014 , 17, 199-204		21
538	Influence of the geriatric oncology consultation on the final therapeutic decision in elderly subjects with cancer: analysis of 191 patients. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 76-82	5.2	7

537	Factors associated with poor nutritional status among community dwelling Lebanese elderly subjects living in rural areas: results of the AMEL study. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 487-94	5.2	38
536	Validation of a new tool: the calorie intake tool, to easily estimate the energy intake of diseased aged patient. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 857-60	5.2	3
535	Older patients' depressive symptoms 6 months after prolonged hospitalization: course and interrelationships with major associated factors. 2014 , 58, 339-43		7
534	Risk of malnutrition (over and under-nutrition): validation of the JaNuS screening tool. 2014 , 33, 1087-94		8
533	Accuracy of the G-8 geriatric-oncology screening tool for identifying vulnerable elderly patients with cancer according to tumour site: the ELCAPA-02 study. 2014 , 5, 11-9		48
532	[Management of vascular risk factors in patients older than 80]. 2014 , 143, 134.e1-11		8
531	The Multidomain Intervention to prevent disability in ELders (MINDED) project: rationale and study design of a pilot study. 2014 , 38, 145-54		21
530	Identifying sarcopenia in acute care setting patients. 2014 , 15, 303.e7-12		62
529	Low serum vitamin D is not associated with an increase in mortality in oldest old subjects: the Octabaix three-year follow-up study. 2014 , 60, 10-5		15
528	Modifying the consistency of food and fluids for swallowing difficulties in dementia. 2014 ,		3
527	Prevalence of nutritional risk in the non-demented hospitalised elderly: a cross-sectional study from Norway using stratified sampling. 2015 , 4, e18		10
526	Adipose Tissue Distribution in Patients with Alzheimer's Disease: A Whole Body MRI Case-Control Study. 2015 , 48, 825-32		11
525	The Malnutrition Universal Screening Tool (MUST) and a nutrition education program for high risk cancer patients: strategies to improve dietary intake in cancer patients. 2015 , 5, 17		26
524	Detection of potentially inappropriate prescribing in the very old: cross-sectional analysis of the data from the BELFRAIL observational cohort study. <i>BMC Geriatrics</i> , 2015 , 15, 156	4.1	22
523	NutOrMedâ€”optimising nutrition, oral health and medication for older home care clientsâ€”study protocol. <i>BMC Nutrition</i> , 2015 , 1,	2.5	9
522	High risk of malnutrition associated with depressive symptoms in older South Africans living in KwaZulu-Natal, South Africa: a cross-sectional survey. 2015 , 33, 19		35
521	Nutritional status of care-dependent people with dementia in shared-housing arrangements--a one-year follow-up. 2015 , 29, 785-92		5
520	The effects of the DASH diet education program with omega-3 fatty acid supplementation on metabolic syndrome parameters in elderly women with abdominal obesity. <i>Nutrition Research and Practice</i> , 2015 , 9, 150-7	2.1	9

519	Poor nutrition and alcohol consumption are related to high serum homocysteine level at post-stroke. <i>Nutrition Research and Practice</i> , 2015 , 9, 503-10	2.1	13
518	Undernutrition and associated factors in a Portuguese older adult community. 2015 , 28, 231-240		8
517	Identifying Malnutrition in an Elderly Ambulatory Rehabilitation Population: Agreement between Mini Nutritional Assessment and Validated Screening Tools. <i>Healthcare (Switzerland)</i> , 2015 , 3, 822-9	3.4	9
516	Assessment of transthyretin combined with mini nutritional assessment on admission provides useful prognostic information in patients with acute decompensated heart failure. 2015 , 56, 226-33		13
515	Patient-reported geriatric symptoms as risk factors for hospitalization and emergency department visits. 2015 , 6, 188-95		19
514	Nutritional assessment and factors associated to malnutrition in older adults: a cross-sectional study in Bogotá-Colombia. 2015 , 27, 304-19		28
513	The prevalence of frailty and related factors in community-dwelling Turkish elderly according to modified Fried Frailty Index and FRAIL scales. 2015 , 27, 703-9		27
512	Quality of life and physical components linked to sarcopenia: The SarcoPhAge study. 2015 , 69, 103-10		141
511	Nutritional status assessment in geriatrics: Consensus declaration by the Spanish Society of Geriatrics and Gerontology Nutrition Work Group. 2015 , 81, 414-9		25
510	Impact of malnutrition on physical, cognitive function and mortality among older men living in veteran homes by minimum data set: A prospective cohort study in Taiwan. <i>Journal of Nutrition, Health and Aging</i> , 2015 ,	5.2	1
509	Changes in Nutritional Status after Deep Brain Stimulation of the Nucleus Basalis of Meynert in Alzheimer's Disease—Results of a Phase I Study. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 812-8	5.2	12
508	Dietary intake of energy, nutrients and water in elderly people living at home or in nursing home. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 265-72	5.2	37
507	Which screening method is appropriate for older cancer patients at risk for malnutrition?. 2015 , 31, 594-7		54
506	Calf circumference as a surrogate marker of muscle mass for diagnosing sarcopenia in Japanese men and women. 2015 , 15, 969-76		166
505	[Profile and prognosis of patients over 85 years old with anemia living in the community. Octabaix Study]. 2015 , 50, 211-5		10
504	Use of 3 tools to assess nutrition risk in the intensive care unit. 2015 , 39, 28-33		57
503	Validation of the Mini Nutritional Assessment-Short Form in a Population of Frail Elders without Disability. Analysis of the Toulouse Frailty Platform Population in 2013. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 570-4	5.2	45
502	Pre-surgical Geriatric Syndromes, Frailty, and Risks for Postoperative Delirium in Older Patients Undergoing Gastrointestinal Surgery: Prevalence and Red Flags. 2015 , 19, 927-34		11

501	Secondary confounders of osteoporotic hip fractures in patients admitted to a geriatric acute care department. 2015 , 48, 633-40		0
500	Reliability and Validity of the Greek Version of Patient Generated-Subjective Global Assessment in Cancer Patients. 2015 , 67, 899-905		4
499	A Pilot Study of the FRAIL Scale on Predicting Outcomes in Chinese Elderly People With Type 2 Diabetes. 2015 , 16, 714.e7-714.e12		37
498	Comparing cognition, mealtime performance, and nutritional status in people with dementia with or without ideational apraxia. 2015 , 17, 199-206		7
497	Lactobacillus gasseri KS-13, Bifidobacterium bifidum G9-1, and Bifidobacterium longum MM-2 Ingestion Induces a Less Inflammatory Cytokine Profile and a Potentially Beneficial Shift in Gut Microbiota in Older Adults: A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. 2015 , 34, 459-69		39
496	Poor nutritional status is associated with a higher risk of falling and fracture in elderly people living at home in France: the Three-City cohort study. 2015 , 26, 2157-64		24
495	Colorectal surgical mortality and morbidity in elderly patients: comparison of POSSUM, P-POSSUM, CR-POSSUM, and CR-BHOM. 2015 , 30, 173-9		17
494	MultiComponent Exercise and theRApeutic lifeStyle (CERgAS) intervention to improve physical performance and maintain independent living among urban poor older people--a cluster randomised controlled trial. <i>BMC Geriatrics</i> , 2015 , 15, 8	4.1	9
493	The Mini-Nutritional Assessment and Cognitive Impairment in Older People. 2015 , 1175-1186		
492	Mini Nutritional Assessment (MNA) is Rather a Reliable and Valid Instrument to Assess Nutritional Status in Iranian Healthy Adults and Elderly with a Chronic Disease. 2015 , 54, 342-57		15
491	Nutritional status and its health-related factors among older adults in rural and urban areas. 2015 , 71, 42-53		21
490	Assessing the nutritional status of older individuals in family practice: Evaluation and implications for management. 2015 , 34, 1184-8		9
489	Validation of Katz index of independence in activities of daily living in Turkish older adults. 2015 , 61, 344-50		64
488	[Vitamins and nutritional supplements in older persons: How to diagnose and when to substitute?]. 2015 , 56, 1318-24		1
487	Prevalence of Malnutrition Among Gastric Cancer Patients Undergoing Gastrectomy and Optimal Preoperative Nutritional Support for Preventing Surgical Site Infections. 2015 , 22 Suppl 3, S778-85		121
486	[How to identify frailty in older patients with cancer? Available tools]. 2015 , 19, 382-5		2
485	The nutritional status and energy and protein intakes of MOW clients and the need for further targeted strategies to enhance intakes. 2015 , 95, 528-32		9
484	Seniors' body weight dissatisfaction and longitudinal associations with weight changes, anorexia of aging, and obesity: results from the NuAge Study. 2015 , 27, 220-38		9

483	Preoperative Nutritional Assessment in Elderly Cancer Patients Undergoing Elective Surgery: MNA or PG-SGA?. 2015 , 77, 232-5		12
482	Deep brain stimulation of the nucleus basalis of Meynert in Alzheimer's dementia. 2015 , 20, 353-60		145
481	Predictors of Morbidity and Mortality After Surgery for Intestinal Perforation. 2016 , 32, 221-227		13
480	Inappropriate nutrients intake is associated with lower functional status and inferior quality of life in older adults with depression. 2016 , 11, 1505-1517		16
479	Malnutrition: The Importance of Identification, Documentation, and Coding in the Acute Care Setting. 2016 , 2016, 9026098		17
478	Current Development in Elderly Comprehensive Assessment and Research Methods. <i>BioMed Research International</i> , 2016 , 2016, 3528248	3	18
477	Reliability of nutritional assessment in patients with gastrointestinal tumors. 2016 , 43, 189-97		12
476	A Consensus Proposal for Nutritional Indicators to Assess the Sustainability of a Healthy Diet: The Mediterranean Diet as a Case Study. <i>Frontiers in Nutrition</i> , 2016 , 3, 37	6.2	45
475	Evidence of functional declining and global comorbidity measured at baseline proved to be the strongest predictors for long-term death in elderly community residents aged 85 years: a 5-year follow-up evaluation, the OCTABAIX study. 2016 , 11, 437-44		20
474	Undernutrition, risk of malnutrition and obesity in gastroenterological patients: A multicenter study. 2016 , 8, 563-72		7
473	“While we can, we will” Exploring food choice and dietary behaviour amongst independent older Australians. 2016 , 73, 463-473		11
472	Prevalence and Incidence of Frailty in Community-Dwelling Older People: Beijing Longitudinal Study of Aging II. 2016 , 64, 1281-6		60
471	Markers of Overall Nutritional Status and Incident Hearing Impairment in Community-Dwelling Older Japanese: The Kurabuchi Study. 2016 , 64, 1480-5		9
470	Evaluation of the nutritional status of older hospitalised geriatric patients: a comparative analysis of a Mini Nutritional Assessment (MNA) version and the Nutritional Risk Screening (NRS 2002). 2016 , 29, 704-713		19
469	A longitudinal qualitative study of health care personnel's perceptions of simultaneous implementation of three risk assessment scales on falls, malnutrition and pressure ulcers. 2016 , 25, 1912-22		1
468	Morbidity and mortality predictivity of nutritional assessment tools in the postoperative care unit. 2016 , 95, e5038		25
467	Coexisting with dependence and well-being: the results of a pilot study intervention on 75-99-year-old individuals. 2016 , 28, 2067-2078		6
466	RelAte: pilot study of the effects of a mealtime intervention on social cognitive factors and energy intake among older adults living alone. 2016 , 116, 1573-1581		13

465	Nutritional Status of Patients with Alzheimer's Disease and Their Caregivers. 2016 , 54, 1619-1627		11
464	Risk Factors for Malnutrition in Older Adults: A Systematic Review of the Literature Based on Longitudinal Data. 2016 , 7, 507-22		270
463	Improving Mental Health Treatment Initiation among Depressed Community Dwelling Older Adults. 2016 , 24, 310-9		13
462	Sarcopenia in daily practice: assessment and management. <i>BMC Geriatrics</i> , 2016 , 16, 170	4.1	270
461	Detailed Dietary Assessment in Patients with Inoperable Tumors: Potential Deficits for Nutrition Care Plans. 2016 , 68, 1131-9		2
460	Management of malnutrition in geriatric trauma patients: results of a nationwide survey. <i>European Journal of Trauma and Emergency Surgery</i> , 2016 , 42, 553-558	2.3	6
459	A scoping review of anorexia of aging correlates and their relevance to population health interventions. 2016 , 105, 688-99		23
458	Dietary intake in the dependent elderly: evaluation of the risk of nutritional deficit. 2016 , 29, 174-84		17
457	Impact of Malnutrition on Physical, Cognitive Function and Mortality among Older Men Living in Veteran Homes by Minimum Data Set: A Prospective Cohort Study in Taiwan. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 41-7	5.2	20
456	Effects of a Home-Based and Volunteer-Administered Physical Training, Nutritional, and Social Support Program on Malnutrition and Frailty in Older Persons: A Randomized Controlled Trial. 2016 , 17, 671.e9-671.e16		98
455	Mini Nutritional Assessment Short-Form: Validation in Five Latin American Cities. SABE Study. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 797-805	5.2	15
454	Drugs prescribed for patients hospitalized in a geriatric oncology unit: Potentially inappropriate medications and impact of a clinical pharmacist. 2016 , 7, 463-470		28
453	Optimising nutrition in residential aged care: A narrative review. 2016 , 92, 70-78		29
452	Validity of the Kihon Checklist for assessing frailty status. 2016 , 16, 709-15		230
451	Assessing Alzheimer's disease patients' quality of life: Discrepancies between patient and caregiver perspectives. 2016 , 12, 427-37		27
450	Risk factors for hip fracture in very old people: a population-based study. 2016 , 27, 923-931		27
449	Healthy brain ageing and cognition: Nutritional factors. 2016 , 7, 77-85		19
448	Whey protein, amino acids, and vitamin D supplementation with physical activity increases fat-free mass and strength, functionality, and quality of life and decreases inflammation in sarcopenic elderly. 2016 , 103, 830-40		193

447	Prevalence of anemia and malnutrition and their association in elderly nursing home residents. 2016 , 28, 857-62		21
446	Outcomes related to nutrition screening in community living older adults: A systematic literature review. 2016 , 62, 9-25		46
445	An exercise program with patient's involvement and family support can modify the cognitive and affective trajectory of acutely hospitalized older medical patients: a pilot study. 2016 , 28, 483-90		6
444	Individually prescribed diet is fundamental to optimize nutritional treatment in geriatric patients. 2016 , 35, 692-8		17
443	La vision dans lâexploration de la fragilit�chez le sujet g�: 2017 , 17, 51-57		
442	Association of metabolic syndrome with falls in patients with Parkinson's disease. 2017 , 36, 559-563		7
441	Association Between Malnutrition and Clinical Outcomes in the Intensive Care Unit: A Systematic Review [Formula: see text]. 2017 , 41, 744-758		146
440	Trajectories of Nutritional Status and Cognitive Impairment among Older Taiwanese with Hip Fracture. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 38-45	5.2	6
439	Social isolation and risk for malnutrition among older people. 2017 , 17, 286-294		75
438	Effects of oral anticoagulant therapy in older medical in-patients with atrial fibrillation: a prospective cohort observational study. 2017 , 29, 491-497		9
437	Determinants of the nutritional status of older adults in urban Lebanon. 2017 , 17, 424-432		12
436	Comparison of the prevalence of sarcopenia using skeletal muscle mass index and calf circumference applying the European consensus definition in elderly Mexican women. 2017 , 17, 161-170		20
435	Validity of Knee-Estimated Height to Assess Standing Height in Older Adults: A Secondary Longitudinal Analysis of the Mexican Health and Aging Study. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 262-265	5.2	4
434	Impact of nutrition for rehabilitation of older patients: Report on the 1st EICA-ESPRM-EUGMS Train the Trainers Course. 2017 , 8, 183-190		6
433	Sarcopenia, but not excess weight or increased caloric intake, is associated with coronary subclinical atherosclerosis in the very elderly. 2017 , 258, 138-144		31
432	Que reste-t-il des indications de lâst�synth�e dans les fractures f�morales intra-capsulaires du patient de plus de 80 ans? Analyse multivari�e d�une s�rie multicentrique prospective. 2017 , 103, 3-7		
431	The efficacy of a nutrition education intervention to prevent risk of malnutrition for dependent elderly patients receiving Home Care: A randomized controlled trial. 2017 , 70, 131-141		30
430	Use of ACE-inhibitors and falls in patients with Parkinson's disease. 2017 , 54, 39-44		8

429	Relationship between tongue strength and 1-year life expectancy in elderly people needing nursing care. 2017 , 105, 477-483		3
428	Individually Tailored Dietary Counseling among Old Home Care Clients - Effects on Nutritional Status. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 567-572	5.2	10
427	The Importance of Nutrition in a Conceptual Framework of Frailty Syndrome. 2017 , 6, 93-101		1
426	Inflammation and hemostasis in older octogenarians: implication in 5-year survival. 2017 , 185, 34-46.e9		4
425	Prognostic impact of nutritional status assessed by the Controlling Nutritional Status score in patients with stable coronary artery disease undergoing percutaneous coronary intervention. 2017 , 106, 875-883		41
424	Screening and Assessment of Malnutrition. 2017 , 19-38		
423	Effect of a Modified Hospital Elder Life Program on Delirium and Length of Hospital Stay in Patients Undergoing Abdominal Surgery: A Cluster Randomized Clinical Trial. 2017 , 152, 827-834		104
422	The Unhealthy Lifestyle Factors Associated with an Increased Risk of Poor Nutrition among the Elderly Population in China. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 943-953	5.2	9
421	Fractures de lâxtrmit proximale du fmur chez les patients centenaires. Etude rtrospective de 39 patients. 2017 , 103, 8-12		
420	European Society of Anaesthesiology evidence-based and consensus-based guideline on postoperative delirium. 2017 , 34, 192-214		362
419	Proximal femoral fractures in centenarians. A retrospective analysis of 39 patients. 2017 , 103, 9-13		6
418	Internal fixation of intra-capsular proximal femoral fractures in patients older than 80 years: Still relevant? Multivariate analysis of a prospective multicentre cohort. 2017 , 103, 3-7		17
417	Management of elderly patients suffering from cancer: Assessment of perceived burden and of quality of life of primary caregivers. 2017 , 8, 220-228		11
416	Prospective Evaluation of Nutritional Factors to Predict the Risk of Complications for Patients Undergoing Radical Cystectomy: A Cohort Study. 2017 , 69, 1196-1204		7
415	Nutritional and Functional Status in Newly Hospitalized Older Patients Who are Not Underweight. 2017 , 36, 111-120		1
414	Elderly Nutritional Indicators for Geriatric Malnutrition Assessment (ENIGMA): Development and validation of a nutritional prognostic index. 2017 , 22, 54-63		9
413	Effects of randomized whey-protein loads on energy intake, appetite, gastric emptying, and plasma gut-hormone concentrations in older men and women. 2017 , 106, 865-877		33
412	Effects of a dietary self-management programme for community-dwelling older adults: a quasi-experimental design. 2017 , 31, 619-629		3

411	Frailty and Malnutrition: Related and Distinct Syndrome Prevalence and Association among Community-Dwelling Older Adults: Singapore Longitudinal Ageing Studies. 2017 , 18, 1019-1028		83
410	Changes in malnutrition and quality of nutritional care among aged residents in all nursing homes and assisted living facilities in Helsinki 2003-2011. 2017 , 72, 169-173		9
409	Effects of Preoperative Malnutrition on Short- and Long-Term Outcomes of Patients with Gastric Cancer: Can We Do Better?. 2017 , 24, 3376-3385		48
408	Integrated care at home reduces unnecessary hospitalizations of community-dwelling frail older adults: a prospective controlled trial. <i>BMC Geriatrics</i> , 2017 , 17, 53	4.1	45
407	Pilot study of the Mini Nutritional Assessment on predicting outcomes in older adults with type 2 diabetes. 2017 , 17, 2485-2492		17
406	Feasibility of home-based dietetic intervention to improve the nutritional status of older adults post-hospital discharge. 2017 , 74, 217-223		11
405	Psychiatric correlates of blood pressure variability in the elderly: The Three City cohort study. 2017 , 168, 91-97		11
404	The Effect of Interdialytic Combined Resistance and Aerobic Exercise Training on Health Related Outcomes in Chronic Hemodialysis Patients: The Tunisian Randomized Controlled Study. 2017 , 8, 288		28
403	Low FT3: a possible marker of frailty in the elderly. 2017 , 12, 335-341		26
402	Amount, Distribution, and Quality of Protein Intake Are Not Associated with Muscle Mass, Strength, and Power in Healthy Older Adults without Functional Limitations-An enable Study. <i>Nutrients</i> , 2017 , 9,	6.7	31
401	Assessment of Nutritional Status in the Elderly. 2017 , 75-81		1
400	Managing an Older Adult with Cancer: Considerations for Radiation Oncologists. <i>BioMed Research International</i> , 2017 , 2017, 1695101	3	22
399	Changes in Nutritional Needs With Aging. 2017 , 17-22		1
398	Nutritional assessment of community-dwelling older adults in rural Nepal. 2017 , 12, e0172052		33
397	Impact of new generation hormone-therapy on cognitive function in elderly patients treated for a metastatic prostate cancer: Cog-Pro trial protocol. 2017 , 17, 549		12
396	Prevalence and risk factors of frailty among home care clients. <i>BMC Geriatrics</i> , 2017 , 17, 266	4.1	12
395	Unfavorable impact of cancer cachexia on activity of daily living and need for inpatient care in elderly patients with advanced non-small-cell lung cancer in Japan: a prospective longitudinal observational study. 2017 , 17, 800		34
394	Strong Relationship between Malnutrition and Cognitive Frailty in the Singapore Longitudinal Ageing Studies (SLAS-1 and SLAS-2). 2018 , 5, 142-148		14

393	Intramuscular Adipose Tissue and the Functional Components of Sarcopenia in Hospitalized Geriatric Patients. 2017 , 2,		17
392	Nutritional Status of the Elderly in an Arab Country in Social Transition: the Case of Lebanon. 2017 , 1-18		
391	Assessment of nutritional status in laparoscopic gastrectomy for gastric cancer. 2017 , 2, 85		9
390	Exercise and taurine in inflammation, cognition, and peripheral markers of blood-brain barrier integrity in older women. 2018 , 43, 733-741		28
389	Relationship between the prognostic nutritional index and long-term clinical outcomes in patients with stable coronary artery disease. 2018 , 72, 155-161		35
388	[Sarcopenia and frailty in older patients with rheumatism]. 2018 , 77, 379-384		1
387	Bone health assessment in older people with or without muscle health impairment. 2018 , 29, 1057-1067		26
386	Evaluation of water balance in a population of older adults. A case control study. 2018 , 24, 95-99		0
385	Improving nutritional discharge planning and follow up in older medical inpatients: Hospital to Home Outreach for Malnourished Elders. 2018 , 75, 283-290		8
384	Risk of Malnutrition Evaluated by Mini Nutritional Assessment and Sarcopenia in Noninstitutionalized Elderly People. <i>Nutrition in Clinical Practice</i> , 2018 , 33, 879-886	3.6	18
383	The development of a new tool for the evaluation of handicap in elderly: the Geriatric Handicap Scale (GHS). 2018 , 30, 1187-1193		2
382	Cross-cultural adaptation and validation of the SARC-F to assess sarcopenia: methodological report from European Union Geriatric Medicine Society Sarcopenia Special Interest Group. 2018 , 9, 23-28		23
381	French translation and validation of the sarcopenia screening tool SARC-F. 2018 , 9, 29-37		16
380	The burden of tooth loss in Italian elderly population living in nursing homes. <i>BMC Geriatrics</i> , 2018 , 18, 76	4.1	7
379	Waist circumference is a better predictor of risk for frailty than BMI in the community-dwelling elderly in Beijing. 2018 , 30, 1319-1325		29
378	Frailty and geriatric assessment in urologic oncology. 2018 , 28, 233-242		8
377	Effect of SSRI and calcium channel blockers on depression symptoms and cognitive function in elderly persons treated for hypertension: three city cohort study. 2018 , 30, 1345-1354		11
376	Modified Texture Food Use is Associated with Malnutrition in Long Term Care: An Analysis of Making the Most of Mealtimes (M3) Project. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 916-922	5.2	19

375	Relationship of nutritional status and oral health in elderly: Systematic review with meta-analysis. 2018 , 37, 824-830	52
374	[Study of the nutritional status of patients over 65 years included in the home care program in an urban population]. 2018 , 50, 88-95	4
373	Combined endurance and resistance training during geriatric day care improve exercise capacity, balance and strength. 2018 , 34, 15-22	1
372	Nutritional screening and dietitian consultation rates in a geriatric evaluation and management unit. 2018 , 75, 11-16	10
371	[Factors associated with in-hospital complications in the elderly subjected to hip fracture surgery]. 2018 , 53, 181-182	0
370	Reduction of the Anticholinergic Burden Makes It Possible to Decrease Behavioral and Psychological Symptoms of Dementia. 2018 , 26, 280-288	16
369	Is nutritional status associated with the level of anxiety, depression and pain in patients with lung cancer?. 2018 , 10, 2303-2310	26
368	Management of locally advanced rectal cancer in the elderly: a critical review and algorithm. 2018 , 9, 363-376	16
367	Inverse Relationship between Metabolic Syndrome and 25-Hydroxyvitamin D Concentration in Elderly People without Vitamin D deficiency. 2018 , 8, 17052	10
366	Geriatric group analysis by clustering non-linearly embedded multi-sensor data. 2018 ,	3
365	Dairy-Based and Energy-Enriched Berry-Based Snacks Improve or Maintain Nutritional and Functional Status in Older People in Home Care. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 1205-1210	6
364	Frailty status but not age predicts complications in elderly cancer patients: a follow-up study. 2018 , 57, 1458-1466	17
363	A new tool for the evaluation of the rehabilitation outcomes in older persons: a machine learning model to predict functional status 1 year ahead. 2018 , 9, 651-657	0
362	Physical Activity, Nutrition, Cognition, Neurophysiology, and Short-Time Synaptic Plasticity in Healthy Older Adults: A Cross-Sectional Study. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 242	5.3 7
361	Do Aspects of Protein Intake Vary Across the Week in Healthy Community-Dwelling Older Adults?-An Study. <i>Nutrients</i> , 2018 , 10,	6.7 3
360	Prevalence of malnutrition and associated factors among community-dwelling older persons in Sri Lanka: a cross-sectional study. <i>BMC Geriatrics</i> , 2018 , 18, 199	4.1 23
359	Association between depressive symptoms and sarcopenia in older Chinese community-dwelling individuals. 2018 , 13, 1605-1611	34
358	Combined effect of nutritional status on long-term outcomes in patients with coronary artery disease undergoing percutaneous coronary intervention. 2018 , 33, 1445-1452	20

357	Comparing SARC-F with SARC-CalF to Screen Sarcopenia in Community Living Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 1034-1038	5.2	33
356	Performance of SARC-F in Regard to Sarcopenia Definitions, Muscle Mass and Functional Measures. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 898-903	5.2	76
355	Frailty and nutritional status in older people: the Mini Nutritional Assessment as a screening tool for the identification of frail subjects. 2018 , 13, 1237-1244		26
354	Refeeding syndrome in the frail elderly population: prevention, diagnosis and management. 2018 , 11, 255-264		25
353	Prevalence of geriatric syndromes among people aged 65 years and older at four community clinics in Moscow. 2018 , 13, 251-259		25
352	Does negative information about aging influence older adults' physical performance and subjective age?. 2018 , 78, 181-189		12
351	Effects of Substitution, and Adding of Carbohydrate and Fat to Whey-Protein on Energy Intake, Appetite, Gastric Emptying, Glucose, Insulin, Ghrelin, CCK and GLP-1 in Healthy Older Men-A Randomized Controlled Trial. <i>Nutrients</i> , 2018 , 10,	6.7	16
350	Association of Frailty and Malnutrition With Long-term Functional and Mortality Outcomes Among Community-Dwelling Older Adults: Results From the Singapore Longitudinal Aging Study 1. 2018 , 1, e180650		54
349	Struggling with nutrition in patients with advanced cancer: nutrition and nourishment-focusing on metabolism and supportive care. 2018 , 29, ii27-ii34		32
348	Are Nutrition-Related Knowledge and Attitudes Reflected in Lifestyle and Health Among Elderly People? A Study Across Five European Countries. 2018 , 9, 994		30
347	[Screening for undernutrition among older adults receiving home care: an estimation of the diagnostic accuracy of indicators available in the Resident Assessment Instrument - Home Care adapted for Switzerland.]. 2018 , 54-63		1
346	A registry study of nursing assessments, interventions and evaluations according to nutrition for persons living in municipal residential care homes. 2018 , 5, 341-350		3
345	An operationalized version of the Mini-Nutritional Assessment Short Form using comprehensive geriatric assessment. 2018 , 27, 100-104		2
344	[Does multimorbidity in older psychiatric patients lead to higher transfer rates between psychiatric and somatic departments?]. 2019 , 52, 568-574		1
343	Questionnaire survey on adjuvant chemotherapy for elderly patients after gastrectomy indicates their vulnerabilities. 2019 , 22, 130-137		6
342	Three-Year Adverse Health Consequences of Sarcopenia in Community-Dwelling Older Adults According to 5 Diagnosis Definitions. 2019 , 20, 43-46.e2		25
341	Prognostic value of cardiac troponin I assay in hospitalized elderly patients. 2019 , 31, 233-239		4
340	Care4Value: A Clinical Instrument Data Collection Platform for Long-Term Healthcare Units. 2019 ,		1

339	Novel preoperative nutritional assessment tool and prognostic model for ESCC patients. 2019 , 10, 3883-3892	1
338	Malnutrition in Older Adults with Cancer. 2019 , 21, 80	29
337	Malnutrition status in patients of very advanced age with nonvalvular atrial fibrillation and its impact on clinical outcomes. 2019 , 29, 1101-1109	6
336	Oral health status as predictor of 1-year mortality after discharge from an acute geriatric unit. 2019 , 10, 889-897	1
335	Factors Associated with Cognitive and Functional Performance in Indigenous Older Adults of Nariè, Colombia. 2019 , 2019, 4542897	0
334	Mini Nutritional Assessment Scores Indicate Higher Risk for Prospective Mortality and Contrasting Correlation With Age-Related Epigenetic Biomarkers. 2019 , 10, 672	1
333	Effect of a Multicomponent Home-Based Physical Therapy Intervention on Ambulation After Hip Fracture in Older Adults: The CAP Randomized Clinical Trial. 2019 , 322, 946-956	29
332	Evaluation of the impact of a post-hospital discharge Transitional Aged Care Service on frailty, malnutrition and functional ability. 2019 , 76, 472-479	6
331	Integrating an openEHR-based personalized virtual model for the ageing population within HBase. 2019 , 19, 25	11
330	Association of depression with malnutrition, grip strength and impaired cognitive function among senior trauma patients. 2019 , 247, 175-182	5
329	Long-term changes in nutritional status are associated with functional and mortality outcomes among community-living older adults. 2019 , 66, 180-186	13
328	Test-retest reliability of the Mini Nutritional Assessment and its relationship with quality of life in patients with stroke. 2019 , 14, e0218749	7
327	Predictability of a modified Mini- Nutritional- Assessment version on six-month and one-year mortality in hospitalized geriatric patients: a comparative analysis. 2019 , 9, 9064	2
326	Malnutrition risks and their associated factors among home-living older Chinese adults in Hong Kong: hidden problems in an affluent Chinese community. <i>BMC Geriatrics</i> , 2019 , 19, 138	4.1 13
325	Prevalence and overlap of sarcopenia, frailty, cachexia and malnutrition in older medical inpatients. <i>BMC Geriatrics</i> , 2019 , 19, 120	4.1 73
324	Malnutrition Screening and Assessment in Hospitalised Older People: a Review. <i>Journal of Nutrition, Health and Aging</i> , 2019 , 23, 431-441	5.2 41
323	Validity of simplified nutritional appetite questionnaire for Turkish community-dwelling elderly and determining cut-off according to mini nutritional assessment. 2019 , 83, 31-36	3
322	Association of Pisa Syndrome With Mortality in Patients With Parkinson's Disease. 2019 , 20, 1037-1041.e1	3

321	Depressive symptoms and nutritional status in the frail older adults. 2019 , 83, 96-100		3
320	Comparison of two malnutrition risk screening tools with nutritional biochemical parameters, BMI and length of stay in Chinese geriatric inpatients: a multicenter, cross-sectional study. 2019 , 9, e022993		13
319	A multimodal and multidisciplinary program to prevent loss of mobility in patients aged over 70 years: study protocol of a multicenter cluster randomized study in primary care (the PRISME-3P study). <i>BMC Geriatrics</i> , 2019 , 19, 48	4.1	1
318	Trajectories of Accumulation of Health Deficits in Older Adults: Are There Variations According to Health Domains?. 2019 , 20, 710-717.e6		16
317	Behavior changes by a buddy-style intervention including physical training, and nutritional and social support. 2019 , 19, 323-329		6
316	Multifactorial immunodeficiency in frail elderly patients: Contributing factors and management. 2019 , 49, 167-172		20
315	Undernutrition Risk Assessment in Elderly People: Available Tools in Clinical Practice. 2019 ,		
314	From menu to mouth: the decay pathway of nutrient intake from planned menu to consumed and characteristics of residents in an aged care facility with greater nutrient decay rates: a cross-sectional study. 2019 , 9, e024044		2
313	Who did it better? Gender differences in effects of a dietary self-management intervention for older community-dwelling adults. 2021 , 33, 473-486		1
312	Tailoring Assessments and Prescription in Cardiac Rehabilitation for Older Adults: The Relevance of Geriatric Domains. 2019 , 35, 423-443		3
311	Low lean mass and chemotherapy toxicity risk in the elderly: the Fraction study protocol. 2019 , 19, 1153		1
310	Validation and Adaptation of the Multidimensional Prognostic Index in an Older Australian Cohort. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
309	Energy Expenditure in Older People Hospitalized for an Acute Episode. <i>Nutrients</i> , 2019 , 11,	6.7	3
308	Threshold for a Reduction in Anticholinergic Burden to Decrease Behavioral and Psychological Symptoms of Dementia. 2019 , 20, 159-164.e3		4
307	Mini nutritional assessment is a better predictor of mortality than subjective global assessment in heart failure out-patients. 2019 , 38, 2740-2746		16
306	Daily and per-meal animal and plant protein intake in relation to muscle mass in healthy older adults without functional limitations: an enable study. 2019 , 31, 1271-1281		10
305	Three Nurse-administered Protocols Reduce Nutritional Decline and Frailty in Older Gastrointestinal Surgery Patients: A Cluster Randomized Trial. 2019 , 20, 524-529.e3		4
304	Can Early Introduction of Palliative Care Limit Intensive Care, Emergency and Hospital Admissions in Patients with Severe Chronic Obstructive Pulmonary Disease? A Pilot Randomized Study. 2019 , 97, 406-415		13

303	From Hospital to Home to Participation: A Position Paper on Transition Planning Poststroke. 2019 , 100, 1162-1175		18
302	Association Between the Decline in Muscle Health and the Decline in Bone Health in Older Individuals from the SarcoPhAge Cohort. 2019 , 104, 273-284		17
301	Adequacy of nutrition and body weight in patients with early stage dementia: The cognition and aging study. 2019 , 38, 2187-2194		2
300	Exercise improves functional capacity and lean body mass in patients with gastrointestinal cancer during chemotherapy: a single-blind RCT. 2019 , 27, 2159-2169		17
299	Correlates associated with mental health and nutritional status in Lebanese older adults: A cross-sectional study. 2020 , 87, 103879		4
298	Sarcopenia, nutritional status and type 2 diabetes mellitus: A cross-sectional study in a group of Mexican women residing in a nursing home. 2020 , 77, 515-522		12
297	Nutritional profiles of older adults according the Mini-Nutritional Assessment. 2020 , 32, 673-680		6
296	Untangling the relationship between fat distribution, nutritional status and Parkinson's disease severity. 2020 , 32, 77-84		5
295	Screening Community-Living Older Adults for Protein Energy Malnutrition and Frailty: Update and Next Steps. 2020 , 45, 640-660		9
294	The validity of three malnutrition screening markers among older patients with cancer. 2020 , 10, 363-368		6
293	The impact of comprehensive geriatric assessment for optimal treatment of older patients with cancer: A randomized parallel-group clinical trial. 2020 , 11, 488-495		10
292	Lower bone mass is associated with subclinical atherosclerosis, endothelial dysfunction and carotid thickness in the very elderly. 2020 , 292, 70-74		4
291	Defining Vitality Using Physical and Mental Well-Being Measures in Nursing Homes: A Prospective Study. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 37-42	5.2	5
290	Association between redox state of human serum albumin and exercise capacity in older women: A cross-sectional study. 2020 , 20, 256-260		7
289	Changes in the nutritional and activity status of elderly patients within 6 months of transcatheter aortic valve replacement: A mixed methods approach. 2020 , 17, e12305		1
288	Clinical factors associated with activities of daily living and their decline in patients with severe dementia. 2020 , 20, 327-336		2
287	The association of frailty with oral cleaning habits and oral hygiene among elderly home care clients. 2020 , 34, 938-947		5
286	Role of Dietary Intake and Serum 25(OH)D on the Effects of a Multicomponent Exercise Program on Bone Mass and Structure of Frail and Pre-Frail Older Adults. <i>Nutrients</i> , 2020 , 12,	6.7	2

285	Association between kidney function, nutritional status and anthropometric measures in older people : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 366	4.1	5
284	Third follow-up of the Cardiovascular Risk Factors, Aging and Dementia (CAIDE) cohort investigating determinants of cognitive, physical, and psychosocial wellbeing among the oldest old: the CAIDE85+ study protocol. <i>BMC Geriatrics</i> , 2020 , 20, 238	4.1	5
283	Care of older people with Cognitive Impairment or Dementia Hospitalized in Traumatology Units (CARExDEM): a quasi-experiment. <i>BMC Geriatrics</i> , 2020 , 20, 246	4.1	
282	Malnutrition and its determinants among older adults people in Addis Ababa, Ethiopia. <i>BMC Geriatrics</i> , 2020 , 20, 498	4.1	1
281	Relationship between Nutritional Status and Clinical and Biochemical Parameters in Hospitalized Patients with Heart Failure with Reduced Ejection Fraction, with 1-year Follow-Up. <i>Nutrients</i> , 2020 , 12,	6.7	5
280	Inadequate energy and protein intake in geriatric outpatients with mobility problems. 2020 , 84, 33-41		0
279	Association between sucrose and fiber intake and symptoms of depression in older people. 2020 , 1-12		2
278	Comparison of MUST and Nutriscore for the Screening of Malnutrition in Hospitalized Oncology Patients. 2021 , 73, 1941-1946		1
277	Home Exercise Interventions in Frail Older Adults. 2020 , 9, 163-175		7
276	Prevalence of Malnutrition and Depression in Older Adults Living in Nursing Homes in Mexico City. <i>Nutrients</i> , 2020 , 12,	6.7	10
275	Effects of a Multicomponent Exercise Program, a Detraining Period and Dietary Intake Prediction of Body Composition of Frail and Pre-Frail Older Adults from the EXERNET Elder 3.0 Study. 2020 , 12, 9894		2
274	Clinical determinants of resting metabolic rate in geriatric outpatients. 2020 , 89, 104066		2
273	Birjand longitudinal aging study (BLAS): the objectives, study protocol and design (wave I: baseline data gathering). 2020 , 19, 551-559		7
272	Frailty, markers of immune activation and oxidative stress in HIV infected elderly. 2020 , 15, e0230339		7
271	Gait speed and body mass index: Results from the AMI study. 2020 , 15, e0229979		8
270	Trunk Muscle Cross-Sectional Area as a Predictive Factor for Length of Postoperative Hospitalization after Surgical Aortic Valve Replacement. 2020 , 26, 151-157		3
269	Association between tooth loss and gray matter volume in cognitive impairment. 2020 , 14, 396-407		7
268	Association between chronic diseases and falls among a sample of older people in Finland. <i>BMC Geriatrics</i> , 2020 , 20, 225	4.1	8

267	Comparison between Appendicular Skeletal Muscle Index DXA Defined by EWGSOP1 and 2 versus BIA Tengvall Criteria among Older People Admitted to the Post-Acute Geriatric Care Unit in Italy. <i>Nutrients</i> , 2020 , 12,	6.7	3
266	Geriatric nutritional risk index predicts poor outcomes in patients with acute ischemic stroke - Automated undernutrition screen tool. 2020 , 15, e0228738		8
265	Parkinson's disease and the non-motor symptoms: hyposmia, weight loss, osteosarcopenia. 2020 , 32, 1211-1218		6
264	Impact of Malnutrition on Outcomes Following Transcatheter Aortic Valve Implantation (from a National Cohort). 2020 , 125, 1096-1101		5
263	Association between frailty and family functionality on health-related quality of life in older adults. 2020 , 29, 1665-1674		8
262	Evaluation of dysphagia in patients with sarcopenia in a rehabilitation setting: insights from the vicious cycle. 2020 , 11, 333-340		4
261	Malnutrition and Physical Frailty among Nursing Home Residents: A Cross-Sectional Study in China. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 500-506	5.2	6
260	Agreement and Classification Performance of Malnutrition Tools in Patients with Chronic Heart Failure. 2020 , 4, nzaa071		12
259	Associations between health-related quality of life, body mass index, health status and sociodemographic variables in geriatric patients and non-hospitalized older people: A comparative cross-sectional study. 2020 , 26, 141-150		2
258	Older Adult Cancer Patients Under Palliative Care With a Prognosis of 30 Days or More: Clinical and Nutritional Changes. 2021 , 40, 148-154		1
257	Relationship Between Dysphagia and Sarcopenia with Comprehensive Geriatric Evaluation. 2021 , 36, 140-146		12
256	Salivary biomarkers in breast cancer: a cross-sectional study. 2021 , 29, 889-896		3
255	Geriatric oncology: questions, answers and guidelines. 2021 , 14, 24-28		0
254	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. 2021 , 33, 3-17		16
253	Comprehensive geriatric assessment in older adults with cancer: Recommendations by the Italian Society of Geriatrics and Gerontology (SIGG). 2021 , 51, e13347		3
252	The impact of a tailored follow-up intervention on comprehensive geriatric assessment in older patients with cancer - a randomised controlled trial. 2021 , 12, 41-48		1
251	Malnutrition provides important long-term prognostic information in patients undergoing endovascular abdominal aortic aneurysm repair. 2021 , 29, 330-339		1
250	Ward-based nutrition care practices and a snapshot of patient care: Results from nutritionDay in the ICU. 2021 , 41, 340-345		0

249	Safety and efficacy of preoperative chemoradiotherapy in fit older patients with intermediate or locally advanced rectal cancer evaluated by comprehensive geriatric assessment: A planned interim analysis of a multicenter, phase II trial. 2021 , 12, 572-577		2
248	Sex-bias in the diagnosis of malnutrition in the elderly: a pilot study. 2021 , 61, 121-132		
247	Comparison of Seniors in the Community: Risk Evaluation for Eating and Nutrition, version II and Mini Nutritional Assessment - Short Form in detecting nutritional risk among community-dwelling seniors in Bosnia and Herzegovina. 2021 , 24, 2681-2688		1
246	Randomised controlled trial protocol for the PROTECT-CS Study: PROTein to Enhance outComes of (pre)frail paTients undergoing Cardiac Surgery. 2021 , 11, e037240		3
245	Prehabilitation of patients undergoing cytoreductive surgery (CRS) and hyperthermic intraperitoneal chemotherapy (HIPEC) for peritoneal malignancy. 2021 , 47, 60-64		9
244	Comparison of Nutrition Risk Screening 2002 and Subjective Global Assessment Form as Short Nutrition Assessment Tools in Older Hospitalized Adults. <i>Nutrients</i> , 2021 , 13,	6.7	3
243	Preventing Falls and Malnutrition among Older Adults in Municipal Residential Care in Sweden: A Registry Study. 2021 , 7, 23779608211026161		2
242	Clinical impact of walking capacity on the risk of disability and hospitalizations among elderly patients with advanced lung cancer. 2021 , 29, 3961-3970		1
241	Evaluation of Nutritional Status and Correlation with Postoperative Complications in Elderly Patients Submitted to Surgical Treatment of Proximal Femoral Fractures. 2021 , 56, 104-108		1
240	Association of Lower Nutritional Status and Education Level with the Severity of Depression Symptoms in Older Adults-A Cross Sectional Survey. <i>Nutrients</i> , 2021 , 13,	6.7	4
239	Nutritional Assessment in Older Adults : MNA ² 25 years of a Screening Tool and a Reference Standard for Care and Research; What Next?. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 528-583	5.2	15
238	Sterol metabolism and protein metabolism are differentially correlated with sarcopenia in Asian Chinese men and women. 2021 , 54, e12989		5
237	Improvement of transitional care from hospital to home for older patients, the TIGER study: protocol of a randomised controlled trial. 2021 , 11, e037999		3
236	The Effects of Early Nutritional Intervention on Oral Mucositis and Nutritional Status of Patients With Head and Neck Cancer Treated With Radiotherapy. 2020 , 10, 595632		3
235	Description of Participants in the "Atout Age Mobility" Prevention Workshops at the University Hospital Center of La R�union: A Prospective Study. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 628-636	5.2	1
234	Vitamin D Deficiency is Associated with Handgrip Strength, Nutritional Status and T2DM in Community-Dwelling Older Mexican Women: A Cross-Sectional Study. <i>Nutrients</i> , 2021 , 13,	6.7	4
233	Modifiable, Non-Modifiable, and Clinical Factors Associated with Progression of Alzheimer's Disease. 2021 , 80, 1-27		8
232	Predictors of frailty among Chinese community-dwelling older adults with type 2 diabetes: a cross-sectional survey. 2021 , 11, e041578		5

231	Different Impact of Definitions of Sarcopenia in Defining Frailty Status in a Population of Older Women with Early Breast Cancer. 2021 , 11,		4
230	Factors associated with the nutritional status of the older population in a selected area of Dhaka, Bangladesh. <i>BMC Geriatrics</i> , 2021 , 21, 161	4.1	3
229	Ability of SARC-F to Find Probable Sarcopenia Cases in Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 757-761	5.2	6
228	Nutritional status of the free-living elderly. 2021 , 29, 68-75		
227	Nutritional Risk Screening in Cancer Patients: The First Step Toward Better Clinical Outcome. <i>Frontiers in Nutrition</i> , 2021 , 8, 603936	6.2	10
226	Feasibility of a prehabilitation programme dedicated to older patients with cancer before complex medical-surgical procedures: the PROADAPT pilot study protocol. 2021 , 11, e042960		2
225	Long-term effectiveness and safety of anticoagulation therapy in oldest old, frail people with atrial fibrillation. 2021 , 86, 91-97		4
224	Association of nutrition status and hospital-acquired infections in older adult orthopedic trauma patients. 2021 ,		2
223	Geriatrische Diagnostik. 2021 , 36, 220-223		
222	Gender-specific factors associated with risk of depression among Lebanese older adults. 2021 , 21, 577-585		1
221	Nutrient Intake and Muscle Measures in Geriatric Outpatients. 2021 , 40, 589-597		0
220	Nutritional Status and Adverse Outcomes in Older Depressed Inpatients: A Prospective Study. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 889-894	5.2	0
219	Nutritional screening based on objective indices at admission predicts in-hospital mortality in patients with COVID-19. 2021 , 20, 46		5
218	Three definitions of probable sarcopenia and associations with falls and functional disability among community-dwelling older adults. 2021 , 7, 69-74		2
217	Individualised physical activity programme in patients over 65 years with haematological malignancies (OCAPI): protocol for a single-arm feasibility trial. 2021 , 11, e046409		
216	A favorable effect on nutritional status of 12-week tailored texture-modified sous-vide cooking meals in institutionalized elderly women with oropharyngeal dysphagia: an intervention study. 2021 , 46, 202-213		1
215	Functional Performance After Complex Endovascular Aortic Repair: A Single-Center Retrospective Cohort Study. 2021 , 28, 852-859		
214	In-hospital complications in an acute care geriatric unit. 2021 , 41, 293-301		0

213	Appetite and Nutritional Status as Potential Management Targets in Patients with Heart Failure with Reduced Ejection Fraction-The Relationship between Echocardiographic and Biochemical Parameters and Appetite. 2021 , 11,		1
212	Sociodemographic, behavioral, and geriatric characteristics in older adults with and without HIV: A case-control study. 2021 , 100, e26734		0
211	Care of Geriatric Patients with Lumbar Spine, Pelvic, and Acetabular Fractures before and after Certification as a Geriatric Trauma Center DGU: A Retrospective Cohort Study. 2021 , 57,		0
210	A systematic review of the malnutrition prevalence in hospitalized hip fracture patients and its associated outcomes. 2021 , 45, 1141-1152		5
209	Mini Nutritional Assessment and physical function of older people in residential aged care facility, Bangladesh. 2021 , 2601060211030119		
208	Sarcopenic dysphagia in institutionalised older adults. 2021 , 68, 602-602		2
207	Diagnostic accuracy of the Mini Nutritional Assessment –Short Form to identify malnutrition among older adults: protocol for a systematic review and meta-analysis. 4, 83		1
206	The effects of the glycaemic control on the severity of the delirium in the advanced phase of Alzheimer’s disease. 2020 , 9, 1470		2
205	Nutritional indices at admission are associated with mortality rates of patients in the intensive care unit. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5.2	1
204	Pilot investigation shows high sensitivity and specificity using an Abridged Subjective Global Assessment without physical examination in a tertiary hospital; pertinence for use amongst those without COVID-19 when physical distancing required during the pandemic. 2021 , 44, 463-465		1
203	Impact of nutritional assessment on long-term outcomes in patients with carotid artery stenting. 2021 , 75, e14637		1
202	Definition des geriatrischen Patienten, Bedeutung für die Gastroenterologie und geriatrisches Assessment. 2021 , 16, 317-323		
201	Associations between inflammatory markers and muscle strength in older adults according to the presence or absence of obesity. 2021 , 151, 111409		2
200	Independent Determinants of Appetite Impairment among Patients with Stage 3 or Higher Chronic Kidney Disease: A Prospective Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
199	Prognostic factors in elderly patients with T1 glottic cancer treated with radiotherapy. 2021 , 11, 17717		0
198	Impact of Nutritional Assessment on the Clinical Outcomes of Patients with Non- Candidemia: A Multicenter Study. <i>Nutrients</i> , 2021 , 13,	6.7	1
197	Factors associated with nutrition risk among community-dwelling older adults in Thailand. 2021 , 42, 1048-1055		
196	Optimizing nutrition and oral health for caregivers-intervention protocol. 2021 , 22, 625		1

195	Mild Malnutrition Contributes the Greatest to the Poor Prognosis in Coronary Artery Disease With Well-Controlled Low-Density Lipoprotein Cholesterol Levels: A 4,863 Chinese Cohort Study. <i>Frontiers in Nutrition</i> , 2021 , 8, 725537	6.2	
194	Anthropometric measurements and food consumption analysis of older people according to place of residence and gender: A cross-sectional study. 2021 , 45, 236-244		
193	BaSAIt - A mixed-methods study protocol on setting-based physical activity promotion and counseling in nursing homes. 2021 , 23, 100828		1
192	Anthropometry as a readily accessible health assessment of older adults. 2021 , 153, 111464		2
191	Dehydration and loss of appetite: Key nutrition features in older people receiving home health care. 2021 , 91-92, 111385		1
190	Relationship between Nutritional Scales and Prognosis in Elderly Patients after Acute Ischemic Stroke: Comparison of Controlling Nutritional Status Score and Geriatric Nutritional Risk Index. 2021 , 77, 116-123		2
189	Cohort Profile update: The Concord Health and Ageing in Men Project (CHAMP). 2021 ,		1
188	Modifying the consistency of food and fluids for swallowing difficulties in dementia. 2018 , 9, CD011077		24
187	Age, race and season predict vitamin D status in African American and white octogenarians and centenarians. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 690-5	5.2	22
186	Vitamin B12 deficiency in African American and white octogenarians and centenarians in Georgia. <i>Journal of Nutrition, Health and Aging</i> ,	5.2	1
185	The diagnostic accuracy of the Revised Mini Nutritional Assessment Short Form for older people living in the community and in nursing homes. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 725-9	5.2	4
184	Nutritional Risk and Quality of Life in Community-Dwelling Elderly: A Cross-Sectional Study. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 111-116	5.2	12
183	Frailty, Sarcopenia, and Malnutrition Frequently (Co-)occur in Hospitalized Older Adults: A Systematic Review and Meta-analysis. 2020 , 21, 1216-1228		47
182	[Frailty syndrome and associated factors in indigenous older adults of Nariño, Colombia]. 2020 , 46, 153-160		1
181	[Nutritional requirements of the elderly]. 2018 , 23, 18-21		1
180	Multiprofessionelles Geriatisches Assessment. 2007 , 20, 125-134		4
179	The impact of malnutrition on short-term morbidity and mortality in ambulatory patients with heart failure. 2021 , 113, 695-705		10
178	Nutritional assessment in the critically ill. 1998 , 1, 275-9		10

177	Study Design for Nutritional Assessments in the Elderly. 1998 , 301-320	2
176	Increased basal and alum-induced interleukin-6 levels in geriatric patients are associated with cardiovascular morbidity. 2013 , 8, e81911	7
175	Motor, psychiatric and fatigue features associated with nutritional status and its effects on quality of life in Parkinson's disease patients. 2014 , 9, e91153	40
174	Pilot Study on the Influence of Nutritional Counselling and Implant Therapy on the Nutritional Status in Dentally Compromised Patients. 2016 , 11, e0147193	7
173	Malnutrition in Alzheimer's Disease, Dementia with Lewy Bodies, and Frontotemporal Lobar Degeneration: Comparison Using Serum Albumin, Total Protein, and Hemoglobin Level. 2016 , 11, e0157053	17
172	Vulnerabilities in Older Patients when Cancer Treatment is Initiated: Does a Cognitive Impairment Impact the Two-Year Survival?. 2016 , 11, e0159734	20
171	The INSPIRE Bio-Resource Research Platform for Healthy Aging and Geroscience: Focus on the Human Translational Research Cohort (The INSPIRE-T Cohort). 2021 , 10, 110-120	6
170	A Web-Based Multidomain Lifestyle Intervention for Older Adults: The eMIND Randomized Controlled Trial. 2021 , 8, 142-150	6
169	Association Between Risk Factors and Intensive Nutritional Intervention Outcomes in Elderly Individuals. 2019 , 11, 472-479	3
168	Bitos por desnutri� em idosos, S� Paulo e Rio de Janeiro: an�lise de s�ries temporais. 1980-1996. 2001 , 4, 191-205	5
167	Nutrition and aging: assessment and treatment of compromised nutritional status in frail elderly patients. 2006 , 1, 67-79	76
166	Nutrition as a Health Determinant in Elderly Patients. 2019 , 26, 3652-3661	8
165	Obtaining a foundation for nursing care at the time of patient admission: a grounded theory study. 2009 , 3, 56-64	3
164	The prevalence of cognitive frailty and pre-frailty among older people in Bangkok metropolitan area: a multicenter study of hospital-based outpatient clinics. 2020 , 5, 62-71	6
163	Nutritional status and cognitive impairment in elderly. 2014 , 17, 1098-105	4
162	Nutrition and older adults. 2000 , 26, 6-14	7
161	Health characteristics of elderly residents in personal care homes. Dementia, possible early dementia, and no dementia. 2003 , 29, 16-23	2
160	Revisiting geriatric failure to thrive: a complex and compelling clinical condition. 2009 , 35, 18-24; quiz 26-7	11

159	Assessment of physical disability using Barthel index among elderly of rural areas of district Jhansi (U.P), India. 2016 , 5, 853-857		15
158	Comparison of Two Validation Nutrition Tools in Hospitalized Elderly: Full Mini Nutritional Assessment and Short-form Mini Nutritional Assessment. 2019 , 10, 168		3
157	The Isfahan Comprehensive Elderly Study: Objectives, research design, methodology, and preliminary results. 2017 , 22, 85		3
156	Considerations in the design and conduct of clinical drug trials in older cancer patients. 2012 , 2, 465-471		1
155	Comparison of four nutritional screening tools for Korean hospitalized children. <i>Nutrition Research and Practice</i> , 2019 , 13, 410-414	2.1	3
154	Associations of social participation, demographic, socioeconomic and disease factors with nutritional risk in a group of older Hong Kong adults. 2013 , 05, 381-387		1
153	Using the Mini Nutritional Assessment to Evaluate the Profile of Elderly Patients in a Geriatric Outpatient Clinic and in Long-Term Institutions. 2011 , 02, 582-587		2
152	Malnutrition Reduces Quality of Life and Performance in Hospitalized Elderly. 2014 , 04, 147-157		2
151	Relationship between Sarcopenia and Mortality in Elderly Inpatients. 2020 , 52, 29-33		7
150	Nutritional issues in patients with cancer. 2019 , 17, 455-462		16
149	Comparison of three screening tools for nutritional status assessment of the elderly in their homes. 2012 , 156, 371-6		10
148	Caregiving for a Spouse with Cognitive Impairment: Effects on Nutrition and Other Lifestyle Factors. 2021 , 84, 995-1003		1
147	The Nutritional Status of Long-Term Institutionalized Older Adults Is Associated with Functional Status, Physical Performance and Activity, and Frailty. <i>Nutrients</i> , 2021 , 13,	6.7	0
146	Different glomerular filtration rate estimating formula for prescribing DOACs in oldest patients: appropriate dosage and bleeding risk. Post hoc analysis of a prospective cohort. 2021 , 34, 591		0
145	Potentially Inappropriate Prescribing for Prostatic Hyperplasia in Older Persons. 2021 ,		1
144	The Association between Malnutrition and Oral Health in Older People: A Systematic Review. <i>Nutrients</i> , 2021 , 13,	6.7	5
143	Effect of Poor Nutritional Status and Comorbidities on the Occurrence and Outcome of Pneumonia in Elderly Adults. 2021 , 8, 719530		0
142	Nutritional Considerations of Older Women. 2003 , 155-181		1

141 Ernährung und Mangelernährung im höheren Lebensalter. **2004**, 142-154

140 Nutritional Assessment. **2004**, 759-766

1

139 Nutritional Management of the Elderly. **2005**,

138 Nutrition Screening and Monitoring Tools. **2007**, 481-491

137 Nutrition and the Geriatric Surgery Patient. **2008**, 47-66

136 Ernährung und Mangelernährung im höheren Lebensalter. **2009**, 160-172

135 Nutritional Support in Acute Pancreatitis and Pancreatic Cancer. **2009**, 391-402

134 Tests for Nutritional Status. **2009**, 449-495

133 The Usefulness of the Mini-Nutritional Assessment-Short Form for Evaluating the Nutrition of Senior Inpatients. **2011**, 70, 203-207

132 Nutrition and Wound Healing. **2012**, 63-71

131 The relationship between view of daily life style and diet, and body composition, energy intake of elderly people. **2012**, 23, 84-92

130 Prise en charge nutritionnelle de la personne âgée fragile en chirurgie orthopédique d'urgence et programmée. **2013**, 39-53

129 Diet Quality and Cerebral Infarction: South Korean Aspects. **2013**, 29-45

128 [Establishment of a short-form screening test for malnutrition in a newly developed comprehensive geriatric assessment initiative named 'Dr. SUPERMAN']. **2013**, 50, 233-42

1

127 Polymedikation im Alter. **2014**, 2, 1-30

126 Geriatrisches Assessment – ein wichtiges Tool für die Therapieselektion in der Onkologie. **2016**, 1-16

125 [Cancer and elderly people, what palliative care?]. **2017**, 66, 35-38

124 NUTRITIONAL STATUS ASSESSMENT OF PATIENTS IN A GENERAL PRACTITIONER'S OFFICE. **2017**, 8, 675-681

123	Lewy Body Dementia in Frailty, A Call for A Geriatrician. 2017 , 2,		
122	The mortality determinants of sarcopenia and comorbidities in hospitalized geriatric patients. 2017 , 2, 65-72		1
121	Geriatrisches Assessment – Ein wichtiges Tool für die Therapieselektion in der Onkologie. 2018 , 37-52		1
120	Relationship between Nutrition Status and Activities of Daily Living of Post-operative Patients with Proximal Femoral Fractures. <i>Rigakuryoho Kagaku</i> , 2018 , 33, 425-429		0.1
119	Probleme mit Medikationsaspekten. 2019 , 37-47		
118	Definition of nutritionally qualitative categorizing (proto)nutritypes and a pilot quantitative nutrimeter for mirroring nutritional well-being based on a quality of life health related questionnaire. 2019 , 36, 862-874		4
117	Clinical Assessment: Comprehensive Geriatric Assessment. 2019 , 37-43		
116	Nutritional Status of the Elderly in an Arab Country in Social Transition: The Case of Lebanon. 2019 , 1499-1516		
115	Association between Malnutrition and Cognitive Impairment among Morocco’s Older Adults. 2019 , 08, 1-14		0
114	Nutritional Status of the Elderly Living in Nursing Homes in Sabzevar, Iran. 2019 , 3, 18-22		1
113	Vigilancia de los pacientes con demencia. Ejemplo del caso francés. 2020 , 24, 1-8		
112	Aging and nutrition. Paving the way to better health. 2020 , 58, 55-68		0
111	Nutrition assessment and geriatric associated conditions among free living elderly people in Birjand, East of Iran: a cross-sectional study. <i>BMC Geriatrics</i> , 2021 , 21, 612	4.1	1
110	An extended version of the MNA-SF increases sensitivity in identifying malnutrition among community living older adults. Results from the PRONUTRISENIOR project. 2021 , 46, 167-172		1
109	The correlation between nutrition and frailty and the receiver operating characteristic curve of different nutritional indexes for frailty. <i>BMC Geriatrics</i> , 2021 , 21, 619	4.1	0
108	The effects of the glycaemic control on the severity of the delirium in the advanced phase of Alzheimer’s disease. 2020 , 9, 1470		2
107	Gewenste resultaten, interventies en evaluatie van zorg. 2020 , 83-116		
106	Global Associations of Calf Circumference with Total Mortality: A Systematic Review and Meta-Analysis.		

105	Discriminative power of an adapted version of Nutritional Risk Screening 2002 applied to Brazilian older adults. 2020 , 18, eAO5309		
104	[Comparison of the CONUT method with SGA and NSA for the prediction of complications, hospital stay, readmissions, and mortality]. 2020 , 37, 799-806		
103	Effects of Stress due to Constipation and Nutritional Status on Degree of Constipation among Community-dwelling Elders. 2020 , 22, 65-74		
102	Linfopenia y riesgo de infecciones nosocomiales en ancianos en una institución de salud de Bogotá Colombia. Estudio de casos y controles. 2020 , 24, 155		1
101	Dependence of the geriatric depression scores on age, nutritional status, and haematologic variables in elderly institutionalized patients. <i>Journal of Nutrition, Health and Aging</i> ,	5.2	
100	Nutritional Assessment. 2008 , 1-29		
99	Méthodes d'évaluation de la prise alimentaire. 2007 , 541-553		
98	Épidémiologie de la dénutrition chez le malade hospitalisé. 2007 , 1093-1102		
97	Place du diététicien dans la prise en charge globale du patient. 2007 , 1145-1155		0
96	Preoperative Nutritional Status and Risk for Subsyndromal Delirium in Older Adults Following Joint Replacement Surgery. 2020 , 39, 384-392		1
95	Harris-Benedict equations do not adequately predict energy requirements in elderly hospitalized African Americans. 2004 , 96, 209-14		13
94	Dependence of the geriatric depression on nutritional status and anthropometric indices in elderly population. 2013 , 8, 92-6		24
93	. 2016 , 29, 24-29		
92	The Prevalence of Malnutrition in Iranian Elderly: A Review Article. 2017 , 46, 1603-1610		10
91	Test-retest reliability of the Mini Nutritional Assessment-Short Form (MNA-SF) in older patients undergoing cardiac rehabilitation. 2020 , 17, 574-579		1
90	Prognostic Value of Glycated Hemoglobin in Frail Older Diabetic Patients With Hip Fracture. 2021 , 12, 770400		0
89	Intrinsic Capacity Defined Using Four Domains and Mortality Risk: A 5-Year Follow-Up of the SarcoPhAge Cohort.. <i>Journal of Nutrition, Health and Aging</i> , 2022 , 26, 23-29	5.2	4
88	How Do Geriatric Scores Predict 1-Year Mortality in Elderly Patients with Suspected Pneumonia?. 2021 , 6,		

87	Screening malnutrition in long-term care facility: A cross-sectional study comparing mini nutritional assessment (MNA) and minimum data set (MDS). 2021 ,		
86	Closed-Loop Insulin Delivery Versus Sensor-Augmented Pump Therapy in Older Adults With Type 1 Diabetes (ORACL): A Randomized, Crossover Trial. 2021 ,		5
85	A Randomized, Open-Label Study to Assess Efficacy of Weekly Assumption of Cholecalciferol versus Calcifediol in Older Patients with Hypovitaminosis D.. 2022 , 7,		0
84	Epidemiology, diagnosis, and assessment of diabetes mellitus in the elderly population: a purposive review. 2022 , 6, 9-21		0
83	Nutritional Regimes Enriched with Antioxidants as an Efficient Adjuvant for IBD Patients under Infliximab Administration, a Pilot Study.. 2022 , 11,		2
82	Nutritional Status According to the Short-Form Mini Nutritional Assessment (MNA-SF) and Clinical Characteristics as Predictors of Length of Stay, Mortality, and Readmissions Among Older Inpatients in China: A National Study.. <i>Frontiers in Nutrition</i> , 2022 , 9, 815578	6.2	1
81	[Geriatric assessment and treatment of nonmetastatic muscle-invasive bladder cancer in patients over 75 years of age. Retrospective and multicentric study of 121 cases].. 2022 ,		
80	Timed up and go test predicts mortality in older adults in Peru: a population-based cohort study.. <i>BMC Geriatrics</i> , 2022 , 22, 61	4.1	1
79	What is the optimal nutritional assessment tool for predicting decline in the activity of daily living among older patients with heart failure?. 2022 , 1		0
78	Validation of the geriatric vulnerability score in older patients with ovarian cancer: an analysis from the GCIG-ENGOT-GINECO EWOC-1 study. <i>The Lancet Healthy Longevity</i> , 2022 ,	9.5	0
77	Social Determinants of Health (Social Risk) and Nutritional Status Among Community-Dwelling Older Adults Living in a Rural Setting: The Atahualpa Project.. <i>Journal of Primary Care and Community Health</i> , 2022 , 13, 21501319221087866	2.1	0
76	Frailty and functional dependence in older population: lessons from the FREEDOM Limousin - Nouvelle Aquitaine Cohort Study.. <i>BMC Geriatrics</i> , 2022 , 22, 128	4.1	0
75	Determining the Profile of People with Fall Risk in Community-Living Older People in Algarve Region: A Cross-Sectional, Population-Based Study.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	0
74	Profile of Patients with Dementia or Cognitive Impairment Hospitalized with a Proximal Femur Fracture Requiring Surgery.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
73	Patient-specific risk factors for adverse outcomes following geriatric proximal femur fractures.. <i>European Journal of Trauma and Emergency Surgery</i> , 2022 , 48, 753	2.3	0
72	Correlation between nutritional status and oral health quality of life, self-efficacy of older inpatients and the influencing factors.. <i>BMC Geriatrics</i> , 2022 , 22, 280	4.1	0
71	An evaluation of preoperative nutritional assessment methods in patients with chronic limb-threatening ischemia with distal bypass. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022 ,	2.3	0
70	A Comparison of the Malnutrition Universal Screening Tool (MUST) and the Mini Nutritional Assessment-Short Form (MNA-SF) Tool for Older Patients Undergoing General Surgery.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1

69	Co-Occurrence of Geriatric Syndromes and Diseases in the General Population: Assessment of the Dimensions of Aging.. <i>Journal of Nutrition, Health and Aging</i> , 2022 , 26, 37-45	5.2	0
68	Malnutrition screening and diagnosis tools: Implications for practice.. <i>Nutrition in Clinical Practice</i> , 2021 ,	3.6	1
67	A Pilot Cross-Sectional Study on Oral Health and Nutritional Status of Institutionalized Older Adults: A Focus on Sarcopenia.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
66	Association Between Fish Consumption and Muscle Mass and Function in Middle-Age and Older Adults.. <i>Frontiers in Nutrition</i> , 2021 , 8, 746880	6.2	1
65	Validity and Predictive Performance of Mini Nutritional Assessment Tool for Institutionalized Elders in Ethiopia.. <i>BioMed Research International</i> , 2022 , 2022, 6764657	3	
64	Effects of food neophobia and oral health on the nutritional status of community-dwelling older adults.. <i>BMC Geriatrics</i> , 2022 , 22, 334	4.1	0
63	Table_1.DOCX. 2019 ,		
62	Table_1.docx. 2018 ,		
61	Population-specific anthropometric cutoff standards improve the functionality of the Mini Nutritional Assessment without BMI in institutionalized elderly in Taiwan. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 696-700	5.2	20
60	The Influence of Exercise, Nutritional Status, and Disease on the Functional Ability to Undertake Activities of Daily Living and Instrumental Activities of Daily Living in Old Taiwanese People. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 4585	2.6	
59	Blood Pressure and Heart Rate Responses following Dietary Protein Intake in Older Men.. <i>Nutrients</i> , 2022 , 14,	6.7	
58	Differential Effects of Sleep Disturbance and Malnutrition on Late-Life Depression Among Community-Dwelling Older Adults. <i>Frontiers in Psychiatry</i> , 2022 , 13,	5	
57	Nutritional Assessment of Greek Liver Cirrhosis Patients: Mini Nutritional Assessment Predicts Mortality. <i>Healthcare (Switzerland)</i> , 2022 , 10, 859	3.4	
56	Effect of individually tailored nutritional counselling on protein and energy intake among older people receiving home care at risk of or having malnutrition: a non-randomised intervention study.. <i>BMC Geriatrics</i> , 2022 , 22, 391	4.1	0
55	Differences in FIM improvement rate stratified by nutritional status and age in stroke patients in kaifukuki (convalescent) rehabilitation ward. 2017 , 8, 98-103		1
54	Nutritional Status According to the GLIM Criteria in Patients with Chronic Heart Failure: Association with Prognosis. <i>Nutrients</i> , 2022 , 14, 2244	6.7	0
53	Physical Condition and Risk of Hospitalization and Polypharmacy in Older Adults. <i>Rejuvenation Research</i> ,	2.6	
52	The Physical Activity and Nutritional Influences in Ageing (PANINI) Toolkit: A Standardized Approach towards Physical Activity and Nutritional Assessment of Older Adults. <i>Healthcare (Switzerland)</i> , 2022 , 10, 1017	3.4	0

51	Prevalence of malnutrition and associated factors among older adults from urban and rural residences of Metu district, Southwest Ethiopia. <i>BMC Nutrition</i> , 2022 , 8,	2.5	0
50	Exploration of an objective and simple index as the outcome of nutrition support for elderly patients and identification of risk factors. <i>European Journal of Clinical Nutrition</i> ,	5.2	
49	Relationship between Returning Home from a Convalescent Rehabilitation Ward and Nutritional Index. <i>Rigakuryoho Kagaku</i> , 2022 , 37, 291-295	0.1	
48	Malnutrition Screening and Assessment. <i>Nutrients</i> , 2022 , 14, 2392	6.7	2
47	Status and Prospect of Nutritional Assessment in Perioperative Patients. <i>Advances in Clinical Medicine</i> , 2022 , 12, 6061-6067	0	
46	The Association of Controlling Nutritional Status Score and Prognostic Nutritional Index with Cardiovascular Diseases: the Fukuoka Kidney Disease Registry Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022 ,	4	
45	The role of nutritional status in the relationship between diabetes and health-related quality of life. <i>Nutrition Research and Practice</i> , 2022 , 16, 505	2.1	
44	Prediction of Mortality in Older Hospitalized Patients after Discharge as Determined by Comprehensive Geriatric Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 7768	4.6	
43	The relevance of geriatric assessments on the association between chronic kidney disease stages and mortality among older people: a secondary analysis of a multicentre cohort study. <i>Age and Ageing</i> , 2022 , 51,	3	
42	The relationship between Comprehensive Geriatric Assessment parameters and depression in elderly patients. <i>Frontiers in Aging Neuroscience</i> , 14,	5.3	0
41	Determinants of nutritional status among old age population in eastern Ethiopia: a general linear model approach. 2022 , 11,		
40	Tackling Surgical Morbidity and Mortality through Modifiable Risk Factors in Cancer Patients. 2022 , 14, 3107		
39	Weighted BlanketsâEffect on the Health of Older People Living in Nursing Homes. 2022 , 7, 79		
38	Mini Nutritional Assessment for Adult Cancer Patients: A Systematic Review and Meta-Analysis. 1-12		0
37	Probable sarcopenia: associations with common geriatric syndromes and comorbidities in Turkish geriatric patients from a university hospital.		0
36	Associations between objectively measured sedentary behavior patterns and depressive symptoms in older adults: A cross sectional study. 2022 , 23, 100471		1
35	A Nutritionally Complete Oral Nutritional Supplement Powder Improved Nutritional Outcomes in Free-Living Adults at Risk of Malnutrition: A Randomized Controlled Trial. 2022 , 19, 11354		0
34	Associations between everyday physical activity and morale in older adults. 2022 , 48, 37-42		0

33	Detecting disabilities in everyday life: evidence from a geriatric assessment. 2022 , 22,	0
32	Agreement Between Different Nutritional Assessments Tools Used for Elderly Hospitalized Patients. 2022 , 10, 532-543	0
31	Validation of GLIM criteria on malnutrition in older Chinese inpatients. 9,	0
30	Forecasting Postoperative Delirium in Older Adult Patients with Fast-and-Frugal Decision Trees. 2022 , 11, 5629	0
29	Clinical Complexity and Diabetes: A Multidimensional Approach for the Management of Cardiorenal Metabolic Syndrome. 2022 ,	1
28	Postprandial glycemic responses to a high-protein dairy snack and energy-enriched berry snacks in older adults. 2022 , 51, 231-238	0
27	A novel a priori food-based dietary quality indicator and its application in long-term care homes: the Quality Index for Nutrition in Nursing Homes (QUINN). 2022 ,	0
26	Home-based intensive treatment of chronic radiation-associated dysphagia in head and neck cancer survivors (HIT-CRAD trial). 2022 , 23,	0
25	The Prevalence of Sarcopenia among Hunan Province Community-Dwelling Adults Aged 60 Years and Older and Its Relationship with Lifestyle: Diagnostic Criteria from the Asian Working Group for Sarcopenia 2019 Update. 2022 , 58, 1562	0
24	Glucose profiles of older adults with type 1 diabetes using sensor-augmented pump therapy in Australia: pre-randomisation results from the ORACL study. 2022 ,	0
23	EPIDEMIOLOGICAL PROFILE OF PROXIMAL FEMORAL FRACTURES IN OLDER ADULTS AT THE REGIONAL HOSPITAL IN COTIA - SP, BRAZIL. 2022 , 30,	0
22	Preliminary Evidence on the Effectiveness of a Multidisciplinary Nutritional Support for Older People with Femur Fracture at an Orthogeriatric Unit in Spain. 2022 , 41, 270-293	0
21	Substituting sedentary time with physical activity in youngest-old to oldest-old community-dwelling older adults: Associations with body composition. 10,	1
20	Multivariate analysis of independent determinants of ADL/IADL and quality of life in the elderly. 2022 , 22,	0
19	Nutritional Status and Sarcopenia in Nursing Home Residents: A Cross-Sectional Study. 2022 , 19, 17013	0
18	Comparison of body fat percentage assessments by bioelectrical impedance analysis, anthropometrical prediction equations, and dual-energy X-ray absorptiometry in older women. 9,	0
17	Undernutrition was a prevalent clinical problem among older adult patients with heart failure in a hospital setting in Northwest Ethiopia. 9,	0
16	Relationship between nutritional status and length of hospital stay among patients with atrial fibrillation as result of the nutritional status heart study. 9,	2

- 15 The GLIM criteria as an effective tool for survival prediction in gastric cancer patients. **2023**, 0
- 14 Impact of malnutrition evaluated by the mini nutritional assessment on the prognosis of acute hospitalized older adults. 9, 1
- 13 Objective Measurements of Physical Function to Predict Survival in Patients with Metastatic Cancer. 1-11 0
- 12 Interventions to improve nutritional status for older patients with cancer – a holistic approach is needed. **2023**, 17, 15-21 0
- 11 Validation of Mini Nutritional Assessment Tool for Ethiopian Old Age People. 0
- 10 Malnutrition is associated with increased disease risk in older people in the Makkah region of Saudi Arabia: A cross-sectional study. 11, 0
- 9 Food insecurity and malnutrition in older adults from the Family Health Strategy in the Northeast of Brazil. **2022**, 72, 274-284 0
- 8 Relationship of occlusal status with health-related quality of life among older adults in long-term care facilities. 0
- 7 Italian guidance on Dementia Day Care Centres: A position paper. **2023**, 35, 729-744 0
- 6 Predictive Value of Prognostic Nutritional Index for Early Postoperative Mobility in Elderly Patients with Pertrochanteric Fracture Treated with Intramedullary Nail Osteosynthesis. **2023**, 12, 1792 0
- 5 Evaluation of the relationship between GOHAI , MNA and the dental hygiene of using denture wearers for older patients. 0
- 4 Perioperative nutritional assessment and interventions in patients undergoing cytoreductive surgery and hyperthermic intraperitoneal chemotherapy (HIPEC): A systematic review. **2023**, 0
- 3 Factors Related to Nutritional Status of Single Older Residents in Semi-Mountainous Rural Regions of Japan: A Cross-Sectional Study. **2023**, 8, 34 0
- 2 Discovering the Physio-Pathological Mechanisms of Interaction between Bone Mineral Density, Muscle Mass, and Visceral Adipose Tissue in Female Older Adults through Structural Equation Modeling. **2023**, 12, 2269 0
- 1 Nutritional Considerations in Celiac Disease and Non-Celiac Gluten/Wheat Sensitivity. **2023**, 15, 1475 0