Sickness absence with psychiatric diagnoses: Individual permanent disability

Health and Place 15, 308-314

DOI: 10.1016/j.healthplace.2008.06.004

Citation Report

#	Article	IF	CITATIONS
1	Risk Factors for Long-Term Absence Due To Psychiatric Sickness: A Register-Based 5-Year Follow-Up From the Oslo Health Study. Journal of Occupational and Environmental Medicine, 2010, 52, 698-705.	1.7	41
2	How historical factors have affected the application of workers' compensation data to public health. Journal of Public Health Policy, 2010, 31, 227-243.	2.0	7
5	Sex differences in the disability associated with mental disorders. Current Opinion in Psychiatry, 2011, 24, 331-335.	6.3	24
8	Determinants for return to work among sickness certified patients in general practice. BMC Public Health, 2012, 12, 1077.	2.9	15
9	Short-term sick leave and future risk of sickness absence and unemployment - the impact of health status. BMC Public Health, 2012, 12, 861.	2.9	50
11	Unemployment and disability pension-an 18-year follow-up study of a 40-year-old population in a Norwegian county. BMC Public Health, 2012, 12, 148.	2.9	23
12	Depression- and anxiety-related sick leave and the risk of permanent disability and mortality in the working population in Germany: a cohort study. BMC Public Health, 2013, 13, 145.	2.9	70
13	Pattern and predictors of sick leave among users of antidepressants: A Danish retrospective register-based cohort study. Journal of Affective Disorders, 2013, 151, 959-966.	4.1	11
15	Predictors of regained occupational functioning after electroconvulsive therapy (ECT) in patients with major depressive disorderâ€"A population based cohort study. Nordic Journal of Psychiatry, 2013, 67, 326-333.	1.3	2
16	CaracterÃsticas clÃnicas y sociolaborales de pacientes psiquiátricos al término de la incapacidad temporal por contingencia común. Medicina Y Seguridad Del Trabajo, 2013, 59, 205-226.	0.1	O
17	Risk markers of all-cause and diagnosis-specific disability pension - a prospective cohort study of individuals sickness absent due to stress-related mental disorders. BMC Public Health, 2014, 14, 805.	2.9	14
18	Factors associated with the length of fit note-certified sickness episodes in the UK. Occupational and Environmental Medicine, 2015, 72, 467-475.	2.8	29
19	Maternal Sick Leave Due to Psychiatric Disorders Following the Birth of a Child With Special Health Care Needs: Table I Journal of Pediatric Psychology, 2015, 40, 804-813.	2.1	5
20	Sickness absence due to back pain or depressive episode and the risk of all ause and diagnosisâ€specific disability pension: AÂSwedish cohort study of 4,823,069 individuals. European Journal of Pain, 2015, 19, 1308-1320.	2.8	39
21	Assessment of the magnitude of geographical variations in the duration of non-work-related sickness absence by individual and contextual factors. Gaceta Sanitaria, 2015, 29, 164-171.	1.5	4
22	Cohort profile: the Spanish WORKing life Social Security (WORKss) cohort study. BMJ Open, 2016, 6, e008555.	1.9	16
23	IQ and mental health are vital predictors of work drop out and early mortality. Multi-state analyses of Norwegian male conscripts. PLoS ONE, 2017, 12, e0180737.	2.5	11
24	Sickness absence as a predictor of disability retirement in different occupational classes: a register-based study of a working-age cohort in Finland in 2007–2014. BMJ Open, 2018, 8, e020491.	1.9	53

#	Article	IF	CITATIONS
25	Mental disorder sick leave in Sweden: A population study. Work, 2018, 59, 259-272.	1.1	44
26	A prediction model for duration of sickness absence due to stress-related disorders. Journal of Affective Disorders, 2019, 250, 9-15.	4.1	9
27	Transitioning from sickness absence to disability pensionâ€"the impact of poor health behaviours: a prospective Swedish twin cohort study. BMJ Open, 2019, 9, e031889.	1.9	7
28	Is There an Association between Long-Term Sick Leave and Disability Pension and Unemployment beyond the Effect of Health Status? – A Cohort Study. PLoS ONE, 2012, 7, e35614.	2.5	71
29	Epidemiologisk forskning om uf $ ilde{A}_s$ repensjon i Norden. Norsk Epidemiologi, 2010, $19, \ldots$	0.3	2
30	Contextual and mental health service factors in mental disorder-based disability pensioning in Finland $\hat{a} \in \mathbb{C}$ a regional comparison. BMC Health Services Research, 2021, 21, 1081.	2.2	11
31	Kj $ ilde{A}$, nnsforskjeller i overgang fra langtidssykmelding til uf $ ilde{A}$, repensjon i 1997-2002. Norsk Epidemiologi, 2010, 19, .	0.3	0
32	Determinantes de incapacidade temporária para o trabalho de longa duração - Estudo INCIT. Revista Portuguesa De ClÃnica Geral, 2013, 29, 162-170.	0.0	O
33	A study of psychiatric referrals for fitness for work. Industrial Psychiatry, 2017, 26, 162.	0.8	3
34	Fitness to re-join job: Neuropsychiatric perspective. Journal of Neurosciences in Rural Practice, 0, .	0.8	О
35	Do regional labor market conditions matter for temporary work disability duration? A multilevel analysis of workers' compensation claims in five Canadian provinces. American Journal of Industrial Medicine, 0, , .	2.1	0