

CITATION REPORT

List of articles citing

A review of grid code technical requirements for wind farms

DOI: 10.1049/iet-rpg.2008.0070

IET Renewable Power Generation, 2009, 3, 308.

Source: <https://exaly.com/paper-pdf/46024045/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1070	A Wind-Hydro-Pumped Storage Station Leading to High RES Penetration in the Autonomous Island System of Icaria. 2010 , 1, 163-172		127
1069	Effect of Low-Voltage-Ride-Through Technologies on the First Taiwan Offshore Wind Farm Planning. 2010 ,		16
1068	A STATCOM-Control Scheme for Grid Connected Wind Energy System for Power Quality Improvement. 2010 , 4, 346-352		109
1067	Wind Energy literature survey no. 15. 2010 , 13, 275-277		1
1066	Early assessment of grid code requirements for wind power plant in vestas. 2010 ,		
1065	Control strategies of variable-speed wind system under new grid code requirement [A survey]. 2010 ,		5
1064	Fault ride through of DFIG wind turbines during symmetrical voltage dip with crowbar or stator current feedback solution. 2010 ,		19
1063	Dynamic voltage restorer to allow LVRT for a DFIG wind turbine. 2010 ,		10
1062	On the assessment of voltage ride-through needs of the power transmission Grid. 2010 ,		0
1061	Overview of recent grid codes for wind power integration. 2010 ,		150
1060	Coordinated Control Approaches for Low-Voltage Ride-Through Enhancement in Wind Turbines With Doubly Fed Induction Generators. 2010 , 25, 873-883		82
1059	Voltage stability consequences of decentralized generation and possibilities for intelligent control. 2010 ,		4
1058	Transformer based voltage sag generator to perform LVRT and HVRT tests in the laboratory. 2010 ,		22
1057	Systematic development of Low Voltage Ride-Through (LVRT) envelope for grids. 2010 ,		4
1056	Taiwan First Large-Scale Offshore Wind Farm Connection - A Real Project Case Study. 2010 ,		1
1055	Effect of STATCOM on the low-voltage-ride-through capability of Type-D wind turbine generator. 2011 ,		2
1054	International regulations on the transient response of large wind power plants. 2011 ,		1

1053	Electrical Pre-Design for Grid Code Compliant Evaluation of Wind Power Plant in Vestas. 2011,		
1052	A review on fundamental grid-voltage detection methods under highly distorted conditions in distributed power-generation networks. 2011,		29
1051	Enhancing the grid compliance of wind farms by means of Hybrid SVC. 2011,		7
1050	Improving Grid Power Quality with FACTS Device on Integration of Wind Energy System. 2011,		19
1049	. 2011,		9
1048	Introduction. 2011, 1-23		2
1047	Power quality improvement with Static Compensator on grid integration of wind energy system. 2011,		6
1046	Comparing technical connection requirements for large wind power plants. 2011,		10
1045	A Novel LVRT Control Strategy of DFIG Based Rotor Active Crowbar. 2011,		12
1044	Novel Coordinated Converter Control (3C) Strategy for Enhancement of Fault Ride-through Capability of Doubly Fed Induction Generator Wind Farms. <i>Electric Power Components and Systems,</i> 2011, 39, 1493-1506	1	5
1043	Analytical calculation of critical clearance time of doubly fed induction generator. 2011,		2
1042	Voltage control of a StatCom at a fixed speed wind farm under unbalanced grid faults. 2011,		8
1041	A Survey on Recent Low Voltage Ride-Through Solutions of Large Scale Wind Farm. 2011,		4
1040	A LVRT control strategy based on flux tracking for DFIG-based wind power systems. 2011,		6
1039	Voltage stability of wind power grid integration. 2011,		5
1038	Simplified Modeling of a DFIG for Transient Studies in Wind Power Applications. 2011, 58, 9-20		110
1037	DFIG Power Generation Capability and Feasibility Regions Under Unbalanced Grid Voltage Conditions. 2011, 26, 1051-1062		39
1036	Wind turbines with energy storage for power smoothing and FRT enhancement. 2011,		7

1035	A critical review on the grid integration issues of DFIG based wind farms. 2011,		4
1034	Impacts of Symmetrical and Asymmetrical Voltage Sags on DFIG-Based Wind Turbines Considering Phase-Angle Jump, Voltage Recovery, and Sag Parameters. <i>IEEE Transactions on Power Electronics</i> , 2011 , 26, 1587-1598	7.2	117
1033	Full-converter wind generator modelling for transient stability studies. 2011,		8
1032	Fuzzy approach for reactive power control of DFIG-based wind turbines. 2011,		2
1031	Enhanced Hysteresis-Based Current Regulators in Vector Control of DFIG Wind Turbines. <i>IEEE Transactions on Power Electronics</i> , 2011 , 26, 223-234	7.2	87
1030	A review of enabling technologies for large wind power plants to comply with recent grid codes. 2011,		3
1029	. <i>IEEE Transactions on Power Electronics</i> , 2011 , 26, 807-815	7.2	232
1028	Analysis of the control limit of crowbar-less LVRT methods for DFIG-based wind power systems under asymmetrical voltage dips. 2011,		1
1027	Low voltage ride-through of DFIG wind turbines complying with Western-Power grid code in Australia. 2011,		5
1026	. 2011,		6
1025	Grid synchronization of DFIG using model predictive direct power control. 2011,		9
1024	Fault current contributions of doubly fed induction generator wind turbines under different control strategies. 2011,		
1023	Analysis of power quality problems in grid connected wind power plant. 2011,		13
1022	Automatic Cost-Optimal Power Balance Control. 2011 , 26, 2450-2459		4
1021	Taiwan's First Large-Scale Offshore Wind Farm Connection: A Real Project Case Study With a Comparison of Wind Turbine. <i>IEEE Transactions on Industry Applications</i> , 2011 , 47, 1461-1469	4.3	21
1020	. 2011 , 58, 4514-4525		136
1019	Integration of Renewable Energy into Present and Future Energy Systems. 609-706		28
1018	Farm Wide Dynamics: The Next Critical Wind Energy Frontier. 2011 , 35, 397-418		5

1017	Power electronics evolution in wind turbinesA market-based analysis. 2011 , 15, 4982-4993		50
1016	Fault ride-through capability enhancement of doubly-fed induction wind generators. <i>IET Renewable Power Generation</i> , 2011 , 5, 368	2.9	39
1015	Using equidistant vector-based hysteresis current regulators in DFIG wind generation systems. <i>Electric Power Systems Research</i> , 2011 , 81, 1151-1160	3.5	5
1014	Performance of a grid-connected wind generation system with a robust susceptance controller. <i>Electric Power Systems Research</i> , 2011 , 81, 149-157	3.5	5
1013	Voltage dip generator for testing wind turbines connected to electrical networks. 2011 , 36, 1588-1594		12
1012	Design of a voltage sag generator based on impedance switching. 2011 ,		7
1011	Short-circuit contributions of full-converter wind turbines. 2011 ,		4
1010	Fault ride through control with voltage compensation capability for utility interactive inverter with critical load. 2011 ,		2
1009	Developing transmission fault ride-through criteria for New Zealand wind farms. 2011 ,		
1008	Comparison of the Frequency Control Strategy of Wind Turbines and its Optimization Scheme. 2012 , 608-609, 494-499		1
1007	Point of common coupling voltage recovery capability improvement of offshore wind farm connected to a weak grid through high voltage direct current link. 2012 , 4, 063109		1
1006	Transient response assessment of vector PI current controllers in renewable energy applications. 2012 ,		1
1005	Influence of wind plant ancillary voltage control on system small signal stability. 2012 ,		1
1004	A simple approach for distributed generation integration considering benefits for DNO. 2012 ,		4
1003	Security assessment of an autonomous system with increased wind penetration and pumped storage hybrid plants. 2012 ,		1
1002	. 2012 ,		3
1001	Cooperative control of VSC-HVDC connected offshore wind farm with Low-Voltage Ride-Through capability. 2012 ,		
1000	Grid Impact of Voltage Control and Reactive Power Support by Wind Turbines Equipped With Direct-Drive Synchronous Machines. 2012 , 3, 890-898		24

999	Improving dynamic performance of wind energy conversion systems using fuzzy-based hysteresis current-controlled superconducting magnetic energy storage. 2012 , 5, 1305		28
998	A Novel Decoupled Interconnecting Method for Current-Source Converter-Based Offshore Wind Farms. <i>IEEE Transactions on Power Electronics</i> , 2012 , 27, 4224-4233	7.2	46
997	Behavior of a brushless doubly-fed induction generator with a rotating power electronic converter during symmetrical voltage sags. 2012 ,		1
996	Optimized design of resonant controller for stator current harmonic compensation in DFIG wind turbine systems. 2012 ,		9
995	Sensorless control of doubly-fed induction generators based on rotor high frequency signal injection. 2012 ,		4
994	Short circuit current analysis of DFIG-type WG with crowbar protection under grid faults. 2012 ,		12
993	. 2012 ,		1
992	Extended vector control of a rotating power electronic brushless doubly-fed induction generator under unsymmetrical voltage sags. 2012 ,		1
991	A new hybrid PLL for interconnecting Renewable Energy Systems to the grid. 2012 ,		7
990	Grid synchronization of three-phase converters using cascaded complex vector filter PLL. 2012 ,		11
989	A novel topology for enhancing the Low Voltage Ride through capability for grid connected wind turbine generators. 2012 ,		1
988	Electrical Parts of Wind Turbines. 2012 , 269-328		2
987	A new Fault Ride-Through control method for full-converter wind turbines employing Supercapacitor Energy Storage System. 2012 ,		5
986	. 2012 ,		3
985	DVR control of DFIG for compensating fault ride-through based on stationary and synchronous reference frame. 2012 ,		
984	Application of the Data Consistency and Categorization section of the P1782 Trial Use Guide at We Energies. 2012 ,		
983	Microgrid design considerations for next generation grid codes. 2012 ,		20
982	Research laboratory for grid integration of distributed renewable energy resources - design and realization -. 2012 ,		9

981	Overview of high power wind turbine generators. 2012,		6
980	Control strategies of doubly fed induction generator-based wind turbine system with new rotor current protection topology. 2012, 4, 043123		14
979	Improved load-frequency control contribution of variable speed variable pitch wind generators. 2012, 48, 514-523		52
978	. 2012,		
977	Advanced Control Strategy of DFIG Wind Turbines for Power System Fault Ride Through. 2012, 27, 713-722		216
976	A novel LVRT strategy for direct-drive wind turbines based on permanent magnet synchronous generator. 2012,		1
975	A review on recent low voltage ride-through solutions for PMSG wind turbine. 2012,		18
974	An optimal operating strategy of DG unit for power loss reduction in distribution systems. 2012,		14
973	Transient Control of DFIG-Based Wind Power Plants in Compliance With the Australian Grid Code. <i>IEEE Transactions on Power Electronics</i> , 2012, 27, 2813-2824	7.2	77
972	Transmission System Impact of Wind Energy Harvesting Networks. 2012, 3, 643-651		22
971	A Stationary Reference Frame Grid Synchronization System for Three-Phase Grid-Connected Power Converters Under Adverse Grid Conditions. <i>IEEE Transactions on Power Electronics</i> , 2012, 27, 99-112	7.2	448
970	Application of SMES to Enhance the Dynamic Performance of DFIG During Voltage Sag and Swell. 2012, 22, 5702009-5702009		88
969	Virtual inertia for variable speed wind turbines. 2012, n/a-n/a		9
968	Wind integration: experience, issues, and challenges. 2012, 1, 243-255		32
967	Optimal Allocation of Wind Turbines in Active Distribution Networks by Using Multi-Period Optimal Power Flow and Genetic Algorithms. 2012, 249-268		1
966	Reactive power control methods for improved reliability of wind power inverters under wind speed variations. 2012,		9
965	The current control of PV inverter for low voltage ride through. 2012,		11
964	Strategic Placement of Wind Turbines in Smart Grids. 2012, 13,		9

963	Optimal power flow of VSC-based multi-terminal DC networks using genetic algorithm optimization. 2012,		4
962	Reactive power control for voltage support during type C voltage-sags. 2012,		6
961	Capability of asymmetrical grid faults ride-through for DFIG-based Wind turbines. 2012,		2
960	A Fuzzy Logic Controller to Increase Fault Ride-Through Capability of Variable Speed Wind Turbines. 2012, 2012, 1-10		2
959	. 2012,		3
958	Supercapacitor energy storage system for fault ride-through of a DFIG wind generation system. 2012, 59, 96-102		97
957	Coordinated frequency regulation by doubly fed induction generator-based wind power plants. <i>IET Renewable Power Generation</i> , 2012, 6, 38	2.9	209
956	A review of energy storage technologies for wind power applications. 2012, 16, 2154-2171		954
955	Review of international grid codes for wind power integration: Diversity, technology and a case for global standard. 2012, 16, 3876-3890		198
954	Frequency Control in Autonomous Power Systems With High Wind Power Penetration. 2012, 3, 189-199		253
953	Probabilistic Assessment of TTC in Power Systems Including Wind Power Generation. 2012, 6, 181-190		27
952	Improved Control Strategy for DFIG Wind Turbines for Low Voltage Ride Through. <i>Energies</i> , 2013, 6, 1183-1197		13
951	Operation and Control of a DC-Grid Offshore Wind Farm Under DC Transmission System Faults. 2013, 28, 1356-1363		48
950	. <i>IEEE Transactions on Industry Applications</i> , 2013, 49, 2593-2601	4.3	29
949	Voltage Booster Schemes for Fault Ride-Through Enhancement of Variable Speed Wind Turbines. 2013, 4, 1071-1081		67
948	Low-voltage ride-through concept in flyback inverter-based alternating current photovoltaic modules. 2013, 6, 1436-1448		42
947	Single-Phase DC Crowbar Topologies for Low Voltage Ride Through Fulfillment of High-Power Doubly Fed Induction Generator-Based Wind Turbines. 2013, 28, 768-781		83
946	. 2013,		25

945	A new scheme of full-power converter used for grid integration of variable-speed wind turbines. 2013,		2
944	Future on Power Electronics for Wind Turbine Systems. 2013, 1, 139-152		525
943	An accurate transient analysis method for DFIG with crowbar protection under grid faults. 2013,		1
942	Ride-through and grid support of the DFIG based wind farm during asymmetrical faults. 2013,		
941	Harmonic analysis of doubly fed induction generator based utility interactive wind turbine systems during fault conditions. 2013,		2
940	A STATCOM-control scheme for wind energy system to improve power quality. 2013,		4
939	A New Hybrid PLL for Interconnecting Renewable Energy Systems to the Grid. <i>IEEE Transactions on Industry Applications</i> , 2013, 49, 2709-2719	4-3	91
938	Recent advancement on technical requirements for grid integration of wind power. 2013, 1, 216-222		28
937	Trends in Wind Turbine Generator Systems. 2013, 1, 174-185		328
936	A Modified Statistical Model for Wind Power Forecast Considering Wind Power Output Control and its Applications. 2013, 392, 636-640		1
935	Development and bottlenecks of renewable electricity generation in China: a critical review. 2013, 47, 3044-56		35
934	An adaptive Phase-Locked Loop algorithm for faster fault ride through performance of interconnected renewable energy sources. 2013,		6
933	Wind turbines voltage support in weak grids. 2013,		2
932	Medium voltage inverter to establish grid interface and provide ancillary support for a DC distributed wind farm. 2013,		
931	Review on engineering and regulatory aspects associated with frequency control capabilities of wind power plants. 2013,		1
930	Thermal analysis of two-level wind power converter under symmetrical grid fault. 2013,		2
929	Voltage magnitude and margin controller for remote industrial microgrid with high wind penetration. 2013,		
928	Multi-mode interleaved boost converter for photovoltaic power systems with low-voltage ride-through capability. 2013,		6

927	A Three-Terminal HVDC System to Bundle Wind Farms With Conventional Power Plants. 2013 , 28, 2292-2300	17
926	Novel Fault Ride-Through Configuration and Transient Management Scheme for Doubly Fed Induction Generator. 2013 , 28, 86-94	34
925	Improving Fault Ride-Through Capability of DFIG-Based Wind Turbine Using Superconducting Fault Current Limiter. 2013 , 23, 5601204-5601204	88
924	StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. 2013 , 60, 2864-2873	91
923	Application of SMES and Grid Code Compliance to Wind/Photovoltaic Generation System. 2013 , 23, 5000804-5000804	
922	Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault. 2013 , 60, 1429-1441	197
921	Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. 2013 , 60, 2842-2850	95
920	Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. 2013 , 60, 1367-1383	129
919	. 2013 , 28, 1568-1581	67
918	Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. 2013 , 60, 2930-2937	19
917	Limit-induced bifurcation by wind farm voltage supervisory control. <i>Electric Power Systems Research</i> , 2013 , 103, 122-128	3-5 5
916	Optimal Power Flow Control of VSC-Based Multiterminal DC Network for Offshore Wind Integration in the North Sea. 2013 , 1, 260-268	49
915	Reducing power gradients in large-scale wind farms by optimal active power control. 2013 ,	2
914	Power oscillation damping using wind turbines with energy storage systems. <i>IET Renewable Power Generation</i> , 2013 , 7, 449-457	2-9 37
913	Ancillary frequency control of direct drive full-scale converter based wind power plants. 2013 ,	1
912	Synchronization of grid-connected renewable energy sources under highly distorted voltages and unbalanced grid faults. 2013 ,	22
911	High-Order Sliding Mode control for DFIG-based Wind Turbine Fault Ride-Through. 2013 ,	6
910	. 2013 ,	2

909	Reactive Power Influence on the Thermal Cycling of Multi-MW Wind Power Inverter. <i>IEEE Transactions on Industry Applications</i> , 2013 , 49, 922-930	4.3	105
908	A comprehensive review on the grid integration of doubly fed induction generator. 2013 , 49, 8-18		117
907	. 2013 , 4, 652-660		17
906	. 2013 , 60, 2776-2798		432
905	A Comprehensive LVRT Control Strategy for DFIG Wind Turbines With Enhanced Reactive Power Support. 2013 , 28, 3302-3310		145
904	LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. 2013 , 60, 2495-2509		142
903	Power angle control of grid-connected doubly fed induction generator wind turbines for fault ride-through. <i>IET Renewable Power Generation</i> , 2013 , 7, 18-27	2.9	28
902	Analysis of the control limit for rotor-side converter of doubly fed induction generator-based wind energy conversion system under various voltage dips. <i>IET Renewable Power Generation</i> , 2013 , 7, 71-81	2.9	67
901	Power Flow Modeling to Doubly-Fed Induction Generators (DFIGs) Under Power Regulation. 2013 , 28, 3292-3301		28
900	Introduction. 2013 , 1-8		
899	Improving Fault Ride-Through Capability of Variable Speed Wind Turbines in Distribution Networks. 2013 , 7, 713-722		28
898	Analytical strategies for renewable distributed generation integration considering energy loss minimization. 2013 , 105, 75-85		178
897	Wind Power Generation. 2013 , 111-149		
896	A grid side converter current controller for accurate current injection under normal and fault ride through operation. 2013 ,		21
895	. 2013 ,		3
894	Grid code compliance of VSC-HVDC in offshore multi-terminal DC networks. 2013 ,		7
893	Testing Low Voltage Ride Through capabilities of solar inverters. <i>Electric Power Systems Research</i> , 2013 , 96, 111-118	3.5	25
892	Design of backstepping power control for grid-side converter of voltage source converter-based high-voltage dc wind power generation system. <i>IET Renewable Power Generation</i> , 2013 , 7, 118-133	2.9	58

891	Control strategies based On effective power factor for Distributed Generation power plants during unbalanced grid voltage. 2013,		4
890	The comparison of Polish grid codes to certain European standards and resultant differences for WPP requirements. 2013,		3
889	Wind turbine with flywheel for improved power smoothening and LVRT. 2013,		7
888	Impact of wind power plant reactive current injection during asymmetrical grid faults. <i>IET Renewable Power Generation, 2013, 7, 484-492</i>	2.9	25
887	Comparison of multi-MW converters considering the determining factors in wind power application. 2013,		3
886	Offshore wind farms integration and frequency support control utilizing hybrid multi-terminal HVDC transmission. 2013,		2
885	Active power variation in wind farms by varying the number of wind turbine units. 2013, 32, 735-749		
884	Improving the low voltage ride through of doubly fed induction generator during intermittent voltage source converter faults. 2013, 5, 043110		15
883	Analysis of positive ramp limitation control strategies for reducing wind power fluctuations. <i>IET Renewable Power Generation, 2013, 7, 593-602</i>	2.9	11
882	Coordinated Control of a Doubly-Fed Induction Generator-Based Wind Farm and a Static Synchronous Compensator for Low Voltage Ride-through Grid Code Compliance during Asymmetrical Grid Faults. <i>Energies, 2013, 6, 4660-4681</i>	3.1	21
881	Operation and Power Flow Control of Multi-Terminal DC Networks for Grid Integration of Offshore Wind Farms Using Genetic Algorithms. <i>Energies, 2013, 6, 1-26</i>	3.1	38
880	Coordinated Control of Reactive Power between STATCOMs and Wind Farms for PCC Voltage Regulation. 2013, 13, 909-918		7
879	Operation and Control of a Direct-Driven PMSG-Based Wind Turbine System with an Auxiliary Parallel Grid-Side Converter. <i>Energies, 2013, 6, 3405-3421</i>	3.1	27
878	An Analysis of Variable-Speed Wind Turbine Power-Control Methods with Fluctuating Wind Speed. <i>Energies, 2013, 6, 3323-3338</i>	3.1	21
877	Research on D-PMSG Wind Power System with SDBR for LVRT. 2013, 448-453, 1767-1772		0
876	Influence of Speed Governors of Hydropower Stations on Frequency Stabilization of Fixed-Speed Wind Farm. 2013, 14, 189-198		1
875	A Novel Voltage Sag Generator for Grid-Connected PV System's Low Voltage Ride-Through Test. 2013, 805-806, 70-73		
874	Optimal Dispatch Considering the Ability of Active Power Control of Wind Farms. 2013,		

873	Active damping control of DFIG wind turbines during fault ride through. 2013,		4
872	Design principles of low voltage distributed generation units with increased fault ride through capability. 2013,		2
871	Review, analysis and recommendations on recent guidelines for the provision of ancillary services by Distributed Generation. 2013,		20
870	Mechanical impact of wind turbine frequency support strategies. 2013,		1
869	Matrix converter based Voltage Sag Generator to test LVRT capability in renewable energy systems. 2013,		2
868	Flexible arrangement of static converters for grid connected wind energy conversion systems. 2013		
867	Increase in fault ride through capability of direct drive permanent magnet based wind farm using VSC-HVDC. 2013, 16, 012027		0
866	The Performance of a New Hybrid PLL in an Interconnected Renewable Energy Systems under Fault Ride Through Operation. 2013, 2013, 1-10		1
865	Development of an Analytically Described Pitch Regulator for a Wind Turbine to Be Used for Grid Disturbance Studies. 2013, 2013, 1-9		3
864	Review on Australian grid codes for wind power integration in comparison with international standards. 2014,		9
863	High power wind generator designs with less or no PMs: An overview. 2014,		14
862	Low-Voltage-Ride-Through-Assistenzsystem für dezentrale Erzeugungseinheiten. 2014, 131, 309-315		1
861	3-Phase 4-wire matrix converter-based voltage sag/swell generator to test low-voltage ride through in wind energy conversion systems. 2014, 7, 3116-3125		9
860	Studying the Maximum Instantaneous Non-Synchronous Generation in an Island System—Frequency Stability Challenges in Ireland. 2014, 29, 2943-2951		155
859	Doubly fed induction generator wind turbines: A novel integrated protection circuit for low-voltage ride-through strategy. 2014, 6, 053129		14
858	A Grid Voltage Measurement Method for Wind Power Systems during Grid Fault Conditions. <i>Energies</i> , 2014, 7, 7732-7745	3.1	6
857	Fast Coordinated Control of DFIG Wind Turbine Generators for Low and High Voltage Ride-Through. <i>Energies</i> , 2014, 7, 4140-4156	3.1	20
856	. 2014,		5

855	Wind Energy Conversion Systems, GridConnected. 2014 , 2162-2183	1
854	Wind Energy Conversion Systems: Reliability Perspective. 2014 , 2184-2206	
853	Sensorless operation of an Active Front End converter with LCL filter. 2014 ,	8
852	Effect of intermittent voltage source converter faults on the overall performance of wind energy conversion system. 2014 , 33, 606-618	5
851	Research on fault ride-through capacity of direct driven wind turbine with permanent magnet synchronous generator under grid asymmetric faults. 2014 , 6, 043119	2
850	Fault characteristics analysis of two HVDC technologies for wind power integration. 2014 ,	
849	Coordinated Control for an Offshore Wind Power Plant to Provide Fault Ride Through Capability. 2014 , 5, 1253-1261	15
848	Comparison of dynamic voltage restorer and static synchronous series compensator for a wind turbine fed FSIG under asymmetric faults. 2014 ,	
847	A Comparative Performance Analysis of a Controlled D.C. and A.C. Motor Which Emulates Wind Turbines for Teaching and Research Purposes. 2014 , 51, 146-161	3
846	Bridge-type fault current limiter for asymmetric fault ride-through capacity enhancement of doubly fed induction machine based wind generator. 2014 ,	12
845	Introduction to Renewable Energy Systems. 2014 , 3-40	1
844	Transient response evaluation of stationary-frame resonant current controllers for grid-connected applications. 2014 , 7, 1714-1724	37
843	A Review of the Latest Voltage and Frequency Ride-Through Requirements in Canadian Jurisdictions. 2014 ,	2
842	Improved AC fault ride through control strategy for MTDC system with offshore wind farms. 2014 ,	1
841	Fault ride-through capability enhancement of DFIG-based wind turbine with supercapacitor energy storage. 2014 ,	2
840	Provision of primary control reserve by DFIG-based wind farms in compliance with ENTSO-E frequency grid codes. 2014 ,	8
839	StatCom control for voltage stability improvement at a fixed speed wind farm under unbalanced faults. 2014 ,	1
838	Torque ripple suppression of DFIG under unbalanced grid voltage conditions using reduced-order generalized integrators. 2014 ,	

837	Modeling and control of HVDC grids: A key challenge for the future power system. 2014,		29
836	Fuzzy logic for stator current harmonic control in Doubly Fed Induction Generator. 2014,		1
835	Adaptive notch filter based synchronization technique for integration of distributed generation systems to utility grid. 2014,		9
834	Optimal placement of dispatchable and nondispatchable renewable DG units in distribution networks for minimizing energy loss. 2014, 55, 179-186		116
833	Planning Active Distribution Networks Considering Multi-DG Configurations. 2014, 29, 785-793		98
832	Handling renewable energy variability and uncertainty in power systems operation. 2014, 3, 156-178		51
831	A review of technical issues on the development of wind farms. 2014, 32, 619-641		64
830	Predictive Control for Low-Voltage Ride-Through Enhancement of Three-Level-Boost and NPC-Converter-Based PMSG Wind Turbine. 2014, 61, 6832-6843		117
829	Power Oscillation Damping Improvement by Adding Multiple Wind Farms to Wide-Area Coordinating Controls. 2014, 29, 1356-1364		61
828	A Genetic Algorithm-Based Low Voltage Ride-Through Control Strategy for Grid Connected Doubly Fed Induction Wind Generators. 2014, 29, 1325-1334		85
827	Power Electronics and Generator Systems for Wind Turbines. 2014, 273-339		
826	Analytical evaluation of control strategies for participation of doubly fed induction generator-based wind farms in power system short-term frequency regulation. <i>IET Renewable Power Generation, 2014, 8, 324-333</i>	2.9	30
825	Improving grid integration of wind turbines by using secondary batteries. 2014, 34, 194-207		28
824	A Novel Fault-Tolerant DFIG-Based Wind Energy Conversion System for Seamless Operation During Grid Faults. 2014, 29, 1296-1305		46
823	Analysis of the electromagnetic transient time in DFIG during grid faults. 2014,		
822	Dynamics and Stability Analysis of a Power System With a PMSG-Based Wind Farm Performing Ancillary Services. 2014, 61, 2182-2193		21
821	Model-Predictive Control of Grid-Tied Four-Level Diode-Clamped Inverters for High-Power Wind Energy Conversion Systems. <i>IEEE Transactions on Power Electronics, 2014, 29, 2861-2873</i>	7.2	91
820	Fault Ride-Through Configuration and Transient Management Scheme for Self-Excited Induction Generator-Based Wind Turbine. 2014, 5, 148-159		18

819	Analysis of requirements in insular grid codes for large-scale integration of renewable generation. 2014,	10
818	Enhanced reactive power allocation of full converter wind generation system. 2014,	2
817	Modelo de aerogenerador de velocidad variable DFIG con control LVRT. 2014,	
816	Reduced cost of reactive power in doubly fed induction generator wind turbine system with optimized grid filter. 2014,	1
815	Synthesis of nonlinear controller for wind turbines stability when providing grid support. 2014, 24, 2261-2284	4
814	Wind farm voltage dip measurements. 2014, 17, 1137-1145	1
813	Economic Comparison of Deloaded-Wind and Wind-Battery Systems. 2014,	0
812	Capability Chart for Distributed Reactive Power Resources. 2014, 29, 15-22	36
811	LVRT-retardation-device for decentralized power plants. 2014,	2
810	Thermal behavior of doubly-fed induction generator wind turbine system during balanced grid fault. 2014,	2
809	A novel optimal design of DFIG crowbar resistor during grid faults. 2014,	4
808	. 2014,	
807	Phase locked loop with fast tracking over wide stability range under grid faults. 2014,	2
806	4-wire Matrix Converter based voltage sag/swell generator to test LVRT in renewable energy systems. 2014,	1
805	Optimal hysteresis based DPC strategy for STATCOM to augment LVRT capability of a DFIG using a new dynamic references method. 2014,	3
804	. 2014,	2
803	Power electronics - The key technology for Renewable Energy Systems. 2014,	15
802	Modeling of a PV system with grid code compatibility. <i>Electric Power Systems Research</i> , 2014, 116, 301-310	43

801	Model-predictive direct power control of doubly-fed induction generators under unbalanced grid voltage conditions in wind energy applications. <i>IET Renewable Power Generation</i> , 2014 , 8, 687-695	2.9	41
800	. 2014 , 61, 4707-4721		15
799	Offshore Wind Farm Integration and Frequency Support Control Utilizing Hybrid Multiterminal HVDC Transmission. <i>IEEE Transactions on Industry Applications</i> , 2014 , 50, 2788-2797	4.3	48
798	Impacts of grounding configurations on responses of ground protective relays for DFIG-based WECSs. 2014 ,		4
797	Comparison between DVR and SFCL for fault ride through capability improvement of fixed-speed wind generator. 2014 ,		11
796	Hybrid PWM scheme for the grid inverter. 2014 ,		0
795	Control Strategies for AC Fault Ride Through in Multiterminal HVDC Grids. 2014 , 29, 395-405		63
794	Estimation of maximum distributed photovoltaic penetration level, driven by flyback inverters in discontinuous conduction mode. 2014 ,		4
793	A Novel Transient Control Strategy for VSC-HVDC Connecting Offshore Wind Power Plant. 2014 , 5, 1056-1069		53
792	Voltage Ride-Through Capability Verification of Wind Turbines With Fully-Rated Converters Using Reachability Analysis. 2014 , 29, 392-405		24
791	. 2014 , 29, 771-779		46
790	Second-order sliding mode control for DFIG-based wind turbines fault ride-through capability enhancement. 2014 , 53, 827-33		97
789	A Modified Bridge-Type Fault Current Limiter for Fault Ride-Through Capacity Enhancement of Fixed Speed Wind Generator. 2014 , 29, 527-534		44
788	Perturbation Estimation Based Nonlinear Adaptive Control of a Full-Rated Converter Wind Turbine for Fault Ride-Through Capability Enhancement. 2014 , 29, 2733-2743		42
787	High Power Electronics: Key Technology for Wind Turbines. 2014 , 136-159		6
786	Analysis of the short-term overproduction capability of variable speed wind turbines. 2014 , 68, 326-336		44
785	Wind Turbines: Dynamic Modeling and Control. 2014 , 2224-2250		
784	Optimal Inertial Support from the Variable Speed Wind Turbines using Particle Swarm Optimization. 2015 , 48, 78-83		1

783	Enhancing the frequency adaptability of periodic current controllers for grid-connected power converters. 2015,		
782	A Modified Switching Control Strategy for Low-Voltage Faults in a Permanent-Magnet Synchronous Generator Wind Turbine System. 2015, 39, 321-333		1
781	Converters for Distributed Power Generation Systems. 2015, 1-14		
780	Effect of Short-Circuit Faults in the Back-to-Back Power Electronic Converter and Rotor Terminals on the Operational Behavior of the Doubly-Fed Induction Generator Wind Energy Conversion System. 2015, 3, 2-26		13
779	Coordinated Control Strategies of VSC-HVDC-Based Wind Power Systems for Low Voltage Ride Through. <i>Energies</i> , 2015, 8, 7224-7242	3.1	13
778	Indirect sliding mode power control for three phase grid connected power converter. 2015, 8, 977-985		21
777	Active damping of LCL filter at low switching to resonance frequency ratio. 2015, 8, 574-582		33
776	Design and advanced control strategies of a hybrid energy storage system for the grid integration of wind power generations. <i>IET Renewable Power Generation</i> , 2015, 9, 89-98	2.9	70
775	. 2015, 103, 740-788		413
774	A novel LVRT control strategy for Modular Multilevel Matrix Converter based high-power Wind Energy Conversion Systems. 2015,		14
773	. 2015, 38, 132-142		31
772	Model based predictive control strategies for wind turbine system based on PMSG. 2015,		1
771	Low Voltage Ride Through in DFIG based wind turbines: A review. 2015,		0
770	Evaluation of fault ride through capability enhancement of DFIG-based wind turbine with Bi-2212 superconducting fault current limiter. 2015,		2
769	Comparative study of standards for grid-connected wind power plant in China and the U.S.. 2015,		2
768	Rapid synchronization technique for enhanced low voltage ride-through operation of a distributed energy resource. 2015,		
767	Value propositions of energy storage options for wind power output smoothing. 2015,		0
766	Remote detecting low voltage ride through ability of DFIG. 2015,		2

765	Automatic voltage and reactive power regulator for wind farms participating to TSO voltage regulation. 2015,		2
764	Minimum junction temperature swing for DFIG to ride through symmetrical voltage dips. 2015,		0
763	Passive Filter Design and Offshore Wind Turbine Modelling for System Level Harmonic Studies. 2015, 80, 401-410		4
762	Hierarchical control scheme for improving transient voltage recovery of a DFIG-based WPP. 2015,		1
761	. 2015,		22
760	Ride through capability of matrix converter for grid connected system under short voltage sag. 2015,		
759	Voltage Dip Induced Frequency Events in Wind Integrated Power Systems. 2015, 48, 572-577		7
758	Dynamic model of a grid-connected three-phase inverter with slope voltage control. 2015,		1
757	Doubly-fed induction generator control during unbalanced grid conditions. 2015,		1
756	A robust and fast generic voltage sag detection technique. 2015,		1
755	Application of the superconducting fault current limiter strategy to improve the fault ride-through capability of a doubly-fed induction generatorBased wind energy conversion system. 2015, 91, 1081-1087		60
754	. 2015,		2
753	Applying fault ride through capability to single phase grid connected PV systems. 2015,		1
752	Symmetrical and asymmetrical low-voltage ride through of doubly-fed induction generator wind turbines using gate controlled series capacitor. <i>IET Renewable Power Generation, 2015, 9, 840-846</i>	2.9	21
751	Feedforward current reference control for DFIG during grid faults. 2015,		1
750	Low-voltage ride-through characteristics of microgrids with distribution static synchronous compensator (DSTATCOM). 2015,		4
749	Evaluation of a communication-based fault ride-through scheme for offshore wind farms connected through high-voltage DC links based on voltage source converter. <i>IET Renewable Power Generation, 2015, 9, 882-891</i>	2.9	24
748	Small-signal stability analysis and PHIL experiment validation of power system with WECS voltage/frequency ancillary control. 2015,		2

747	Comparative evaluation of synchronization techniques for grid interconnection of renewable energy sources. 2015 ,		11
746	A new reactive power management strategy to enhance the behavior of the Wind Turbine Generator driven a DFIG under grid faults. 2015 ,		1
745	Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. <i>IEEE Transactions on Power Electronics</i> , 2015 , 1-1	7-2	44
744	Towards reactive power dispatch within a wind farm using hybrid PSO. 2015 , 69, 232-240		28
743	A Robust Synchronization to Enhance the Power Quality of Renewable Energy Systems. 2015 , 62, 4858-4868		112
742	Supporting security and adequacy in future energy systems: The need to enhance long-term energy system models to better treat issues related to variability. 2015 , 39, 377-396		40
741	Fault Ride-Through Capability Enhancement of DFIG-Based Wind Turbine With a Flux-Coupling-Type SFCL Employed at Different Locations. 2015 , 25, 1-5		47
740	Flexible fault ride through strategy for wind farm clusters in power systems with high wind power penetration. 2015 , 93, 239-248		30
739	Doubly-fed induction generator based wind turbines: A comprehensive review of fault ride-through strategies. 2015 , 45, 447-467		107
738	Grid Voltage Synchronization for Distributed Generation Systems Under Grid Fault Conditions. <i>IEEE Transactions on Industry Applications</i> , 2015 , 51, 3414-3425	4-3	123
737	Coordinated Control Strategy of Wind Turbine Generator and Energy Storage Equipment for Frequency Support. <i>IEEE Transactions on Industry Applications</i> , 2015 , 51, 2732-2742	4-3	128
736	Impacts of Grounding Configurations on Responses of Ground Protective Relays for DFIG-Based WECSs Part I: Solid Ground Faults. <i>IEEE Transactions on Industry Applications</i> , 2015 , 51, 2804-2818	4-3	16
735	A performance comparison of a nonlinear and a linear control for grid connected PMSG wind energy conversion system. 2015 , 68, 180-194		69
734	Stability-based minimization of load shedding in weakly interconnected systems for real-time applications. 2015 , 70, 99-107		9
733	Transient Stability Enhancement of Doubly Fed Induction Machine-Based Wind Generator by Bridge-Type Fault Current Limiter. 2015 , 30, 939-947		66
732	Optimization of power quality problem for a windturbine fixed speed induction generator under asymmetric faults using UPFC fed vector control-PI, hysteresis and fuzzy logic. 2015 ,		
731	. 2015 ,		7
730	Reactive current injection protocol for low-power rating distributed generation sources under voltage sags. 2015 , 8, 879-886		22

729	Novel LVRT Testing Method for Wind Turbines Using Flexible VSC Technology. 2015 , 6, 1140-1149		22
728	Power Electronic Drives, Controls, and Electric Generators for Large Wind Turbines—An Overview. <i>Electric Power Components and Systems</i> , 2015 , 43, 1406-1421	1	30
727	Renewable Energy Devices and Systems [State-of-the-Art Technology, Research and Development, Challenges and Future Trends. <i>Electric Power Components and Systems</i> , 2015 , 43, 1319-1328	1	63
726	Analysis of Grid Code Technical Requirements for Wind Farms Connected to the Grid in Penghu Island. 2015 , 737, 199-203		
725	Design of mode switching scheme for low-voltage ride-through of doubly fed induction generators. <i>IET Renewable Power Generation</i> , 2015 , 9, 109-119	2.9	4
724	Shutdown of an offshore wind power plant without using a brake to meet the required ramp rate in various storm-driven conditions. 2015 , 82, 1011-1020		
723	Distributed Model Predictive Control of a Wind Farm for Optimal Active Power ControlPart I: Clustering-Based Wind Turbine Model Linearization. 2015 , 6, 831-839		73
722	Distributed Model Predictive Control of a Wind Farm for Optimal Active Power ControlPart II: Implementation With Clustering-Based Piece-Wise Affine Wind Turbine Model. 2015 , 6, 840-849		58
721	STATCOM-based virtual inertia control for wind power generation. 2015 ,		2
720	Optimal use of kinetic energy for the inertial support from variable speed wind turbines. 2015 , 80, 629-643		71
719	. 2015 , 30, 208-217		37
718	Coordinated operation of wind power and other resources considering power system requirements. 2015 , 7, 023121		5
717	An Integrated Power Smoothing Control for a Grid-Interactive Wind Farm Considering Wake Effects. 2015 , 9, 954-965		25
716	Independent Operation of DFIG-Based WECS Using Resonant Feedback Compensators Under Unbalanced Grid Voltage Conditions. <i>IEEE Transactions on Power Electronics</i> , 2015 , 30, 3650-3661	7.2	42
715	Application of a modified flux-coupling type superconducting fault current limiter to transient performance enhancement of micro-grid. 2015 , 518, 144-148		18
714	A review of low-voltage ride-through enhancement methods for permanent magnet synchronous generator based wind turbines. 2015 , 47, 399-415		120
713	Reduced Cost of Reactive Power in Doubly Fed Induction Generator Wind Turbine System With Optimized Grid Filter. <i>IEEE Transactions on Power Electronics</i> , 2015 , 30, 5581-5590	7.2	47
712	Reactive Power Influence on the Thermal Cycling of Multi-MW Wind Power Inverter. 2015 , 145-157		1

711	Multiple-input/multiple-output high-order sliding mode control for a permanent magnet synchronous generator wind-based system with grid support capabilities. <i>IET Renewable Power Generation</i> , 2015 , 9, 925-934	2.9	27
710	Wind farm node connected DFIG/back-to-back converter coupling transient model for grid integration studies. 2015 , 106, 428-439		7
709	Voltage booster scheme for enhancing the fault ride-through of wind turbines. 2015 , 8, 1853-1863		12
708	Automatic voltage control of a cluster of hydro power plants to operate as a virtual power plant. 2015 ,		3
707	Optimization approach to power control of grid side converters during voltage sags. 2015 ,		
706	A novel method for voltage support control under unbalanced grid faults and grid harmonic voltage disturbances. 2015 , 8, 1377-1385		15
705	Three control options for integrating wind power system using Hybrid Energy Storage System. 2015 ,		1
704	Hybrid PWM Scheme for the Grid Inverter. 2015 , 3, 1151-1159		10
703	A New Protection Scheme Considering Fault Ride Through Requirements for Transmission Level Interconnected Wind Parks. 2015 , 11, 1324-1333		36
702	Frequency response estimation method for high wind penetration considering wind turbine frequency support functions. <i>IET Renewable Power Generation</i> , 2015 , 9, 775-782	2.9	33
701	Challenges of integrating renewable energy sources to smart grids: A review. 2015 , 52, 770-780		88
700	. 2015 , 6, 1485-1493		23
699	State-of-charge optimising control approach of battery energy storage system for wind farm. <i>IET Renewable Power Generation</i> , 2015 , 9, 647-652	2.9	25
698	. 2015 , 62, 6575-6584		87
697	Doubly-fed induction generator ride-through fault capability using resonant controllers for asymmetrical voltage sags. <i>IET Renewable Power Generation</i> , 2015 , 9, 783-791	2.9	23
696	Fault ride through concept in low voltage distributed photovoltaic generators for various dispersion and penetration scenarios. 2015 , 12, 15-25		17
695	Power dispatch capability of wind-battery hybrid power system. 2015 ,		
694	A novel DSTATCOM device for interconnected wind-grid system utilizations. 2015 ,		

693	Robust active disturbance rejection controller design to improve low-voltage ride-through capability of doubly fed induction generator wind farms. <i>IET Renewable Power Generation</i> , 2015 , 9, 961-969	2.9	26
692	A Mathematical Model to Predict Voltage Fluctuations in a Distribution System with Renewable Energy Sources. 2015 , 16, 549-557		3
691	Impacts of grounding configurations on responses of ground protective relays for DFIG-based WECSs-Part II: High-impedance ground faults. 2015 ,		1
690	Application of UPFC to improve the low-voltage-ride-through capability of DFIG. 2015 ,		3
689	Impacts of Grounding Configurations on Responses of Ground Protective Devices for DFIG-Based WECSs-Part II: High-Impedance Ground Faults. <i>IEEE Transactions on Industry Applications</i> , 2015 , 1-1	4.3	0
688	Evaluation of the Performance of BTFCLs for Enhancing LVRT Capability of DFIG. <i>IEEE Transactions on Power Electronics</i> , 2015 , 30, 3623-3637	7.2	35
687	An Adaptive Tuning Mechanism for Phase-Locked Loop Algorithms for Faster Time Performance of Interconnected Renewable Energy Sources. <i>IEEE Transactions on Industry Applications</i> , 2015 , 51, 1792-1804	4.4	36
686	Voltage Control of Fixed Speed Wind Farm Under Unbalanced Grid Faults Using DVR. 2015 , 183-191		
685	Assessment of communication-independent grid code compatibility solutions for VSCHVDC connected offshore wind farms. <i>Electric Power Systems Research</i> , 2015 , 121, 38-51	3.5	26
684	Novel Fault Ride-Through Scheme and Control Strategy for Doubly Fed Induction Generator-Based Wind Turbine. 2015 , 30, 635-645		52
683	Distance Protection of Lines Emanating From Full-Scale Converter-Interfaced Renewable Energy Power Plants-Part I: Problem Statement. 2015 , 30, 1770-1780		74
682	LVRT Capability Enhancement of DFIG With Switch-Type Fault Current Limiter. 2015 , 62, 332-342		63
681	. <i>IEEE Transactions on Industry Applications</i> , 2015 , 51, 595-606	4.3	47
680	Maximum wind power generation in a power system imposed by system inertia and primary reserve requirements. 2015 , 18, 1501-1514		17
679	Predictive Direct Power Control of Doubly Fed Induction Generators Under Unbalanced Grid Voltage Conditions for Power Quality Improvement. 2015 , 6, 943-950		58
678	Reactive power and voltage control in grid-connected wind farms: an online optimization based fast model predictive control approach. 2015 , 97, 35-44		12
677	Dynamic analysis of island systems with wind-pumped-storage hybrid power stations. 2015 , 74, 544-554		37
676	Offshore wind farm arrays. 2016 , 389-417		

675	Integration of distributed renewable energy systems into the smart grid. 2016 , 487-518		2
674	Low Voltage Ride-Through Capability Solutions for Permanent Magnet Synchronous Wind Generators. <i>Energies</i> , 2016 , 9, 59	3.1	19
673	An Innovative Control Strategy to Improve the Fault Ride-Through Capability of DFIGs Based on Wind Energy Conversion Systems. <i>Energies</i> , 2016 , 9, 69	3.1	13
672	Fault-Ride through Strategy for Permanent-Magnet Synchronous Generators in Variable-Speed Wind Turbines. <i>Energies</i> , 2016 , 9, 1066	3.1	27
671	Effects of power reserve control on wind turbine structural loading. 2016 , 19, 453-469		25
670	Small Signal Instability of PLL-Synchronized Type-4 Wind Turbines Connected to High-Impedance AC Grid During LVRT. 2016 , 31, 1676-1687		76
669	A new nine-level single-DC source-based inverter topology for distributed generation. 2016 ,		2
668	Comparative study of the response of wind turbine generators to voltage sags and swells. 2016 ,		1
667	Realization of low-voltage ride through requirements for PMSGs in wind turbines systems using generator-rotor inertia. 2016 ,		1
666	Cascaded droop control for dc overvoltage suppression in a multi-terminal HVDC system under onshore side AC faults. 2016 ,		1
665	Coordinative optimization on fatigue distribution and active power in wind farms. 2016 ,		1
664	Model predictive control for low-voltage ride through capability enhancement of DFIGs in variable-speed wind turbine systems. 2016 ,		3
663	Shaping inertial response from wind turbines: A multi-objective approach. 2016 ,		0
662	Grid synchronization structure for wind converters under grid fault conditions. 2016 ,		7
661	Model predictive control for low-voltage ride-through capability improvement of variable-speed wind energy conversion systems. 2016 ,		3
660	Modeling and fault analysis of doubly fed wind power generation systems. 2016 ,		
659	Basics of Wind Energy Conversion Systems (Weecs). 2016 , 1-60		1
658	Control of Dfig Weecs with Voltage Source Converters. 2016 , 403-436		1

657	Control of Grid-Side Converters in Weecs. 2016 , 235-284		2
656	Assessing the severity of voltage sags due to short circuits in transmission and distribution grids. 2016 ,		0
655	Combined deload and kinetic energy control of variable speed wind turbines for frequency support. 2016 ,		
654	Control strategy research on frequency regulation of power system considering Electric vehicles. 2016 ,		1
653	Efficient finite control set-model predictive control for grid-connected photovoltaic inverters. 2016 ,		9
652	Dynamic response characteristics analysis of the doubly-fed wind power system under grid voltage drop. 2016 , 40, 012071		
651	Coordinated control for low voltage ride-through of a PMSG-based wind power plant. 2016 , 6, 242-251		0
650	Damping control loops for mitigating power system oscillation with wind parks support. 2016 ,		
649	A wind farm active power dispatch strategy for fatigue load reduction. 2016 ,		2
648	. 2016 ,		1
647	Voltage support in industrial distribution systems in presence of induction generator-based wind turbines and large motors. <i>Electric Power Systems Research</i> , 2016 , 140, 681-688	3-5	3
646	Inrush Transient Current analysis and suppression of photovoltaic grid-connected inverters during voltage sag. 2016 ,		2
645	Flatness-based control strategy of a grid-connected PMSG offshore wind farm to participate in Primary Frequency Control. 2016 ,		
644	Overcurrent estimation in a doubly-fed induction generator-DC system during a voltage dip in the dc grid. <i>IET Renewable Power Generation</i> , 2016 , 10, 1024-1032	2-9	4
643	Voltage Ride-Through Capability Verification of DFIG-Based Wind Turbines Using Reachability Analysis. 2016 , 31, 1387-1398		10
642	Novel Power Smoothing and Generation Scheduling Strategies for a Hybrid Wind and Marine Current Turbine System. 2016 , 1-1		11
641	Improved low-voltage ride through capability for PMSG wind turbine based on port-controlled hamiltonian system. 2016 , 14, 1195-1204		15
640	Improved fault ride through strategy for doubly fed induction generator based wind turbines under both symmetrical and asymmetrical grid faults. <i>IET Renewable Power Generation</i> , 2016 , 10, 1114-1122	2-9	40

639	Application of parallel resonance fault current limiter for fault ride through capability augmentation of DFIG based wind farm. 2016,		6
638	New control strategy with CB-P for improved FRT capability of grid-integrated DFIG based wind energy system. 2016,		1
637	. 2016,		1
636	Short-circuit modeling of inverter based distributed generators considering the FRT requirements. 2016,		10
635	Power oscillation analysis and control of three-phase grid-connected voltage source converters under unbalanced grid faults. 2016, 9, 2162-2173		35
634	Operation and control of offshore wind power plants. 2016, 239-254		
633	Modal and harmonic analysis of three-dimensional wind turbine models. 2016, 40, 518-527		10
632	Performance Improvement of Quasi-Type-1 PLL by using a Complex Notch Filter. <i>IEEE Access</i> , 2016, 4, 6272-6282	3.5	28
631	Converter outage fault ride-through control strategy for offshore MT-HVDC network. 2016,		0
630	A hybrid Fuzzy-PI cascade controller for transient stability improvement in DFIG wind generators. 2016,		3
629	Sliding mode control for LVRT of a PMSG wind turbine using stored energy in rotor inertia. 2016,		3
628	Fulfilment of Grid Code Obligations by Large Offshore Wind Farms Clusters Connected via HVDC Corridors. 2016, 94, 20-28		3
627	Torsional oscillation damping control for DFIG-based wind farm participating in power system frequency regulation. 2016,		3
626	Two-level damping control for DFIG-based wind farm providing synthetic inertial service. 2016,		4
625	Overview strategy of wind farm in VSC-HVDC power transmission. 2016,		0
624	Interconnection of offshore wind farms using variable frequency in offshore AC grids. 2016,		1
623	Primary frequency response in future low carbon scenario: Opportunities & challenges. 2016,		
622	A control scheme to enhance low voltage ride-through of brushless doubly-fed induction generators. 2016, 19, 1699-1712		8

621	Sensorless control of a power converter for a cluster of small wind turbines. <i>IET Renewable Power Generation</i> , 2016 , 10, 721-728	2.9	3
620	Stator voltage sensorless DFIG with low voltage ride-through capability using series and parallel grid side converters. 2016 ,		6
619	Cooperative Control of SFCL and Reactive Power for Improving the Transient Voltage Stability of Grid-Connected Wind Farm With DFIGs. 2016 , 26, 1-6		28
618	Coordinated Voltage Control in Offshore HVDC Connected Cluster of Wind Power Plants. 2016 , 7, 1592-1601		33
617	Review of advanced grid requirements for the integration of large scale photovoltaic power plants in the transmission system. 2016 , 62, 971-987		99
616	Integrated Protection of DFIG-Based Wind Turbine With a Resistive-Type SFCL Under Symmetrical and Asymmetrical Faults. 2016 , 26, 1-5		40
615	Three-phase multiple harmonic sequence detection based on Generalized Delayed Signal Superposition. 2016 ,		1
614	Inductance-simulating control for DFIG-based wind turbine to ride-through grid faults. 2016 ,		2
613	Transient voltage control of a DFIG-based wind power plant for suppressing overvoltage using a reactive current reduction loop. 2016 , 6, 140-145		1
612	Dynamic modeling of IEEE test systems including renewable energy sources. 2016 ,		3
611	Grid Code Compatibility of VSC-HVDC Connected Offshore Wind Turbines Employing Power Synchronization Control. 2016 , 31, 5042-5050		36
610	A comprehensive review of low voltage ride through of doubly fed induction wind generators. 2016 , 57, 412-419		74
609	A new control strategy of WFSG-based wind turbine to enhance the LVRT capability. 2016 , 79, 172-187		19
608	A comprehensive review of low-voltage-ride-through methods for fixed-speed wind power generators. 2016 , 55, 823-839		48
607	Analytical Modeling of Inertial and Droop Responses From a Wind Farm for Short-Term Frequency Regulation in Power Systems. 2016 , 31, 3414-3423		102
606	An adaptive neuro-fuzzy inertia controller for variable-speed wind turbines. 2016 , 92, 136-146		22
605	Resonant control system for low-voltage ride-through in wind energy conversion systems. 2016 , 9, 1297-1305		27
604	Frequency responsive services by wind generation resources in United States. 2016 , 55, 1097-1108		26

603	Probabilistic Wavelet Fuzzy Neural Network based reactive power control for grid-connected three-phase PV system during grid faults. 2016 , 92, 437-449		30
602	Effective power dispatch capability decision method for a wind-battery hybrid power system. <i>IET Generation, Transmission and Distribution</i> , 2016 , 10, 661-668	2.5	12
601	. 2016 , 63, 4242-4254		32
600	Dynamic Voltage and Current Assignment Strategies of Nine-Switch-Converter-Based DFIG Wind Power System for Low-Voltage Ride-Through (LVRT) Under Symmetrical Grid Voltage Dip. <i>IEEE Transactions on Industry Applications</i> , 2016 , 52, 3422-3434	4.3	24
599	Hybrid low voltage ride through enhancement for transient stability capability in wind farms. 2016 , 78, 655-662		16
598	Conceptual Design and Evaluation of a Resistive-Type SFCL for Efficient Fault Ride Through in a DFIG. 2016 , 26, 1-9		47
597	Enhancement low-voltage ride through capability of permanent magnet synchronous generator-based wind turbines using interval type-2 fuzzy control. <i>IET Renewable Power Generation</i> , 2016 , 10, 339-348	2.9	59
596	Control of Three-Phase Bidirectional Current-Source Converter to Inject Balanced Three-Phase Currents Under Unbalanced Grid Voltage Condition. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 6719-6737	7.2	17
595	. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 3528-3549	7.2	605
594	. 2016 , 7, 2218-2229		67
593	Simple and systematic LCL filter design for three-phase grid-connected power converters. 2016 , 130, 181-193		13
592	Adaptive QV Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 3586-3599	7.2	33
591	Grid code reinforcements for deeper renewable generation in insular energy systems. 2016 , 53, 163-177		45
590	. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 2150-2165	7.2	59
589	Quantitative and qualitative behavior analysis of a DFIG wind energy conversion system by a wind gust and converter faults. 2016 , 19, 527-546		9
588	Application of STATCOM-supercapacitor for low-voltage ride-through capability in DFIG-based wind farm. 2017 , 28, 2665-2674		28
587	Power-Flow Control and Short-Circuit Current Limitation of Wind Farms Using Unified Interphase Power Controller. 2017 , 32, 62-71		27
586	Combined Active and Reactive Power Control of Wind Farms Based on Model Predictive Control. 2017 , 32, 1177-1187		53

585	Stability analysis and concept extension of harmonic decoupling network for the three-phase grid synchronization systems. 2017 , 89, 1-10		8
584	Review of DFIG wind turbine impact on power system dynamic performances. 2017 , 12, 301-311		26
583	Fatigue Load Sensitivity-Based Optimal Active Power Dispatch For Wind Farms. 2017 , 8, 1247-1259		38
582	PMSG based wind system for real-time maximum power generation and low voltage ride through. 2017 , 9, 013304		9
581	Egyptian Grid Code of Wind Farms and Power Quality. 2017 , 227-245		7
580	Impact of voltage dip induced delayed active power recovery on wind integrated power systems. 2017 , 61, 124-133		15
579	Fuzzy logic controlled power balancing for low voltage ride-through capability enhancement of large-scale grid-connected PV plants. 2017 ,		10
578	Emerging distribution systems: Modeling challenges in faulted conditions. 2017 ,		1
577	Modular Multilevel Converter for Wind Energy Storage Applications. 2017 , 64, 8867-8876		38
576	An Input-to-State Stability Approach to Inertial Frequency Response Analysis of Doubly-Fed Induction Generator-Based Wind Turbines. 2017 , 32, 1418-1431		33
575	Virtual Synchronous Generator Control of Full Converter Wind Turbines With Short-Term Energy Storage. 2017 , 64, 8821-8831		109
574	Distributed Power-Generation Systems and Protection. 2017 , 105, 1311-1331		229
573	Power Management Approach to Minimize Battery Capacity in Wind Energy Conversion Systems. <i>IEEE Transactions on Industry Applications</i> , 2017 , 53, 4843-4854	4-3	19
572	Modelling, simulation and experimentation of grid tied inverter for wind energy conversion systems. 2017 ,		2
571	A new fault-ride-through strategy for MTDC networks incorporating wind farms and modular multi-level converters. 2017 , 92, 104-113		19
570	Low-voltage ride through capability testing of a DWIG for wind power generation. 2017 ,		2
569	Wind Energy Systems. 2017 , 105, 2116-2131		97
568	Flexible IQ _{ref} Scheme of a DFIG for Rapid Voltage Regulation of a Wind Power Plant. 2017 , 64, 8832-8842		10

567	FRT capability of single-phase grid-connected inverter with minimized interconnected inductor. 2017 ,			2
566	Improvement of grid frequency dynamic characteristic with novel wind turbine based on electromagnetic coupler. 2017 , 113, 813-821			8
565	Power Balancing Investigation of Grid-Side Series-Connected Current Source Inverters in Wind Conversion Systems. 2017 , 64, 9451-9460			14
564	Harmonic current prediction by impedance modeling of grid-tied inverters: A 1.4 MW PV plant case study. 2017 , 93, 30-38			18
563	Enhancement of Low-Voltage Ride Through Capability of an offshore wind turbine. 2017 ,			
562	RETRACTED: Transient stability improvement analysis in a grid-connected doubly fed induction generatorBased wind generator. 2017 , 0309524X1770992			1
561	Present trends and future prospects of asynchronous machines in renewable energy systems. 2017 , 74, 1028-1041			12
560	Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 8514-8525	7.2		78
559	Active distribution networks planning with high penetration of wind power. 2017 , 104, 40-49			30
558	Current procedures and practices on grid code compliance verification of renewable power generation. 2017 , 71, 191-202			12
557	A Coordinated LVRT Control for a PMSG Wind Turbine. 2017 , 50, 8758-8763			2
556	A Novel Performance Enhancement Scheme for Doubly-Fed Induction Generator-Based Wind Power Systems under Voltage Sags and Swells. 2017 , 18,			1
555	Coordinated primary control reserve by flexible demand and wind power through ancillary serviceEntered virtual power plant. 2017 , 27, e2452			6
554	A coordinative optimization method of active power and fatigue distribution in onshore wind farms. 2017 , 27, e2392			3
553	Modified predictive control for both normal and LVRT operations of a Quasi-Z-Source Matrix Converter based WECS. 2017 , 68, 1-14			8
552	Short Circuit Current Calculation Method of Doubly-Fed Induction Generator with Crowbar Protection Based on Flux Transient Characteristics. <i>Electric Power Components and Systems</i> , 2017 , 45, 1426-1439	1		4
551	Critical Performance Evaluation of a Few Intelligent Controllers for Effective Power Control in Variable Speed Wind Generators. 2017 , 119-145			
550	Impact of Different PQ Models of Wind Turbine Generating Units (WTGUs) on System Voltage Performance. 2017 , 18,			1

549	Active and reactive power control of wind farm for enhancement transient stability of multi-machine power system using UIPC. <i>IET Renewable Power Generation</i> , 2017 , 11, 1246-1252	2.9	25
548	An advanced current controller with reduced complexity and improved performance under abnormal grid conditions. 2017 ,		13
547	Enhanced master/slave control strategy enabling grid support services and offshore wind power dispatch in a multi-terminal VSC HVDC transmission system. 2017 , 113, 1580-1588		14
546	Enhancing LVRT Capability and Smoothing Power Fluctuations of a DFIG-based Wind Farm in a DC Microgrid. <i>Electric Power Components and Systems</i> , 2017 , 45, 1080-1090	1	10
545	Expansion of FRT operation range for grid-tied matrix converter system. 2017 ,		
544	FRT Method for Matrix Converter to Ensure Compatibility between Generator Torque Control and Grid Reactive Current Control. 2017 , 100, 19-28		
543	Power control of single-stage three-phase grid-tied photovoltaic system during grid faults using recurrent fuzzy cerebellar model articulation controller. 2017 ,		
542	Performance improvement of grid interfaced three level diode clamped inverter under various power quality events. 2017 ,		0
541	A non-linear controller based new bridge type fault current limiter for transient stability enhancement of DFIG based Wind Farm. <i>Electric Power Systems Research</i> , 2017 , 152, 466-484	3.5	30
540	Clustering-based Wind Turbine Generator Model Linearization. 2017 , 117-132		
539	Second-order sliding-mode-based global control scheme for wind turbine-driven DFIGs subject to unbalanced and distorted grid voltage. 2017 , 11, 1013-1022		22
538	PMSG-based wind energy conversion systems: survey on power converters and controls. 2017 , 11, 956-968		104
537	Guest Editorial. 2017 , 11, 953-955		
536	Application of UIPC to improve power system stability and LVRT capability of SCIG-based wind farms. <i>IET Generation, Transmission and Distribution</i> , 2017 , 11, 2314-2322	2.5	19
535	Application of Edge theorem for robust stability analysis of a power system with participating wind power plants in automatic generation control task. <i>IET Renewable Power Generation</i> , 2017 , 11, 1049-1057-9	2.9	21
534	Techno-economic analysis of energy storage systems for application in wind farms. 2017 , 135, 540-552		34
533	Recurrent Fuzzy Cerebellar Model Articulation Neural Network Based Power Control of a Single-Stage Three-Phase Grid-Connected Photovoltaic System During Grid Faults. 2017 , 64, 1258-1268		41
532	Controllable DC-link fault current limiter augmentation with DC chopper to improve fault ride-through of DFIG. <i>IET Renewable Power Generation</i> , 2017 , 11, 313-324	2.9	32

531	Stator voltage fault detection and optimal rotor current limiting in doubly fed induction generators. 2017 , 27, e2292		1
530	Model Predictive-Sliding Mode Control for Three-Phase Grid-Connected Converters. 2017 , 64, 1341-1349		53
529	\mathcal{H}_{∞} Robust Current Control for DFIG-Based Wind Turbine Subject to Grid Voltage Distortions. 2017 , 8, 816-825		37
528	Fuzzy logic approach for reactive power coordination in grid connected wind farms to improve steady state voltage stability. <i>IET Renewable Power Generation</i> , 2017 , 11, 351-361	2.9	12
527	Enhancement of SDRU and RCC for low voltage ride through capability in DFIG based wind farm. 2017 , 99, 673-683		18
526	Optimum Resistive Type Fault Current Limiter: An Efficient Solution to Achieve Maximum Fault Ride-Through Capability of Fixed-Speed Wind Turbines During Symmetrical and Asymmetrical Grid Faults. <i>IEEE Transactions on Industry Applications</i> , 2017 , 53, 538-548	4.3	19
525	Enhanced crowbarless FRT strategy for DFIG based wind turbines under three-phase voltage dip. <i>Electric Power Systems Research</i> , 2017 , 142, 215-226	3.5	19
524	Replacing the Grid Interface Transformer in Wind Energy Conversion System With Solid-State Transformer. 2017 , 32, 2152-2160		34
523	On-Site LVRT Testing Method for Full-Power Converter Wind Turbines. 2017 , 8, 395-403		21
522	Risk-based optimal distribution of power reserves in wind power plants. 2017 , 20, 397-410		1
521	Nonlinear Control-Based Modified BFCL for LVRT Capacity Enhancement of DFIG-Based Wind Farm. 2017 , 32, 284-295		66
520	Dynamic reactive power in compliance with low voltage ride-through enhancement for DFIG-based wind turbine. 2017 ,		2
519	Frequency stability analysis in low frequency AC systems for renewables power transmission. 2017 ,		1
518	. 2017 ,		1
517	Coordinated primary control reserve by flexible demand and wind power generation. 2017 ,		1
516	DC protection of a multi-terminal HVDC network featuring offshore wind farms. 2017 , 142, 2195-2201		3
515	Improved use of WT kinetic energy for system frequency support. <i>IET Renewable Power Generation</i> , 2017 , 11, 1094-1100	2.9	10
514	Comparison of 2L-VSC and MMC-based HVDC Converters: Grid Frequency Support Considering Reduced Wind Power Plants Models. <i>Electric Power Components and Systems</i> , 2017 , 45, 2007-2016	1	2

513	Coordinate operation of fuzzy logic voltage regulator and Bi-2212 SFCL for enhancing fault ride through capability of DFIG wind turbines. 2017,	2
512	Implementation of energy storage systems for solar PV ramp stabilization. 2017,	0
511	Sliding mode control strategy for grid connected PV system. 2017,	1
510	A Review of the Low-Voltage Ride-Through Capability of Wind Power Generators. 2017, 141, 378-382	14
509	Performance of grid-connected wind power plants as affected by load models: A comparative study. 2017,	4
508	Frequency control capability of wind turbine under different operation status. 2017, 2017, 1533-1538	1
507	Inner-loop current control for low-voltage ride-through of permanent-magnet synchronous generator. 2017,	1
506	Transient stability enhancement of DC-connected DFIG and its converter system using fault protective device. 2017, 5, 887-896	4
505	Inertial and primary frequency response model of variable-speed wind turbines. 2017, 2017, 844-848	7
504	Distributed generation at distribution system level resilience to voltage dips in real case. 2017, 2017, 1703-1706	2
503	An analysis of delay-based and integrator-based sequence detectors for grid-connected converters. 2017,	3
502	A modified transformer-type fault current limiter for enhancement fault ride-through capability of fixed speed-based wind power plants. 2017,	4
501	Dynamic analysis of OLTC and voltage regulator under active network management considering different load profiles. 2017,	1
500	Low-voltage ride-through operation of single-stage PV system via using recurrent fuzzy CMAC. 2017,	
499	Investigation of fault characteristics of different types of wind generators. 2017,	1
498	Low-voltage ride-through capability of flyback inverter under BCM operation for AC module applications. 2017,	3
497	The improvement of LVRT criteria for wind generation in PEA transmission grid. 2017,	
496	Low voltage ride-through capability enhancement of grid-connected permanent magnet synchronous generator driven directly by variable speed wind turbine: a review. 2017, 2017, 1750-1754	17

495	Solution study of energy storage for renewable in power market. 2017,		
494	Efficient droop-based primary frequency control from variable-speed wind turbines and energy storage systems. 2017,		2
493	ZVRT capability of minimized-LCL-filter-based single-phase grid-tied inverter with high-speed gate-block. 2017,		0
492	Low-voltage ride-through simulation for microgrid systems. 2017,		4
491	. 2017,		0
490	Fault Characteristics of Full Power Inverted Source Considering Low-voltage Ride Through Control Strategy. 2017, 199, 012138		1
489	Calculation of current limiting reactance of hybrid SFCL for low voltage ride-through capability enhancement in DFIG wind farms. 2017, 25, 4685-4695		2
488	Power Electronics for High-Power Wind Energy Conversion Systems. 2017, 37-49		2
487	An Improved LCL Filter Design in Order to Ensure Stability without Damping and Despite Large Grid Impedance Variations. <i>Energies</i> , 2017, 10, 336	3.1	30
486	Coordinated Control Strategy for a Hybrid Wind Farm with DFIG and PMSG under Symmetrical Grid Faults. <i>Energies</i> , 2017, 10, 669	3.1	6
485	Comprehensive Reactive Power Support of DFIG Adapted to Different Depth of Voltage Sags. <i>Energies</i> , 2017, 10, 808	3.1	13
484	A Flexible Experimental Laboratory for Distributed Generation Networks Based on Power Inverters. <i>Energies</i> , 2017, 10, 1589	3.1	11
483	Short-Term Frequency Response of a DFIG-Based Wind Turbine Generator for Rapid Frequency Stabilization. <i>Energies</i> , 2017, 10, 1863	3.1	2
482	A computationally efficient current controller for simultaneous injection of both positive and negative sequences. 2017,		7
481	A simple current control method for three-phase VSC in DSRF under unbalanced grid condition. 2017,		1
480	Assesment of the LVRT capability of a composite wind farm considering the series and parallel topologies. 2017,		
479	LVRT capability evaluation of variable-flux PMSG based WECS. 2017,		1
478	Control System for Low-Voltage Ride-Through of Grid-Tied Wind and Photovoltaic Energy Conversion Systems. 2017,		

477	LVRT Control for Wind Farm Based on Permanent Magnet Synchronous Generator Connected into the Grid. 2017 ,		2
476	Hardware-based hybrid scheme to improve the fault ride through capability of doubly fed induction generator under symmetrical and asymmetrical fault. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 200-206	2.5	19
475	Wind power smoothing using demand response of electric vehicles. 2018 , 99, 164-174		31
474	Approximate error considered fuzzy proportionalIntegral control of DFIG with regional pole placement for FRT improvement. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 335-346	2.5	4
473	Optimized Demagnetizing Control of DFIG Power Converter for Reduced Thermal Stress During Symmetrical Grid Fault. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 10326-10340	7.2	24
472	Wind Energy FACTS Applications and Stabilization Schemes. 2018 , 431-460		1
471	Doubly Fed Induction Generator in Wind Energy Conversion Systems. 2018 , 461-490		2
470	LVRT Performance Enhancement of DFIG-Based Wind Farms by Capacitive Bridge-Type Fault Current Limiter. 2018 , 9, 1118-1125		56
469	New Technique for Using SMES to Limit Fault Currents in Wind Farm Power Systems. 2018 , 28, 1-5		17
468	Electrical machines-based multi-disturbance device for testing distribution grid technologies. 2018 , 99, 57-68		1
467	Three-phase phase-locked loop synchronization algorithms for grid-connected renewable energy systems: A review. 2018 , 90, 434-452		53
466	A grid-side reactive power control strategy for highly offshore wind power penetrated systems. 2018 , 10, 023302		
465	Fault Ride-Through Enhancement of PMSG Wind Turbines With DC Microgrids Using Resistive-Type SFCL. 2018 , 28, 1-5		32
464	Feedforward Current References Control for DFIG-Based Wind Turbine to Improve Transient Control Performance During Grid Faults. 2018 , 33, 670-681		50
463	. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 9017-9032	7.2	18
462	Control Strategy for Grid-Connected Three-Phase Inverters During Voltage Sags to Meet Grid Codes and to Maximize Power Delivery Capability. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 9360-9374	7.2	55
461	Impact of load models on the static and dynamic performances of grid-connected wind power plants: A comparative analysis. 2018 , 149, 91-108		7
460	Improved fault ride through capability of DFIG-wind turbines using customized dynamic voltage restorer. 2018 , 39, 114-125		75

459	An Improved Flux Magnitude and Angle Control With LVRT Capability for DFIGs. 2018 , 33, 3845-3853		9
458	Quasi-Z-source matrix converters to be used in PMSG-based WECS: Modeling, control, and comparison. 2018 , 28, e2544		3
457	Comprehensive Protection Schemes for Different Types of Wind Generators. <i>IEEE Transactions on Industry Applications</i> , 2018 , 54, 2051-2058	4-3	7
456	Grid-connected photovoltaic power plants: A review of the recent integration requirements in modern grid codes. 2018 , 42, 1849-1865		43
455	A compositive control method of low-voltage ride through for PMSG-based wind turbine generator system. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 117-125	2-5	27
454	A modified capacitive bridge-type fault current limiter (CBFCL) for LVRT performance enhancement of wind power plants. 2018 , 28, e2505		11
453	The Impact of Voltage Regulation of Multiinfeed VSC-HVDC on Power System Stability. 2018 , 33, 1614-1627		12
452	Identification of linearised RMS-voltage dip patterns based on clustering in renewable plants. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 1256-1262	2-5	6
451	Volt/Var Control for Power Grids With Connections of Large-Scale Wind Farms: A Review. <i>IEEE Access</i> , 2018 , 6, 26675-26692	3-5	18
450	A Novel Hybrid Filter-Based PLL to Eliminate Effect of Input Harmonics and DC Offset. <i>IEEE Access</i> , 2018 , 6, 19762-19773	3-5	26
449	Effects of post-filtering in grid-synchronization algorithms under grid faults. <i>Electric Power Systems Research</i> , 2018 , 161, 167-176	3-5	3
448	. 2018 ,		2
447	Investigation and Emulation of Junction Temperature for High-Power IGBT Modules Considering Grid Codes. 2018 , 6, 930-940		12
446	Stability analysis and energy storage-based solution of wind farm during low voltage ride through. 2018 , 101, 75-84		29
445	An improved control for simultaneous sag/swell mitigation and reactive power support in a grid-connected wind farm with DVR. 2018 , 101, 38-49		16
444	Torsional Oscillation Damping Control for DFIG-Based Wind Farm Participating in Power System Frequency Regulation. <i>IEEE Transactions on Industry Applications</i> , 2018 , 54, 3687-3701	4-3	18
443	A new LVRT strategy for DGs with different droop gains in islanded microgrid with various loads. 2018 , 28, 116-127		3
442	Voltage Regulation Support Along a Distribution Line by a Virtual Power Plant Based on a Center of Mass Load Modeling. 2018 , 9, 3029-3038		23

441	A Sliding-Mode Direct Power Control Strategy for DFIG Under Both Balanced and Unbalanced Grid Conditions Using Extended Active Power. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 1313-1322	7.2	56
440	A review on frequency support provision by wind power plants: Current and future challenges. 2018 , 81, 2071-2087		84
439	Resilience Enhancement of Microgrids With Inverter-Interfaced DGs by Enabling Faulty Phase Selection. 2018 , 9, 6578-6589		30
438	. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 3441-3451	7.2	12
437	Analyzing effectiveness of LVRT techniques for DFIG wind turbine system and implementation of hybrid combination with control schemes. 2018 , 81, 2487-2501		18
436	Grid code status for wind farms interconnection in Northern Africa and Spain: Descriptions and recommendations for Northern Africa. 2018 , 81, 2584-2598		14
435	. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 5362-5373	7.2	58
434	Grid Synchronization With Selective Harmonic Detection Based on Generalized Delayed Signal Superposition. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 3938-3949	7.2	17
433	Modeling of complete fault ride-through processes for DFIG-Based wind turbines. 2018 , 118, 1001-1014		20
432	Convex Relaxations of Chance Constrained AC Optimal Power Flow. 2018 , 33, 2829-2841		50
431	Model predictive fuzzy control for enhancing FRT capability of DFIG-based WT in real-time simulation environment. 2018 , 9, 899-919		9
430	Sequence Domain Calculation of Active Unbalanced Distribution Systems Affected by Complex Short Circuits. 2018 , 33, 1891-1902		13
429	Adaptive virtual inertia-based frequency regulation in wind power systems. 2018 , 115, 558-574		45
428	Enhancing frequency stability by integrating non-conventional power sources through multi-terminal HVDC grid. 2018 , 95, 128-136		14
427	Controllable DC-link bridge-type FCL for low voltage ride-through enhancement of converter interfaced DG systems. 2018 , 95, 653-663		6
426	Control Strategy for Distribution Generation Inverters to Maximize the Voltage Support in the Lowest Phase During Voltage Sags. 2018 , 65, 2346-2355		36
425	Rapid LVRT Control of a DFIG-Based Wind Power Plants Based on Adaptive IQ-V Characteristics. 2018 ,		0
424	A New Dynamic Equivalent of Active Distribution Network for Transient Analysis. 2018 ,		2

423	Review of Short-Term Frequency Regulation Capability for Wind Turbine Generators. 2018,		
422	Parameter Estimation of Chopper Resistor in Medium-Voltage-Direct-Current during Grid Fault Ride through. <i>Energies</i> , 2018 , 11, 3480	3.1	3
421	Influence of Wind Energy Integration on a Voltage Sag Source Locator Based on Power-Flow Information. 2018,		1
420	Stochastic Wind Curtailment Scheduling for Mitigation of Short-Term Variations in a Power System with High Wind Power and Electric Vehicle. 2018 , 8, 1684		4
419	Supervisory Controller for Smoothing Wind Turbine Power Output based on FESS using ANNs for Short-Term Ahead Prediction. 2018,		0
418	A Coordinated Control Strategy for DC-link Voltage and Crowbar to Enhance Low Voltage Ride-Through of DFIG-based Wind Energy Conversion Systems. 2018,		1
417	Control Strategy for a Three-Phase Four-leg Grid Connected PV Inverter under Unbalanced Faults. 2018,		0
416	Coordinated Control for Low Voltage Ride Through in PMSG Wind Turbines. 2018 , 51, 672-677		1
415	Optimal Allocation of Long-Time-Scale Ramp Requirement with High Wind Penetration. 2018,		
414	A Novel Design of FRT Strategy and Proportional Resonant Controller for Three Phase Grid connected PV System. 2018,		
413	A Terminal Sliding Mode Approach for the Rotor Side Converter of a DFIG-Based Wind Energy System. 2018,		3
412	Low-Voltage Ride-Through Operation of Grid-Connected Microgrid Using Consensus-Based Distributed Control. <i>Energies</i> , 2018 , 11, 2867	3.1	13
411	Transient Stability Analysis of a DFIG-Based Wind Turbine Using Three Level NPC Converter. 2018,		1
410	. 2018,		2
409	LVRT Test Bench for Wind Turbines Based on Virtual Voltage Divider. 2018,		0
408	Fault Ride Through Testing Method Based on DVR for Offshore Wind Turbines. 2018,		4
407	Performance Estimation of Permanent Magnet Synchronous Generator Based Wind Energy Conversion System. 2018,		2
406	A Review on Fault Current Limiting Devices to Enhance the Fault Ride-Through Capability of the Doubly-Fed Induction Generator Based Wind Turbine. 2018 , 8, 2059		14

405	Active distribution network with efficient utilisation of distributed generation ancillary services. 2018 , 1, 151-158		3
404	Smart Transformer for the Provision of Coordinated Voltage and Frequency Support in the Grid. 2018 ,		5
403	Design of a Proportional Resonant Controller with Resonant Harmonic Compensator and Fault Ride Trough Strategies for a Grid-Connected Photovoltaic System. 2018 , 7, 451		17
402	Improved schemes for traditional current-based phase selectors in wind power systems. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 5781-5788	2.5	12
401	Leveraging Hybrid Filter for Improving Quasi-Type-1 Phase Locked Loop Targeting Fast Transient Response. <i>Energies</i> , 2018 , 11, 2472	3.1	6
400	Review on FRT solutions for improving transient stability in DFIG-WTs. <i>IET Renewable Power Generation</i> , 2018 , 12, 1786-1799	2.9	77
399	PV-fed DVR for simultaneous real power injection and sag/swell mitigation in a wind farm. 2018 , 11, 2385-2395		13
398	Review on the techno-commercial aspects of wind energy conversion system. <i>IET Renewable Power Generation</i> , 2018 , 12, 1581-1608	2.9	25
397	Overview of Voltage Support Strategies in Grid-Connected VSCs under Unbalanced Grid Faults Considering LVRT and HVRT Requirements. 2018 ,		5
396	Multilevel ConverterBased Wind Power Conversion. 2018 , 413-432		0
395	An Overview of DFIG Ride through Strategies under Grid Faults. 2018 ,		1
394	A Comparative Study on Controllers for Improving Transient Stability of DFIG Wind Turbines During Large Disturbances. <i>Energies</i> , 2018 , 11, 480	3.1	29
393	Decision Tree-Based Preventive Control Applications to Enhance Fault Ride Through Capability of Doubly-Fed Induction Generator in Power Systems. <i>Energies</i> , 2018 , 11, 1760	3.1	4
392	Voltage Support Experimental Analysis of a Low-Voltage Ride-Through Strategy Applied to Grid-Connected Distributed Inverters. <i>Energies</i> , 2018 , 11, 1949	3.1	5
391	A neural power system stabilizer of DFIGs for power system stability support. 2018 , 28, e2547		9
390	A new approach using combination of sliding mode control and feedback linearization for enhancing fault ride through capability of DFIG-based WT. 2018 , 28, e2613		7
389	Coordinated predictive control for wind farm with BESS considering power dispatching and equipment ageing. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 2406-2414	2.5	19
388	Reactive Power Management in Renewable Rich Power Grids: A Review of Grid-Codes, Renewable Generators, Support Devices, Control Strategies and Optimization Algorithms. <i>IEEE Access</i> , 2018 , 6, 41458-41489	3.5	89

387	Thermal Loading Control in Power Converters. 2018 , 403-423		
386	Control method of doubly fed wind turbine for wind speed variation based on dynamic constraints of reactive power. <i>IET Renewable Power Generation</i> , 2018 , 12, 973-980	2.9	11
385	Thermal Control of Power Converter in Normal and Abnormal Operations. 2018 , 387-414		
384	Grid Codes for Wind Power Generation Systems. 2018 , 43-63		
383	Introducing low-order system frequency response modelling of a future power system with high penetration of wind power plants with frequency support capabilities. <i>IET Renewable Power Generation</i> , 2018 , 12, 1453-1461	2.9	18
382	ZVRT Capability of Single-Phase Grid-Connected Inverter With High-Speed Gate-Block and Minimized LCL Filter Design. <i>IEEE Transactions on Industry Applications</i> , 2018 , 54, 5387-5399	4.3	3
381	Stability Augmentation of a Grid-Connected Wind Farm by Fuzzy-Logic-Controlled DFIG-Based Wind Turbines. 2018 , 8, 20		15
380	Control of Variable Speed Wind Turbines with Doubly Fed Asynchronous Generators for Stand-Alone Applications. <i>Energies</i> , 2018 , 11, 26	3.1	14
379	A System Transient Stability Enhancement Control Method Using Doubly Fed Induction Generator Wind Turbine with Considering Its Power Constraints. <i>Energies</i> , 2018 , 11, 945	3.1	8
378	A Hybrid Filtering Technique-Based PLL Targeting Fast and Robust Tracking Performance under Distorted Grid Conditions. <i>Energies</i> , 2018 , 11, 973	3.1	11
377	Fault ride through strategy of VSC-MTDC system connected with offshore wind farms. 2018 ,		1
376	Reactive power compensation of wind permanent magnet synchronous generator - part II. 2018 ,		1
375	LVRT capability enhancement of DFIG-based wind farms by using capacitive DC reactor-type fault current limiter. 2018 , 102, 287-295		28
374	Control of Wind Turbine System. 2018 , 269-298		2
373	Optimal placement and control variable setting of power flow controllers in multi-terminal HVDC grids for enhancing static security. 2018 , 102, 272-286		20
372	Augmented grey wolf optimizer for grid-connected PMSG-based wind energy conversion systems. 2018 , 69, 504-515		68
371	Fault ride-through enhancement in DFIG with control of stator flux using minimised series voltage compensator. <i>IET Renewable Power Generation</i> , 2018 , 12, 1234-1240	2.9	3
370	Novel concept of renewables association with synchronous generation for enhancing the provision of ancillary services. 2018 , 229, 1035-1047		20

369	A Grey Wolf Optimizer for Optimum Parameters of Multiple PI Controllers of a Grid-Connected PMSG Driven by Variable Speed Wind Turbine. <i>IEEE Access</i> , 2018 , 6, 44120-44128	3.5	47
368	Local Area Protection for Renewable Energy. 2018 , 175-271		
367	Robust Active Disturbance Rejection Control for LVRT capability enhancement of DFIG-based wind turbines. 2018 , 77, 174-189		18
366	Simple current control method for three-phase VSC under unbalanced grid condition. 2018 , 11, 1161-1168		6
365	DG dynamic voltage support requirements for the reliable protection of reconfigurable networks. 2019 , 29, e2675		3
364	Fuzzy grey wolf optimization for controlled low-voltage ride-through conditions in grid-connected wind turbine with doubly fed induction generator. 2019 , 95, 327-338		7
363	Nonlinear controller based on state feedback linearization for series-compensated DFIG-based wind power plants to mitigate sub-synchronous control interaction. 2019 , 29, e2682		34
362	Optimal control of novel fuel cell-based DVR using ANFISC-MOSSA to increase FRT capability of DFIG-wind turbine. 2019 , 23, 6633-6655		14
361	. 2019 , 66, 1130-1141		35
360	DC protection for a multi-terminal HVDC network including offshore wind power, featuring a reduced DC circuit breaker count. 2019 , 2019, 4511-4515		4
359	Powering the 21st century by wind energy Options, facts, figures. 2019 , 6, 031303		27
358	Grid-Connected Wind Power Plants: A Survey on the Integration Requirements in Modern Grid Codes. <i>IEEE Transactions on Industry Applications</i> , 2019 , 55, 5584-5593	4.3	34
357	Application of functional modelling for monitoring of WTG in a cyber-physical environment. 2019 , 4, 79-87		4
356	Refined ramp event characterisation for wind power ramp control using energy storage system. <i>IET Renewable Power Generation</i> , 2019 , 13, 1731-1740	2.9	7
355	Effects of Change in Wind Energy Generation on the Power Grid Angle. 2019 ,		1
354	Study of Low-Voltage Ride Through of Wind Permanent Magnet Synchronous Generator by means of STATCOM. 2019 ,		
353	Low voltage ride through capability enhancement in a grid-connected wind/fuel cell hybrid system via combined feed-forward and fuzzy logic control. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 2866-2876	2.5	13
352	Advanced Fault Ride-through Strategy by an MMC HVDC Transmission for Off-Shore Wind Farm Interconnection. 2019 , 9, 2522		4

351	Selecting the House-of-Quality-Based Energy Investment Policies for the Sustainable Emerging Economies. <i>Sustainability</i> , 2019 , 11, 3514	3.6	14
350	Computationally Efficient Model Predictive Direct Power Control with Online Finite Set Model Inductance Estimation Technique for Grid-Connected Photovoltaic Inverters. 2019 ,		1
349	Grid-Connected Wind Power Plants: A Survey on the Integration Requirements in Modern Grid Codes. 2019 ,		8
348	Wind energy integration: Variability analysis and power system impact assessment. 2019 , 185, 1183-1196		44
347	On Wind Turbine Power Delta Control. <i>Energies</i> , 2019 , 12, 2344	3.1	3
346	RENEWABLE ENERGY SYSTEMS WITH WIND POWER. 2019 , 315-345		1
345	Power shift-based optimal corrective control for bipolar multi-terminal high-voltage direct current grid. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 2711-2720	2.5	6
344	Novel active-passive compensator-supercapacitor modeling for low-voltage ride-through capability in DFIG-based wind turbines. 2019 , 101, 1119-1132		5
343	. 2019 ,		1
342	Provision of Frequency Support by Wind Power Plants: Assessment of Compliance with Grid Codes. 2019 ,		
341	Optimal Operation of Wind Farm for Reducing Power Deviation Considering Grid-Code Constraints and Events. <i>IEEE Access</i> , 2019 , 7, 139058-139068	3.5	7
340	Short-term Voltage Stability of Distribution Grids With Medium-scale PV Plants due to Asymmetrical Faults. 2019 ,		
339	Mathematical model for the optimal determination of voltage level and PCC for large wind farms connection to transmission network. <i>IET Renewable Power Generation</i> , 2019 , 13, 2240-2250	2.9	1
338	Comprehensive study on fault-ride through and voltage support by wind power generation in AC and DC transmission systems. 2019 , 2019, 5152-5157		1
337	An Extended SFR Model With High Penetration Wind Power Considering Operating Regions and Wind Speed Disturbance. <i>IEEE Access</i> , 2019 , 7, 103416-103426	3.5	5
336	A New Grid-support Strategy with PV Units to Enhance Short-term Voltage Stability. 2019 ,		
335	A Comparative Study on the Impact of Grid Code Regulations on Stability of Wind Integrated Power Systems. 2019 ,		3
334	Adaptive Neuro-Fuzzy Controller for Grid Voltage Dip Compensations of Grid Connected DFIG-WECS. 2019 ,		1

333	Adaptive frequency control with variable speed wind turbines using data-driven method. 2019 , 11, 043305		7
332	PI-based controller for low-power distributed inverters to maximise reactive current injection while avoiding over voltage during voltage sags. 2019 , 12, 83-91		9
331	Impact of Combined Demand-Response and Wind Power Plant Participation in Frequency Control for Multi-Area Power Systems. <i>Energies</i> , 2019 , 12, 1687	3.1	8
330	Review on microgrids protection. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 743-759	2.5	72
329	A Novel Low Voltage Ride-Through Technique of Three-Phase Grid-Connected Inverters Based on a Nonlinear Phase-Locked Loop. <i>IEEE Access</i> , 2019 , 7, 66609-66622	3.5	11
328	FRT Capability of Three-phase Grid-tied Converter with Minimized Inductor. 2019 ,		0
327	Voltage control of PV inverter connected to unbalanced distribution system. <i>IET Renewable Power Generation</i> , 2019 , 13, 1587-1594	2.9	19
326	Robust H _∞ control for stability assessment in grid-connected offshore wind and marine current hybrid system. <i>IET Renewable Power Generation</i> , 2019 , 13, 318-329	2.9	3
325	Artificial Neural Network-Based PI-Controlled Reduced Switch Cascaded Multilevel Inverter Operation in Wind Energy Conversion System with Solid-State Transformer. 2019 , 43, 1053-1073		23
324	A Study of the Impact of Pitch Misalignment on Wind Turbine Performance. 2019 , 7, 8		11
323	Design of Robust Fuzzy Logic Controller Based on the Levenberg Marquardt Algorithm and Fault Ride Trough Strategies for a Grid-Connected PV System. 2019 , 8, 429		12
322	Fault Ride-Through Capability Enhancement for Microinverter Applications. 2019 , 2019, 1-12		5
321	A coordinated control and management strategy of a wind energy conversion system for a universal low-voltage ride-through capability. 2019 , 29, e12035		5
320	Application of a Superconducting Fault Current Limiter to Enhance the Low-Voltage Ride-Through Capability of Wind Turbine Generators. <i>Energies</i> , 2019 , 12, 1478	3.1	8
319	Implementation of the Low-Voltage Ride-Through Curve after Considering Offshore Wind Farms Integrated into the Isolated Taiwan Power System. <i>Energies</i> , 2019 , 12, 1258	3.1	1
318	Adaptive Slope Voltage Control for Distributed Generation Inverters With Improved Transient Performance. 2019 , 34, 1644-1654		5
317	A Survey of Recent Developments and Requirements for Modern Power System Control. 2019 , 289-316		1
316	Transient Stability Assessment of Multi-Machine Multi-Converter Power Systems. 2019 , 34, 3504-3514		20

315	Enhanced salp swarm algorithm: Application to variable speed wind generators. 2019 , 80, 82-96		96
314	Recent trends in solar PV inverter topologies. 2019 , 183, 57-73		56
313	Wind Integration. 2019 , 341-354		
312	Handling Renewable Energy Variability and Uncertainty in Power System Operation. 2019 , 1-26		2
311	. <i>IEEE Transactions on Industry Applications</i> , 2019 , 55, 3376-3393	4-3	5
310	Phase-Amplitude model for doubly fed induction generators. 2019 , 7, 369-379		2
309	Review on configuration and control methods of tidal current turbines. 2019 , 108, 125-139		30
308	Adaptive Gains Control Scheme for PMSG-Based Wind Power Plant to Provide Voltage Regulation Service. <i>Energies</i> , 2019 , 12, 753	3-1	5
307	Modeling challenges and potential solutions for integration of emerging DERs in DMS applications: power flow and short-circuit analysis. 2019 , 7, 1365-1384		2
306	Modifying IEC 60909 Standard to Consider Fault Contribution from Renewable Energy Resources Utilizing Fully-Rated Converters. 2019 ,		2
305	Resource-Mix Variability Mitigation: EWT Based Optimal Sizing/Control of Hybrid Storage System. 2019 ,		
304	Open-loop-based Island-mode Voltage Control Method for Single-phase Grid-tied Inverter with Minimized LC Filter. 2019 , 8, 108-115		0
303	Distributed Optimal Active Power Control of a Wind Farm based on Fast ADMM. 2019 ,		1
302	Design and Investigation of FRT Schemes for Three-Phase Grid-Tied PV System. 2019 ,		0
301	Series Resonance Fault Current Limiter (SRFCL) with MOV for LVRT Enhancement in DFIG-Based Wind Farms. <i>Electric Power Components and Systems</i> , 2019 , 47, 1814-1825	1	9
300	Fault Ride Through Capability Enhancement of DFIG Based Wind Farm Using Advanced Converter Topology. 2019 ,		1
299	Emergency power control strategies applied for offshore wind farms connected by HVDC system. 2019 ,		
298	Enhancing LVRT Capability of Small-Scale Hydro Power System using DFIG. 2019 ,		0

297	The Technical Challenges Facing the Integration of Small-Scale and Large-scale PV Systems into the Grid: A Critical Review. 2019 , 8, 1443		12
296	Inertial support from WPPs that include VSWTs: A review. 2019 , 2019, 4633-4643		2
295	Analytical LVRT analysis of doubly fed induction generator with MPC-based DSCC/DRCC. <i>IET Renewable Power Generation</i> , 2019 , 13, 2462-2471	2.9	3
294	Preventive Control for Voltage Stability Enhancement Using Reactive Power from Wind Power Plants. 2019 ,		1
293	Fault Ride Through Capability Improvement of DFIG Based Wind Farms Using Active Power Controlled Bridge Type Fault Current Limiter. 2019 ,		5
292	Transient Stability Analysis and Fault Ride-Through Augmentation of a Doubly Fed Induction Generator in a 9- Bus Power System. 2019 ,		
291	Assessment of grid connected PMSG based WECS. 2019 ,		1
290	Hybrid Energy Management System for Operation of Wind Farm System Considering Grid-Code Constraints. <i>Energies</i> , 2019 , 12, 4672	3.1	2
289	A review of power quality compatibility of wind energy conversion systems with the South African utility grid. 2019 , 31, 63-72		9
288	Parameter Value Selection of Wind Turbines Frequency Controller. 2019 ,		
287	Inverter Output Current Overshoot Suppression during Fault Ride-through Operation for Three-phase Grid-tied Inverter with Minimized Inductor. 2019 ,		0
286	Overall Adaptive Controller Design of PMSG Under Whole Wind Speed Range: A Perturbation Compensation Based Approach. <i>Processes</i> , 2019 , 7, 732	2.9	2
285	An Asymmetrical Fault Current Iterative Algorithm of Droop-controlled Inverter. 2019 ,		
284	Adaptive droop control strategy for autonomous power sharing and DC voltage control in wind farm-MTDC grids. <i>IET Renewable Power Generation</i> , 2019 , 13, 3180-3190	2.9	12
283	Enhancing the performance of DFIG variable speed wind turbine using a parallel integrated capacitor and modified modulated braking resistor. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 3378-3387	2.5	11
282	Stability Analysis and Enhancement of Type-4 Wind Turbines Connected to Very Weak Grids Under Severe Voltage Sags. 2019 , 34, 838-848		21
281	Data-Driven Condition Monitoring Approaches to Improving Power Output of Wind Turbines. 2019 , 66, 6012-6020		31
280	Robust H_{∞} Control of Doubly Fed Wind Generator via State-Dependent Riccati Equation Technique. 2019 , 34, 2390-2400		23

279	Switching Fault Ride-Through of GSCs Via Observer-Based BangBang Funnel Control. 2019 , 66, 7442-7446	4
278	Postfault LVRT Performance Enhancement of DFIG Using a Stage-Controlled SSFCL-RSDR. 2019 , 29, 1-6	8
277	Enhancing voltage stability and LVRT capability of a wind-integrated power system using a fuzzy-based SVC. 2019 , 22, 827-839	9
276	Analysis and Augmented Model-Based Control Design of Distributed Generation Converters With a Flexible Grid-Support Controller. <i>IEEE Transactions on Power Electronics</i> , 2019 , 34, 6369-6387	7.2 7
275	A review of fault ride through of PV and wind renewable energies in grid codes. 2019 , 43, 1342-1356	50
274	Designing SSSC, TCSC, and STATCOM controllers using AVURPSO, GSA, and GA for transient stability improvement of a multi-machine power system with PV and wind farms. 2019 , 106, 455-466	38
273	Dual Current Control of Inverter-Interfaced Renewable Energy Sources for Precise Phase Selection. 2019 , 10, 5092-5102	16
272	Short-Term Voltage Stability Enhancement in Residential Grid With High Penetration of Rooftop PV Units. 2019 , 10, 2211-2222	12
271	Convex Relaxations and Approximations of Chance-Constrained AC-OPF Problems. 2019 , 34, 1459-1470	13
270	. 2019 , 10, 661-669	9
269	Fault Ride-Through and Power Smoothing Control of PMSG-Based Wind Generation Using Supercapacitor Energy Storage System. 2019 , 44, 2067-2078	9
268	A Novel Method to Valorize Frequency Support Procurement by Wind Power Plants. 2020 , 11, 239-249	1
267	. 2020 , 11, 618-628	18
266	A decentralized multivariable controller for hydrostatic wind turbine drivetrain. 2020 , 22, 1038-1051	5
265	Optimal Remedial Actions in Power Systems Considering Wind Farm Grid Codes and UPFC. 2020 , 16, 7264-7274	6
264	DFIG Damping Controller Design Using Robust CKF-Based Adaptive Dynamic Programming. 2020 , 11, 839-850	14
263	Spatio-temporal information based protection scheme for PV integrated microgrid under solar irradiance intermittency using deep convolutional neural network. 2020 , 116, 105576	19
262	Novel method for adaptive relay protection in distribution systems with electronically-coupled DERs. 2020 , 116, 105551	9

261	. 2020 , 35, 1455-1466	22
260	Autonomous Coordinated Control Scheme for Cooperative Asymmetric Low-Voltage Ride-Through and Grid Support in Active Distribution Networks With Multiple DG Units. 2020 , 11, 2125-2139	8
259	New Transient Stability and LVRT Improvement of Multi-VSG Grids Using the Frequency of the Center of Inertia. 2020 , 35, 527-538	31
258	Modelling and stability investigations of an aggregate wind farm fed multi-machine system. 2020 , 44, 596-609	7
257	Low-Voltage Ride-Through Remote Testing Method for Offshore Wind Turbines. 2020 , 69, 2905-2913	3
256	Optimal Voltage-Support Control for Distributed Generation Inverters in RL Grid-Faulty Networks. 2020 , 67, 8405-8415	12
255	Whale optimization algorithm-based Sugeno fuzzy logic controller for fault ride-through improvement of grid-connected variable speed wind generators. 2020 , 87, 103328	29
254	Novel Fault Models for Electronically Coupled Distributed Energy Resources and Their Laboratory Validation. 2020 , 35, 1209-1217	11
253	A Grid-Support Strategy With PV Units to Boost Short-Term Voltage Stability Under Asymmetrical Faults. 2020 , 35, 1120-1131	11
252	Grid integrated renewable DG systems: A review of power quality challenges and state-of-the-art mitigation techniques. 2020 , 44, 26-69	80
251	Enhanced FRT and Postfault Recovery Control for MMC-HVDC Connected Offshore Wind Farms. 2020 , 35, 1606-1617	17
250	Impact of Inertia Control of DFIG-Based WT on Torsional Vibration in Drivetrain. 2020 , 11, 2525-2534	5
249	Grid-connected renewable energy sources: Review of the recent integration requirements and control methods. 2020 , 253, 119831	102
248	An electromechanical emulation-based study on the behaviour of wind energy conversion systems during short circuit faults. 2020 , 205, 112401	5
247	Novel CPG algorithm for tracking fast sudden changes based on tangent rule. 2020 , 107, 930-950	1
246	A Novel Fault Ride Through Scheme for Hybrid Wind/PV Power Generation Systems. 2020 , 11, 2427-2436	17
245	Modeling of initial fault response of inverter-based distributed energy resources for future power system planning. 2020 , 117, 105722	6
244	Optimal active and reactive power cooperative dispatch strategy of wind farm considering levelised production cost minimisation. 2020 , 148, 113-123	5

243	Effectiveness evaluation of passive resistive element placement on a fault ride-through enhancement in a DFIG-based wind energy conversion system. 2020 , 23, 825-848		2
242	Efficient model predictive power control with online inductance estimation for photovoltaic inverters. 2020 , 102, 549-562		7
241	Universal switched state-space representation for model predictive control of power converters. <i>Electric Power Systems Research</i> , 2020 , 180, 106120	3.5	2
240	On the Reduction of the Rated Power of Energy Storage System in Wind Farms. 2020 , 35, 2586-2596		3
239	Asymmetrical Fault Ride-Through Control Strategy for Rotor-Side Converter of DFIG. 2020 , 35, 1046-1053		8
238	Component-level Reliability Assessment of a Direct-drive PMSG Wind Power Converter Considering Long-term and short-term thermal cycles. 2020 ,		
237	Development and performance analysis of intelligent fault ride through control scheme in the dynamic behaviour of grid connected DFIG based wind systems. <i>Energy Reports</i> , 2020 , 6, 2560-2576	4.6	9
236	A Dynamic Multi-Cell FCL to Improve the Fault Ride through Capability of DFIG-Based Wind Farms. <i>Energies</i> , 2020 , 13, 6071	3.1	4
235	Control strategy to improve power transmission capacity from wind farms to weak AC grids. 2020 , 671, 012041		
234	Comprehensive review on low voltage ride through capability of wind turbine generators. 2020 , 30, e12524		17
233	A Modified Transient Current Limiter to Mitigate Energization Inrush Current in Wind Turbine Transformers. 2020 , 31, 1549-1557		
232	Enhancement of low voltage ride-through ability of the photovoltaic array aided by the MPPT algorithm connected with wind turbine. 2020 , 54, 503-527		2
231	Prioritizing power factor in power density assessments of doubly fed induction generator alternatives. 2020 ,		1
230	A Comparative Study of Control Methods for Grid Side Converters in PMSG-Based Wind Energy Conversion Systems. 2020 ,		1
229	Distributed Operation of Wind Farm for Maximizing Output Power: A Multi-Agent Deep Reinforcement Learning Approach. <i>IEEE Access</i> , 2020 , 8, 173136-173146	3.5	3
228	Current Practice on Power Quality Legislation within European Transmission Systems [Results from Horizon 2020 Project MIGRATE. 2020 ,		
227	Flexible power-point-tracking-based frequency regulation strategy for PV system. <i>IET Renewable Power Generation</i> , 2020 , 14, 1797-1807	2.9	10
226	Enhanced Low Voltage Ride- Through Control Capability of a DFIG-Based Wind Power Plant. 2020 ,		0

225	Enhanced Low-Voltage Ride-Through Coordinated Control for PMSG Wind Turbines and Energy Storage Systems Considering Pitch and Inertia Response. <i>IEEE Access</i> , 2020 , 8, 212557-212567	3.5	7
224	. <i>IEEE Access</i> , 2020 , 8, 220807-220815	3.5	1
223	Comparative Analysis of Three Low Voltage Fault Ride Through Techniques for Wind Energy Conversion Systems. 2020 ,		0
222	LVRT Control based on Partial State-Feedback Linearization for SCIG Wind Turbine Systems. 2020 ,		0
221	An outlook on endangering grid security in India due to implementation challenges of low voltage ride through protection in wind turbines. 2020 , 30, e12672		0
220	Novel Cost Reduction Method for Wind Farms Associated with Energy Storage Systems by Optimal Kinetic Energy Control. 2020 , 10, 7223		3
219	System-level reliability assessment for a direct-drive PMSG based wind turbine with multiple converters. 2020 , 114, 113801		1
218	Enhancing low-voltage ride-through capability of PMSG based on cost-effective fault current limiter and modified WTG control. <i>Electric Power Systems Research</i> , 2020 , 185, 106358	3.5	9
217	Effective location of SMES for power fluctuation mitigation of grid connected doubly fed induction generator. 2020 , 29, 101369		5
216	Method to estimate sag frequency in doubly fed induction generator integrated power system based on adaptive kernel density estimation. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 1261-1270	2.5	5
215	Mode Identification and Small Signal Stability Analysis of Variable Speed Wind Power Systems. 2020 ,		
214	Avoiding overvoltage problems in three-phase distributed-generation systems during unbalanced voltage sags. 2020 , 13, 1537-1545		4
213	Cooperative strategy of SMES device and modified control for cost-effective fault ride-through enhancement and power smoothing of 10 MW class superconducting wind turbine. 2020 , 12, 033302		4
212	Gain compensation approach for low-voltage ride-through and dynamic performance improvement of three-phase type-3 PLL. 2020 , 13, 1613-1621		5
211	Fast Frequency Support From Wind Turbine Systems by Arresting Frequency Nadir Close to Settling Frequency. 2020 , 7, 191-202		12
210	A review of energy storage technologies for large scale photovoltaic power plants. 2020 , 274, 115213		57
209	Combined Control of Machine & Grid Side Converters for PMSGs in Wind Energy Conversion Systems with Fast and Robust Performance. 2020 ,		2
208	Reliability and economic feasibility analysis of parallel unity power factor rectifier for wind turbine system. <i>IET Renewable Power Generation</i> , 2020 , 14, 1184-1192	2.9	4

207	Impacts of Fault Ride Through Behavior of Wind Farms on a Low Inertia System. 2020 , 1-1		1
206	AC microgrid protection [A review: Current and future prospective. 2020 , 271, 115210		47
205	Coordinated LVRT Control for a Permanent Magnet Synchronous Generator Wind Turbine with Energy Storage System. 2020 , 10, 3085		1
204	Fault Ride Through Strategy of Virtual-Synchronous-Controlled DFIG-Based Wind Turbines Under Symmetrical Grid Faults. 2020 , 35, 1360-1371		11
203	Control of VSC-HVDC connected wind farms for system frequency support. 2020 , 30, e12352		1
202	Transient stability assessment for generators and DER integration into the IEEE 9 Bus system. 2020		
201	A review of Indonesia grid code adaptation toward variable renewable energy penetration. 2020 ,		0
200	Optimal tracking control for asymmetrical fault ride through in the back-to-back converters. <i>IET Renewable Power Generation</i> , 2020 , 14, 1359-1367	2.9	1
199	Comparison of LVRT Enhancement for DFIG-Based Wind Turbine Generator with Rotor-Side Control Strategy. 2020 ,		1
198	Sliding Mode Controller-Based BFCL for Fault Ride-Through Performance Enhancement of DFIG-Based Wind Turbines. 2020 , 2020, 1-12		20
197	Techno-Economic Assessment of Energy Storage Technologies for Inertia Response and Frequency Support from Wind Farms. <i>Energies</i> , 2020 , 13, 3421	3.1	12
196	Hierarchical model predictive control of wind farm with energy storage system for frequency regulation during black-start. 2020 , 119, 105893		10
195	A non-centralized predictive control strategy for wind farm active power control: A wake-based partitioning approach. 2020 , 150, 656-669		11
194	Overcurrent protection scheme for collector lines in wind farm based on fault component current correlation analysis and multi-agent system. <i>IET Renewable Power Generation</i> , 2020 , 14, 313-320	2.9	2
193	An analytic hierarchy process-based novel approach for benchmarking the power quality performance of grid-integrated renewable energy systems. 2020 , 102, 1153-1173		26
192	Salp swarm algorithm-based TS-FLCs for MPPT and fault ride-through capability enhancement of wind generators. 2020 , 101, 211-224		29
191	. <i>IEEE Access</i> , 2020 , 8, 15931-15944	3.5	4
190	Adaptive frequency control support of a DFIG based on second-order derivative controller using data-driven method. 2020 , 30, e12424		2

189	A comprehensive review of fault ride-through capability of wind turbines with grid-connected doubly fed induction generator. 2020 , 30, e12395		13
188	Reliability Study of Wind Turbine Power Converter with Multiple Wind Speed. 2020 , 440, 032117		
187	Disturbance feedforward control for type-3 wind turbines to achieve accurate implementation of transient control targets during LVRT. 2020 , 119, 105954		1
186	Optimal Oscillation Damping Controller Design for Large-Scale Wind Integrated Power Grid. <i>IEEE Transactions on Industry Applications</i> , 2020 , 1-1	4-3	4
185	Unified Power Quality Conditioner With Advanced Dual Control for Performance Improvement of DFIG-Based Wind Farm. 2021 , 12, 116-126		24
184	Generalized Integrator-Extended State Observer With Applications to Grid-Connected Converters in the Presence of Disturbances. 2021 , 29, 744-755		21
183	Cosine Similarity Based Line Protection for Large-Scale Wind Farms. 2021 , 68, 5990-5999		21
182	Sensitivity analysis of transient short circuit current response to the penetration level of non-synchronous generation. 2021 , 125, 106556		4
181	Future-oriented generic grid code regarding wind power plants in Europe. 2021 , 125, 106490		6
180	DFIG Active Damping Control Strategy Based on Remodeling of Multiple Energy Branches. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 4169-4186	7.2	0
179	. 2021 , 12, 141-156		8
178	. 2021 , 36, 682-692		3
177	Abnormal operation of wind turbine systems. 2021 , 561-607		
176	SSR Alleviation in SCIG-Based Wind Power Plants Using Resistive Bridge-Type FCL. 2021 , 16, 907-916		0
175	Model Predictive Control with a Cascaded Hammerstein Neural Network of a Wind Turbine Providing Frequency Containment Reserve. 2021 , 1-1		1
174	A novel approach for crowbar resistance determination for doubly fed induction generators in wind energy conversion systems. 1-10		0
173	Low-Voltage Ride-Through Coordinated Control for PMSG Wind Turbines Using De-Loaded Operation. <i>IEEE Access</i> , 2021 , 9, 66599-66606	3-5	2
172	Certain investigations on fault analysis in a smart grid system using S-transform and their fault ride through using solid-state fault current limiter. 2021 , 103, 2127-2145		

171	Analysis of Financial Problems of Wind Farms in Poland. <i>Energies</i> , 2021 , 14, 1239	3.1	7
170	Numerical Analysis of Renewable Generation Variability for Energy Storage Smoothing Applications. 2021 ,		
169	Influence of the grid parameters during under voltage ride through (UVRT) testing. 2021 , 85, 559-566		1
168	A Survey based on PLL and its Synchronization Techniques for Interconnected System. 2021 ,		1
167	Novel insight on temporary frequency support of variable speed wind energy conversion system. 2021 , 24, 1353		1
166	A new extension of hesitant fuzzy set: An application to an offshore wind turbine technology selection process. <i>IET Renewable Power Generation</i> , 2021 , 15, 2340-2355	2.9	5
165	Second-order sliding mode control of wind turbines to enhance the fault-ride through capability under unbalanced grid faults. 2021 , 49, 1959-1986		3
164	Research on Zero-Voltage Ride Through Control Strategy of Doubly Fed Wind Turbine. <i>Energies</i> , 2021 , 14, 2287	3.1	0
163	Protection of AC microgrid integrated with renewable energy sources [A research review and future trends. <i>Electric Power Systems Research</i> , 2021 , 193, 107036	3.5	18
162	A Simulation Model for Providing Analysis of Wind Farms Frequency and Voltage Regulation Services in an Electrical Power System. <i>Energies</i> , 2021 , 14, 2250	3.1	2
161	On the Fatigue Reduction of WTs via Coordinating Inertial Response and Pitch Angle Regulation. 2021 ,		0
160	Grid integration aspects of wave energy [Overview and perspectives. <i>IET Renewable Power Generation</i> , 2021 , 15, 3045	2.9	5
159	Improved Fault Ride Through Strategy Of Doubly Fed Induction Generator based Wind Turbine Using Model Predictive Control. 2021 ,		0
158	Advanced LVRT strategy for SCIG-based wind energy conversion systems using feedback linearization and sliding mode control. 2021 , 21, 1180		3
157	A Novel Saturated Amorphous Alloy Core Based Fault Current Limiter for Improving the Low Voltage Ride Through Capability of Doubly-Fed Induction Generator Based Wind Turbines. <i>IEEE Transactions on Industry Applications</i> , 2021 , 57, 2023-2034	4.3	5
156	Novel double-circuit transmission line bridge-type fault current limiter to enhance wind power plants fault ride-through capability. 2021 , 31, e12933		
155	Optimal power smoothing control for superconducting fault current limiter-magnetic energy storage system. 2021 , 116, 103296		1
154	Maximizing Energy Extraction from Direct Grid Coupled Permanent Magnet Synchronous Generators. 2021 ,		1

153	Distributed wind and solar power for grid sustainability and emission reduction. 2021 , 40, e13686		1
152	Design of Capacitive Bridge Fault Current Limiter for Low-Voltage Ride-Through Capacity Enrichment of Doubly Fed Induction Generator-Based Wind Farm. <i>Sustainability</i> , 2021 , 13, 6656	3.6	2
151	Nonlinear Variable Resistor-Based FCL for Fault Ride-Through Performance Enhancement of DFIG-Based Wind Turbines. 2021 , 2021, 1-10		
150	A new relaying scheme for protection of transmission lines connected to DFIG-based wind farms. <i>IET Renewable Power Generation</i> , 2021 , 15, 2971-2982	2.9	1
149	DFIG-based Wind Energy Conversion System Using Matrix Converter Under Unbalanced and Harmonic Grid Conditions with Band Pass-FIR Filters. 1-16		
148	A review of multiphase energy conversion in wind power generation. 2021 , 147, 111172		46
147	Component-Level Reliability Assessment of a Direct-Drive PMSG Wind Power Converter Considering Two Terms of Thermal Cycles and the Parameter Sensitivity Analysis. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 10037-10050	7.2	7
146	Nonlinear Virtual Inertia Control of WTGs for Enhancing Primary Frequency Response and Suppressing Drivetrain Torsional Oscillations. 2021 , 36, 4102-4113		7
145	Utilising SMES-FCL to improve the transient behaviour of a doubly fed induction generator DC wind system. 2021 , 131, 107099		2
144	STATCOM integration into a DFIG-based wind park for reactive power compensation and its impact on wind park high voltage ride-through capability. <i>Electric Power Systems Research</i> , 2021 , 199, 107368	3.5	0
143	Small-Signal Stability Analysis and Enhanced Control Strategy for VSC System During Weak-Grid Asymmetric Faults. 2021 , 12, 2074-2085		1
142	Cooperative Control of Wind-Hydrogen-SMES Hybrid Systems for Fault-Ride-Through Improvement and Power Smoothing. 2021 , 31, 1-7		2
141	A Robust Three-Phase Pre-Filtered Phase Locked-Loop for the Sub-Cycle Estimation of Fundamental Parameters. <i>IEEE Transactions on Industry Applications</i> , 2021 , 1-1	4.3	3
140	Wind Energy System Grid Integration and Grid Code Requirements of Wind Energy System. 2021 , 247-273		2
139	The Impact of Primary Frequency Control of WTs on Ultra-Low Frequency Oscillation. 2021 , 1748, 042023		
138	Adaptive Current-Angle-Based Phase Selection for Microgrids with Inverter-Interfaced Renewable Energy Sources. 2021 , 1-1		4
137	Integration of Distributed Energy Resources to Unbalanced Grids under Voltage Sags with Grid Code Compliance. 2021 , 1-1		2
136	Application of Pumped Storage to Increase Renewable Energy Penetration in Autonomous Island Systems. 2012 , 295-335		1

135	Renewable Energy Options and Frequency Regulation. 2014 , 251-279		1
134	Influence of Large Renewable Energy Integration on Insular Grid Code Compliance. 2015 , 296-308		1
133	Active Distribution Networks Operation Within a Distribution Market Environment. 2017 , 107-118		1
132	Wind Farm Protection. 2014 , 311-329		4
131	Autonomous group particle swarm optimisation tuned dynamic voltage restorers for improved fault-ride-through capability of DFIGs in wind energy conversion system. 2020 , 2, 305-315		5
130	Multi-resistor BFCL for FRT capability improvement of DFIG-based wind farm. 2020 , 2, 316-324		9
129	Technologies for Electricity Generation in Wind Turbines. 2014 , 139-156		0
128	Coordinated Fuzzy-Based Low-Voltage Ride-Through Control for PMSG Wind Turbines and Energy Storage Systems. <i>IEEE Access</i> , 2020 , 8, 105874-105885	3.5	8
127	A Simulation Model for the Analysis of Wind Farm Usage in Frequency and Voltage Regulation in an Electrical Power System. 2020 ,		1
126	A comparative study for reactive power capability of doubly fed induction generator and synchronous generator. 2016 ,		1
125	Overview of Fault Ride-Through Requirements for Photovoltaic Grid Integration, Design and Grid Code Compliance. 2020 ,		3
124	A New Distance Protection Scheme for SCIG-based Wind Farms. 2020 ,		4
123	Subsynchronous Resonance Mitigation for Series-Compensated DFIG-Based Wind Farm by Using Two-Degree-of-Freedom Control Strategy. 2015 , 30, 1442-1454		102
122	Design and Control of a STATCOM for Non-Linear Load Compensation: A Simple Approach. 2018 , 14, 172-184		1
121	Active Distribution Networks and Smart Grids: Optimal Allocation of Wind Turbines by Using Hybrid GA and Multi-Period OPF. 2012 , 579-599		1
120	Probabilistic Assessment of Voltage Stability Margin in Presence of Wind Speed Correlation. 2013 , 8, 719-728		5
119	Fault Response of a DFIG-based Offshore Wind Power Plant Taking into Account the Wake Effect. 2014 , 9, 827-834		8
118	Estimating PMSG Wind Turbines by Inertia and Droop Control Schemes with Intelligent Fuzzy Controller in Indian Development. 2014 , 9, 1196-1201		19

117	Hierarchical Voltage Control of a Wind Power Plant Using the Adaptive IQ-V Characteristic of a Doubly-Fed Induction Generator. 2015 , 10, 504-510	9
116	A Novel Phase Locked Loop for Grid-Connected Converters under Non-Ideal Grid Conditions. 2015 , 15, 216-226	7
115	First-order Generalized Integrator Based Frequency Locked Loop and Synchronization for Three-Phase Grid-connected Converters under Adverse Grid Conditions. 2016 , 16, 1939-1949	2
114	Electrical Parts, Control Systems and Power Electronics of Wind Turbines. 2021 , 279-279	
113	Cloud-Edge Interoperability for Demand Response-Enabled Fast Frequency Response Service Provision. 2021 , 1-1	2
112	Comparative Study between Two Protection Schemes for DFIG-based Wind Generator Fault Ride Through. 2012 , 1, 8-16	
111	A DVR Control for Compensating Unbalanced Voltage Dips of a DFIG System using Zero Sequence Components. 2013 , 27, 62-68	1
110	Power Quality Improvement In Grid Connected Windenergy System Using Statcom. 2013 , 1, 22-26	
109	Fault Ride-Through Criteria Development. 2014 , 41-67	1
108	Comparative Study of the Behavior of a Wind Farm Integrating Three Different FACTS Devices. 2014 , 9, 1258-1268	2
107	Voltage Control of a STATCOM at a Fixed Speed Wind Farm Under Unbalanced Grid Faults Using Fuzzy Logic Technique. 2015 , 1349-1358	
106	Thermal Stress of 10-MW Wind Power Converter Under Normal Operation. 2015 , 45-62	
105	A Novel Topology for Enhancing the Low-Voltage Ride-Through Capability for Grid Connected Wind Turbine Generators. 2015 , 865-881	
104	Introduction. 2015 , 3-17	
103	FRT Method for Matrix Converter to Ensure Compatibility between Generator Torque Control and Grid Reactive Current Control. 2016 , 136, 71-78	0
102	Enhanced Fault Ride-Through Capability of DFIG Wind Turbine Systems Considering Grid-Side Converter as STATCOM. 2016 , 185-196	0
101	Voltage Control for a Wind Power Plant Based on the Available Reactive Current of a DFIG and Its Impacts on the Point of Interconnection. 2016 , 65, 23-30	1
100	Hierarchical Voltage Regulation of a DFIG-based Wind Power Plant Using a Reactive Current Injection Loop with the Maximum Voltage Dip for a Grid Fault. 2016 , 65, 1334-1339	

99	Maximizing positive sequence voltage support in inductive-resistive grids for distributed generation inverters during voltage sags. 2016,	6
98	System Frequency Control of Variable Speed Wind Turbines with Variable Controller Parameters. 2017, 63-73	
97	A method of evaluating LVRT capability of wind turbines. 2017,	
96	Overview of Wind Energy Conversion Systems and Flexible AC Transmission Systems. 2017, 1-16	1
95	Fuzzy-Logic-Based Reactive Power and Voltage Control in Grid-Connected Wind Farms to Improve Steady State Voltage Stability. 2018, 1-54	
94	Performance of Wind Energy Conversion System During Fault Condition and Power Quality Improvement of Grid-Connected WECS by FACTS (UPFC). 2019, 211-225	2
93	Field-test of wind turbine by voltage source converter. 2019, 4, 465-477	1
92	Augmentation of fault ride-through capability of PMSG in a wind power plant using resistive SFCL and a new reactive current injection controller. 2019,	2
91	Coupled circuit analysis of the brushless doubly fed machine using the winding function theory. 2020, 14, 1558-1569	3
90	A Damping Control Strategy for Torsional Oscillations of DFIG-based WTs Caused by Inertia Control. 2020,	0
89	Design and optimization of a Cage + Nested loops rotor BDFM. 2020,	2
88	A comprehensive review: AC & DC Microgrid Protection. 2020,	2
87	Soft Computing Techniques-Based Low Voltage Ride Through Control of Doubly Fed Induction Wind Generator. 2021, 305-336	
86	Discrete-Time Quasi Sliding Mode Control of Single-phase T-type Inverters for Residential PV Applications. 2020,	0
85	A New Approach to Transmission Line Pilot Protection in the Presence of Inverter-Interfaced Distributed Generators. 2020, 1-10	0
84	Self-stabilising speed regulating differential mechanism for continuously variable speed wind power generation system. <i>IET Renewable Power Generation</i> , 2020, 14, 3002-3009	2.9 2
83	A Novel Hybrid Solar-wind Energy Conversion System for Remote Area Electrification. 2020, 13, 906-917	0
82	Independent Power Management for Interlinked AC-DC MicroGrids. 2021, 837-842	

81	Neural Networks Based Frequency-Locked Loop for Grid Synchronization Under Unbalanced and Distorted Conditions. 2020,			1
80	System Level Optimization of 5 MW Wind Converter using 3L-NPC Topology in Medium Voltage with 1.7 kV IGBT. 2020,			
79	Cascaded Three-Phase H-Bridge Converter Applied as Series Active Compensator for DFIG-Based Wind Energy Conversion Systems. 2020,			
78	The Impact of Grid Code Requirements on Efficient Wind Generation Integration. 2020,			
77	Analytical Approach-Based Reactive Power Capability Curve for DFIG Wind Power Plants. 2020,			1
76	Unbalanced Voltage Sag Ride-through Capability for Three-phase Grid-tied Inverter with Low Inductance. 2020,			
75	A Coordinated Primary Frequency Control Method for DFIG-based Wind Farm (iSPEC 2020). 2020,			
74	Frequency Support of Wind Power Considering Grouping Control and Orderly Recovery. 2020,			
73	Analysis and Assessment of Stator Flux Attenuation Time-Scales of Type-3 Wind Turbines with Different LVRT Control Modes. 2020,			0
72	LVRT Control Strategy for Asymmetric Faults of DFIG Based on Improved MPCC Method. <i>IEEE Access</i> , 2021 , 9, 165207-165218		3.5	0
71	A Control Approach Based on Fuzzy Logic for Grid-Interfaced Wind Energy Conversion System. 2021,			0
70	Fast Frequency Support at a Wind Energy System Using Time-Varying Inertia and Droop Controls based on Globally Optimal H_{∞} Control Design. 2021,			
69	Adaptive Frequency Control Strategy for PMSG-Based Wind Power Plant Considering Releasable Reserve Power. <i>Sustainability</i> , 2022 , 14, 1247		3.6	1
68	Advanced Grid Synchronization Scheme Based on Dual eSOGI-FLL for Grid-Feeding Converters. <i>IEEE Transactions on Power Electronics</i> , 2022 , 1-1		7.2	3
67	Low-Voltage Ride Through Enhancement of Both DFIG and SEIG-Based Wind Power Plants by RC-Type Solid-State Fault Current Limiter. <i>Electric Power Components and Systems</i> , 1-14		1	1
66	Maximizing Energy Extraction from Direct Grid Coupled PMSG for Wind Energy Conversion Systems. <i>IEEE Transactions on Industry Applications</i> , 2022 , 1-1		4.3	0
65	Power Quality Improvement of a Grid Connected Wind Energy Conversion System Using Fuzzy Logic Controlled STATCOM. 2022,			1
64	An overview of stability challenges for power-electronic-dominated power systems: The grid-forming approach. <i>IET Generation, Transmission and Distribution</i> ,		2.5	2

63	Voltage Stability Enhancement in Wasit 400 kV Grid by Using STATCOM. 2021 ,		
62	Modeling, Control and Operation of a 10 MW Direct-Drive Wind Energy Conversion System. 2021 ,		
61	A Study of Voltage Ride-through Capability of an Offshore Wind Farm During Grid Fault Considering STATCOM Enhancement. 2021 ,		
60	Comparison between Hardware and Programming Solutions to Alleviate Influence of Voltage Dips on Wind Energy Systems. 2021 ,		
59	Stability Analysis of Transition Process Based VSC Connected to Weak Grid During LVRT. 2021 ,		
58	Harris Hawks Optimization-Based Algorithm for STATCOM Voltage Regulation of Offshore Wind Farm Grid. <i>Energies</i> , 2022 , 15, 3003	3.1	0
57	Transient Stability Analysis of Direct Drive Wind Turbine in DC-Link Voltage Control Timescale during Grid Fault. <i>Processes</i> , 2022 , 10, 774	2.9	0
56	Control of PV Systems for Multimachine Power System Stability Improvement. <i>IEEE Access</i> , 2022 , 10, 45061-45072	3.5	
55	Wind Farm Based DFIG Supervision In Case Of Power Gradient Constraint. 2022 ,		
54	A Novel Electromagnetic Transient Simulation Method of Large-Scale AC Power System With High Penetrations of DFIG-Based Wind Farms. <i>IEEE Access</i> , 2022 , 10, 53188-53199	3.5	0
53	A review on distributed generation impacts on electric power system. <i>International Journal of Hydrogen Energy</i> , 2022 ,	6.7	2
52	Short-circuit calculation method for unbalanced distribution networks with doubly fed induction generators. <i>Electric Power Systems Research</i> , 2022 , 210, 108108	3.5	0
51	A Hierarchical Voltage Control Scheme for Wind Power Plants through Enhanced Reactive Power Support. <i>IEEE Transactions on Industry Applications</i> , 2022 , 1-1	4.3	1
50	A Proposed Controllable Crowbar for a Brushless Doubly-Fed Reluctance Generator, a Grid-Integrated Wind Turbine. <i>Energies</i> , 2022 , 15, 3894	3.1	1
49	Study on a new fault phase selector in interconnection line with wind turbine based on doubly-fed induction generator wind farm. <i>Energy Reports</i> , 2022 , 8, 412-425	4.6	0
48	Stochastic assessment of frequency support from wind power plants for power system with high wind penetration using correlation between wind farms. <i>IET Renewable Power Generation</i> ,	2.9	
47	Testing Requirements and Control Strategies of Next-Generation Grid Emulator: A Review. 2022 ,		1
46	Transient Characteristics and Quantitative Analysis of Electromotive Force for DFIG-based Wind Turbines during Grid Faults. <i>Chinese Journal of Electrical Engineering</i> , 2022 , 8, 3-12	4	0

45	Enhancing LVRT capability of DFIG using cooperative control of BTFCL and RPC. <i>Automatika</i> , 1-12	1.6
44	Transmission line protection challenges influenced by inverter-based resources: a review. <i>Protection and Control of Modern Power Systems</i> , 2022 , 7,	6.7 2
43	Optimal Stepwise Inertial Control of Wind Turbine Based on Fuzzy Control and Deep Neural Network. 2022 ,	
42	Optimizing Voltage Support using Electric Vehicles in an Islanded Microgrid under Voltage Sags. 2022 ,	
41	Voltage Support using Electric Vehicles in an Islanded Resistive-Microgrid under Voltage Sags. 2022 ,	
40	A Neuro-Predictive Controller Scheme for Integration of a Basic Wind Energy Generation Unit with an Electrical Power System. 2022 , 15, 5839	
39	Review of Model Predictive Control of Distributed Energy Resources in Microgrids. 2022 , 14, 1735	o
38	A novel frequency response analysis model applicable to high-penetration wind power grid. 2022 , 8, 412-421	o
37	A Coordination Scheme for a Combined Protection System Considering Dynamic Behavior and Wind DGs Fault Ride-Through Constraints. 2022 , 213, 108720	o
36	Power electronics for smart grids. 2022 ,	o
35	An Enhanced Control Procedure for that DVR to accomplish both LVRT and HVRT in the DFIG Wind Turbine. 2022 , 2325, 012026	o
34	Computational Methods to Mitigate the Effect of High Penetration of Renewable Energy Sources on Power System Frequency Regulation: A Comprehensive Review.	o
33	Artificial Intelligence Methodologies in Smart Grid-Integrated Doubly Fed Induction Generator Design Optimization and Reliability Assessment: A Review. 2022 , 15, 7164	o
32	Technical feasibility of integrating an offshore wind energy conversion system with an FPSO. 2022 , 22, 185-186	o
31	Bi-layer optimal secondary frequency control approach for energy storage clusters considering wind power uncertainty. 10,	o
30	Comprehensive Review on Fault Ride-Through Requirements of Renewable Hybrid Microgrids. 2022 , 15, 6785	o
29	Determination Power Rate of Winding Sets Considering Extreme Wind Speeds for Double-fed PMSG-based WECS. 2022 ,	o
28	Fault Ride-Through Operation Analysis of Doubly Fed Induction Generator-Based Wind Energy Conversion Systems: A Comparative Review. 2022 , 15, 8026	o

27	Constant Control during the Designated Time for Grid Code of Long-term Fluctuation of Wind Turbine Generator Systems and Forecast Error Adjusting Method. 2022 , 142, 518-524	0
26	Fault characteristics analysis of DFIGWT in whole LVRT process considering control strategy switching between RSC and Crowbar. 2023 , 145, 108615	0
25	Brushless doubly fed machine design evaluation with power factor considerations. 2022 , 1-12	1
24	Reactive Current Distribution Strategy of DFIG's RSC and GSC Considering Electromagnetic Stress and Grid Codes Requirement. 2022 , 1-11	0
23	Improved Active Current Control Scheme of Wind Energy Conversion Systems With PLL Synchronization During Grid Faults. 2023 , 14, 717-729	0
22	Low voltage ride through capability for resilient electrical distribution system integrated with renewable energy resources. 2023 , 9, 833-858	0
21	Fault Ride-Through Techniques for Permanent Magnet Synchronous Generator Wind Turbines (PMSG-WTGs): A Systematic Literature Review. 2022 , 15, 9116	0
20	Review of Selected Aspects of Wind Energy Market Development in Poland and Lithuania in the Face of Current Challenges. 2023 , 16, 473	0
19	Wind farm control for wake-loss compensation, thrust balancing and load-limiting of turbines. 2023 , 203, 421-433	0
18	Power flow management and LVRT enhancement by using multi-functional capacitive bridge-type fault current limiter in DFIG system. 2023 , 148, 108810	0
17	New design of a wind farm frequency control considering output uncertainty and fatigue suppression. 2023 , 9, 1436-1446	0
16	Development of a Wind Turbine Generator Volt-Var Curve Control for Voltage Regulation in Grid Connected Systems. 2022 ,	0
15	Impact of the High Penetration PMSG-Based Wind Turbine on Power System Transient Stability. 2022 ,	0
14	Distributed coordinated control method with multiple objectives optimization algorithm for wind farms.	0
13	Indirect Vector Control for Five-Phase Asynchronous Generator Using Three Level Rectifier in Wind Energy Systems. 2022 , 10, 1206-1212	0
12	Development of Fault Ride Through (FRT) Criteria from System Operator Perspective with Large-scale Wind Integration. 2022 ,	0
11	Evaluation and Comparison of Different Methods for Improving Fault Ride-Through Capability in Grid-Tied Permanent Magnet Synchronous Wind Generators. 2023 , 2023, 1-22	3
10	Maximum current injection method for grid-forming inverters in an islanded microgrid subject to short circuits. 2023 , 16, 1028-1042	0

9	Transmission line protection using local information in the presence of inverter-interfaced renewable energy sources.	0
8	A Review of Grid Connection Requirements for Photovoltaic Power Plants. 2023 , 16, 2093	3
7	Mitigating the impact of fault level shortfall in future power systems with high penetration of converter-interfaced renewable energy sources. 2023 , 149, 109058	0
6	Control Design of Single-Phase T-Type Inverters for PV Residential Applications: A Practical Approach.	0
5	An Improved Delayed Signal Cancellation for Three-Phase Grid Synchronization with DC Offset Immunity. 2023 , 16, 2873	0
4	Study on the Influence of Frequency Regulation Control on Load of Wind Turbine. 2022 ,	0
3	Smart Grid Synchronization Techniques with PV Generating System and its Challenges: An Overview of Power Sector in India. 2023 ,	0
2	Quantifying the impact of inverter-based distributed energy resource modeling on calculated fault current flow in microgrids. 2023 , 151, 109161	0
1	Adaptive Switching Control of Power Electronic Converters. 2023 , 167-190	0