

CITATION REPORT

List of articles citing

Atomic-Layer Graphene as a Saturable Absorber for Ultrafast Pulsed Lasers

DOI: 10.1002/adfm.200901007

Advanced Functional Materials, 2009, 19, 3077-3083.

Source: <https://exaly.com/paper-pdf/46035149/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2164	Vector multi-soliton operation and interaction in a graphene mode-locked fiber laser. 2013 , 21, 10010		
2163	Vector multi-soliton operation and interaction in a graphene mode-locked fiber laser. 2013 , 21, 10010		
2162	A 2.95 GHz, femtosecond passive harmonic mode-locked fiber laser based on evanescent field interaction with topological insulator film. 2015 , 23, 154		
2161	A 2.95 GHz, femtosecond passive harmonic mode-locked fiber laser based on evanescent field interaction with topological insulator film. 2015 , 23, 154		
2160	A 2.95 GHz, femtosecond passive harmonic mode-locked fiber laser based on evanescent field interaction with topological insulator film. 2015 , 23, 154		
2159	Few-layer MoS ₂ -deposited microfiber as highly nonlinear photonic device for pulse shaping in a fiber laser [Invited]. 2015 , 3, A69		
2158	Ethanol catalytic deposition of MoS ₂ on tapered fiber. 2015 , 3, A102		
2157	Vector multi-soliton operation and interaction in a graphene mode-locked fiber laser. 2013 , 21, 10010		
2156	A 2.95 GHz, femtosecond passive harmonic mode-locked fiber laser based on evanescent field interaction with topological insulator film. 2015 , 23, 154		
2155	Reassessing Graphene Absorption and Emission Spectroscopy.		
2154	All-Fiber Multifunctional Electrooptic Prototype Device with a Graphene/PMMA (Poly(methyl methacrylate)) Hybrid Film Integrated on Coreless Side-Polished Fibers.		
2153	Large energy soliton erbium-doped fiber laser with a graphene-polymer composite mode locker. 2009 , 95, 141103		386
2152	Short-Pulse Fiber Lasers Using Carbon Nanotubes. 2010 , 38, 882-888		
2151	The chemistry of graphene. 2010 , 20, 2277		1222
2150	Vector dissipative solitons in graphene mode locked fiber lasers. 2010 , 283, 3334-3338		118
2149	A stable, wideband tunable, near transform-limited, graphene-mode-locked, ultrafast laser. 2010 , 3, 653-660		295
2148	Graphene/Polymer Nanofiber Membrane for Ultrafast Photonics. <i>Advanced Functional Materials</i> , 2010 , 20, 782-791	15.6	382

2147	Characterization, direct electrochemistry, and amperometric biosensing of graphene by noncovalent functionalization with picket-fence porphyrin. 2010 , 16, 10771-7	101
2146	Compact graphene mode-locked wavelength-tunable erbium-doped fiber lasers: from all anomalous dispersion to all normal dispersion. 2010 , 7, 591-596	201
2145	Graphene analogue BCN: Femtosecond nonlinear optical susceptibility and hot carrier dynamics. 2010 , 499, 152-157	31
2144	Synthesis and superior optical-limiting properties of fluorene-thiophene-benzothiadazole polymer-functionalized graphene sheets. 2010 , 6, 2292-300	45
2143	Graphene oxide as a chemically tunable platform for optical applications. 2010 , 2, 1015-24	2633
2142	Graphene photonics and optoelectronics. 2010 , 4, 611-622	5678
2141	Femtosecond UV-pump/visible-probe measurements of carrier dynamics in stacked graphene films. 2010 , 97, 163103	53
2140	Optical properties of large-area polycrystalline chemical vapor deposited graphene by spectroscopic ellipsometry. 2010 , 97, 253110	150
2139	Triplet States and electronic relaxation in photoexcited graphene quantum dots. 2010 , 10, 2679-82	244
2138	Large energy pulse generation modulated by graphene epitaxially grown on silicon carbide. 2010 , 4, 7582-6	84
2137	Transient photoconductivity and femtosecond nonlinear optical properties of a conjugated polymer-graphene oxide composite. 2010 , 21, 415203	36
2136	Dirac electronic states in graphene systems: optical spectroscopy studies. 2010 , 25, 063001	148
2135	Passive femtosecond mode-locking and cw laser performance of Yb3+: Sc2SiO5. 2010 , 18, 16739-44	39
2134	Optical deposition of graphene and carbon nanotubes in a fiber ferrule for passive mode-locked lasing. 2010 , 18, 23054-61	197
2133	Dissipative soliton operation of an ytterbium-doped fiber laser mode locked with atomic multilayer graphene. 2010 , 35, 3622-4	187
2132	Graphene-based passively Q-switched dual-wavelength erbium-doped fiber laser. 2010 , 35, 3709-11	390
2131	Graphene-based long-wave infrared TM surface plasmon modulator. 2010 , 27, 818	60
2130	Saturation of absorption in noble metal doped nanocomposite glass film excited by evanescent light field. 2010 , 97, 261101	10

2129	Toward high throughput interconvertible graphane-to-graphene growth and patterning. 2010 , 4, 6146-52	100
2128	Mode locking of ceramic Nd:yttrium aluminum garnet with graphene as a saturable absorber. 2010 , 96, 031106	216
2127	Graphene mode-lockers for fiber lasers functioned with evanescent field interaction. 2010 , 96, 051122	296
2126	A Theoretical Study on the Catalytic Synergetic Effects of Pt/Graphene Nanocomposites. 2010 , 114, 19009-19015	34
2125	Multilayered graphene efficiently formed by mechanical exfoliation for nonlinear saturable absorbers in fiber mode-locked lasers. 2010 , 97, 211102	134
2124	Graphene mode locked, wavelength-tunable, dissipative soliton fiber laser. 2010 , 96, 111112	402
2123	Ultrafast pulsation of fiber lasers by carbon nanostructures. 2010 ,	
2122	ULTRA-SHORT OPTICAL PULSE GENERATION WITH SINGLE-LAYER GRAPHENE. 2010 , 19, 767-771	20
2121	Atomic multi-layer graphene for dissipative soliton generation in Ytterbium-doped fiber laser. 2010 ,	1
2120	Ultrafast carrier dynamics and saturable absorption of solution-processable few-layered graphene oxide. 2011 , 98, 121905	124
2119	Graphene-Assisted Multiwavelength Erbium-Doped Fiber Ring Laser. 2011 , 23, 501-503	37
2118	Mechanical exfoliation of graphene for the passive mode-locking of fiber lasers. 2011 , 99, 121107	181
2117	Graphene as a Q-Switcher for Neodymium-Doped Lutetium Vanadate Laser. 2011 , 4, 022704	22
2116	Laser-pulse-duration and spectral dependence of saturable absorption in graphene. 2011 ,	
2115	Polyphenol-Reduced Graphene Oxide: Mechanism and Derivatization. 2011 , 115, 20740-20746	91
2114	Graphene mode locked ultrafast fiber lasers. 2011 ,	3
2113	High energy low-repetition-rate graphene mode-locked Er-doped fiber lasers. 2011 ,	
2112	Mode-locked and Q-switched Yb-doped fiber lasers with graphene saturable absorber. 2011 ,	4

2111	Ultrafast Dynamics and Nonlinear Optical Responses from sp ² - and sp ³ -Hybridized Domains in Graphene Oxide. 2011 , 2, 1972-1977	141
2110	Graphene buffered galvanic synthesis of graphene-metal hybrids. 2011 , 21, 13241	21
2109	High-energy all-normal-dispersion graphene mode-locked Yb-doped fiber laser. 2011 ,	
2108	A highly efficient graphene oxide absorber for Q-switched Nd:GdVO ₄ lasers. 2011 , 22, 455203	74
2107	Performance of large-area few-layer graphene saturable absorber in femtosecond bulk laser. 2011 , 99, 261107	46
2106	Deformation-immunized optical deposition of graphene for ultrafast pulsed lasers. 2011 , 98, 021104	82
2105	Self-Assembled Graphene Membrane as an Ultrafast Mode-Locker in an Erbium Fiber Laser. 2011 , 23, 1790-1792	24
2104	Very slow cooling dynamics of photoexcited carriers in graphene observed by optical-pump terahertz-probe spectroscopy. 2011 , 11, 4902-6	142
2103	Graphene-Induced Nonlinear Four-Wave-Mixing and Its Application to Multiwavelength Q-Switched Rare-Earth-Doped Fiber Lasers. 2011 , 29, 2732-2739	63
2102	Recent Advances in Conjugated Polyelectrolytes for Emerging Optoelectronic Applications 2011 , 23, 501-515	316
2101	Large energy laser pulses with high repetition rate by graphene Q-switched solid-state laser. 2011 , 19, 9950-5	99
2100	Graphene saturable absorber mirror for ultra-fast-pulse solid-state laser. 2011 , 36, 1948-50	151
2099	Passively mode-locked fiber laser based on a hollow-core photonic crystal fiber filled with few-layered graphene oxide solution. 2011 , 36, 3024-6	134
2098	Stable nanosecond pulse generation from a graphene-based passively Q-switched Yb-doped fiber laser. 2011 , 36, 4008-10	185
2097	A novel label-free electrochemical immunosensor for carcinoembryonic antigen based on gold nanoparticles-thionine-reduced graphene oxide nanocomposite film modified glassy carbon electrode. 2011 , 85, 2620-5	98
2096	Nonlinear Optical Properties of Graphene and Carbon Nanotube Composites. 2011 ,	8
2095	Broadband graphene polarizer. 2011 , 5, 411-415	806
2094	Giant broadband nonlinear optical absorption response in dispersed graphene single sheets. 2011 , 5, 554-560	354

2093	Broadband light-induced absorbance change in multilayer graphene. 2011 , 11, 1540-5	86
2092	New directions in science and technology: two-dimensional crystals. 2011 , 74, 082501	185
2091	Monolayer graphene as a saturable absorber in a mode-locked laser. 2011 , 4, 297-307	322
2090	Chemical preparation of graphene-based nanomaterials and their applications in chemical and biological sensors. 2011 , 7, 2413-27	201
2089	Using the E22 transition of carbon nanotubes for fiber laser mode-locking. 2011 , 8, 144-149	69
2088	Directly exfoliated and imprinted graphite nano-particle saturable absorber for passive mode-locking erbium-doped fiber laser. 2011 , 8, 880-886	111
2087	Ultrafast modulation of optical transitions in monolayer and multilayer graphene. 2011 , 49, 4781-4785	24
2086	Stability analysis of cavity solitons governed by the cubic-quintic Ginzburg-Landau equation. 2011 , 44, 065401	4
2085	Nonlinearity-Preserved Graphene/PVAc Composite in Optical Deposition for Fiber Mode-Locked Lasers. 2011 ,	
2084	Sub-100 ns pulses from a graphene passively Q-switched Yb-doped fiber laser. 2011 ,	
2083	. 2011 ,	
2082	Graphene based, wide-band tunable mode-locked soliton fiber ring laser using intracavity birefringence-induced spectral filter. 2011 ,	
2081	Mode-locked operation of an erbium-doped fiber laser using a self-assembled graphene membrane after excitation of Q-switched pulse. 2011 ,	
2080	. 2012 , 4, 1542-1552	40
2079	Erbium-doped fiber laser passively mode-locked by a position-adjustable graphene saturable absorber. 2012 , 51, 084203	5
2078	Medium-gain erbium doped fiber amplifier ring laser passively mode-locked by graphite nano-powder adhered thin PVA film. 2012 ,	1
2077	Efficient graphene Q switching and mode locking of 1.34 μ m neodymium lasers. 2012 , 37, 2652-4	78
2076	Resonantly pumped 1.645 μ m high repetition rate Er:YAG laser Q-switched by a graphene as a saturable absorber. 2012 , 37, 632-4	46

2075	Graphene mode-locked femtosecond laser at 2 μm wavelength. 2012 , 37, 2085-7	137
2074	High-sensitivity fiber-tip pressure sensor with graphene diaphragm. 2012 , 37, 2493-5	195
2073	All-optical switch consisting of two-stage interferometers controlled by using saturable absorption of monolayer graphene. 2012 , 20, 27322-30	12
2072	Stable mode-locked fiber laser based on CVD fabricated graphene saturable absorber. 2012 , 20, 2460-5	137
2071	Graphene-filled hollow optical fiber saturable absorber for efficient soliton fiber laser mode-locking. 2012 , 20, 5652-7	69
2070	Multiple-soliton dynamic patterns in a graphene mode-locked fiber laser. 2012 , 20, 6685-92	81
2069	Switching energy limits of waveguide-coupled graphene-on-graphene optical modulators. 2012 , 20, 20330-41	51
2068	Polarization rotation vector solitons in a graphene mode-locked fiber laser. 2012 , 20, 27283-9	100
2067	Wavelength-tunable picosecond soliton fiber laser with Topological Insulator: Bi ₂ Se ₃ as a mode locker. 2012 , 20, 27888-95	355
2066	Spatially resolved pump-probe study of single-layer graphene produced by chemical vapor deposition [Invited]. 2012 , 2, 708	44
2065	Scalar soliton generation in all-polarization-maintaining, graphene mode-locked fiber laser. 2012 , 37, 2166-8	47
2064	Wavelength-tunable, passively mode-locked fiber laser based on graphene and chirped fiber Bragg grating. 2012 , 37, 2394-6	75
2063	Femtosecond Er-doped Fiber Lasers Mode-locked with Graphene Oxide Saturable Absorber. 2012 ,	1
2062	Passive harmonically mode-locked fiber laser with low pumping power based on a graphene saturable absorber. 2012 , 9, 537-541	21
2061	Depolarization effect in optical absorption measurements of one- and two-dimensional nanostructures. 2012 , 101, 123102	10
2060	Graphene-Based Q-Switched Erbium-Doped Fiber Laser With Wide Pulse-Repetition-Rate Range. 2012 , 24, 309-311	41
2059	Tunable graphene Q-switched erbium-doped fiber laser with suppressed self-mode locking effect. 2012 , 51, 2554-8	24
2058	Optical absorption in graphene integrated on silicon waveguides. 2012 , 101, 111110	132

2057	Optical deposition of nano carbon materials for fiber-based saturable absorbers. 2012 ,	1
2056	Monolayer graphene mode-locked 63-fs Ti:sapphire laser. 2012 ,	
2055	Optical deposition of graphene saturable absorber integrated in fiber laser using a slot collimator for pulsed operation: From Q-switching to mode-locking. 2012 ,	
2054	Soliton fiber laser mode-locking using graphene-filled hollow optical fiber. 2012 ,	
2053	Free-standing nano-scale graphite saturable absorber for passively mode-locked erbium doped fiber ring laser. 2012 , 9, 398-404	66
2052	L-band passively harmonic mode-locked fiber laser based on a graphene saturable absorber. 2012 , 9, 896-900	23
2051	Optical Deposition of Graphene Saturable Absorber Integrated in a Fiber Laser Using a Slot Collimator for Passive Mode-Locking. 2012 , 5, 055103	20
2050	Fiber-based laser frequency combs. 2012 , 60, 697-706	2
2049	Linearly Polarized 1180-nm Raman Fiber Laser Mode Locked by Graphene. 2012 , 4, 1809-1815	27
2048	Passively Q-switched erbium-doped fiber laser using a graphene saturable absorber. 2012 ,	3
2047	Shape-Controlled Synthesis of Platinum Nanostructures as Electrocatalyst for PEM Fuel Cell Applications. 2012 , 415-492	
2046	Photonic Applications of Carbon Nanotube and Graphene. 2012 ,	1
2045	Ultra-short pulse generation by a topological insulator based saturable absorber. 2012 , 101, 211106	469
2044	Linear and nonlinear optical properties of modified graphene-based materials. 2012 , 37, 1283-1289	22
2043	Switchable Dual-Wavelength Synchronously Q-Switched Erbium-Doped Fiber Laser Based on Graphene Saturable Absorber. 2012 , 4, 869-876	165
2042	Evanescent-Light Deposition of Graphene Onto Tapered Fibers for Passive Q-Switch and Mode-Locker. 2012 , 4, 1295-1305	96
2041	Graphene plasmonics. 2012 , 6, 749-758	2152
2040	Graphene mode-locked femtosecond Yb:KLuW laser. 2012 , 101, 161112	35

2039	Graphene applications in electronics and photonics. 2012 , 37, 1225-1234	144
2038	Doping-induced changes in the saturable absorption of monolayer graphene. 2012 , 108, 129-135	46
2037	Graphene applications in Schottky barrier solar cells. 2012 , 522, 390-394	37
2036	Graphene-Oxide-Based Saturable Absorber for All-Fiber Q-Switching With a Simple Optical Deposition Technique. 2012 , 4, 2205-2213	30
2035	All-polarization maintaining femtosecond Er-doped fiber laser mode-locked by graphene saturable absorber. 2012 , 9, 581-586	88
2034	Graphene-based passive mode-lockers for ultra-fast pulse lasers. 2012 ,	
2033	10 GHz fundamental mode fiber laser using a graphene saturable absorber. 2012 , 101, 041118	91
2032	Efficient Mode-Locking of Sub-70-fs Ti:Sapphire Laser by Graphene Saturable Absorber. 2012 , 5, 032701	118
2031	Mechanically Exfoliated Graphene for Four-Wave-Mixing-Based Wavelength Conversion. 2012 , 24, 1792-1794	52
2030	Passive harmonic mode-locking in Er-doped fiber laser based on graphene saturable absorber with repetition rates scalable to 2.22 GHz. 2012 , 100, 161109	118
2029	Ultrafast optical nonlinearity of multi-layered graphene synthesized by the interface growth process. 2012 , 23, 225706	10
2028	Graphene oxide saturable absorber on golden reflective film for Tm:YAP Q-switched mode-locking laser at 2 μ m. 2012 , 59, 1825-1828	9
2027	Graphene-Oxide-Based Q-Switched Fiber Laser with Stable Five-Wavelength Operation. 2012 , 29, 114206	21
2026	Microwave and optical saturable absorption in graphene. 2012 , 20, 23201-14	196
2025	Graphene oxide vs. reduced graphene oxide as saturable absorbers for Er-doped passively mode-locked fiber laser. 2012 , 20, 19463-73	353
2024	Graphene oxide mode-locked femtosecond erbium-doped fiber lasers. 2012 , 20, 15474-80	159
2023	Absorption saturation in optically excited graphene. 2012 , 101, 221115	45
2022	Graphene conductance uniformity mapping. 2012 , 12, 5074-81	112

2021	Z-scan measurement of the nonlinear refractive index of graphene. 2012 , 37, 1856-8	502
2020	A roadmap for graphene. 2012 , 490, 192-200	6640
2019	Strong enhancement of light-matter interaction in graphene coupled to a photonic crystal nanocavity. 2012 , 12, 5626-31	204
2018	Graphene: an emerging electronic material. 2012 , 24, 5782-825	603
2017	Charge transfer effects in graphene-CdSe/ZnS quantum dots composites. 2012 ,	3
2016	Er-doped fibre laser mode-locked by mechanically exfoliated graphene saturable absorber. 2012 , 20,	5
2015	Femtosecond population inversion and stimulated emission of dense Dirac fermions in graphene. 2012 , 108, 167401	188
2014	A fiber-tip Fabry-Perot pressure sensor with graphene diaphragm. 2012 ,	
2013	Mode-locking characteristics of all-solid-state mode-locked laser with graphene saturable absorber. 2012 ,	
2012	Nanosecond-pulsed erbium-doped fiber lasers with graphene saturable absorber. 2012 , 285, 4466-4469	33
2011	Graphene-based passively Q-switched 2 μ m thulium-doped fiber laser. 2012 , 285, 5319-5322	72
2010	Carbon Nanostructures: Covalent and Macromolecular Chemistry. 2012 , 1-26	
2009	Multiwavelength Dissipative-Soliton Generation in Yb-Fiber Laser Using Graphene-Deposited Fiber-Taper. 2012 , 24, 1539-1542	53
2008	Dissipative soliton generation from a graphene oxide mode-locked Er-doped fiber laser. 2012 , 20, 23653-8	54
2007	Graphene saturable absorber for Q-switching and mode locking at 2 μ m wavelength [Invited]. 2012 , 2, 878	122
2006	Multi-wavelength graphene-based Q-switched erbium-doped fiber laser. 2012 , 51, 074201	7
2005	Linearly polarized, Q-switched Er-doped fiber laser based on reduced graphene oxide saturable absorber. 2012 , 101, 241106	59
2004	Carbon nanotube and graphene for photonic and optoelectronic applications. 2012 ,	

2003	Excitation of surface electromagnetic waves in a graphene-based Bragg grating. 2012 , 2, 737	85
2002	Nonlinear optical properties of graphene-based materials. 2012 , 57, 2971-2982	100
2001	Modeling and Technologies of Ultrafast Fiber Lasers. 2012 , 135-175	6
2000	Low-Repetition-Rate High-Energy Passively Q-Switched Nd:YAG Solid Laser Based on Graphene Saturable Absorber Operating at 1064nm. 2012 , 8, 60-63	1
1999	High-Energy Passive Mode-Locking of Fiber Lasers. 2012 , 2012,	21
1998	Transparent and conducting graphene-RNA-based nanocomposites. 2012 , 8, 699-706	22
1997	Graphene photonics, plasmonics, and broadband optoelectronic devices. 2012 , 6, 3677-94	1468
1996	Passively Q-switched fiber laser based on graphene saturable absorber. 2012 , 22, 433-436	29
1995	Diode-pumped Nd:YVO4 laser passively Q-switched with graphene oxide spin coated on ITO substrate. 2012 , 22, 673-677	13
1994	Nonlinear graphene metamaterial. 2012 , 100, 181109	82
1993	Effects of disorder on the optical properties of CVD grown polycrystalline graphene. 2012 , 4, 1770-5	34
1992	Transmission of electron through monolayer graphene laser barrier. 2012 , 100, 183107	28
1991	Multiwavelength mode-locked erbium-doped fiber laser based on the interaction of graphene and fiber-taper evanescent field. 2012 , 9, 229-233	64
1990	Patterning graphene nanostripes in substrate-supported functionalized graphene: A promising route to integrated, robust, and superior transistors. 2012 , 7, 324-327	12
1989	Photonic Crystal Enhanced Absorbance of CVD Graphene. 2012 , 195-202	1
1988	Femtosecond energy relaxation in suspended graphene: phonon-assisted spreading of quasiparticle distribution. 2012 , 107, 131-136	10
1987	pH-Mediated fine-tuning of optical properties of graphene oxide membranes. 2012 , 50, 3233-3239	24
1986	Graphene: synthesis and applications. 2012 , 15, 86-97	663

1985	Fundamental and harmonic mode-locking in erbium-doped fiber laser based on graphene saturable absorber. 2012 , 285, 3174-3178	46
1984	Femtosecond carrier dynamics in photoexcited highly ordered pyrolytic graphite films. 2012 , 34, 1299-1302	1
1983	Ultrafast lasers mode-locked by nanotubes and graphene. 2012 , 44, 1082-1091	177
1982	A Tutorial on Nonlinear Photonic Applications of Carbon Nanotube and Graphene. 2012 , 30, 427-447	193
1981	Observation of soliton bound states in a graphene mode locked erbium-doped fiber laser. 2012 , 22, 774-777	27
1980	7-GHz high-repetition-rate mode-locked pulse generation using short-cavity phosphate glass fiber laser. 2012 , 22, 1247-1251	4
1979	Graphene-based, 50 nm wide-band tunable passively Q-switched fiber laser. 2012 , 9, 54-58	119
1978	Saturable Absorber Based on Graphene-Covered-Microfiber. 2013 , 25, 1392-1394	28
1977	Numerical investigation of wavelength tuning in a graphene-based mode-locked fiber laser. 2013 , 23, 035102	3
1976	Optical Third-Harmonic Generation in Graphene. 2013 , 3,	133
1975	Terahertz relativistic spatial solitons in doped graphene metamaterials. 2013 , 46, 155401	30
1974	Efficient Graphene Q-Switching of an In-Band Pumped Polycrystalline Er:YAG Ceramic Laser at 1617 nm. 2013 , 25, 1294-1296	10
1973	Single-step formation of graphene on dielectric surfaces. 2013 , 25, 630-4	68
1972	An Yb ³⁺ -doped Lu ₂ SiO ₅ mode-locked laser using a reflective graphene oxide absorber. 2013 , 23, 065802	7
1971	An L-band graphene-oxide mode-locked fiber laser delivering bright and dark pulses. 2013 , 23, 075105	27
1970	Experimental study on the multisoliton pattern formation in an erbium-doped fiber laser passively mode-locked by graphene saturable absorber. 2013 , 52, 044201	6
1969	Visible fiber lasers excited by GaN laser diodes. 2013 , 37, 185-214	37
1968	Ultrafast saturable absorption of two-dimensional MoS ₂ nanosheets. 2013 , 7, 9260-7	754

1967	Snapshots of non-equilibrium Dirac carrier distributions in graphene. 2013 , 12, 1119-24	324
1966	Improved transfer quality of CVD-grown graphene by ultrasonic processing of target substrates: applications for ultra-fast laser photonics. 2013 , 5, 10288-93	51
1965	The structural, electronic and magnetic properties of bi-layered MoS ₂ with transition-metals doped in the interlayer. 2013 , 3, 12939	31
1964	Passively mode-locked fiber laser based on single-walled carbon nanotube and graphene as co-saturable absorbers. 2013 ,	
1963	Pulse shaping effects of fast saturable absorbers in dissipative soliton fiber lasers. 2013 , 308, 20-25	2
1962	Graphene-coated pyrogenic carbon as an anode material for lithium battery. 2013 , 229, 399-403	16
1961	Nanotube and graphene saturable absorbers for fibre lasers. 2013 , 7, 842-845	554
1960	Cladding-filled graphene in a photonic crystal fiber as a saturable absorber and its first application for ultrafast all-fiber laser. 2013 , 52, 106105	20
1959	A passively Q-switched Er:LuYAG laser with a graphene saturable absorber. 2013 , 10, 105810	8
1958	Fabrication of Covalently Functionalized Graphene Oxide Incorporated Solid-State Hybrid Silica Gel Glasses and Their Improved Nonlinear Optical Response. 2013 , 117, 23108-23116	47
1957	Effect of anisotropic band curvature on carrier multiplication in graphene. 2013 , 87,	15
1956	Optical diode action from axially asymmetric nonlinearity in an all-carbon solid-state device. 2013 , 13, 5771-6	55
1955	Self-Q-switching of a bismuth-doped germanosilicate fiber laser operating at 1.46 μm . 2013 , 10, 125104	13
1954	Carbon nanotube and graphene for photonic applications. 2013 ,	2
1953	All-fiber graphene passively Q-switched nanosecond Thulium doped fiber laser at 1900 nm. 2013 ,	
1952	Enhanced photodetection in graphene-integrated photonic crystal cavity. 2013 , 103, 241109	61
1951	Graphene [Properties and Characterization. 2013 , 39-82	5
1950	Intracavity Optical Deposition of Graphene Saturable Absorber for Low-Threshold Passive Mode-Locking of a Fiber Laser. 2013 , 30, 024207	0

- 1949 A Passively Mode-Locked Fiber Laser Only Based on D-Shaped Fiber. **2013**, 25, 2427-2430 6
- 1948 Intrinsic photocurrent characteristics of graphene photodetectors passivated with Al₂O₃. **2013**, 21, 23391-400 25
- 1947 Saturable absorption in vertically inserted and overlaid monolayer-graphene in optical waveguide for all-optical switching. **2013**,
- 1946 Apoptosis induction and inhibition of drug resistant tumor growth in vivo involving daunorubicin-loaded graphene-gold composites. **2013**, 1, 493-499 10
- 1945 Applicability of Graphene Flakes as Saturable Absorber for Bulk Laser Mode-Locking. **2013**, 6, 032704 4
- 1944 A tunable, linearly polarized Er-fiber laser mode-locked by graphene/PMMA composite. **2013**, 23, 125101 6
- 1943 Transfer-free synthesis of multilayer graphene using a single-step process in an evaporator and formation confirmation by laser mode-locking. **2013**, 24, 365603 10
- 1942 Graphene sheet stacks for Q-switching operation of an erbium-doped fiber laser. **2013**, 10, 075102 15
- 1941 Graphene Oxide-Based Q -Switched Erbium-Doped Fiber Laser. **2013**, 30, 024208 11
- 1940 A high-quality, monolayer graphene absorber for a 1.06 μ m Q-switched mode-locking Nd:YVO₄ laser. **2013**, 23, 045807 5
- 1939 Nanoscale charcoal powder induced saturable absorption and mode-locking of a low-gain erbium-doped fiber-ring laser. **2013**, 10, 055105 50
- 1938 Optical pulse generation using multi-layered graphene saturable absorber. **2013**,
- 1937 Passively Q-switched linear-cavity erbium-doped fiber laser based on graphene saturable absorber. **2013**, 0
- 1936 Recent trend in graphene for optoelectronics. **2013**, 15, 1 16
- 1935 Enhanced hot-carrier luminescence in multilayer reduced graphene oxide nanospheres. **2013**, 3, 2315 14
- 1934 CW Mode-Locked 1.908 μ m Tm:LiYF₄ Slab Laser Based on an Output-Coupling Graphene Saturable Absorber Mirror. **2013**, 6, 102701 10
- 1933 AQ-switched erbium-doped fiber laser with a graphene saturable absorber. **2013**, 10, 025102 40
- 1932 Time-domain ABCD matrix analysis of passively mode-locked Tm-doped fiber laser. **2013**, 124, 1490-1492 3

1931	2 Th solid-state laser mode-locked by single-layer graphene. 2013 , 102, 013113		101
1930	A graphene-based passively Q-switched polycrystalline Er:YAG ceramic laser operating at 1645 nm. 2013 , 10, 055801		26
1929	Kelly sideband variation and self four-wave-mixing in femtosecond fiber soliton laser mode-locked by multiple exfoliated graphite nano-particles. 2013 , 10, 045109		56
1928	A graphene passively Q-switched Nd:YAG ceramic laser at 1123 nm. 2013 , 10, 035803		17
1927	Enhanced optical limiting in functionalized hydrogen exfoliated graphene and its metal hybrids. 2013 , 1, 2773		95
1926	Graphene-Based Nanomaterials: Synthesis, Properties, and Optical and Optoelectronic Applications. <i>Advanced Functional Materials</i> , 2013 , 23, 1984-1997	15.6	212
1925	Electrostatic properties of few-layer MoS ₂ films. 2013 , 3, 042125		40
1924	Far-field Imaging of Non-fluorescent Species with Sub-diffraction Resolution. 2013 , 7, 449-453		107
1923	Cooperative enhancement of optical nonlinearities in a porphyrin derivative bearing a pyrimidine chromophore at the periphery. 2013 , 11, 4250-7		25
1922	Versatile Graphene-Promoting Photocatalytic Performance of Semiconductors: Basic Principles, Synthesis, Solar Energy Conversion, and Environmental Applications. <i>Advanced Functional Materials</i> , 2013 , 23, 4996-5008	15.6	309
1921	Graphene thickness-dependent Er-doped Q-switched optical fiber laser. 2013 ,		1
1920	Broadband saturable absorption and optical limiting in graphene-polymer composites. 2013 , 102, 191112		41
1919	Passive harmonic mode-locking in fiber lasers with graphene. 2013 ,		
1918	Passive harmonic mode locking in erbium-doped fiber laser with graphene saturable absorber. 2013 , 286, 304-308		27
1917	Mode-locked Nd: GdVO ₄ laser with graphene oxide/polyvinyl alcohol composite material absorber as well as an output coupler. 2013 , 289, 119-122		18
1916	Mode-locked pulse generation from an all-fiberized, Tm-Ho-codoped fiber laser incorporating a graphene oxide-deposited side-polished fiber. 2013 , 21, 20062-72		86
1915	Experimental demonstration of an Er-doped fiber ring laser mode-locked with a Tm/Ho co-doped fiber saturable absorber. 2013 , 23, 085102		13
1914	THERMOELECTRIC AND THERMOMAGNETIC PROPERTIES OF GRAPHENE IN THE PRESENCE OF DIFFERENT SCATTERING PROCESSES. 2013 , 27, 1350060		3

1913	Wideband tunable Q-switched fiber laser using graphene as a saturable absorber. 2013 , 60, 1563-1568	10
1912	Nonlinear THz conductivity dynamics in P-type CVD-grown graphene. 2013 , 117, 15819-24	59
1911	Nonlinear control of absorption in one-dimensional photonic crystal with graphene-based defect. 2013 , 38, 3550-3	76
1910	Passive harmonic mode-locking in a fiber laser by using a microfiber-based graphene saturable absorber. 2013 , 10, 105107	25
1909	Microscopic mechanism for transient population inversion and optical gain in graphene. 2013 , 87,	47
1908	Saturable Absorption by Vertically Inserted or Overlaid Monolayer Graphene in Optical Waveguide for All-Optical Switching Circuit. 2013 , 5, 6602109-6602109	8
1907	Dissipative Soliton Resonance in an All-Normal-Dispersion Graphene Oxide Mode-Locked Yb-Doped Fiber Laser. 2013 ,	5
1906	1.06 μm Q-switched ytterbium-doped fiber laser using few-layer topological insulator Bi ₂ Se ₃ as a saturable absorber. 2013 , 21, 29516-22	278
1905	Observations of three types of pulses in an erbium-doped fiber laser by incorporating a graphene saturable absorber. 2013 , 52, 8465-70	25
1904	Vector multi-soliton operation and interaction in a graphene mode-locked fiber laser. 2013 , 21, 10010-8	110
1903	Thulium-doped all-fiber laser mode-locked by CVD-graphene/PMMA saturable absorber. 2013 , 21, 12797-802	94
1902	Using graphene nano-particle embedded in photonic crystal fiber for evanescent wave mode-locking of fiber laser. 2013 , 21, 16763-76	148
1901	Self-amplitude and self-phase modulation of the charcoal mode-locked erbium-doped fiber lasers. 2013 , 21, 25184-96	19
1900	Fe ²⁺ :ZnSe and graphene Q-switched singly Ho ³⁺ -doped ZBLAN fiber lasers at 3 μm . 2013 , 3, 1365	86
1899	Spectral hole burning in silicon waveguides with a graphene layer on top. 2013 , 38, 1930-2	5
1898	Graphene mode-locked multipass-cavity femtosecond Cr ⁴⁺ : forsterite laser. 2013 , 30, 1270	12
1897	Characterization of nonlinear saturation and mode-locking potential of ionically-doped colored glass filter for short-pulse fiber lasers. 2013 , 21, 12562-9	3
1896	Inhomogeneous spectrum broadening in Nd ³⁺ :Lu _x Y _{1-x} VO ₄ series crystals and consequences on mode-locking laser operation. 2013 , 3, 1233	5

1895	Probing structural inhomogeneity of graphene layers via nonlinear optical scattering. 2013 , 38, 4589-92	5
1894	Nonlinear optical properties of nitrogen-doped bilayer graphene. 2013 ,	3
1893	Carbon nanotube and graphene-based fiber lasers. 2013 , 121-147e	1
1892	Passively harmonic mode locking in ytterbium-doped fiber laser with graphene oxide saturable absorber. 2013 , 52, 126102	9
1891	Time-resolved spectroscopy on epitaxial graphene in the infrared spectral range: relaxation dynamics and saturation behavior. 2013 , 25, 054202	46
1890	Mode-locked 2- μ m wavelength fiber laser using a graphene-saturable absorber. 2013 , 52, 076101	5
1889	Dual-wavelength synchronously Q-switched solid-state laser with multi-layered graphene as saturable absorber. 2013 , 21, 3516-22	36
1888	2 GHz passively harmonic mode-locked fiber laser by a microfiber-based topological insulator saturable absorber. 2013 , 38, 5212-5	347
1887	Third order nonlinear optical property of Bi ₂ Se ₃ 2013 , 21, 2072-82	231
1886	Chirped pulse amplification of a femtosecond Er-doped fiber laser mode-locked by a graphene saturable absorber. 2013 , 10, 035104	35
1885	Time-Grating for the Generation of STUD Pulse Trains. 2013 , 30, 044204	2
1884	Quasi-periodicity of vector solitons in a graphene mode-locked fiber laser. 2013 , 10, 125103	21
1883	Synthesis of High Quality Graphene Films by Atmospheric Pressure CVD and their Application in Laser Q-Switching. 2013 , 747, 514-517	1
1882	Pulse width shaping of passively mode-locked soliton fiber laser via polarization control in carbon nanotube saturable absorber. 2013 , 21, 27011-6	19
1881	Graphene Q-switched 2.78 μ m Er ³⁺ -doped fluoride fiber laser. 2013 , 38, 3233-6	125
1880	Topological Insulator: Bi ₂ Te ₃ Saturable Absorber for the Passive Q-Switching Operation of an in-Band Pumped 1645-nm Er:YAG Ceramic Laser. 2013 , 5, 1500707-1500707	118
1879	Few-Layer Graphene-Based Saturable Absorbers Employing Mica Dispersant for Fiber Lasers. 2013 , 25, 633-636	1
1878	A graphene-based mode-locked nano-engineered zirconia/titania/aluminosilicate glass-based erbium-doped fiber laser. 2013 , 23, 035110	10

1877	Polarization dependent loss of graphene-on-silicon waveguides. 2013,	0
1876	In-plane saturable absorption of graphene on silicon waveguides. 2013,	2
1875	Carbon nanotube and graphene photonic devices: nonlinearity enhancement and novel preparation approaches. 2013, 57-97e	0
1874	Generation of 35-nJ Nanosecond Pulse From a Passively Mode-Locked Tm, Ho-Codoped Fiber Laser With Graphene Saturable Absorber. 2013, 25, 1447-1449	27
1873	Saturable absorption in multiple sheets of monolayer graphene for optical switching. 2013,	
1872	Square pulse generation from all-normal-dispersion graphene oxide mode-locked Yb-doped fiber laser. 2013,	2
1871	All-fiber passively mode-locked thulium-doped fiber ring laser using optically deposited graphene saturable absorbers. 2013, 102, 131117	80
1870	Simultaneous mode-locking at 1565 nm and 1944 nm in fiber laser based on common graphene saturable absorber. 2013, 21, 18994-9002	50
1869	Fabricating graphite nano-sheet powder by slow electrochemical exfoliation of large-scale graphite foil as a mode-locker for fiber lasers. 2013, 3, 1893	28
1868	Passively mode-locking induced by gold nanorods in erbium-doped fiber lasers. 2013, 103, 041105	100
1867	Actively manipulation of operation states in passively pulsed fiber lasers by using graphene saturable absorber on microfiber. 2013, 21, 14859-66	40
1866	Topological insulator as an optical modulator for pulsed solid-state lasers. 2013, 7, L77-L83	185
1865	Continuous-wave femtosecond lasers. 2013, 56, 849-867	14
1864	Transient thermal effect, nonlinear refraction and nonlinear absorption properties of graphene oxide sheets in dispersion. 2013, 21, 7511-20	85
1863	Graphene-Based Mode-Locked Spectrum-Tunable Fiber Laser Using Mach-Zehnder Filter. 2013, 5, 1501709-1501709	
1862	Femtosecond CPA System operating at 1560 nm Seeded by a Graphene Mode-Locked Fiber Laser. 2013,	
1861	Optical Third-Harmonic Microscopy of Graphene. 2013,	
1860	Graphene-Based Materials in Gas Sensors. 2013, 91-132	

1859	Sub-picosecond Graphene-based Harmonically Mode-Locked Fiber Laser With Repetition Rates up to 2.22 GHz. 2013 , 41, 10001	0
1858	Passively Q-switched 2 μ m Tm:YAP laser based on graphene saturable absorber mirror. 2014 , 53, 4968-71	38
1857	Efficient laser emission from cladding waveguide inscribed in Nd:GdVO(4) crystal by direct femtosecond laser writing. 2014 , 39, 4553-6	12
1856	Switching of absorptive nonlinearity from reverse saturation to saturation in polymer-ZnO nanotop composite films. 2014 , 105, 221102	13
1855	Graphene: Synthesis, Characterization, and Applications. 2014 , 1-21	0
1854	Nanographene-Based Saturable Absorbers for Ultrafast Fiber Lasers. 2014 , 2014, 1-6	4
1853	Saturable Absorption and Modulation Characteristics of Laser with Graphene Oxide Spin Coated on ITO Substrate. 2014 , 2014, 1-5	
1852	Q-switched thulium-doped fibre laser operating at 1900 nm using multi-layered graphene based saturable absorber. 2014 , 8, 155-160	4
1851	Q-Switching and Mode-Locking in Highly Doped Zr ₂ O ₃ /Al ₂ O ₃ /Er ₂ O ₃ -Doped Fiber Lasers U. 2014 , 20, 9-16	3
1850	Charge transfer in graphene oxide-dye system for photonic applications. 2014 ,	0
1849	Dual-wavelength single-frequency fiber laser based on graphene saturable absorber. 2014 ,	0
1848	Numerical investigation of vector dissipative solitons in a graphene mode-locked fiber laser. 2014 ,	
1847	A long cavity graphene-based mode-locked fiber laser for high pulse energy output. 2014 ,	
1846	Three operation regimes with an L-band ultrafast fiber laser passively mode-locked by graphene oxide saturable absorber. 2014 , 31, 716	22
1845	Sapphire-based graphene saturable absorber for long-time working femtosecond lasers. 2014 , 39, 2707-10	20
1844	Mode-locking in Er-doped fiber laser based on mechanically exfoliated Sb ₂ Te ₃ saturable absorber. 2014 , 4, 1	188
1843	All-fiber mode-locked laser oscillator with pulse energy of 34 nJ using a single-walled carbon nanotube saturable absorber. 2014 , 22, 22667-72	48
1842	Microfiber-based few-layer MoS ₂ saturable absorber for 2.5 GHz passively harmonic mode-locked fiber laser. 2014 , 22, 22841-6	140

1841	Direct generation of graphene plasmonic polaritons at THz frequencies via four wave mixing in the hybrid graphene sheets waveguides. 2014 , 22, 27880-91	8
1840	Unusual Otto excitation dynamics and enhanced coupling of light to TE plasmons in graphene. 2014 , 22, 847-58	20
1839	Dual-wavelength rectangular pulse Yb-doped fiber laser using a microfiber-based graphene saturable absorber. 2014 , 22, 10906-13	93
1838	High-repetition-rate Q-switched fiber laser with high quality topological insulator Bi ₂ Se ₃ film. 2014 , 22, 11508-15	113
1837	Efficient lasing in continuous wave and graphene Q-switched regimes from Nd:YAG ridge waveguides produced by combination of swift heavy ion irradiation and femtosecond laser ablation. 2014 , 22, 12900-8	21
1836	Dual-band wavelength tunable nonlinear polarization rotation mode-locked Erbium-doped fiber lasers induced by birefringence variation and gain curvature alteration. 2014 , 22, 22121-32	10
1835	Microfiber-based, highly nonlinear graphene saturable absorber for formation of versatile structural soliton molecules in a fiber laser. 2014 , 22, 27019-25	35
1834	Explaining simultaneous dual-band carbon nanotube mode-locking Erbium-doped fiber laser by net gain cross section variation. 2014 , 22, 28711-8	11
1833	Stable high-energy Q-switched resonantly diode-pumped Er:YAG laser at 1645 nm. 2014 , 53, 7773-7	11
1832	Short-Pulse Fiber Lasers Mode Locked By Various Nano-Carbon Materials. 2014 ,	
1831	Nanofocusing of mid-infrared electromagnetic waves on graphene monolayer. 2014 , 104, 041109	23
1830	Influence of localized surface plasmons on Pauli blocking and optical limiting in graphene under femtosecond pumping. 2014 , 116, 073101	19
1829	Theoretical calculations of nonlinear refraction and absorption coefficients of doped graphene. 2014 , 16, 125203	15
1828	Characteristics of saturable absorption of MoS ₂ films in the visible to near-infrared range. 2014 ,	0
1827	Femtosecond pulse erbium-doped fiber laser by a few-layer MoS(2) saturable absorber. 2014 , 39, 4591-4	296
1826	Passively Q-switched mode-locking Nd:GdVO ₄ laser with a chemically reduced graphene oxide saturable absorber. 2014 , 38, 42-45	9
1825	Local and nonlocal optically induced transparency effects in graphene-silicon hybrid nanophotonic integrated circuits. 2014 , 8, 11386-93	42
1824	Photoresponse properties of large-area MoS ₂ atomic layer synthesized by vapor phase deposition. 2014 , 116, 164304	38

1823	Trapping of Soliton Molecule in a Graphene-Based Mode-Locked Ytterbium-Doped Fiber Laser. 2014 , 26, 2450-2453	16
1822	Strong enhancement of Faraday rotation using one-dimensional conjugated photonic crystals containing graphene layers. 2014 , 53, 8374-80	9
1821	168 fs pulse generation from graphene-chitosan mode-locked fiber laser. 2014 , 4, 1981	25
1820	Large-energy, wavelength-tunable, all-fiber passively Q-switched Er:Yb-codoped double-clad fiber laser with mono-layer chemical vapor deposition graphene. 2014 , 53, 4089-93	15
1819	Passive synchronization of erbium and thulium doped fiber mode-locked lasers enhanced by common graphene saturable absorber. 2014 , 22, 5536-43	51
1818	Molybdenum disulfide (MoS ₂) as a broadband saturable absorber for ultra-fast photonics. 2014 , 22, 7249-60	846
1817	Passive mode locking of ytterbium- and erbium-doped all-fiber lasers using graphene oxide saturable absorbers. 2014 , 22, 12880-9	38
1816	Flexible graphene saturable absorber on two-layer structure for tunable mode-locked soliton fiber laser. 2014 , 22, 10239-47	28
1815	Graphene-based passively mode-locked bidirectional fiber ring laser. 2014 , 22, 4539-46	25
1814	Passively Q-switching induced by the smallest single-walled carbon nanotubes. 2014 , 104, 171107	22
1813	Tunable and switchable multi-wavelength dissipative soliton generation in a graphene oxide mode-locked Yb-doped fiber laser. 2014 , 22, 11417-26	151
1812	Graphene based Q-switched tunable S-band fiber laser incorporating arrayed waveguide gratings (AWG). 2014 , 23, 1450004	9
1811	Analytic study on soliton amplification in graphene oxide mode-locked Er-doped fiber lasers. 2014 , 61, 773-777	3
1810	High repetition rate Q-switched radially polarized laser with a graphene-based output coupler. 2014 , 105, 221103	15
1809	A femtosecond pulse fiber laser at 1935 nm using a bulk-structured Bi ₂ Te ₃ topological insulator. 2014 , 22, 7865-74	220
1808	1.61 fs high-order passive harmonic mode locking in a fiber laser based on graphene saturable absorber. 2014 , 22, 29921-6	36
1807	Performance of chemical vapor deposition fabricated graphene absorber mirror in Yb ³⁺ : Sc ₂ SiO ₅ mode-locked laser. 2014 , 53, 126103	10
1806	Carrier multiplication and optical gain in graphene. 2014 ,	1

1805	Soliton building from spontaneous emission by ring-cavity fiber laser using carbon nanotubes for passive mode locking. 2014 , 54, 011005	1
1804	Compression of the self-Q-switching in semiconductor disk lasers with single-layer graphene saturable absorbers. 2014 , 23, 094206	2
1803	2- μ m wavelength all-fiber Q-switched double-clad fiber laser using monopiece single-layer chemical-vapor-deposition graphene. 2014 , 53, 106103	3
1802	Graphene-based saturable absorbers in semiconductor lasers. 2014 ,	0
1801	All-fiber dissipative soliton laser with 10.2 nJ pulse energy using an evanescent field interaction with graphene saturable absorber. 2014 , 11, 015101	45
1800	Dual-wavelength fiber mode-locked laser based on graphene saturable absorber. 2014 ,	0
1799	Composite chromium and graphene oxide as saturable absorber in ytterbium-doped Q-switched fiber lasers. 2014 , 53, 1173-80	19
1798	Nonlinear optical and optical limiting properties of graphene oxide dispersion in femtosecond regime. 2014 ,	2
1797	Three-dimensional graphene based passively mode-locked fiber laser. 2014 , 22, 31458-65	7
1796	A femtosecond pulse erbium fiber laser incorporating a saturable absorber based on bulk-structured Bi ₂ Te ₃ topological insulator. 2014 , 22, 6165-73	194
1795	Large-energy, narrow-bandwidth laser pulse at 1645 nm in a diode-pumped Er:YAG solid-state laser passively Q-switched by a monolayer graphene saturable absorber. 2014 , 53, 254-8	27
1794	Investigations of mode-locked fiber laser based on CVD fabricated graphene saturable absorber. 2014 ,	
1793	Broadband optical and microwave nonlinear response in topological insulator. 2014 , 4, 587	170
1792	Noise-like pulse generation by gold-coated graphene covered D-shape fibre as both saturable absorber and polarizer. 2014 ,	
1791	Graphene-chitosan self-start ultrafast laser setup. 2014 ,	
1790	Observation of optically induced transparency effect in silicon nanophotonic wires with graphene. 2014 ,	
1789	Short-length fiber laser oscillation in 4-mm Nd-doped silica fiber fabricated by zeolite method. 2014 , 328, 121-123	10
1788	Passively Q-switched lasers at 1.06 μ m with graphene oxide and carbon nanotubes D ₂ O dispersion. 2014 , 36, 1270-1273	2

1787	Q-switched fibre laser using 21 cm Bismuth-erbium doped fibre and graphene oxide as saturable absorber. 2014 , 310, 53-57	6
1786	Waveguide-Coupled Graphene Optoelectronics. 2014 , 20, 84-94	50
1785	Graphene Photonics, Plasmonics, and Optoelectronics. 2014 , 20, 72-83	125
1784	Graphene Covered on Microfiber Exhibiting Polarization and Polarization-dependent Saturable Absorption. 2014 , 20, 55-61	11
1783	Mode-locked L-band bismuth-erbium fiber laser using carbon nanotubes. 2014 , 115, 407-412	16
1782	Broadband few-layer MoS ₂ saturable absorbers. 2014 , 26, 3538-44	551
1781	High-power thulium fiber laser Q switched with single-layer graphene. 2014 , 39, 614-7	51
1780	Graphene Quantum Dots. 2014 , 31, 415-428	616
1779	Preparation, characterization, and nonlinear optical properties of graphene oxide-carboxymethyl cellulose composite films. 2014 , 57, 84-89	35
1778	Graphene passively Q-switched Ho:YAG ceramic laser. 2014 , 116, 947-950	33
1777	Observation of multipulse bunches in a graphene oxide passively mode-locked ytterbium-doped fiber laser with all-normal dispersion. 2014 , 116, 939-946	12
1776	Degradation of Graphene by Hydrogen Peroxide. 2014 , 31, 745-750	58
1775	Increase of the grating coupler bandwidth with a graphene overlay. 2014 , 104, 111109	6
1774	High-power diode-side-pumped Nd:YAG solid laser mode-locked by CVD graphene. 2014 , 315, 204-207	6
1773	Nanotube Based Nonlinear Fiber Devices for Fiber Lasers. 2014 , 20, 89-98	7
1772	Facile synthesis of graphene on single mode fiber via chemical vapor deposition. 2014 , 307, 327-332	2
1771	Third-harmonic generation in one-dimensional photonic crystal with graphene-based defect. 2014 , 89,	26
1770	Circular dichroism of graphene-based absorber in static magnetic field. 2014 , 115, 154312	16

1769	Catalyst-free, self-assembly, and controllable synthesis of graphene flake-carbon nanotube composites for high-performance field emission. 2014 , 67, 525-533	29
1768	Multifunctional graphene optical modulator and photodetector integrated on silicon waveguides. 2014 , 14, 2741-6	170
1767	Passively mode-locked fiber laser by using monolayer chemical vapor deposition of graphene on D-shaped fiber. 2014 , 53, 2828-32	24
1766	Highly sensitive wide bandwidth photodetectors using chemical vapor deposited graphene. 2014 , 104, 161902	19
1765	In-Plane Optical Absorption and Free Carrier Absorption in Graphene-on-Silicon Waveguides. 2014 , 20, 43-48	64
1764	Band structure engineering of monolayer MoS ₂ on h-BN: first-principles calculations. 2014 , 47, 075301	77
1763	Ultrafast all-optical graphene modulator. 2014 , 14, 955-9	483
1762	Soliton rains in a graphene-oxide passively mode-locked ytterbium-doped fiber laser with all-normal dispersion. 2014 , 11, 025102	25
1761	High order harmonic mode-locking in an all-normal-dispersion Yb-doped fiber laser with a graphene oxide saturable absorber. 2014 , 24, 015001	14
1760	A passively mode-locked intracavity frequency doubled Nd:YVO ₄ femtosecond green laser based on graphene. 2014 , 11, 025001	9
1759	An Ytterbium-doped fiber laser with dark and Q-switched pulse generation using graphene-oxide as saturable absorber. 2014 , 312, 227-232	39
1758	Graphene coated ZnO nanowire optical waveguides. 2014 , 22, 24276-85	37
1757	Comparison of Goos-Hänchen shifts of the reflected beam from graphene on dielectrics and metals. 2014 , 125, 7025-7029	11
1756	Mode-locking of Er-doped fiber laser using a multilayer MoS ₂ thin film as a saturable absorber in both anomalous and normal dispersion regimes. 2014 , 22, 23732-42	122
1755	Ultrafast erbium-doped fiber laser mode-locked by a CVD-grown molybdenum disulfide (MoS ₂) saturable absorber. 2014 , 22, 17341-8	240
1754	Mode-locked erbium-doped fiber laser based on evanescent field interaction with Sb ₂ Te ₃ topological insulator. 2014 , 104, 251112	133
1753	Stable Q-Switched Erbium-Doped Fiber Laser Based on Topological Insulator Covered Microfiber. 2014 , 26, 987-990	38
1752	Highly Efficient Rectangular Pulse Emission in a Mode-Locked Fiber Laser. 2014 , 26, 2082-2085	24

1751	Soliton Mode-Locked Erbium-Doped Fiber Laser Using Non-Conductive Graphene Oxide Paper. 2014 , 50, 85-87	7
1750	Effect of beam expansion loss in a carbon nanotube-doped PVA film on passively mode-locked erbium-doped fiber lasers with different feedback ratios. 2014 , 24, 105115	1
1749	A Graphene-Based Passively Q-Switched Ho:YAG Laser. 2014 , 31, 074204	8
1748	1-, 1.5-, and 2- μ m Fiber Lasers Q-Switched by a Broadband Few-Layer MoS ₂ Saturable Absorber. 2014 , 32, 4679-4686	286
1747	Mode locked oscillation in ultrafast fiber laser using bilayer graphene saturable absorbers. 2014 ,	
1746	Observation of Three Bound States From a Topological Insulator Mode-Locked Soliton Fiber Laser. 2014 , 6, 1-8	4
1745	Soliton compression of the erbium-doped fiber laser weakly started mode-locking by nanoscale p-type Bi ₂ Te ₃ topological insulator particles. 2014 , 11, 055107	114
1744	Waveguide engineering of graphene's nonlinearity. 2014 , 105, 111110	35
1743	Ultrafast fibre laser sources: Examples of recent developments. 2014 , 20, 666-677	15
1742	Stable narrow spacing dual-wavelength Q-switched graphene oxide embedded in a photonic crystal fiber. 2014 , 24, 105101	8
1741	A compact graphene Q-switched erbium-doped fiber laser using optical circulator and tunable fiber Bragg grating. 2014 , 23, 024209	8
1740	Nanosecond Q-Switched Erbium-Doped Fiber Laser With Wide Pulse-Repetition-Rate Range Based on Topological Insulator. 2014 , 50, 393-396	29
1739	Pulse-Width Tuning in a Passively Mode-Locked Fiber Laser With Graphene Saturable Absorber. 2014 , 26, 360-363	11
1738	Topological-Insulator Passively Q-Switched Double-Clad Fiber Laser at 2 μ m Wavelength. 2014 , 20, 1-8	65
1737	Tunable graphene saturable absorber with cross absorption modulation for mode-locking in fiber laser. 2014 , 105, 041901	31
1736	Graphene saturable absorber for high power semiconductor disk laser mode-locking. 2014 , 104, 161107	39
1735	The role of defects in the nonlinear optical absorption behavior of carbon and ZnO nanostructures. 2014 , 16, 8168-77	42
1734	All-Polarization-Maintaining Femtosecond Fiber Lasers Using Graphene Oxide Saturable Absorber. 2014 , 26, 346-348	10

1733	All-optical switching in a vertical microcavity-integrated monolayer graphene device. 2014 ,	2
1732	Ultrabroadband Er: fiber lasers. 2014 , 8, 409-428	81
1731	Vector rectangular-shape laser based on reduced graphene oxide interacting with a long fiber taper. 2014 , 53, 6452-6	9
1730	Graphene's potential in materials science and engineering. 2014 , 4, 28987-29011	48
1729	Nonlinear optics of graphene in the presence of Rabi oscillation. 2014 , 31, 2263	4
1728	Polarization-locked vector solitons in a mode-locked fiber laser using polarization-sensitive few-layer graphene deposited D-shaped fiber saturable absorber. 2014 , 31, 1377	12
1727	Colloquium: Graphene spectroscopy. 2014 , 86, 959-994	184
1726	Vector nature of multi-soliton patterns in a passively mode-locked figure-eight fiber laser. 2014 , 22, 11900-11	54
1725	Multi-order bunched soliton pulse generation by nonlinear polarization rotation mode-locking erbium-doped fiber lasers with weak or strong polarization-dependent loss. 2014 , 24, 105113	6
1724	All-fiberized, passively Q-switched 1.06 μ m laser using a bulk-structured Bi ₂ Te ₃ topological insulator. 2014 , 16, 085203	30
1723	Mode-locked Er-doped fiber laser based on liquid phase exfoliated Sb ₂ Te ₃ topological insulator. 2014 , 24, 105111	50
1722	Sub-130 fs mode-locked Er-doped fiber laser based on topological insulator. 2014 , 22, 13244-9	137
1721	Enhanced four-wave mixing in graphene-silicon slow-light photonic crystal waveguides. 2014 , 105, 091111	59
1720	Ultra-fast solitons in a long cavity multi-mode-fiber-based graphene mode-locked fiber laser with high slope efficiency. 2014 , 24, 085109	2
1719	Q-switched Nd:YAG channel waveguide laser through evanescent field interaction with surface coated graphene. 2014 , 105, 101111	12
1718	Enhanced optical limiting and carrier dynamics in metal oxide-hydrogen exfoliated graphene hybrids. 2014 , 2, 10116-10123	33
1717	Short pulse fiber lasers mode-locked by carbon nanotubes and graphene. 2014 , 20, 702-713	46
1716	Functionalization of cotton fabric at low graphene nanoplate content for ultrastrong ultraviolet blocking. 2014 , 80, 565-574	87

1715	Preparation and characterization of few-layer MoS ₂ nanosheets and their good nonlinear optical responses in the PMMA matrix. 2014 , 6, 9713-9	76
1714	Harmonically mode-locked Er-doped fiber laser based on a Sb ₂ Te ₃ topological insulator saturable absorber. 2014 , 11, 055102	105
1713	Synthesis and nonlinear optical properties of reduced graphene oxide hybrid material covalently functionalized with zinc phthalocyanine. 2014 , 77, 1020-1030	112
1712	All-normal-dispersion dissipative-soliton fiber laser at 1.06 μ m using a bulk-structured Bi ₂ Te ₃ topological insulator-deposited side-polished fiber. 2014 , 24, 105106	37
1711	. 2014 , 20, 411-415	86
1710	High-power ultrafast Nd:YVO ₄ laser mode-locked by graphene saturable absorber. 2014 , 64, 288-291	6
1709	Two different output states from an all-normal dispersion ytterbium-doped fiber laser using graphene-oxide as a saturable absorber. 2014 , 24, 065108	
1708	Photoreduction of graphene oxide with polyoxometalate clusters and its enhanced saturable absorption. 2014 , 427, 25-8	20
1707	Graphene/MoS ₂ hybrid structure and its photoresponse property. 2014 , 40, 11971-11974	14
1706	Direct growth of graphene on quartz substrate as saturable absorber for femtosecond solid-state laser. 2014 , 11, 085801	10
1705	A graphene-based passively Q-switched Ho:YAG laser in-band pumped by a diode-pumped Tm:YLF solid-state laser. 2014 , 24, 035801	20
1704	Bright-dark pair in passively mode-locked fiber laser based on graphene. 2014 , 24, 085104	13
1703	Exciton-exciton annihilation in MoSe ₂ monolayers. 2014 , 89,	246
1702	Nanosecond pulse generation in a graphene mode-locked erbium-doped fiber laser. 2014 , 330, 147-150	17
1701	Watt-level passively Q-switched mode-locked YVO ₄ /Nd:YVO ₄ laser operating at 1.06 μ m using graphene as a saturable absorber. 2014 , 56, 393-397	26
1700	Graphene-Based Transparent Electrodes for Hybrid Solar Cells. 2014 , 1,	20
1699	Multilayer graphene-based saturable absorbers with scalable modulation depth for mode-locked Er- and Tm-doped fiber lasers. 2015 , 5, 2884	63
1698	Graphene-assisted nonlinear optical device for four-wave mixing based tunable wavelength conversion of QPSK signal. 2015 , 23, 26158-67	16

1697	Passive and active all-fiber graphene devices for ultrafast fiber laser application. 2015,	
1696	Mirrorless graphene Q-switched channel waveguide laser. 2015,	
1695	Graphene Nanobubbles: A New Optical Nonlinear Material. 2015, 3, 744-749	44
1694	Graphene-nonlinearity unleashing at lasing threshold in graphene-assisted cavities. 2015, 91,	10
1693	Numerical study of the optical nonlinearity of doped and gapped graphene: From weak to strong field excitation. 2015, 92,	37
1692	Third-order nonlinearity of graphene: Effects of phenomenological relaxation and finite temperature. 2015, 91,	125
1691	Spike train encoding of analog signals in a graphene fiber ring laser. 2015,	1
1690	Electronic band-gap modified passive silicon optical modulator at telecommunications wavelengths. 2015, 5, 16588	2
1689	Polarization and Thickness Dependent Absorption Properties of Black Phosphorus: New Saturable Absorber for Ultrafast Pulse Generation. 2015, 5, 15899	225
1688	Ultrasensitive nonlinear absorption response of large-size topological insulator and application in low-threshold bulk pulsed lasers. 2015, 5, 14856	39
1687	Tungsten disulphide based all fiber Q-switching cylindrical-vector beam generation. 2015, 107, 191108	44
1686	Tunable optical limiting optofluidic device filled with graphene oxide dispersion in ethanol. 2015, 5, 15362	12
1685	Dissolution-and-reduction CVD synthesis of few-layer graphene on ultra-thin nickel film lifted off for mode-locking fiber lasers. 2015, 5, 13689	17
1684	High-power graphene mode-locked Tm/Ho co-doped fiber laser with evanescent field interaction. 2015, 5, 16624	73
1683	Can silicon carbide serve as a saturable absorber for passive mode-locked fiber lasers?. 2015, 5, 16463	11
1682	Ultrabroadband, More than One Order Absorption Enhancement in Graphene with Plasmonic Light Trapping. 2015, 5, 16998	65
1681	Nonlinear Optical Properties Of A Graphene-Polyvinyl Alcohol Composite From 1550 nm To 2400 nm. 2015,	
1680	Geometries for the coherent control of four-wave mixing in graphene multilayers. 2015, 5, 15399	17

1679	Graphene Q-switched fiber laser with broadband, random, multimode oscillation. 2015 , 126, 5253-5255		
1678	WSaturable absorber for dissipative soliton mode locking at 1.06 and 1.55 μm . 2015 , 23, 27509-19		156
1677	Chemical WeatheringExfoliation of Atom-Thick Transition Metal Dichalcogenides and Their Ultrafast Saturable Absorption Properties. <i>Advanced Functional Materials</i> , 2015 , 25, 5292-5299	15.6	60
1676	Black phosphorus saturable absorber for ultrafast mode-locked pulse laser via evanescent field interaction. 2015 , 527, 770-776		93
1675	Enhancing the saturable absorption and carrier dynamics of graphene with plasmonic nanowires. 2015 , 252, 2159-2166		14
1674	Dissipative soliton Yb-doped fiber laser using a bulk-structured Bi ₂ Te ₃ topological insulator. 2015 ,		
1673	Graphene-Based Fibers: A Review. 2015 , 27, 5113-31		232
1672	From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. <i>Advanced Functional Materials</i> , 2015 , 25, 6996-7002	15.6	725
1671	Broadband Black Phosphorus Optical Modulator in the Spectral Range from Visible to Mid-Infrared. 2015 , 3, 1787-1792		91
1670	Black PhosphorusPolymer Composites for Pulsed Lasers. 2015 , 3, 1447-1453		192
1669	Carbon-nanotube-based passively mode-locked erbium-doped fiber laser for broadband supercontinuum generation. 2015 ,		2
1668	Wavelength-Tunable Mode-Locked Erbium Fiber Laser Based on Phase-Shifted Long-Period Gratings. 2015 ,		
1667	2D Saturable Absorbers for Fibre Lasers. 2015 , 5, 1440-1456		149
1666	Repetition frequency scaling of an all-polarization maintaining erbium-doped mode-locked fiber laser based on carbon nanotubes saturable absorber. 2015 , 117, 133103		12
1665	Graphene photodetector integrated on silicon nitride waveguide. 2015 , 117, 144504		39
1664	Electrospinning of functional materials for biomedicine and tissue engineering. 2015 , 84, 251-274		25
1663	Effective Electro-Optical Modulation with High Extinction Ratio by a Graphene-Silicon Microring Resonator. 2015 , 15, 4393-400		148
1662	Using n- and p-Type Bi ₂ Te ₃ Topological Insulator Nanoparticles To Enable Controlled Femtosecond Mode-Locking of Fiber Lasers. 2015 , 2, 481-490		168

1661	Ultrafast Lateral Photo-Dember Effect in Graphene Induced by Nonequilibrium Hot Carrier Dynamics. 2015 , 15, 4234-9	26
1660	Passively Q-switched Nd:YVO4 waveguide laser using graphene as a saturable absorber. 2015 , 46, 414-417	12
1659	GrapheneBi2Te3 Heterostructure as Saturable Absorber for Short Pulse Generation. 2015 , 2, 832-841	174
1658	Passively dual-wavelength Q-switched ytterbium doped fiber laser using Selenium Bismuth as saturable absorber. 2015 , 62, 1550-1554	14
1657	Graphene-FET-based gas sensor properties depending on substrate surface conditions. 2015 , 54, 06FF11	3
1656	Passively Q-switched 1617-nm polycrystalline ceramic Er:YAG laser using a Cr:ZnSe saturable absorber. 2015 , 120, 305-309	6
1655	Solution processed MoS2-PVA composite for sub-bandgap mode-locking of a wideband tunable ultrafast Er: fiber laser. 2015 , 8, 1522-1534	210
1654	Graphene Q-Switched Cr:ZnSe Laser. 2015 , 51, 1-5	7
1653	Mode-locked and Q-switched fiber lasers with graphene oxide based saturable absorber. 2015 ,	1
1652	Electron ionization and spin polarization control of Fe atom adsorbed graphene irradiated by a femtosecond laser. 2015 , 379, 2615-2618	5
1651	A new method of ethanol catalytic deposition of MoS2 on tapered fiber for photonic application. 2015 ,	
1650	Investigation on pulse shaping in fiber laser hybrid mode-locked by Sb(2)Te(3) saturable absorber. 2015 , 23, 29014-23	57
1649	Multiple vector solitons in an ytterbium-doped fiber laser based on evanescent field interaction with graphene saturable absorber. 2015 ,	2
1648	All-normal-dispersion dissipative soliton ytterbium-doped fiber laser with multilayer graphene saturable absorber. 2015 ,	
1647	Gate-controlled All-fiber graphene device and its application to ultrafast fiber laser system. 2015 ,	
1646	An all-optical modulator based on a stereo graphene microfiber structure. 2015 , 4, e360-e360	101
1645	Q-switched ring-cavity erbium-doped fiber laser based on tungsten disulfide (WS2). 2015 ,	2
1644	Passive Q-Switching of an All-Fiber Laser Using WS 2-Deposited Optical Fiber Taper. 2015 , 7, 1-7	12

1643	All-polarization maintaining femto-second fiber laser based on evanescent field interaction with SWCNT saturable absorber. 2015,	
1642	1.6 μm laser emission from the Er:Yb doped double-clad fiber amplifier. 2015,	
1641	Compact noise-like pulse fiber laser and its application for supercontinuum generation in highly nonlinear fiber. 2015, 54, 9379-84	24
1640	Investigation of Graphene Dispersion From Kelly Sideband in Stable Mode-Locked Erbium-Doped Fiber Laser by Few-Layer Graphene Saturable Absorbers. 2015, 33, 4406-4412	16
1639	Wavelength-tunable Yb-doped passively Q-switching fiber laser based on WS(2) saturable absorber. 2015, 23, 29059-64	46
1638	Recent advances in mode-locked fibre lasers. 2015,	1
1637	Sub-90 fs a stretched-pulse mode-locked fiber laser based on a graphene saturable absorber. 2015, 23, 27503-8	66
1636	Passively Mode-Locked Tm:YAG Ceramic Laser Based on Graphene. 2015, 21, 50-55	9
1635	Dual-Wavelength Passively Q-Switched Nd,Mg:LiTaO ₃ Laser With a Monolayer Graphene as Saturable Absorber. 2015, 21, 343-347	27
1634	Formation of ripples in atomically thin MoS ₂ and local strain engineering of electrostatic properties. 2015, 26, 105705	63
1633	Topological Insulator Solution Filled in Photonic Crystal Fiber for Passive Mode-Locked Fiber Laser. 2015, 27, 264-267	79
1632	Nonequilibrium plasmons with gain in graphene. 2015, 91,	28
1631	Graphene-Based Optoelectronics. 2015, 33, 1100-1108	33
1630	Thermally reduced kaolin-graphene oxide nanocomposites for gas sensing. 2015, 5, 7676	25
1629	Numerical study on the minimum modulation depth of a saturable absorber for stable fiber laser mode locking. 2015, 32, 31	84
1628	Lighten the Olympia of the Flatland: Probing and Manipulating the Photonic Properties of 2D Transition-Metal Dichalcogenides. 2015, 11, 3206-20	13
1627	Kinetics of Nonlinear Optical Response at InsulatorMetal Transition in Vanadium Dioxide. 2015, 3, 64-70	6
1626	Poor fluorinated graphene sheets carboxymethylcellulose polymer composite mode locker for erbium doped fiber laser. 2015, 106, 061106	15

1625	Microfiber-based WS ₂ -film saturable absorber for ultra-fast photonics. 2015 , 5, 479	175
1624	Two-dimensional dichalcogenides for light-harvesting applications. 2015 , 10, 128-137	165
1623	The effects of central metals on the photophysical and nonlinear optical properties of reduced graphene oxide-metal(II) phthalocyanine hybrids. 2015 , 17, 7149-57	37
1622	Graphene Oxide Transparent Hybrid Film and Its Ultraviolet Shielding Property. 2015 , 7, 17558-64	52
1621	Atomic-layer molybdenum sulfide optical modulator for visible coherent light. 2015 , 5, 11342	37
1620	Passively mode-locked fiber laser by a cell-type WS ₂ nanosheets saturable absorber. 2015 , 5, 12587	127
1619	Low threshold optical bistability at terahertz frequencies with graphene surface plasmons. 2015 , 5, 12271	70
1618	Graphene-based optical modulators. 2015 , 10, 199	61
1617	Dependence of the saturable absorption of graphene upon excitation photon energy. 2015 , 106, 091102	51
1616	Dopant-configuration controlled carrier scattering in graphene. 2015 , 5, 59556-59563	14
1615	A practical topological insulator saturable absorber for mode-locked fiber laser. 2015 , 5, 8690	100
1614	Transfer of an exfoliated monolayer graphene flake onto an optical fiber end face for erbium-doped fiber laser mode-locking. 2015 , 2, 031001	16
1613	Graphene Q-switched Yb:KYW planar waveguide laser. 2015 , 5, 017110	17
1612	Diode-pumped Yb,Y:CaF ₂ laser mode-locked by monolayer graphene. 2015 , 75, 83-86	38
1611	Graphene mobility mapping. 2015 , 5, 12305	75
1610	Topological insulator: Bi ₂ Se ₃ /polyvinyl alcohol film-assisted multi-wavelength ultrafast erbium-doped fiber laser. 2015 , 117, 063108	31
1609	Broadband nonlinear optical response in multi-layer black phosphorus: an emerging infrared and mid-infrared optical material. 2015 , 23, 11183-94	541
1608	Mode-locked erbium-doped all fiber laser using few-layer graphene as a saturable absorber. 2015 , 72, 70-73	11

1607	The Effect of Laser Wavelength and Concentration on Thermal Nonlinear Refractive Index of Graphene Suspensions. 2015 , 10, 1550053	7
1606	Active control of all-fibre graphene devices with electrical gating. 2015 , 6, 6851	127
1605	Population inversion in monolayer and bilayer graphene. 2015 , 27, 164204	30
1604	Fabrication of graphene FETs combined with fluorescence and its Double Read-Out System. 2015 , 214, 204-210	10
1603	Mode-Locked All-Fiber Lasers at Both Anomalous and Normal Dispersion Regimes Based on Spin-Coated MoS_2 Nano-Sheets on a Side-Polished Fiber. 2015 , 7, 1-9	25
1602	Q-switched fiber laser based on carbon nano wall saturable absorber. 2015 ,	1
1601	THz saturable absorption in turbostratic multilayer graphene on silicon carbide. 2015 , 23, 11632-40	19
1600	Q-switched operation of a femtosecond-laser-inscribed Yb:YAG channel waveguide laser using carbon nanotubes. 2015 , 23, 7999-8005	21
1599	Enhancement of thermoelectric efficiency by embedding hexagonal boron-nitride cells in zigzag graphene nanoribbons. 2015 , 48, 235304	13
1598	Graphene absorber for passive mode-locking Nd:YVO4 laser. 2015 , 126, 1844-1847	3
1597	1484-nm two-cascaded Raman fiber laser mode-locked by an intermode-beating mode-locking technique. 2015 , 54, 046102	1
1596	Bimetallic Au@Pt@Au core-shell nanoparticles on graphene oxide nanosheets for high-performance HO bi-directional sensing. 2015 , 3, 4355-4362	37
1595	Few-layer MoS_2 saturable absorbers for short-pulse laser technology: current status and future perspectives [Invited]. 2015 , 3, A30	163
1594	Mode-locked thulium fiber laser with MoS_2 . 2015 , 12, 065104	96
1593	80 fs passively mode-locked Er-doped fiber laser. 2015 , 25, 065104	9
1592	In Situ Synthesis of Graphene with Telecommunication Lasers for Nonlinear Optical Devices. 2015 , 3, 1264-1272	17
1591	A passively Q-switched ytterbium-doped fiber laser based on a few-layer Bi_2Se_3 saturable absorber. 2015 , 25, 065102	12
1590	Rapid fabrication of graphene on dielectric substrates via solid-phase processes. 2015 ,	1

1589	All-normal dispersion passively mode-locked Yb-doped fiber laser with Bi ₂ Te ₃ absorber. 2015 , 54, 046101	13
1588	Sb ₂ Te ₃ topological insulator based saturable absorber for Er-doped mode-locked fiber lasers. 2015 ,	6
1587	Preparation of 2D MoS ₂ /Graphene Heterostructure through a Monolayer Intercalation Method and its Application as an Optical Modulator in Pulsed Laser Generation. 2015 , 3, 937-942	46
1586	Drop-Casted Self-Assembled Topological Insulator Membrane as an Effective Saturable Absorber for Ultrafast Laser Photonics. 2015 , 7, 1-11	7
1585	Band-gap modulation of two-dimensional saturable absorbers for solid-state lasers. 2015 , 3, A10	21
1584	Stable, Ultrafast Pulse Mode-Locked by Topological Insulator Bi_2Se_3 Nanosheets Interacting With Photonic Crystal Fiber: From Anomalous Dispersion to Normal Dispersion. 2015 , 7, 1-8	15
1583	Dual-loss-modulated passively Q-switched Tm:LuAG laser with multi-walled carbon nanotube and monolayer graphene. 2015 , 120, 759-763	2
1582	Highly efficient passively Q-switched solid-state 2 μm laser with monolayer Graphene. 2015 , 47, 3525-3531	2
1581	Passively Q-switched nanosecond erbium-doped fiber laser with MoS ₂ saturable absorber. 2015 , 23, 5607-13	56
1580	All-polarization maintaining, graphene-based femtosecond Tm-doped all-fiber laser. 2015 , 23, 9339-46	64
1579	Ultrafast saturable absorption in topological insulator Bi ₂ Te ₃ nanosheets. 2015 , 23, 13376-83	22
1578	Tm:KLu(WO ₄) ₂ microchip laser Q-switched by a graphene-based saturable absorber. 2015 , 23, 14108-13	45
1577	Monolayer graphene saturable absorbers with strongly enhanced evanescent-field interaction for ultrafast fiber laser mode-locking. 2015 , 23, 19806-12	68
1576	Large energy, all-fiberized Q-switched pulse laser using a GNRs/PVA saturable absorber. 2015 , 5, 1859	34
1575	Broadband ultrafast nonlinear optical response of few-layers graphene: toward the mid-infrared regime. 2015 , 3, 214	74
1574	Graphene Q-Switched Compact Yb:YAG Laser. 2015 , 7, 1-7	15
1573	A 2.95 GHz, femtosecond passive harmonic mode-locked fiber laser based on evanescent field interaction with topological insulator film. 2015 , 23, 154-64	105
1572	Towards low timing phase noise operation in fiber lasers mode locked by graphene oxide and carbon nanotubes at 1.5 μm . 2015 , 23, 501-11	23

1571	Femtosecond harmonic mode-locking of a fiber laser based on a bulk-structured Bi(2)Te(3) topological insulator. 2015 , 23, 6359-69	41
1570	Tunable optical bistability of dielectric/nonlinear graphene/dielectric heterostructures. 2015 , 23, 6497-508	44
1569	Dissipative soliton resonance and reverse saturable absorption in graphene oxide mode-locked all-normal-dispersion Yb-doped fiber laser. 2015 , 23, 7000-6	59
1568	Graphene decorated microfiber for ultrafast optical modulation. 2015 , 23, 10764-70	41
1567	Actively Q-switched ytterbium-doped fiber laser by an all-optical Q-switcher based on graphene saturable absorber. 2015 , 23, 21490-6	16
1566	Polarization insensitive graphene saturable absorbers using etched fiber for highly stable ultrafast fiber lasers. 2015 , 23, 22116-22	16
1565	Triturating versatile carbon materials as saturable absorptive nano powders for ultrafast pulsating of erbium-doped fiber lasers. 2015 , 5, 236	40
1564	Host matrix effect on the near infrared saturation performance of graphene absorbers. 2015 , 5, 802	10
1563	Nanosecond-pulsed, dual-wavelength, passively Q-switched ytterbium-doped bulk laser based on few-layer MoS ₂ saturable absorber. 2015 , 3, A25	63
1562	Few-layer MoS ₂ -deposited microfiber as highly nonlinear photonic device for pulse shaping in a fiber laser [Invited]. 2015 , 3, A69	62
1561	Nonlinear optical absorption of few-layer molybdenum diselenide (MoSe ₂) for passively mode-locked soliton fiber laser [Invited]. 2015 , 3, A79	185
1560	Ultrafast carrier dynamics in Landau-quantized graphene. 2015 , 4, 224-249	24
1559	Graphene nanophotonic sensors. 2015 , 2, 032005	15
1558	Microfiber-based few-layer black phosphorus saturable absorber for ultra-fast fiber laser. 2015 , 23, 20030-9	322
1557	Gold nanoparticles as a saturable absorber for visible 635 nm Q-switched pulse generation. 2015 , 23, 24071-6	64
1556	Widely tunable mode-locked fiber laser using carbon nanotube and LPG W-shaped filter. 2015 , 40, 4329-32	26
1555	Engineered bio-compatible graphene nanomaterials for nonlinear applications. 2015 , 5, 102	5
1554	Passive Q-switching and Q-switched mode-locking operations of 2 μ m Tm:CLNGG laser with MoS ₂ saturable absorber mirror. 2015 , 3, A47	96

1553	Mode-locking of fiber lasers using novel two-dimensional nanomaterials: graphene and topological insulators [Invited]. 2015 , 3, A56	121
1552	Generation of cascaded four-wave-mixing with graphene-coated microfiber. 2015 , 3, A64	39
1551	Few-layer MoS ₂ grown by chemical vapor deposition as a passive Q-switcher for tunable erbium-doped fiber lasers. 2015 , 3, A92	39
1550	Ethanol catalytic deposition of MoS ₂ on tapered fiber. 2015 , 3, A102	9
1549	Chemical Vapor Deposition (CVD) of Graphene for Four-Wave-Mixing (FWM) Based QPSK Wavelength Conversion. 2015 ,	
1548	Femtosecond solid-state laser based on tungsten disulfide saturable absorber. 2015 , 23, 27292-8	41
1547	Mid-infrared hyperbolic metamaterial based on graphene-dielectric multilayers. 2015 ,	3
1546	Tm ^{III} Co-Doped Fiber Saturable Absorber Based All-Optical Active Q-Switching. 2015 , 36, 495-499	2
1545	Photonic band gap characteristics of one-dimensional graphene-dielectric periodic structures. 2015 , 88, 127-138	31
1544	Control of Light-Matter Interaction in 2D Atomic Crystals Using Microcavities. 2015 , 51, 1-8	4
1543	A highly efficient thermo-optic microring modulator assisted by graphene. 2015 , 7, 20249-55	74
1542	Black phosphorus saturable absorber for ultrashort pulse generation. 2015 , 107, 051108	236
1541	Q-switched fiber laser based on transition metal dichalcogenides MoS ₂ (2), MoSe ₂ (2), WS ₂ (2), and WSe ₂ (2). 2015 , 23, 26723-37	366
1540	Polarization Switching in a Mode-Locked Fiber Laser Based on Reduced Graphene Oxide. 2015 , 27, 2535-2538	6
1539	Single-Layer Graphene as a Barrier Layer for Intense UV Laser-Induced Damages for Silver Nanowire Network. 2015 , 9, 11121-33	39
1538	635-nm Visible Pr ³⁺ -Doped ZBLAN Fiber Lasers Q-Switched by Topological Insulators SAs. 2015 , 27, 2379-2382	25
1537	Graphene Oxide and Pluronic Copolymer Aggregates: Possible Route to Modulate the Adsorption of Fluorophores and Imaging of Live Cells. 2015 , 119, 25023-25035	20
1536	Two-dimensional nanosheets of MoS ₂ : a promising material with high dielectric properties and microwave absorption performance. 2015 , 7, 15734-40	250

1535	Pulse-Width Saturation and Kelly-Sideband Shift in a Graphene-Nanosheet Mode-Locked Fiber Laser with Weak Negative Dispersion. 2015 , 3,	11
1534	Raman Mapping Characterization of All-Fiber CVD Monolayer Graphene Saturable Absorbers for Erbium-Doped Fiber Laser Mode Locking. 2015 , 33, 4118-4123	18
1533	Graphene-deposited microfiber photonic device for ultrahigh-repetition rate pulse generation in a fiber laser. 2015 , 23, 17720-6	22
1532	1212 nm high-efficiently-pumped 2 μm Tm/Ho-co-doped fiber laser Q-switched by graphene. 2015 ,	
1531	Passively Q-switched tri-wavelength Yb ³⁺ :GdAl ₃ (BO ₃) ₄ solid-state laser with topological insulator Bi ₂ Te ₃ as saturable absorber. 2015 , 3, A97	42
1530	Graphene-coated tilted fiber-Bragg grating for enhanced sensing in low-refractive-index region. 2015 , 40, 3994-7	45
1529	Ultrafast thulium-doped fiber laser mode locked with black phosphorus. 2015 , 40, 3885-8	271
1528	Mode-locked, 1.94-fs, all-fiberized laser using WS ₂ -based evanescent field interaction. 2015 , 23, 19996-20006	143
1527	Functional inks of graphene, metal dichalcogenides and black phosphorus for photonics and (opto)electronics. 2015 ,	20
1526	Broadband nonlinear optical and optical limiting effects of partially unzipped carbon nanotubes. 2015 , 3, 9948-9954	26
1525	Dual-loss-modulated Q-switched Tm:LuAG laser with AOM and monolayer graphene. 2015 , 54, 8024-9	9
1524	Numerical analysis of optical properties of oblate semi-spheroid-shaped quantum dots coupled to wetting layer. 2015 , 32, 1097	15
1523	Electrically Controllable Saturable Absorption in Hybrid Graphene-Silicon Waveguides. 2015 ,	3
1522	All-Optical Modulation of a Graphene-Cladded Silicon Photonic Crystal Cavity. 2015 , 2, 1513-1518	52
1521	Graphene-doped polymer nanofibers for low-threshold nonlinear optical waveguiding. 2015 , 4, e348-e348	33
1520	Tunable continuous wave and passively Q-switched Nd:LuLiF ₄ laser with monolayer graphene as saturable absorber. 2015 , 25, 015805	1
1519	Experimental demonstration of a transparent graphene millimetre wave absorber with 28% fractional bandwidth at 140 GHz. 2014 , 4, 4130	153
1518	Graphene Oxide: Physics and Applications. 2015 ,	30

1517	Ytterbium-doped fiber laser passively mode locked by few-layer Molybdenum Disulfide (MoS ₂) saturable absorber functioned with evanescent field interaction. 2014 , 4, 6346	323
1516	Preparation of few-layer bismuth selenide by liquid-phase-exfoliation and its optical absorption properties. 2014 , 4, 4794	103
1515	Passively Q-Switched Erbium-Doped Fiber Laser Based on Few-Layer MoS ₂ Saturable Absorber. 2015 , 27, 69-72	95
1514	Effect of complex formation on nonlinear optical parameters of dye-graphene system. 2015 , 299, 54-61	10
1513	Passively Q-Switched 1.89- μ m Fiber Laser Using a Bulk-Structured Bi ₂ Te ₃ Topological Insulator. 2015 , 21, 31-36	38
1512	Rare-Earth-Doped Sesquioxides for Diode-Pumped High-Power Lasers in the 1-, 2-, and 3- μ m Spectral Range. 2015 , 21, 250-262	108
1511	Graphene nanomaterials as biocompatible and conductive scaffolds for stem cells: impact for tissue engineering and regenerative medicine. 2015 , 9, 1321-38	109
1510	A review of non-linear terahertz spectroscopy with ultrashort tabletop-laser pulses. 2015 , 62, 1447-1479	79
1509	Graphene saturable absorber for diode pumped Yb:Sc ₂ SiO ₅ mode-locked laser. 2015 , 65, 1-4	49
1508	Wavelength-versatile graphene-gold film saturable absorber mirror for ultra-broadband mode-locking of bulk lasers. 2014 , 4, 5016	51
1507	Multi-pulses dynamic patterns in a topological insulator mode-locked ytterbium-doped fiber laser. 2015 , 335, 65-72	19
1506	Size-dependent nonlinear optical properties of atomically thin transition metal dichalcogenide nanosheets. 2015 , 11, 694-701	132
1505	HIGH SIGNAL-TO-NOISE RATIO Q-SWITCHING ERBIUM DOPED FIBER LASER PULSE EMISSION UTILIZING SINGLE LAYER TRIVIAL TRANSFER GRAPHENE FILM SATURABLE ABSORBER. 2016 , 78,	0
1504	Enhanced Thermal and Electrical Properties of Polystyrene-Graphene Nanofibers via Electrospinning. 2016 , 2016, 1-8	13
1503	Recent Advances in Graphene-Assisted Nonlinear Optical Signal Processing. 2016 , 2016, 1-18	7
1502	Bi ₂ Te ₃ based passively Q-switched fiber laser with cylindrical vector beam emission. 2016 , 55, 3026-9	43
1501	Modeling and Design of a New Flexible Graphene-on-Silicon Schottky Junction Solar Cell. 2016 , 5, 73	6
1500	Saturable absorption of femtosecond optical pulses in multilayer turbostratic graphene. 2016 , 24, 15261-73	7

1499	Graphene mode-locked femtosecond Cr ²⁺ :ZnS laser with ~300 nm tuning range. 2016 , 24, 20774-80	17
1498	Optically controlled in-line graphene saturable absorber for the manipulation of pulsed fiber laser operation. 2016 , 24, 21301-7	8
1497	Vector soliton fiber laser passively mode locked by few layer black phosphorus-based optical saturable absorber. 2016 , 24, 25933-25942	163
1496	Passively mode-locked Nd:LuAG laser at 1338 nm. 2016 , 6, 1	9
1495	Direct generation of dip-type sidebands from WS ₂ mode-locked fiber laser. 2016 , 6, 2475	57
1494	Ultrafast nonlinear absorption and nonlinear refraction in few-layer oxidized black phosphorus. 2016 , 4, 286	52
1493	High-power passively continuous-wave and Q-switching mode-locked Nd:LuVO ₄ laser by few-layer graphene-oxide films. 2016 , 6, 3927	6
1492	Passive Q-switched and Mode-locked Fiber Lasers Using Carbon-based Saturable Absorbers. 2016 ,	2
1491	Application of 2D Materials to Ultrashort Laser Pulse Generation. 2016 ,	3
1490	Ultra-broadband and omnidirectional enhanced absorption of graphene in a simple nanocavity structure. 2016 , 108, 253-261	22
1489	. 2016 , 8, 1-7	6
1488	. 2016 , 34, 5118-5128	11
1487	Chemical Wet Etching of an Optical Fiber Using a Hydrogen Fluoride-Free Solution for a Saturable Absorber Based on the Evanescent Field Interaction. 2016 , 34, 3776-3784	35
1486	Pulsed Lasers Employing Solution-Processed Plasmonic Cu ₃ -xP Colloidal Nanocrystals. 2016 , 28, 3535-42	55
1485	Bismuth telluride topological insulator nanosheet saturable absorbers for q-switched mode-locked Tm:ZBLAN waveguide lasers. 2016 , 528, 543-550	49
1484	Passively Q-switched erbium-doped fiber laser with graphite saturable absorber based on the pencil-sketching at 1.56 μm region. 2016 ,	
1483	Phase Conjugated and Transparent Wavelength Conversions of Nyquist 16-QAM Signals Employing a Single-Layer Graphene Coated Fiber Device. 2016 , 6, 22379	7
1482	Black phosphorus: a two-dimension saturable absorption material for mid-infrared Q-switched and mode-locked fiber lasers. 2016 , 6, 30361	197

1481	Single-wall carbon nanotubes and graphene oxide-based saturable absorbers for low phase noise mode-locked fiber lasers. 2016 , 6, 25266	62
1480	Boron nitride encapsulated graphene infrared emitters. 2016 , 108, 131110	22
1479	Frequency adjustable cross-shaped absorber based on graphene. 2016 ,	
1478	A novel mode-locked fiber laser based on graphene with microvoid. 2016 ,	
1477	Localized surface plasmon resonance in graphene nanomesh with Au nanostructures. 2016 , 109, 041106	9
1476	Ultrafast, broadband, and configurable midinfrared all-optical switching in nonlinear graphene plasmonic waveguides. 2016 , 1, 046101	32
1475	Interface and photoluminescence characteristics of graphene-(GaN/InGaN) _n multiple quantum wells hybrid structure. 2016 , 119, 143105	2
1474	Enhanced photoresponsivity in graphene-silicon slow-light photonic crystal waveguides. 2016 , 108, 111106	30
1473	Passive mode-locking of a fiber laser operating in the regime of undumped regular spiking. 2016 , 121, 925-929	4
1472	Low threshold of a continuous-wave mode-locked and azimuthally polarized Nd:YVO ₄ laser with a semiconductor saturable absorber mirror. 2016 , 18, 125603	1
1471	End-to-End Self-Assembly of Gold Nanorods in Water Solution for Absorption Enhancement at a 1-to-2 μm Band for a Broadband Saturable Absorber. 2016 , 34, 5250-5257	22
1470	Coherence loss of partially mode-locked fibre laser. 2016 , 6, 24995	16
1469	Progress on mid-IR graphene photonics and biochemical applications. 2016 , 9, 259-269	13
1468	Optical modulators with 2D layered materials. 2016 , 10, 227-238	910
1467	Nonlinear optical properties of the mixture of ZnO nanoparticles and graphene nanosheets. 2016 , 122, 1	42
1466	Fiber-integrated tungsten disulfide saturable absorber (mirror) for pulsed fiber lasers. 2016 , 55, 081318	22
1465	Black phosphorus polycarbonate polymer composite for pulsed fibre lasers. 2016 , 4, 17-23	74
1464	Direct Threat of UV _D zone-Treated Indium-Tin Oxide in Organic Optoelectronics and Stability Enhancement Using Graphene Oxide as Anode Buffer Layer. 2016 , 365-380	0

1463	Recent progress in semiconductor excitable lasers for photonic spike processing. 2016 , 8, 228	120
1462	Two-Step Excitation Triggered by One-Photon Absorption on Linear Dispersion in Monolayer Graphene. 2016 , 120, 11225-11229	1
1461	Q-switching of Yb:YGG, Yb:LuGG and Yb:CNGG lasers by a graphene saturable absorber. 2016 , 48, 1	6
1460	Contamination-free suspended graphene structures by a Ti-based transfer method. 2016 , 103, 305-310	12
1459	28 fs passively Q-switched Er:CaF ₂ diode-pumped laser. 2016 , 6, 1570	50
1458	Fabrication and application of a graphene polarizer with strong saturable absorption. 2016 , 4, 41	20
1457	Graphene-based multilayer resonance structure to enhance the optical pressure on a Mie particle. 2016 , 10, 026015	3
1456	Reverse saturable absorption and nonlinear refraction of ultrathin ZrS ₃ nanobelts. 2016 , 8, 10371-9	23
1455	Passive Q-switching of Yb bulk lasers by a graphene saturable absorber. 2016 , 122, 1	12
1454	Role of Transient Reflection in Graphene Nonlinear Infrared Optics. 2016 , 3, 1069-1075	12
1453	All-normal dispersion Yb-doped fiber laser mode-locked by Sb ₂ Te ₃ topological insulator. 2016 ,	
1452	2.8- μm Pulsed Er ³⁺ : ZBLAN Fiber Laser Modulated by Topological Insulator. 2016 , 28, 1573-1576	55
1451	Femtosecond harmonic mode-locking of a fiber laser at 3.27 GHz using a bulk-like, MoSe ₂ -based saturable absorber. 2016 , 24, 10575-89	93
1450	Near-Infrared Saturable Absorption of Defective Bulk-Structured WTe ₂ for Femtosecond Laser Mode-Locking. <i>Advanced Functional Materials</i> , 2016 , 26, 7454-7461	15.6 129
1449	Er ³⁺ -Doped Nanoengineered Ytria-Stabilized Zirconia Alumino-Silicate Fiber for Efficient CW and Mode-Locked Laser Operation. 2016 , 1-1	2
1448	Broadband third order nonlinear optical responses of bismuth telluride nanosheets. 2016 , 6, 2244	40
1447	1.38 MW peak power dual-loss modulated sub-nanosecond green laser with EO and graphene. 2016 , 62, 23-27	1
1446	Topological insulators based passively Q-switched fiber laser with cylindrical-vector beam emission. 2016 ,	

1445	Thulium-doped all-fiber mode-locked laser synchronously pumping by a fiber laser. 2016,	
1444	Local Controllable Laser Patterning of Polymers Induced by Graphene Material. 2016, 8, 28077-28085	25
1443	Cu-Sn-S plasmonic semiconductor nanocrystals for ultrafast photonics. 2016, 8, 18277-18281	19
1442	A Broadband Optical Modulator Based on a Graphene Hybrid Plasmonic Waveguide. 2016, 34, 4948-4953	47
1441	Transition metal dichalcogenides based saturable absorbers for pulsed laser technology. 2016, 60, 601-617	49
1440	Monolayer graphene coated Yb:YAG channel waveguides for Q-switched laser operation. 2016, 6, 2468	15
1439	WS ₂ as a saturable absorber for Q-switched 2 micron lasers. 2016, 41, 3783-6	64
1438	Nonlinear optical properties of multilayer graphene in the infrared. 2016, 24, 13033-43	71
1437	Scalar-vector soliton fiber laser mode-locked by nonlinear polarization rotation. 2016, 24, 18764-71	32
1436	Substrate and atmosphere influence on oxygen p-doped graphene. 2016, 107, 696-704	13
1435	Soliton mode-locked erbium-doped fibre laser with mechanically exfoliated molybdenum disulphide saturable absorber. 2016, 10, 169-173	1
1434	Ni-Co-Se nanoparticles modified reduced graphene oxide nanoflakes, an advance electrocatalyst for highly efficient hydrogen evolution reaction. 2016, 213, 423-431	30
1433	Recent Advances in Laser Utilization in the Chemical Modification of Graphene Oxide and Its Applications. 2016, 4, 37-65	96
1432	Ag-nanoparticle as a Q switched device for tunable C-band fiber laser. 2016, 381, 85-90	23
1431	Optoelectronic and Transport Properties of Gapped Graphene. 2016, 489-504	2
1430	Progress in pulsed laser deposited two-dimensional layered materials for device applications. 2016, 4, 8859-8878	86
1429	Silver nanoparticle-film based saturable absorber for passively Q-switched erbium-doped fiber laser (EDFL) in ring cavity configuration. 2016, 26, 095103	25
1428	Seed/Catalyst Free Growth and Self-Powered Photoresponse of Vertically Aligned ZnO Nanorods on Reduced Graphene Oxide Nanosheets. 2016, 16, 4831-4838	27

1427	A black phosphorus-based tunable Q-switched ytterbium fiber laser. 2016 , 13, 095103	30
1426	Ultrafast erbium-doped fiber laser mode-locked with a black phosphorus saturable absorber. 2016 , 13, 095104	33
1425	Monolayer graphene as dissipative membrane in an optical resonator. 2016 , 122, 1	3
1424	Graphene-assisted multiple-input high-base optical computing. 2016 , 6, 32911	16
1423	Spike processing with a graphene excitable laser. 2016 , 6, 19126	85
1422	Deposition of the MoSe2 ethanol dispersions on tapered fiber. 2016 ,	
1421	Switchable thulium-doped fiber laser from polarization rotation vector to scalar soliton. 2016 , 6, 34844	20
1420	Universal Near-Infrared and Mid-Infrared Optical Modulation for Ultrafast Pulse Generation Enabled by Colloidal Plasmonic Semiconductor Nanocrystals. 2016 , 10, 9463-9469	76
1419	Graphene and its derivatives for laser protection. 2016 , 84, 118-157	85
1418	Efficient Excitation of Multiple Plasmonic Modes on Three-Dimensional Graphene: An Unexplored Dimension. 2016 , 3, 1986-1992	34
1417	Synthesis of SnSe nanosheets by hydrothermal intercalation and exfoliation route and their photoresponse properties. 2016 , 214, 46-50	32
1416	MoS2 nano-flake doped polyvinyl alcohol enabling polarized soliton mode-locking of a fiber laser. 2016 , 4, 9454-9459	14
1415	Effect of thickness on nonlinear absorption properties of graphite oxide thin films. 2016 , 60, 450-455	7
1414	Stable, Surfactant-Free GrapheneStyrene Methylmethacrylate Composite for Ultrafast Lasers. 2016 , 4, 1088-1097	29
1413	Generation of mode-locked erbium-doped fiber laser using MoSe2as saturable absorber. 2016 , 55, 076115	14
1412	Tunable infrared plasmonic waveguides using graphene based hyperbolic metamaterials. 2016 , 127, 9640-9646	5
1411	Passive Q-switching of microchip lasers based on Ho:YAG ceramics. 2016 , 55, 4877-87	34
1410	Linearly polarized, Q-switched, erbium-doped fiber laser incorporating a bulk-structured bismuth telluride/polyvinyl alcohol saturable absorber. 2016 , 55, 076109	16

1409	Graphene-Based Active Random Metamaterials for Cavity-Free Lasing. 2016 , 116, 217401	30
1408	The generation of passive dual wavelengths Q-switched YDFL by MoSe ₂ film. 2016 , 13, 115102	8
1407	Nanomaterials for optical data storage. 2016 , 1,	159
1406	Fibre amplifying loop mirror with nonlinearity independent of the intensity of intra-cavity radiation. 2016 ,	
1405	Optical reflection efficiency modulation based on graphene film. 2016 ,	
1404	Nonlinear Optical Materials for the Smart Filtering of Optical Radiation. 2016 , 116, 13043-13233	329
1403	Polarization domain wall pulses in a microfiber-based topological insulator fiber laser. 2016 , 6, 29128	23
1402	70-fs mode-locked erbium-doped fiber laser with topological insulator. 2016 , 6, 19997	90
1401	Facile Preparation of Single MoS ₂ Atomic Crystals with Highly Tunable Photoluminescence by Morphology and Atomic Structure. 2016 , 16, 7094-7101	7
1400	Erbium-doped fiber laser passively mode locked with few-layer WSe ₂ /MoSe ₂ nanosheets. 2016 , 6, 23583	141
1399	Photonics and optoelectronics of two-dimensional materials beyond graphene. 2016 , 27, 462001	203
1398	Efficient graphene saturable absorbers on D-shaped optical fiber for ultrashort pulse generation. 2016 , 6, 20644	75
1397	Q-switched ytterbium-doped fiber laser with zinc oxide based saturable absorber. 2016 , 26, 115107	20
1396	GRAPHENE-BASED NANOSYSTEMS FOR THE DETECTION OF PROTEINIC BIOMARKERS OF DISEASE. 2016 , 377-399	2
1395	Covalent functionalization of reduced graphene oxide with porphyrin by means of diazonium chemistry for nonlinear optical performance. 2016 , 6, 23325	81
1394	Negative Refraction with Superior Transmission in Graphene-Hexagonal Boron Nitride (hBN) Multilayer Hyper Crystal. 2016 , 6, 25442	45
1393	Tunable Picosecond Laser Pulses via the Contrast of Two Reverse Saturable Absorption Phases in a Waveguide Platform. 2016 , 6, 26176	6
1392	152 fs nanotube-mode-locked thulium-doped all-fiber laser. 2016 , 6, 28885	66

1391	Graphene-clad microfibre saturable absorber for ultrafast fibre lasers. 2016 , 6, 26024	71
1390	Graphene based widely-tunable and singly-polarized pulse generation with random fiber lasers. 2015 , 5, 18526	37
1389	Quasi mode-locking of coherent feedback random fiber laser. 2016 , 6, 39703	16
1388	Microscopic Raman study of graphene on 4H-SiC two-dimensionally enhanced by surface roughness and gold nanoparticles. 2016 , 55, 06GL05	2
1387	Effect of air on oxygen p-doped graphene on SiO ₂ . 2016 , 213, 2341-2344	21
1386	Nonlinear Saturable Absorption of Liquid-Exfoliated Molybdenum/Tungsten Ditelluride Nanosheets. 2016 , 12, 1489-97	179
1385	Passively Q-Switched Red Pr ³⁺ -Doped Fiber Laser With Graphene-Oxide Saturable Absorber. 2016 , 28, 1755-1758	9
1384	Tutorial on fiber-based sources for biophotonic applications. 2016 , 21, 61010	7
1383	Sb ₂ Te ₃ -deposited D-shaped fiber as a saturable absorber for mode-locked Yb-doped fiber lasers. 2016 , 6, 2273	38
1382	Delivering dispersion-managed soliton and Q-switched pulse in fiber laser based on graphene and nonlinear optical loop mirror. 2016 , 85, 41-47	5
1381	Orthogonally dual-polarization passively mode-locking operation of Nd:La _{0.25} Gd _{0.75} VO ₄ crystal. 2016 , 85, 60-65	3
1380	Grain Boundaries in Chemical Vapor Deposition-Grown Graphene. 2016 , 123-142	
1379	Hybrid mode-locked fiber ring laser using graphene and charcoal nanoparticles as saturable absorbers. 2016 ,	2
1378	Orange-light passively Q-switched Pr ³⁺ -doped all-fiber lasers with transition-metal dichalcogenide saturable absorbers. 2016 , 6, 2031	33
1377	Self-activating liquid crystal devices for smart laser protection. 2016 , 43, 2062-2078	49
1376	Solvothermal Synthesis and Ultrafast Photonics of Black Phosphorus Quantum Dots. 2016 , 4, 1223-1229	267
1375	Tungsten diselenide Q-switched erbium-doped fiber laser. 2016 , 55, 081306	56
1374	Enhanced nonlinear optical properties of graphene oxide/silver nanocomposites measured by Z-scan technique. 2016 , 6, 10319-10325	63

1373	A tutorial introduction to graphene-microfiber waveguide and its applications. 2016 , 9, 535-543	4
1372	Carbon nanotube and graphene photonic devices. 2016 , 47-85	2
1371	Passively Q-switched flashlamp pumped Nd:YAG laser using liquid graphene oxide as saturable absorber. 2016 , 80, 28-32	6
1370	Nonlinear optical effects in nitrogen-doped graphene. 2016 , 6, 3526-3531	23
1369	Two-dimensional material-based saturable absorbers: towards compact visible-wavelength all-fiber pulsed lasers. 2016 , 8, 1066-72	209
1368	All-normal dispersion passively mode-locked Yb-doped fiber laser using MoS ₂ /BVA saturable absorber. 2016 , 26, 055103	23
1367	Q-Switched Fiber Laser Using a Fiber-Tip-Integrated TI Saturable Absorption Mirror. 2016 , 8, 1-6	14
1366	All-Polarization Maintaining Passively Mode-Locked Fiber Laser Using Evanescent Field Interaction With Single-Walled Carbon Nanotube Saturable Absorber. 2016 , 34, 3510-3514	21
1365	Tunable defect mode realized by graphene-based photonic crystal. 2016 , 380, 1793-1798	23
1364	A pulse-width-tunable, mode-locked fiber laser based on dissipative soliton resonance using a bulk-structured Bi ₂ Te ₃ topological insulator. 2016 , 55, 081309	31
1363	Graphene mode-locked and Q-switched 2 - μ m Tm/Ho codoped fiber lasers using 1212-nm high-efficient pumping. 2016 , 55, 081310	14
1362	Dissipative soliton generation in an all-normal dispersion ytterbium-doped fiber laser using few-layer molybdenum diselenide as a saturable absorber. 2016 , 55, 081311	34
1361	2.6 ps pulse from passively mode-locking Nd:Gd _{0.64} Y _{0.36} VO ₄ laser based on graphene oxide. 2016 , 127, 673-676	2
1360	Generation of 30 fs pulses from a diode-pumped graphene mode-locked Yb:CaYAlO ₄ laser. 2016 , 41, 890-3	59
1359	Watt-Level Ultrafast Fiber Laser Based on Weak Evanescent Interaction With Reduced Graphene Oxide. 2016 , 28, 1245-1248	19
1358	Third-Order Optical Nonlinearities in Organometallic Methylammonium Lead Iodide Perovskite Thin Films. 2016 , 3, 361-370	95
1357	Realization of mid-infrared graphene hyperbolic metamaterials. 2016 , 7, 10568	146
1356	Q-switched waveguide laser based on two-dimensional semiconducting materials: tungsten disulfide and black phosphorous. 2016 , 24, 2858-66	35

1355	Nonlinear Optical Response of Organic-Inorganic Halide Perovskites. 2016 , 3, 371-377	118
1354	Congestion Control for Vehicular Networks With Safety-Awareness. 2016 , 24, 3290-3299	35
1353	Passively Q-switched erbium-doped fiber laser at C-band region based on WS ₂ saturable absorber. 2016 , 55, 1001-5	52
1352	Liquid-phase exfoliation of flaky graphite. 2016 , 10, 012525	16
1351	1.31 and 1.32 μm dual-wavelength Nd:LuLiF ₄ laser. 2016 , 81, 14-17	2
1350	Pulsed erbium-doped fiber laser by a few-layer molybdenum disulfide saturable absorber: from Q-switching to mode-locking. 2016 , 55, 081308	19
1349	Graphite saturable absorber based on the pencil-sketching method for Q-switching of an erbium fiber laser. 2016 , 55, 303-9	25
1348	Harmonically mode-locked femtosecond fiber laser using non-uniform, WS ₂ -particle deposited side-polished fiber. 2016 , 18, 035502	39
1347	Black phosphorus as broadband saturable absorber for pulsed lasers from 1 μm to 2.7 μm wavelength. 2016 , 13, 045801	134
1346	2 μm ultrafast fiber laser modelocked by mechanically exfoliated Sb ₂ Te ₃ . 2016 ,	4
1345	Harmonic mode-locking and wavelength-tunable Q-switching operation in the graphene-Bi ₂ Te ₃ heterostructure saturable absorber-based fiber laser. 2016 , 55, 081314	18
1344	Optically driven black phosphorus as a saturable absorber for mode-locked laser pulse generation. 2016 , 55, 081317	21
1343	High-speed ultrashort pulse fiber ring laser using charcoal nanoparticles. 2016 , 55, 2149-54	11
1342	Selenium-assisted controlled growth of graphene-Bi ₂ Se ₃ nanoplates hybrid Dirac materials by chemical vapor deposition. 2016 , 365, 357-363	14
1341	Functionalization of reduced graphene oxide with axially-coordinated metal-porphyrins: facile syntheses and temporally-dependent nonlinear optical properties. 2016 , 3, 296-305	15
1340	Effective transfer of micron-size graphene to microfibers for photonic applications. 2016 , 96, 1114-1119	29
1339	Q-switched Erbium-doped fiber laser using MoSe ₂ as saturable absorber. 2016 , 79, 20-23	36
1338	Graphene Mode-Locked Fiber Laser at 2.8 μm . 2016 , 28, 7-10	92

1337	Bilayer Bismuth Selenide nanoplatelets based saturable absorber for ultra-short pulse generation (Invited). 2017 , 395, 55-60	21
1336	Graphene-Bi ₂ Te ₃ Heterostructure as Broadband Saturable Absorber for Ultra-Short Pulse Generation in Er-Doped and Yb-Doped Fiber Lasers. 2017 , 23, 195-199	36
1335	High-Peak Power Passively Q-Switched 2- μ m Laser With MoS ₂ Saturable Absorber. 2017 , 23, 66-70	41
1334	Self-Starting Mode-Locking by Fiber-Integrated WS ₂ Saturable Absorber Mirror. 2017 , 23, 33-38	20
1333	Polarized light source based on graphene-nanoribbon hybrid structure. 2017 , 395, 76-81	6
1332	Unintentional Polarization Dependent Pulsewidth of Graphene Mode-Locked Er-Doped Fiber Lasers. 2017 , 23, 50-59	7
1331	70-W Graphene-Oxide Passively Q-Switched Thulium-Doped Double-Clad Fiber Laser. 2017 , 23, 13-19	9
1330	Graphene-Decorated Microfiber Photonic Device for Generation of Rogue Waves in a Fiber Laser. 2017 , 23, 20-25	23
1329	Compact Passive Q-Switching Pr ³⁺ -Doped ZBLAN Fiber Laser With Black Phosphorus-Based Saturable Absorber. 2017 , 23, 7-12	26
1328	Graphene Q-Switched Vectorial Fiber Laser With Switchable Polarized Output. 2017 , 23, 26-32	14
1327	Power Scaling of an All-PM Fiber Er-Doped Mode-Locked Laser Based on Graphene Saturable Absorber. 2017 , 23, 60-65	13
1326	Graphene Modulators and Switches Integrated on Silicon and Silicon Nitride Waveguide. 2017 , 23, 94-100	30
1325	Octave-Spanning Supercontinuum Generation From an NALM Mode-Locked Yb-Fiber Laser System. 2017 , 9, 1-7	9
1324	A robust and tuneable mid-infrared optical switch enabled by bulk Dirac fermions. 2017 , 8, 14111	126
1323	Laser trimming of graphene oxide for functional photonic applications. 2017 , 50, 074003	24
1322	Theory of Optical Nonlinearities in Graphene. 2017 , 183-219	
1321	Dual-wavelength passively Q-switched bulk laser using MoS ₂ /graphene heterojunction. 2017 , 89, 63-67	8
1320	Large area growth of monolayer MoS ₂ film on quartz and its use as a saturable absorber in laser mode-locking. 2017 , 32, 025013	16

1319	Study of a high output coupling ratio Q-switched erbium-doped fibre laser using MoS ₂ saturable absorber. 2017 , 27, 025104	5
1318	2D Materials for Optical Modulation: Challenges and Opportunities. 2017 , 29, 1606128	256
1317	Q-Switching of Ytterbium Lasers by A Graphene Saturable Absorber. 2017 , 533-535	1
1316	Emerging Low-Dimensional Materials for Nonlinear Optics and Ultrafast Photonics. 2017 , 29, 1605886	184
1315	Plasmonics of 2D Nanomaterials: Properties and Applications. 2017 , 4, 1600430	108
1314	Boosting the terahertz nonlinearity of graphene by orientation disorder. 2017 , 4, 025035	8
1313	Mode-locking pulse generation in cladding pumped Erbium-Ytterbium co-doped fiber laser with graphene PVA film. 2017 , 136, 531-535	1
1312	Direct Observation of High Photoresponsivity in Pure Graphene Photodetectors. 2017 , 12, 93	22
1311	Nonlinear Optical Experiments on Graphene. 2017 , 221-240	1
1310	Graphene Q-switched Tm:KY(WO ₄) ₂ waveguide laser. 2017 , 27, 045801	9
1309	Emerging Trends in Phosphorene Fabrication towards Next Generation Devices. 2017 , 4, 1600305	224
1308	Integrated Fiber-Optic Device Based on a Combination of a Piezoelectric Transducer and a Bulk-Structured Bi ₂ Te ₃ Topological Insulator for Q-Switched Mode-Locking of a Fiber Laser. 2017 , 35, 2175-2182	13
1307	Switching of Photonic Crystal Lasers by Graphene. 2017 , 17, 1892-1898	21
1306	Single-Wavelength and Multiwavelength Q-Switched Fiber Laser Using Fe ₃ O ₄ Nanoparticles. 2017 , 9, 1-9	16
1305	Nondestructive and in situ determination of graphene layers using optical fiber Fabry-Pérot interference. 2017 , 28, 025206	5
1304	Distinguishing thermal lens effect from electronic third-order nonlinear self-phase modulation in liquid suspensions of 2D nanomaterials. 2017 , 9, 3547-3554	45
1303	Symmetrical broken and nonlinear response of Weyl semimetal TaAs influenced by the topological surface states and Weyl nodes. 2017 , 529, 1600359	5
1302	The ultrafast tunable saturable absorption of metal complexes containing redox-active 1-(2-pyridylazo)-2-acenaphthequinol ligands. 2017 , 66, 241-246	1

1301	Wavelength tunable, linearly polarized mode-locked fiber laser using chirped fiber Bragg grating. 2017 , 27, 055105	2
1300	Few-Layer Phosphorene-Decorated Microfiber for All-Optical Thresholding and Optical Modulation. 2017 , 5, 1700026	106
1299	Filled Skutterudites for Broadband Saturable Absorbers. 2017 , 5, 1700096	27
1298	Graphene actively Q-switched lasers. 2017 , 4, 025095	29
1297	Q-Switching Pulse Operation in 1.5- μ m Region Using Copper Nanoparticles as Saturable Absorber. 2017 , 34, 034205	23
1296	Theoretical Comparison of NPR and Hybrid Mode-Locked Soliton Thulium-Doped Fiber Lasers. 2017 , 9, 1-11	6
1295	Over 70 nm broadband-tunable Yb-doped fiber pulse laser based on trilaminar graphene. 2017 , 14, 065105	6
1294	Black Phosphorus Based All-Optical-Signal-Processing: Toward High Performances and Enhanced Stability. 2017 , 4, 1466-1476	152
1293	Tuning of Interlayer Coupling in Large-Area Graphene/WSe ₂ van der Waals Heterostructure via Ion Irradiation: Optical Evidences and Photonic Applications. 2017 , 4, 1531-1538	55
1292	Unconventional double-banded saturation of carrier occupation in optically excited graphene due to many-particle interactions. 2017 , 8, 15042	2
1291	Modulation and enhancement of optical absorption of graphene-loaded plasmonic hybrid nanostructures in visible and near-infrared regions. 2017 , 121, 163102	15
1290	A Solution-Processed Ultrafast Optical Switch Based on a Nanostructured Epsilon-Near-Zero Medium. 2017 , 29, 1700754	68
1289	Few-layer selenium-doped black phosphorus: synthesis, nonlinear optical properties and ultrafast photonics applications. 2017 , 5, 6129-6135	93
1288	Passively mode-locked soliton femtosecond pulses employing graphene saturable absorber. 2017 , 94, 221-227	20
1287	Dynamic evolution of the soliton molecules in an all-normal dispersion fiber laser. 2017 , 27, 065102	6
1286	Near infrared passively Q-switched solid state laser based on Sb ₂ Te ₃ topological insulator saturable absorber. 2017 , 192, 1-5	7
1285	Twisted graphene-assisted photocarrier transfer from HgSe colloidal quantum dots into silicon with enhanced collection and transport efficiency. 2017 , 110, 241104	16
1284	Ultrafast terahertz responses in monolayer graphene. 2017 , 178, 125-130	

1283	Passively Q-switched Nd:YVO 4 laser with MoS 2 /GaAs saturable absorber. 2017 , 70, 153-157	4
1282	Passive mode-locking at S-band by single-mode thulium-doped fluoride fiber using a thin film PtAg/N-G saturable absorber. 2017 , 11, 026008	5
1281	Mechanically exfoliated 2D nanomaterials as saturable absorber for Q-switched erbium doped fiber laser. 2017 , 91, 1259-1264	17
1280	Stretched and soliton femtosecond pulse generation with graphene saturable absorber by manipulating cavity dispersion. 2017 , 138, 250-255	4
1279	Plasmonic Cu _{1.85} nanocrystals as saturable absorbers for passively Q-switched erbium-doped fiber lasers. 2017 , 5, 4034-4039	23
1278	Two-dimensional materials for ultrafast lasers. 2017 , 26, 034202	16
1277	Enhanced nonlinear optical response of Se-doped MoS nanosheets for passively Q-switched fiber laser application. 2017 , 28, 215206	5
1276	Nonlinear Optical Properties and Temperature Dependent Photoluminescence in hBN-GO Heterostructure 2D Material. 2017 , 121, 8060-8069	29
1275	Gold nanorods saturable absorber for Q-switched Nd:GAGG lasers at 1 μ m. 2017 , 123, 1	9
1274	Effect of reduction time on third order optical nonlinearity of reduced graphene oxide. 2017 , 66, 460-468	31
1273	Passively Q-switched and mode-locked fiber laser research based on graphene saturable absorbers. 2017 , 49, 1	13
1272	Graphene oxide functionalized long period grating for ultrasensitive label-free immunosensing. 2017 , 94, 200-206	62
1271	Aluminized Film as Saturable Absorber for Generating Passive Q-Switched Pulses in the Two-Micron Region. 2017 , 35, 2470-2475	13
1270	Tunable Nd, La:SrF 2 laser and passively Q-switched operation based on gold nanopillars saturable absorber. 2017 , 26, 024205	13
1269	Non-Hermitian engineering of synthetic saturable absorbers for applications in photonics. 2017 , 7,	15
1268	Wide Variability of Generation Regimes in Mode-Locked Fiber Lasers. 2017 , 415-433	1
1267	Black phosphorus based saturable absorber for Nd-ion doped pulsed solid state laser operation. 2017 , 91, 439-443	9
1266	Modelling of graphene Q-switched Tm lasers. 2017 , 389, 15-22	28

1265	Large-area tungsten disulfide for ultrafast photonics. 2017 , 9, 1871-1877	104
1264	Towards an all-in fiber photodetector by directly bonding few-layer molybdenum disulfide to a fiber facet. 2017 , 9, 3424-3428	15
1263	Covalent functionalization of graphene oxide with porphyrin and porphyrin incorporated polymers for optical limiting. 2017 , 19, 2252-2260	53
1262	Frequency conversion with nonlinear graphene photodetectors. 2017 , 9, 4082-4089	8
1261	Effects of ultraviolet nanosecond laser irradiation on structural modification and optical transmission of single layer graphene. 2017 , 398, 89-96	6
1260	Dynamical centrosymmetry breaking ∇ A novel mechanism for second harmonic generation in graphene. 2017 , 378, 24-32	3
1259	All-Optical Switching of Two Continuous Waves in Few Layer Bismuthene Based on Spatial Cross-Phase Modulation. 2017 , 4, 2852-2861	128
1258	Fully Suspended Reduced Graphene Oxide Photodetector with Annealing Temperature-Dependent Broad Spectral Binary Photoresponses. 2017 , 4, 2797-2806	27
1257	Large-area and highly crystalline MoSe for optical modulator. 2017 , 28, 484001	23
1256	Chalcogenide glass-on-graphene photonics. 2017 , 11, 798-805	125
1255	Nonlinear graphene plasmonics. 2017 , 473, 20170433	42
1254	Graphene Oxide saturable absorber for generating eye-safe Q-switched fiber laser. 2017 , 210, 012042	
1253	All-optical control on a graphene-on-silicon waveguide modulator. 2017 , 7, 12748	29
1252	Femtosecond mode-locking of an ytterbium-doped fiber laser using self-assembled gold nanorods. 2017 , 14, 090001	9
1251	Single-walled carbon nanotubes oust graphene and semiconductor saturable absorbers in Q-switched solid-state lasers at 2 μ m. 2017 , 14, 095801	7
1250	Bulk saturable absorption in topological insulator thin films. 2017 , 122, 035705	5
1249	Electrically Tunable Optical Nonlinearities in Graphene-Covered SiN Waveguides Characterized by Four-Wave Mixing. 2017 , 4, 3039-3044	54
1248	Impact of carbon nanotube geometrical volume on nonlinear absorption and scattering properties. 2017 , 73, 306-311	6

1247	. 2017 , 53, 1-10	7
1246	Observation of Third-order Nonlinearities in Graphene Oxide Film at Telecommunication Wavelengths. 2017 , 7, 9646	23
1245	Recent advances in black phosphorus-based photonics, electronics, sensors and energy devices. 2017 , 4, 997-1019	250
1244	Facile One-Pot Synthesis of Highly Stable GrapheneAg ₀ Hybrid Nanostructures with Enhanced Optical Properties. 2017 , 121, 21591-21599	5
1243	Cadmium Selenide Polymer Microfiber Saturable Absorber for Q-Switched Fiber Laser Applications. 2017 , 34, 094202	4
1242	Synergistically Enhanced Optical Limiting Property of Graphene Oxide Hybrid Materials Functionalized with Pt Complexes. 2017 , 9, 33029-33040	42
1241	Q-switched mode-locking and continuous-wave mode-locking operation in a short-cavity erbium-doped fiber laser. 2017 , 148, 8-13	1
1240	Reassessing Graphene Absorption and Emission Spectroscopy. 2017 , 17, 6077-6082	10
1239	Ultrafast Nonlinear Optical Properties of a Graphene Saturable Mirror in the 2 μ m Wavelength Region. 2017 , 11, 1700166	30
1238	Switchable dual-wavelength conventional soliton delivered from a graphene-mode-locked fiber laser. 2017 , 145, 549-554	7
1237	High power passively mode-locked fiber laser based on graphene nanocoated optical taper. 2017 , 111, 031106	10
1236	Stabilization of Black Phosphorous Quantum Dots in PMMA Nanofiber Film and Broadband Nonlinear Optics and Ultrafast Photonics Application. <i>Advanced Functional Materials</i> , 2017 , 27, 1702437 ^{15.6}	93
1235	1.5-micron fiber laser passively mode-locked by gold nanoparticles saturable absorber. 2017 , 403, 115-120	14
1234	Tunable Q-switched ytterbium-doped fibre laser by using zinc oxide as saturable absorber. 2017 , 25, 10-14	4
1233	Doubly Q-switched Nd:GGG laser with a few-layer MoS ₂ saturable absorber and an acousto-optic modulator. 2017 , 72, 464-469	5
1232	Period-Doubling and Quadrupling Bifurcation of Vector Soliton Bunches in a Graphene Mode Locked Fiber Laser. 2017 , 9, 1-8	20
1231	Strong saturable absorption of black titanium oxide nanoparticle films. 2017 , 426, 763-769	4
1230	Characterization and saturable absorption property of graphene oxide on optical fiber by optical deposition. 2017 , 32, 882-887	1

1229	Optically Induced Transparency and Extinction in Dispersed MoS ₂ , MoSe ₂ , and Graphene Nanosheets. 2017 , 5, 1700543	26
1228	Mode-locked ytterbium-doped fiber laser using mechanically exfoliated black phosphorus as saturable absorber. 2017 , 147, 52-58	9
1227	Passively Q-switched Nd:YVO ₄ /PPLN green laser with a few-layered MoS ₂ saturable absorber. 2017 , 24, 765-771	9
1226	Monolayer Graphene Can Emit SHG Waves. 2017 , 3,	3
1225	Dual-Wavelength Passively Q-Switched Ytterbium-Doped Fiber Laser Based on Aluminum Oxide Nanoparticle Saturable Absorbers *. 2017 , 34, 114201	7
1224	Bi ₂ Te ₃ based passively Q-switched at 1042.76 and 1047 nm wavelength. 2017 , 27, 125102	7
1223	The role of sp ² /sp ³ hybrid carbon regulation in the nonlinear optical properties of graphene oxide materials. 2017 , 7, 53643-53652	52
1222	Polarization modulation based on the hybrid waveguide of graphene sandwiched structure. 2017 , 119, 54001	2
1221	256 fs, 2 nJ soliton pulse generation from MoS ₂ mode-locked fiber laser. 2017 , 10, 122702	31
1220	High-Yield Production of MoS and WS Quantum Sheets from Their Bulk Materials. 2017 , 17, 7767-7772	56
1219	Graphene. 2017 , 363-391	2
1218	Enhanced Nonlinear Saturable Absorption of MoS ₂ /Graphene Nanocomposite Films. 2017 , 121, 27147-27153	47
1217	Direct growth of a graphitic nano-layer on optical fibers for ultra-fast laser application. 2017 , 7, 52261-52265	10
1216	Characterization of graphene oxide/silicon dioxide/p-type silicon heterojunction photodetector towards infrared 974 nm illumination. 2017 , 49, 1	4
1215	A 2 micron passively Q-switched bulk state pulsed laser based on WS ₂ . 2017 , 7, 47565-47569	9
1214	Optical nonlinearity engineering of a bismuth telluride saturable absorber and application of a pulsed solid state laser therein. 2017 , 9, 19100-19107	31
1213	Lifting the mist of flatland: The recent progress in the characterizations of two-dimensional materials. 2017 , 63, 72-93	6
1212	Asymmetrical plasmon reflections in tapered graphene ribbons with wrinkle edges. 2017 , 26, 074220	3

1211	Passively Q-Switched Nd:YVO ₄ Laser Using WS ₂ Saturable Absorber Fabricated by Radio Frequency Magnetron Sputtering Deposition. 2017 , 35, 4120-4124		27
1210	A saturable absorber based on bismuth-doped germanosilicate fiber for a 1.93 μ m, mode-locked fiber laser. 2017 , 14, 065104		3
1209	Optical, photonic and optoelectronic properties of graphene, h-BN and their hybrid materials. 2017 , 6, 943-976		49
1208	Theory of graphene saturable absorption. 2017 , 95,		89
1207	Excitons in atomically thin 2D semiconductors and their applications. 2017 , 6, 1309-1328		100
1206	Ultrathin ultra-broadband electro-absorption modulator based on few-layer graphene based anisotropic metamaterial. 2017 , 384, 50-58		20
1205	The Roadmap of Graphene-Based Optical Biochemical Sensors. <i>Advanced Functional Materials</i> , 2017 , 27, 1603918	15.6	47
1204	Electronic properties and optical absorption of graphene-polyvinylidene fluoride nanocomposites: A theoretical study. 2017 , 186, 159-166		12
1203	Ultrafast Saturable Absorption of Core/Shell Colloidal Quantum Dots. 2017 , 34, 1600193		8
1202	Single-walled carbon nanotubes on side polished fiber as a universal saturable absorber for various laser output states. 2017 , 17, 37-40		4
1201	Resonantly pumped Er:YAG laser Q-switched by topological insulator nanosheets at 1617 nm. 2017 , 71, 74-77		9
1200	Ultrafast and short pulse optical nonlinearity in isolated, sparingly sulfonated water soluble graphene. 2017 , 111, 283-290		21
1199	STM tip-enhanced Raman spectroscopy and the investigation of doped graphene. 2017 , 91, 128-135		8
1198	A long cavity passive mode-locking fibre laser with the reflective non-linear optical loop mirror. 2017 , 64, 122-126		5
1197	Evanescent field interaction of tapered fiber with graphene oxide in generation of wide-bandwidth mode-locked pulses. 2017 , 88, 166-171		18
1196	Generation of conventional and dissipative solitons in a graphene-mode-locked fiber laser. 2017 ,		
1195	Cavity nonlinear optics with layered materials. 2017 , 7, 355-370		26
1194	Response to [Comment on [Graphene] rather ordinary nonlinear optical material [Appl. Phys. Lett. 111, 106101 (2017)]. 2017 , 111, 106102		7

- 1193 Low-loss saturable absorbers based on tapered fibers embedded in carbon nanotube/polymer composites. **2017**, 2, 126103 25
- 1192 Spatially modulated intensity occupation in nanobeam cavities for robust light matter interaction with nanomaterials. **2017**,
- 1191 Watt-level, ultrafast fiber laser functioned with ultraweak evanescent field. **2017**,
- 1190 Compact visible Q-switching fiber lasers with transition-metal dichalcogenides. **2017**,
- 1189 TiO₂-Based Q-Switched Ytterbium-Doped Fiber Laser. **2017**, 53, 1-6 3
- 1188 Passive mode-locking of a fiber laser using a graphene oxide-based saturable absorber based on cladding-etched optical fiber. **2017**,
- 1187 A femtosecond pulse fiber laser at 1.91 μm using MoSe₂/PVA-based evanescent field interaction. **2017**,
- 1186 Sub-300fs mode-locked erbium doped fiber laser using graphene oxide and reduced graphene oxide onto D-shaped optical fibers. **2017**, 1
- 1185 Tunable Gold Nanorods Q-Switcher for Pulsed Er-Doped Fiber Laser. **2017**, 9, 1-9 10
- 1184 Atomically transition metal dichalcogenides heterostructures for ultrafast photonics. **2017**,
- 1183 Two-dimensional layered materials and Van der Waals heterostructures for ultrafast photonics (invited). **2017**,
- 1182 Tungsten disulfide saturable absorbers for 67 fs mode-locked erbium-doped fiber lasers. **2017**, 25, 2950-2959 168
- 1181 Graphene Q-switched distributed feedback fiber lasers with narrow linewidth approaching the transform limit. **2017**, 25, 8202-8211 20
- 1180 Fundamental and harmonic mode-locking at 2.1 μm with black phosphorus saturable absorber. **2017**, 25, 16916-16921 84
- 1179 All-optical tunable microfiber knot resonator with graphene-assisted sandwich structure. **2017**, 25, 18451-18460 10
- 1178 Generation of vector dissipative and conventional solitons in large normal dispersion regime. **2017**, 25, 18751-18759 16
- 1177 Boundary element method for 2D materials and thin films. **2017**, 25, 23709-23724 1
- 1176 Black phosphorus saturable absorber for dual-wavelength polarization-locked vector soliton generation. **2017**, 25, 32380 30

1175	Transition-metal dichalcogenides heterostructure saturable absorbers for ultrafast photonics. 2017 , 42, 4279-4282	51
1174	All-fiberized, femtosecond laser at 1912 nm using a bulk-like MoSe ₂ saturable absorber. 2017 , 7, 2968	60
1173	Sub-nanosecond KTP-OPO pumped by a hybrid Q-switched laser with WS ₂ saturable absorber and AOM. 2017 , 7, 3998	8
1172	g-C ₃ N ₄ as a saturable absorber for the passively Q-switched Nd:LLF laser at 13 μ m. 2017 , 5, 33	16
1171	High-power passively Q-switched 2 μ m all-solid-state laser based on a Bi ₂ Te ₃ saturable absorber. 2017 , 5, 461	69
1170	Improved third-order nonlinear effect in graphene based on bound states in the continuum. 2017 , 5, 629	25
1169	All-fiber passively Q-switched 604 nm praseodymium laser with a Bi ₂ Se ₃ saturable absorber. 2017 , 56, 802-805	10
1168	Large-area highly crystalline WSe atomic layers for ultrafast pulsed lasers. 2017 , 25, 30020-30031	44
1167	Controlled stacking of graphene monolayer saturable absorbers for ultrashort pulse generation in erbium-doped fiber lasers. 2017 , 7, 2528	12
1166	Q-switched fiber laser based on saturable absorption of ferroferric-oxide nanoparticles. 2017 , 5, 52	40
1165	Aluminum oxide nanoparticles as saturable absorber for C-band passively Q-switched fiber laser. 2017 , 56, 4720-4726	55
1164	Monoclinic Tm ³⁺ :MgWO ₄ : a promising crystal for continuous-wave and passively Q-switched lasers at ~2 μ m. 2017 , 42, 1177-1180	11
1163	Graphene Q-switched Er,Yb:GdAl(BO) laser at 1550 nm. 2017 , 56, 4745-4749	7
1162	In-situ monitoring by Raman spectroscopy of the thermal doping of graphene and MoS in O-controlled atmosphere. 2017 , 8, 418-424	10
1161	Submicrosecond Q-Switching Er-Doped All-Fiber Ring Laser Based on Black Phosphorus. 2017 , 2017, 1-4	1
1160	Sub-100 fs Tm:MgWO laser at 2017 nm mode locked by a graphene saturable absorber. 2017 , 42, 3076-3079	40
1159	Few-layered MoS ₂ as a saturable absorber for a passively Q-switched Er:YAG laser at 1.6 μ m. 2017 , 56, 2766-2770	9
1158	Magnetron-sputtering deposited WTe ₂ for an ultrafast thulium-doped fiber laser. 2017 , 42, 5010-5013	62

1157	716 nm deep-red passively Q-switched Pr:ZBLAN all-fiber laser using a carbon-nanotube saturable absorber. 2017 , 42, 671-674	20
1156	Magnesium diboride (MgB) as a saturable absorber for a ytterbium-doped Q-switched fiber laser. 2017 , 56, 7611-7617	3
1155	Dissipative soliton fiber lasers with higher-order nonlinearity, multiphoton absorption and emission, and random dispersion. 2017 , 34, 850	5
1154	Graphene-Enhanced Optical Signal Processing. 2017 ,	
1153	Graphitic C3N4 as a new saturable absorber for the mid-infrared spectral range. 2017 , 42, 286-289	31
1152	A 130 GHz Electro-Optic Ring Modulator with Double-Layer Graphene. 2017 , 7, 65	10
1151	Black phosphorus flakes covered microfiber for Q-switched ytterbium-doped fiber laser. 2017 , 56, 6427-6431	27
1150	Broadband atomic-layer MoS2 optical modulators for ultrafast pulse generations in the visible range. 2017 , 42, 547-550	40
1149	Investigation on the effect of output mirror transmission in WS-based red-light passively Q-switched Pr:ZBLAN all-fiber lasers. 2017 , 56, 7749-7755	2
1148	Preparation and Saturable Absorption Property of Graphene on the Optic Fiber Side by Transferring CVD-Graphene Grown on Ni. 2017 , 230, 012029	
1147	Validity Analysis of Holmium-Doped Fiber as Saturable Absorber for Passively Q-Switched Thulium-Doped Fiber Laser. 2018 , 36, 2183-2187	4
1146	Tungsten diselenide for all-fiber lasers with the chemical vapor deposition method. 2018 , 10, 7971-7977	78
1145	New 2D Carbon Nitride Organic Materials Synthesis with Huge-Application Prospects in CN Photocatalyst. 2018 , 14, e1704138	38
1144	Recent Advances in Black-Phosphorus-Based Photonics and Optoelectronics Devices. 2018 , 2, 1700315	22
1143	Experimental investigation into generation of bursts of linearly-polarized, dissipative soliton pulses from a figure-eight fiber laser at 1.03 μm . 2018 , 57, 032701	6
1142	Volatile organic compounds discrimination based on dual mode detection. 2018 , 29, 245502	5
1141	Optical Kerr effect in graphene: Theoretical analysis of the optical heterodyne detection technique. 2018 , 97,	15
1140	Molybdenum disulfide saturable absorber for eye-safe mode-locked fiber laser generation. 2018 , 27, 1850010	10

1139	Broadband graphene-based photoacoustic microscopy with high sensitivity. 2018 , 10, 8606-8614	17
1138	All-Optical Phosphorene Phase Modulator with Enhanced Stability Under Ambient Conditions. 2018 , 12, 1800016	118
1137	Q-switched all-fiber laser with short pulse duration based on tungsten diselenide. 2018 , 28, 055104	16
1136	Investigation on nonlinear optical properties of MoS ₂ nanoflake, grown on silicon and quartz substrates. 2018 , 987, 012001	1
1135	Micro-/Nano-optical Fiber Devices. 2018 , 1-40	
1134	Ultrathin 2D Transition Metal Carbides for Ultrafast Pulsed Fiber Lasers. 2018 , 5, 1808-1816	96
1133	Wavelength and pulse duration tunable ultrafast fiber laser mode-locked with carbon nanotubes. 2018 , 8, 2738	36
1132	Titanium dioxide doped fiber as a new saturable absorber for generating mode-locked erbium doped fiber laser. 2018 , 158, 1327-1333	19
1131	Mode-Locked Erbium-Doped Fiber Lasers Using 45° Tilted Fiber Grating. 2018 , 24, 1-6	5
1130	Tungsten diselenide for mode-locked erbium-doped fiber lasers with short pulse duration. 2018 , 29, 174002	68
1129	Monolayer Graphene as Dissipative Membrane in an Optical Resonator. 2018 , 617-627	
1128	2 and 3 μm passively Q-switched bulk pulse laser based on a MoS ₂ /graphene heterojunction. 2018 , 15, 015801	2
1127	2D Layered Material-Based van der Waals Heterostructures for Optoelectronics. <i>Advanced Functional Materials</i> , 2018 , 28, 1706587	15.6 191
1126	Required minimum cavity dispersion in stable, graphene mode-locked, Yb-doped fiber lasers. 2018 , 25, 237-243	2
1125	High-power highly stable passively Q-switched fiber laser based on monolayer graphene. 2018 , 15, 035102	2
1124	Broadband nonlinear optical response of monolayer MoSe ₂ under ultrafast excitation. 2018 , 112, 031108	21
1123	Multi-operational tuneable Q-switched mode-locking Er fibre laser. 2018 , 28, 015104	1
1122	Broadband Nonlinear Photoresponse of 2D TiS ₂ for Ultrashort Pulse Generation and All-Optical Thresholding Devices. 2018 , 6, 1701166	217

1121	All-fiber 2 μ m mode-locked thulium-doped fiber laser with the graphene oxide film. 2018 , 157, 1292-1299	3
1120	Enhanced photocatalytic activities of SnO ₂ by graphene oxide and its application in antibacterial. 2018 , 50, 1	12
1119	Few-Layer Tin Sulfide: A Promising Black-Phosphorus-Analogue 2D Material with Exceptionally Large Nonlinear Optical Response, High Stability, and Applications in All-Optical Switching and Wavelength Conversion. 2018 , 6, 1700985	162
1118	All-fibre Q-switching YDFL operation with bismuth-doped fibre as saturable absorber. 2018 , 65, 946-950	
1117	THz photonics in two dimensional materials and metamaterials: properties, devices and prospects. 2018 , 6, 1291-1306	81
1116	Simulation and analysis of plasmonic sensor in NIR with fluoride glass and graphene layer. 2018 , 28, 94-99	24
1115	Modeling optical transmissivity of graphene grate in on-chip silicon photonic device. 2018 , 9, 1044-1049	5
1114	Ultrafast saturable absorption in TiS induced by non-equilibrium electrons and the generation of a femtosecond mode-locked laser. 2018 , 10, 9608-9615	32
1113	Short-pulsed Q-switched Thulium doped fiber laser with graphene oxide as a saturable absorber. 2018 , 168, 462-466	6
1112	Visible Q-switched pulse laser oscillation in Pr-doped double-clad structured waterproof fluoride glass fiber with graphene. 2018 , 424, 13-16	6
1111	Palladium configuration dependence of hydrogen detection sensitivity based on graphene FET for breath analysis. 2018 , 57, 04FP05	7
1110	Bidirectional Red-Light Passively Q-Switched All-Fiber Ring Lasers With Carbon Nanotube Saturable Absorber. 2018 , 36, 2694-2701	15
1109	Nonlinear Optics with 2D Layered Materials. 2018 , 30, e1705963	309
1108	High-speed and on-chip graphene blackbody emitters for optical communications by remote heat transfer. 2018 , 9, 1279	44
1107	Investigation on nonlinear optical properties of MoS ₂ nanoflakes grown on silicon and quartz substrates. 2018 , 51, 195302	13
1106	600 fs mode-locked solid-state laser based on few-layer WS ₂ saturable absorber. 2018 , 28, 045003	2
1105	A combustion method to synthesize nanoporous graphene.. 2018 , 8, 9320-9326	0
1104	Passively Q-switched Nd:LuAG laser using few-layered MoS ₂ as saturable absorber. 2018 , 406, 249-253	17

1103	Black phosphorus quantum dots for femtosecond laser photonics. 2018 , 406, 85-90	21
1102	. 2018 , 24, 1-9	8
1101	Ethanol catalytic optical driven deposition for 1D and 2D materials with ultra-low power threshold of 0 dBm. 2018 , 406, 18-23	1
1100	Ge-Rich SiGe Mode-Locker for Erbium-Doped Fiber Lasers. 2018 , 24, 1-10	3
1099	Ultrashort pulse generation in mode-locked erbium-doped fiber lasers with tungsten disulfide saturable absorber. 2018 , 406, 72-75	33
1098	Dynamic evolution of the dissipative soliton in passively mode-locked fiber laser based on black phosphorus as a new saturable absorber. 2018 , 406, 177-182	10
1097	Inband pumped passively Q-switched Er:YAG laser at 1645 nm using WS ₂ . 2018 , 406, 230-233	3
1096	Nanotube mode locked, wavelength-tunable, conventional and dissipative solitons fiber laser. 2018 , 406, 205-208	10
1095	High-performance mode-locked and Q-switched fiber lasers based on novel 2D materials of topological insulators, transition metal dichalcogenides and black phosphorus: review and perspective (invited). 2018 , 406, 214-229	106
1094	Passively Q-switched Erbium-Doped Fiber Laser based on Graphene Oxide as Saturable Absorber. 2018 , 39, 307-310	5
1093	Versatile soliton emission from a WS ₂ mode-locked fiber laser. 2018 , 406, 66-71	23
1092	Mass production and industrial applications of graphene materials. 2018 , 5, 90-101	158
1091	Ultrathin quartz plate-based multilayer MoS ₂ for passively mode-locked fiber lasers (invited). 2018 , 406, 44-49	5
1090	Investigating the photocurrent generation and optoelectronic responsivity of WS ₂ -TiO ₂ heterostructure. 2018 , 406, 118-123	14
1089	Identification of Coherent and Incoherent Spectral Sidebands in an Ultrafast Fiber Laser. 2018 , 24, 1-6	4
1088	Broadband Nonlinear Photonics in Few-Layer MXene Ti ₃ C ₂ T _x (T = F, O, or OH). 2018 , 12, 1700229	438
1087	Thin reduced graphene oxide film with enhanced optical nonlinearity. 2018 , 156, 104-111	11
1086	Ultrafast All-Optical Switching Incorporating in Situ Graphene Grown along an Optical Fiber by the Evanescent Field of a Laser. 2018 , 5, 445-455	19

1085	Poly (N-vinyl Carbazole) [Polypyrrole/graphene oxide nanocomposite material on tapered fiber for Q-switched pulse generation. 2018 , 99, 184-190	1
1084	Rational utilization of highly conductive, commercial Elicarb graphene to advance the graphene-semiconductor composite photocatalysis. 2018 , 224, 424-432	30
1083	Few-layer Bismuthene: Sonochemical Exfoliation, Nonlinear Optics and Applications for Ultrafast Photonics with Enhanced Stability. 2018 , 12, 1700221	265
1082	Numerical simulations on influence of the saturable absorber in Er-doped fiber laser. 2018 , 410, 941-946	8
1081	A Q-switched, 1.89 μm fiber laser using an Fe ₃ O ₄ -based saturable absorber. 2018 , 195, 181-186	18
1080	Influence of gain fiber on dissipative soliton pairs in passively mode-locked fiber laser based on BP as a saturable absorber. 2018 , 410, 191-196	11
1079	Black phosphorus integrated tilted fiber grating for ultrasensitive heavy metal sensing. 2018 , 257, 1093-1098	36
1078	In Situ Control of CVD Synthesis of Graphene Film on Nickel Foil. 2018 , 255, 1700414	11
1077	Saturated evanescent-wave absorption of few-layer graphene-covered side-polished single-mode fiber for all-optical switching. 2018 , 7, 207-215	10
1076	Study on polarization properties of graphene coated D-shaped fiber. 2018 , 27, 104206	3
1075	Passively Q-Switched Erbium-Doped Fiber Laser via Evanescent Field Interaction with Few-Layer Molybdenum Ditelluride. 2018 , 2018, 1-5	
1074	Design of MEMS-based SiO ₂ Waveguides on Quartz Substrate for Evanescent Field-based Saturable Absorbers. 2018 ,	
1073	Giant bright pulses generation in an anomalous dispersion erbium-doped fiber laser with a long cavity. 2018 ,	
1072	2D bismuthene fabricated via acid-intercalated exfoliation showing strong nonlinear near-infrared responses for mode-locking lasers. 2018 , 10, 21106-21115	79
1071	Broadband polarization-insensitive saturable absorption of FeO nanoparticles. 2018 , 10, 21219-21224	39
1070	Photonic Devices. 2018 , 216-250	
1069	Ultrafast photonic devices based on nanomaterials. 2018 ,	
1068	Graphene/Silicon Schottky Junction Solar Cells. 2018 ,	0

1067	Carboxyl graphene oxide solution saturable absorber for femtosecond mode-locked erbium-doped fiber laser. 2018 , 27, 114214	9
1066	Oriented zinc oxide nanorods: A novel saturable absorber for lasers in the near-infrared. 2018 , 9, 2730-2740	6
1065	Gate-Tunable Nonlinear Refraction and Absorption in Graphene-Covered Silicon Nitride Waveguides. 2018 , 5, 4944-4950	19
1064	Spatially controlled electrostatic doping in graphene p-i-n junction for hybrid silicon photodiode. 2018 , 2,	16
1063	Multilayer graphene refractive index tuning by optical power. 2018 , 27, 126304	2
1062	Nonlinear optical properties and applications of 2D materials: theoretical and experimental aspects. 2018 , 8, 63-97	133
1061	Synchronously Pumped Mode-Locked 1.89 μ m Tm-Doped Fiber Laser with High Detuning Toleration. 2018 , 35, 114203	3
1060	Bidirectional Soliton Rain Dynamics Induced by Casimir-Like Interactions in a Graphene Mode-Locked Fiber Laser. 2018 , 121, 133902	48
1059	A curious observation of Pauli-Blocking in MoS ₂ -quantum dots/graphene hybrid system. 2018 , 124, 124501	4
1058	Saturated absorption of different layered Bi ₂ Se ₃ films in the resonance zone. 2018 , 6, C8	23
1057	Femtosecond mode-locking of a fiber laser using a CoSb ₃ -skutterudite-based saturable absorber. 2018 , 6, C36	20
1056	Polarization sensitive ReS ₂ -GaSe nanosheets for Er&Yb co-doped fiber laser. 2018 , 94, 219-222	2
1055	Femtosecond Tm:Ho co-doped fiber laser using a bulk-structured Bi ₂ Se ₃ topological insulator. 2018 , 27, 094219	17
1054	In ₂ Se ₃ saturable absorber for generating tunable Q-switched outputs from a bismuth&erbium doped fiber laser. 2018 , 15, 115105	7
1053	Investigation on photoluminescence emission of (reduced) graphene oxide paper. 2018 , 292, 012097	5
1052	Stable Dissipative Soliton Generation From Yb-Doped Fiber Laser Modulated via Evanescent Field Interaction With Gold Nanorods. 2018 , 10, 1-8	4
1051	Dispersion-Managed Soliton Molecules in a Near Zero-Dispersion Fiber Laser. 2018 , 10, 1-10	11
1050	Realization of mid-infrared broadband absorption in monolayer graphene based on strong coupling between graphene nanoribbons and metal tapered grooves. 2018 , 26, 29192-29202	14

1049	Near-absolute polarization insensitivity in grapheme based ultra-narrowband perfect visible light absorber. 2018 , 8, 15210	17
1048	Dramatic Enhancement of the Nonlinear Optical Response of Hydrogenated Fluorographene: The Effect of Midgap States. 2018 , 122, 25573-25579	6
1047	Wideband wavelength-tunable ultrafast fiber laser based on black phosphorus saturable absorber. 2018 , 15, 125102	9
1046	Colloidal Plasmonic Nanoparticles for Ultrafast Optical Switching and Laser Pulse Generation. 2018 , 5,	8
1045	Q-Switched Erbium-Doped Fiber Laser Using Cadmium Selenide Coated onto Side-Polished D-Shape Fiber as Saturable Absorber. 2018 , 35, 104201	6
1044	Recent Advances in van der Waals Heterojunctions Based on Semiconducting Transition Metal Dichalcogenides. 2018 , 4, 1800270	17
1043	Mode-Locking of All-Fiber Lasers Operating at Both Anomalous and Normal Dispersion Regimes in the C- and L-Bands Using Thin Film of 2D Perovskite Crystallites. 2018 , 12, 1800118	26
1042	Two-dimensional materials-decorated microfiber devices for pulse generation and shaping in fiber lasers. 2018 , 27, 094215	13
1041	Recent advances of low-dimensional materials in lasing applications. 2018 , 10, 22-38	12
1040	Tunable Terahertz Absorption with Optical Tamm State in the Graphene-Bragg Reflector Configuration. 2018 , 2018, 1-6	1
1039	Antimonene: a long-term stable two-dimensional saturable absorption material under ambient conditions for the mid-infrared spectral region. 2018 , 6, 900	50
1038	Developing High-Energy Dissipative Soliton 2 μ m Tm ³⁺ -Doped Fiber Lasers. 2018 ,	
1037	Graphite Saturable Absorber for Q-Switched Fiber Laser. 2018 , 7, 334	1
1036	Graphene Actively Mode-Locked Lasers. <i>Advanced Functional Materials</i> , 2018 , 28, 1801539	15.6 22
1035	Q-switched laser generation using MoWS ₂ -rGO in Erbium-doped fiber laser cavity. 2018 , 426, 1-8	9
1034	Incorporating MoS ₂ saturable absorption with nonlinear polarization rotation for stabilized mode-locking fibre lasers. 2018 , 15, 075102	12
1033	Optical limiting properties of (reduced) graphene oxide covalently functionalized by coordination complexes. 2018 , 375, 489-513	31
1032	Passively Q-switched Tm-doped fiber laser based on concave gold bipyramids assembled quasi-2D saturable absorber. 2018 , 15, 075104	3

1031	Reverse Saturable Absorption Induced by Phonon-Assisted Anti-Stokes Processes. 2018 , 30, e1801638	39
1030	Few-Layer Platinum Diselenide as a New Saturable Absorber for Ultrafast Fiber Lasers. 2018 , 10, 21534-21540	51
1029	Soliton molecules in a fiber laser based on optic evanescent field interaction with WS ₂ . 2018 , 124, 1	8
1028	Ultrafast Nonlinear Optical Response in Plasmonic 2D Molybdenum Oxide Nanosheets for Mode-Locked Pulse Generation. 2018 , 6, 1700948	44
1027	Photonics and Optoelectronics of 2D Metal-Halide Perovskites. 2018 , 14, e1800682	128
1026	Passively Q-switched erbium-doped fiber laser using coated reduced graphene oxide on arc-shaped single mode optical fiber as a saturable absorber. 2018 , 28, 085101	4
1025	Rhenium disulfide-based passively Q-switched dual-wavelength laser at 0.95 μm and 1.06 μm in Nd:YAG. 2018 , 15, 085804	7
1024	Passively mode-locked ultrashort pulse fiber laser incorporating multi-layered graphene nanoplatelets saturable absorber. 2018 , 2, 075005	7
1023	Passively Q-switched all-fiber lasers generating cylindrical vector beams with 2-dimensional material saturable absorbers. 2018 , 45, 71-76	2
1022	1.6 μm dissipative soliton fiber laser mode-locked by cesium lead halide perovskite quantum dots. 2018 , 26, 7155-7162	12
1021	6.5 GHz Q-switched mode-locked waveguide lasers based on two-dimensional materials as saturable absorbers. 2018 , 26, 11321-11330	47
1020	High energy passively Q-switched Er-doped fiber laser based on Mo _{0.5} W _{0.5} S ₂ saturable absorber. 2018 , 8, 324	6
1019	Enhanced nonlinear optical response of graphene by silver-based nanoparticle modification for pulsed lasing. 2018 , 8, 1368	19
1018	Sb ₂ Te ₃ thin film for the passive Q-switching of a Tm:GdVO ₄ laser. 2018 , 8, 1723	18
1017	Optical properties and applications for MoS ₂ -Sb ₂ Te ₃ -MoS ₂ heterostructure materials. 2018 , 6, 220	111
1016	High-quality 2- μm Q-switched pulsed solid-state lasers using spin-coating-coreduction approach synthesized Bi ₂ Te ₃ topological insulators. 2018 , 6, 314	42
1015	Broadband rhenium disulfide optical modulator for solid-state lasers. 2018 , 6, 498	42
1014	Passively Q-switched erbium doped fiber laser using a gold nanostars based saturable absorber. 2018 , 6, 549	35

1013	Nonlinear optical performance of few-layer molybdenum diselenide as a slow-saturable absorber. 2018 , 6, 674	26
1012	Bismuth nanosheets as a Q-switcher for a mid-infrared erbium-doped SrF ₂ laser. 2018 , 6, 762	54
1011	Passive mode locking resulting from weak polarization dependence based on evanescent field interaction with a monolayer graphene absorber. 2018 , 57, 3507-3510	6
1010	Graphene-decorated microfiber knot as a broadband resonator for ultrahigh-repetition-rate pulse fiber lasers. 2018 , 6, C1	40
1009	Improved photon-pair generation from transition-metal dichalcogenide monolayers embedded in one-dimensional photonic crystals. 2018 , 35, 616-625	1
1008	Ultrashort pulse generation with an erbium-doped fiber laser ring cavity based on a copper oxide saturable absorber. 2018 , 57, 5180-5185	28
1007	Q-switched ytterbium-doped fiber laser via a thulium-doped fiber saturable absorber. 2018 , 57, 6510-6515	20
1006	Three-dimensional Dirac semimetal thin-film absorber for broadband pulse generation in the near-infrared. 2018 , 43, 1503-1506	38
1005	THz absorption spectrum employed for characterize the mixed Gallium selenide-Tin disulfide saturable absorber and its application for passively Q-switched solid state laser. 2018 , 93, 87-90	5
1004	Progress on Black Phosphorus Photonics. 2018 , 6, 1800365	29
1003	Invited Article: Mode-locked waveguide lasers modulated by rhenium diselenide as a new saturable absorber. 2018 , 3, 080802	30
1002	Few-layer rhenium diselenide: an ambient-stable nonlinear optical modulator. 2018 , 8, 926	32
1001	Switchable dual-wavelength Q-switched fiber laser using multilayer black phosphorus as a saturable absorber. 2018 , 6, 198	56
1000	High energy soliton pulse generation by a magnetron-sputtering-deposition-grown MoTe ₂ saturable absorber. 2018 , 6, 535	99
999	Efficient continuous-wave and passive Q-switched mode-locked Er : CaF-SrF lasers in the mid-infrared region. 2018 , 43, 2418-2421	15
998	Near-Field Characterization of Graphene Plasmons by Photo-Induced Force Microscopy. 2018 , 12, 1800040	16
997	Optoelectronics Based Dynamic Advancement of Graphene: Characteristics and Applications. 2018 , 8, 171	5
996	High-yield production of 2D crystals by wet-jet milling. 2018 , 5, 890-904	92

995	Emerging photonic architectures in two-dimensional opto-electronics. 2018 , 47, 6824-6844	51
994	Graphene's nonlinear-optical physics revealed through exponentially growing self-phase modulation. 2018 , 9, 2675	41
993	CVD-grown MoSe with high modulation depth for ultrafast mode-locked erbium-doped fiber laser. 2018 , 29, 394002	71
992	Spin-dependent k.p Hamiltonian of black phosphorene based on Landau partitioning method. 2018 , 124, 035702	2
991	Technique and model for modifying the saturable absorption (SA) properties of 2D nanofilms by considering interband exciton recombination. 2018 , 6, 7501-7511	27
990	Comparison on exfoliated graphene nano-sheets and triturated graphite nano-particles for mode-locking the Erbium-doped fibre lasers. 2018 , 28, 065102	
989	The ultrafast dynamics and conductivity of photoexcited graphene at different Fermi energies. 2018 , 4, eaar5313	61
988	Pedestal-free 25-GHz subpicosecond optical pulse source for 16 Tbps OTDM based on phase modulation and dual-stage nonlinear compression. 2018 , 57, 2930-2934	3
987	Filling Technologies of Photonic Crystal Fibers and Their Applications. 2018 , 1-62	2
986	Acceleration of Photocarrier Relaxation in Graphene Achieved by Epitaxial Growth: Ultrafast Photoluminescence Decay of Monolayer Graphene on SiC. 2018 , 122, 19273-19279	7
985	Graphene mode-locked femtosecond Alexandrite laser. 2018 , 43, 3969-3972	22
984	Absorption-free superluminal light propagation in a Landau-quantized graphene. 2018 , 8, 075023	4
983	Mechanically exfoliated InSe as a saturable absorber for mode-locking a thulium-doped fluoride fiber laser operating in S-band. 2018 , 57, 6937-6942	14
982	Inkjet-printing of graphene saturable absorbers for ~2 THz bulk and waveguide lasers. 2018 , 8, 2803	7
981	Acrylate polymer coated side-polished fiber with graphene oxide nanoparticles for ultrafast fiber laser operation. 2018 , 28, 115101	2
980	Sub-200 fs soliton mode-locked fiber laser based on bismuthene saturable absorber. 2018 , 26, 22750-22760	229
979	Broadband 1T-titanium selenide-based saturable absorbers for solid-state bulk lasers. 2018 , 10, 20171-20177	26
978	Dispersion-managed soliton fiber laser with random dispersion, multiphoton absorption and gain dispersion. 2018 , 20, 105501	3

977	Role of precursors' ratio for growth of two-dimensional MoS ₂ structure and investigation on its nonlinear optical properties. 2018 , 663, 37-43	2
976	Electronic and Optical Properties of 2D Materials Constructed from Light Atoms. 2018 , 30, e1801600	24
975	Femto/nano-second switchable passively mode-locked fiber laser with analytic modeling by the cubic-quintic Ginzburg-Landau equation. 2018 , 43, 341-344	6
974	MoS ₂ saturable absorber prepared by chemical vapor deposition method for nonlinear control in Q-switching fiber laser. 2018 , 27, 084211	26
973	Study of mode performances of graphene-coated nanowire integrated with triangle wedge substrate. 2018 , 27, 1850013	9
972	Mesoporous Carbon Nanospheres as Broadband Saturable Absorbers for Pulsed Laser Generation. 2018 , 6, 1800606	17
971	Graphene based effectual photodetector for photonic integrated circuit. 2018 , 171, 15-19	3
970	An 8 cm long holmium-doped fiber saturable absorber for Q-switched fiber laser generation at 2- μ m region. 2018 , 43, 67-71	18
969	Nonlinear coupled-mode-theory framework for graphene-induced saturable absorption in nanophotonic resonant structures. 2018 , 97,	8
968	Ultrathin Metal-Organic Framework: An Emerging Broadband Nonlinear Optical Material for Ultrafast Photonics. 2018 , 6, 1800561	214
967	Theoretical and experimental studies on a Q-switching operation in an erbium-doped fiber laser using vanadium oxide as saturable absorber. 2018 , 28, 085106	10
966	Gold nanoparticle-decorated graphene as a nonlinear optical material in the visible and near-infrared spectral range. 2018 , 20, 18862-18872	8
965	Many-Body Complexes in 2D Semiconductors. 2019 , 31, e1706945	199
964	Ultrathin Ruddlesden-Popper Perovskite Heterojunction for Sensitive Photodetection. 2019 , 15, e1902890	27
963	2D GeP as a Novel Broadband Nonlinear Optical Material for Ultrafast Photonics. 2019 , 13, 1900123	53
962	Unleashing the potential of Ti ₂ CT _x MXene as a pulse modulator for mid-infrared fiber lasers. 2019 , 6, 045038	54
961	Dual-wavelength cross absorption modulation theory based on graphene. 2019 , 94, 125506	3
960	Passive Q-switching using Lead Sulfide suspension as a saturable absorber in 1.5 μ m region. 2019 , 52, 101969	3

959	Broadband Nonlinear Optical Response of Single-Crystalline Bismuth Thin Film. 2019 , 11, 35863-35870	11
958	Ultrafast saturable absorption dynamics in hybrid graphene/Si3N4 waveguides. 2019 , 4, 076102	21
957	NiPS nanoflakes: a nonlinear optical material for ultrafast photonics. 2019 , 11, 14383-14391	26
956	Nonlinear optical properties of ferromagnetic insulator Cr2Ge2Te6 and its application for demonstrating pulsed fiber laser. 2019 , 12, 082006	20
955	Special Topic on Nonlinear Optics in 2D Materials. 2019 , 4, 060402	2
954	Grating-Assisted Surface Plasmon Resonance for Enhancement of Optical Harmonic Generation in Graphene. 2019 , 14, 1911-1918	9
953	Ultrafast and broadband optical nonlinearity in aluminum doped zinc oxide colloidal nanocrystals. 2019 , 11, 13988-13995	10
952	Layered Semiconductor Bi2O2Se for Broadband Pulse Generation in the Near-Infrared. 2019 , 31, 1056-1059	6
951	Nonlinear optics of two-dimensional transition metal dichalcogenides. 2019 , 1, 317-337	67
950	Q-switched fiber laser operating at 1 μ m region with electron beam deposited titanium nanoparticles. 2019 , 120, 105702	3
949	Engineering Optical Absorption in Graphene and Other 2D Materials: Advances and Applications. 2019 , 7, 1900595	62
948	Comprehensive study on the nonlinear optical properties of few-layered MoSe2 nanosheets at 1 μ m. 2019 , 806, 52-57	13
947	Sensitive saturable absorber and optical switch of epsilon-near-zero medium. 2019 , 12, 065504	7
946	Functionalization of graphene layers and advancements in device applications. 2019 , 152, 954-985	61
945	Optical Biochemical Sensors Based on 2D Materials. 2019 , 379-406	4
944	Graphene filled optical fiber Fabry-Pérot cavity tunable filter. 2019 , 61, 2646-2650	1
943	Nanosecond Pulse Generation with Silver Nanoparticle Saturable Absorber. 2019 , 36, 054202	7
942	Measurement of nonlinear optical parameters of graphene oxide by Z-scan. 2019 , 1219, 012004	

- 941 A polarized nonlinear optical response in a topological insulator BiSe-Au nanoantenna hybrid-structure for all-optical switching. **2019**, 11, 14598-14606 18
- 940 Cuprous Sulfide for Different Laser Pulse Generation: Q-Switching and Mode-Locking. **2019**, 123, 28370-28376 8
- 939 Saturable Absorption in Solution-Phase and Cavity-Coupled Tungsten Hexacarbonyl. **2019**, 6, 2719-2725 18
- 938 Nonlinear Optical Properties of Zirconium Diselenide and Its Ultra-Fast Modulator Application. **2019**, 9, 8
- 937 Recent progress in ultrafast lasers based on 2D materials as a saturable absorber. **2019**, 6, 041304 82
- 936 Holmium oxide thin film as a saturable absorber for generating Q-switched and mode-locked erbium-doped fiber lasers. **2019**, 52, 101996 15
- 935 Heavily Doped Semiconductor Colloidal Nanocrystals as Ultra-Broadband Switches for Near-Infrared and Mid-Infrared Pulse Lasers. **2019**, 11, 40416-40423 6
- 934 Active/passive Q-switched fiber laser based on graphene microfiber. **2019**, 125, 1 3
- 933 Optical deposition of PtSe₂ on fiber end face for Yb-doped mode-locked fiber laser. **2019**, 198, 163298 6
- 932 Titanium Dioxide Langmuir-Blodgett Film Saturable Absorber for Passively Q-switched Nd:GdVO₄ Laser. **2019**, 11, 1-10 2
- 931 Femtosecond Tm-Ho Co-Doped Fiber Laser using a CoSb₃-Skutterudite-Based Passive Mode-Locker. **2019**, 10, 1-5 2
- 930 Ultrashort Pulse Fiber Laser Generation Using Molybdenum Disulfide and Tungsten Disulfide Saturable Absorber. **2019**, 177-197 1
- 929 Hybrid Graphene/Silicon Photonic and Optoelectronic Integrated Devices. **2019**, 121-146 1
- 928 Laser Direct-Writing Graphene Oxide to Graphene/Mechanisms to Applications. **2019**, 237-287 0
- 927 Black Phosphorus Saturable Absorber for Passive Mode-Locking Pulses Generation. **2019**, 401-430 1
- 926 Graphene-Based Fiber Optic Label-Free Biosensor. **2019**, 371-396 1
- 925 Wide and Continuous Tunable Mode-Locked Erbium-Doped Fiber Laser Based on the Graphene Oxide. **2019**, 10, 1-5 1
- 924 A novel isoquinoline derivative exhibits anti-inflammatory properties and improves the outcomes of endotoxemia. **2019**, 71, 1281-1288 2

923	1.5 μ m spectral band laser power modulation multilayer graphene refractive index. 2019 , 119, 105676	1
922	All-Fiber Saturable Absorbers for Ultrafast Fiber Lasers. 2019 , 11, 1-19	7
921	Single- and dual-wavelength switchable mode-locked dissipative soliton Yb-doped fiber laser based on graphene/WS2 nanocomposites modelocker and polarization controller. 2019 , 12, 112006	5
920	Structural, Spectroscopic, and Excitonic Dynamic Characterization in Atomically Thin Yb ³⁺ -Doped MoS ₂ , Fabricated by Femtosecond Pulsed Laser Deposition. 2019 , 7, 1900753	3
919	Van der Waals Integration of Bismuth Quantum Dots-Decorated Tellurium Nanotubes (Te@Bi) Heterojunctions and Plasma-Enhanced Optoelectronic Applications. 2019 , 15, e1903233	27
918	Challenges and future perspectives on microwave absorption based on two-dimensional materials and structures. 2020 , 31, 162001	26
917	Non-noble metal thickness-tunable Bi ₂ MoO ₆ nanosheets for highly efficient visible-light-driven nitrobenzene reduction into aniline. 2019 , 259, 118087	43
916	Controllable ultrashort pulse generation in a graphene mode-locked fibre laser with dispersion-decreasing fibres. 2019 , 66, 1658-1662	1
915	Bacterially synthesized tellurium nanostructures for broadband ultrafast nonlinear optical applications. 2019 , 10, 3985	37
914	Ultrashort Dual Colour Laser at 1.55 and 1.88 μ m by Using a Carbon Nanotube Saturable Absorber. 2019 , 31, 990-993	7
913	Utilizing polarization-selective mode shaping by chalcogenide thin film to enhance the performance of graphene-based integrated optical devices. 2019 , 9, 12446	2
912	Effects of flake size on mode-locking behavior for flake-graphene saturable absorber mirrors. 2019 , 198, 163232	
911	860 femtoseconds mode-locked fiber laser by Gallium co-doped erbium fiber (Ga-EDF). 2019 , 15, 102644	4
910	Highly nonlinear BiOBr nanoflakes for hybrid integrated photonics. 2019 , 4, 090802	12
909	Theory of the strongly nonlinear electrodynamic response of graphene: A hot electron model. 2019 , 100,	16
908	Ytterbium-doped fiber laser as pulsed source of narrowband amplified spontaneous emission. 2019 , 9, 13073	2
907	Third-order nonlinear optical responses and carrier dynamics in antimonene. 2019 , 95, 109209	17
906	Low-Power Absorption Saturation in Semiconductor Metasurfaces. 2019 , 6, 2797-2806	11

905	Large Enhancement of the Nonlinear Optical Response of Fluorographene by Chemical Functionalization: The Case of Diethyl-amino-fluorographene. 2019 , 123, 25856-25862	7
904	High-Power Large-Energy Raman Soliton Generations Within a Mode-Locked Yb-Doped Fiber Laser Based on High-Damage-Threshold CVD-MoS as Modulator. 2019 , 9,	3
903	Absorption and gain saturable nonlinearities in erbium-doped optical microcavities. 2019 , 100,	1
902	Ultra-stable pulse generation in ytterbium-doped fiber laser based on black phosphorus. 2019 , 1, 195-202	16
901	Optical limiting properties of a few-layer MoS ₂ /PMMA composite under excitation of ultrafast laser pulses. 2019 , 7, 495-502	29
900	Emerging 2D materials beyond graphene for ultrashort pulse generation in fiber lasers. 2019 , 11, 2577-2593	187
899	2D group-VA fluorinated antimonene: synthesis and saturable absorption. 2019 , 11, 1762-1769	39
898	A bismuthene-based multifunctional all-optical phase and intensity modulator enabled by photothermal effect. 2019 , 7, 871-878	52
897	Peculiar optical properties of bilayer silicene under the influence of external electric and magnetic fields. 2019 , 9, 624	6
896	Hybrid carbon nanostructured fibers: stepping stone for intelligent textile-based electronics. 2019 , 11, 3046-3101	46
895	Nonlinear optical properties of benzylamine lead(II) bromide perovskite microdisks in femtosecond regime. 2019 , 114, 051902	20
894	High stable polarization-insensitive Er-doped Q-switched fiber laser with iron oxide nanoparticles as saturable absorber. 2019 , 113, 379-383	8
893	Review of mid-infrared mode-locked laser sources in the 2.0 μm -8.5 μm spectral region. 2019 , 6, 021317	72
892	A 1.9 μm femtosecond fiber laser using a 3D printed, all-fiberized graphene/poly(lactic-acid) saturable absorber. 2019 , 16, 085101	2
891	On-chip integrated photonic circuits based on two-dimensional materials and hexagonal boron nitride as the optical confinement layer. 2019 , 125, 230901	6
890	High-order harmonic mode-locked Yb-doped fiber laser based on a SnSe ₂ saturable absorber. 2019 , 119, 105639	39
889	Evanescent field interaction with Fe ₃ O ₄ nano-particle for passively Q-switched thulium-doped fiber laser at 1.94 μm . 2019 , 119, 105579	10
888	Lead monoxide: a promising two-dimensional layered material for applications in nonlinear photonics in the infrared band. 2019 , 11, 12595-12602	25

887	Saturable Absorption in 2D Nanomaterials and Related Photonic Devices. 2019 , 13, 1800282	67
886	Influence of few-layer WS ₂ and mono-layer WS ₂ on passively Q-switched ytterbium-doped fibre lasers. 2019 , 29, 075104	5
885	Fe ₃ O ₄ nanoparticles as the saturable absorber for a mode-locked fiber laser at 1558 nm. 2019 , 16, 065102	17
884	Giant and Tunable Optical Nonlinearity in Single-Crystalline 2D Perovskites due to Excitonic and Plasma Effects. 2019 , 31, e1902685	31
883	Neuromorphic Functions of Light in Parity-Time-Symmetric Systems. 2019 , 6, 1900771	6
882	Passively Q-switched erbium-doped fiber laser using quantum dots CdSe embedded in polymer film as saturable absorber. 2019 , 51, 1	4
881	Dynamics of the passive synchronisation of erbium- and ytterbium-doped fibre Q-switched lasers with a common graphene saturable absorber. 2019 , 29, 085101	4
880	Enhanced third harmonic generation from graphene embedded in dielectric resonant waveguide gratings. 2019 , 447, 30-35	8
879	Robust production of 2D quantum sheets from bulk layered materials. 2019 , 6, 1416-1424	16
878	Optoelectronic properties and applications of graphene-based hybrid nanomaterials and van der Waals heterostructures. 2019 , 16, 1-20	43
877	. 2019 , 37, 3100-3105	57
876	Nonlinear optics of graphene and other 2D materials in layered structures. 2019 , 1, 015002	8
875	Black phosphorus based fiber optic biosensor for ultrasensitive cancer diagnosis. 2019 , 137, 140-147	32
874	Ultrafast photonics application of graphdiyne in the optical communication region. 2019 , 149, 336-341	104
873	A Tale of Two Tantalum Borides as Potential Saturable Absorbers for Q-Switched Fiber Lasers. 2019 , 11, 1-12	1
872	High-Performance CsPbI ₃ Perovskite Solar Cells with Zinc and Manganese Doping. 2019 , 14, 116	32
871	Graphene oxide photonics. 2019 , 21, 053001	10
870	Graphene Heterostructure Integrated Optical Fiber Bragg Grating for Light Motion Tracking and Ultrabroadband Photodetection from 400 nm to 10.768 μ m. <i>Advanced Functional Materials</i> , 2019 , 29, 1807274	15.6 22

869	van der Waals Layered Tin Selenide as Highly Nonlinear Ultrafast Saturable Absorber. 2019 , 7, 1801745	53
868	Electronic and optical properties of metal decorated nitrogen-doped vacancy defects in graphene. 2019 , 31, 235302	3
867	Hafnium Diboride as a saturable absorber for Q-switched lasers. 2019 , 66, 689-696	
866	An all-optical modulator based on a graphene-plasmonic slot waveguide at 1550 nm. 2019 , 12, 042009	17
865	Enhanced nonlinear absorption and ultrafast carrier dynamics in graphene/gold nanoparticles nanocomposites. 2019 , 148, 72-79	15
864	Beta-lead oxide quantum dot (β-PbO QD)/polystyrene (PS) composite films and their applications in ultrafast photonics. 2019 , 11, 6828-6837	20
863	Passively Mode-Locked Solid-State Laser With Absorption Tunable Graphene Saturable Absorber Mirror. 2019 , 37, 2927-2931	10
862	Thickness-Dependent Ultrafast Photonics of SnS ₂ Nanolayers for Optimizing Fiber Lasers. 2019 , 2, 2697-2705	35
861	Two-photon absorption and saturable absorption of mid-IR in graphene. 2019 , 114, 091111	16
860	Pure gold saturable absorber for generating Q-switching pulses at 2 μm in Thulium-doped fiber laser cavity. 2019 , 50, 23-30	7
859	Manifestation of Kinetic Inductance in Terahertz Plasmon Resonances in Thin-Film CdAs. 2019 , 13, 4091-4100	16
858	Tin diselenide-based saturable absorbers for eye-safe pulse lasers. 2019 , 30, 265703	11
857	Ytterbium doped fiber saturable absorber for a stable passively Q-switched fiber laser in the 1-micron region. 2019 , 1151, 012008	1
856	Passively Q-switched Erbium doped fiber laser by incorporating a segment of Thulium doped fiber saturable absorber. 2019 , 1151, 012010	1
855	Mesoporous carbon nanospheres deposited onto D-shaped fibers for femtosecond pulse generation.. 2019 , 9, 11621-11626	3
854	Plasmon-enhanced light-matter interactions and applications. 2019 , 5,	176
853	Mode-locking in Er-doped fiber laser with reduced graphene oxide on a side-polished fiber as saturable absorber. 2019 , 50, 177-182	18
852	Thiophenol-Modified Fluorographene Derivatives for Nonlinear Optical Applications. 2019 , 84, 1288-1298	11

851	Ultrafast spectroscopy of voltage reconfigurable graphene saturable absorbers in the visible and near infrared. 2019 , 6, 035013	6
850	Tunable and switchable harmonic h-shaped pulse generation in a 303 km ultralong mode-locked thulium-doped fiber laser. 2019 , 7, 332	21
849	A near-infrared emissive dye: toward the application of saturable absorber and multiphoton fluorescence microscopy in the deep-tissue imaging window. 2019 , 55, 5111-5114	23
848	Mode-locked fiber laser with MoSe ₂ saturable absorber based on evanescent field. 2019 , 28, 014207	7
847	Generation of wide-bandwidth pulse with graphene saturable absorber based on tapered fiber. 2019 , 28, 034203	2
846	Charge transfer in graphene/WS ₂ enhancing the saturable absorption in mixed heterostructure films. 2019 , 479, 1161-1168	25
845	A 3-D printed saturable absorber for femtosecond mode-locking of a fiber laser. 2019 , 89, 382-389	4
844	Reflective Langmuir-Blodgett Molybdenum Disulfide Saturable Absorber for Q-Switched Nd:GdVO ₄ Laser. 2019 , 31, 333-336	
843	Passively Q-switched Er:YAG laser at 1645 nm with SnS ₂ as a novel saturable absorber. 2019 , 183, 163-167	4
842	Fundamentals of Fascinating Graphene Nanosheets: A Comprehensive Study. 2019 , 14, 1930003	10
841	Tris-(8-hydroxyquinoline) aluminium thin film as saturable absorber for passively Q-switched erbium-doped fibre laser. 2019 , 13, 247-253	13
840	Different methods to achieve hybrid mode locking. 2019 , 6, 1707624	1
839	Photochemical reduction of carbonyl group of polyimide by 450 nm diode laser. 2019 , 1371, 012003	
838	Q-Switched dual-wavelength erbium-doped fiber laser using graphene as a saturable absorber. 2019 , 1371, 012007	
837	Q-switched Thulium-doped fiber laser with Bismuth-doped fiber saturable absorber. 2019 , 1371, 012024	
836	Q-switched erbium-doped fiber laser with molybdenum disulfide (MoS ₂) nanoparticles on D-shaped fiber as saturable absorber. 2019 , 28, 1950026	2
835	Study of a Graphene Saturable Absorber Film Fabricated by the Optical Deposition Method. 2019 , 11, 1-9	2
834	2D Layered Materials: Synthesis, Nonlinear Optical Properties, and Device Applications. 2019 , 13, 1800327	203

833	Watt-level continuous-wave and high-repetition-rate mid-infrared lasers based on a Er ³⁺ -doped Ca _{0.8} Sr _{0.2} F ₂ crystal. 2019 , 12, 115505	3
832	Passively Q-Switched Nd:YVO ₄ Laser Based on Silver-Plated Graphene Saturable Absorber. 2019 ,	
831	Graphene plasmonically induced analogue of tunable electromagnetically induced transparency without structurally or spatially asymmetry. 2019 , 9, 20312	3
830	Recent advances in two-dimensional materials and their nanocomposites in sustainable energy conversion applications. 2019 , 11, 21622-21678	109
829	Nonlinear photoresponse of metallic graphene-like VSe ₂ ultrathin nanosheets for pulse laser generation. 2019 , 62, 1	5
828	Nonlinear optical properties of tungsten disulfide as saturable absorber based on Q-switched fiber laser. 2019 , 198, 163251	3
827	Pulse dynamics manipulation by the phase bias in a nonlinear fiber amplifying loop mirror. 2019 , 27, 14705-14715	15
826	Physical vapor deposition of large-scale PbSe films and its applications in pulsed fiber lasers. 2019 , 9, 2367-2375	8
825	Q-switched in figure of 8 by using graphite flakes as saturable absorber. 2019 , 1371, 012010	
824	Titanium dioxide-based picoseconds pulsed fiber laser performances comparison in the 1.5-micron region. 2019 , 1371, 012023	3
823	Path towards graphene commercialization from lab to market. 2019 , 14, 927-938	126
822	SbTe as the saturable absorber for the ~2.0 μm passively Q-switched solid state pulsed laser. 2019 , 9, 29312-29316	3
821	Low-Dimensional Saturable Absorbers in the Visible Spectral Region. 2019 , 7, 1800886	36
820	2D Black Phosphorus Saturable Absorbers for Ultrafast Photonics. 2019 , 7, 1800224	172
819	Spatial self-phase modulation and all-optical switching of graphene oxide dispersions. 2019 , 771, 900-904	19
818	A Thermo-optically controllable saturable absorber for switchable operation of a fiber laser between Q-switching and harmonic mode-locking. 2019 , 205, 30-36	4
817	Synthesis of carbon nanodots in zeolite SAPO-46 channels for Q-switched fiber laser generation. 2019 , 782, 837-844	4
816	Nonlinear optics in carbon nanotube, graphene, and related 2D materials. 2019 , 4, 034301	92

815	Hafnium Sulfide Nanosheets for Ultrafast Photonic Device. 2019 , 7, 1801303	42
814	BN as a Saturable Absorber for a Passively Mode-Locked 2 μm Solid-State Laser. 2019 , 13, 1800482	17
813	Improved optical damage threshold graphene Oxide/SiO ₂ absorber fabricated by sol-gel technique for mode-locked erbium-doped fiber lasers. 2019 , 144, 737-744	29
812	Selenide Molybdenum as saturable absorber for passively Q-switched Nd-doped bulk laser at 1 μm. 2019 , 182, 19-22	
811	Limitations of graphene nanocoated optical tapers for high-power nonlinear applications. 2019 , 1, 100003	0
810	Optical Control of Plasmonic Hot Carriers in Graphene. 2019 , 6, 302-307	15
809	A passively Q-switched compact Er:Lu ₂ O ₃ ceramics laser at 2.8 μm with a graphene saturable absorber. 2019 , 12, 022002	20
808	Graphene Based Optical Interconnects. 2019 , 271-285	1
807	Performance Enhancement of Graphene Photodetectors via In Situ Preparation of TiO ₂ on Graphene Channels. 2019 , 4, 1800548	8
806	Atomic Properties and Electronic Structure. 2019 , 23-66	2
805	Tunable Q-switched erbium-doped fiber laser in the C-band region using nanoparticles (TiO ₂). 2019 , 435, 283-288	18
804	Theoretical Study on Passively Mode-Locked Fiber Lasers with Saturable Absorber. 2019 , 38, 76-89	5
803	Going green with batteries and supercapacitor: Two dimensional materials and their nanocomposites based energy storage applications. 2020 , 58, 100254	46
802	Polariton Photonics Using Structured Metals and 2D Materials. 2020 , 8, 1901090	7
801	Nanosecond pulses generation with rose gold nanoparticles saturable absorber. 2020 , 94, 1079-1083	2
800	Nano-seconds pulsed Er:Lu ₂ O ₃ laser using molybdenum ditelluride saturable absorber. 2020 , 121, 105791	
799	Coexistence of soliton singlets and molecules in a dual-wavelength mode-locked fiber laser. 2020 , 457, 124700	13
798	Soliton mode-locked Er-doped fiber laser by using Alq ₃ saturable absorber. 2020 , 123, 105893	8

797	2D Materials for laser applications. 2020 , 79-103	
796	Terahertz Nonlinear Optics of Graphene: From Saturable Absorption to High-Harmonics Generation. 2020 , 8, 1900771	48
795	Self-Powered Photodetectors Based on 2D Materials. 2020 , 8, 1900765	105
794	In-plane anisotropic electronics based on low-symmetry 2D materials: progress and prospects. 2020 , 2, 109-139	46
793	An overview of the optical properties and applications of black phosphorus. 2020 , 12, 3513-3534	39
792	Recent Progress in 2D Material-Based Saturable Absorbers for All Solid-State Pulsed Bulk Lasers. 2020 , 14, 1900240	47
791	Highly transparent graphene oxide/cellulose composite film bearing ultraviolet shielding property. 2020 , 145, 663-667	36
790	Diameter-selected single-walled carbon nanotubes for the passive Q-switching operation at 2 μ m. 2020 , 100, 109627	5
789	The visible nonlinear optical properties and passively Q-switched laser application of a layered PtSe material. 2020 , 12, 1061-1066	24
788	Indium tin oxide coated D-shape fiber as saturable absorber for passively Q-switched erbium-doped fiber laser. 2020 , 124, 105998	10
787	L-band dual wavelength passively Q-switched erbium-doped fiber laser based on tellurium oxide nanoparticle saturable absorber. 2020 , 30, 025101	3
786	Ti ₂ CTx MXene-based all-optical modulator. 2020 , 2, 601-609	28
785	Q-Switched Erbium-doped Fiber Laser Based on Silicon Nanosheets as Saturable Absorber. 2020 , 202, 163692	16
784	Numerical investigation of graphene-based efficient and broadband metasurface for terahertz solar absorber. 2020 , 55, 3462-3469	27
783	Mid-Infrared Photonics Using 2D Materials: Status and Challenges. 2020 , 14, 1900098	68
782	Pulse compression in graphene-clad microfiber as a saturable absorber in mode-locked fiber lasers: modeling and analysis. 2020 , 126, 1	3
781	Ultrafast and energy-efficient all-optical switching with graphene-loaded deep-subwavelength plasmonic waveguides. 2020 , 14, 37-43	127
780	Self-Defocusing of Light in Ethanol Around 1550 nm. 2020 , 12, 1-8	2

779	Two-Dimensional Black Arsenic Phosphorus for Ultrafast Photonics in Near- and Mid-Infrared Regimes. 2020 , 12, 46509-46518	18
778	Fluorescent property regulation of dyes in graphene-doped polymer films. 2020 , 223, 165567	3
777	Hydrazone Organic Compound with R2C=N-NIR Substructure for Ultrafast Photonics. 2020 , 124, 22638-22645	3
776	Controlled Production of MoS2 Full-Scale Nanosheets and Their Strong Size Effects. 2020 , 7, 2001130	11
775	Octylamine-Modified Fluorographenes as a Versatile Platform for the Efficient Engineering of the Nonlinear Optical Properties of Fluorinated Graphenes. 2020 , 1, 2000014	2
774	Soliton passively mode-locked pulses generation in thulium-holmium doped fiber laser (THDFL) with molybdenum oxide saturable absorber. 2020 , 60, 102344	4
773	Preparation of grafted few-layer graphene from K-THF-graphite intercalation compounds by the addition of aldehyde. 2020 , 24, 100206	1
772	Electrically tunable optical devices based on graphene-split-ring-resonator periodic multilayers at mid-infrared frequencies. 2020 , 128, 133106	3
771	Computational analysis of octagonal torus-shaped nano meta-atom through fractional absorption bandwidth for applications in the terahertz regime. 2020 , 19, 103470	1
770	Efficient Frequency Mixing of Guided Surface Waves by Atomically Thin Nonlinear Crystals. 2020 , 20, 7956-7963	6
769	Nonlinear optical properties of arsenic telluride and its use in ultrafast fiber lasers. 2020 , 10, 15305	5
768	Tailoring Multi-Walled Carbon Nanotubes into Graphene Quantum Sheets. 2020 , 12, 47784-47791	5
767	Recent development and advances in Photodetectors based on two-dimensional topological insulators. 2020 , 8, 15526-15574	14
766	Niobium Carbide MXenes with Broad-Band Nonlinear Optical Response and Ultrafast Carrier Dynamics. 2020 , 14, 10492-10502	37
765	Molybdenum Disulfide Film Saturable Absorber Based on Sol-Gel Glass and Spin-Coating Used in High-Power Q-Switched Nd:YAG Laser. 2020 , 12, 9404-9408	10
764	Thickness-Dependent Optical Nonlinearities of Nanometer-Thick Sb2Te3 Thin Films: Implications for Mode-Locking and Super-resolved Direct Laser Writing. 2020 , 3, 7963-7972	4
763	Recent advances of two-dimensional materials in smart drug delivery nano-systems. 2020 , 5, 1071-1086	66
762	Q-switched erbium-doped fiber laser with silicon oxycarbide saturable absorber. 2020 , 219, 165234	5

761	Tungsten trioxide (WO ₃) film absorber for generating soliton mode-locked pulses in erbium laser. 2020 , 131, 106429	12
760	Intracavity frequency doubling based on BBO crystals in a mode-locked erbium-doped fiber laser. 2020 , 59, 080902	1
759	MXene Ti ₃ C ₂ T _x Modulator for Robust Generation of Soliton Molecules. 2020 , 6, 1502-1506	6
758	High-Quality, InN-Based, Saturable Absorbers for Ultrafast Laser Development. 2020 , 10, 7832	1
757	Graphene Capacitor-Based Electrical Switching of Mode-Locking in All-Fiberized Femtosecond Lasers. 2020 ,	7
756	Band structure tuning of E ₁ MoO by tin intercalation for ultrafast photonic applications. 2020 , 12, 23140-23149	7
755	Ti ₃ C ₂ T _x MXene Quantum Dots with Enhanced Stability for Ultrafast Photonics. 2020 , 3, 11850-11860	15
754	Determination of the Nonlinear Optical Properties of Single- and Few-Layered Graphene Dispersions under Femtosecond Laser Excitation: Electronic and Thermal Origin Contributions. 2020 , 124, 27241-27249	6
753	Electrically controllable laser frequency combs in graphene-fibre microresonators. 2020 , 9, 185	14
752	Short-wave IR ultrafast fiber laser systems: Current challenges and prospective applications. 2020 , 128, 180906	10
751	Mechanical exfoliation of indium tin oxide as saturable absorber for Q-switched Ytterbium-doped and Erbium-doped fiber lasers. 2020 , 475, 126217	7
750	Photon-generated carrier transfer process from graphene to quantum dots: optical evidences and ultrafast photonics applications. 2020 , 4,	1
749	Role of carrier-transfer in the optical nonlinearity of graphene/BiTe heterojunctions. 2020 , 12, 16956-16966	7
748	Passive Q-Switched Operation of a Tm:YAP Laser with the MoSe ₂ Saturable Absorber. 2020 , 41, 378-383	2
747	Few Layer Molybdenum Selenide Saturable Absorber using Optical Deposition Technique for Q-switched Ytterbium Pulses Laser Generation. 2020 , 1484, 012025	1
746	Recent Advances of Spatial Self-Phase Modulation in 2D Materials and Passive Photonic Device Applications. 2020 , 16, e2002252	11
745	Passively Q-switched thulium fluoride fiber laser operating in S-band region using N-doped graphene saturable absorber. 2020 , 95, 1837	1
744	NiS ₂ as a broadband saturable absorber for ultrafast pulse lasers. 2020 , 132, 106492	9

743	Recent developments in mid-infrared fiber lasers: Status and challenges. 2020 , 132, 106497	16
742	Passively-Q-Switched 1.33 μm Nd:Luysgg Laser with the Bi ₂ Se ₃ Topological Insulator as a Saturable Absorber. 2020 , 41, 358-363	0
741	Geometries and Electronic Properties of Black Phosphorus/MoS ₂ Heterostructure with P Atom Vacancies: First Principles Calculations. 2020 , 49, 5730-5738	1
740	Er:CaF ₂ single-crystal fiber Q-switched laser with diode pumping in the mid-infrared region. 2020 , 227, 117519	10
739	Functional Porous MOF-Derived CuO Octahedra for Harmonic Soliton Molecule Pulses Generation. 2020 , 7, 2440-2447	38
738	GeSe Evanescent Field Saturable Absorber for Mode-Locking in a Thulium/Holmium Fiber Laser. 2020 , 56, 1-8	7
737	Artificial Carbon Graphdiyne: Status and Challenges in Nonlinear Photonic and Optoelectronic Applications. 2020 , 12, 49281-49296	9
736	Inducing Q-switching operation at 1-micron all-fiber laser via lutetium oxide film saturable absorber. 2020 , 219, 165267	4
735	Ultrafast Optical Modulation of Harmonic Generation in Two-Dimensional Materials. 2020 , 20, 8053-8058	14
734	Deep tuning of photo-thermoelectricity in topological surface states. 2020 , 10, 16761	2
733	Semiconducting Polymer Dots as Saturable Absorbers for Mode-Locked Thulium-Doped Fiber Lasers. 2020 , 8, 169804-169809	0
732	2D materials towards ultrafast photonic applications. 2020 , 22, 22140-22156	17
731	Formation and Evolution of Soliton in Two-Mode Fiber Laser. 2020 , 12, 1-8	1
730	Tellurene: An elemental 2D monolayer material beyond its bulk phases without van der Waals layered structures. 2020 , 41, 081002	13
729	High-Performance and Multifunctional Devices-Based Optoelectronic Memory With the 2D Narrow Bandgap Bi ₂ Te _{2.7} Se _{0.3} . 2020 , 41, 1504-1507	3
728	CoS ₂ with 3D Valence Electron Shell Structure for Pulsed Laser Application. 2020 , 3, 9663-9668	2
727	Conventional Soliton and Noise-Like Pulse Generated in an Er-Doped Fiber Laser with Carbon Nanotube Saturable Absorbers. 2020 , 10, 5536	8
726	Recent Advances in Spatial Self-Phase Modulation with 2D Materials and its Applications. 2020 , 532, 2000322	13

725	Emerging High-Performance SnS/CdS Nanoflower Heterojunction for Ultrafast Photonics. 2020 , 12, 43098-43105	15
724	Tunable passively Q-switched thulium doped fluoride fibre (TDFF) laser using reduced graphene oxide-silver (rGO-Ag) as saturable absorber. 2020 , 67, 1022-1030	3
723	Recent advance in near-infrared/ultrasound-sensitive 2D-nanomaterials for cancer therapeutics. 2020 , 63, 2397-2428	36
722	MnO ₂ nanosheets as saturable absorbers for a Q-switched fiber laser. 2020 , 10, 3097	5
721	Broadband Visible Nonlinear Absorption and Ultrafast Dynamics of the TiC Nanosheet. 2020 , 10,	7
720	Multiple dissipative solitons with equal and invariant temporal spacing in Yb-doped all-normal-dispersion fiber lasers. 2020 , 224, 165640	1
719	Light propagation in nanophotonic waveguides considering graphene's saturable absorption. 2020 , 102,	4
718	Passively Q-switched Erbium-doped Fiber Laser using Tungsten Disulfide deposited D-shaped Fiber as Saturable Absorber. 2020 , 854, 012021	
717	Femtosecond mode-locked laser at 1.5 μ m region using turmeric-based saturable absorber. 2020 , 111, 103548	7
716	2D materials beyond graphene toward Si integrated infrared optoelectronic devices. 2020 , 12, 11784-11807	34
715	Ultrafast Relaxation Dynamics and Nonlinear Response of Few-Layer Niobium Carbide MXene. 2020 , 4, 2000250	47
714	Broadband strong optical dichroism in topological Dirac semimetals with Fermi velocity anisotropy. 2020 , 29, 077802	3
713	Watt-level ultrafast laser inscribed thulium waveguide lasers. 2020 , 72, 100266	6
712	Ultrafast Fiber Lasers: An Expanding Versatile Toolbox. 2020 , 23, 101101	26
711	Optical, optoelectronic, and photoelectric properties in moiré superlattices of twist bilayer graphene. 2020 , 14, 100238	8
710	Towards low-loss on-chip nanophotonics with coupled graphene and silicon carbide: a review. 2020 , 3, 032005	10
709	MXene Ti ₃ C ₂ T _x as a passive Q-switcher for erbium-doped fiber laser. 2020 , 58, 102289	7
708	Artificial Metaphotonics Born Naturally in Two Dimensions. 2020 , 120, 6197-6246	42

707	Indium Tin Oxide Coated D-Shape Fiber as a Saturable Absorber for Generating a Dark Pulse Mode-Locked Laser. 2020 , 37, 054202	12
706	Characterization of the impact of nanoparticles on micro strain in 2D graphene synthesized by arc discharge plasma. 2020 , 25, 101285	0
705	MEH-PPV organic material as saturable absorber for Q-switching and mode-locking applications. 2020 , 67, 746-753	2
704	Few-Layer Bismuthene for Coexistence of Harmonic and Dual Wavelength in a Mode-Locked Fiber Laser. 2020 , 12, 31757-31763	43
703	All fiber normal dispersion mode locked ytterbium doped double-clad fiber laser using fiber taper with WS ₂ -ZnO saturable absorber. 2020 , 130, 106350	2
702	Tunable S+/S band Q-switched thulium-doped fluoride fiber laser using tungsten ditelluride (WTe ₂). 2020 , 17, 103124	5
701	Review on wavelength-tunable pulsed fiber lasers based on 2D materials. 2020 , 131, 106375	21
700	Passively Mode-Locked Fiber Laser with WS/SiO Saturable Absorber Fabricated by Sol-Gel Technique. 2020 , 12, 29625-29630	7
699	Carboxyl graphene oxide mode-locked femtosecond fiber laser. 2020 , 13, 082001	3
698	All-optical modulation with 2D layered materials: status and prospects. 2020 , 9, 2107-2124	21
697	MXene Ti ₃ C ₂ T _x saturable absorber for passively Q-switched mid-infrared laser operation of femtosecond-laser-inscribed Er:Y ₂ O ₃ ceramic channel waveguide. 2020 , 9, 2495-2503	8
696	Broadband nonlinear optical response in GeSe nanoplates and its applications in all-optical diode. 2020 , 9, 2007-2015	7
695	Generation of Q-switched and mode-locked pulses with Eu ₂ O ₃ saturable absorber. 2020 , 127, 106163	11
694	Nonlinear Polarization Evolution Mode-Locked YDFL Based on All-PM Fiber Cavity. 2020 , 12, 1-7	5
693	Present advances and perspectives of broadband photo-detectors based on emerging 2D-Xenes beyond graphene. 2020 , 13, 891-918	27
692	InSe nanosheets for harmonic mode-locked fiber laser. 2020 , 31, 295402	3
691	Solution-processed two-dimensional materials for ultrafast fiber lasers (invited). 2020 , 9, 2169-2189	28
690	Yttrium oxide as a Q-switcher for the near-infrared erbium-doped fiber laser. 2020 , 9, 2887-2894	2

689	Recent Progress in Waveguide-Integrated Graphene Photonic Devices for Sensing and Communication Applications. 2020 , 8,	5
688	Graphdiyne-Polymer Nanocomposite as a Broadband and Robust Saturable Absorber for Ultrafast Photonics. 2020 , 14, 1900367	56
687	MAX phase based saturable absorber for mode-locked erbium-doped fiber laser. 2020 , 127, 106186	22
686	Generation and categories of solitons in various mode-locked fiber lasers. 2020 , 220, 165168	4
685	Stable passively Q-switched erbium-doped fiber laser based on CuCrO ₂ nanoparticles saturable absorber. 2020 , 475, 126222	8
684	Enhanced Kerr Nonlinearity and Nonlinear Figure of Merit in Silicon Nanowires Integrated with 2D Graphene Oxide Films. 2020 , 12, 33094-33103	25
683	Optical absorbance in multilayer two-dimensional materials: Graphene and antimonene. 2020 , 116, 263102	13
682	Mode-locked laser at 1066 nm by using Alq ₃ as saturable absorber in all-fiber based cavity. 2020 , 219, 165179	6
681	Metamaterial and nanomaterial electromagnetic wave absorbers: structures, properties and applications. 2020 , 8, 12768-12794	25
680	Graphene-based all-optical modulators. 2020 , 13, 114-128	23
679	A nano-lateral heterojunction of selenium-coated tellurium for infrared-band soliton fiber lasers. 2020 , 12, 15252-15260	5
678	Highly stable and repeatable femtosecond soliton pulse generation from saturable absorbers based on two-dimensional Cu ₃ NP nanocrystals. 2020 , 13, 139-148	6
677	Structure-changed third-order optical nonlinearity in CaCu ₃ Ti ₄ O ₁₂ thin films grown on MgO(111) substrates. 2020 , 220, 165186	3
676	Few-layer silicene nanosheets as saturable absorber for subpicosecond pulse generation in all-fiber laser. 2020 , 131, 106397	4
675	Two-Dimensional Nanomaterials for Photothermal Therapy. 2020 , 132, 5943-5953	41
674	Two-dimensional tin diselenide passively Q-switched 2 Th Tm:YAP laser. 2020 , 105, 103227	8
673	Recent advances in black phosphorus/carbon hybrid composites: from improved stability to applications. 2020 , 8, 4647-4676	26
672	Optoelectronic and photoelectric properties and applications of graphene-based nanostructures. 2020 , 13, 100196	18

671	Recent Advances of 2D Materials in Nonlinear Photonics and Fiber Lasers. 2020 , 8, 1901631	78
670	Second harmonic scattering from mass characterized 2D graphene oxide sheets. 2020 , 56, 3859-3862	13
669	Pump-probe micro-spectroscopy and 2D materials. 2020 , 53, 473001	6
668	Passively mode-locked diode-pumped Tm,Ho:LiYF ₄ laser. 2020 , 17, 045801	2
667	Realization of high-performance tri-layer graphene saturable absorber mirror fabricated via a one-step transfer process. 2020 , 41, 012302	2
666	L-band Wavelength-Switchable Dissipative Soliton Resonance Er-doped Fiber Laser. 2020 , 12, 1-6	2
665	Tellurene-based saturable absorber to demonstrate large-energy dissipative soliton and noise-like pulse generations. 2020 , 9, 2783-2795	66
664	Saturable absorption properties and femtosecond mode-locking application of titanium trisulfide. 2020 , 116, 061901	36
663	Ti ₂ CT _x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. 2020 , 38, 1975-1980	23
662	Sheet-structured bismuthene for near-infrared dual-wavelength harmonic mode-locking. 2020 , 31, 225209	13
661	Synthesis and optoelectronics of mixed-dimensional Bi/Te binary heterostructures. 2020 , 5, 847-856	17
660	Low-dimensional saturable absorbers for ultrafast photonics in solid-state bulk lasers: status and prospects. 2020 , 9, 2603-2639	16
659	Ultrafast photonics of two dimensional AuTe ₂ Se _{4/3} in fiber lasers. 2020 , 3,	66
658	Quasiclassical nonlinear plasmon resonance in graphene. 2020 , 101,	3
657	Photocarrier-Induced Active Control of Second-Order Optical Nonlinearity in Monolayer MoS ₂ . 2020 , 16, e1906347	16
656	Layered AuTe ₂ Se _{4/3} for a stable nanosecond Q-switched fiber laser. 2020 , 204, 164231	4
655	Mode-locked erbium-doped fiber laser via evanescent field interaction with indium tin oxide. 2020 , 55, 102124	9
654	New Trends in Nonlinear Dynamics. 2020 ,	2

653	Stretchable and Broadband Cavity-Free Lasers Based on All 2D Metamaterials. 2020 , 8, 1901326	3
652	Fused Silica with Embedded 2D-Like Ag Nanoparticle Monolayer: Tunable Saturable Absorbers by Interparticle Spacing Manipulation. 2020 , 14, 1900302	21
651	Q-switched mode-locked Nd:GGG waveguide laser with tin disulfide as saturable absorber. 2020 , 100, 109702	5
650	Two-Dimensional Nanomaterials for Photothermal Therapy. 2020 , 59, 5890-5900	161
649	Graphene Fabrication by Using Femtosecond Pulsed Laser and Its Application on Passively Q-Switched Solid-State Laser as Saturable Absorber. 2020 , 12, 1-9	0
648	An investigation of third-order nonlinear optical and limiting properties of spray pyrolysis-deposited Co: CdS nanostructures for optoelectronics. 2020 , 126, 1	5
647	Polarization-tunable nonlinear absorption patterns from saturated absorption to reverse saturated absorption in anisotropic GeS flake and an application of all-optical switching. 2020 , 63, 1489-1502	7
646	2D Material Optoelectronics for Information Functional Device Applications: Status and Challenges. 2020 , 7, 2000058	84
645	Broadband and Ultrasensitive Graphene-Based Mechanical Wave Detector with Nanosecond Response Used for Biological Photoacoustic Imaging. 2020 , 12, 17268-17275	2
644	Polarization domain wall solitons in a quasi-isotropic fibre laser using quantum dot tungsten disulfide. 2020 , 30, 055801	
643	Non-linear Thermo-Optical Properties of MoS ₂ Nanoflakes by Means of the Z-Scan Technique. 2020 , 8,	6
642	Generation, optimization, and application of ultrashort femtosecond pulse in mode-locked fiber lasers. 2020 , 71, 100264	27
641	Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. 2020 , 38, 4124-4132	11
640	Atomic Carbon Spraying: Direct Growth of Graphene on Customized 3D Surfaces of Ultrafast Optical Devices. 2020 , 8, 1902091	3
639	Quantum Dot Optoelectronic Devices. 2020 ,	1
638	Two-Dimensional Tellurium: Progress, Challenges, and Prospects. 2020 , 12, 99	61
637	Passively Q-switched near-infrared lasers with bismuthene quantum dots as the saturable absorber. 2020 , 128, 106219	11
636	Investigation into nonlinear optical absorption property of CoSb ₃ skutterudite in the 2 th spectral region. 2020 , 129, 106274	4

635	Carbon Nanomaterials Based Saturable Absorbers for Ultrafast Passive Mode-Locking of Fiber Lasers. 2020 , 16, 441-457	6
634	Q-switched and mode-locked erbium-doped fiber laser using gadolinium oxide as saturable absorber. 2020 , 57, 102209	6
633	Probing the dynamic structural changes of DNA using ultrafast laser pulse in graphene-based optofluidic device. 2021 , 3, 316-326	1
632	Short-pulsed Raman fiber laser and its dynamics. 2021 , 64, 1	18
631	Theoretical Investigation of Pulse Temporal Compression by Graphene-Silicon Hybrid Waveguide. 2021 , 27, 1-9	1
630	A novel graphene based tunable semiconductor metamaterial: A mathematical analysis. 2021 , 26, 101840	
629	Booming development and present advances of two dimensional MXenes for photodetectors. 2021 , 403, 126336	19
628	Confinement in two-dimensional materials: Major advances and challenges in the emerging renewable energy conversion and other applications. 2021 , 61, 100294	11
627	Improved nonlinear optical absorption mechanism and susceptibility ($\chi^{(3)}$) of CdS nanostructured thin films: Role of zinc doping. 2021 , 121, 105400	8
626	Design of a graphene-based silicon nitride multimode waveguide-integrated electro-optic modulator. 2021 , 481, 126531	3
625	Graphene Oxide for Integrated Photonics and Flat Optics. 2021 , 33, e2006415	24
624	Passively Q-switched ytterbium-doped fiber laser based on a SWCNT@AFI saturable absorber. 2021 , 136, 106781	2
623	Reduced Graphene Oxide Thin Film with Strong Optical Nonlinearity. 2021 , 258, 2000397	3
622	Single frequency fiber laser base on MXene with kHz linewidth. 2021 , 9, 2276-2281	3
621	Measurement of non-linear optical properties in graphene oxide using the Z-scan technique. 2021 , 244, 118833	6
620	Direct observation of an irradiance dependent nonlinear refraction in CVD single layer graphene. 2021 , 481, 126535	0
619	Starting monomer of graphdiyne-hexakis[(trimethylsilyl)ethynyl]benzene: a superior nonlinear absorption material. 2021 , 56, 3653-3662	3
618	Birefringent and Complex Optical Properties of Monolayer Graphene Investigated by Ellipsometry and Waveguide Integration. 2021 , 125, 2124-2131	1

- 617 Traditional soliton erbium-doped fiber laser with InSe as saturable absorber. **2021**, 22, 325-333 1
- 616 Robust hybrid mode-locking operation with bulk-like transition metal pentatellurides. **2021**, 9, 6445-6451 5
- 615 Enhanced Energy Transfer from Nitrogen-Vacancy Centers to Three-Dimensional Graphene Heterostructures by Laser Nanoshaping. 2001830 2
- 614 Overcoming barriers in photodynamic therapy harnessing nano-formulation strategies. **2021**, 50, 9152-9201 56
- 613 Quantum-sized silicon for enhanced photoluminescence and optical nonlinearity. 1
- 612 Bioactive engineered photothermal nanomaterials: from theoretical understanding to cutting-edge application strategies in anti-cancer therapy. **2021**, 5, 5257-5297 5
- 611 The nonlinear optical transition bleaching in tellurene. **2021**, 13, 15882-15890 3
- 610 Oxide Saturable Absorbers for Robust Femtosecond Pulse Generation. **2021**, 1-1 2
- 609 Boron quantum dots all-optical modulator based on efficient photothermal effect. **2021**, 4, 200032-200032 4
- 608 Hot carriers in graphene - fundamentals and applications. **2021**, 13, 8376-8411 15
- 607 Indium selenide saturable absorber for high-energy nanosecond Q-switched pulse generation. **2021**, 60, 427-432 3
- 606 All-normal-dispersion dissipative soliton fiber laser using an offset-splicing graded-index-multimode-fiber-based saturable absorber. **2021**, 60, 923-928 3
- 605 Graphene, an Interesting Nanocarbon Allotrope for Biosensing Applications: Advances, Insights, and Prospects. **2021**, 12, 1179597220983821 2
- 604 2D materials in nonlinear optics. **2021**, 347-385 2
- 603 Reduction-controlled graphene oxide saturable absorbers and its effect on ultrashort Er-doped fibre laser. **2021**, 15, 61-68 2
- 602 A general strategy for semiconductor quantum dot production. **2021**, 13, 8004-8011 4
- 601 Unveiling the dimension-dependence of femtosecond nonlinear optical properties of tellurium nanostructures. **2021**, 6, 918-927 1
- 600 Colloidal semiconductor nanocrystals: synthesis, optical nonlinearity, and related device applications. 4

599	Generation of noise-like pulses and soliton rains in a graphene mode-locked erbium-doped fiber ring laser. 2021 , 22, 303-311	4
598	Giant Nonlinear Optical Response of Lead-Free All-inorganic CsSnBr ₃ Nanoplates. 2021 , 125, 803-811	4
597	Silicon Nanosheets versus Graphene Nanosheets: A Comparison of Their Nonlinear Optical Response. 2021 , 12, 815-821	3
596	1.56 μm and 1.93 μm synchronized mode-locked fiber laser with graphene saturable absorber. 2021 , 112, 103606	5
595	MXenes: Synthesis, Optical Properties, and Applications in Ultrafast Photonics. 2021 , 17, e2006054	41
594	Highly enhanced nonlinear optical absorption with ultrafast charge transfer of reduced graphene oxide hybridized by an azobenzene derivative. 2021 , 29, 5213-5225	6
593	Controllable multi-mode absorption in terahertz absorber with graphene-dielectric-stack strips. 2021 , 150, 106784	1
592	Intrinsic and extrinsic effects on intraband optical conductivity of hot carriers in photoexcited graphene. 2021 , 3,	1
591	Giant nonlinear optical activity in two-dimensional palladium diselenide. 2021 , 12, 1083	26
590	Lead Sulfide Quantum Dots Mode Locked, Wavelength-Tunable Soliton Fiber Laser. 2021 , 33, 119-122	3
589	First-principles study of ultrafast and nonlinear optical properties of graphite thin films. 2021 , 103,	4
588	Plasmon-enhanced graphene photodetector with CMOS-compatible titanium nitride. 2021 , 38, 602	8
587	Scalable Production of Boron Quantum Dots for Broadband Ultrafast Nonlinear Optical Performance. 2021 , 11,	1
586	Sb ₂ Te ₃ topological insulator for 52 nm wideband tunable Yb-doped passively Q-switched fiber laser. 2021 , 22, 287-295	1
585	Effects of reduced graphene oxide on nonlinear absorption and optical limiting properties of spin coated aluminium doped zinc oxide thin films. 2021 , 722, 138580	2
584	Smart nano-micro platforms for ophthalmological applications: The state-of-the-art and future perspectives. 2021 , 270, 120682	7
583	Kilometers Long Graphene-Coated Optical Fibers for Fast Thermal Sensing. 2021 , 2021, 5612850	0
582	Ultrathin 2D Nonlayered Tellurene Nanosheets as Saturable Absorber for Picosecond Pulse Generation in All-Fiber Lasers. 2021 , 27, 1-6	9

581	Passive mode-locked Er-doped fiber laser pulse generation based on titanium disulfide saturable absorber. 2021 , 22, 756-766	1
580	Backpropagation through nonlinear units for the all-optical training of neural networks. 2021 , 9, B71	13
579	Graphene-based Saturable Absorber for Pulsed Fiber Laser Generation. 2021 , 1795, 012048	1
578	Antimony Thin Film as a Robust Broadband Saturable Absorber. 2021 , 27, 1-7	6
577	Directly Synthesized Graphene-Based Photonics and Optoelectronics Devices. 2021 , 11, 2768	2
576	Pushing Optical Switch into Deep Mid-Infrared Region: Band Theory, Characterization, and Performance of Topological Semimetal Antimonene. 2021 , 15, 7430-7438	2
575	Sub-Band Gap Absorption and Optical Nonlinear Response of MnPSe Nanosheets for Pulse Generation in the L-Band. 2021 , 13, 13524-13533	3
574	Graphene Multilayer Photonic Metamaterials: Fundamentals and Applications. 2021 , 6, 2000963	7
573	Low Insertion Loss Plasmon-Enhanced Graphene All-Optical Modulator. 2021 , 6, 7576-7584	7
572	Linear and Nonlinear Optical Properties of Graphene: A Review. 2021 , 50, 3773	4
571	Two-Dimensional Bismuthene Showing Radiation-Tolerant Third-Order Optical Nonlinearities. 2021 , 13, 21626-21634	4
570	Nonlinear optical responses of Fe_2O_3 nanosheets and application as a saturable absorber in the wide near-infrared region. 2021 , 136, 106812	9
569	Passively Q-switched erbium-doped fiber laser with graphene oxide film as saturable absorber. 2021 , 1869, 012158	0
568	An Insightful Picture of Nonlinear Photonics in 2D Materials and their Applications: Recent Advances and Future Prospects. 2021 , 9, 2001671	2
567	Ultrafast soliton mode-locked fiber laser at 1560 nm based on Znq as a saturable absorber. 2021 , 60, 3149-3154	0
566	Metallated Graphynes as a New Class of Photofunctional 2D Organometallic Nanosheets. 2021 , 133, 11427-11435	2
565	Nonlinear meta-optics towards applications. 2021 , 2,	15
564	Ultrathin amorphous Ge film enabling stabilized femtosecond fiber laser pulsation. 2021 , 136, 106761	2

563	Enhancing Q-Switched Fiber Laser Performance Based on Reverse Saturable and Saturable Absorption Properties of CuCrO Nanoparticle-Polyimide Films. 2021 , 13, 21748-21755	3
562	Metallated Graphynes as a New Class of Photofunctional 2D Organometallic Nanosheets. 2021 , 60, 11326-11334	4
561	All-fiber integrated saturable absorber-tunable wavelength filter for Q-switching laser in both C- and L-bands. 2021 , 29, 13183-13192	2
560	Broadband Metallic Carbon Nanotube Saturable Absorber for Ultrashort Pulse Generation in the 1500-100 nm Spectral Range. 2021 , 11, 3121	1
559	ReSe ₂ -TiS ₂ heterojunction saturable absorber in mode-locked Nd:YVO ₄ laser. 2021 , 232, 166556	1
558	Study of Pulse Formation in an EDFL Under a Large Dispersion Variation Hybridly Mode-Locked by Graphene and Nonlinear Polarization Rotation. 2021 , 13, 1-14	4
557	Ultrashort pulse generation with MXene Ti ₃ C ₂ T _x embedded in PVA and deposited onto D-shaped fiber. 2021 , 136, 106780	5
556	Nonlinear Optical Properties of Ag Nanoplates Plasmon Resonance and Applications in Ultrafast Photonics. 2021 , 39, 2084-2090	7
555	Silica optical fiber integrated with two-dimensional materials: towards opto-electro-mechanical technology. 2021 , 10, 78	17
554	Recent research and advances of material-based saturable absorber in mode-locked fiber laser. 2021 , 137, 106826	8
553	Ultrafast Fiber Lasers with Low-Dimensional Saturable Absorbers: Status and Prospects. 2021 , 21,	2
552	Study of Mechanically Exfoliated Monolayer, Bilayer, Trilayer and Multilayer Graphene as Saturable Absorber for Passive Erbium-Doped Fiber Laser Mode-Locking. 2021 ,	
551	Influence of reverse saturable absorption effect on conventional and dissipative solitons fiber lasers. 2021 , 137, 106805	5
550	Unified Mechanism for Graphene FET's Electrothermal Breakdown and Its Implications on Safe Operating Limits. 2021 , 68, 2530-2537	1
549	Enhanced nonlinear optical properties of RGO via Au modification: application for Q-switched waveguide laser. 2021 , 11, 1583	1
548	Near-field probing of dielectric screening by hexagonal boron nitride in graphene integrated on silicon photonics. 2021 , 32,	3
547	Nonequilibrium phonon tuning and mapping in few-layer graphene with infrared nanoscopy. 2021 , 103,	2
546	Dual Transduction of H ₂ O ₂ Detection Using ZnO/Laser-Induced Graphene Composites. 2021 , 9, 102	4

545	Active Manipulation of Fano Resonance at Visible and Near-Infrared Wavelengths in Metal Plasmonic Nanodevices Using Graphene. 2021 , 16, 1929	1
544	Dynamical evolution of anisotropic response of type-II Weyl semimetal TaIrTe under ultrafast photoexcitation. 2021 , 10, 101	8
543	Enhancing Carrier Diffusion Length and Quantum Efficiency through Photoinduced Charge Transfer in Layered Graphene-Semiconducting Quantum Dot Devices. 2021 , 13, 24295-24303	5
542	Theory of nonlinear microwave absorption in an electron-doped and gapped graphene monolayer. 2021 , 129, 114663	0
541	Saturable absorber based on the fiber coupler coated by CNTs. 2021 , 63, 102524	3
540	Near-Infrared Spatial Self-Phase Modulation in Ultrathin Niobium Carbide Nanosheets. 2021 , 9,	2
539	2D Materials for Nonlinear Photonics and Electro-Optical Applications. 2021 , 8, 2100367	10
538	Plasmonic Saturable Absorbers. 2021 , 2, 2100003	4
537	Photonic device combined optical microfiber coupler with saturable-absorption materials and its application in mode-locked fiber laser. 2021 , 29, 20526-20534	20
536	Saturable absorber based on a hybrid structure of graded-index multimode fiber and graphene for a passive mode-locked erbium-doped fiber laser. 2021 , 38, 2112	3
535	Wavelength-switchable 9.5 GHz graphene mode-locked waveguide laser. 2021 , 14, 072001	5
534	C60 nanorods as a promising infrared nonlinear optical material for ultrafast photonics. 2021 , 178, 728-733	3
533	Broadband and ultrafast all-optical switching based on transition metal carbide. 2021 , 10, 2617-2623	1
532	Characterisation of passively Q-switched Yb:Lu2O3 ceramic laser based on graphdiyne absorber. 2021 , 115, 103739	3
531	Advances of Nonlinear Photonics in Low-Dimensional Halide Perovskites. 2021 , 17, e2100809	13
530	Three-dimensional AgS cubes for switchable multi-wavelength ultrashort pulse application. 2021 , 32,	1
529	Asymmetric Si-Slot Coupler With Nonreciprocal Response Based on Graphene Saturable Absorption. 2021 , 57, 1-10	3
528	Femtosecond Optical Nonlinearity of Nanodiamond Suspensions. 2021 , 11, 5455	1

527	Theoretical and experimental investigations on NbCTMXene Q-switched Tm:YAP laser at 2m for the nonlinear optical response. 2021 , 32,	4
526	Germanium Nanosheets with Dirac Characteristics as a Saturable Absorber for Ultrafast Pulse Generation. 2021 , 33, e2101042	7
525	Controllable Synthesis of Wafer-Scale Graphene Films: Challenges, Status, and Perspectives. 2021 , 17, e2008017	11
524	Free-Standing Working Electrodes for Supercapacitors Based on Composite Polymer Nanofibers and Functionalized with Graphene Oxide. 2021 , 50, 5599-5611	1
523	Optimizing the Kerr Nonlinear Optical Performance of Silicon Waveguides Integrated With 2D Graphene Oxide Films. 2021 , 39, 4671-4683	7
522	Black Phosphorus/Polymers: Status and Challenges. 2021 , 33, e2100113	10
521	Numerical study of a hybrid mode-locked erbium-doped fluoride fiber laser at 2.8 μm . 2021 , 1983, 012094	0
520	Gold nanoparticles film for Q-switched pulse generation in thulium doped fiber laser cavity. 2021 , 17, 449-453	0
519	Investigation on the optical nonlinearity of the layered magnesium-mediated metal organic framework (Mg-MOF-74). 2021 , 29, 23786-23798	
518	Narrow-bandgap materials for optoelectronics applications. 2022 , 17, 1	5
517	MXenes: synthesis, incorporation, and applications in ultrafast lasers. 2021 , 32,	6
516	Recent Progress of Two-Dimensional Materials for Ultrafast Photonics. 2021 , 11,	11
515	Alternately Intercalated Heterostructures of Carbon and MoS ₂ Monolayers as Saturable Absorber for Ultrashort Femtosecond Mode-Locked Lasers. 2021 , 9, 2100699	0
514	Ultraflat Langmuir-Blodgett assembled graphene oxide saturable-absorber films for pulsed near-infrared laser generation. 2021 , 32,	2
513	Lawsone dye material as potential saturable absorber for Q-switched erbium doped fiber laser. 2021 , 64, 102537	1
512	Q-Switched and Mode-Locked Er-doped fiber laser based on MAX phase Ti ₂ AlC saturable absorber. 2021 , 26, 104451	10
511	Mechanism of All-Optical Spatial Light Modulation in Graphene Dispersion. 2021 , 125, 16598-16604	0
510	Wavelength tunable passive-mode locked Er-doped fiber laser based on graphene oxide nano-platelet. 2021 , 140, 106932	4

509	Silicon Nanosheets: A Promising 2D Material with Strong Ultrafast Nonlinear Optical Response. 2021 , 125, 18510-18516	1
508	On-chip ultrafast pulse generation based on graphene-silicon hybrid waveguides. 2021 , 9, 1660	2
507	U-Shaped Optical Fiber Probes Coated with Electrically Doped GQDs for Humidity Measurements. 2021 , 13,	1
506	Gate-controlled graphene surface plasmon resonance glucose sensor. 2021 , 493, 126994	6
505	Graphene saturable absorbers applications in fiber lasers. 2021 , 17,	9
504	All-optical graphene-on-silicon slot waveguide modulator based on graphene's Kerr effect. 2021 , 60, 7945-7954	4
503	Electrical Detection of Molecular Transformations Associated with Chemical Reactions Using Graphene Devices. 2021 , 13, 45001-45007	3
502	Deterministic Transfer of Large-Scale π -Phase Arsenic on Fiber End Cap for Near-Infrared Ultrafast Pulse Generation. 2021 , 8,	0
501	Inversion symmetry broken 2D SnP2S6 with strong nonlinear optical response. 1	0
500	Black phosphorus for near-infrared ultrafast lasers in the spatial/temporal domain. 2021 , 33,	2
499	Tunable extreme energy transfer of terahertz waves with graphene in a nested cavity. 2021 , 29, 34302-34313	0
498	Recent advances in the development of nanomedicines for the treatment of ischemic stroke. 2021 , 6, 2854-2869	13
497	Nonlinear absorption property investigation into MAX phase Ti2AlC at 19 μ m. 2021 , 11, 3556	1
496	A Review on Rhenium Disulfide: Synthesis Approaches, Optical Properties, and Applications in Pulsed Lasers. 2021 , 11,	5
495	Recent Progress on Metal-Based Nanomaterials: Fabrications, Optical Properties, and Applications in Ultrafast Photonics. <i>Advanced Functional Materials</i> , 2107363	15.6 6
494	Broadband and enhanced nonlinear optical modulation characteristics of CuBTC for pulsed lasers. 2021 , 11, 3546	1
493	Morphology-Controllable Ultrafast Fiber Lasers Based on Intracavity Manipulation of Transverse Modes. 2021 , 16,	2
492	A review of focused ion beam applications in optical fibers. 2021 , 32,	7

491	Nonlinear optical properties of poly (vinyl alcohol) thin films doped with in-situ WSe ₂ /rGO composite. 2021 , 142, 107198	1
490	Tin telluride quantum dots as a new saturable absorber for a mode-locked Yb ⁺ doped fiber laser. 2021 , 142, 107258	1
489	Wavelength switchable Q-switched fiber laser based on Fe ₃ O ₄ nanoparticles. 2021 , 243, 167279	1
488	Graphene-chitin bio-composite polymer based mode locker at 2 micron region. 2021 , 245, 167710	1
487	Direct modulation of microwave by visible light based on graphene microstrip patch antenna. 2021 , 416, 127676	0
486	Multifunctional all-fiber mode-locked laser based on graphene-integrated polarization-dependent microfiber resonator. 2021 , 143, 107381	1
485	Mode-locked fiber laser based on Fe ₂ O ₃ nanosheets as saturable absorbers. 2021 , 144, 107417	3
484	Advanced opportunities and insights on the influence of nitrogen incorporation on the physico-/electro-chemical properties of robust electrocatalysts for electrocatalytic energy conversion. 2021 , 449, 214209	7
483	119th harmonic mode-locking in the fiber laser based on a novel saturable absorber thin film obtained by the sol-gel method. 2022 , 145, 107542	2
482	A Robust and Novel Linear Fiber Laser Mode-locked by Nonlinear Polarization Evolution in All-polarization-maintaining Fibers. 2021 , 1-1	2
481	Few-layered W ₂ C nanosheets based on passively mode-locked fiber lasers. 2021 , 11, 299	2
480	Ultrafast photonics applications based on evanescent field interactions with 2D molybdenum carbide (Mo ₂ C).	5
479	Inelastic scattering and cooling of photoexcited electrons through coupling with acoustic, optic, and surface polar optic phonons in graphene. 2021 , 129, 014308	1
478	Spectroscopic investigations of electron and hole dynamics in MAPbBr ₃ perovskite film and carrier extraction to PEDOT hole transport layer. 2021 , 23, 13011-13022	1
477	Nonlinear optics of graphdiyne. 2021 , 5, 6413-6428	3
476	A Q-switched fiber laser using a Ti ₂ AlN-based saturable absorber. 2021 , 31, 025103	5
475	Broadband Fe ₃ O ₄ nanoparticles saturable absorber for Q-switched fiber lasers. 2021 , 61, 102421	9
474	Defect Engineering of Two-Dimensional Transition-Metal Dichalcogenides: Applications, Challenges, and Opportunities. 2021 , 15, 2165-2181	53

- 473 Functionalized graphene-based nanocomposites for smart optoelectronic applications. **2021**, 10, 605-635 7
- 472 Topological insulators and applications. **2021**, 81-138
- 471 A Passively Q-Switched Holmium-Doped Fiber Laser with Graphene Oxide at 2058 nm. **2021**, 11, 407 5
- 470 Graphdiyne-based saturable absorber for mode-locked erbium-doped fiber laser. **2021**,
- 469 Enhanced third-harmonic generation by manipulating the twist angle of bilayer graphene. **2021**, 10, 19 8
- 468 Tailoring the ultrafast and nonlinear photonics of MXenes through elemental replacement. **2021**, 13, 15891-15898 3
- 467 An Ultrabroadband Mid-Infrared Pulsed Optical Switch Employing Solution-Processed Bismuth Oxyselenide. **2018**, 30, e1801021 68
- 466 Facile Synthesis of 2D Tin Selenide for Near- and Mid-Infrared Ultrafast Photonics Applications. **2020**, 8, 1902183 13
- 465 Cesium Lead Halide Perovskite Quantum Dots in the Limelight: Dynamics and Applications. **2020**, 175-205 4
- 464 Tellurium@Selenium core-shell hetero-junction: Facile synthesis, nonlinear optics, and ultrafast photonics applications towards mid-infrared regime. **2020**, 20, 100657 5
- 463 Graphene-dispersed polymer waveguide for efficient formation of mode-locked lasers at extremely low graphene concentration. **2020**, 166, 123-130 5
- 462 Q-switched all-fiber laser based on titanium trisulfide. **2020**, 205, 164234 15
- 461 Pulse characteristics in a doubly Q-switched Nd:GGG laser with an acousto-optic modulator and a monolayer graphene saturable absorber. **2017**, 96, 265-270 3
- 460 Er-doped mode-locked fiber lasers based on nonlinear polarization rotation and nonlinear multimode interference. **2020**, 130, 106337 13
- 459 Passively Mode-Locked Operations Induced by Semiconducting Polymer Nanoparticles and a Side-Polished Fiber. **2020**, 12, 57461-57467 9
- 458 Recent advances in real-time spectrum measurement of soliton dynamics by dispersive Fourier transformation. **2020**, 83, 116401 6
- 457 Fiber-based all-optical modulation based on two-dimensional materials. **2021**, 8, 012003 3
- 456 MXene-PVA thin film for efficient all-optical modulator and all-optical signal processing with high performances. **2020**, 2, 045004 1

455	Excitation Enhancement of Hot Electrons by Ultrafast Optical Pumping in Heavily p-Doped Graphene Stacks. 2020 , 14,	4
454	Role of impurities on the optical properties of rectangular graphene flakes. 2018 , 2,	6
453	Layer dependence of third-harmonic generation in thick multilayer graphene. 2018 , 2,	2
452	Er-Doped Fiber Laser Mode-Locked by CVD-Graphene Saturable Absorber. 2012 , 30, 2770-2775	30
451	Multifunctional integration on optical fiber tips: challenges and opportunities. 2020 , 2,	36
450	Passively Q-switched erbium-doped fiber laser using a graphene saturable absorber. 2012 ,	1
449	Optical Absorption and Thermal Nonlinearities in Graphene-on-Silicon Nitride Microring Resonators. 2015 ,	3
448	Q-Switched YDFL generation by a MAX phase saturable absorber. 2020 , 59, 5408	7
447	CVD-BiTe as a saturable absorber for various solitons in a mode-locked Er-doped fiber laser. 2020 , 59, 7792-7800	4
446	ZrSe nanosheet as saturable absorber for soliton operations within an Er-doped passive mode-locked fiber laser. 2020 , 59, 7484-7489	3
445	2.8 μm passively Q-switched Er:ZBLAN fiber laser with an Sb saturable absorber mirror. 2020 , 59, 9165-9168	6
444	Soliton mode-locked pulse generation with a bulk structured MXene TiAlC deposited onto a D-shaped fiber. 2020 , 59, 8759-8767	5
443	Passive mode locking in fiber lasers due to the polarization-dependent losses. 2020 , 59, 10201-10206	8
442	High-repetition-rate all-fiber femtosecond laser with an optical integrated component. 2017 , 56, 2504-2509	6
441	Passively Q-switched Yb-doped dual-wavelength fiber laser based on a gold-nanocage saturable absorber. 2018 , 57, 8242-8248	5
440	Polarization dependence of a graphene-optical fiber hybrid Mach-Zehnder interferometer. 2019 , 58, 1808-1812	2
439	Titanium dioxide fiber saturable absorber for Q-switched fiber laser generation in the 1-micrometer region. 2019 , 58, 3495-3500	9
438	Designing a nearly perfect infrared absorber in monolayer black phosphorus. 2019 , 58, 3862-3869	15

437	Nanosecond pulse laser generation at 1.55 and 2 μm regions by integrating a piece of newly developed chromium-doped fiber-based saturable absorber. 2019 , 58, 6528-6534	1
436	In-plane electric field confinement engineering in graphene-based hybrid plasmonic waveguides. 2019 , 58, 7503-7509	8
435	Q-switched ytterbium-doped fiber laser based on evanescent field interaction with lutetium oxide. 2019 , 58, 9670-9676	3
434	Passively Q-switched erbium-doped fiber laser utilizing tungsten oxide as a saturable absorber. 2019 , 58, 9768-9772	2
433	Graphene Q-switched laser operation in Nd:YVO ₄ cladding waveguides produced by femtosecond laser writing. 2014 ,	1
432	A Passively Mode-locked Tm-Ho Fiber Laser using a Modelocker based on Bismuth-doped Germanosilicate Fiber. 2017 ,	1
431	Monolayer graphene saturable absorber for bulk laser mode-locking. 2010 ,	5
430	163 nJ Graphene Mode-locked Yb-doped Fiber Laser. 2011 ,	4
429	Theoretical investigation of a broadband all-optical graphene-microfiber modulator. 2016 , 33, 2588	6
428	Investigation of different configurations and operation regimes of fiber pulse generators based on nonlinear spectral re-shaping. 2018 , 26, 27247-27264	21
427	Tailoring optical nonlinearities of LiNbO ₃ crystals by plasmonic silver nanoparticles for broadband saturable absorbers. 2018 , 26, 31276-31289	17
426	Bulk-structured PtSe for femtosecond fiber laser mode-locking. 2019 , 27, 2604-2611	25
425	A pulsewidth measurement technology based on carbon-nanotube saturable absorber. 2019 , 27, 4188-4203	8
424	Dual band and tunable perfect absorber based on dual gratings-coupled graphene-dielectric multilayer structures. 2019 , 27, 5217-5229	22
423	8.8 GHz Q-switched mode-locked waveguide lasers modulated by PtSe saturable absorber. 2019 , 27, 8727-8737	44
422	Fs-laser-written thulium waveguide lasers Q-switched by graphene and MoS ₂ . 2019 , 27, 8745-8755	13
421	MXene-based saturable absorber for femtosecond mode-locked fiber lasers. 2019 , 27, 10159-10170	71
420	All-optical signal processing in few-layer bismuthene coated microfiber: towards applications in optical fiber systems. 2019 , 27, 16798-16811	15

419	Evaluation of graphene optical nonlinearity with photon-pair generation in graphene-on-silicon waveguides. 2019 , 27, 30262-30271	6
418	Graphene/WS heterostructure saturable absorbers for ultrashort pulse generation in L-band passively mode-locked fiber lasers. 2020 , 28, 11514-11523	20
417	Mode-locked and Q-switched mode-locked fiber laser based on a ferroferric-oxide nanoparticles saturable absorber. 2020 , 28, 13177-13186	21
416	Passively Q-switched and mode-locked erbium-doped fiber lasers based on tellurene nanosheets as saturable absorber. 2020 , 28, 14729-14739	23
415	High optical nonlinearity in low-dimensional halide perovskite polycrystalline films. 2020 , 28, 24919-24927	10
414	Ultra-narrowband light absorption enhancement of monolayer graphene from waveguide mode. 2020 , 28, 24908-24917	6
413	SnSSe as a saturable absorber for an ultrafast laser with superior stability. 2020 , 45, 419	46
412	Graphene Q-switched Tb:LiYF green laser. 2020 , 45, 2596-2599	8
411	Observation of spatial self-phase modulation induced via two competing mechanisms. 2020 , 45, 2850-2853	9
410	All-fiber mode-locked ytterbium-doped fiber laser with a saturable absorber based on the nonlinear Kerr beam cleanup effect. 2020 , 45, 6050-6053	5
409	Hybrid single-mode laser based on graphene Bragg gratings on silicon. 2017 , 42, 2134-2137	3
408	Two-photon saturable absorption properties and laser Q-switch application of carbon quantum dots. 2017 , 42, 3972-3975	14
407	Coherent optical modulation of graphene based on coherent population oscillation. 2019 , 44, 223-226	0
406	Are graphene-BiTe van der Waals heterostructure-based saturable absorbers promising for solid-state Q-switched lasers?. 2019 , 44, 1072-1075	8
405	Controlling group and phase velocities in bidirectional mode-locked fiber lasers. 2019 , 44, 2903	4
404	All-optical loss modulation with graphene-buried polymer waveguides. 2019 , 44, 3685-3688	5
403	Photonic-crystal-based broadband graphene saturable absorber. 2019 , 44, 4785-4788	7
402	MoS ₂ /graphene heterostructure incorporated passively mode-locked fiber laser: from anomalous to normal average dispersion. 2020 , 10, 46	7

401	Silver nanowires with different concentration for Q-switched fiber lasers. 2020 , 10, 187	10
400	Enhancement mechanism of the saturable absorption effect in reduced graphene oxide decorated with silver nanoparticles. 2020 , 10, 884	5
399	MoO _{3-x} as a wideband optical saturable absorber for passively Q-switching ytterbium-, erbium-, and thulium-doped fiber lasers. 2020 , 10, 2480	2
398	Time-domain dynamics of saturation of absorption using multilevel atomic systems. 2018 , 8, 3829	10
397	Measurement of the third order optical nonlinearities of graphene quantum dots in water at 355 nm, 532 nm and 1064 nm. 2019 , 9, 339	6
396	Ti ₂ AlC-based saturable absorber for passive Q-switching of a fiber laser. 2019 , 9, 2057	27
395	High-energy Q-switched ytterbium-doped all-fiber laser with tris-(8-hydroxyquinoline) aluminum as saturable absorber. 2019 , 9, 3215	14
394	Graphene and Mo ₂ C vertical heterostructure for femtosecond mode-locked lasers [Invited]. 2019 , 9, 3268	6
393	Large energy pulses generation in a mode-locked Er-doped fiber laser based on CVD-grown Bi ₂ Te ₃ saturable absorber. 2019 , 9, 3535	8
392	MXene saturable absorber for nanosecond pulse generation in a mid-infrared Ho,Pr:LLF bulk laser. 2019 , 9, 3977	5
391	Dielectric waveguides with embedded graphene nanoribbons for all-optical broadband modulation. 2019 , 9, 4456	1
390	Hafnium diselenide as a Q-switcher for fiber laser application. 2019 , 9, 4597	12
389	WS ₂ based 523 MHz mode-locked erbium-doped fiber laser for microwave photonic application. 2019 , 9, 4688	5
388	Far-field transient absorption nanoscopy with sub-50 nm optical super-resolution. 2020 , 7, 1402	5
387	Nanosecond pulse generation with a gallium nitride saturable absorber. 2019 , 2, 134	5
386	Hybrid organic small molecules as a saturable absorber for passive Q-switching in erbium-doped fiber laser. 2020 , 3, 177	2
385	Experimental demonstration of Bi ₂ Te ₃ saturable absorption with whispering gallery modes in an InGaAsP microdisk laser. 2020 , 3, 58	1
384	Dy-doped CaF ₂ transparent ceramics as a functional medium in the broadband mid-infrared spectral region. 2020 , 3, 1811	3

383	CMOS-compatible all-optical modulator based on the saturable absorption of graphene. 2020, 8, 468	18
382	Ultrafast polarization-dependent all-optical switching of germanium-based metaphotonic devices. 2020, 8, 263	9
381	Nonlinear optical absorption properties of InP nanowires and applications as a saturable absorber. 2020, 8, 1035	4
380	Laser-driven self-exfoliation of graphene oxide layers on a fiber facet for Q switching of an Er-doped fiber laser at the longest wavelength. 2020, 8, 1324	8
379	Revealing the intrinsic nonlinear optical response of a single MoS2 nanosheet in a suspension based on spatial self-phase modulation. 2020, 8, 1725	8
378	High-performance fiber-integrated multifunctional graphene-optoelectronic device with photoelectric detection and optic-phase modulation. 2020, 8, 1949	5
377	Passively Q-switched femtosecond-laser-written thulium waveguide laser based on evanescent field interaction with carbon nanotubes. 2018, 6, 971	15
376	PbS quantum dots as a saturable absorber for ultrafast laser. 2018, 6, 1028	35
375	All-fiber passively mode-locked laser using nonlinear multimode interference of step-index multimode fiber. 2018, 6, 1033	36
374	Ternary ReS ₂ (1-x)Se _{2x} alloy saturable absorber for passively Q-switched and mode-locked erbium-doped all-fiber lasers. 2019, 7, 283	16
373	Soliton and bound-state soliton mode-locked fiber laser based on a MoS ₂ /fluorine mica Langmuir-Blodgett film saturable absorber. 2019, 7, 431	22
372	Revealing of the ultrafast third-order nonlinear optical response and enabled photonic application in two-dimensional tin sulfide. 2019, 7, 494	112
371	Ultra-high-resolution detection of Pb ²⁺ ions using a black phosphorus functionalized microfiber coil resonator. 2019, 7, 622	14
370	Investigation of nonlinear optical properties of rhenium diselenide and its application as a femtosecond mode-locker. 2019, 7, 984	20
369	Direction controllable inverse transition radiation from the spatial dispersion in a graphene-dielectric stack. 2019, 7, 1154	9
368	Zeolite templated carbon nanodots for broadband ultrafast pulsed fiber laser generation. 2019, 7, 1182	6
367	Direct generation of an ultrafast vortex beam in a CVD-graphene-based passively mode-locked Pr:LiYF ₄ visible laser. 2019, 7, 1209	22
366	Fe ₃ O ₄ nanoparticles as a saturable absorber for a tunable Q-switched dysprosium laser around 3 μ m. 2020, 8, 70	17

365	Ultrafast fiber lasers mode-locked by two-dimensional materials: review and prospect. 2020 , 8, 78	173
364	Mode-locking of an Er:Yb:glass laser with single layer graphene. 2010 ,	2
363	Facile sonochemical-assisted synthesis of orthorhombic phase black phosphorus/rGO hybrids for effective photothermal therapy. 2020 , 9, 3023-3034	4
362	164 fs mode-locked erbium-doped fiber laser based on tungsten ditelluride. 2020 , 9, 2763-2769	4
361	MXene saturable absorber enabled hybrid mode-locking technology: a new routine of advancing femtosecond fiber lasers performance. 2020 , 9, 2451-2458	27
360	Recent progress on applications of 2D material-decorated microfiber photonic devices in pulse shaping and all-optical signal processing. 2020 , 9, 2641-2671	6
359	Recent progress of pulsed fiber lasers based on transition-metal dichalcogenides and black phosphorus saturable absorbers. 2020 , 9, 2215-2231	22
358	Nonlinear optical properties of anisotropic two-dimensional layered materials for ultrafast photonics. 2020 , 9, 1651-1673	15
357	MXene: two dimensional inorganic compounds, for generation of bound state soliton pulses in nonlinear optical system. 2020 , 9, 2505-2513	26
356	Passively Q-switched Yb-doped all-fiber laser based on Ag nanoplates as saturable absorber. 2020 , 9, 3873-3880	8
355	2D molybdenum carbide (Mo ₂ C)/fluorine mica (FM) saturable absorber for passively mode-locked erbium-doped all-fiber laser. 2020 , 9, 2523-2530	13
354	Visible-wavelength pulsed lasers with low-dimensional saturable absorbers. 2020 , 9, 2273-2294	8
353	Novel layered 2D materials for ultrafast photonics. 2020 , 9, 1743-1786	12
352	2D materials integrated with metallic nanostructures: fundamentals and optoelectronic applications. 2020 , 9, 1877-1900	16
351	Hybrid silicon photonic devices with two-dimensional materials. 2020 , 9, 2295-2314	6
350	Palladium selenide as a broadband saturable absorber for ultra-fast photonics. 2020 , 9, 2557-2567	56
349	Highly stable MXene (V ₂ CT _x)-based harmonic pulse generation. 2020 , 9, 2577-2585	24
348	Recent advances in mode-locked fiber lasers based on two-dimensional materials. 2020 , 9, 2315-2340	17

347	2D tellurene/black phosphorus heterojunctions based broadband nonlinear saturable absorber. 2020 , 9, 2593-2602	16
346	Palladium diselenide as a direct absorption saturable absorber for ultrafast mode-locked operations: from all anomalous dispersion to all normal dispersion. 2020 , 9, 4295-4306	36
345	Strong electro-optic absorption spanning nearly two octaves in an all-fiber graphene device. 2020 , 9, 4539-4544	3
344	Continuous-wave femtosecond lasers. 2013 , 183, 897-916	8
343	Progress in Preparation of Graphene. 2011 , 26, 561-570	14
342	High Power Continuous-Wave and Graphene Q-switched Operation of Er:YAG Ceramic Lasers at ~1.6 μm . 2013 , 17, 5-9	9
341	Vector Passive Harmonic Mode-locking Fiber Laser Based on Topological Insulator Bi ₂ Se ₃ Interacting with Fiber Taper. 2016 , 20, 135-139	7
340	Few-layer graphene membrane as an ultrafast mode-locker in erbium-doped fiber laser. 2013 , 62, 054202	6
339	Dark pulses and harmonic mode locking in graphene-based passively mode-locked Yb ³⁺ -doped fiber laser with all-normal dispersion cavity. 2015 , 64, 194205	1
338	Ultrafast dynamic optical properties of graphene. 2015 , 64, 237801	4
337	Ultrafast pulse lasers based on two-dimensional nanomaterials. 2019 , 68, 188101	9
336	Pulse-width electrically tunable mode-locked laser based on fiber integrated graphene field effect transistor. 2021 ,	
335	Investigation on the nonlinear optical properties of V ₂ C MXene at 1.9 μm .	6
334	Switchable nonlinear absorption and ultrafast dynamics process of Nb ₂ CT _x . 2021 , 581, 40-46	
333	Silver Nanowires with Ultrabroadband Plasmon Response for Ultrashort Pulse Fiber Lasers. 2100184	4
332	Nonlinear Optical Properties and Ultrafast Carrier Dynamics of 2D Indium Selenide Nanosheets. 2101432	6
331	Electrical control of all-optical graphene switches.. 2022 , 30, 1950-1966	2
330	Local nonlinearity engineering of evanescent-field-interaction fiber devices embedding in black phosphorus quantum dots. 2021 ,	2

- 329 Temporal dissipative structures in optical Kerr resonators with transient loss fluctuation. **2021**, 29, 35776-35791
- 328 Nonlinear intensity dependence of edge photocurrents in graphene induced by terahertz radiation. **2021**, 104, 1
- 327 Synthesis and saturable absorption properties of nickel molybdate flakes. **2021**, 248, 168179 1
- 326 Large-energy mode-locked Er-doped fiber laser based Cr₂Si₂Te₆ as a modulator. **2021**, 119, 103941 0
- 325 Fiber Fabry- Perot Laser Mode-Locked by Graphene for the Generation of Supercontinuum with 10GHz Mode Spacing. **2011**,
- 324 Passive Mode-Locker Incorporating Physically Exfoliated Graphene for Fiber Ring Lasers. **2011**,
- 323 Few-layer Graphene as Saturable Absorber for Q-Switched Laser at Sub-MHz Repetition Rate. **2011**, 1
- 322 Linear and Nonlinear Optical Absorption of on-chip Silicon-on-insulator Nanowires with Graphene. **2012**,
- 321 Photonic and Optoelectronic Applications of Carbon Nanotube and Graphene. **2012**,
- 320 Graphene-doped Polymer Optical Nanofibers. **2013**,
- 319 Passive harmonic mode-locking of soliton fiber laser using monolayer graphene as a saturable absorber. **2013**,
- 318 Femtosecond Pulse Generation from an Extended Cavity Cr⁴⁺:forsterite Laser using Graphene on YAG. **2013**,
- 317 All-polarization-maintaining Femtosecond Erbium-doped Fiber Lasers Using Graphene Oxide Saturable Absorber. **2013**,
- 316 Graphene-Covered-Microfiber as Saturable Absorber for Wavelength-Tunable Passive Mode-Locking. **2013**,
- 315 Graphene film for broadband mode-locked fiber lasers. **2013**,
- 314 Optical absorptions in monolayer and bilayer graphene. **2013**, 62, 187301 14
- 313 Directly Imprinted Graphite Nano-Particle with Improved Quality for Sub-400 fs Passively Mode-Locked Fiber Laser. **2013**,
- 312 References. 313-326

- 311 Dielectric nanosecond-pulse waveguide laser passively modulated by a topological insulator saturable absorber. **2014,**
- 310 Minimum Saturable Absorption Contrast for Stable Mode-locked Fiber Lasers. **2014,**
- 309 Short-Pulse Fiber Lasers Using Graphene. **2014,** 42, 638
- 308 Design of a Graphene based Saturable Absorber using a Side-Polished Photonic Crystal Fiber. **2014,**
- 307 Comparison of sensitive nonlinear saturable absorption of topological insulator Bi₂Te₃ powder and nanosheets. **2014,**
- 306 Experimental studies of multiple pulses in a passively ytterbium-doped fiber laser based on graphene-oxide saturable absorber. **2014,** 63, 084202 4
- 305 Application of GO in Electronics and Optics. **2015,** 57-77 1
- 304 2-D materials-based passively Q-switched 635 nm Pr³⁺-doped ZBLAN fiber lasers. **2015,**
- 303 Q-switched pulse generation in Yb- and Er-doped fiber laser with WS₂ saturable absorber. **2015,**
- 302 Parametric soliton formation in narrow-band laser-gain driven microresonators. **2015,**
- 301 A 303 MHz fundamental repetition rate femtosecond Er: fiber ring laser. **2015,** 64, 114210 3
- 300 Progress of terahertz devices based on graphene. **2015,** 64, 229501 5
- 299 Nonstoichiometric Si_{1-x}Gex Based Tunable Saturable Absorber for Mode-Locked Erbium-doped Fiber Laser. **2015,**
- 298 Fabrication and applications of a Graphene polarizer with strong saturable absorption. **2015,**
- 297 Thulium-Holmium-codoped, Passively Q-switched Fiber Laser incorporating Bi₂Te₃ Saturable Absorber. **2015,** 1
- 296 Optically tunable monolayer graphene saturable absorber for the control of pulsed fiber laser operation. **2015,**
- 295 Numerical Simulation of Pulse Propagation in Graphene-clad Tapered Fiber. **2015,**
- 294 Graphene-Based Ultra-Broadband Slow-Light System and Plamonic Whispering-Gallery-Mode Nanoresonators. **2016,** 169-190

- 293 Dissipative Soliton Resonance of a Fiber Laser Using Bulk-structured Bi₂Te₃ Topological Insulator. **2016,**
- 292 Layer-Dependent Third-Harmonic Generation in Multilayer Graphene. **2016,**
- 291 Femtosecond Er-doped fiber laser using a graphene/MoS₂ heterostructure saturable absorber. **2016,**
- 290 Nanosecond mode-locked Tm-doped fiber laser based on graphene saturable absorber. **2017,** 66, 114209 4
- 289 Sub-100 fs Tm:MgWO₄ laser at 2017 nm. **2017,**
- 288 The Nonlinear Optical Properties of MNbO₃ (M = Ca, Sr, Ba) Thin Films. **2017,** 91-101
- 287 Geometrical Volume-Nonlinear Optical Property Relationship of Carbon Nanotubes. **2017,**
- 286 Synthesis and Characterization of MoS₂-Graphene Nanocomposite. **2018,** 629-634
- 285 Larger enhancement in four-wave mixing from graphene embedded in one-dimensional photonic crystals. **2017,** 34, 2000 3
- 284 Application of Graphene in Lasers. **2017,** 27-39
- 283 Graphene Saturable Absorption and Applications in Fiber Laser. **2018,** 185-191
- 282 Pulsed laser Q-switched by graphene on silicon waveguide and ultra-low self-start threshold power realization. **2018,**
- 281 Graphene-based broadband all-optical spatial modulator. **2018,** 67, 214201 1
- 280 Optical Pulse Generation Using Fast Graphene Saturable Absorbers on Silicon Waveguides. **2018,**
- 279 A femtosecond pulse fiber laser using a CoSb₃ skutterudite-based passive mode-locker. **2018,**
- 278 Ultrasensitive label-free immunosensor based on graphene oxide integrated dual-peak long period grating. **2018,**
- 277 Filling Technologies of Photonic Crystal Fibers and Their Applications. **2019,** 2139-2199 0
- 276 Micro-/Nano-optical Fiber Devices. **2019,** 1425-1464

275	Absorption-Based Far-Field Label-Free Super-Resolution Microscopy. 2019 , 137-169	
274	Influence of the Saturable Absorber Recovery Time on Fiber Laser Mode-Locking. 2020 ,	
273	Saturable absorption properties of As ₂ Te ₃ for ultrafast fiber lasers at 1.9 μm. 2020 ,	
272	The SnSSe SA with high modulation depth for passively Q-switched fiber laser. 2020 , 9, 2549-2555	6
271	Dynamically controlled random lasing with colloidal titanium carbide MXene. 2020 , 10, 2304	1
270	Stoichiometric modulation on optical nonlinearity of 2D MoS ₂ x Se ₂ S ₃ alloys for photonic applications. 2021 ,	0
269	High-Yield Exfoliation of Monolayer 1T'-MoTe ₂ as Saturable Absorber for Ultrafast Photonics. 2021 ,	5
268	Nanoscale Engineering of Optical nonlinearity Based on a Metal Nitride/Oxide Heterostructure. 2021 , 13, 1253-1260	1
267	Graphene-Plasmonic Hybrid Metasurface Saturable Absorber. 2021 ,	1
266	Q-switched erbium-doped fiber laser based on nanodiamond saturable absorber. 2022 , 146, 107569	3
265	Ultrafast photonics applications of zirconium carbide as a novel mode-locker for fiber lasers.	2
264	Optical properties and applications of SnS ₂ SAs with different thickness. 2021 , 4, 200029-200029	10
263	All-optical devices based on two-dimensional materials. 2020 , 69, 184216	6
262	Ultrafast optical switches and pulse lasers based on strong nonlinear optical response of plasmon nanostructures. 2020 , 69, 189101	
261	Nonlinear Dynamic Processes in Laser-Induced Transitions to Low-Dimensional Carbon Nanostructures in Bulk Graphite Unit. 2020 , 131-139	1
260	Research progress of low-dimensional semiconductor materials in field of nonlinear optics. 2020 , 69, 184211	3
259	Ultrafast pulse lasers based on two-dimensional nanomaterial heterostructures as saturable absorber. 2020 , 69, 188102	2
258	Two-dimensional material as a saturable absorber for mid-infrared ultrafast fiber laser. 2020 , 69, 188101	3

257	Layer-Tunable Nonlinear Optical Characteristics and Photocarrier Dynamics of 2D PdSe in Broadband Spectra. 2021 , 17, e2103938	8
256	Passively mode-locked in Er-doped fiber laser based on semi-metallic InBi saturable absorber.	
255	Saturable absorption and self-defocusing response of 2D monoelemental germanium nanosheets in broadband spectra. 2021 , 29, 39115-39124	3
254	2D van der Waals materials for ultrafast pulsed fiber lasers: review and prospect. 2021 , 33,	3
253	Optical polarization rogue waves and their identifications. 2020 , 2, 032004	0
252	Generation of passively Q-switched ytterbium laser by using tungsten tri-oxide film absorber. 2020 , 14, 278-284	1
251	Dy-doped Y2O3 transparent ceramics as a mid-infrared laser medium and saturable absorber. 2020 , 10, 2998	1
250	All-optical modulator based on graphene-photonic crystal fiber. 2020 , 13, 102006	1
249	Few-layer GaSe nanosheet-based broadband saturable absorber for passively Q-switched solid-state bulk lasers. 2020 , 59, 8834-8838	0
248	1.3 fs passively Q-switched mode-locked laser with Fe3O4 nanoparticle saturable absorber. 2020 , 30, 125801	1
247	Femtosecond ultrafast pulse generation with high-quality 2H-TaS nanosheets top-down empirical approach. 2021 ,	3
246	Chromium aluminum carbide as Q-switcher for the near-infrared erbium-doped fiber laser. 2022 , 250, 168362	0
245	Poly(3,4-ethylenedioxythiophene): Poly(styrenesulfonate) spin-coated onto polyvinyl alcohol film as saturable absorber for generating Q-switched laser at 1.5 μm region. 2022 , 68, 102763	0
244	Two-dimensional materials toward Terahertz optoelectronic device applications. 2021 , 51, 100473	5
243	Chemistry, Functionalization, and Applications of Recent Monoelemental Two-Dimensional Materials and Their Heterostructures. 2021 ,	23
242	Conformal Graphene Directly Synthesized on a Femtosecond Laser-Scribed In-Fiber Microstructure for High-Energy Ultrafast Optical Pulses. 2021 ,	0
241	Oriented Assembly of 2D Metal-Pyridylporphyrinic Framework Films for Giant Nonlinear Optical Limiting. 2021 , 21, 10012-10018	7
240	Mid-infrared photonics and optoelectronics in 2D materials. 2021 ,	3

239	Antimony Sulfide Nanosheets with Size-Dependent Nonlinear Optical Properties for Q-Switched Pulse Applications.	1
238	Passive mode-locking by a Ti2AlN saturable absorber in 1.5 μ m region. 2021 , 251, 168364	1
237	Hot carrier dynamics and electron-optical phonon coupling in photoexcited graphene via time-resolved ultrabroadband terahertz spectroscopy. 2021 , 3,	1
236	Atomic Defect Induced Saturable Absorption of Hexagonal Boron Nitride in Near Infrared Band for Ultrafast Lasing Applications.. 2021 , 11,	0
235	Intracavity losses effect on mode-locking in a waveguide laser with graphene saturable absorber. 2022 , 19, 015001	
234	Thulium-doped fluoride mode-locked fiber laser based on nonlinear polarization rotation. 2022 , 54, 1	0
233	Liquid phase exfoliation of hafnium diselenide and its role in initiating the mode-locked pulse laser at eye-safe wavelength region. 2022 , 123, 111933	1
232	All-Optical Modulation Technology Based on 2D Layered Materials.. 2022 , 13,	2
231	Nano-CsxWO3: Ultra-broadband nonlinear optical modulator for near-infrared and mid-infrared ultrafast fiber lasers generation. 1	2
230	Broadband GaSb saturable absorber for pulse generation from C-band to mid-infrared. 2022 , 244, 118716	0
229	Photo-modulated optical and electrical properties of graphene. 2021 ,	1
228	Interface and surface engineering of black phosphorus: a review for photonic and optoelectronic applications.	7
227	Graphene optical modulators using bound states in the continuum.. 2022 , 12, 1445	0
226	Novel nanomaterials based saturable absorbers for passive mode locked fiber laser at 1.5 μ m.. 2022 , ,	4
225	Low-temperature synthesis of a carbon nanocage saturable absorber for pulsed erbium-doped fiber laser generation. 2021 , 10, 235-243	1
224	Regulable nonlinear absorption and ultrafast dynamics process of monolayer Nb2CTx. 2022 , 57, 3222-3230	0
223	Synthesis of Hexagonal Structured GaS Nanosheets for Robust Femtosecond Pulse Generation.. 2022 , 12,	1
222	All-optical modulator based on a microfibre coil resonator functionalized with MXene. 2022 , 68, 102776	0

221	Passively mode-locked Er-doped fiber laser based on a ferromagnetic insulator CrSiTe as a saturable absorber.. 2022 , 61, 898-903	2
220	Covalent-linked porphyrin-based polymer/multi-walled carbon nanotube nanohybrids: Synthesis and enhanced nonlinear optical performance. 2022 , 123, 111913	0
219	Sigmoid Type Neuromorphic Activation Function Based on Saturable Absorption Behavior of Graphene/PMMA Composite for Intensity Modulation of Surface Plasmon Polariton Signals. 1	1
218	Nanosecond Q-switched laser with PEDOT: PSS saturable absorber.. 2022 , 61, 1292-1299	0
217	Third-order optical nonlinearity in Ti2C MXene for Q-switching operation at 10 ¹⁴ W/m ² . 2022 , 124, 112054	0
216	Bi2Te3/Graphene Heterostructure as the Saturable Absorber for ~1.0 ps Passively Q-switched Solid State Pulsed Laser. 2022 , 12, 222	1
215	Dynamic routing through saturable absorption in graphene photonic resonators: Impact of carrier diffusion and finite relaxation time. 2022 , 131, 053104	2
214	Recent advance of emerging low-dimensional materials for vector soliton generation in fiber lasers. 2022 , 23, 100622	5
213	Perspectives on nonlinear optics of graphene: Opportunities and challenges. 2022 , 7, 020901	4
212	Single- and bound-state soliton mode-locked Er-doped fiber laser based on graphene/WS2 nanocomposites saturable absorber. 2022 , 121, 104024	1
211	Ultrashort pulse generation in All-fiber Erbium-doped fiber cavity with thulium doped fiber saturable absorber. 2022 , 149, 107888	
210	Highly stable soliton and bound soliton generation from a fiber laser mode-locked by VSe nanosheets.. 2022 , 30, 6838-6845	2
209	GeAs 2 Saturable Absorber for Ultrafast and Ultranarrow Photonic Applications. <i>Advanced Functional Materials</i> , 2112252	15.6 2
208	Nonlinear intensity dependence of photogalvanics and photoconductance induced by terahertz laser radiation in twisted bilayer graphene close to magic angle. 2022 , 6,	0
207	Two-dimensional Material based Printed Photonics: A Review.	1
206	High Power and Large-Energy Pulse Generation in an Erbium-Doped Fiber Laser by a Ferromagnetic Insulator-CrSiTe Saturable Absorber.. 2022 , 12,	2
205	A generic model for the study of supercontinuum generation in graphene-covered nanowires. 2022 , 4, 015001	2
204	High-Performance All-Optical Modulator Based on Graphene-hBN Heterostructures. 2022 , 1-1	0

203	Metal oxide-carbon composites and their applications in optoelectronics and electrochemical energy devices. 2022 , 309-339	0
202	Graphene-Based Polymer Composites: Physical and Chemical Properties. 2022 , 159-197	
201	SiO ₂ Passivated Ta ₂ S ₅ Saturable Absorber Mirrors for the Ultrafast Pulse Generation.	
200	Nonlinear optical properties of PtTe ₂ based saturable absorbers for ultrafast photonics. 2022 , 10, 5124-5133	2
199	SiO ₂ Passivated Ta ₂ S ₅ Saturable Absorber Mirrors for the Ultrafast Pulse Generation.	
198	Nonlinear electronic and ultrafast optical signatures in chemical vapor-deposited ultrathin PtS ₂ ribbons. 1	1
197	Liquid-Phase Exfoliation of TaNiS and Its Application in Near-Infrared Mode-Locked Fiber Lasers with Evanescent Field Interactions and Passively Q-Switched Bulk Laser.. 2022 , 12,	2
196	Controllable Synthesis of Narrow-Gap van der Waals Semiconductor NbGeTe with Asymmetric Architecture for Ultrafast Photonics.. 2022 ,	2
195	Dispersion Management and Pulse Characterization of Graphene-Based Soliton Mode-Locked Fiber Lasers. 2022 , 12, 3288	0
194	Engineering the harmonic generation in graphene. 2022 , 23, 100649	2
193	Near-infrared All-fiber Mode-locked laser Based on Vanadium Carbide Nanosheets. 2022 , 168792	0
192	A Comparative Investigation of Chemically Reduced Graphene Oxide Thin Films Deposited via Spray Pyrolysis.. 2022 , 7, 11973-11979	0
191	Femtosecond fiber oscillator based on a 3 β -coupler-NALM: numerical model and realizations at 1 and 2 μ m.. 2022 , 30, 12555-12564	1
190	Phase/size dual controlled 2D semiconductor In ₂ X ₃ (X = S, Se, Te) for saturable absorption modulation. 1	0
189	Photon Manipulation of Two-Dimensional Plasmons in Metal Oxide Nanosheets for Surface-Enhanced Spectroscopy and Ultrafast Optical Switching. 2022 , 34, 2804-2812	1
188	Low-Temperature PECVD Growth of Germanium for Mode-Locking of Er-Doped Fiber Laser.. 2022 , 12,	1
187	Saturable absorber based on graphene for a hybrid passive mode-locked erbium-doped fiber laser. 2022 , 70, 102867	1
186	Broadband cavity soliton with graphene saturable absorber. 2022 , 158, 111983	0

- 185 Mono-elemental saturable absorber in near-infrared mode-locked fiber laser: A review. **2022**, 122, 104103 0
- 184 Laser beam intensity and wavelength dependent nonlinear absorption in pulse laser deposited WS₂ thin films. **2022**, 127, 112249 0
- 183 Germanene nanosheets for mode-locked pulse generation in fiber lasers. **2022**, 123, 104128 0
- 182 Application of TiCN on passively harmonic mode-locked ultrashort pulse generation at 2 μm. **2022**, 150, 107986 1
- 181 Nonlinear photoresponse of high damage threshold titanium disulfide nanocrystals for Q-switched pulse generation. **2022**, 151, 107988 10
- 180 Stretched-pulse fiber laser mode-locked by PbS quantum dots. **2022**, 151, 107991 0
- 179 Bright Soliton and BrightDark Soliton Pair in an Er-Doped Fiber Laser Mode-Locked Based on In₂Se₃ Saturable Absorber. **2021**, 9, 107992 0
- 178 Two-dimensional noble transition-metal dichalcogenides for nanophotonics and optoelectronics: Status and prospects. **2022**, 15, 3675-3694 4
- 177 Silicon Nanosheets: An Emerging 2D Photonic Material with a Large Transient Nonlinear Optical Response beyond Graphene.. **2021**, 12, 107993 1
- 176 Optical Harmonic Generation in 2D Materials. *Advanced Functional Materials*, **2022**, 32, 2105259 15.6 7
- 175 Layer-Dependent Nonlinear Optical Properties of WS₂, MoS₂, and Bi₂S₃ Films Synthesized by Chemical Vapor Deposition.. **2021**, 12, 107994 4
- 174 Exciton-induced mid-infrared optical nonlinearity of wide bandgap hexagon boron nitride.. **2022**, 47, 2442-2445 0
- 173 Spatial Dissipative Solitons in Graphene-Based Active Random Metamaterials. **2022**, 17, 107995 0
- 172 Observation of Soliton and Bound Soliton in Erbium-Doped Fiber Lasers Using a Non-Irradiated and Low-Dose Gamma-Irradiated Nanotube Mode-Locker. **2022**, 12, 107996 0
- 171 Evolution of optical nonlinearity within graphene/Bi₂Te₃ heterostructure. **2022**, 12, 107997 0
- 170 Dual-Channel Graphene-Based Optical Switch. **2022**, 12, 107998 1
- 169 van der Waals forces enhanced light-graphene interaction in optical microfiber polarizer. **2022**, 12, 045027 0
- 168 TiAlC MAX and TiC MXene Quantum Sheets for Record-High Optical Nonlinearity.. **2022**, 3929-3936 1

167	Matrix eigenvalue solver based on reconfigurable photonic neural network. 2022,	0
166	Ultrafast laser ablation, intrinsic threshold, and nanopatterning of monolayer molybdenum disulfide.. 2022, 12, 6910	1
165	Novel two-dimensional semi-metallic NiTe ₂ based saturable absorber for ultrafast mode-locked fiber laser. 2022, 104195	1
164	The Rise of Graphene Photonic Crystal Fibers. <i>Advanced Functional Materials</i> , 2202282	15.6
163	Recent Advances and Challenges in Ultrafast Photonics Enabled by Metal Nanomaterials. 2200443	2
162	Microscopic optical nonlinearities and transient carrier dynamics in indium selenide nanosheet. 2022, 30, 17967	1
161	Graphene filament-chitin bio-composite polymer based passive Q-switcher in EDFL with tunable wavelength. 2022,	
160	Self-Assembled Nonlinear Optical Crystals Based on an Asymmetric Fluorenone Derivative.	2
159	Cerium Oxide/Polydimethylsiloxane Composite Tapered Fiber Saturable Absorber for Mode-Locked Pulsed Erbium-doped Fiber Laser. 2022, 104220	0
158	Nonlinear optical properties of graphdiyne/graphene van der Waals heterostructure for laser modulations. 2022, 38, 105654	2
157	Tellurium based materials for nonlinear optical applications. 2022,	1
156	Multi-element two-dimensional compounds Pb ₃ Sn ₄ FeSb ₂ S ₁₄ as saturable absorber to demonstrate large-energy mode-locked pulse generations. 2022, 169411	
155	Broadband saturable absorption in germanene for mode-locked Yb, Er, and Tm fiber lasers. 2022,	2
154	A Comparison for Saturable Absorbers: Carbon Nanotube Versus Graphene. 2200023	2
153	SiO ₂ passivated TaS ₂ saturable absorber mirrors for the ultrafast pulse generation. 2022, 165742	0
152	Nonlinear optical properties of MXene and applications in broadband ultrafast photonics. 2022, 918, 165580	1
151	Engineering van der Waals Materials for Advanced Metaphotonics.	2
150	Graphene-integrated waveguides: Properties, preparation, and applications.	0

- 149 Femtosecond Pulsed Fiber Laser Based on Graphdiyne-Modified Tapered Fiber. **2022**, 12, 2050 1
- 148 Advances in Flexible Optoelectronics Based on Chemical Vapor Deposition-Grown Graphene. *Advanced Functional Materials*, 2203115 15.6 1
- 147 Recent Progress in 2D Inorganic/Organic Charge Transfer Heterojunction Photodetector. *Advanced Functional Materials*, 2205150 15.6 5
- 146 Ti3C2Tx MXene Quantum Dots with Surface-Terminated Groups (-F, -OH, =O, -Cl) for Ultrafast Photonics. **2022**, 12, 2043
- 145 Demonstration of passively Q-switched and mode-locked operations through dispersion control in Er-doped fiber lasers with a cylindrite-based saturable absorber. **2022**, 119064 1
- 144 Q-switched fiber laser in C-band region using metal ceramic-based saturable absorber. **2022**, 264, 169395 0
- 143 Highly stable passively Q-switched erbium-doped fiber laser with zeolitic imidazolate framework-67 saturable absorber. **2022**, 125, 104274 1
- 142 The dispersion management of passively mode-locked all-fiber lasers based on the Co²⁺: ZnS-film. **2022**, 155, 108368 0
- 141 Nonlinear photonics device based on double perovskite oxide Ba₂LaTaO₆ for ultrafast laser generation. **2022**, 155, 108334 1
- 140 Optimization of Graphene on D-Fiber Saturable Absorbers. **2022**, 1-7 1
- 139 Enhanced Photon Absorption and Nonlinear Optical Characteristics of ZnO/Au/Graphene Van Der Waals Heterostructures.
- 138 Ti₃C₂T_x Quantum Dots/ Polyvinyl Alcohol Films as Enhanced Long-Term Stable Saturable Absorber Device for Ultrafast Photonics.
- 137 Study on the relationship between carrier mobility and nonlinear optical characteristics of Sb₂Te₃-Bi₂Te₃ lateral heterostructure materials and its applications in fiber lasers. 0
- 136 Wavelength Tunable All Polarization Maintaining Fiber Mode Locked Laser at C Band with High Repetition Rate of 126 Mhz.
- 135 TiB₂ nanoparticles with broadband nonlinear response for ultrafast pulses generation.
- 134 Mid-Infrared Optoelectronic Devices Based on Two-Dimensional Materials beyond Graphene: Status and Trends. **2022**, 12, 2260 2
- 133 Generation of stable Q-switched pulses at 1566 nm by using a segment of erbium-doped fiber as saturable absorber. **2022**, 32, 085104
- 132 Broadband 1T-polytype tantalum disulfide saturable absorber for solid-state bulk lasers.

131	TMO-Derived MnO ₂ Nanosheets for Harmonic Soliton Molecule Pulses Generation. 2200195	
130	MXene Saturable Absorbers in Mode-Locked Fiber Laser. 2100709	0
129	Graphene Saturable Absorber Mirrors for Silicon Photonic Platforms. 2022 , 14, 1-8	
128	TaSe ₂ nanosheets for harmonic mode-locked fiber laser. 2022 , 72, 102956	2
127	Generation of high-power breathing pulses based on Peregrine soliton by using saturable absorber. 2022 , 522, 128693	
126	Linear and nonlinear optical propagation in 2D materials. 2021 , 2021, 19-37	
125	Photo-Thermal Tuning of Graphene Oxide Coated Integrated Optical Waveguides. 2022 , 13, 1194	2
124	Femtojoule femtosecond all-optical switching in lithium niobate nanophotonics. 2022 , 16, 625-631	2
123	Ultrafast fiber laser at 1570 nm based on organic material as saturable absorber. 2022 , 12,	
122	Broadband BiOCl Nonlinear Saturable Absorber for Watt-Level Passively Q-Switched Yb:LuAG Single Crystal Fiber Laser. 2201087	0
121	PECVD-derived graphene saturable absorber mirror for 2.8 ns pulsed Er:ZBLAN fiber laser. 2022 , 55, 424007	
120	Dual-controlled tunable polarization-independent triple-band absorber using hybrid Dirac semimetal-vanadium dioxide metamaterial.	
119	Femtosecond Pulsed Fiber Laser by an Optical Device Based on NaOH-LPE Prepared WSe ₂ Saturable Absorber. 2022 , 12, 2747	1
118	Integrated Self-powered Sensors Based on 2D Material Devices. 2206900	4
117	Ultra-efficient DC-gated all-optical graphene switch.	0
116	Advances in Two-Dimensional Materials for Optoelectronics Applications. 2022 , 12, 1087	3
115	Multidimensional dissipative solitons and solitary vortices. 2022 , 163, 112526	1
114	Dissipative-soliton-resonance and evolution in an all-normal dispersion Er-doped fiber laser. 2022 , 156, 108592	1

113	Preparation of tellurium nanowires and its application in ultrafast photonics. 2022 , 252, 119335	0
112	Optical properties of graphene/ZnO spheres/Au heterostructure for enhanced van der Waals saturable absorbers. 2022 , 928, 167221	0
111	Highly stable Fabry-Pérot fiber-optic modulation device based on the photothermal effect of V2C MXene. 2023 , 157, 108671	0
110	Tunable soliton molecules in mode-locked fiber laser based on GeBi4Te7 saturable absorber. 2023 , 157, 108649	1
109	Time-Domain Flexible Pulse Fiber Laser Generation and High-Power Evolution Based on Inter-Band Excitation of Lead Sulfide Nanoflakes.	0
108	Niobium tellurium as a novel broadband saturable absorber for pulsed fiber lasers. 2022 , 10, 13201-13209	0
107	Generation of Ultra-High Signal to Noise Ratio Harmonics in an All-Polarization-Maintaining Fiber Laser. 2022 , 1-10	0
106	Optical Transmission Technologies. 2022 , 257-368	0
105	Graphene and optoelectronics. 2022 , 173-188	0
104	Waveguide Tm:YAP Laser with a Pulse Repetition Rate of 8 GHz. 2022 , 49, 229-234	0
103	Graphene Saturable Absorber Mirror for Mode-Locked Orange Pulse Laser. 2022 , 43, 476-481	0
102	Bismuthene quantum dots integrated D-shaped fiber as saturable absorber for multi-type soliton fiber lasers. 2022 ,	1
101	Mode-locked fiber laser based on the broadband germanene saturable absorber. 2022 ,	0
100	Graphene Saturable Absorber Mirror for Passive Mode-locking of Mid-Infrared QCLs.	0
99	PbSe Nanosheets for High-Performance Harmonic Mode Locking. 2022 , 534, 2200183	0
98	Defect-mediated carrier dynamics and third-order nonlinear optical response of WS2 quantum dots. 2022 , 47, 5196	0
97	Integration and Applications of Nanomaterials for Ultrafast Photonics. 2200386	3
96	2D Xenos: Optical and Optoelectronic Properties and Applications in Photonic Devices. 2206507	0

95	Generation of different mode-locked states in a Yb-doped fiber laser based on nonlinear multimode interference. 2022 , 30, 35911	1
94	Ultrafast pulse propagation in graphene-comprising nanophotonic waveguides considering nonperturbative electrodynamic nonlinearity. 2022 , 39, 2723	1
93	Graphene-based terahertz optoelectronics. 2022 , 108558	0
92	A first-principles study of Janus monolayer MXY (M = Mo, W; X, Y = S, Se, Te)/SiO ₂ van der Waals heterojunctions for integrated optical fibers.	0
91	Soliton phenomena in normal and anomalous dispersion region in Er-doped mode-locked fiber lasers based on Cr:Ti:LiF saturable absorbers.	0
90	Frontier and Hot Topics of Pulsed Fiber Lasers via CiteSpace Scientometric Analysis: Passively Mode-Locked Fiber Lasers with Real Saturable Absorbers Based on Two-Dimensional Materials. 2022 , 15, 6761	4
89	LD pumped passively Q-switched Pr:YLF lasers using VS ₂ SA. 2022 , 12, 4191	1
88	Enhanced supercontinuum generation in waveguides coated with graphene oxide films.	0
87	Recent progress in passively mode-locked fiber lasers based on low dimensional nanomaterials. 2022 , 9, 100302	0
86	Third-Order Optical Nonlinearities of Two-dimensional SnS under Irradiation: Implications for Space Use.	0
85	Oxygen vacancy engineering of MOF-derived ZnO/Co ₃ O ₄ nanocomposites for high harmonic mode-locking operation.	1
84	Study on the mechanically exfoliated graphene saturable absorption dependence on the number of layers and its influence on passive mode-locking Erbium-doped fiber laser dynamics.	2
83	Graphene saturable absorber mirror for passive mode-locking of mid-infrared QCLs. 2022 , 54,	0
82	Time-domain flexible pulse fiber laser generation and high-power evolution based on inter-band excitation of lead sulfide nanoflakes. 2022 , 129065	2
81	Crystalline Phase Effects on the Nonlinear Optical Response of MoS ₂ and WS ₂ Nanosheets: Implications for Photonic and Optoelectronic Applications.	1
80	Photocatalytic degradation of Rhodamine B over popcorn-like ZnFe ₂ O ₄ /CdS@TiO ₂ ternary composite. 2022 , 21, 1863-1877	0
79	All-optical hybrid plasmonic waveguide modulator based on Kerr nonlinearity of graphene. 2022 , 61,	0
78	Passively mode-locked fiber laser based on GeTe as a saturable absorber. 2022 , 61, 9379	0

- 77 Solitons, single- and synchronous dual-wavelength noise-like pulses and hybrid regimes from a thulium-doped fiber laser. **2022**, 19, 125101 ○
- 76 Demonstration of conventional soliton, bound-state soliton, and noise-like pulse based on chromium sulfide as saturable absorber. **2022**, ○ 1
- 75 Q-switched and mode-locked fiber laser based on organic metal 8-hydroxyquinoline chelate as saturable absorber at 1.5 μm . **2022**, 127, 104388 ○
- 74 Photo-dynamics in 2D materials: Processes, tunability and device applications. **2022**, 993, 1-70 ○
- 73 Application of graphdiyne oxide in photoelectrochemical-type photodetectors and ultrafast fiber lasers. **2022**, 47, 101653 ○
- 72 Ti3C2Tx Quantum Dots/ Polyvinyl alcohol Films as Enhanced Long-term Stable Saturable Absorber Device for Ultrafast Photonics. ○
- 71 Optical saturable absorption of conformal graphene directly synthesized on nonlinear device surfaces. **2023**, 611, 155641 ○
- 70 Nonlinear optical properties and broadband ultrafast photonics application of 2D-zirconium tritelluride (ZrTe3). **2023**, 158, 108849 ○
- 69 Second harmonic generation in air-exposed few-layer black phosphorus. **2022**, 115572 ○
- 68 Black phosphorus quantum dots: Nonlinear optical modulation material with ultraviolet saturable absorption. 10, ○
- 67 Ultrafast terahertz transparency boosting in graphene meta-cavities. **2022**, ○
- 66 Silver Nanoplate Composites as Nonlinear Saturable Absorbers for a Q-Switched Laser. **2022**, 9, 835 ○
- 65 Applications of Optical Microcombs. ○
- 64 Passively Q-switched single crystal fiber pulsed laser at 1.05 μm with TiOx as saturable absorber. ○
- 63 Phase-modulated quantum-sized TMDs for extreme saturable absorption. ○
- 62 Mo4/3B2T2-based saturable absorber for generating conventional and bound-state solitons in erbium-doped fibre laser. **2023**, 75, 103159 ○
- 61 Enhanced Nonlinear Optical Performance of Perovskite Films Passivated by Porphyrin Derivatives. ○
- 60 Gold-nanoparticles induced transition in YVO4 crystal: From saturable to reverse saturable absorption. **2023**, 135, 113342 ○

59	Broadband saturable absorption responses of few-layered MoSe ₂ nanosheets for all-solid-state Q-switched lasers. 2023 , 136, 113387	0
58	Ambient-stable MXene with superior performance suitable for widespread applications. 2022 , 140635	0
57	Assisting the mode-locking of a figure-9 fiber laser by thermal nonlinearity of graphene-decorated microfiber.	0
56	Applications of MXenes in human-like sensors and actuators.	2
55	Co-MOFs as Emerging Pulse Modulators for Femtosecond Ultrafast Fiber Laser. 2022 , 14, 53971-53980	0
54	Enhancement of nonlinear interaction for efficient graphene-based mode-locked lasers. 2022 ,	0
53	Boron carbon oxynitride coated arc-shaped fiber as an optical modulator for passively mode-locked fiber lasers at 1.5- and 2- μ m wavelength.	0
52	InP/ZnSeS/ZnS Core/Shell Quantum Dots as Novel Saturable Absorbers in Mode-Locked Fiber Lasers. 2201939	0
51	Ultrafast L Band Soliton Pulse Generation in Erbium-Doped Fiber Laser Based on Graphene Oxide Saturable Absorber. 2023 , 13, 141	0
50	Phonon polarization deformation in graphene induced by substrate coupling strengths. 2023 , 122, 032201	0
49	Full C-band wavelength-tunable, 250 MHz repetition rate mode-locked polarization maintaining fiber laser.	0
48	Nonlinear optical properties of 2D materials. 2023 ,	0
47	Graphene Oxide for Nonlinear Integrated Photonics. 2200512	3
46	Mode-locked operation in thulium-holmium doped fiber laser based on Cr ₂ AlC MAX phase SA coated arc-shaped fiber. 2023 , 55,	0
45	Graphene as an inhomogeneously broadened two-level saturable absorber.	1
44	Graphene oxide for photonics, electronics and optoelectronics.	4
43	Effect of different exfoliation solvents on the saturable absorption properties of germanene and silicene nanosheets prepared by the liquid-phase exfoliation. 2023 , 136, 113411	0
42	SiO ₂ Passivated Graphene Saturable Absorber Mirrors for Ultrashort Pulse Generation. 2023 , 13, 111	1

- 41 Enhanced Supercontinuum Generation in Integrated Waveguides Incorporated with Graphene Oxide Films. 2201796 ○
- 40 Third-Order Optical Nonlinearities of 2D Materials at Telecommunications Wavelengths. **2023**, 14, 307 ○
- 39 Carbon quantum dots: An overview and potential applications in terahertz domain. **2023**, 397-421 ○
- 38 Ferrotronics for the creation of band gaps in graphene. **2023**, 107, ○
- 37 Quasi-2D Mn₃Si₂Te₆ Nanosheet for Ultrafast Photonics. **2023**, 13, 602 ○
- 36 Saturable Absorbers for Ultrafast Fiber Laser Mode-locking. **2022**, ○
- 35 1.5 fs Passively Q-Switched Fiber Laser Based on Niobium Diselenide. **2023**, 13, 1-7 ○
- 34 Mode-locked fiber laser based on Cr₂Si₂Te₆ saturable absorber with a Sagnac loop. ○
- 33 The influence of Au-NP thickness coated on side-polished fiber on the properties of mode-locked erbium-doped fiber laser. **2023**, 130, 104616 ○
- 32 NbS₂-nanosheet-based saturable absorber for 1.5 μm and 2 μm ultrafast fiber lasers. **2023**, 54, 101117 ○
- 31 Tunable performance of indium tin oxide-zinc oxide as Q-switcher. **2023**, 281, 170852 ○
- 30 Nonlinear photoresponse of PdSe₂ nanosheets for soliton operations in passive mode-locked Er-doped fiber lasers. **2023**, 131, 104626 ○
- 29 Passively mode-locked Yb-doped fiber laser based on CNT-film sandwiched between the multimode fiber connectors. **2023**, 281, 170791 ○
- 28 An Information Coding System Based on Bidirectional Mode-Locked Fiber Laser. **2023**, 29, 1-8 ○
- 27 Broadband Nonlinear Optical Modulator With 2D Organic-Inorganic Hybrid Perovskite Nanocrystals. **2023**, 29, 1-8 ○
- 26 Generation of bright/dark solitons in an Er-doped fiber laser employing InSb as a saturable absorber. **2023**, 62, 1921 ○
- 25 Nanobelt and nanoplatelet structured molybdenum disulfide thin film as a saturable absorber under nanopulsed green laser excitation. **2023**, 320, 123865 ○
- 24 Deep ultraviolet optical limiting materials: 2D Ti₃C₂ and Ti₃AlC₂ nanosheets. **2023**, 11, 2355-2363 ○

- 23 2D Transition Metal Carbides (MXenes) for Third Order Nonlinear Optics: Status and Prospects. 2200733 ○
- 22 Identification of Ultraviolet Photoinduced Presolvated Electrons in Water as the Reducing Agent in the Photoreduction of Graphene Oxide. **2023**, 127, 3516-3522 ○
- 21 Interfacial interaction of monolayer MX₂ (M=Mo, W; X=S, Se, Te)/SiO₂ interfaces for composite optical fibers. **2023**, 37, 102739 ○
- 20 Dual-controlled tunable absorber using a hybrid Dirac semimetal-strontium titanate metamaterial. **2023**, 40, 688 ○
- 19 Fermi level dependent saturable absorption of grapheme. **2017**, ○
- 18 Dual-channel graphene-based optical metasurface switch at telecommunication wavelengths. **2023**, 40, 753 ○
- 17 MoS₂ as Nonlinear Optical Material for Optical Neural Networks. **2023**, 29, 1-7 ○
- 16 Broadband Q-switched pulse modulation of the zeolite based single wall carbon nanotube. **2023**, 162, 109292 ○
- 15 Shear-strain controlled high-harmonic generation in graphene. **2023**, 107, ○
- 14 Broadband nanosecond pulse generation modulated by zirconium triselenide nanoflakes. **2023**, 13, 997 ○
- 13 Full C-band wavelength-tunable, 250 MHz repetition rate mode-locked polarization-maintaining fiber laser. **2023**, 13, ○
- 12 Broadband Nonlinear Photonics in Zeolite-Based Selenium Chains. 2200336 ○
- 11 Dual-tapered Mach Zehnder Interferometer for Dual-wavelength Q-Switched YDFL using Molybdenum Diselenide. **2023**, 2432, 012016 ○
- 10 Nonlinear optics in 2D materials: focus on the contributions from Latin America. **2023**, 40, C111 ○
- 9 Ultrashort pulse generation in erbium-doped fiber lasers in South America: a historical review. **2023**, 40, C148 1
- 8 Tunable Electronic Properties of Substitutionally Doped CSb Monolayer. ○
- 7 CrPS₄ Nanoflakes as Stable Direct-Band-Gap 2D Materials for Ultrafast Pulse Laser Applications. **2023**, 13, 1128 ○
- 6 Niobium telluride absorber for a mode-locked vector soliton fiber laser. **2023**, 66, ○

- 5 Covalent functionalization of tin disulfide with porphyrin for ultrafast optical limiting. **2023**, 11, 5190-5198 ○
- 4 Nonlinear Absorption and Refraction Properties of V₄C₃ MXene and its Use for an Ultra-Broadband Saturable Absorber. ○
- 3 Nonlinear optical properties of PVD-grown Cr₂Te₃ film and its nonlinear switching application. **2023**, 956, 170308 ○
- 2 Gold Nanomaterial-Based Optical Modulators for Wideband Pulse Laser Generation. ○
- 1 Two-dimensional material integrated micro-nano fiber, the new opportunity in all-optical signal processing. **2023**, ○