

Triassic palaeogeography and fluvial dispersal across th

Geological Journal

44, 711-741

DOI: [10.1002/gj.1201](https://doi.org/10.1002/gj.1201)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Jasmine discovery, Central North Sea, UKCS. Petroleum Geology Conference Proceedings, 2010, 7, 225-243.	0.7	11
2	Controls on the stratigraphic development of the Triassic Fundy Basin, Nova Scotia: implications for the tectonostratigraphic evolution of Triassic Atlantic rift basins. Journal of the Geological Society, 2010, 167, 437-454.	0.9	48
3	Filling sequence in Late Paleozoic continental basins: A chimera of climate change? A new light shed given by the Graissessac-Lodève basin (SE France). Palaeogeography, Palaeoclimatology, Palaeoecology, 2011, 302, 170-186.	1.0	31
4	Comment on "The Permian-Triassic transition and the onset of Mesozoic sedimentation at the northwestern peri Tethyan domain scale: Palaeogeographic maps and geodynamic implications" by S. Bourquin, A. Bercovici, J. López-Gómez, J. B. Diez, J. Broutin, A. Ronchi, M. Durand, A. ArchÃ©, B. Linol and F. Amour. [Palaeogeography, Palaeoclimatology, Palaeoecology 299 (2011) 265-280]. Palaeogeography, Palaeoclimatology, Palaeoecology, 2011, 311, 136-143.	1.0	9
5	Large-scale, linked drainage systems in the NW European Triassic: insights from the Pb isotopic composition of detrital K-feldspar. Journal of the Geological Society, 2012, 169, 279-295.	0.9	29
6	Permian continental paleoenvironments in Southeastern Asia: New insights from the Luang Prabang Basin (Laos). Journal of Asian Earth Sciences, 2012, 60, 197-211.	1.0	16
8	Palaeoenvironments of the late Triassic Rhaetian Sea: Implications from oxygen and strontium isotopes of hybodont shark teeth. Palaeogeography, Palaeoclimatology, Palaeoecology, 2012, 353-355, 60-72.	1.0	58
9	Lithofacies and cyclicity of Mohilla evaporite basins on the rifted margin of the Levant in the Late Triassic, Makhtesh Ramon, southern Israel. Sedimentology, 2012, 59, 2097-2124.	1.6	13
10	The role of fluid pressure and diagenetic cements for porosity preservation in Triassic fluvial reservoirs of the Central Graben, North Sea. AAPG Bulletin, 2013, 97, 1273-1302.	0.7	83
11	Triassic redbeds in the Malaguide Complex (Betic Cordillera - Spain): Petrography, geochemistry and geodynamic implications. Earth-Science Reviews, 2013, 117, 1-28.	4.0	88
12	The beginning of the Buntsandstein cycle (Early-Middle Triassic) in the Catalan Ranges, NE Spain: Sedimentary and palaeogeographic implications. Sedimentary Geology, 2013, 296, 86-102.	1.0	26
13	European origin of placodont marine reptiles and the evolution of crushing dentition in Placodontia. Nature Communications, 2013, 4, 1621.	5.8	96
14	The first discovery of in situ Verrucosisporites applanatus spores from the Middle Triassic flora from Bromsgrove (Worcestershire, UK). Review of Palaeobotany and Palynology, 2013, 197, 15-25.	0.8	11
15	Mercia Mudstone Formation caprock to carbon capture and storage sites: petrology and petrophysical characteristics. Journal of the Geological Society, 2013, 170, 119-132.	0.9	44
16	Heavy-mineral, mineral-chemical and zircon-age constraints on the provenance of Triassic sandstones from the Devon coast, southern Britain. Geologos, 2013, 19, .	0.2	20
17	Depositional history of the Upper Triassic Kapp Toscana Group on Svalbard, Norway, inferred from palynofacies analysis and organic geochemistry. Sedimentary Geology, 2014, 310, 16-29.	1.0	22
18	Structural controls on the stratigraphic architecture of net-transgressive shallow-marine strata in a salt-influenced rift basin: Middle-to-Upper Jurassic Egersund Basin, Norwegian North Sea. Basin Research, 2014, 26, 675-700.	1.3	15
19	Climatic versus halokinetic control on sedimentation in a dryland fluvial succession. Sedimentology, 2014, 61, 570-608.	1.6	34

#	ARTICLE	IF	CITATIONS
20	The "Otter Sandstone River"™ of the mid-Triassic and its vertebrate fauna. Proceedings of the Geologists Association, 2014, 125, 560-566.	0.6	4
21	Controls on facies evolution in low accommodation, continental-scale fluvio-paralic systems (Messak Fm, SW Libya). Sedimentary Geology, 2014, 303, 49-69.	1.0	8
22	Seismic stratigraphic subdivision of the Triassic succession in the Central North Sea; integrating seismic reflection and well data. Journal of the Geological Society, 2014, 171, 353-374.	0.9	22
23	The Carnian Pluvial Event in Western Europe: New data from Iberia and correlation with the Western Neotethys and Eastern North Africa "NW Africa regions. Earth-Science Reviews, 2014, 128, 196-231.	4.0	77
27	Chirothere Footprint Sites from the Otter Sandstone Formation (Middle Triassic, late Anisian) of Devon, United Kingdom. Ichnos, 2015, 22, 29-42.	0.8	6
28	First recorded occurrence of detrital baddeleyite (ZrO ₂) in sedimentary rock (Smith) Tj ETQq1 1 0.784314 rgBT ₃ /Overlook	0.1	3
29	Planation surfaces of the Armorican Massif (western France): Denudation chronology of a Mesozoic land surface twice exhumed in response to relative crustal movements between Iberia and Eurasia. Geomorphology, 2015, 233, 75-91.	1.1	34
30	Architectural analysis of a Triassic fluvial system: The Sherwood Sandstone of the East Midlands Shelf, UK. Sedimentary Geology, 2015, 327, 1-13.	1.0	26
31	Derived Skolithos pipe rock in the Budleigh Salterton Pebble Beds (Early Triassic, East Devon, UK). Proceedings of the Geologists Association, 2015, 126, 220-225.	0.6	5
32	Diagenetic effects on porosity-permeability relationships in red beds of the Lower Triassic Bunter Sandstone Formation in the North German Basin. Sedimentary Geology, 2015, 321, 139-153.	1.0	47
33	Climate changes during the Early-Middle Triassic transition in the E. Iberian plate and their palaeogeographic significance in the western Tethys continental domain. Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 440, 671-689.	1.0	25
34	Palaeoenvironment of braided fluvial systems in different tectonic realms of the Triassic Sherwood Sandstone Group, UK. Sedimentary Geology, 2015, 329, 188-210.	1.0	39
35	Structural, stratigraphic and sedimentological characterisation of a wide rift system: The Triassic rift system of the Central Atlantic Domain. Earth-Science Reviews, 2016, 158, 89-124.	4.0	68
36	Permeability of the Mercia Mudstone: suitability as caprock to carbon capture and storage sites. Geofluids, 2016, 16, 26-42.	0.3	33
37	Tectonic controls on the spatial distribution and stratigraphic architecture of a net-transgressive shallow-marine synrift succession in a salt-influenced rift basin: Middle to Upper Jurassic, Norwegian Central North Sea. Journal of the Geological Society, 2016, 173, 901-915.	0.9	16
38	The Chester Formation (Early Triassic, southern Britain): sedimentary response to extreme greenhouse climate?. Proceedings of the Geologists Association, 2016, 127, 552-557.	0.6	6
39	Cretaceous tectonostratigraphy of the Faroe-Shetland region. Scottish Journal of Geology, 2016, 52, 19-41.	0.1	19
40	Linking outcrop analogue with flow simulation to reduce uncertainty in sub-surface carbon capture and storage: an example from the Sherwood Sandstone Group of the Wessex Basin, UK. Geological Society Special Publication, 2016, 436, 231-246.	0.8	13

#	ARTICLE	IF	CITATIONS
41	Triassic paleogeography of the greater eastern Norwegian-Danish Basin: Constraints from provenance analysis of the Skagerrak Formation. <i>Marine and Petroleum Geology</i> , 2016, 69, 168-182.	1.5	15
42	Provenance of the Lower Triassic Bunter Sandstone Formation: implications for distribution and architecture of aeolian vs. fluvial reservoirs in the North German Basin. <i>Basin Research</i> , 2017, 29, 113-130.	1.3	22
43	Facies relationships recorded in a Late Paleozoic fluvio-deltaic system (Paraná Basin, Brazil): Insights into the timing and triggers of subaqueous sediment gravity flows. <i>Sedimentary Geology</i> , 2017, 352, 45-62.	1.0	28
44	End of the Kiaman Superchron in the Permian of SW England: magnetostratigraphy of the Aylesbeare Mudstone and Exeter groups. <i>Journal of the Geological Society</i> , 2017, 174, 56-74.	0.9	10
45	Comparison of deeply buried paleogeolith profiles, Norwegian North Sea, with outcrops from southern Sweden and Georgia, USA – Implications for petroleum exploration. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 471, 82-95.	1.0	20
46	Paleogeographic Evolution of Latest Permian and Triassic Salt Basins in Northwest Europe. , 2017, , 159-173.		21
47	An overview of the Upper Palaeozoic–Mesozoic stratigraphy of the NE Atlantic region. <i>Geological Society Special Publication</i> , 2017, 447, 11-68.	0.8	37
48	Permo-Triassic Basins and Tectonics in Europe, North Africa and the Atlantic Margins. , 2017, , 3-41.		29
49	Evolving stratigraphy of a Middle Triassic fluvial-dominated sheet sandstone: The Otter Sandstone Formation of the Wessex Basin (UK). <i>Geological Journal</i> , 2018, 53, 1954-1972.	0.6	7
50	Enhanced gas recovery of an ageing field utilizing N ₂ displacement: De Wijk Field, The Netherlands. <i>Geological Society Special Publication</i> , 2018, 469, 237-251.	0.8	4
51	Dipnoan remains from the Lower-Middle Triassic of the Holy Cross Mountains and northeastern Poland, with remarks on dipnoan palaeobiogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 496, 332-345.	1.0	7
52	An introduction to the Triassic: current insights into the regional setting and energy resource potential of NW Europe. <i>Geological Society Special Publication</i> , 2018, 469, 139-147.	0.8	9
53	The ‘Buntsandstein’™ gas play of the Horn Graben (German and Danish offshore): dry well analysis and remaining hydrocarbon potential. <i>Geological Society Special Publication</i> , 2018, 469, 169-192.	0.8	8
54	Basin evolution during Cretaceous-Oligocene changes in sediment routing in the Eastern Precordillera, Argentina. <i>Journal of South American Earth Sciences</i> , 2018, 84, 422-443.	0.6	17
55	The Geology of England – critical examples of Earth History – an overview. <i>Proceedings of the Geologists Association</i> , 2018, 129, 255-263.	0.6	1
56	Reservoir quality of fluvial sandstone reservoirs in salt-walled mini-basins: an example from the Seagull field, Central Graben, North Sea, UK. <i>Petroleum Science</i> , 2018, 15, 1-27.	2.4	12
57	Rifts, rivers and climate recovery: A new model for the Triassic of England. <i>Proceedings of the Geologists Association</i> , 2018, 129, 352-371.	0.6	21
58	Regional study of controls on reservoir quality in the Triassic Skagerrak Formation of the Central North Sea. <i>Petroleum Geology Conference Proceedings</i> , 2018, 8, 125-146.	0.7	7

#	ARTICLE	IF	CITATIONS
59	Zircon size-age sorting and source-area effect: The German Triassic Buntsandstein Group. <i>Sedimentary Geology</i> , 2018, 375, 218-231.	1.0	30
60	Late Triassic Global Plate Tectonics. <i>Topics in Geobiology</i> , 2018, , 27-57.	0.6	18
61	Palaeo-€environment in an ancient low-€latitude, arid lacustrine basin with loessite: The Smith Bank Formation (Early Triassic) in the Central North Sea, UK Continental Shelf. <i>Sedimentology</i> , 2018, 65, 335-359.	1.6	20
62	Linking an Early Triassic delta to antecedent topography: Source-to-sink study of the southwestern Barents Sea margin. <i>Bulletin of the Geological Society of America</i> , 2018, 130, 263-283.	1.6	40
63	Lower Triassic reservoir development in the northern Dutch offshore. <i>Geological Society Special Publication</i> , 2018, 469, 149-168.	0.8	11
64	Characterization of a fluvial aquifer at a range of depths and scales: the Triassic St Bees Sandstone Formation, Cumbria, UK. <i>Hydrogeology Journal</i> , 2018, 26, 565-591.	0.9	29
65	Towards a better understanding of the highly overpressured Lower Triassic Bunter reservoir rocks in the Terschelling Basin. <i>Geological Society Special Publication</i> , 2018, 469, 223-236.	0.8	4
66	A continental record of the Carnian Pluvial Episode (CPE) from the Mercia Mudstone Group (UK): palynology and climatic implications. <i>Journal of the Geological Society</i> , 2019, 176, 149-166.	0.9	45
67	Sedimentary flow heterogeneities in the Triassic U.K. Sherwood Sandstone Group: Insights for hydrocarbon exploration. <i>Geological Journal</i> , 2019, 54, 1361-1378.	0.6	22
68	Triassic sand supply to the Slyne Basin, offshore western Ireland -€ new insights from a multi-proxy provenance approach. <i>Journal of the Geological Society</i> , 2019, 176, 1120-1135.	0.9	10
69	The Triassic of Traill -€ and Geographical Society -€, East Greenland: Implications for North Atlantic palaeogeography. <i>Geological Journal</i> , 2019, 54, 2124-2144.	0.6	11
70	Permeability of rock discontinuities and faults in the Triassic Sherwood Sandstone Group (UK): insights for management of fluvio-aolian aquifers worldwide. <i>Hydrogeology Journal</i> , 2019, 27, 2835-2855.	0.9	26
71	Depositional environments of the Early to Middle Triassic northern North Sea in a syn-rift to a post-rift setting. <i>Geological Society Special Publication</i> , 2022, 494, 411-431.	0.8	4
72	The influence of stratigraphy and facies distribution on reservoir quality and production performance in the Triassic Skagerrak Formation of the UK and Norwegian Central North Sea. <i>Geological Society Special Publication</i> , 2022, 494, 379-409.	0.8	8
73	The Triassic of southwestern Switzerland -€ Marine or non-marine, that is the question!. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 577-592.	1.0	8
74	The late Triassic development of playa, gilgai floodplain, and fluvial environments from Upper Silesia, southern Poland. <i>Sedimentary Geology</i> , 2019, 379, 25-45.	1.0	18
75	The Middle Triassic (Anisian) Otter Sandstone biota (Devon, UK): review, recent discoveries and ways ahead. <i>Proceedings of the Geologists Association</i> , 2019, 130, 294-306.	0.6	8
76	Mineralogical evidence for multiple dust sources in an early Triassic loessite. <i>Sedimentology</i> , 2020, 67, 239-260.	1.6	11

#	ARTICLE	IF	CITATIONS
77	Rivers, reefs and deltas: geomorphological evolution of the Jurassic of the Farsund Basin, offshore southern Norway. <i>Petroleum Geoscience</i> , 2020, 26, 81-100.	0.9	5
78	Architecture and evolution of a modern braided fluvial system: The Weihe River in northern China. <i>Geological Journal</i> , 2020, 55, 5138-5154.	0.6	2
79	The integration of public domain lithostratigraphic data into a series of cross-border North Sea well-penetration maps. <i>Geological Society Special Publication</i> , 2020, , SP494-2020-25.	0.8	2
80	The transition from meandering river delta to braided river delta: Depositional characteristics and controlling factors from the second member of Shanxi Formation to the eighth member of Lower Shihezi Formation in Southeastern Ordos Basin. <i>Geological Journal</i> , 2020, 55, 8122-8140.	0.6	7
81	On the common occurrence of sulphate with elevated $\delta^{34}\text{S}$ in European mine waters: Sulphides, evaporites or seawater?. <i>International Journal of Coal Geology</i> , 2020, 232, 103619.	1.9	13
82	Triassic mudstones of the Central North Sea: cross-border characterization, correlation and their palaeoclimatic significance. <i>Geological Society Special Publication</i> , 2020, , SP494-2019-61.	0.8	4
83	The earliest Laurasian unionoids? Freshwater bivalves from the Middle Triassic of Devon, southern UK. <i>Proceedings of the Geologists Association</i> , 2020, 131, 60-66.	0.6	2
84	Provenance of Triassic sandstones in the basins of Northern Irelandâ€”Implications for NW European Triassic palaeodrainage. <i>Geological Journal</i> , 2020, 55, 5432-5450.	0.6	4
85	Stratigraphic palynology of the Middleâ€”Late Triassic successions of the Central North Sea. <i>Petroleum Geoscience</i> , 2021, 27, petgeo2019-128.	0.9	4
86	Whole-rock and Smâ€”Nd isotopic geochemistry of Triassic SW Iberia sandstones: implications for provenance. <i>Journal of Iberian Geology</i> , 2021, 47, 189-207.	0.7	0
87	Reconstructing drainage pathways in the North Atlantic during the Triassic utilizing heavy minerals, mineral chemistry, and detrital zircon geochronology. , 2021, 17, 479-500.		4
88	The influence of multiple salt layers on riftâ€”basin development; The Slyne and Erris basins, offshore NW Ireland. <i>Basin Research</i> , 2021, 33, 2018-2048.	1.3	7
89	Influencing Factors on Petrography Interpretations in Provenance Researchâ€”A Case-Study Review. <i>Geosciences (Switzerland)</i> , 2021, 11, 205.	1.0	7
90	Illite and chlorite cementation of siliciclastic sandstones influenced by clay grain cutans. <i>Marine and Petroleum Geology</i> , 2021, 132, 105234.	1.5	6
91	Dipnoan from the Upper Triassic of East Greenland and remarks about palaeobiogeography of <i>Ptychoceratodus</i> . <i>Acta Palaeontologica Polonica</i> , 0, 65, .	0.4	1
92	Using core and outcrop analogues to predict flow pathways in the subsurface: examples from the Triassic sandstones of north Cheshire, UK. <i>Advances in Geosciences</i> , 0, 49, 121-127.	12.0	2
93	Early Triassic Fluvialâ€”Aeolian Interaction in the Catalan Ranges (Northeastern Spain) and Its Palaeogeographical Significance for the Western Tethys. <i>Springer Geology</i> , 2014, , 1181-1184.	0.2	0
94	Late Triassic paleowinds from lacustrine wave ripple marks in the Fleming Fjord Group, central East Greenland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 586, 110776.	1.0	2

#	ARTICLE	IF	CITATIONS
95	Syn- to post-rift alluvial basin fill: Seismic stratigraphic analysis of Permian-Triassic deposition in the Horda Platform, Norway. <i>Basin Research</i> , 2022, 34, 883-912.	1.3	5
96	Review of groundwater flow and contaminant transport modelling approaches for the Sherwood Sandstone aquifer, UK; insights from analogous successions worldwide. <i>Quarterly Journal of Engineering Geology and Hydrogeology</i> , 2022, 55, .	0.8	27
97	Petrographic and diagenetic investigation of the distal Triassic <i>Budleighensis</i> fluvial system in the Solway and Carlisle Basins for potential CO ₂ storage. <i>Petroleum Geoscience</i> , 2022, 28, .	0.9	0
98	Carnivorous reptile feeding strategies and postmortem food-processing behaviors: tooth traces on bones from the Upper Triassic Grabowa Formation (southern Poland). <i>Journal of Paleontology</i> , 0, , 1-20.	0.5	0
99	Marine redox change and extinction in Triassic-Jurassic boundary strata from the Larne Basin, Northern Ireland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 598, 111018.	1.0	4
100	A new pachypleurosaur from the Early Ladinian Prosanto Formation in the Eastern Alps of Switzerland. <i>Swiss Journal of Palaeontology</i> , 2022, 141, .	0.7	5
101	A screening assessment of the impact of sedimentological heterogeneity on CO ₂ migration and stratigraphic-baffling potential: Sherwood and Bunter sandstones, UK. <i>Geological Society Special Publication</i> , 2023, 528, 245-266.	0.8	2
102	The paleotectonic evolution of the western Mediterranean: provenance insights from the internal Betics, southern Spain. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	5
103	Establishing Provenance from Highly Impoverished Heavy Mineral Suites: Detrital Apatite and Zircon Geochronology of Central North Sea Triassic Sandstones. <i>Geosciences (Switzerland)</i> , 2023, 13, 13.	1.0	1