

Landslide hazards triggered by the 2008 Wenchuan earth

Landslides

6, 139-152

DOI: [10.1007/s10346-009-0148-5](https://doi.org/10.1007/s10346-009-0148-5)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Risk Assessment and Treatment Countermeasures for the Barrier Lakes of Wenchuan Earthquake on May 12 th , 2008. <i>Acta Geologica Sinica</i> , 2009, 83, 826-833.	0.8	3
3	Reconnaissance report and preliminary ground motion simulation of the 12 May 2008 Wenchuan earthquake. <i>Bulletin of Earthquake Engineering</i> , 2010, 8, 1569-1601.	2.3	5
4	A Seismically triggered landslide in the Niujuan valley near the epicenter of the 2008 Wenchuan earthquake. <i>Journal of Earth Science (Wuhan, China)</i> , 2010, 21, 901-909.	1.1	7
5	Catastrophic rock avalanche 3600 years BP from El Capitan, Yosemite Valley, California. <i>Earth Surface Processes and Landforms</i> , 2010, 35, 941-951.	1.2	48
7	Spatial distribution analysis of landslides triggered by 2008.5.12 Wenchuan Earthquake, China. <i>Engineering Geology</i> , 2010, 116, 95-108.	2.9	295
9	Simulation of the erosion process of landslide dams due to overtopping considering variations in soil erodibility along depth. <i>Natural Hazards and Earth System Sciences</i> , 2010, 10, 933-946.	1.5	159
10	Landslides associated with the May 12, 2008 Wenchuan earthquake: Implications for the erosion and tectonic evolution of the Longmen Shan. <i>Tectonophysics</i> , 2010, 491, 244-252.	0.9	87
11	Using multi-temporal remote sensor imagery to detect earthquake-triggered landslides. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2010, 12, 487-495.	1.4	83
12	Hillslope-channel coupling in the Nepal Himalayas and threat to man-made structures: The middle Kali Gandaki valley. <i>Geomorphology</i> , 2010, 124, 178-199.	1.1	40
13	Landslide hazard assessment of the 2008 Wenchuan earthquake: a case study in Beichuan area. <i>Canadian Geotechnical Journal</i> , 2011, 48, 128-145.	1.4	42
14	Distribution pattern of earthquake-induced landslides triggered by the 12 May 2008 Wenchuan earthquake. <i>Geomorphology</i> , 2011, 133, 152-167.	1.1	502
15	Rock avalanches triggered by oblique-thrusting during the 12 May 2008 Ms 8.0 Wenchuan earthquake, China. <i>Geomorphology</i> , 2011, 132, 300-318.	1.1	65
16	Source characteristics of long runout rock avalanches triggered by the 2008 Wenchuan earthquake, China. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 896-906.	1.0	71
17	Particle flow and segregation in a giant landslide event triggered by the 2008 Wenchuan earthquake, Sichuan, China. <i>Natural Hazards and Earth System Sciences</i> , 2011, 11, 1153-1162.	1.5	58
18	Recent catastrophic landslides and mitigation in China. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2011, 3, 10-18.	3.7	33
19	Landslides induced by the Wenchuan earthquake and the subsequent strong rainfall event: A case study in the Beichuan area of China. <i>Engineering Geology</i> , 2011, 122, 22-33.	2.9	197
20	Visual simulation of landslide fluidized movement based on smoothed particle hydrodynamics. <i>Natural Hazards</i> , 2011, 59, 1225-1238.	1.6	30
21	Catastrophic landslides associated with the M8.0 Wenchuan earthquake. <i>Bulletin of Engineering Geology and the Environment</i> , 2011, 70, 15-32.	1.6	77

#	ARTICLE	IF	CITATIONS
22	Dynamics of the Niumiangou Creek rock avalanche triggered by 2008 Ms 8.0 Wenchuan earthquake, Sichuan, China. <i>Landslides</i> , 2011, 8, 363-371.	2.7	37
23	Research on catastrophic rock avalanche at Guanling, Guizhou, China. <i>Landslides</i> , 2011, 8, 517-525.	2.7	52
24	Catastrophic debris flows triggered by a 14 August 2010 rainfall at the epicenter of the Wenchuan earthquake. <i>Landslides</i> , 2011, 8, 485-497.	2.7	173
25	Landslides: A state-of-the art on the current position in the landslide research community. <i>Landslides</i> , 2011, 8, 541-551.	2.7	9
26	Logistic regression model for predicting the failure probability of a landslide dam. <i>Engineering Geology</i> , 2011, 117, 52-61.	2.9	104
27	Effects of Natural Disasters on Conservation Policies: The Case of the 2008 Wenchuan Earthquake, China. <i>Ambio</i> , 2011, 40, 274-284.	2.8	55
28	Comparison of rock discontinuity mean trace length and density estimation methods using discontinuity data from an outcrop in Wenchuan area, China. <i>Computers and Geotechnics</i> , 2011, 38, 258-268.	2.3	40
29	Research on One ZICM2410-Based Wireless Sensor Network for Landslide Monitoring. , 2011, , .		7
30	Remote sensing interpretation of debris flow material sources and its distribution characteristics in Miancu gully after Wenchuan earthquake. , 2011, , .		0
32	Quantitative Zoning Assessment of Crustal Stability Along the Yunnan-Tibet Railway Line, Western China. <i>Acta Geologica Sinica</i> , 2012, 86, 1004-1012.	0.8	5
33	The Sentinel-1 mission for the improvement of the scientific understanding and the operational monitoring of the seismic cycle. <i>Remote Sensing of Environment</i> , 2012, 120, 164-174.	4.6	111
34	Combined landslide susceptibility mapping after Wenchuan earthquake at the Zhouqu segment in the Bailongjiang Basin, China. <i>Catena</i> , 2012, 99, 18-25.	2.2	88
35	GIS modelling of earthquake damage zones using satellite remote sensing and DEM data. <i>Geomorphology</i> , 2012, 139-140, 518-535.	1.1	21
36	Earthquake Induced a Chain Disasters. , 2012, , .		6
37	Accurate measurement of landslide volume and morphology in Wenchuan earthquake area with 3D laser scanner. , 2012, , .		0
38	Evaluation of factors controlling large earthquake-induced landslides by the Wenchuan earthquake. <i>Natural Hazards and Earth System Sciences</i> , 2012, 12, 3645-3657.	1.5	34
39	Earthquake-triggered landslides in southwest China. <i>Natural Hazards and Earth System Sciences</i> , 2012, 12, 351-363.	1.5	39
40	Breaching parameters of landslide dams. <i>Landslides</i> , 2012, 9, 13-31.	2.7	266

#	ARTICLE	IF	CITATIONS
41	Secondary geological hazard analysis in Beichuan after the Wenchuan earthquake and recommendations for reconstruction. <i>Environmental Earth Sciences</i> , 2012, 66, 1001-1009.	1.3	29
42	The characteristics and failure mechanism of the largest landslide triggered by the Wenchuan earthquake, May 12, 2008, China. <i>Landslides</i> , 2012, 9, 131-142.	2.7	203
43	Run-out analysis of flow-like landslides triggered by the Ms 8.0 2008 Wenchuan earthquake using smoothed particle hydrodynamics. <i>Landslides</i> , 2012, 9, 275-283.	2.7	177
44	Susceptibility assessment of earthquake-induced landslides using Bayesian network: A case study in Beichuan, China. <i>Computers and Geosciences</i> , 2012, 42, 189-199.	2.0	132
45	Spatial distribution of landslides triggered from the 2007 Niigata Chuetsu "Oki Japan Earthquake. <i>Engineering Geology</i> , 2012, 127, 14-26.	2.9	51
46	Simulation of the sliding process of Donghekou landslide triggered by the Wenchuan earthquake using a distinct element method. <i>Environmental Earth Sciences</i> , 2012, 65, 1049-1054.	1.3	56
47	Regional indirect economic impact evaluation of the 2008 Wenchuan Earthquake. <i>Environmental Earth Sciences</i> , 2012, 65, 161-172.	1.3	81
48	Aerodynamic modeling of the Yigong gigantic rock slide-debris avalanche, Tibet, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2012, 71, 149-160.	1.6	50
49	Landslide Amplification by Liquefaction of Runout Path Material after the 2008 Wenchuan (M 8.0) Earthquake, China. <i>Earth Surface Processes and Landforms</i> , 2013, 38, 265-274.	1.2	41
50	Co-seismic landslide inventory and susceptibility mapping in the 2008 Wenchuan earthquake disaster area, China. <i>Journal of Mountain Science</i> , 2013, 10, 339-354.	0.8	38
51	A prediction model for horizontal run-out distance of landslides triggered by Wenchuan earthquake. <i>Earthquake Engineering and Engineering Vibration</i> , 2013, 12, 201-208.	1.1	8
52	Automatic landslide detection from remote-sensing imagery using a scene classification method based on BoVW and pLSA. <i>International Journal of Remote Sensing</i> , 2013, 34, 45-59.	1.3	210
53	Regional scale rainfall- and earthquake-triggered landslide susceptibility assessment in Wudu County, China. <i>Journal of Mountain Science</i> , 2013, 10, 743-753.	0.8	18
54	Effects of near-fault seismic loadings on run-out of large-scale landslide: A case study. <i>Engineering Geology</i> , 2013, 166, 216-236.	2.9	146
55	Dynamics, mobility-controlling factors and transport mechanisms of rapid long-runout rock avalanches in China. <i>Engineering Geology</i> , 2013, 167, 37-58.	2.9	84
56	Use of Indirect Evidence for the Prehistoric Earthquake-Induced Landslides Identification. , 2013, , 21-30.		9
57	Pre-conditioning factors and susceptibility assessments of Wenchuan earthquake landslide at the Zhouqu segment of Bailongjiang basin, China. <i>Journal of the Geological Society of India</i> , 2013, 82, 575-582.	0.5	9
58	GIS-based landslide susceptibility mapping using analytical hierarchy process in Wenchuan. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
59	Vulnerability assessment of reinforced concrete buildings subjected to seismically triggered slow-moving earth slides. <i>Landslides</i> , 2013, 10, 563-582.	2.7	46
60	Qualitative and quantitative analysis on landslide influential factors during Wenchuan earthquake: A case study in Wenchuan County. <i>Engineering Geology</i> , 2013, 152, 202-209.	2.9	44
61	A systematic approach for the assessment of flooding hazard and risk associated with a landslide dam. <i>Natural Hazards</i> , 2013, 65, 41-62.	1.6	26
62	Landslide process and impacts: A proposed classification method. <i>Catena</i> , 2013, 104, 219-232.	2.2	88
63	A Scenario Study of Seismically Induced Landsliding in Seattle Using Broadband Synthetic Seismograms. <i>Bulletin of the Seismological Society of America</i> , 2013, 103, 2971-2992.	1.1	9
64	Dynamic process analysis for the initiation and movement of the Donghekou landslide-debris flow triggered by the Wenchuan earthquake. <i>Journal of Asian Earth Sciences</i> , 2013, 76, 70-84.	1.0	111
66	Geological Prerequisites for Landslide Dams™ Disaster Assessment and Mitigation in Central Asia. <i>Environmental Science and Engineering</i> , 2013, , 17-53.	0.1	20
67	First results derived from a drop-tower testing system for granular flow in a microgravity environment. <i>Landslides</i> , 2013, 10, 493-501.	2.7	15
68	Analysis of an anti-dip landslide triggered by the 2008 Wenchuan earthquake in China. <i>Natural Hazards</i> , 2013, 68, 1021-1039.	1.6	75
69	The landslide story. <i>Nature Geoscience</i> , 2013, 6, 325-326.	5.4	290
70	Response of High-Strength Rock Slope to Seismic Waves in a Shaking Table Test. <i>Bulletin of the Seismological Society of America</i> , 2013, 103, 3012-3025.	1.1	52
71	Density Distribution of Landslides Triggered by the 2008 Wenchuan Earthquake and their Relationships to Peak Ground Acceleration. <i>Bulletin of the Seismological Society of America</i> , 2013, 103, 2344-2355.	1.1	54
72	Earthquake Related Landslides in the Indian Himalaya: Experiences from the Past and Implications for the Future. , 2013, , 327-334.		12
73	SURFACE PROCESS AND FLUVIAL LANDFORM RESPONSE TO THE MS 8.0 WENCHUAN EARTHQUAKE, LONGMEN SHAN, CHINA. <i>Journal of Earthquake and Tsunami</i> , 2013, 07, 1350033.	0.7	2
74	An homage to Wilson Tang. , 2013, , 3-26.		3
76	Modeling Accumulated Volume of Landslides Using Remote Sensing and DTM Data. <i>Remote Sensing</i> , 2014, 6, 1514-1537.	1.8	33
77	Brief Communication: Landslides triggered by the <i>M</i> = 7.0 Lushan earthquake, China. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 1257-1267.	1.5	23
78	Mechanism of the Donghekou landslide triggered by the 2008 Wenchuan earthquake revealed by discrete element modeling. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 1195-1205.	1.5	37

#	ARTICLE	IF	CITATIONS
79	Key factors influencing the mechanism of rapid and long runout landslides triggered by the 2008 Wenchuan earthquake, China. <i>Geoenvironmental Disasters</i> , 2014, 1, .	1.8	25
80	Residual shear strength variability as a primary control on movement of landslides reactivated by earthquake-induced ground motion: Implications for coastal Oregon, U.S.. <i>Journal of Geophysical Research F: Earth Surface</i> , 2014, 119, 1617-1635.	1.0	40
81	Distribution characteristics of geohazards induced by the Lushan Earthquake and their comparisons with the Wenchuan Earthquake. <i>Journal of Earth Science (Wuhan, China)</i> , 2014, 25, 912-923.	1.1	10
82	Study of the Dynamic Characteristics of Landslides Based on the DAN-W Model. <i>Advanced Materials Research</i> , 2014, 1073-1076, 1567-1573.	0.3	0
83	Displacement Parameter Inversion for a Novel Electromagnetic Underground Displacement Sensor. <i>Sensors</i> , 2014, 14, 9074-9092.	2.1	6
84	Health-Related Quality of Life and the Adaptation of Residents to Harsh Post-Earthquake Conditions in China. <i>Disaster Medicine and Public Health Preparedness</i> , 2014, 8, 390-396.	0.7	9
85	An Overview of Formation Mechanism and Disaster Characteristics of Post-seismic Debris Flows Triggered by Subsequent Rainstorms in Wenchuan Earthquake Extremely Stricken Areas. <i>Acta Geologica Sinica</i> , 2014, 88, 1310-1328.	0.8	20
86	Deriving landslide dam geometry from remote sensing images for the rapid assessment of critical parameters related to dam-breach hazards. <i>Landslides</i> , 2014, 11, 93-105.	2.7	44
87	Susceptibility assessments of the Wenchuan earthquake-triggered landslides in Longnan using logistic regression. <i>Environmental Earth Sciences</i> , 2014, 71, 731-743.	1.3	28
88	Assessment model for earthquake-triggered landslides based on quantification theory I: case study of Jushui River basin in Sichuan, China. <i>Natural Hazards</i> , 2014, 70, 821-838.	1.6	3
89	Characteristics of earthquake- and rain-induced landslides near the epicenter of Wenchuan earthquake. <i>Engineering Geology</i> , 2014, 175, 58-73.	2.9	99
90	Earthquake induced landslide susceptibility mapping using an integrated ensemble frequency ratio and logistic regression models in West Sumatera Province, Indonesia. <i>Catena</i> , 2014, 118, 124-135.	2.2	273
91	3D numerical modeling using smoothed particle hydrodynamics of flow-like landslide propagation triggered by the 2008 Wenchuan earthquake. <i>Engineering Geology</i> , 2014, 180, 21-33.	2.9	121
92	Human vulnerability to quick shallow landslides along road: fleeing process and modeling. <i>Landslides</i> , 2014, 11, 1115-1129.	2.7	16
93	Characteristics of Flow Failures Triggered by Recent Earthquakes in China. <i>Indian Geotechnical Journal</i> , 2014, 44, 218-224.	0.7	6
94	GIS application for regional assessment of seismically induced slope failures in the Sierra Nevada Range, South Spain, along the Padul Fault. <i>Environmental Earth Sciences</i> , 2014, 72, 2423-2435.	1.3	26
95	Critical acceleration as a criterion in seismic landslide susceptibility assessment. <i>Geomorphology</i> , 2014, 217, 15-22.	1.1	30
96	Development of a globally applicable model for near real-time prediction of seismically induced landslides. <i>Engineering Geology</i> , 2014, 173, 54-65.	2.9	88

#	ARTICLE	IF	CITATIONS
97	Long-traveling landslides in deep snow conditions induced by the 2011 Nagano Prefecture earthquake, Japan. <i>Landslides</i> , 2014, 11, 605-613.	2.7	10
98	Assessment of secondary mountain hazards along a section of the Dujiangyan-Wenchuan highway. <i>Journal of Mountain Science</i> , 2014, 11, 51-65.	0.8	7
99	An empirical model for landslide travel distance prediction in Wenchuan earthquake area. <i>Landslides</i> , 2014, 11, 281-291.	2.7	63
100	A morphogenetic insight into a multi-hazard analysis: B�csca Mare landslide dam. <i>Landslides</i> , 2014, 11, 1131-1139.	2.7	11
101	Extension of discontinuous deformation analysis and application in cohesive-frictional slope analysis. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2014, 70, 533-545.	2.6	80
102	A large landslide triggered by the 2008 Wenchuan (M8.0) earthquake in Donghekou area: Phenomena and mechanisms. <i>Engineering Geology</i> , 2014, 182, 148-157.	2.9	64
103	Forecasting landslide hazard by the 3D discrete element method: A case study of the unstable slope in the Lushan hot spring district, central Taiwan. <i>Engineering Geology</i> , 2014, 183, 14-30.	2.9	85
104	Assessment of spatio-temporal variations in vegetation recovery after the Wenchuan earthquake using Landsat data. <i>Natural Hazards</i> , 2014, 70, 1309-1326.	1.6	23
105	Rainfall-triggering response patterns of post-seismic debris flows in the Wenchuan earthquake area. <i>Natural Hazards</i> , 2014, 70, 1417-1435.	1.6	30
106	Long-term activity of earthquake-induced landslides: A case study from Qionghai Lake Basin, Southwest of China. <i>Journal of Mountain Science</i> , 2014, 11, 607-624.	0.8	21
107	Vertical acceleration effect on landslides triggered by the Wenchuan earthquake, China. <i>Environmental Earth Sciences</i> , 2014, 71, 4703-4714.	1.3	21
108	Analysis on mechanism of landslides under ground shaking: a typical landslide in the Wenchuan earthquake. <i>Environmental Earth Sciences</i> , 2014, 72, 3457-3466.	1.3	12
109	Provenance and earthquake signature of the last deglacial Xinmocun lacustrine sediments at Diexi, East Tibet. <i>Geomorphology</i> , 2014, 204, 518-531.	1.1	55
110	Experimental study of breach process of landslide dams by overtopping and its initiation mechanisms. <i>Journal of Hydrodynamics</i> , 2015, 27, 872-883.	1.3	32
111	Risk assessment of disaster chain: Experience from Wenchuan earthquake-induced landslides in China. <i>Journal of Mountain Science</i> , 2015, 12, 1169-1180.	0.8	19
112	Giant Landslides Triggered by the 1718 Tongwei Earthquake in Pan'an, Gansu Province, China. <i>Acta Geologica Sinica</i> , 2015, 89, 309-310.	0.8	6
113	Causas, caracter�sticas e impacto de los procesos de remoci�n en masa, en �reas contrastantes de la regi�n Andina. <i>Cuadernos De Geografia: Revista Colombiana De Geografia</i> , 2015, 24, 113-131.	0.1	11
114	Numerical and experimental investigation on the stability of slopes threatened by earthquakes. <i>Arabian Journal of Geosciences</i> , 2015, 8, 4353-4364.	0.6	8

#	ARTICLE	IF	CITATIONS
115	Embankment overtopping protection systems. <i>Acta Geotechnica</i> , 2015, 10, 305-318.	2.9	19
116	Tien Shan Geohazards Database: Earthquakes and landslides. <i>Geomorphology</i> , 2015, 249, 16-31.	1.1	53
117	Evaluation of landslide mechanisms characterized by high-speed mass ejection and long-run-out based on events following the Wenchuan earthquake. <i>Engineering Geology</i> , 2015, 194, 12-24.	2.9	36
118	Landslides triggered by the 20 April 2013 Lushan, China, Mw 6.6 earthquake from field investigations and preliminary analyses. <i>Landslides</i> , 2015, 12, 365-385.	2.7	60
119	Surface microscopic examination of quartz grains from rock avalanche basal facies. <i>Canadian Geotechnical Journal</i> , 2015, 52, 167-181.	1.4	36
120	Support vector machine modeling of earthquake-induced landslides susceptibility in central part of Sichuan province, China. <i>Geoenvironmental Disasters</i> , 2015, 2, .	1.8	28
121	Analysis of the relations between slope failure distribution and seismic ground motion during the 2008 Wenchuan earthquake. <i>Soil Dynamics and Earthquake Engineering</i> , 2015, 72, 99-107.	1.9	13
122	Landslides: review of achievements in the second 5-year period (2009–2013). <i>Landslides</i> , 2015, 12, 213-223.	2.7	28
123	Principal denudation processes and their contribution to fluvial suspended sediment yields in the Upper Yangtze River Basin and Volga River Basin. <i>Journal of Mountain Science</i> , 2015, 12, 101-122.	0.8	3
124	Database and spatial distribution of landslides triggered by the Lushan, China Mw 6.6 earthquake of 20 April 2013. <i>Geomorphology</i> , 2015, 248, 77-92.	1.1	156
125	On the seismic response of deep-seated rock slope instabilities – Insights from numerical modeling. <i>Engineering Geology</i> , 2015, 193, 1-18.	2.9	112
126	Characteristic behavior of water radon associated with Wenchuan and Lushan earthquakes along Longmenshan fault. <i>Radiation Measurements</i> , 2015, 76, 44-53.	0.7	27
127	Model test study on monitoring dynamic process of slope failure through spatial sensor network. <i>Environmental Earth Sciences</i> , 2015, 74, 3315-3332.	1.3	31
128	A susceptibility mapping model of earthquake-triggered slope geohazards based on geo-spatial data in mountainous regions. <i>Georisk</i> , 2015, 9, 25-36.	2.6	7
129	Effects of vertical seismic force on initiation of the Daguangbao landslide induced by the 2008 Wenchuan earthquake. <i>Soil Dynamics and Earthquake Engineering</i> , 2015, 73, 91-102.	1.9	82
130	Distribution pattern of coseismic landslides triggered by the 2014 Ludian, Yunnan, China Mw6.1 earthquake: special controlling conditions of local topography. <i>Landslides</i> , 2015, 12, 1159-1168.	2.7	34
131	Application of Hilbert-Huang Transform to the analysis of the landslides triggered by the Wenchuan earthquake. <i>Journal of Mountain Science</i> , 2015, 12, 711-720.	0.8	10
132	Three-dimensional run-out analysis and prediction of flow-like landslides using smoothed particle hydrodynamics. <i>Environmental Earth Sciences</i> , 2015, 73, 1629-1640.	1.3	35

#	ARTICLE	IF	CITATIONS
133	Chinese nurses' relief experiences following two earthquakes: Implications for disaster education and policy development. <i>Nurse Education in Practice</i> , 2015, 15, 75-81.	1.0	55
134	Estimating the Contribution of Loose Deposits to Potential Landslides Over Wenchuan Earthquake Zone, China. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 750-762.	2.3	6
135	InSAR-derived digital elevation models for terrain change analysis of earthquake-triggered flow-like landslides based on ALOS/PALSAR imagery. <i>Environmental Earth Sciences</i> , 2015, 73, 7661-7668.	1.3	24
136	On characteristics and dynamic analysis of the Niumian valley rock avalanche triggered by the 2008 Wenchuan earthquake, Sichuan, China. <i>Environmental Earth Sciences</i> , 2015, 73, 3387-3401.	1.3	24
137	DDA validation of the mobility of earthquake-induced landslides. <i>Engineering Geology</i> , 2015, 194, 38-51.	2.9	126
138	Effect of the acceleration component normal to the sliding surface on earthquake-induced landslide triggering. <i>Landslides</i> , 2015, 12, 335-344.	2.7	39
139	Landslide susceptibility mapping using ensemble bivariate and multivariate statistical models in Fayfa area, Saudi Arabia. <i>Environmental Earth Sciences</i> , 2015, 73, 3745-3761.	1.3	141
140	Dynamic analysis of the stabilized Wangjiayan landslide in the Wenchuan Ms 8.0 earthquake and aftershocks. <i>Landslides</i> , 2015, 12, 537-547.	2.7	45
141	Influence of meteorological factors on rockfall occurrence in a middle mountain limestone cliff. <i>Natural Hazards and Earth System Sciences</i> , 2016, 16, 719-735.	1.5	79
142	Distribution Pattern of Landslides Triggered by the 2014 Ludian Earthquake of China: Implications for Regional Threshold Topography and the Seismogenic Fault Identification. <i>ISPRS International Journal of Geo-Information</i> , 2016, 5, 46.	1.4	34
143	Three-Dimensional Surface Displacement Field Associated with the 25 April 2015 Gorkha, Nepal, Earthquake: Solution from Integrated InSAR and GPS Measurements with an Extended SISTEM Approach. <i>Remote Sensing</i> , 2016, 8, 559.	1.8	16
144	A Combined Weight of Evidence and Logistic Regression Method for Susceptibility Mapping of Earthquake-induced Landslides: A Case Study of the April 20, 2013 Lushan Earthquake, China. <i>Acta Geologica Sinica</i> , 2016, 90, 511-524.	0.8	10
145	A public Cloud-based China's Landslide Inventory Database (CsLID): development, zone, and spatiotemporal analysis for significant historical events, 1949-2011. <i>Journal of Mountain Science</i> , 2016, 13, 1275-1285.	0.8	13
146	OSL dating of past lake levels for a large dammed lake in southern Tibet and determination of possible controls on lake evolution. <i>Earth Surface Processes and Landforms</i> , 2016, 41, 1467-1476.	1.2	14
148	An analysis of the entrainment effect of dry debris avalanches on loose bed materials. <i>SpringerPlus</i> , 2016, 5, 1621.	1.2	11
149	Two comparable earthquakes produced greatly different coseismic landslides: The 2015 Gorkha, Nepal and 2008 Wenchuan, China events. <i>Journal of Earth Science (Wuhan, China)</i> , 2016, 27, 1008-1015.	1.1	56
150	Detailed inventory mapping and spatial analyses to landslides induced by the 2013 Ms 6.6 Minxian earthquake of China. <i>Journal of Earth Science (Wuhan, China)</i> , 2016, 27, 1016-1026.	1.1	34
151	Spatial distribution analysis of landslides triggered by the 2013-04-20 Lushan earthquake, China. <i>Earthquake Engineering and Engineering Vibration</i> , 2016, 15, 163-171.	1.1	16

#	ARTICLE	IF	CITATIONS
152	Landslide Hazard Assessment for National Rail Network. <i>Procedia Engineering</i> , 2016, 143, 689-696.	1.2	7
153	Application of the material point method to simulate the post-failure runout processes of the Wangjiayan landslide. <i>Engineering Geology</i> , 2016, 212, 1-9.	2.9	56
154	Numerical Modeling of Earthquake-Induced Landslide Using an Improved Discontinuous Deformation Analysis Considering Dynamic Friction Degradation of Joints. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 4767-4786.	2.6	35
155	Landslide susceptibility assessment of the region affected by the 25 April 2015 Gorkha earthquake of Nepal. <i>Journal of Mountain Science</i> , 2016, 13, 1941-1957.	0.8	50
156	Impact of earthquake-induced landslide on the habitat suitability of giant panda in Wolong, China. <i>Journal of Mountain Science</i> , 2016, 13, 1789-1805.	0.8	9
157	Optical dating of loessic hillslope sediments constrains timing of prehistoric rockfalls, Christchurch, New Zealand. <i>Journal of Quaternary Science</i> , 2016, 31, 678-690.	1.1	12
158	Landslides. , 2016, , 716-723.		2
159	Decentralizing a "Top-Down" Post-Disaster Reconstruction: China's Response to the 2008 Wenchuan Earthquake. , 0, , 284-314.		2
160	SPH-based numerical modeling for the post-failure behavior of the landslides triggered by the 2016 Kumamoto earthquake. <i>Geoenvironmental Disasters</i> , 2016, 3, .	1.8	21
161	Geo-engineered buffer capacity of two-layered absorbing system under the impact of rock avalanches based on Discrete Element Method. <i>Journal of Mountain Science</i> , 2016, 13, 917-929.	0.8	18
162	Dynamics of the 2008 earthquake-triggered Wenjiagou Creek rock avalanche, Qingping, Sichuan, China. <i>Engineering Geology</i> , 2016, 200, 75-87.	2.9	64
163	Heavy-rainfall-induced catastrophic rockslide-debris flow at Sanxicun, Dujiangyan, after the Wenchuan Ms 8.0 earthquake. <i>Landslides</i> , 2016, 13, 9-23.	2.7	106
164	Occurrence probability assessment of earthquake-triggered landslides with Newmark displacement values and logistic regression: The Wenchuan earthquake, China. <i>Geomorphology</i> , 2016, 258, 108-119.	1.1	56
165	Application of an Investigated Lump Method to the Simulation of Ground Motion For Beichuan Town During the Wenchuan Earthquake. <i>Journal of Earthquake and Tsunami</i> , 2016, 10, 1650002.	0.7	4
166	Application of virtual earth in 3D terrain modeling to visual analysis of large-scale geological disasters in mountainous areas. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	25
167	A rapid method to identify the potential of debris flow development induced by rainfall in the catchments of the Wenchuan earthquake area. <i>Landslides</i> , 2016, 13, 1243-1259.	2.7	23
168	2D dynamic studies combined with the surface curvature analysis to predict Arias Intensity amplification. <i>Journal of Seismology</i> , 2016, 20, 711-731.	0.6	14
169	How unusual is the long-runout of the earthquake-triggered giant Luanshibao landslide, Tibetan Plateau, China?. <i>Geomorphology</i> , 2016, 259, 145-154.	1.1	43

#	ARTICLE	IF	CITATIONS
170	Application of time series analysis and PSOâ€“SVM model in predicting the Bazimen landslide in the Three Gorges Reservoir, China. <i>Engineering Geology</i> , 2016, 204, 108-120.	2.9	249
171	Classification of large-scale landslides induced by the 2008 Wenchuan earthquake, China. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	30
172	Mitigation planning based on the prediction of river blocking by a typical large-scale debris flow in the Wenchuan earthquake area. <i>Landslides</i> , 2016, 13, 1231-1242.	2.7	17
173	Investigation and dynamic analysis of a catastrophic rock avalanche on September 23, 1991, Zhaotong, China. <i>Landslides</i> , 2016, 13, 1035-1047.	2.7	34
174	Assessment of complex rock slope stability at Xiari, southwestern China. <i>Bulletin of Engineering Geology and the Environment</i> , 2016, 75, 537-550.	1.6	16
175	Influence of strong motion characteristics on permanent displacement of slopes. <i>Landslides</i> , 2016, 13, 279-292.	2.7	35
176	Characteristics and numerical runout modelling of a catastrophic rock avalanche triggered by the Wenchuan earthquake in the Wenjia valley, Mianzhu, Sichuan, China. <i>Landslides</i> , 2017, 14, 83-98.	2.7	34
177	Characteristics and numerical runout modeling of the heavy rainfall-induced catastrophic landslideâ€“debris flow at Sanxicun, Dujiangyan, China, following the Wenchuan Ms 8.0 earthquake. <i>Landslides</i> , 2017, 14, 1361-1374.	2.7	59
178	Simulation of a long-runout rock avalanche triggered by the Lushan earthquake in the Tangjia Valley, Tianquan, Sichuan, China. <i>Engineering Geology</i> , 2017, 218, 107-116.	2.9	24
179	Time-frequency analysis of instantaneous seismic safety of bedding rock slopes. <i>Soil Dynamics and Earthquake Engineering</i> , 2017, 94, 92-101.	1.9	28
180	Simulating dynamic processes and hypermobility mechanisms of the Wenjiagou rock avalanche triggered by the 2008 Wenchuan earthquake using discrete element modelling. <i>Bulletin of Engineering Geology and the Environment</i> , 2017, 76, 923-936.	1.6	28
181	Investigation of dormant landslides in earthquake conditions using a physical model. <i>Landslides</i> , 2017, 14, 1181-1193.	2.7	25
182	Seismic performance of loess-mudstone slope in Tianshui â€“ Centrifuge model tests and numerical analysis. <i>Engineering Geology</i> , 2017, 222, 225-235.	2.9	54
183	Spatial Prediction of Landslides Along Jalan Kota in Bandar Seri Begawan (Brunei) Using Airborne LiDAR Data and Support Vector Machine. , 2017, , 167-178.		4
184	Dynamic simulation of landslide dam behavior considering kinematic characteristics using a coupled DDA-SPH method. <i>Engineering Analysis With Boundary Elements</i> , 2017, 80, 172-183.	2.0	60
186	Juncture of erosion, land use/cover status and hazardous geomorphic processes in central lesser Himalaya. <i>Journal of the Geological Society of India</i> , 2017, 89, 444-452.	0.5	0
187	The role of seismic triggering in a deep-seated mudstone landslide, China: Historical reconstruction and mechanism analysis. <i>Engineering Geology</i> , 2017, 226, 122-135.	2.9	39
188	Energy-Based Analysis of Mechanisms of Earthquake-Induced Landslide Using Hilbertâ€“Huang Transform and Marginal Spectrum. <i>Rock Mechanics and Rock Engineering</i> , 2017, 50, 2425-2441.	2.6	22

#	ARTICLE	IF	CITATIONS
189	Landslides: Journal of the International Consortium on Landslides. , 2017, , 257-267.		2
190	Combining Spectral and Morphometric Properties of Landslides for Separating Individual Landslides Based on Object-Oriented Method. , 2017, , 61-70.		4
191	Investigation and dynamic analysis of the long runout catastrophic landslide at the Shenzhen landfill on December 20, 2015, in Guangdong, China. Environmental Earth Sciences, 2017, 76, 1.	1.3	25
192	Prediction of landslide runout based on influencing factor analysis. Environmental Earth Sciences, 2017, 76, 1.	1.3	19
193	Plant community composition and interspecific relationships among dominant species on a post-seismic landslide in Hongchun Gully, China. Journal of Mountain Science, 2017, 14, 1985-1994.	0.8	10
194	Landslide detection using probability regression, a case study of Wenchuan, northwest of Chengdu. Applied Geography, 2017, 89, 32-40.	1.7	11
195	Rock avalanche deposits store quantitative evidence on internal shear during runout. Geophysical Research Letters, 2017, 44, 8814-8821.	1.5	57
196	Landslides: a top international journal in geological engineering and engineering geology?. Landslides, 2017, 14, 1827-1838.	2.7	8
197	Rapid susceptibility mapping of earthquake-triggered slope geohazards in Lushan County by combining remote sensing with the AHP model developed for the Wenchuan earthquake. Bulletin of Engineering Geology and the Environment, 2017, 76, 909-921.	1.6	11
198	Earthquake-triggered landslides by the 1718 Tongwei earthquake in Gansu Province, northwest China. Bulletin of Engineering Geology and the Environment, 2017, 76, 1281-1295.	1.6	21
199	Spatial characteristics of landslides triggered by the 2015 Mw 7.8 (Gorkha) and Mw 7.3 (Dolakha) earthquakes in Nepal. Landslides, 2017, 14, 697-704.	2.7	83
200	Dynamic analysis and numerical modeling of the 2015 catastrophic landslide of the construction waste landfill at Guangming, Shenzhen, China. Landslides, 2017, 14, 705-718.	2.7	142
201	Spatial distribution and susceptibility analyses of pre-earthquake and coseismic landslides related to the Ms 6.5 earthquake of 2014 in Ludian, Yunan, China. Geocarto International, 2017, 32, 978-989.	1.7	22
202	On the initiation and movement mechanisms of a catastrophic landslide triggered by the 2008 Wenchuan (Ms 8.0) earthquake in the epicenter area. Landslides, 2017, 14, 805-819.	2.7	32
203	Seismic-Proof Buildings in Developing Countries. Frontiers in Built Environment, 2017, 3, .	1.2	5
204	An Energy Demodulation Based Fiber Optic Sensing System for Landslide Early-Warning. Applied Sciences (Switzerland), 2017, 7, 699.	1.3	1
205	Prediction of the area affected by earthquake-induced landsliding based on seismological parameters. Natural Hazards and Earth System Sciences, 2017, 17, 1159-1175.	1.5	52
206	Distinct Element Modelling of a Landslide Triggered by the 5.12 Wenchuan Earthquake: A Case Study. Geotechnical and Geological Engineering, 2018, 36, 2533-2551.	0.8	11

#	ARTICLE	IF	CITATIONS
207	Application and comparison of logistic regression model and neural network model in earthquake-induced landslides susceptibility mapping at mountainous region, China. <i>Geomatics, Natural Hazards and Risk</i> , 2018, 9, 501-523.	2.0	19
208	Landslides and dam damage resulting from the Jiuzhaigou earthquake (8 August 2017), Sichuan, China. <i>Royal Society Open Science</i> , 2018, 5, 171418.	1.1	44
209	Cushion Layer Effect on the Impact of a Dry Granular Flow Against a Curved Rock Shed. <i>Rock Mechanics and Rock Engineering</i> , 2018, 51, 2191-2205.	2.6	11
210	Investigating slow-moving landslides in the Zhouqu region of China using InSAR time series. <i>Landslides</i> , 2018, 15, 1299-1315.	2.7	110
211	Influence of diversion channel section type on landslide dam draining effect. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	1.3	13
212	The 2009 Jiweishan rock avalanche, Wulong, China: Precursor conditions and factors leading to failure. <i>Engineering Geology</i> , 2018, 233, 225-230.	2.9	30
213	Distribution and characteristics of loess landslides triggered by the 1920 Haiyuan Earthquake, Northwest of China. <i>Geomorphology</i> , 2018, 314, 1-12.	1.1	67
214	Liquefaction of loess landslides as a consequence of irrigation. <i>Quarterly Journal of Engineering Geology and Hydrogeology</i> , 2018, 51, 330-337.	0.8	35
215	Causes of unusual distribution of coseismic landslides triggered by the Mw 6.1 2014 Ludian, Yunnan, China earthquake. <i>Journal of Asian Earth Sciences</i> , 2018, 159, 17-23.	1.0	16
216	Seismic amplification of the anti-dip rock slope and deformation characteristics: A large-scale shaking table test. <i>Soil Dynamics and Earthquake Engineering</i> , 2018, 115, 907-916.	1.9	48
217	The triggering factors of the M ³ afellshyrna debris slide in northern Iceland: Intense precipitation, earthquake activity and thawing of mountain permafrost. <i>Science of the Total Environment</i> , 2018, 621, 1163-1175.	3.9	51
218	Effects of geological and tectonic characteristics on the earthquake-triggered Daguangbao landslide, China. <i>Landslides</i> , 2018, 15, 649-667.	2.7	46
219	Analysis of Landslides Triggered by the 2015 Gorkha Earthquake, Nepal. <i>Springer Natural Hazards</i> , 2018, , 45-63.	0.1	4
220	Measuring precursory movements of the recent Xinmo landslide in Mao County, China with Sentinel-1 and ALOS-2 PALSAR-2 datasets. <i>Landslides</i> , 2018, 15, 135-144.	2.7	78
221	The Maoxian landslide as seen from space: detecting precursors of failure with Sentinel-1 data. <i>Landslides</i> , 2018, 15, 123-133.	2.7	282
222	GIS Enabled SPH-Soil Modeling for the Post-Failure Flow of Landslides Under Seismic Loadings. <i>International Journal of Computational Methods</i> , 2018, 15, 1850046.	0.8	8
223	Near-Real-Time Modeling of Landslide Impacts to Inform Rapid Response: An Example from the 2016 Kaikōura, New Zealand, Earthquake. <i>Bulletin of the Seismological Society of America</i> , 2018, 108, 1665-1682.	1.1	19
224	On the Dynamic Fragmentation and Lubrication of Coseismic Landslides. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 9914-9932.	1.4	31

#	ARTICLE	IF	CITATIONS
225	The 1985 earthquake-triggered North Nahanni rockslide, Northwest Territories, Canada: The co-seismic movement of a sedimentary rock mass conditioned by residual strength. <i>Engineering Geology</i> , 2018, 247, 1-11.	2.9	11
226	Influence of particle-size segregation on the impact of dry granular flow. <i>Powder Technology</i> , 2018, 340, 39-51.	2.1	47
227	Spatio-temporal evolution of mass wasting after the 2008 Mw 7.9 Wenchuan earthquake revealed by a detailed multi-temporal inventory. <i>Landslides</i> , 2018, 15, 2325-2341.	2.7	102
228	Why did the most severe seismic hazard occur in the Beichuan area in the 2008 Wenchuan earthquake, China? Insight from finite element modelling. <i>Physics of the Earth and Planetary Interiors</i> , 2018, 281, 79-91.	0.7	9
229	Generation of Complex Slope Geometries by DEM for Modeling Landslides: A Case Study of Tangjiashan Landslide. , 2018, , 11-19.		1
230	Satellite-based emergency mapping using optical imagery: experience and reflections from the 2015 Nepal earthquakes. <i>Natural Hazards and Earth System Sciences</i> , 2018, 18, 185-205.	1.5	57
231	The effects of slope topography on acceleration amplification and interaction between slope topography and seismic input motion. <i>Soil Dynamics and Earthquake Engineering</i> , 2018, 113, 420-431.	1.9	47
232	Some considerations on the use of numerical methods to simulate past landslides and possible new failures: the case of the recent Xinmo landslide (Sichuan, China). <i>Landslides</i> , 2018, 15, 1359-1375.	2.7	153
233	A Global Empirical Model for Near-Real-Time Assessment of Seismically Induced Landslides. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018, 123, 1835-1859.	1.0	135
234	Utilizing crowdsourcing to enhance the mitigation and management of landslides. <i>Landslides</i> , 2018, 15, 1889-1899.	2.7	13
235	Automated Landslides Detection for Mountain Cities Using Multi-Temporal Remote Sensing Imagery. <i>Sensors</i> , 2018, 18, 821.	2.1	63
236	The Application of a Multi-Beam Echo-Sounder in the Analysis of the Sedimentation Situation of a Large Reservoir after an Earthquake. <i>Water (Switzerland)</i> , 2018, 10, 557.	1.2	4
237	Spatial and temporal analysis of a fatal landslide inventory in China from 1950 to 2016. <i>Landslides</i> , 2018, 15, 2357-2372.	2.7	128
238	Numerical evidence of site effects contributing to triggering the Las Colinas landslide during the 2001 Mw 7.7 El Salvador earthquake. <i>Landslides</i> , 2018, 15, 2373-2384.	2.7	5
239	Predictive model for seismic sliding displacement of slopes based on a coupled stick-slip-rotation approach. <i>Engineering Geology</i> , 2018, 244, 25-40.	2.9	20
240	Effects of precipitation and topography on vegetation recovery at landslide sites after the 2008 Wenchuan earthquake. <i>Land Degradation and Development</i> , 2018, 29, 3355-3365.	1.8	24
241	ShakeMap-based prediction of earthquake-induced mass movements in Switzerland calibrated on historical observations. <i>Natural Hazards</i> , 2018, 92, 1211-1235.	1.6	9
242	Discrete Element Analyses of Earthquake-Induced Landslide. <i>Springer Series in Geomechanics and Geoengineering</i> , 2018, , 1574-1578.	0.0	0

#	ARTICLE	IF	CITATIONS
243	The bibliometric impact of books published by the International Consortium on Landslides. <i>Landslides</i> , 2018, 15, 1459-1482.	2.7	7
244	The Takanodai Landslide, Kumamoto, Japan: Insights from Post-Earthquake Field Observations, Laboratory Tests, and Numerical Analyses. , 2018, ,		7
245	A method for quick assessment of earthquake-triggered landslide hazards: a case study of the Mw6.1 2014 Ludian, China earthquake. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 2449-2458.	1.6	24
246	Co-seismic surface rupture of Papatea fault and reactivation mechanism of the Clarence landslide during the 2016 Mw7.8 Kaikoura earthquake, New Zealand. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 3055-3068.	1.6	3
247	Numerical Runout Modeling Analysis of the Loess Landslide at Yining, Xinjiang, China. <i>Water (Switzerland)</i> , 2019, 11, 1324.	1.2	11
248	A conservative and consistent Lagrangian gradient smoothing method for earthquake-induced landslide simulation. <i>Engineering Geology</i> , 2019, 260, 105226.	2.9	18
249	Experimental study on granular biaxial test based on photoelastic technique. <i>Engineering Geology</i> , 2019, 260, 105208.	2.9	23
250	Numerical analysis of the effect of strength parameters on the large-deformation flow process of earthquake-induced landslides. <i>Engineering Geology</i> , 2019, 260, 105239.	2.9	21
251	Decreasing Trend of Geohazards Induced by the 2008 Wenchuan Earthquake Inferred from Time Series NDVI Data. <i>Remote Sensing</i> , 2019, 11, 2192.	1.8	17
252	Applicability of Two Newmark Models in the Assessment of Coseismic Landslide Hazard and Estimation of Slope-Failure Probability: An Example of the 2008 Wenchuan Mw 7.9 Earthquake Affected Area. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 1020-1030.	1.1	19
253	Earthquake-induced landslide susceptibility mapping: Application and Comparison of Frequency Ratio, Logistic Regression, Weight of Evidence and Support Vector Machine. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 304, 042011.	0.2	2
254	Local structural and geomorphological controls on landsliding at the Leigu restraining bend of the Beichuan-Yingxiu fault system during the 2008 Mw 7.9 Wenchuan earthquake. <i>Landslides</i> , 2019, 16, 2485-2498.	2.7	10
255	Seismic landslides hazard zoning based on the modified Newmark model: a case study from the Lushan earthquake, China. <i>Natural Hazards</i> , 2019, 99, 493-509.	1.6	17
256	Simulating the Xinmo landslide runout considering entrainment effect. <i>Environmental Earth Sciences</i> , 2019, 78, 1.	1.3	21
257	Dynamic response and optimization of an inclined steel rock shed by the graded energy dissipating method. <i>Journal of Mountain Science</i> , 2019, 16, 138-152.	0.8	7
258	Spatiotemporal Variability in Land Surface Temperature Over the Mountainous Region Affected by the 2008 Wenchuan Earthquake From 2000 to 2017. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 1975-1991.	1.2	25
259	Influence of non-dimensional strength parameters on the seismic stability of cracked slopes. <i>Journal of Mountain Science</i> , 2019, 16, 153-167.	0.8	12
260	Regional Rainfall Warning System for Landslides with Creep Deformation in Three Gorges using a Statistical Black Box Model. <i>Scientific Reports</i> , 2019, 9, 8962.	1.6	38

#	ARTICLE	IF	CITATIONS
261	Evaluation of impact force of rock landslides acting on structures using discontinuous deformation analysis. <i>Computers and Geotechnics</i> , 2019, 114, 103137.	2.3	39
262	Geochemistry of the holocene sediments of Lake Chenghai, SW China, and its implications for paleoenvironmental reconstruction. <i>Quaternary International</i> , 2019, 523, 80-88.	0.7	6
263	Characteristics of landslides triggered by the 2018 Hokkaido Eastern Iburi earthquake, Northern Japan. <i>Landslides</i> , 2019, 16, 1691-1708.	2.7	71
264	Impact of tensile strength and incident angles on a soil slope under earthquake SV-waves. <i>Engineering Geology</i> , 2019, 260, 105192.	2.9	14
265	Process Analysis of Toppling Failure on Anti-dip Rock Slopes Under Seismic Load in Southwest China. <i>Rock Mechanics and Rock Engineering</i> , 2019, 52, 4439-4455.	2.6	44
266	Monsoonal control on a delayed response of sedimentation to the 2008 Wenchuan earthquake. <i>Science Advances</i> , 2019, 5, eaav7110.	4.7	20
267	Natural Frequency Characteristics of Rock Masses Containing a Complex Geological Structure and Their Effects on the Dynamic Stability of Slopes. <i>Rock Mechanics and Rock Engineering</i> , 2019, 52, 4457-4473.	2.6	38
268	Visual analysis of the evolution and focus in landslide research field. <i>Journal of Mountain Science</i> , 2019, 16, 991-1004.	0.8	8
269	Field investigation and numerical simulation of the seismic triggering mechanism of the Tahman landslide in eastern Pamir, Northwest China. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 5795-5809.	1.6	14
270	Influence of inflow discharge and bed erodibility on outburst flood of landslide dam. <i>Journal of Mountain Science</i> , 2019, 16, 778-792.	0.8	21
271	Precast reinforced concrete shear walls: State of the art review. <i>Structural Concrete</i> , 2019, 20, 886-898.	1.5	55
272	Centennial-scale process activity in a complex landslide body in the Qilian Mountains, northeast Tibetan Plateau, China. <i>Catena</i> , 2019, 179, 29-38.	2.2	35
273	The 2009 Jiweishan rock avalanche, Wulong, China: deposit characteristics and implications for its fragmentation. <i>Landslides</i> , 2019, 16, 893-906.	2.7	44
274	Experimental investigation on the longitudinal evolution of landslide dam breaching and outburst floods. <i>Geomorphology</i> , 2019, 334, 29-43.	1.1	75
275	Classification and sudden departure mechanism of high-speed landslides caused by the 2008 Wenchuan earthquake. <i>Environmental Earth Sciences</i> , 2019, 78, 1.	1.3	8
276	Landslides triggered by the Ms 6.9 Nyingchi earthquake, China (18 November 2017): analysis of the spatial distribution and occurrence factors. <i>Landslides</i> , 2019, 16, 765-776.	2.7	55
277	Landslide Detection of Hyperspectral Remote Sensing Data Based on Deep Learning With Constrains. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019, 12, 5047-5060.	2.3	85
278	Emerging Trends and New Developments in Disaster Research after the 2008 Wenchuan Earthquake. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 29.	1.2	23

#	ARTICLE	IF	CITATIONS
279	Susceptibility assessment of landslides triggered by earthquakes in the Western Sichuan Plateau. <i>Catena</i> , 2019, 175, 63-76.	2.2	75
280	Mapping earthquake-triggered landslide susceptibility by use of artificial neural network (ANN) models: an example of the 2013 Minxian (China) Mw 5.9 event. <i>Geomatics, Natural Hazards and Risk</i> , 2019, 10, 1-25.	2.0	93
281	Noncontact detection of earthquake-induced landslides by an enhanced image binarization method incorporating with Monte-Carlo simulation. <i>Geomatics, Natural Hazards and Risk</i> , 2019, 10, 219-241.	2.0	21
282	Dynamic response of a slope reinforced by double-row anti-sliding piles and pre-stressed anchor cables. <i>Journal of Mountain Science</i> , 2019, 16, 226-241.	0.8	36
283	Numerical simulation of the entrainment effect during mass movement in high-speed debris avalanches. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	0.6	9
284	How earthquake-induced direct economic losses change with earthquake magnitude, asset value, residential building structural type and physical environment: An elasticity perspective. <i>Journal of Environmental Management</i> , 2019, 231, 321-328.	3.8	23
285	Study on transformation rate of sources to debris flows in meizoseismal area. <i>Quaternary International</i> , 2019, 503, 51-58.	0.7	2
286	New method for landslide susceptibility mapping supported by spatial logistic regression and GeoDetector: A case study of Duwen Highway Basin, Sichuan Province, China. <i>Geomorphology</i> , 2019, 324, 62-71.	1.1	94
287	Geological characteristics of landslides triggered by the 2016 Kumamoto earthquake in Mt. Aso volcano, Japan. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 167-176.	1.6	21
288	Numerical and experimental study on the formation mode of a landslide dam and its influence on dam breaching. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 2519-2533.	1.6	17
289	Three-dimensional distance potential discrete element method for the numerical simulation of landslides. <i>Landslides</i> , 2020, 17, 361-377.	2.7	32
290	Landslide response to the 27 October 2012 earthquake (MW 7.8), southern Haida Gwaii, British Columbia, Canada. <i>Landslides</i> , 2020, 17, 517-526.	2.7	16
291	Experimental study on debris flow initiation. <i>Bulletin of Engineering Geology and the Environment</i> , 2020, 79, 1565-1580.	1.6	6
292	Using a Dense Seismic Array to Determine Structure and Site Effects of the Two Towers Earthflow in Northern California. <i>Seismological Research Letters</i> , 2020, 91, 913-920.	0.8	6
293	Centrifuge model test and numerical interpretation of seismic responses of a partially submerged deposit slope. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2020, 12, 381-394.	3.7	14
294	Qualifying mass failures on loess gully sidewalls using laboratory experimentation. <i>Catena</i> , 2020, 187, 104252.	2.2	6
295	Stability evaluation of slope subjected to seismic effect combined with consequent rainfall. <i>Engineering Geology</i> , 2020, 266, 105461.	2.9	28
296	Research on crack monitoring at the trailing edge of landslides based on image processing. <i>Landslides</i> , 2020, 17, 985-1007.	2.7	14

#	ARTICLE	IF	CITATIONS
297	Social vulnerability to natural hazards in tourist destinations of developed regions. <i>Science of the Total Environment</i> , 2020, 709, 135870.	3.9	13
298	Seismic response of the Lengzhuguan slope caused by topographic and geological effects. <i>Engineering Geology</i> , 2020, 265, 105431.	2.9	46
299	Response of debris flow occurrence to daily rainfall pattern and critical rainfall condition in the Anning River–Zemu River Fault Zone, SW China. <i>Bulletin of Engineering Geology and the Environment</i> , 2020, 79, 1735-1747.	1.6	7
300	Failure probability assessment of landslides triggered by earthquakes and rainfall: a case study in Yadong County, Tibet, China. <i>Scientific Reports</i> , 2020, 10, 16531.	1.6	14
301	Effects of raster resolution on real probability of landslides. <i>Remote Sensing Applications: Society and Environment</i> , 2020, 19, 100364.	0.8	4
302	Consideration of maximum impact force design for a rock shed against dry granular flow. <i>European Journal of Environmental and Civil Engineering</i> , 2022, 26, 2963-2984.	1.0	6
303	Characteristics and Numerical Runout Modeling Analysis of the Xinmo Landslide in Sichuan, China. <i>Earth Sciences Research Journal</i> , 2020, 24, 169-181.	0.4	5
304	Initiation mechanism of the Baige landslide on the upper reaches of the Jinsha River, China. <i>Landslides</i> , 2020, 17, 2865-2877.	2.7	30
305	Stochastic seismic response of a slope based on large-scale shaking-table tests. <i>Engineering Geology</i> , 2020, 277, 105782.	2.9	17
306	Numerical Simulation of the 2017 Xinmo Catastrophic Landslide Considering Entrainment Effect. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	5
307	Landslides Triggered by the 3 August 2014 Ludian (China) Mw 6.2 Earthquake: An Updated Inventory and Analysis of Their Spatial Distribution. <i>Journal of Earth Science (Wuhan, China)</i> , 2020, 31, 853-866.	1.1	25
308	Remote Sensing for Assessing Landslides and Associated Hazards. <i>Surveys in Geophysics</i> , 2020, 41, 1391-1435.	2.1	49
309	Rainfall triggers more deep-seated landslides than Cascadia earthquakes in the Oregon Coast Range, USA. <i>Science Advances</i> , 2020, 6, .	4.7	34
310	Remedies for Distortion and False Volume Expansion Problems with Large Rotation in Discontinuous Deformation Analysis. <i>International Journal of Geomechanics</i> , 2020, 20, .	1.3	6
311	Dynamic Response of Rock Slopes under Obliquely Incident Seismic Waves. <i>Advances in Civil Engineering</i> , 2020, 2020, 1-19.	0.4	1
312	Mapping Post-Earthquake Landslide Susceptibility: A U-Net Like Approach. <i>Remote Sensing</i> , 2020, 12, 2767.	1.8	19
313	Integration of Spatial Probability and Size in Slope-Unit-Based Landslide Susceptibility Assessment: A Case Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8055.	1.2	10
314	Tectonic conditioning revealed by seismic refraction facilitates deep-seated landslides in the western escarpment of the Main Ethiopian Rift. <i>Geomorphology</i> , 2020, 370, 107382.	1.1	4

#	ARTICLE	IF	CITATIONS
315	OpenMP-Based Parallel Two-Dimensional Discontinuous Deformation Analysis for Large-Scale Simulation. <i>International Journal of Geomechanics</i> , 2020, 20, .	1.3	15
316	Risk Assessment of Earthquake-Triggered Geohazards Surrounding Wenchuan, China. <i>Natural Hazards Review</i> , 2020, 21, .	0.8	44
318	An Efficient Disk-Based Discontinuous Deformation Analysis Model for Simulating Large-Scale Problems. <i>International Journal of Geomechanics</i> , 2020, 20, .	1.3	18
319	3-D joint geodetic and strong-motion finite fault inversion of the 2008 May 12, Wenchuan, China Earthquake. <i>Geophysical Journal International</i> , 2020, 222, 1390-1404.	1.0	4
320	Instability analysis of a quaternary deposition slope after two sudden events of river water fluctuations. <i>European Journal of Environmental and Civil Engineering</i> , 2023, 27, 2488-2506.	1.0	7
321	Seismic response analysis of a bedding rock slope based on the time-frequency joint analysis method: a case study from the middle reach of the Jinsha River, China. <i>Engineering Geology</i> , 2020, 274, 105731.	2.9	50
322	SS-XGBoost: A Machine Learning Framework for Predicting Newmark Sliding Displacements of Slopes. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2020, 146, .	1.5	59
323	Landslide dynamic process and parameter sensitivity analysis by discrete element method: the case of Turnoff Creek rock avalanche. <i>Journal of Mountain Science</i> , 2020, 17, 1581-1595.	0.8	9
324	Shape and Dimension Estimations of Landslide Rupture Zones via Correlations of Characteristic Parameters. <i>Geosciences (Switzerland)</i> , 2020, 10, 198.	1.0	7
325	Prediction model oriented for landslide displacement with step-like curve by applying ensemble empirical mode decomposition and the PSO-ELM method. <i>Journal of Cleaner Production</i> , 2020, 270, 122248.	4.6	78
326	An ontology-based system for discovering landslide-induced emergencies in electrical grid. <i>Transactions on Emerging Telecommunications Technologies</i> , 2022, 33, e3899.	2.6	2
327	Landslide characteristics in the Loess Plateau, northern China. <i>Geomorphology</i> , 2020, 359, 107150.	1.1	35
328	Characterizing the 3D hydrogeological structure of a debris landslide using the transient electromagnetic method. <i>Journal of Applied Geophysics</i> , 2020, 175, 103991.	0.9	18
329	Research on Structure Optimization and Measurement Method of a Large-Range Deep Displacement 3D Measuring Sensor. <i>Sensors</i> , 2020, 20, 1689.	2.1	4
330	A New Landslide Inventory for the Armenian Lesser Caucasus: Slope Failure Morphologies and Seismotectonic Influences on Large Landslides. <i>Geosciences (Switzerland)</i> , 2020, 10, 111.	1.0	5
331	Implication of Radon Monitoring for Earthquake Surveillance Using Statistical Techniques: A Case Study of Wenchuan Earthquake. <i>Geofluids</i> , 2020, 2020, 1-14.	0.3	20
332	Bayesian lifetime analysis for landslide dams. <i>Landslides</i> , 2020, 17, 1835-1848.	2.7	12
333	Seismic response of soil slope reinforced by compression anchor and frame beam based on shaking table test. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	0.6	6

#	ARTICLE	IF	CITATIONS
334	A scalable parallel computing SPH framework for predictions of geophysical granular flows. <i>Computers and Geotechnics</i> , 2020, 121, 103474.	2.3	34
335	Insights into the Transport and Fragmentation Characteristics of Earthquake-Induced Rock Avalanche: Numerical Study. <i>International Journal of Geomechanics</i> , 2020, 20, .	1.3	31
336	The formation and impact of landslide dams “ State of the art. <i>Earth-Science Reviews</i> , 2020, 203, 103116.	4.0	133
337	Comparing characteristics of rainfall- and earthquake-triggered landslides in the Upper Minjiang catchment, China. <i>Engineering Geology</i> , 2020, 268, 105518.	2.9	29
338	Stability analysis of rock wedge slide subjected to groundwater dynamic evolution. <i>Engineering Geology</i> , 2020, 270, 105528.	2.9	16
339	A global dataset and model of earthquake-induced landslide fatalities. <i>Landslides</i> , 2020, 17, 1363-1376.	2.7	28
340	An integrated SEM-Newmark model for physics-based regional coseismic landslide assessment. <i>Soil Dynamics and Earthquake Engineering</i> , 2020, 132, 106066.	1.9	37
341	Timing and seismic origin of Nixu rock avalanche in southern Tibet and its implications on Nimu active fault. <i>Engineering Geology</i> , 2020, 268, 105522.	2.9	12
342	Comprehensive study of the Beijing Daanshan rockslide based on real-time videos, field investigations, and numerical modeling. <i>Landslides</i> , 2020, 17, 1217-1231.	2.7	19
343	Probabilistic seismic landslide hazard assessment: a case study in Tianshui, Northwest China. <i>Journal of Mountain Science</i> , 2020, 17, 173-190.	0.8	6
344	Seismic behavior of a single-form lattice anchoring structure and a combined retaining structure supporting soil slope: a comparison. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	1.3	12
345	Distribution Pattern of Coseismic Landslides Triggered by the 2017 Jiuzhaigou Ms 7.0 Earthquake of China: Control of Seismic Landslide Susceptibility. <i>ISPRS International Journal of Geo-Information</i> , 2020, 9, 198.	1.4	20
346	Geo-hydrological hazards induced by Gorkha Earthquake 2015: A Case of Pharak area, Everest Region, Nepal. <i>Geographical Journal of Nepal</i> , 2020, 13, 91-106.	0.3	0
347	Dynamic failure processes and failure mechanism of soil slope under random earthquake ground motions. <i>Soil Dynamics and Earthquake Engineering</i> , 2020, 133, 106147.	1.9	13
348	Investigation of the dynamic process of the Xinmo landslide using the discrete element method. <i>Computers and Geotechnics</i> , 2020, 123, 103561.	2.3	44
349	Tangential Force Model for the Combined Finite-Discrete Element Method. <i>International Journal of Computational Methods</i> , 2020, 17, 1950068.	0.8	2
350	Effects of sampling intensity and non-slide/slide sample ratio on the occurrence probability of coseismic landslides. <i>Geomorphology</i> , 2020, 363, 107222.	1.1	35
351	Research on Post-Earthquake Landslide Extraction Algorithm Based on Improved U-Net Model. <i>Remote Sensing</i> , 2020, 12, 894.	1.8	79

#	ARTICLE	IF	CITATIONS
352	Stability of double-step muck slope under different overload conditions. <i>European Journal of Environmental and Civil Engineering</i> , 2021, 25, 245-263.	1.0	2
353	Energy-based analysis of seismic failure mechanism of a rock slope with discontinuities using Hilbert-Huang transform and marginal spectrum in the time-frequency domain. <i>Landslides</i> , 2021, 18, 105-123.	2.7	47
354	Post-failure landslide change detection and analysis using optical satellite Sentinel-2 images. <i>Landslides</i> , 2021, 18, 447-455.	2.7	24
355	An empirical attenuation model of the peak ground acceleration (PGA) in the near field of a strong earthquake. <i>Natural Hazards</i> , 2021, 105, 691-715.	1.6	3
356	Seismic slope stability and failure process analysis using explicit finite element method. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 1287-1301.	1.6	22
357	Large-scale shaking table test on seismic behaviour of anti-slide pile-reinforced bridge foundation and gravel landslide: a case study. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 1303-1316.	1.6	17
358	Recurrent rock avalanches progressively dismantle a mountain ridge in Beichuan County, Sichuan, most recently in the 2008 Wenchuan earthquake. <i>Geomorphology</i> , 2021, 374, 107492.	1.1	12
359	The debris avalanche in Donghekou area triggered by the 2008 Wenchuan (M8.0) earthquake: Features and possible transportation mechanisms. <i>Engineering Geology</i> , 2021, 280, 105922.	2.9	7
360	Investigation and mechanism analysis of disasters under Hokkaido Eastern Iwate earthquake. <i>Geomatics, Natural Hazards and Risk</i> , 2021, 12, 1-28.	2.0	17
361	Dynamic processes of the Dora Kamiyama rockslide in the Tibetan Plateau, China: geomorphic implication. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 933-950.	1.6	2
362	Failure mode analysis of post-seismic rockfall in shattered mountains exemplified by detailed investigation and numerical modelling. <i>Landslides</i> , 2021, 18, 425-446.	2.7	27
363	Landslides of the 1920 Haiyuan earthquake, northern China. <i>Landslides</i> , 2021, 18, 935-953.	2.7	23
364	Dynamic disintegration processes accompanying transport of an earthquake-induced landslide. <i>Landslides</i> , 2021, 18, 909-933.	2.7	36
365	SPH modeling for soil mechanics with application to landslides. , 2021, , 257-289.		1
366	Statistical analyses of landslide size and spatial distribution triggered by 1990 Rudbar-Manjil (Mw 7.3) earthquake, northern Iran: revised inventory, and controlling factors. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 3381-3403.	1.6	8
367	Earthquake-Triggered Landslides. , 2021, , .		4
368	Large Deformation Analysis of Coseismic Landslide Using Material Point Method. <i>Springer Transactions in Civil and Environmental Engineering</i> , 2021, , 215-224.	0.3	0
369	Improvement of DDA with a New Unified Tensile Fracture Model for Rock Fragmentation and its Application on Dynamic Seismic Landslides. <i>Rock Mechanics and Rock Engineering</i> , 2021, 54, 1055-1075.	2.6	17

#	ARTICLE	IF	CITATIONS
370	Reconstruction and Evaluation of DEMs From Bistatic Tandem-X SAR in Mountainous and Coastal Areas of China. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 5152-5170.	2.3	7
371	Landslide susceptibility analysis of photovoltaic power stations in Gangwon-do, Republic of Korea. <i>Geomatics, Natural Hazards and Risk</i> , 2021, 12, 2328-2351.	2.0	8
372	The effect of disaster knowledge and public attitudes on the preparedness to face landslide disaster. <i>Journal of Physics: Conference Series</i> , 2021, 1760, 012002.	0.3	0
373	Simulating landslide-induced tsunamis in the Yangtze River at the Three Gorges in China. <i>Acta Geotechnica</i> , 2021, 16, 2487-2503.	2.9	21
374	Failure mechanisms and characteristics of the Zhongbao landslide at Liuqing Village, Wulong, China. <i>Landslides</i> , 2021, 18, 1445-1457.	2.7	55
375	Debris flows in the Lushan earthquake area: formation characteristics, rainfall conditions, and evolutionary tendency. <i>Natural Hazards</i> , 2021, 106, 2663-2687.	1.6	12
376	Monitoring and Assessment for the Susceptibility of Landslide Changes After the 2017 Ms 7.0 Jiuzhaigou Earthquake Using the Remote Sensing Technology. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	16
377	Engineering-Geological Features Supporting a Seismic-Driven Multi-Hazard Scenario in the Lake Campotosto Area (L'Aquila, Italy). <i>Geosciences (Switzerland)</i> , 2021, 11, 107.	1.0	2
378	Stability Analysis of a Landslide: A View with Implications of Microstructural Soil Characters. <i>Indian Geotechnical Journal</i> , 2021, 51, 647-660.	0.7	1
379	Study on the Dynamic Response of Landslide Subjected to Earthquake by the Improved DDA Method. <i>Modelling and Simulation in Engineering</i> , 2021, 2021, 1-11.	0.4	3
380	Discrete element modelling and scenario prediction of failure, movement and energy dissipation of a potential landslide under a seismic loading. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 3767-3782.	1.6	2
381	The Archaeology of a Landslide: Unravelling the Azores Earthquake Disaster of 1522 and its Consequences. <i>European Journal of Archaeology</i> , 2021, 24, 388-411.	0.3	2
382	Calculation of the Coseismic Landslide Volume Using DEMs: An Example from the Yingxiu Area, Wenchuan, Sichuan, China. <i>Advances in Civil Engineering</i> , 2021, 2021, 1-9.	0.4	0
383	A Research on Landslides Automatic Extraction Model Based on the Improved Mask R-CNN. <i>ISPRS International Journal of Geo-Information</i> , 2021, 10, 168.	1.4	23
384	Sonlu Elemanlar YÄntemi ile Depreme BaÄHeyelan Tehlike Modelleme. <i>Beykent Äeniversitesi Fen Ve MÄhendislik Bilimleri Dergisi</i> , 2021, 13, 5-14.	0.4	1
385	A new method of assessing the stability of anti-dip bedding rock slopes subjected to earthquake. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 3693-3710.	1.6	51
386	Recent Advances in Stability and Failure Mechanisms of Landslide Dams. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	39
387	Size distribution law of earthquake-triggered landslides in different seismic intensity zones. <i>Nonlinear Processes in Geophysics</i> , 2021, 28, 167-179.	0.6	6

#	ARTICLE	IF	CITATIONS
388	Stability mechanism recognition and failure risk assessment on a high slope by synthesizing different analysis methods. <i>Natural Hazards</i> , 2021, 108, 1569-1584.	1.6	2
389	Correlation Analysis of Influencing Factors and the Monthly Displacement Increment of a Hydrodynamic Landslide Using a Pseudo-Maximum-Likelihood-Estimation-Mixed-Copula Approach. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	1
390	Coseismic landslide hazard assessment for the future scenario earthquakes in the Kumaun Himalaya, India. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 5219-5235.	1.6	20
391	Impact of slope stability changes on landslide activity near the epicenter of the 2008 Wenchuan Ms8.0 earthquake, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 5259-5270.	1.6	2
392	Seismic response characteristics and deformation evolution of the bedding rock slope using a large-scale shaking table. <i>Landslides</i> , 2021, 18, 2835-2853.	2.7	35
393	Runout Modeling of Earthquake-Triggered Landslides with the Material Point Method. , 2021, , .		5
394	Applicability of Susceptibility Model for Rock and Loess Earthquake Landslides in the Eastern Tibetan Plateau. <i>Remote Sensing</i> , 2021, 13, 2546.	1.8	11
395	Seismic Performance of Deposit Slopes with Underlying Bedrock before and after Reinforcement by Stabilizing Piles. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5664.	1.3	1
396	Hazard zonation mapping of earthquake-induced secondary effects using spatial multi-criteria analysis. <i>Natural Hazards</i> , 2021, 109, 637-669.	1.6	27
397	Development of the coseismic landslide susceptibility map of the island of Lefkada, Greece. <i>Environmental Earth Sciences</i> , 2021, 80, 1.	1.3	1
399	Vertical and horizontal displacements of a reservoir slope due to slope aging effect, rainfall, and reservoir water. <i>Geodesy and Geodynamics</i> , 2021, 12, 266-278.	1.0	5
400	General Paradigm of Edge-Based Internet of Things Data Mining for Geohazard Prevention. <i>Big Data</i> , 2021, 9, 373-389.	2.1	3
403	Numerical Investigation on Dynamic Response Characteristics and Deformation Mechanism of a Bedded Rock Mass Slope Subject to Earthquake Excitation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7068.	1.3	5
404	Dynamic Process and Mechanism of the Catastrophic Taihongcun Landslide Triggered by the 2008 Wenchuan Earthquake Based on Field Investigations and Discrete Element Method Simulations. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	3
405	Coupling and coordination of socioeconomic and ecological environment in Wenchuan earthquake disaster areas: Case study of severely affected counties in southwestern China. <i>Sustainable Cities and Society</i> , 2021, 71, 102958.	5.1	32
406	Recurrent neural networks for complicated seismic dynamic response prediction of a slope system. <i>Engineering Geology</i> , 2021, 289, 106198.	2.9	42
407	Landslide distribution and sliding mode control along the Anninghe fault zone at the eastern edge of the Tibetan Plateau. <i>Journal of Mountain Science</i> , 2021, 18, 2094-2107.	0.8	7
408	Method for predicting factor of safety and seepage due to variation in dam width and other parameters. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 0, , 1-9.	0.9	0

#	ARTICLE	IF	CITATIONS
409	Identifying Potential Landslides by Stacking-InSAR in Southwestern China and Its Performance Comparison with SBAS-InSAR. <i>Remote Sensing</i> , 2021, 13, 3662.	1.8	65
410	Dynamic analysis of anti-dip bedding rock slopes reinforced by pre-stressed cables using discrete element method. <i>Engineering Analysis With Boundary Elements</i> , 2021, 130, 79-93.	2.0	17
411	Exploring the relationship between InSAR coseismic deformation and earthquake-damaged buildings. <i>Remote Sensing of Environment</i> , 2021, 262, 112508.	4.6	13
412	Experimental study on breaching mechanisms of landslide dams composed of different materials under surge waves. <i>Engineering Geology</i> , 2021, 291, 106242.	2.9	26
413	Study on the downcutting rate of a debris flow dam based on grain-size distribution. <i>Geomorphology</i> , 2021, 391, 107891.	1.1	11
414	Insights into the geohazards triggered by the 2017 Ms 6.9 Nyingchi earthquake in the east Himalayan syntaxis, China. <i>Catena</i> , 2021, 205, 105467.	2.2	18
415	Large-scale field model tests of landslide dam breaching. <i>Engineering Geology</i> , 2021, 293, 106322.	2.9	30
416	Landslides triggered by the 2018 Lombok earthquake sequence, Indonesia. <i>Catena</i> , 2021, 207, 105676.	2.2	15
417	Statistical Analysis of Landslide Susceptibility, Macerata Province (Central Italy). <i>Hydrology</i> , 2021, 8, 5.	1.3	6
418	The spatial distribution characteristics of coseismic landslides triggered by the Ms7.0 Lushan earthquake and Ms7.0 Jiuzhaigou earthquake in southwest China. <i>Environmental Science and Pollution Research</i> , 2021, 28, 20549-20569.	2.7	19
419	Dynamic response of the Daguangbao landslide triggered by the Wenchuan earthquake with a composite hypocenter. <i>Geomatics, Natural Hazards and Risk</i> , 2021, 12, 2170-2193.	2.0	4
420	Landslides Triggered by the Ms 7.0 Earthquake of 20 April 2013 in Lushan, SW China. , 2014, , 141-148.		1
422	Understanding the Mechanism of Large-Scale Landslides. , 2015, , 13-32.		18
423	Influence of Rock Masses Properties on the Slope Stabilities: A Study Based on Slope Failures During the 2008 Wenchuan Earthquake. , 2015, , 1219-1223.		2
424	Natural River Damming: Climate-Driven or Seismically Induced Phenomena: Basics for Landslide and Seismic Hazard Assessment. , 2015, , 33-41.		6
425	Local Terrain Relief: An Important Factor Influencing the Generation of Large Earthquake-Triggered Landslides. , 2017, , 15-21.		2
426	Numerical Models of Unstable Slopes in Seismic Areas—Based on 3D Geomodels. , 2017, , 47-57.		4
427	Stability and Life Span of Landslide Dams in the Himalayas (India, Nepal) and the Qin Ling Mountains (China). <i>Lecture Notes in Earth Sciences</i> , 2011, , 243-277.	0.5	25

#	ARTICLE	IF	CITATIONS
429	The Characteristics of Landslides Induced by the Wenchuan Earthquake Based on High Spatial Resolution Remote Sensing Images. , 2013, , 331-339.		1
430	Kinetic Friction Coefficient and Mass Movement Process of Large Rock Avalanches Triggered by the Wenchuan Earthquake. , 2013, , 521-528.		1
431	Topographic Effect on Seismic Slope Behavior in a Shaking Table Test. , 2013, , 529-536.		2
432	SPH Modeling for Propagation of Flow-like Landslides. , 2014, , 155-189.		1
433	Risk Complexity and Governance in Mountain Environments. , 2015, , 349-371.		5
435	Assessing social vulnerability to earthquake disaster using rough analytic hierarchy process method: A case study of Hanzhong City, China. Safety Science, 2020, 125, 104625.	2.6	36
437	A hill slope failure analysis: A case study of Malingoan village, Maharashtra, India. , 2021, 5, 1-6.		7
439	Perception of recovery of households affected by 2008 Wenchuan earthquake: A structural equation model. PLoS ONE, 2017, 12, e0183631.	1.1	15
440	Mechanism Analysis on Vertical Gradation of Rock Avalanches Triggered by Wenchuan Earthquake, Sichuan, China. Journal of Earth Science Research, 2013, , 94-105.	0.1	2
441	The Impact of Agricultural Irrigation on Landslide Triggering: A Review from Chinese, English, and Spanish Literature. Water (Switzerland), 2021, 13, 10.	1.2	26
442	Risk Early-Warning Method for Natural Disasters Based on Integration of Entropy and DEA Model. Applied Mathematics, 2011, 02, 23-32.	0.1	5
447	Experimental Investigation of the Outburst Discharge of Landslide Dam Overtopping Failure. Frontiers in Earth Science, 2021, 9, .	0.8	1
448	Treatment of Liquefiable Ground by Resonant Compaction Using a Crisscross-Shaped Probe. Case Study at the Huaiyan Highway Site. Soil Mechanics and Foundation Engineering, 2021, 58, 320-325.	0.2	3
449	Quantitative investigation of post-seismic debris flows considering the spatial distribution of source materials. Environmental Earth Sciences, 2021, 80, 1.	1.3	0
450	Geohazard Recognition and Inventory Mapping Using Airborne LiDAR Data in Complex Mountainous Areas. Journal of Earth Science (Wuhan, China), 2021, 32, 1079-1091.	1.1	24
451	Evaluation of Ground Motion Amplification Effects in Slope Topography Induced by the Arbitrary Directions of Seismic Waves. Energies, 2021, 14, 6744.	1.6	6
452	Three-dimensional and long-term landslide displacement estimation by fusing C- and L-band SAR observations: A case study in Gongjue County, Tibet, China. Remote Sensing of Environment, 2021, 267, 112745.	4.6	32
453	A unique failure model for a landslide induced by the Wenchuan earthquake in the Liujiawan area, Qingchuan County, China. Engineering Geology, 2021, 295, 106412.	2.9	12

#	ARTICLE	IF	CITATIONS
454	Satellite Imagery for Landslide Mapping in an Earthquake-Struck Area. , 2010, , 173-186.		0
455	One Dynamic Hierarchical Data Acquisition Model for Pre-geohazards Information Acquisition. Communications in Computer and Information Science, 2011, , 15-22.	0.4	0
456	Distribution and Susceptibility Assessments of Landslide Triggered by Wenchuan Earthquake at Longnan. Advances in Intelligent and Soft Computing, 2011, , 547-554.	0.2	2
457	Geotechnical Aspects of 2008 Wenchuan Earthquake, China. Geotechnical, Geological and Earthquake Engineering, 2012, , 67-89.	0.1	1
458	Initiation and Motion Mechanism of the Donghekou Rapid and Long Runout Landslide Triggered by the 2008 Wenchuan Earthquake, China. , 2013, , 473-483.		1
459	A Long-Traveling Landslide in Deep Snow Conditions: A Case Study of the Tatsunokuchi Landslide Induced by the 2011 North Nagano Prefecture Earthquake. , 2013, , 203-211.		0
460	Numerical Simulation of Granular Flows by DDA. , 2013, , 643-648.		0
461	Environmental Impact of the Landslides Caused by the 12 May 2008, Wenchuan, China Earthquake. , 2013, , 179-184.		0
462	Shaking table testing on seismic behaviors of layered rock slopes. , 2013, , 593-598.		0
463	Dynamic response of loess slope with uniform and isotropic layers to vertically incident strong shear waves with different vibrating directions. , 2013, , 839-844.		0
465	Characteristics of Ground Acceleration and Features of Landslides Triggered by the Lushan Earthquake (China). , 2014, , 149-155.		1
466	Characteristics of landslide scale and travel area triggered by the Mid-Niigata Prefecture Earthquake compared with pre-existing landslide topography. Journal of the Japan Landslide Society, 2014, 51, 90-99.	0.1	0
468	A New Movement Mechanism of Earthquake-Induced Landslides by Considering the Trampoline Effect of Vertical Seismic Loading. , 2015, , 753-757.		0
471	Research on Heavy-Rainfall-Induced and Hydraulic-Driven Geological Hazards in China (WCoE) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T		0
473	Run-Out Analysis of Earthquake-Induced Landslides. Springer Natural Hazards, 2018, , 63-85.	0.1	0
474	Extension of Discontinuous Deformation Analysis and Application in Run-Out Analysis of Earthquake-Induced Landslides. Springer Natural Hazards, 2018, , 87-124.	0.1	0
476	Extraction of Target Geological Hazard Areas in Loess Cover Areas Based on Mixed Total Sieving Algorithm. Communications in Computer and Information Science, 2019, , 208-214.	0.4	0
477	Evaluation of the Impact Force of Dry Granular Flow onto Rock Shed. Journal of Geoscience and Environment Protection, 2019, 07, 1-15.	0.2	0

#	ARTICLE	IF	CITATIONS
479	A Panoramic View of the Landslides Triggered by the May 12th, 2008 Mw 7.9 Earthquake in Wenchuan, China. <i>Atmosphere, Earth, Ocean & Space</i> , 2021, , 25-41.	0.4	1
480	Evidence of overpressure at the base of huge landslide. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 861, 062045.	0.2	0
481	Spatial distribution of landslides triggered by the Wenchuan Ms 8.0 earthquake near the epicenter. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 861, 062003.	0.2	0
482	Detecting Fingerprints of Gravity Erosion Drivers: A Laboratory Experiment. , 2020, , 169-189.		0
483	The ICL Journal Landslidesâ€™16 Years of Capacity Development for Landslide Risk Reduction. <i>ICL Contribution To Landslide Disaster Risk Reduction</i> , 2021, , 163-177.	0.3	1
484	Applying the Newmark Model in the Assessment of Earthquake Triggered Landslides During the 2017 Ms 7.0 Jiuzhaigou Earthquake, China. <i>ICL Contribution To Landslide Disaster Risk Reduction</i> , 2021, , 275-281.	0.3	0
485	A coupled discrete element and depth-averaged model for dynamic simulation of flow-like landslides. <i>Computers and Geotechnics</i> , 2022, 141, 104537.	2.3	9
486	Developing landslide chronologies using landslide-dammed lakes in the Oregon Coast Range. , 2021, , 1-18.		0
487	Does disaster knowledge affect residents' choice of disaster avoidance behavior in different time periods? Evidence from China's earthquake-hit areas. <i>International Journal of Disaster Risk Reduction</i> , 2022, 67, 102690.	1.8	16
488	Dynamic evolution mechanism of a rock slope with discontinuities under earthquake motions using shaking table tests. <i>Environmental Earth Sciences</i> , 2021, 80, 1.	1.3	0
489	Kinematic Behavior Analysis of the Wadi Landslide From Time-Series Sentinel-1 Data. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2022, 15, 127-135.	2.3	8
490	Experimental study on morphological characteristics of landslide dams in different shaped valleys. <i>Geomorphology</i> , 2022, 400, 108081.	1.1	5
491	Investigating the Impacts of a Wet Typhoon on Microseismicity: A Case Study of the 2009 Typhoon Morakot in Taiwan Based on a Template Matching Catalog. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, .	1.4	10
493	Meshfree Methods in Geohazards Prevention: A Survey. <i>Archives of Computational Methods in Engineering</i> , 2022, 29, 3151-3182.	6.0	4
494	Use of Probabilistically Generated Scenario Earthquakes in Landslide Hazard Zonation: A Semi-qualitative Approach. <i>Disaster Risk Reduction</i> , 2022, , 247-274.	0.2	2
495	A new global landslide dam database (RAGLAD) and analysis utilizing auxiliary global fluvial datasets. <i>Landslides</i> , 2022, 19, 555-572.	2.7	3
496	Investigating the Role of Earthquakes on the Stability of Dangerous Rock Masses and Rockfall Dynamics. <i>Frontiers in Earth Science</i> , 2022, 9, .	0.8	4
497	Preliminary analyses of landslides and sand liquefaction triggered by 22 May, 2021, Maduo Mw 7.3 earthquake on Northern Tibetan Plateau, China. <i>Landslides</i> , 2022, 19, 155-164.	2.7	7

#	ARTICLE	IF	CITATIONS
498	A Simple Method of Mapping Landslides Runout Zones Considering Kinematic Uncertainties. Remote Sensing, 2022, 14, 668.	1.8	11
499	Stochastic Assessment of Landslide Influence Zone by Material Point Method and Generalized Geotechnical Random Field Theory. International Journal of Geomechanics, 2022, 22, .	1.3	19
500	The Role of Tectonic Discontinuities in Triggering Large Seismic Landslides. Lithosphere, 2022, 2021, .	0.6	3
501	Ground Failure Triggered by the 7 January 2020 M ^{6.4} Puerto Rico Earthquake. Seismological Research Letters, 0, , .	0.8	4
502	Uncertainty quantification of landslide runout motion considering soil interdependent anisotropy and fabric orientation. Landslides, 2022, 19, 1231-1247.	2.7	18
503	Topographic Controls on the Distribution of Coseismic Landslides: A Case Study Using the Coefficient of Variation of the 2014 Ludian, Yunnan, China, Ms6.5 Earthquake. Lithosphere, 2022, 2021, .	0.6	2
504	Experimental Investigation on the Breaching Process of Landslide Dams with Differing Materials under Different Inflow Conditions. Materials, 2022, 15, 2029.	1.3	8
505	Earthquake-induced landslides susceptibility assessment: A review of the state-of-the-art. Natural Hazards Research, 2022, 2, 172-182.	2.0	37
506	Application of convolutional neural network fused with machine learning modeling framework for geospatial comparative analysis of landslide susceptibility. Natural Hazards, 2022, 113, 833-858.	1.6	11
507	Determinants of People's Secondary Hazards Risk Perception: A Case Study in Wenchuan Earthquake Disaster Areas of China. Frontiers in Earth Science, 2022, 10, .	0.8	1
508	Shaking table tests on slope reinforced by anchored piles under random earthquake ground motions. Acta Geotechnica, 2022, 17, 4113-4130.	2.9	16
509	Guocun landslide in a slate slope with dip structure on 27 March 2021 in Tonglu County, Zhejiang Province, China. Landslides, 0, , 1.	2.7	5
510	Susceptibility Analysis of Geohazards in the Longmen Mountain Region after the Wenchuan Earthquake. International Journal of Environmental Research and Public Health, 2022, 19, 3229.	1.2	10
511	The role of discontinuities in the susceptibility, development, and runout of rock avalanches: a review. Landslides, 2022, 19, 1391-1404.	2.7	23
512	A Web-GIS hazards information system of the 2008 Wenchuan Earthquake in China. Natural Hazards Research, 2022, 2, 210-217.	2.0	7
513	Extended DDA with rotation remedies and cohesive crack model for simulation of the dynamic seismic landslide. Engineering Fracture Mechanics, 2022, 266, 108395.	2.0	7
514	Experimental Investigations on the Spillway Section Shape of the Breaching Process of Landslide Dams. International Journal of Geomechanics, 2022, 22, .	1.3	4
515	Seismic response of stratified rock slopes due to incident P and SV waves using a semi-analytical approach. Engineering Geology, 2022, 301, 106594.	2.9	11

#	ARTICLE	IF	CITATIONS
516	Analytical solution of seismic analysis of piled-reinforced slopes. <i>Bulletin of Engineering Geology and the Environment</i> , 2022, 81, 1.	1.6	1
517	Accumulation of a Last Deglacial Gravel Layer at Diexi, Eastern Tibetan Plateau and its Possible Seismic Significance. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	8
518	Effects of Three-Directional Seismic Wave on Dynamic Response and Failure Behavior of High-Steep Rock Slide. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 20.	1.3	4
519	Influences of Spillway Section Morphologies on Landslide Dam Breaching. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	3
520	Understanding historical earthquakes by mapping coseismic landslides in the Loess Plateau, Northwest China. <i>Earth Surface Processes and Landforms</i> , 0, , .	1.2	5
521	Effects of Strong Earthquake on Plant Species Composition, Diversity, and Productivity of Alpine Grassland on Qinghai-Tibetan Plateau. <i>Frontiers in Plant Science</i> , 2022, 13, 870613.	1.7	6
522	Transport process and mechanism of the Hongshiyuan rock avalanche triggered by the 2014 Ludian earthquake, China. <i>Landslides</i> , 2022, 19, 1987-2004.	2.7	3
523	The Impact of Improved Topographic Resolution on the Distribution of Terrain Spectra and Grid-Size Selection for Mesoscale Models. <i>Atmosphere</i> , 2022, 13, 708.	1.0	1
524	Review of Investigations on Hazard Chains Triggered by River-Blocking Debris Flows and Dam-Break Floods. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	5
525	COLAFOS: a hybrid machine learning model to forecast potential coseismic landslides severity. <i>Journal of Information and Telecommunication</i> , 2022, 6, 420-449.	2.2	1
526	Spatiotemporal Evolution Pattern and Driving Mechanisms of Landslides in the Wenchuan Earthquake-Affected Region: A Case Study in the Bailong River Basin, China. <i>Remote Sensing</i> , 2022, 14, 2339.	1.8	3
527	Large-scale landslide dam breach experiments: Overtopping and "overtopping and seepage" failures. <i>Engineering Geology</i> , 2022, 304, 106680.	2.9	17
528	Real-Time Monitoring System of Landslide Based on LoRa Architecture. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	6
529	Failure characteristics of landslide dams considering dam formation features in laboratory experiments. <i>Landslides</i> , 2022, 19, 2379-2395.	2.7	2
530	Detection and characterization of slow-moving landslides in the 2017 Jiuzhaigou earthquake area by combining satellite SAR observations and airborne Lidar DSM. <i>Engineering Geology</i> , 2022, 305, 106730.	2.9	15
531	Environment-Friendly Recycled Concrete Aggregates to Attenuate Successive Rockfall Impacts: Large-Scale Field Modelling. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
532	Modelling the evolution of propagation and runout from a gravel "silty clay landslide to a debris flow in Shaziba, southwestern Hubei Province, China. <i>Landslides</i> , 2022, 19, 2199-2212.	2.7	14
533	Graph-Represented Broad Learning System for Landslide Susceptibility Mapping in Alpine-Canyon Region. <i>Remote Sensing</i> , 2022, 14, 2773.	1.8	3

#	ARTICLE	IF	CITATIONS
534	Risk assessment of multi-disaster in Mining Area of Guizhou, China. <i>International Journal of Disaster Risk Reduction</i> , 2022, 78, 103128.	1.8	15
535	A single surface slope effects on seismic response based on shaking table test and numerical simulation. <i>Engineering Geology</i> , 2022, 306, 106762.	2.9	19
536	Experimental study on seismic response and progressive failure characteristics of bedding rock slopes. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2022, 14, 1394-1405.	3.7	13
537	Comparing the prediction performance of logistic model tree with different ensemble techniques in susceptibility assessments of different landslide types. <i>Geocarto International</i> , 2022, 37, 14261-14291.	1.7	3
538	Simulation of the earthquake-induced soil-rock mixed accumulation body sliding movement using discrete-continuous coupled approach. <i>Natural Hazards</i> , 2022, 114, 2087-2108.	1.6	3
539	SPH Analysis of Sliding Material Volume and Influence Range of Soil Slope Under Earthquake. <i>Frontiers in Physics</i> , 0, 10, .	1.0	0
540	Recent advances in the investigation of a slow-moving landslide in the Three Gorges Reservoir area, China. , 2022, 1, 91-103.		4
541	Comparative Analysis of the Wounded in Patients and Deaths in a Hospital Following the Three Major Earthquakes in Western China. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	2
542	Giant river-blocking landslide dams with multiple failure sources in the Nu River and the impact on transient landscape evolution in southeastern Tibet. <i>Geomorphology</i> , 2022, 413, 108357.	1.1	10
543	Evaluating the application of K-mean clustering in Earthquake vulnerability mapping of Istanbul, Turkey. <i>International Journal of Disaster Risk Reduction</i> , 2022, 79, 103154.	1.8	12
544	On frictional heating and pore pressure generation:Implications for coseismic landslides hypermobility. <i>Computers and Geotechnics</i> , 2022, 150, 104899.	2.3	2
545	The effect of surficial soil on the seismic response characteristics and failure pattern of step-like slopes. <i>Soil Dynamics and Earthquake Engineering</i> , 2022, 161, 107441.	1.9	10
546	Research on influence of anchor cable failure on slope dynamic response. <i>Soil Dynamics and Earthquake Engineering</i> , 2022, 161, 107435.	1.9	4
547	Comprehensive analysis of a paleo-landslide damming event on the upper reach of the Jinsha River, SE Tibetan Plateau. <i>Bulletin of Engineering Geology and the Environment</i> , 2022, 81, .	1.6	3
549	To stay or to move? Investigation on residents' migration intention under frequent secondary disasters in Wenchuan earthquake-stricken area. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	4
550	Was the deep-seated gravitational slope deformation enhanced by an earthquake? Evidence from shaking table tests. <i>Arabian Journal of Geosciences</i> , 2022, 15, .	0.6	0
551	Interpretation and sensitivity analysis of the InSAR line of sight displacements in landslide measurements. <i>GIScience and Remote Sensing</i> , 2022, 59, 1226-1242.	2.4	38
552	Fast Seismic Landslide Detection Based on Improved Mask R-CNN. <i>Remote Sensing</i> , 2022, 14, 3928.	1.8	25

#	ARTICLE	IF	CITATIONS
553	Simulation of Seismic Dynamic Response and Post-failure Behavior of Jointed Rock Slope Using Explicit Numerical Manifold Method. <i>Rock Mechanics and Rock Engineering</i> , 2022, 55, 6921-6938.	2.6	3
554	Analysis of slope fracturing under transient earthquake loading by random discrete element method. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2022, 157, 105171.	2.6	4
555	Disaster-risk communication, perceptions and relocation decisions of rural residents in a multi-disaster environment: Evidence from Sichuan, China. <i>Habitat International</i> , 2022, 127, 102646.	2.3	11
556	æ»‘â†è;âŠ”è.â³¼,,âæ;â° ç”ç©¶i¼šç»¼4è;°ä,Žâ±±æœ». <i>Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of China University of Geosciences</i> , 2022, 47, 4663.	0.1	3
557	Influencing factors, deformation mechanism and failure process prediction for reservoir rock landslides: Tanjiahe landslide, three gorges reservoir area. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	5
558	Landslide susceptibility mapping based on CNN-3D algorithm with attention module embedded. <i>Bulletin of Engineering Geology and the Environment</i> , 2022, 81, .	1.6	9
559	A GIS-based probabilistic analysis model for rainfall-induced shallow landslides in mountainous areas. <i>Environmental Earth Sciences</i> , 2022, 81, .	1.3	6
560	Two public inventories of landslides induced by the 10 June 2022 Maerkang Earthquake swarm, China and ancient landslides in the affected area. <i>Natural Hazards Research</i> , 2022, 2, 269-272.	2.0	9
561	Centrifuge modeling and analytical validation of seismic amplification in a slope during earthquakes â€œ Implications to seismic slope stability analysis. <i>Soil Dynamics and Earthquake Engineering</i> , 2022, 163, 107502.	1.9	4
562	An Optimization of Statistical Index Method Based on Gaussian Process Regression and GeoDetector, for Higher Accurate Landslide Susceptibility Modeling. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 10196.	1.3	2
563	Net Primary Productivity Changes of Landslides Induced by the 2008 Wenchuan Earthquake. <i>Land Degradation and Development</i> , 0, , .	1.8	1
564	Evaluating the post-earthquake landslides sediment supply capacity for debris flows. <i>Catena</i> , 2023, 220, 106649.	2.2	8
565	Regional-scale assessment of earthquake-induced slope displacement considering uncertainties in subsurface soils and hydrogeological condition. <i>Soil Dynamics and Earthquake Engineering</i> , 2023, 164, 107593.	1.9	3
566	Recent Earthquake-Triggered Landslide Events in Central Asia, Evidence of Seismic Landslides in the Lesser Caucasus and the Carpathians. <i>Springer Natural Hazards</i> , 2022, , 115-141.	0.1	1
567	Report on Landslides Triggered by the 2008 Wenchuan Earthquake. <i>Springer Natural Hazards</i> , 2022, , 1-40.	0.1	0
568	Earthquake-Induced Landslide Susceptibility and Hazard Assessment Approaches. <i>Springer Natural Hazards</i> , 2022, , 543-571.	0.1	2
569	A probabilistic framework for the stability analysis of slopes considering the coupling influence of random ground motion and conditional random field. <i>Soil Dynamics and Earthquake Engineering</i> , 2023, 164, 107632.	1.9	2
570	The largest rock avalanche in China at lymek, Eastern Pamir, and its spectacular emplacement landscape. <i>Geomorphology</i> , 2023, 421, 108521.	1.1	4

#	ARTICLE	IF	CITATIONS
571	Characterizing Drivers of Asia's Black Elephant Disaster Risks. <i>Earth's Future</i> , 2022, 10, .	2.4	1
572	Small outbursts into big disasters: Earthquakes exacerbate climate-driven cascade processes of the glacial lakes failure in the Himalayas. <i>Geomorphology</i> , 2023, 422, 108539.	1.1	3
573	Geostructures, dynamics and risk mitigation of high-altitude and long-runout rockslides. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2023, 15, 66-101.	3.7	16
574	Regional seismic landslide susceptibility assessment considering the rock mass strength heterogeneity. <i>Geomatics, Natural Hazards and Risk</i> , 2023, 14, 1-27.	2.0	4
575	Investigation into a homogenous step-like rock slope response under wide-frequency seismic loads using a large-scale shaking table. <i>Natural Hazards</i> , 0, , .	1.6	1
577	Preliminary Analysis of Coseismic Landslides Induced by the 1 June 2022 Ms 6.1 Lushan Earthquake, China. <i>Sustainability</i> , 2022, 14, 16554.	1.6	10
578	UDEC Modelling on Dynamic Response of Rock Masses with Joint Stiffness Weakening Attributed to Particle Crushing of Granular Fillings. <i>Rock Mechanics and Rock Engineering</i> , 2023, 56, 1823-1841.	2.6	3
579	Interaction of earthquake-triggered landslides and local relief: Evidence from the 2008 Wenchuan earthquake. <i>Landslides</i> , 2023, 20, 757-770.	2.7	1
580	Failure criteria of unreinforced masonry walls of rural buildings under the impact of flash floods in mountainous regions. <i>Journal of Mountain Science</i> , 2022, 19, 3388-3406.	0.8	2
581	Construction of Disaster Risk in Mountain Systems and its Integrated Management. , 2022, , 335-355.		2
582	Influence of topography on the impact mechanism of dry granular flow: A DEM study. <i>Powder Technology</i> , 2023, 416, 118216.	2.1	2
583	A framework coupled neural networks and SPH depth integrated model for landslide propagation warning. <i>Acta Geotechnica</i> , 0, , .	2.9	1
584	Failure analysis of monolithic precast shear wall structure subjected to strong earthquake. <i>Engineering Failure Analysis</i> , 2023, 146, 107078.	1.8	3
585	Deformation and potential failure analysis of a giant old deposit in the southeastern margin of the Qinghai-Tibet Plateau based on SBAS-InSAR and numerical simulation. <i>Bulletin of Engineering Geology and the Environment</i> , 2023, 82, .	1.6	1
586	Research in the Field of Natural Hazards Based on Bibliometric Analysis. <i>Natural Hazards Review</i> , 2023, 24, .	0.8	4
587	Automatic extraction method of force chain information and its application in the flow photoelastic experiment of granular matter. <i>Particuology</i> , 2023, 83, 142-155.	2.0	2
588	Rock characteristics and dynamic fragmentation process of the 2018 Daanshan rockslide in Beijing, China. <i>Journal of Mountain Science</i> , 2023, 20, 448-465.	0.8	2
589	Evaluating the dynamic response and failure process of a rock slope under pulse-like ground motions. <i>Geomatics, Natural Hazards and Risk</i> , 2023, 14, .	2.0	3

#	ARTICLE	IF	CITATIONS
590	Characteristics of Debris Flow Activities at Different Scales after the Disturbance of Strong Earthquakes—A Case Study of the Wenchuan Earthquake-Affected Area. <i>Water (Switzerland)</i> , 2023, 15, 698.	1.2	1
591	Analysis of the seismic dynamic response and failure mode of the Layue landslide. <i>Landslides</i> , 2023, 20, 1135-1148.	2.7	2
592	Early Identification and Influencing Factors Analysis of Active Landslides in Mountainous Areas of Southwest China Using SBAS-InSAR. <i>Sustainability</i> , 2023, 15, 4366.	1.6	5
593	Bivariate Landslide Susceptibility Analysis: Clarification, Optimization, Open Software, and Preliminary Comparison. <i>Remote Sensing</i> , 2023, 15, 1418.	1.8	4
594	Spatial Pattern and Intensity Mapping of Coseismic Landslides Triggered by the 2022 Luding Earthquake in China. <i>Remote Sensing</i> , 2023, 15, 1323.	1.8	6
595	Effect of Weak Intercalated Layers on the Seismic Response of Rock Slopes Based on Numerical Analysis. <i>Journal of Earthquake Engineering</i> , 0, , 1-18.	1.4	0
597	Quantification of model uncertainty and variability for landslide displacement prediction based on Monte Carlo simulation. <i>Gondwana Research</i> , 2023, 123, 27-40.	3.0	43
598	âœ°è;”ä,%oç»´âœéœ†ä½çš»ä,žâœéœ†æ»‘â†â†fä¹«é—‘çš,,â...³ç³»ç”ç©¶. <i>SCIENTIA SINICA Terrae</i> , 2023, , .	0.1	0
600	Risk Assessment of Earthquake—Landslide Hazard Chain Based on CF-SVM and Newmark Model—Using Changbai Mountain as an Example. <i>Land</i> , 2023, 12, 696.	1.2	2
601	Steel Baffles as a Rockfall Protection Measure for Mountainous Urban Settings. <i>Geosciences (Switzerland)</i> , 2023, 13, 93.	1.0	0
602	Coseismic landslides triggered by the 2022 Luding Ms6.8 earthquake, China. <i>Landslides</i> , 2023, 20, 1277-1292.	2.7	5
619	Seismic Stability Analysis of Partially Saturated Slope Reinforced with Pervious Anti-slide Piles Subjected to Repeated Shaking Using Shaking Table Tests. <i>Lecture Notes in Civil Engineering</i> , 2023, , 243-255.	0.3	0
661	Land Cover, Land Use Change and Its Implication to Disasters in the Hindu Kush Himalayan Region. , 2024, , 7-27.		0