## Assessment of Î<sup>2</sup>-amyloid deposits in human brain: a stu Consortium

Acta Neuropathologica 117, 309-320 DOI: 10.1007/s00401-009-0485-4

Citation Report

#	Article	IF	CITATIONS
1	Thinking Outside the Box: Alzheimer-Type Neuropathology That Does Not Map Directly Onto Current Consensus Recommendations. Journal of Neuropathology and Experimental Neurology, 2010, 69, 449-454.	0.9	33
2	Characteristics of Dyshoric Capillary Cerebral Amyloid Angiopathy. Journal of Neuropathology and Experimental Neurology, 2010, 69, 1158-1167.	0.9	62
3	Quantification of myelin loss in frontal lobe white matter in vascular dementia, Alzheimer's disease, and dementia with Lewy bodies. Acta Neuropathologica, 2010, 119, 579-589.	3.9	206
4	Vascular pathology in the aged human brain. Acta Neuropathologica, 2010, 119, 277-290.	3.9	275
5	Sleep disorders in neurodegenerative diseases. European Journal of Neurology, 2010, 17, 1326-1338.	1.7	56
6	Amyloid in skin and brain: What′s the link?. Experimental Dermatology, 2010, 19, 953-957.	1.4	14
7	Brain pathology in three subjects from the same pedigree with presenilin-1 ( <i>PSEN1</i> ) P264L mutation. Neuropathology and Applied Neurobiology, 2010, 36, 41-54.	1.8	22
8	Distribution of cerebral amyloid deposition and its relevance to clinical phenotype in Lewy body dementia. Neuroscience Letters, 2010, 486, 19-23.	1.0	60
9	Therapeutic Potential of Copper Chelation with Triethylenetetramine in Managing Diabetes Mellitus and Alzheimer's Disease. Drugs, 2011, 71, 1281-1320.	4.9	81
10	How golden is the gold standard of neuropathology in dementia?. Alzheimer's and Dementia, 2011, 7, 486-489.	0.4	65
11	Epidemiological Neuropathology: The MRC Cognitive Function and Aging Study Experience. Journal of Alzheimer's Disease, 2011, 25, 359-372.	1.2	106
12	The impact of cerebral amyloid angiopathy on the occurrence of cerebrovascular lesions in demented patients with Alzheimer features: a neuropathological study. European Journal of Neurology, 2011, 18, 913-918.	1.7	54
13	Tau, prions and AÎ <sup>2</sup> : the triad of neurodegeneration. Acta Neuropathologica, 2011, 121, 5-20.	3.9	84
14	Increased dopaminergic cells and protein aggregates in the olfactory bulb of patients with neurodegenerative disorders. Acta Neuropathologica, 2011, 122, 61-74.	3.9	151
15	Alzheimer's disease: ageing-related or age-related? New hypotheses from an old debate. Neurological Sciences, 2011, 32, 1241-1247.	0.9	7
16	TAR-DNA binding protein-43 and alterations in the hippocampus. Journal of Neural Transmission, 2011, 118, 683-689.	1.4	24
17	Cerebral amyloid angiopathy in streptozotocin rat model of sporadic Alzheimer's disease: a long-term follow up study. Journal of Neural Transmission, 2011, 118, 765-772.	1.4	117
18	β-Amyloid (1–42) Levels in Cerebrospinal Fluid and Cerebral Atrophy in Mild Cognitive Impairment and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders Extra, 2011, 1, 393-401.	0.6	0

CITATION REPORT

#	Article	IF	CITATIONS
19	Clinical features and <i>APOE</i> genotype of pathologically proven early-onset Alzheimer disease. Neurology, 2011, 76, 1720-1725.	1.5	123
20	Cerebrospinal fluid markers for differential dementia diagnosis in a large memory clinic cohort. Neurology, 2012, 78, 47-54.	1.5	255
21	National Institute on Aging–Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease. Alzheimer's and Dementia, 2012, 8, 1-13.	0.4	1,968
22	The need to unify neuropathological assessments of vascular alterations in the ageing brain. Experimental Gerontology, 2012, 47, 825-833.	1.2	57
23	Postâ€mortem findings in 10 patients with presumed normalâ€pressure hydrocephalus and review of the literature. Neuropathology and Applied Neurobiology, 2012, 38, 72-86.	1.8	82
24	Novel Antibody Capture Assay for Paraffinâ€Embedded Tissue Detects Wideâ€Ranging Amyloid Beta and Paired Helical Filament–Tau Accumulation in Cognitively Normal Older Adults. Brain Pathology, 2012, 22, 472-484.	2.1	22
25	Divergent clinical and neuropathological phenotype in a Gerstmann-StrÃ <b>¤</b> ssler-Scheinker P102L family. Acta Neurologica Scandinavica, 2012, 126, 315-323.	1.0	13
26	National Institute on Aging–Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease: a practical approach. Acta Neuropathologica, 2012, 123, 1-11.	3.9	2,002
27	Spongiform encephalopathy in siblings with no evidence of protease-resistant prion protein or a mutation in the prion protein gene. Journal of Neurology, 2013, 260, 1871-1879.	1.8	2
28	Reduced cholinergic olfactory centrifugal inputs in patients with neurodegenerative disorders and MPTP-treated monkeys. Acta Neuropathologica, 2013, 126, 411-425.	3.9	26
29	Brain banking for neurological disorders. Lancet Neurology, The, 2013, 12, 1096-1105.	4.9	87
30	Regional differences in gene expression and promoter usage in aged human brains. Neurobiology of Aging, 2013, 34, 1825-1836.	1.5	30
31	Making the Diagnosis of Frontotemporal Lobar Degeneration. Archives of Pathology and Laboratory Medicine, 2013, 137, 314-325.	1.2	29
32	Immunohistochemical characterization of novel monoclonal antibodies against the N-terminus of amyloid Î <sup>2</sup> -peptide. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2013, 20, 179-187.	1.4	18
33	Distribution of SLC10A4, a Synaptic Vesicle Protein in the Human Brain, and the Association of this Protein with Alzheimer's Disease-Related Neuronal Degeneration. Journal of Alzheimer's Disease, 2013, 37, 603-610.	1.2	11
34	Immunolocalization of Kisspeptin Associated with Amyloid- <i>β</i> Deposits in the Pons of an Alzheimer's Disease Patient. Journal of Neurodegenerative Diseases, 2013, 2013, 1-11.	1.1	9
35	Stageâ€dependent nigral neuronal loss in incidental Lewy body and Parkinson's disease. Movement Disorders, 2014, 29, 1244-1251.	2.2	122
36	Neuropathologic Assessment of Dementia Markers in Identical and Fraternal Twins. Brain Pathology, 2014, 24, 317-333.	2.1	12

#	Article	IF	Citations
37	Alzheimer's diseaseâ€related plaques in nondemented subjects. Alzheimer's and Dementia, 2014, 10, 522-529.	0.4	8
38	A comparison of AÎ <sup>2</sup> amyloid pathology staging systems and correlation with clinical diagnosis. Acta Neuropathologica, 2014, 128, 543-550.	3.9	26
39	String Vessel Formation is Increased in the Brain of Parkinson Disease. Journal of Parkinson's Disease, 2015, 5, 821-836.	1.5	40
40	Multiplexed In-cell Immunoassay for Same-sample Protein Expression Profiling. Scientific Reports, 2015, 5, 13651.	1.6	3
41	Evidence for Immune Response, Axonal Dysfunction and Reduced Endocytosis in the Substantia Nigra in Early Stage Parkinson's Disease. PLoS ONE, 2015, 10, e0128651.	1.1	114
42	Why brain banking should be regarded as a special type of biobanking: ethical, practical, and data-management challenges. Journal of Biorepository Science for Applied Medicine, 2015, , 3.	0.2	3
43	[ <sup>18</sup> F]flutemetamol amyloid positron emission tomography in preclinical and symptomatic Alzheimer's disease: Specific detection of advanced phases of amyloidâ€Ĥ² pathology. Alzheimer's and Dementia, 2015, 11, 975-985.	0.4	117
44	Correlations Between Mini-Mental State Examination Score, Cerebrospinal Fluid Biomarkers, and Pathology Observed in Brain Biopsies of Patients With Normal-Pressure Hydrocephalus. Journal of Neuropathology and Experimental Neurology, 2015, 74, 470-479.	0.9	48
45	Prenatal high-fat diet alters the cerebrovasculature and clearance of <i>β</i> -amyloid in adult of Pathology, 2015, 235, 619-631.	2.1	51
46	Neuropathological assessments of the pathology in frontotemporal lobar degeneration with TDP43-positive inclusions: an inter-laboratory study by the BrainNet Europe consortium. Journal of Neural Transmission, 2015, 122, 957-972.	1.4	25
47	Neuropathologically mixed Alzheimer's and Lewy body disease: burden of pathological protein aggregates differs between clinical phenotypes. Acta Neuropathologica, 2015, 129, 729-748.	3.9	168
48	Clinicopathologic and <sup>11</sup> C-Pittsburgh compound B implications of Thal amyloid phase across the Alzheimer's disease spectrum. Brain, 2015, 138, 1370-1381.	3.7	270
49	The workflow from post-mortem human brain sampling to cell microdissection: a Brain Net Europe study. Journal of Neural Transmission, 2015, 122, 975-991.	1.4	8
50	Genetic determinants of white matter hyperintensities and amyloid angiopathy in familial Alzheimer's disease. Neurobiology of Aging, 2015, 36, 3140-3151.	1.5	53
51	The preclinical phase of the pathological process underlying sporadic Alzheimer's disease. Brain, 2015, 138, 2814-2833.	3.7	380
52	Neuroanatomy and Pathology of Sporadic Alzheimer's Disease. Advances in Anatomy, Embryology and Cell Biology, 2015, , .	1.0	81
53	Age-associated evolution of plasmatic amyloid in mouse lemur primates: relationship with intracellular amyloid deposition. Neurobiology of Aging, 2015, 36, 149-156.	1.5	15
54	Dura mater is a potential source of $\hat{A^{12}}$ seeds. Acta Neuropathologica, 2016, 131, 911-923.	3.9	85

#	Article	IF	CITATIONS
55	Camelid single-domain antibodies: A versatile tool for in vivo imaging of extracellular and intracellular brain targets. Journal of Controlled Release, 2016, 243, 1-10.	4.8	90
56	Estimating the brain pathological age of Alzheimer's disease patients from MR image data based on the separability distance criterion. Physics in Medicine and Biology, 2016, 61, 7162-7186.	1.6	4
57	Distribution and Load of Amyloid-β Pathology in Parkinson Disease and Dementia with Lewy Bodies. Journal of Neuropathology and Experimental Neurology, 2016, 75, 936-945.	0.9	109
58	Potential Pathways of Abnormal Tau and α-Synuclein Dissemination in Sporadic Alzheimer's and Parkinson's Diseases. Cold Spring Harbor Perspectives in Biology, 2016, 8, a023630.	2.3	101
59	Detection of Al <sup>2</sup> plaque deposition in MR images based on pixel feature selection and class information in image level. BioMedical Engineering OnLine, 2016, 15, 108.	1.3	2
60	Aging-related tau astrogliopathy (ARTAC): harmonized evaluation strategy. Acta Neuropathologica, 2016, 131, 87-102.	3.9	380
61	Altered Proteins in the Aging Brain. Journal of Neuropathology and Experimental Neurology, 2016, 75, 316-325.	0.9	153
62	Pathology of Neurodegenerative Diseases. Cold Spring Harbor Perspectives in Biology, 2017, 9, a028035.	2.3	865
63	Prion-specific and surrogate CSF biomarkers in Creutzfeldt-Jakob disease: diagnostic accuracy in relation to molecular subtypes and analysis of neuropathological correlates of p-tau and Aβ42 levels. Acta Neuropathologica, 2017, 133, 559-578.	3.9	129
64	Multisite Assessment of Aging-Related Tau Astrogliopathy (ARTAG). Journal of Neuropathology and Experimental Neurology, 2017, 76, 605-619.	0.9	38
65	Dependency criterion based brain pathological age estimation of Alzheimer's disease patients with MR scans. BioMedical Engineering OnLine, 2017, 16, 50.	1.3	8
66	Systems proteomic analysis reveals that clusterin and tissue inhibitor of metalloproteinases 3 increase in leptomeningeal arteries affected by cerebral amyloid angiopathy. Neuropathology and Applied Neurobiology, 2017, 43, 492-504.	1.8	51
67	Comparative profiling of cortical gene expression in Alzheimer's disease patients and mouse models demonstrates a link between amyloidosis and neuroinflammation. Scientific Reports, 2017, 7, 17762.	1.6	138
68	Accuracy of Clinical Diagnosis of Dementia with Lewy Bodies versus Neuropathology. Journal of Alzheimer's Disease, 2017, 59, 1139-1152.	1.2	63
69	Transactive DNA Binding Protein 43 Rather Than Other Misfolded Proteins in the Brain is Associated with Islet Amyloid Polypeptide in Pancreas in Aged Subjects with Diabetes Mellitus. Journal of Alzheimer's Disease, 2017, 59, 43-56.	1.2	7
70	Cognitive function in very old men does not correlate to biomarkers of Alzheimer's disease. BMC Geriatrics, 2017, 17, 208.	1.1	9
71	Progression of Alzheimer's Disease-Related Pathology and Cell Counts in a Patient with Idiopathic Normal Pressure Hydrocephalus. Journal of Alzheimer's Disease, 2018, 61, 1451-1462.	1.2	8
72	Integrated neurodegenerative disease autopsy diagnosis. Acta Neuropathologica, 2018, 135, 643-646.	3.9	12

ARTICLE IF CITATIONS # Rapidly Progressive Alzheimer's Disease: Contributions to Clinical-Pathological Definition and 73 1.2 16 Diagnosis. Journal of Alzheimer's Disease, 2018, 63, 887-897. Alzheimer disease. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 145, 74 1.0 325-337. Understanding the roles of mutations in the amyloid precursor protein in Alzheimer disease. 75 4.1 74 Molecular Psychiatry, 2018, 23, 81-93. Antemortem CSF A $\langle i \rangle \hat{l}^2 \langle i \rangle 42/A \langle i \rangle \hat{l}^2 \langle i \rangle 40$  ratio predicts Alzheimer's disease pathology better than A<i>l^2</i>42 in rapidly progressive dementias. Annals of Clinical and Translational Neurology, 2019, 6, 263-273. Cerebral Corpora amylacea are dense membranous labyrinths containing structurally preserved cell 77 1.6 21 organelles. Scientific Reports, 2018, 8, 18046. Amyotrophic lateral sclerosis and non-tau frontotemporal lobar degeneration. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 145, 369-381. 1.0 Minimal neuropathologic diagnosis for brain banking in the normal middle-aged and aged brain and in neurodegenerative disorders. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 79 1.0 8 2018, 150, 131-141. Hypercapnic and Hypoxic Respiratory Response During Wakefulness and Sleep in a Streptozotocin Model of Alzheimer's Disease in Rats. Journal of Alzheimer's Disease, 2018, 65, 1159-1174. 1.2 Estimation of amyloid distribution by [18F]flutemetamol PET predicts the neuropathological phase of 81 3.9 41 amyloid Î<sup>2</sup>-proteiń deposition. Acta Ńeuropathologica, 2018, 136, 557-567. Cerebellar hemorrhages in patients with cerebral amyloid angiopathy. Journal of the Neurological Sciences, 2019, 405, 116418. The neuropathological diagnosis of Alzheimer's disease. Molecular Neurodegeneration, 2019, 14, 32. 83 1.497 4.4 Associations between Plasma Biomarkers and Cognition in Patients with Alzheimer's Disease and Amnestic Mild Cognitive Impairment: A Cross-Sectional and Longitudinal Study. Journal of Clinical 84 Medicine, 2019, 8, 1893. ApoE attenuates unresolvable inflammation by complex formation with activated C1q. Nature 85 15.2 200 Medicine, 2019, 25, 496-506. Characteristics of the tissue section that influence the staining outcome in immunohistochemistry. Histochemistry and Cell Biology, 2019, 151, 91-96. 0.8 29 Alzheimer's disease neuropathological change and loss of matrix/neuropil in patients with idiopathic Normal Pressure Hydrocephalus, a model of Alzheimer's disease. Acta Neuropathologica 87 2.4 15 Communications, 2019, 7, 98. The standardization of cerebrospinal fluid markers and neuropathological diagnoses brings to light the frequent complexity of concomitant pathology in Alzheimer's disease: The next challenge for biochemical markers?. Ćlinical Biochemistry, 2019, 72, 15-23. 89 Neuropathology and muscle biopsy techniques., 2019, , 306-336. 2 Failure to detect an association between selfâ€reported traumatic brain injury and Alzheimer's disease neuropathology and dementia. Alzheimer's and Dementia, 2019, 15, 686-698.

ARTICLE IF CITATIONS Normal Aging Brain Collection Amsterdam (NABCA): A comprehensive collection of postmortem high-field imaging, neuropathological and morphometric datasets of non-neurological controls. 1.4 25 NeuroImage: Clinical, 2019, 22, 101698. The characterization of AD/PART co-pathology in CJD suggests independent pathogenic mechanisms and no cross-seeding between misfolded  ${\rm A}\hat{\rm I}^2$  and prion proteins. Acta Neuropathologica 2.4 23 Communications, 2019, 7, 53. Comparison of clinical and neuropathological diagnoses of neurodegenerative diseases in two centres from the Brains for Dementia Research (BDR) cohort. Journal of Neural Transmission, 2019, 1.4 33 126, 327-337. Different aspects of Alzheimer's disease-related amyloid β-peptide pathology and their relationship to amyloid positron emission tomography imaging and dementia. Acta Neuropathologica Communications, 2019, 7, 178. 2.4 Epidemiological pathology of  $\hat{Al^2}$  deposition in the ageing brain in CFAS: addition of multiple  $\hat{Al^2}$ -derived measures does not improve dementia assessment using logistic regression and machine learning approaches. Acta Neuropathologica Communications, 2019, 7, 198. 2.4 14 βâ€amyloid and tau pathology in the aging feline brain. Journal of Comparative Neurology, 2020, 528, 112-117. To stage, or not to stage. Current Opinion in Neurobiology, 2020, 61, 10-22. 2.0 37 Mixed Brain Pathology Is the Most Common Cause of Cognitive Impairment in the Elderly. Journal of Alzheimer's Disease, 2020, 78, 453-465. 1.2 10 Phosphorylated Al<sup>2</sup> peptides in human Down syndrome brain and different Alzheimer's-like mouse 2.4 14 models. Acta Neuropathologica Communications, 2020, 8, 118. Contactin-1 Is Reduced in Cerebrospinal Fluid of Parkinson's Disease Patients and Is Present within 1.8 14 Lewy Bodies. Biomolecules, 2020, 10, 1177. Copathology in Progressive Supranuclear Palsy: Does It Matter?. Movement Disorders, 2020, 35, 101 2.2 48 984-993. Novel Diagnostic Tools for Identifying Cognitive Impairment in Dogs: Behavior, Biomarkers, and 0.9 Pathology. Frontiers in Veterinary Science, 2020, 7, 551895. Significance of cerebral amyloid angiopathy and other co-morbidities in Lewy body diseases. Journal of 103 1.4 13 Neural Transmission, 2021, 128, 687-699. In vivo Characterization of Biochemical Variants of Amyloid-β in Subjects with Idiopathic Normal Pressure Hydrocephalus and Alzheimer's Disease Neuropathological Change. Journal of Alzheimer's 104 1.2 Disease, 2021, 80, 1003-1012. Widespread severe cerebral elevations of haptoglobin and haemopexin in sporadic Alzheimer's disease: Evidence for a pervasive microvasculopathy. Biochemical and Biophysical Research Communications, 105 1.0 7 2021, 555, 89-94. Superiority of Formalin-Fixed Paraffin-Embedded Brain Tissue for in vitro Assessment of Progressive Supranuclear Palsy Tau Pathology With [18F]PI-2620. Frontiers in Neurology, 2021, 12, 684523. Biovalue in Human Brain Banking: Applications and Challenges for Research in Neurodegenerative 108 0.4 2 Diseases. Methods in Molecular Biology, 2022, 2389, 209-220. Increased P2×2 receptors induced by amyloid-Î<sup>2</sup> peptide participates in the neurotoxicity in alzheimer's disease. Biomedicine and Pharmacotherapy, 2021, 142, 111968.

CITATION REPORT

#

91

93

94

95

97

99

ARTICLE IF CITATIONS Techniques in neuropathology., 2013, , 353-380. 1 111 Is Impaired Proteodynamics a Key to Understand the Biomarkers of Human Cellular Aging?. Healthy 0.2 Ageing and Longevity, 2019, , 121-134. Amyotrophic lateral sclerosis and frontotemporal lobar degeneration., 2014, 209-248. 3 114 Amyloid-Î<sup>2</sup>, p-tau and reactive microglia are pathological correlates of MRI cortical atrophy in Alzheimerấ€™s disease. Brain Communications, 2021, 3, fcab281. Advances in Deep Neuropathological Phenotyping of Alzheimer Disease: Past, Present, and Future. 116 0.9 26 Journal of Neuropathology and Experimental Neurology, 2022, 81, 2-15. Comparison of Semi-Quantitative Scoring and Artificial Intelligence Aided Digital Image Analysis of 1.8 Chromogenic Immunohistochemistry. Biomolecules, 2022, 12, 19. Synucleinopathies., 2014, , 149-175. 118 0 Biomarker A+Tâ^': is this Alzheimer's disease or not? A combined CSF and pathology study. Brain, 2023, 120 146, 1166-1174. A History of Senile Plaques: From Alzheimer to Amyloid Imaging. Journal of Neuropathology and 121 0.9 6 Experimental Neurology, 2022, 81, 387-413. Frequency of LATE neuropathologic change across the spectrum of Alzheimer's disease neuropathology: combined data from 13 community-based or population-based autopsy cohorts. Acta Neuropathologica, 2022, 144, 27-44. Novel PSEN1 (P284S) Mutation Causes Alzheimer's Disease with Cerebellar Amyloid Î<sup>2</sup>-Protein Deposition. 123 0.7 1 Current Alzheimer Research, 2022, 19, 523-529. A multiplex pedigree with pathologically confirmed multiple system atrophy and Parkinson's disease 124 1.5 with dementia. Brain Communications, 2022, 4, . Spatiotemporal characterization of cellular tau pathology in the human locus 126 coeruleus–pericoerulear complex by three-dimensional imaging. Acta Neuropathologica, 2022, 144, 3.9 19 651-676. Mixed Pathologies in a Subject with a Novel PSEN1 G206R Mutation. Journal of Alzheimer's Disease, 1.2 2022, 90, 1601-1614. Neurofilament light chain is increased in the parahippocampal cortex and associates with 129 3.6 8 pathological hallmarks in Parkinson's disease dementia. Translational Neurodegeneration, 2023, 12, . Alzheimer's Amyloid β Peptide Induces Angiogenesis in an Alzheimer's Disease Model Mouse through Placental Growth Factor and Angiopoietin 2 Expressions. International Journal of Molecular 1.8 Sciences, 2023, 24, 4510. Assessment of Alzheimer-related pathologies of dementia using machine learning feature selection. 131 3.04 Alzheimer's Research and Therapy, 2023, 15, . Dementias., 2013,, 609-658.

# ARTICLE

IF CITATIONS