

Lean blowoff of bluff body stabilized flames: Scaling and

Progress in Energy and Combustion Science

35, 98-120

DOI: [10.1016/j.pecs.2008.07.003](https://doi.org/10.1016/j.pecs.2008.07.003)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Fluidic Flame Stabilization in a Planar Combustor Using a Transverse Slot Jet. AIAA Journal, 2009, 47, 2770-2775. | 1.5 | 16 |
| 2 | Comparison of LES Models Applied to a Bluff Body Stabilized Flame. , 2009, , . | | 24 |
| 3 | Design and Testing of a Wavelength-Multiplexed TDLAS Sensor for Augmentor Performance Using an Immersed Water-Cooled Probe. , 2009, , . | | 0 |
| 4 | TDLAS Measurements of Multiple Species and Temperature of Augmented Aeroengines. , 2009, , . | | 1 |
| 5 | Dynamics of V-gutter-stabilized Jet-A Flames in a Single Flame Holder Combustor with Full Optical Access. , 2009, , . | | 0 |
| 6 | LES-PDF Modeling of Flame Instability and Blow-out in Bluff-Body Stabilized Flames. , 2009, , . | | 12 |
| 7 | Vortex Phase-Jitter in Acoustically Excited Bluff Body Flames. International Journal of Spray and Combustion Dynamics, 2009, 1, 365-387. | 0.4 | 20 |
| 8 | Flame liftoff height dependence on geometrically modified bluffbodies in a vitiated flow. Experiments in Fluids, 2010, 49, 27-41. | 1.1 | 12 |
| 9 | Experiments and Large-Eddy Simulations of acoustically forced bluff-body flows. International Journal of Heat and Fluid Flow, 2010, 31, 754-766. | 1.1 | 18 |
| 10 | Blowoff dynamics of bluff body stabilized turbulent premixed flames. Combustion and Flame, 2010, 157, 790-802. | 2.8 | 210 |
| 12 | Dynamics of Premixed H ₂ /CH ₄ Flames Under Near Blowoff Conditions. Journal of Engineering for Gas Turbines and Power, 2010, 132, . | 0.5 | 26 |
| 13 | Numerical Simulation of a Gas Turbine Model Combustor Operated Near the Lean Extinction Limit. , 2010, , . | | 6 |
| 14 | Dynamics of Non-Premixed Bluff Body-Stabilized Flames in Heated Air Flow. , 2010, , . | | 12 |
| 15 | Blowoff Dynamics of V-Shaped Bluff Body Stabilized,Turbulent Premixed Flames in a Practical Scale Rig. , 2010, , . | | 4 |
| 16 | Transitional Blowoff Behavior of Wake-Stabilized Flames in Vitiated Flow. , 2010, , . | | 7 |
| 17 | Evaluation of Catalytic Reactors for Combustion Stabilization at High Altitudes. , 2010, , . | | 0 |
| 18 | Damköhler Number Similarity for Static Flame Stability in Gaseous-Fueled Augmentor Flows. Combustion Science and Technology, 2011, 183, 718-737. | 1.2 | 3 |
| 19 | Blowoff Dynamics of Asymmetrically-Fueled Bluffbody Flames. , 2011, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Dependence of the Bluff Body Wake Structure on Flame Temperature Ratio. , 2011, , . | | 8 |
| 21 | The Influence of Stoichiometry and Flame Holder Shape on Flame Dynamics and Acoustic. , 2011, , . | | 2 |
| 22 | The Role of Local Base Cavities in an Augmentor Bluffbody Flameholder. , 2011, , . | | 0 |
| 23 | Improved Correlation for Blowout of Bluff Body Stabilized Flames. , 2011, , . | | 6 |
| 24 | Large Eddy Simulation of Combustion Dynamics of Bluff Body Stabilized Flame. , 2011, , . | | 2 |
| 25 | Convective and Absolute Instabilities in Reacting Bluff Body Wakes. , 2011, , . | | 2 |
| 26 | The influence of reactant temperature on the dynamics of bluff body stabilized premixed flames. Combustion and Flame, 2011, 158, 2441-2457. | 2.8 | 97 |
| 27 | The improvement of blowout limit in partially/fully premixed flames with geometrically modified bluffbody bases. Experiments in Fluids, 2011, 51, 1315-1328. | 1.1 | 6 |
| 28 | Blowoff mechanism of two dimensional bluff-body stabilized turbulent premixed flames in a prototypical combustor. Combustion and Flame, 2011, 158, 1358-1371. | 2.8 | 84 |
| 29 | Dynamics of lean blowout of a swirl-stabilized flame in a gas turbine model combustor. Proceedings of the Combustion Institute, 2011, 33, 2953-2960. | 2.4 | 215 |
| 30 | Visualization of blow-off events in bluff-body stabilized turbulent premixed flames. Proceedings of the Combustion Institute, 2011, 33, 1559-1566. | 2.4 | 81 |
| 31 | Flame stabilization in a planar micro-combustor with a bluff body. , 2011, , . | | 0 |
| 32 | Determination of Equivalence Ratio and Oscillatory Heat Release Distributions in Non-Premixed Bluff Body-Stabilized Flames Using Chemiluminescence Imaging. , 2011, , . | | 3 |
| 33 | Lean Blowout Predictions of a Non-Premixed V-Gutter Stabilized Flame Using a Damkohler Number Methodology. , 2011, , . | | 5 |
| 34 | Methane Oxycombustion for Low CO2 Cycles: Blowoff Measurements and Analysis. Journal of Engineering for Gas Turbines and Power, 2011, 133, . | 0.5 | 38 |
| 35 | A Review of Mechanisms Controlling Bluff-Body Stabilized Flames With Closely-Coupled Fuel Injection. , 2011, , . | | 7 |
| 36 | Strain Characteristics Near the Flame Attachment Point in a Swirling Flow. Combustion Science and Technology, 2011, 183, 665-685. | 1.2 | 58 |
| 37 | An Experimental Study of Lean Blowout With Hydrogen-Enriched Fuels. Journal of Engineering for Gas Turbines and Power, 2012, 134, . | 0.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Infrared Radiation and Acoustic Characteristics of Combustion Instabilities in Turbulent Premixed Flames. Journal of Propulsion and Power, 2012, 28, 862-865. | 1.3 | 4 |
| 39 | Research on Performance of H ₂ Rich Blowout Limit in Bluff-Body Burner. Mathematical Problems in Engineering, 2012, 2012, 1-28. | 0.6 | 1 |
| 40 | Investigating the dynamics of combustion-driven oscillations leading to lean blowout. Fluid Dynamics Research, 2012, 44, 031408. | 0.6 | 24 |
| 41 | Dynamics of Thermoacoustic Oscillations Leading to Lean Flame Blowout. , 2012, , . | | 0 |
| 42 | Characterizing the Mechanism of Lean Blowout for a Recirculation-Stabilized Premixed Hydrogen Flame. , 2012, , . | | 9 |
| 43 | Frequency Locking and Vortex Dynamics of an Acoustically Excited Bluff Body Stabilized Flame. , 2012, , . | | 5 |
| 44 | Infrared Radiation and Acoustic Characteristics of Combustion Instabilities in Turbulent Premixed Flames. , 2012, , . | | 0 |
| 45 | Aero-Thermodynamic Consideration of Single-Crystal-Silicon Premixed-Fuel Microscale Can Combustor. Journal of Engineering for Gas Turbines and Power, 2012, 134, . | 0.5 | 5 |
| 46 | Flame Stabilization, Flashback, Flameholding, and Blowoff. , 0, , 293-316. | | 0 |
| 47 | Analysis and Scalings of Blowoff Limits of 2D and Axisymmetric Bluff Body Stabilized Flames. , 2012, , . | | 2 |
| 48 | Stabilization Dynamics of Bluff-body Premixed Flames. , 2012, , . | | 7 |
| 49 | Density ratio effects on reacting bluff-body flow field characteristics. Journal of Fluid Mechanics, 2012, 706, 219-250. | 1.4 | 122 |
| 50 | Large-Eddy Simulation of the Flow Over a Circular Cylinder at Reynolds Number 3900 Using the OpenFOAM Toolbox. Flow, Turbulence and Combustion, 2012, 89, 491-518. | 1.4 | 153 |
| 51 | Measurements in turbulent premixed bluff body flames close to blow-off. Combustion and Flame, 2012, 159, 2589-2607. | 2.8 | 129 |
| 52 | A Study of Slender Bluff-Body Reacting Wakes Formed by Concurrent or Countercurrent Fuel Injection. Combustion Science and Technology, 2012, 184, 1343-1365. | 1.2 | 5 |
| 53 | Assessment of a Partially Stirred Reactor combustion model to predict the Lean Blow-Out limit of a ramjet combustor. , 2012, , . | | 2 |
| 54 | An experimental investigation and characterization on flame bifurcation and leaning transition behavior of a pool fire in near wake of a square cylinder. International Journal of Heat and Mass Transfer, 2012, 55, 7024-7035. | 2.5 | 16 |
| 55 | Hydrodynamic Flow Stability II: Common Combustor Flow Fields. , 2012, , 72-123. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | Internal Flame Processes. , 0, , 247-292. | | 0 |
| 57 | A comparison of the blow-off behaviour of swirl-stabilized premixed and spray flames. , 2012, , . | | 0 |
| 58 | Fluid dynamics modeling of a stratified disk burner in swirl co-flow. Applied Thermal Engineering, 2012, 35, 60-70. | 3.0 | 21 |
| 59 | Time-resolved blowoff transition measurements for two-dimensional bluff body-stabilized flames in vitiated flow. Combustion and Flame, 2012, 159, 291-305. | 2.8 | 51 |
| 60 | Blowoff mechanism of harmonically forced bluff body stabilized turbulent premixed flames. Combustion and Flame, 2012, 159, 638-640. | 2.8 | 24 |
| 61 | Bluff Body Flame Holder with Flow Entrainment Using Perforated Plate. , 2013, , . | | 1 |
| 62 | A Comparison of the Blow-Off Behaviour of Swirl-Stabilized Premixed, Non-Premixed and Spray Flames. Flow, Turbulence and Combustion, 2013, 91, 347-372. | 1.4 | 129 |
| 63 | Lean blowoff behavior of asymmetrically-fueled bluff body-stabilized flames. Combustion and Flame, 2013, 160, 1677-1692. | 2.8 | 65 |
| 64 | CFD predictions of LBO limits for aero-engine combustors using fuel iterative approximation. Chinese Journal of Aeronautics, 2013, 26, 74-84. | 2.8 | 20 |
| 65 | Analysis of blowoff dynamics from flames with stratified fueling. Proceedings of the Combustion Institute, 2013, 34, 1491-1498. | 2.4 | 28 |
| 66 | Nonlinear response of buoyant diffusion flame under acoustic excitation. Fuel, 2013, 103, 364-372. | 3.4 | 23 |
| 67 | Numerical Simulation on H2 Rich Blowout Limit in Bluff-Body Burner. Industrial & Engineering Chemistry Research, 2013, 52, 2094-2102. | 1.8 | 2 |
| 68 | On the Influence of Fuel Distribution on the Flame Structure of Bluff-Body Stabilized Flames. , 2013, , . | | 2 |
| 69 | Impact of Fuel Composition on Blow Off and Flashback in Swirl Stabilized Lean Premixed Combustion. , 2013, , . | | 2 |
| 70 | Characteristics of Flame Bases for V-Gutters Stabilized Premixed Flames. , 2013, , . | | 0 |
| 71 | Modelling thermo-acoustic instabilities of an anchored laminar flame in a simple lean premixed combustor: including hydrodynamic effects. , 2013, , . | | 1 |
| 72 | Is LES of reacting flows predictive? Part 1: Impact of numerics. , 2013, , . | | 23 |
| 73 | Feature-Parameter-Criterion for Predicting Lean Blowout Limit of Gas Turbine Combustor and Bluff Body Burner. Mathematical Problems in Engineering, 2013, 2013, 1-17. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | A Numerical Study on Premixed Bluff Body Flame of Different Bluff Apex Angle. <i>Mathematical Problems in Engineering</i> , 2013, 2013, 1-9. | 0.6 | 2 |
| 75 | Visualisation of blow-off events of two interacting turbulent premixed flames. , 2013, , . | | 4 |
| 76 | Numerical Analysis of the Conceptual Design of Arrayed-Vanes Premixer for Gas Turbine Combustors Burning High-Hydrogen Fuels. , 2013, , . | | 1 |
| 77 | Partially Premixed and Premixed Aero Engine Combustors. , 0, , 237-289. | | 2 |
| 78 | Flame Density Ratio Effects on Vortex Dynamics of Harmonically Excited Bluff Body Stabilized Flames. , 2013, , . | | 1 |
| 79 | Large-scale strain rate effects on the premixed flame propagation in LES of a lean swirl-stabilized gas turbine combustor. , 2013, , . | | 0 |
| 80 | Tangential Velocity Effects and Correlations for Blow-Off and Flashback in a Generic Swirl Burner and the Effect of a Hydrogen containing Fuel. , 2013, , . | | 1 |
| 81 | Ground-Based Gas Turbine Combustion. , 2013, , 24-80. | | 4 |
| 82 | On the Influence of Fuel Distribution on the Flame Structure of Bluff-Body Stabilized Flames. <i>Journal of Engineering for Gas Turbines and Power</i> , 2014, 136, . | 0.5 | 11 |
| 83 | Flame Dynamics With Hydrogen Addition at Lean Blowout Limits. <i>Journal of Engineering for Gas Turbines and Power</i> , 2014, 136, . | 0.5 | 3 |
| 84 | Large Eddy Simulation of a Bluff-Bodyâ€™Stabilized Flame With Close-Coupled Liquid Fuel Injection. <i>Journal of Engineering for Gas Turbines and Power</i> , 2014, 136, . | 0.5 | 9 |
| 85 | Impacts on Blowoff by a Variety of CRZs Using Various Gases for Gas Turbines. <i>Energy Procedia</i> , 2014, 61, 1606-1609. | 1.8 | 6 |
| 86 | Effect of the Acoustic Excitation on Lean Blowoff in Turbulent Premixed Bluff Body Flames. , 2014, , . | | 0 |
| 87 | Blowout Limits of Cavity-Stabilized Flame of Supercritical Kerosene in Supersonic Combustors. <i>Journal of Propulsion and Power</i> , 2014, 30, 1161-1166. | 1.3 | 22 |
| 88 | Miniaturized Combustor for Supersonic Methaneâ€™Air Flames. <i>Journal of Propulsion and Power</i> , 2014, 30, 1167-1174. | 1.3 | 3 |
| 89 | Influence of reactive species on the lean blowout limit of an industrial DLE gas turbine burner. <i>Combustion and Flame</i> , 2014, 161, 1365-1373. | 2.8 | 16 |
| 90 | Simulating Bluff-Body Flameholders: On the Use of Proper Orthogonal Decomposition for Combustion Dynamics Validation. <i>Journal of Engineering for Gas Turbines and Power</i> , 2014, 136, . | 0.5 | 5 |
| 91 | Simulating Bluff-Body Flameholders: On the Use of Proper Orthogonal Decomposition for Wake Dynamics Validation. <i>Journal of Engineering for Gas Turbines and Power</i> , 2014, 136, . | 0.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | Review of gas/particle flow, coal combustion, and NO _x emission characteristics within down-fired boilers. <i>Energy</i> , 2014, 69, 144-178. | 4.5 | 94 |
| 93 | Effect of inlet and outlet configurations on blow-off and flashback with premixed combustion for methane and a high hydrogen content fuel in a generic swirl burner. <i>Applied Energy</i> , 2014, 116, 288-296. | 5.1 | 48 |
| 94 | Topology and Brush Thickness of Turbulent Premixed V-shaped Flames. <i>Flow, Turbulence and Combustion</i> , 2014, 93, 439-459. | 1.4 | 32 |
| 95 | Effects of bluff body shape on the flame stability in premixed micro-combustion of hydrogen-air mixture. <i>Applied Thermal Engineering</i> , 2014, 67, 266-272. | 3.0 | 164 |
| 96 | Comparison of Fourier, principal component and wavelet analyses for high speed flame measurements. <i>Computer Physics Communications</i> , 2014, 185, 1237-1245. | 3.0 | 19 |
| 97 | The anchoring mechanism of a bluff-body stabilized laminar premixed flame. <i>Combustion and Flame</i> , 2014, 161, 2327-2339. | 2.8 | 100 |
| 98 | Three-Dimensional Measurements of Turbulent Jet Flames at kHz Rate Based on Tomographic Chemiluminescence. , 2014, , . | | 0 |
| 99 | Advanced methods for extracting flow and combustion physics from high speed laser diagnostics. , 2014, , . | | 1 |
| 100 | Multifractal characteristics of combustor dynamics close to lean blowout. <i>Journal of Fluid Mechanics</i> , 2015, 784, 30-50. | 1.4 | 50 |
| 101 | Dynamics of harmonically excited, reacting bluff body wakes near the global hydrodynamic stability boundary. <i>Journal of Fluid Mechanics</i> , 2015, 779, 716-750. | 1.4 | 33 |
| 102 | Effect of Air Coflow on Lean Premixed Flames on a Stratified Burner. <i>Combustion Science and Technology</i> , 2015, 187, 1317-1334. | 1.2 | 1 |
| 103 | Spatiotemporal Characterization of Flame-Vortex Interactions in Bluff-Body Stabilized Turbulent Premixed Flames Using Simultaneous High-Repetition-Rate OH-PLIF and PIV. , 2015, , . | | 1 |
| 104 | Predicting Flameholding for Hydrogen and Natural Gas Flames at Gas Turbine Premixer Conditions. , 2015, , . | | 0 |
| 105 | Aerodynamic Quenching and Burning Velocity of Turbulent Premixed Methane-Air Flames. , 2015, , . | | 1 |
| 106 | Stability Analysis of Reacting Wakes: Flow and Density Asymmetry Effects. , 2015, , . | | 7 |
| 107 | Temperature Ratio Effects on Bluff-Body Wake Dynamics Using Large Eddy Simulation and Proper Orthogonal Decomposition. <i>Journal of Engineering for Gas Turbines and Power</i> , 2015, 137, . | 0.5 | 0 |
| 108 | Combustion instability of pilot flame in a pilot bluff body stabilized combustor. <i>Chinese Journal of Aeronautics</i> , 2015, 28, 1606-1615. | 2.8 | 11 |
| 109 | Numerical studies of nitric oxide formation in nanosecond-pulsed discharge-stabilized flames of premixed methane/air. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2015, 373, 20140331. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | Multifractal characterization of combustion dynamics. , 2015, , . | | 1 |
| 111 | Turbulent Non-Premixed Flames Stabilized on Double-Slit Curved Wall-Jet Burner with Simultaneous OH-Planar Laser-Induced Fluorescence and Particle Image Velocimetry Measurements. Combustion Science and Technology, 2015, 187, 1408-1424. | 1.2 | 7 |
| 112 | Influence of Fuel Characteristics in a Correlation to Predict Lean Blowout of Bluff-Body Stabilized Flames. , 2015, , . | | 7 |
| 113 | High Resolution PIV and CH-PLIF Measurements and Analysis of a Shear Layer Stabilized Flame. , 2015, , . | | 2 |
| 114 | LES-PDF Modeling of Blowout Analysis in Slit Bluff-Body Stabilized Flames. International Journal of Spray and Combustion Dynamics, 2015, 7, 131-150. | 0.4 | 5 |
| 115 | Velocity-Induced Flame Extinction Dynamics of Lean Premixed Bluff-Body Stabilized Flames. , 2015, , . | | 4 |
| 116 | Reaction zone visualisation in swirling spray n-heptane flames. Proceedings of the Combustion Institute, 2015, 35, 1649-1656. | 2.4 | 49 |
| 117 | Impact of fuel composition on the recirculation zone structure and its role in lean premixed flame anchoring. Proceedings of the Combustion Institute, 2015, 35, 1493-1500. | 2.4 | 39 |
| 118 | The response of a harmonically forced premixed flame stabilized on a heat-conducting bluff-body. Proceedings of the Combustion Institute, 2015, 35, 1065-1072. | 2.4 | 13 |
| 119 | A comparative experimental study of turbulent non premixed flames stabilized by a bluff-body burner. Experimental Thermal and Fluid Science, 2015, 63, 20-33. | 1.5 | 34 |
| 120 | The blow-off mechanism of a bluff-body stabilized laminar premixed flame. Combustion and Flame, 2015, 162, 1304-1315. | 2.8 | 80 |
| 121 | An automated target species selection method for dynamic adaptive chemistry simulations. Combustion and Flame, 2015, 162, 1358-1374. | 2.8 | 19 |
| 122 | Simultaneous planar and volume cross-LIF imaging to identify out-of-plane motion. Proceedings of the Combustion Institute, 2015, 35, 3813-3820. | 2.4 | 4 |
| 123 | Intermittency as a Transition State in Combustor Dynamics: An Explanation for Flame Dynamics Near Lean Blowout. Combustion Science and Technology, 2015, 187, 1821-1835. | 1.2 | 35 |
| 124 | Application of a Central Composite Design for the Study of NOx Emission Performance of a Low NOx Burner. Energies, 2015, 8, 3606-3627. | 1.6 | 58 |
| 125 | Consumption speed and burning velocity in counter-gradient and gradient diffusion regimes of turbulent premixed combustion. Combustion and Flame, 2015, 162, 1422-1439. | 2.8 | 28 |
| 126 | 3D measurements of ignition processes at 20ÅkHz in a supersonic combustor. Applied Physics B: Lasers and Optics, 2015, 119, 313-318. | 1.1 | 36 |
| 127 | Dynamics of bluff-body-stabilized premixed hydrogen/air flames in a narrow channel. Combustion and Flame, 2015, 162, 2602-2609. | 2.8 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 128 | A Method to Compute Flameout Limits of Scramjet-Powered Hypersonic Vehicles. , 2015, , . | | 2 |
| 129 | Investigations of air flow behavior past a conical bluff body using particle imaging velocimetry. Experiments in Fluids, 2015, 56, 1. | 1.1 | 7 |
| 130 | Impact of numerics on the predictive capabilities of reacting flow LES. Combustion and Flame, 2015, 162, 3394-3411. | 2.8 | 38 |
| 131 | Flame Extinction Dynamics of Lean Premixed Bluff-Body Stabilized Flames. , 2015, , . | | 9 |
| 132 | Analysis of Lift off Height and Blow-Off Mechanism of Turbulent Flame by V-Gutter Bluff Body. Applied Mechanics and Materials, 0, 787, 727-731. | 0.2 | 1 |
| 133 | Enhanced Stabilization of Multiple Premixed Flames with a Compressive Vortex Pair on a Stratified Burner. Combustion Science and Technology, 2015, 187, 1452-1467. | 1.2 | 1 |
| 134 | Size effect on the flame base locations after V-gutters for premixed flames. International Journal of Heat and Mass Transfer, 2015, 82, 406-418. | 2.5 | 8 |
| 135 | A review of the combustion and emissions properties of advanced transportation biofuels and their impact on existing and future engines. Renewable and Sustainable Energy Reviews, 2015, 42, 1393-1417. | 8.2 | 343 |
| 136 | Heat release imaging in turbulent premixed methane-air flames close to blow-off. Proceedings of the Combustion Institute, 2015, 35, 1443-1450. | 2.4 | 79 |
| 137 | Nonlinear Hydrodynamics of a Bluff-Body Stabilized Turbulent Premixed Flame. , 2016, , . | | 1 |
| 138 | Spatiotemporal analysis of turbulent jets enabled by 100-kHz, 100-ms burst-mode particle image velocimetry. Experiments in Fluids, 2016, 57, 1. | 1.1 | 38 |
| 139 | High Resolution Particle Image Velocimetry and CH-PLIF Measurements and Analysis of a Shear Layer Stabilized Flame. Journal of Engineering for Gas Turbines and Power, 2016, 138, . | 0.5 | 7 |
| 140 | Local stability analysis and eigenvalue sensitivity of reacting bluff-body wakes. Journal of Fluid Mechanics, 2016, 788, 549-575. | 1.4 | 21 |
| 141 | Predicting Flameholding for Hydrogen and Natural Gas Flames at Gas Turbine Premixer Conditions. Journal of Engineering for Gas Turbines and Power, 2016, 138, . | 0.5 | 6 |
| 142 | Lean Combustion in Gas Turbines. , 2016, , 147-201. | | 11 |
| 143 | Spatio-temporal linear stability analysis of stratified planar wakes: Velocity and density asymmetry effects. Physics of Fluids, 2016, 28, 045101. | 1.6 | 15 |
| 144 | Coupled dynamics of lift-off and precessing vortex core formation in swirl flames. Combustion and Flame, 2016, 168, 228-239. | 2.8 | 77 |
| 145 | Experimental study of lean ignition and lean blowout performance improvement using an evaporation flameholder. International Journal of Heat and Mass Transfer, 2016, 103, 319-326. | 2.5 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 146 | Precursors to blowout in a turbulent combustor based on recurrence quantification. , 2016, , . | | 9 |
| 147 | Towards Numerical Prediction of Jet Fuels Sensitivity of Flame Dynamics in a Swirl Spray Combustion System. , 2016, , . | | 3 |
| 148 | Impact of the bluff-body material on the flame leading edge structure and flame–flow interaction of premixed CH ₄ /air flames. Combustion and Flame, 2016, 172, 62-78. | 2.8 | 37 |
| 149 | Investigation of intermittent oscillations in a premixed dump combustor using time-resolved particle image velocimetry. Combustion and Flame, 2016, 172, 309-325. | 2.8 | 40 |
| 150 | High-Voltage, High-Frequency Pulse Generator for Nonequilibrium Plasma Generation and Combustion Enhancement. IEEE Transactions on Plasma Science, 2016, 44, 2429-2437. | 0.6 | 7 |
| 151 | Experimental and Numerical Study on the Flame Base of Premixed Flame after a Small Size V-Gutter. , 2016, , . | | 0 |
| 152 | Review on Premixed Combustion Technology: Stability, Emission Control, Applications, and Numerical Case Study. Energy & Fuels, 2016, 30, 9981-10014. | 2.5 | 64 |
| 153 | Flame Stability Characteristics of Two-Dimensional Trapped Vortex Combustor. Combustion Science and Technology, 2016, 188, 1283-1302. | 1.2 | 5 |
| 154 | Heat Release Imaging in Turbulent Premixed Ethylene-Air Flames Near Blow-off. Flow, Turbulence and Combustion, 2016, 96, 1039-1051. | 1.4 | 24 |
| 155 | On periodic behavior of weakly turbulent premixed flame corrugations. Combustion and Flame, 2016, 168, 147-165. | 2.8 | 18 |
| 156 | Effect of Acoustic Excitation on Lean Blowoff in Turbulent Premixed Bluff Body Flames. Combustion Science and Technology, 2016, 188, 55-76. | 1.2 | 7 |
| 157 | A Large-Eddy-Simulation Study of Combustion Dynamics of Bluff-Body Stabilized Flames. Combustion Science and Technology, 2016, 188, 924-952. | 1.2 | 28 |
| 158 | Combustion Blowoff Effects on the Central Recirculation Zone using various Syngas mixtures in a Tangential Swirl Burner. , 2016, , . | | 0 |
| 159 | Comparison of Three Interacting V-Flames to a Single Bluff-Body Flame at Two Reynolds Numbers. , 2016, , . | | 1 |
| 160 | Impact of Chemical Kinetics Mechanisms on the Predictions of Bluff Body Stabilized Flames. , 2016, , . | | 6 |
| 161 | Investigation of a turbulent premixed combustion flame in a backward-facing step combustor; effect of equivalence ratio. Energy, 2016, 95, 211-222. | 4.5 | 35 |
| 162 | A Method to Compute Flameout Limits of Scramjet-Powered Hypersonic Vehicles. , 2016, , . | | 1 |
| 163 | The Effect of Stretch and Heat Loss on the Anchoring and Response to Acoustic Forcing of a Bluff Body Stabilized Lean Premixed Flame. , 2016, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 164 | Extinguishment of counter-flow diffusion flame by water mist derived from aqueous solutions containing chemical additives. <i>Journal of Fire Sciences</i> , 2016, 34, 51-68. | 0.9 | 14 |
| 165 | Combustion Instability Mode Transition in a Pilot Bluff-Body Stabilized Combustor. <i>Journal of Propulsion and Power</i> , 2016, 32, 83-94. | 1.3 | 7 |
| 166 | Effect of Air Pressure and Gutter Angle on Flame Stability and DeZubay Number for Methane-Air Combustion. <i>International Journal of Turbo and Jet Engines</i> , 2017, 34, . | 0.3 | 3 |
| 167 | A Large Eddy Simulation Study of Bluff Body Flame Dynamics Approaching Blow-off. <i>Combustion Science and Technology</i> , 2017, 189, 1107-1137. | 1.2 | 21 |
| 168 | Advances and challenges in modeling high-speed turbulent combustion in propulsion systems. <i>Progress in Energy and Combustion Science</i> , 2017, 60, 26-67. | 15.8 | 84 |
| 169 | Experimental investigation of the Effect of Air Diffusive injection on premixing swirl flames. , 2017, , . | | 1 |
| 170 | Thermal response of a turbulent premixed flame to the imposed inlet oscillating velocity. <i>Energy</i> , 2017, 118, 209-220. | 4.5 | 12 |
| 171 | Species Selectivity Ratios from Thermal Pyrolysis of Jet Fuels in a Microflow Tube Reactor: Experimental and Modeling Effor. , 2017, , . | | 0 |
| 172 | Effect of the turbulence modeling in large-eddy simulations of nonpremixed flames undergoing extinction and reignition. , 2017, , . | | 6 |
| 173 | The instability characteristics of lean premixed hydrogen and syngas flames stabilized on meso-scale bluff-body. , 2017, , . | | 0 |
| 174 | MVP-Workshop Contribution: Modeling of Volvo bluff body flame experiment. , 2017, , . | | 17 |
| 175 | Combustion Characteristics of a Two-Dimensional Twin Cavity Trapped Vortex Combustor. <i>Journal of Engineering for Gas Turbines and Power</i> , 2017, 139, . | 0.5 | 2 |
| 176 | Lagrangian mechanisms of flame extinction for lean turbulent premixed flames. <i>Fuel</i> , 2017, 194, 239-256. | 3.4 | 27 |
| 177 | Numerical study on near-blowoff characteristics of cavity-stabilized premixed flames in supersonic flows. , 2017, , . | | 1 |
| 178 | Large-eddy simulation of a bluff-body stabilised turbulent premixed flame using the transported flame surface density approach. <i>Combustion Theory and Modelling</i> , 2017, 21, 722-748. | 1.0 | 6 |
| 179 | Shear layer flame stabilization sensitivities in a swirling flow. <i>International Journal of Spray and Combustion Dynamics</i> , 2017, 9, 3-18. | 0.4 | 17 |
| 180 | Oxy-fuel combustion technology: current status, applications, and trends. <i>International Journal of Energy Research</i> , 2017, 41, 1670-1708. | 2.2 | 93 |
| 181 | Large Eddy Simulation of a premixed bluff body stabilized flame using global and skeletal reaction mechanisms. <i>Combustion and Flame</i> , 2017, 179, 1-22. | 2.8 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 182 | Effects of oxidant stream composition on non-premixed laminar flames with heated and diluted coflows. <i>Combustion and Flame</i> , 2017, 178, 297-310. | 2.8 | 18 |
| 183 | Vorticity budgets in premixed combustng turbulent flows at different Lewis numbers. <i>Physics of Fluids</i> , 2017, 29, . | 1.6 | 46 |
| 184 | Dynamics and Diagnostics of Flame-Acoustic Interactions. <i>Combustion Science and Technology</i> , 2017, 189, 395-437. | 1.2 | 26 |
| 185 | On the Flame-generated Vorticity Dynamics of Bluff-body-stabilized Premixed Flames. <i>Flow, Turbulence and Combustion</i> , 2017, 99, 487-509. | 1.4 | 27 |
| 186 | Outlet geometrical impacts on blowoff effects when using various syngas mixtures in swirling flows. <i>Applied Energy</i> , 2017, 207, 195-207. | 5.1 | 12 |
| 187 | Large eddy simulation of bluff body flames close to blow-off using an Eulerian stochastic field method. <i>Combustion and Flame</i> , 2017, 181, 1-15. | 2.8 | 20 |
| 188 | Experimental Investigation on Effects of Central Air Jet on the Bluff-body Stabilized Premixed Methane-air Flame. <i>Energy Procedia</i> , 2017, 107, 23-32. | 1.8 | 12 |
| 189 | Fuel effects on lean blow-out in a realistic gas turbine combustor. <i>Combustion and Flame</i> , 2017, 181, 82-99. | 2.8 | 143 |
| 190 | Predicting lean blowout limit of swirl stabilized combustor based on hybrid approach. , 2017, , . | | 1 |
| 191 | Experimental study of the effects of free stream turbulence on characteristics and flame structure of bluff-body stabilized conical lean premixed flames. <i>Combustion and Flame</i> , 2017, 178, 311-328. | 2.8 | 59 |
| 192 | Physical mechanisms that cause intermittency that presages combustion instability and blowout in a turbulent lifted jet flame combustor. <i>Combustion Science and Technology</i> , 0, , 1-24. | 1.2 | 4 |
| 193 | Effect of Pilot Flame on Flame Macrostructure and Combustion Instability. , 2017, , . | | 4 |
| 194 | Application of Proper Orthogonal Decomposition to High Speed Imaging for the Study of Combustion Oscillations. , 2017, , . | | 3 |
| 195 | Numerical Simulation of the Multistage Ultra-High Efficiency Gas Turbine Engine, UHEGT. , 2017, , . | | 5 |
| 196 | Experimental Investigation on the Influences of Bluff-Body's Position on Diffusion Flame Structures. , 2017, , . | | 1 |
| 197 | Coherent Structure Impacts on Blowoff using Various Syngases. <i>Energy Procedia</i> , 2017, 105, 1356-1362. | 1.8 | 5 |
| 198 | Paraffin Diffusion Flame Attachment at a Small Backward-Facing Step. <i>Combustion Science and Technology</i> , 2017, , 1-14. | 1.2 | 0 |
| 199 | Assessment of LES Subgrid-scale Models and Investigation of Hydrodynamic Behaviour for an Axisymmetrical Bluff Body Flow. <i>Flow, Turbulence and Combustion</i> , 2017, 98, 155-176. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 200 | Dynamics of bluff-body-stabilized lean premixed syngas flames in a meso-scale channel. Proceedings of the Combustion Institute, 2017, 36, 1569-1576. | 2.4 | 20 |
| 201 | Experimental study of the effect of turbulence on the structure and dynamics of a bluff-body stabilized lean premixed flame. Proceedings of the Combustion Institute, 2017, 36, 1853-1859. | 2.4 | 17 |
| 202 | Influence of Pilot Flame Parameters on the Stability of Turbulent Jet Flames. Energy & Fuels, 2017, 31, 2128-2137. | 2.5 | 15 |
| 203 | Conically Stabilized Turbulent Premixed Lean-Flames Sustainability. Energy Procedia, 2017, 142, 3820-3826. | 1.8 | 0 |
| 204 | Experimental Study on Bluff-Body Stabilized Premixed Flame with a Central Air/Fuel Jet. Energies, 2017, 10, 2011. | 1.6 | 6 |
| 205 | Flow dynamics in a variable-spacing, three bluff-body flowfield. Physics of Fluids, 2018, 30, . | 1.6 | 24 |
| 206 | Stabilization of ultra-lean hydrogen enriched inverted flames behind a bluff-body and the phenomenon of anomalous blow-off. Combustion and Flame, 2018, 191, 86-98. | 2.8 | 36 |
| 207 | Measurements in swirling spray flames at blow-off. International Journal of Spray and Combustion Dynamics, 2018, 10, 185-210. | 0.4 | 28 |
| 208 | Effect of Quarls on the Blowout Stability and Emission of Pollutants of a Liquid-Fueled Swirl Burner. Journal of Engineering for Gas Turbines and Power, 2018, 140, . | 0.5 | 7 |
| 209 | Plasma-Assisted Stabilization of Lifted Non-premixed Jet Flames. Energy & Fuels, 2018, 32, 3967-3974. | 2.5 | 12 |
| 210 | Characterization of forced response of density stratified reacting wake. Chaos, 2018, 28, 023108. | 1.0 | 8 |
| 211 | The Structure and Dynamics of a Bluff-Body Stabilized Premixed Reacting Flow. , 2018, , . | | 1 |
| 212 | A review of cavity-based trapped vortex, ultra-compact, high-g, inter-turbine combustors. Progress in Energy and Combustion Science, 2018, 66, 42-82. | 15.8 | 220 |
| 213 | Effects of free stream flow turbulence on blowoff characteristics of bluff-body stabilized premixed flames. Combustion and Flame, 2018, 190, 302-316. | 2.8 | 55 |
| 214 | Reynolds-Averaged, Scale-Adaptive and Large-Eddy Simulations of Premixed Bluff-Body Combustion Using the Eddy Dissipation Concept. Flow, Turbulence and Combustion, 2018, 100, 721-768. | 1.4 | 21 |
| 215 | Combustion Efficiencies and Flameout Limits Computed for a Hypersonic Vehicle During Ascent. Journal of Propulsion and Power, 2018, 34, 624-635. | 1.3 | 9 |
| 216 | Velocity and stretch characteristics at the leading edge of an aerodynamically stabilized flame. Combustion and Flame, 2018, 193, 92-111. | 2.8 | 12 |
| 217 | Stabilization and blowout characteristics of lean premixed turbulent flames behind a backward-facing step in a rectangular combustor with heated propane-air mixtures. Fuel, 2018, 222, 627-637. | 3.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 218 | Effect of time-delay and dissipative coupling on amplitude death in coupled thermoacoustic oscillators. <i>Chaos</i> , 2018, 28, 033119. | 1.0 | 32 |
| 219 | Turbulence Regime Characterization for Premixed Combustion. , 2018, , . | | 3 |
| 220 | Three-dimensional organization and dynamics of vortices in multichannel swirling jets. <i>Journal of Fluid Mechanics</i> , 2018, 843, 180-210. | 1.4 | 25 |
| 221 | Use of bluff body for enhancing submicron particle agglomeration in plasma field. <i>Particulate Science and Technology</i> , 2018, 36, 123-130. | 1.1 | 4 |
| 222 | Effects of the position of a bluff-body on the diffusion flames: A combined experimental and numerical study. <i>Applied Thermal Engineering</i> , 2018, 131, 507-521. | 3.0 | 21 |
| 223 | Large Eddy Simulation of a Bluff Body Stabilised Premixed Flame Using Flamelets. <i>Flow, Turbulence and Combustion</i> , 2018, 101, 973-992. | 1.4 | 10 |
| 224 | Spatio-temporal stability analysis of linear arrays of 2D density stratified wakes and jets. <i>Physics of Fluids</i> , 2018, 30, . | 1.6 | 5 |
| 225 | Flame blowout: Transition to an absorbing phase. <i>Chaos</i> , 2018, 28, 113121. | 1.0 | 5 |
| 226 | Methane/air premixed flame topology structure in a mesoscale combustor with a plate flame holder and preheating channels. <i>Energy</i> , 2018, 165, 802-811. | 4.5 | 27 |
| 227 | Effect of noise amplification during the transition to amplitude death in coupled thermoacoustic oscillators. <i>Chaos</i> , 2018, 28, 093116. | 1.0 | 24 |
| 228 | Enhancing flame flashback resistance against Combustion Induced Vortex Breakdown and Boundary Layer Flashback in swirl burners. <i>Applied Energy</i> , 2018, 230, 946-959. | 5.1 | 4 |
| 229 | Pressure-gradient tailoring effects on the turbulent flame-vortex dynamics of bluff-body premixed flames. <i>Combustion and Flame</i> , 2018, 197, 227-242. | 2.8 | 30 |
| 230 | Thermal performance of solid walls in a mesoscale combustor with a plate flame holder and preheating channels. <i>Energy</i> , 2018, 157, 448-459. | 4.5 | 28 |
| 231 | Effects of fuel properties and free stream turbulence on characteristics of bluff-body stabilized flames. <i>Combustion and Flame</i> , 2018, 194, 206-222. | 2.8 | 18 |
| 232 | Symmetry-breaking for the control of combustion instabilities of two interacting swirl-stabilized flames. <i>Combustion and Flame</i> , 2018, 194, 180-194. | 2.8 | 14 |
| 233 | Low-frequency combustion instabilities of an airblast swirl injector in a liquid-fuel combustor. <i>Combustion and Flame</i> , 2018, 196, 424-438. | 2.8 | 33 |
| 234 | Lean blow-out (LBO) computations in a gas turbine combustor. , 2018, , . | | 6 |
| 235 | Dynamic Systems Approach for Laminar Ducted Flames. <i>Green Energy and Technology</i> , 2018, , 97-123. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 236 | On the non-reacting flow and mixing fields of an axisymmetric disk stabilizer, under inlet mixture stratification and preheat. <i>Experimental Thermal and Fluid Science</i> , 2018, 99, 357-366. | 1.5 | 21 |
| 237 | Effect of Lewis number on premixed laminar lean-limit flames stabilized on a bluff body. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 1663-1672. | 2.4 | 43 |
| 238 | Flow-field dynamics of the non-reacting and reacting jet in a vitiated cross-flow. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 5163-5171. | 2.4 | 17 |
| 239 | Effects of shear inhomogeneities on the structure of turbulent premixed flames. <i>Combustion and Flame</i> , 2019, 208, 63-78. | 2.8 | 9 |
| 240 | Large eddy simulations of premixed CH ₄ bluff-body flames operating close to the lean limit using quasi-global chemistry and an algebraic chemiluminescence model. <i>Theoretical and Computational Fluid Dynamics</i> , 2019, 33, 325-340. | 0.9 | 5 |
| 241 | Investigation on bluff-body and swirl stabilized flames near lean blowoff with PIV/PLIF measurements and LES modelling. <i>Applied Thermal Engineering</i> , 2019, 160, 114021. | 3.0 | 28 |
| 242 | Lagrangian Flame-Vorticity Characterization of Bluff-Body Flame Blowout. , 2019, , . | | 1 |
| 243 | Design and Challenges of Lean Fully Premixed Injectors for Gas Turbine Engines. , 2019, , . | | 5 |
| 244 | Detachment mechanisms of turbulent non-premixed jet flames at atmospheric and elevated pressures. <i>Combustion and Flame</i> , 2019, 202, 219-227. | 2.8 | 13 |
| 245 | Development and Characterization of an Experimental Arrangement for Studying Bluff-Body-Stabilized Turbulent Premixed Propane-Air Flames. , 2019, , . | | 9 |
| 246 | Analysis of The Chemical States of A Bluff-body Stabilized Premixed Flame Near Blowoff. , 2019, , . | | 1 |
| 247 | Lagrangian Analysis of Flame Structure in a Bluff-Body Stabilized High-Speed Combustor. , 2019, , . | | 0 |
| 248 | Controlling Flame Stability in a High-Speed Combustor through Pressure Gradients. , 2019, , . | | 1 |
| 249 | Large Eddy Simulations of Premixed Bluff Body Stabilized Flame using Detailed Chemistry with Flamelet Generated Manifold: Grid Sensitivity Analysis. , 2019, , . | | 3 |
| 250 | Flame stabilization mechanism in reacting jets in swirling vitiated crossflow. <i>Combustion and Flame</i> , 2019, 207, 302-313. | 2.8 | 22 |
| 251 | Assessment of experimental observables for local extinction through unsteady laminar flame calculations. <i>Combustion and Flame</i> , 2019, 207, 196-204. | 2.8 | 10 |
| 252 | Preferential vaporization impacts on lean blow-out of liquid fueled combustors. <i>Combustion and Flame</i> , 2019, 205, 295-304. | 2.8 | 42 |
| 253 | Predicting lean blow-off of bluffbody stabilized flames based on Damköhler number. <i>Chinese Journal of Aeronautics</i> , 2019, 32, 308-323. | 2.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 254 | Lean Flame Root Dynamics in a Gas Turbine Model Combustor. <i>Combustion Science and Technology</i> , 2019, 191, 1019-1042. | 1.2 | 15 |
| 255 | Modelling of Sub-Grid Scale Reaction Rate Based on a Novel Series Model: Application to a Premixed Bluff-Body Stabilised Flame. <i>Combustion Science and Technology</i> , 2019, 191, 1043-1058. | 1.2 | 2 |
| 256 | A numerical study on flame and large-scale flow structures in bluff-body stabilized flames. <i>Chinese Journal of Aeronautics</i> , 2019, 32, 1646-1656. | 2.8 | 5 |
| 257 | Application of Oxy-fuel Combustion Technology into Conventional Combustors. <i>Green Energy and Technology</i> , 2019, , 43-89. | 0.4 | 0 |
| 258 | Helical vortex core dynamics and flame interaction in turbulent premixed swirl combustion: A combined experimental and large eddy simulation investigation. <i>Physics of Fluids</i> , 2019, 31, . | 1.6 | 44 |
| 259 | A numerical investigation of the flame structure and blowoff characteristics of a bluff-body stabilized turbulent premixed flame. <i>Combustion and Flame</i> , 2019, 202, 376-393. | 2.8 | 23 |
| 260 | The Characteristics of Flame Stability at High Turbulence Conditions in a Bluff-Body Stabilized Combustor. , 2019, , . | | 4 |
| 261 | Effect of syngas composition on high frequency combustion instability in a non-premixed turbulent combustor. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 6299-6312. | 3.8 | 25 |
| 262 | Measurements on flame structure of bluff body and swirl stabilized premixed flames close to blow-off. <i>Experimental Thermal and Fluid Science</i> , 2019, 104, 15-25. | 1.5 | 50 |
| 263 | Mechanisms of flame extinction and lean blowout of bluff body stabilized flames. <i>Combustion and Flame</i> , 2019, 203, 31-45. | 2.8 | 37 |
| 264 | Simultaneous TR-SPIV and CH* chemiluminescence during precursor to LBO in a lean premixed swirl dump combustor. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 5105-5112. | 2.4 | 2 |
| 265 | Analysis of transient blow-out dynamics in a swirl-stabilized combustor using large-eddy simulations. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 5073-5082. | 2.4 | 26 |
| 266 | Hydrodynamic and chemical scaling for blow-off dynamics of lean premixed flames stabilized on a meso-scale bluff-body. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 1831-1841. | 2.4 | 19 |
| 267 | The effects of cross-flow fuel injection on the reacting jet in vitiated cross-flow. <i>Combustion and Flame</i> , 2019, 199, 352-364. | 2.8 | 11 |
| 268 | Liquid Fuel Property Effects on Lean Blowout in an Aircraft Relevant Combustor. <i>Journal of Engineering for Gas Turbines and Power</i> , 2019, 141, . | 0.5 | 28 |
| 269 | Dynamics of Spray Flames under Near-Lean Blowoff Conditions. , 2019, , . | | 2 |
| 270 | Effect of inter-nozzle spacing on lean blowoff performance of a linear multi-nozzle combustor. , 2019, , . | | 2 |
| 271 | Characterization of transient blowout dynamics of a swirl stabilized flame using simultaneous OH and CH ₂ O PLIF. , 2019, , . | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 272 | Blowoff and Reattachment Dynamics of a Linear Multinozzle Combustor. Journal of Engineering for Gas Turbines and Power, 2019, 141, . | 0.5 | 7 |
| 273 | Stabilization of Premixed Swirl Flames Under Flow Pulsations Using Microsecond Pulsed Plasmas. Journal of Propulsion and Power, 2019, 35, 190-200. | 1.3 | 22 |
| 274 | Large Eddy Simulation of Bluff-Body Flame Approaching Blow-Off: A Sensitivity Study. Combustion Science and Technology, 2019, 191, 1815-1842. | 1.2 | 1 |
| 275 | Structure and dynamics of CH ₂ O, OH, and the velocity field of a confined bluff-body premixed flame, using simultaneous PLIF and PIV at 10 ⁴ kHz. Proceedings of the Combustion Institute, 2019, 37, 1461-1469. | 2.4 | 32 |
| 276 | Dynamics of Non-reacting and Reacting Flows Past Bluff Bodies. Green Energy and Technology, 2020, , 411-428. | 0.4 | 0 |
| 277 | Near-lean blowoff dynamics in a liquid fueled combustor. Combustion and Flame, 2020, 212, 53-66. | 2.8 | 29 |
| 278 | Investigating the role of atomization on flame stability of liquid fuels in an annular spray burner. Fuel, 2020, 265, 116945. | 3.4 | 34 |
| 279 | The Flame Surface Speed Budget for Turbulent Premixed Flame Stabilization Studies. , 2020, , . | | 1 |
| 280 | Experimental investigation of flow field characteristics in a mixed-flow trapped vortex combustor. Aerospace Science and Technology, 2020, 96, 105533. | 2.5 | 21 |
| 281 | Experimental assessment of the lean blow-off in a fully premixed annular combustor. Experimental Thermal and Fluid Science, 2020, 112, 109994. | 1.5 | 15 |
| 282 | A hybrid dynamic Smagorinsky model for large eddy simulation. International Journal of Heat and Fluid Flow, 2020, 86, 108698. | 1.1 | 9 |
| 283 | Anomalous blow-off limit of methane-air premixed flame in a micro preheated combustor with a flame holder. International Journal of Hydrogen Energy, 2020, 45, 31202-31212. | 3.8 | 6 |
| 284 | Flame investigations of a laboratory-scale CECOST swirl burner at atmospheric pressure conditions. Fuel, 2020, 279, 118421. | 3.4 | 13 |
| 285 | Effect of hydrogen enrichment on swirl/bluff-body lean premixed flame stabilization. International Journal of Hydrogen Energy, 2020, 45, 10906-10919. | 3.8 | 31 |
| 286 | Influence of air-entraining intensity on the afterburner ignition, flame-holding and combustion characteristics. Aerospace Science and Technology, 2020, 106, 106063. | 2.5 | 19 |
| 287 | The combustor. , 2020, , 1-56. | | 0 |
| 288 | Premixed combustion for combustors. , 2020, , 57-103. | | 2 |
| 289 | Transient combustion. , 2020, , 159-210. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 291 | Blow-off mechanism of a holder-stabilized laminar premixed flame in a preheated mesoscale combustor. <i>Combustion and Flame</i> , 2020, 220, 358-367. | 2.8 | 29 |
| 292 | Blowout limit of premixed flame in a micro preheated combustor with a flame holder at different blockage ratios. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 25468-25478. | 3.8 | 8 |
| 293 | Using Hydrogen Blends as Fuel in a Swirl Burner. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 870, 012154. | 0.3 | 1 |
| 294 | Inlet Pressure Effects on Subatmospheric Flame Stabilization with an Optimum Size of a Cavity-Based Combustor. <i>International Journal of Aerospace Engineering</i> , 2020, 2020, 1-8. | 0.5 | 3 |
| 295 | Effect of Inlet-Mixture Stratification and Preheating on a C ₃ H ₈ Premixer and Bluff-Body Combustor. <i>Journal of Energy Engineering - ASCE</i> , 2020, 146, 04020056. | 1.0 | 3 |
| 296 | Anchoring mechanisms of a holder-stabilized premixed flame in a preheated mesoscale combustor. <i>Physics of Fluids</i> , 2020, 32, . | 1.6 | 19 |
| 297 | Analysis of V-Gutter Reacting Flow Dynamics Using Proper Orthogonal and Dynamic Mode Decompositions. <i>Energies</i> , 2020, 13, 4886. | 1.6 | 2 |
| 298 | Experimental study on blow-off limit of a preheated and flame holder-stabilized laminar premixed flame. <i>Chemical Engineering Science</i> , 2020, 223, 115754. | 1.9 | 18 |
| 299 | Corner Vortex Structures: Spanwise Imaging of a Confined, Premixed Bluff Body Stabilized Flame. , 2020, , . | | 1 |
| 300 | Insights of Bluff-Body Extinction and Blowout from 4D Measurements. , 2020, , . | | 0 |
| 301 | Effect of Internozzle Spacing on Lean Blow-Off of a Linear Multinozzle Combustor. <i>Journal of Propulsion and Power</i> , 2020, 36, 540-550. | 1.3 | 8 |
| 302 | Spanwise recirculation zone structure of a bluff body stabilized flame. <i>Combustion and Flame</i> , 2020, 216, 58-61. | 2.8 | 10 |
| 303 | Self-tuning and topological transitions in a free-falling nanofuel droplet flame. <i>Combustion and Flame</i> , 2020, 220, 144-156. | 2.8 | 4 |
| 304 | Dynamics of a holder-stabilized laminar methane-air premixed flame in a preheated mesoscale combustor at ultra-lean condition. <i>Fuel</i> , 2020, 279, 118473. | 3.4 | 14 |
| 305 | Dynamics of 2D, V-shaped Bluff-body Stabilized Turbulent Premixed Flames near and Away from Blowoff with Different Gaseous Fuels. <i>Combustion Science and Technology</i> , 2021, 193, 2023-2044. | 1.2 | 1 |
| 306 | Pressure gradient tailoring effects on the mechanisms of bluff-body flame extinction. <i>Combustion and Flame</i> , 2020, 215, 224-237. | 2.8 | 17 |
| 307 | Numerical characterization of 3D nonreacting supersonic cavity combustor with inlet Mach number variation. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 10130-10144. | 3.8 | 14 |
| 308 | High-Speed 4D Flame-Flow Measurements of a Bluff-Body Stabilized Premixed Flame. , 2020, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 309 | Lean blowout detection for bluff-body stabilized flame. <i>Fuel</i> , 2020, 266, 117008. | 3.4 | 15 |
| 310 | Analysis of a Compact Combustor for Use in a JetCat P90 RXi. , 2020, , . | | 0 |
| 311 | Effect of non-uniform inlet velocity profile on flow field characteristics of a bluff body. <i>Experimental Thermal and Fluid Science</i> , 2020, 118, 110152. | 1.5 | 10 |
| 312 | Effect of thermal condition of solid wall on the stabilization of a preheated and holder-stabilized laminar premixed flame. <i>Energy</i> , 2020, 200, 117548. | 4.5 | 15 |
| 313 | Predicting lean blow-off limit of gas turbine combustors based on DamkÅrholder number and detailed atomization information. <i>Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy</i> , 2021, 235, 262-278. | 0.8 | 2 |
| 314 | Direct comparison of self-excited instabilities in mesoscale multinozzle flames and conventional large-scale swirl-stabilized flames. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6005-6013. | 2.4 | 5 |
| 315 | Experimental investigation of combustion instabilities of a mesoscale multinozzle array in a lean-premixed combustor. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6035-6042. | 2.4 | 17 |
| 316 | Flame stabilization regimes for premixed flames anchored behind cylindrical flame holders. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 1983-1992. | 2.4 | 12 |
| 317 | Modelling Heat Loss Effects in the Large Eddy Simulation of a Lean Swirl-Stabilised Flame. <i>Flow, Turbulence and Combustion</i> , 2021, 106, 1355-1378. | 1.4 | 14 |
| 318 | Effects of Differential Diffusion on the Stabilization of Unsteady Lean Premixed Flames Behind a Bluff-Body. <i>Flow, Turbulence and Combustion</i> , 2021, 106, 1125-1141. | 1.4 | 5 |
| 319 | Blow-off mechanisms of turbulent premixed bluff-body stabilised flames operated with vapourised kerosene fuels. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 2957-2965. | 2.4 | 14 |
| 320 | Ultra-rich fuel dynamics of a holder-stabilized premixed flame in a preheated mesoscale combustor. <i>Energy</i> , 2021, 214, 118960. | 4.5 | 3 |
| 321 | Instability and mode transition analysis of a hydrogen-rich combustion in a model afterburner. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 5933-5942. | 2.4 | 20 |
| 322 | Effect of non-uniform inlet profile on the combustion performance of an afterburner with bluff body. <i>Energy</i> , 2021, 216, 119142. | 4.5 | 19 |
| 323 | Effect of air-assistant on ignition and flame-holding characteristics in a cavity-strut based combustor. <i>Applied Energy</i> , 2021, 283, 116307. | 5.1 | 11 |
| 324 | Explosive dynamics of bluff-body-stabilized lean premixed hydrogen flames at blow-off. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 2265-2274. | 2.4 | 9 |
| 325 | The influence of spanwise nonuniformity on lean blowoff in bluff body stabilized turbulent premixed flames. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6327-6335. | 2.4 | 8 |
| 326 | On the bi-stable nature of turbulent premixed bluff-body stabilized flames at elevated pressure and near lean blow-off. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 2853-2860. | 2.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 327 | Flame-resolved transient simulation with swirler-induced turbulence applied to lean blowoff premixed flame experiment. <i>Combustion and Flame</i> , 2021, 226, 14-30. | 2.8 | 3 |
| 328 | Effect of preheated fuel supply by gas reflux on thermodynamic characteristics in a cavity-based integrated combustor. <i>Aerospace Science and Technology</i> , 2021, 108, 106352. | 2.5 | 12 |
| 329 | The effects of turbulence on the lean blowout mechanisms of bluff-body flames. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6317-6325. | 2.4 | 10 |
| 330 | Turbulent flame-vortex dynamics of bluff-body premixed flames. <i>Combustion and Flame</i> , 2021, 223, 28-41. | 2.8 | 16 |
| 331 | Near blowout dynamics of a premixed, swirl stabilized flame. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6067-6075. | 2.4 | 5 |
| 332 | The ultra-high efficiency gas turbine engine, UHEGT, part I: Design and numerical analysis of the multistage system. <i>Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy</i> , 2021, 235, 974-990. | 0.8 | 3 |
| 333 | Flame-Resolved Transient Simulation of Premixed Swirling Flame toward LBO. , 2021, , . | | 0 |
| 334 | Characterization of Coherent Flow Structures in a Swirl-Stabilized Spray Combustor. , 2021, , . | | 3 |
| 335 | Experimental investigation of ethylene/air combustion instability in a model scramjet combustor using image-based methods. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 3869-3880. | 2.4 | 25 |
| 336 | Impact of fuel properties on lean blow off limit. , 2021, , 133-147. | | 1 |
| 337 | Simulating the blowoff transient of a swirling, bluff body-stabilized kerosene spray flame using detailed chemistry. , 2021, , . | | 1 |
| 338 | Data Analytics Method For Detecting Extinction Precursors To Lean Blowout In Spray Flames. <i>Combustion Science and Technology</i> , 0, , 1-16. | 1.2 | 0 |
| 339 | Assessment of algebraic subgrid scale models for the flow over a triangular cylinder at Re = 45000. <i>Ocean Engineering</i> , 2021, 222, 108559. | 1.9 | 9 |
| 340 | Global hydrodynamic instability and blowoff dynamics of a bluff-body stabilized lean-premixed flame. <i>Physics of Fluids</i> , 2021, 33, . | 1.6 | 15 |
| 341 | Experimental Investigation Into the Role of Mean Flame Stabilization on the Combustion Dynamics of High-Hydrogen Fuels in a Turbulent Combustor. <i>Journal of Engineering for Gas Turbines and Power</i> , 2021, 143, . | 0.5 | 3 |
| 342 | Investigation of turbulent premixed methane/air and hydrogen-enriched methane/air flames in a laboratory-scale gas turbine model combustor. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 13377-13388. | 3.8 | 32 |
| 343 | Analyzing lean blow-off limits of gas turbine combustors based on local and global Damköhler number of reaction zone. <i>Aerospace Science and Technology</i> , 2021, 111, 106532. | 2.5 | 5 |
| 344 | Experimental study on a high efficient and ultra-lean burn meso-scale thermoelectric system based on porous media combustion. <i>Energy Conversion and Management</i> , 2021, 234, 113966. | 4.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 345 | Lean Blow-Off Scaling of Turbulent Premixed Bluff-Body Flames of Vaporized Liquid Fuels. <i>Journal of Propulsion and Power</i> , 2021, 37, 479-486. | 1.3 | 6 |
| 346 | Experimental investigation of unconfined turbulent premixed bluff-body stabilized flames operated with vapourised liquid fuels. <i>Combustion and Flame</i> , 2021, 227, 428-442. | 2.8 | 14 |
| 347 | Turbulence-Driven Blowout Instabilities of Premixed Bluff-Body Flames. <i>Flow, Turbulence and Combustion</i> , 2022, 108, 213-236. | 1.4 | 9 |
| 348 | Dragon-king extreme events as precursors for catastrophic transition. <i>Europhysics Letters</i> , 2021, 134, 34006. | 0.7 | 22 |
| 349 | Lean blow-off characteristics of a tangential entry type dual swirling free and impinging flame. <i>Fuel</i> , 2021, 295, 120598. | 3.4 | 3 |
| 350 | Computational and Experimental Analysis of a Compact Combustor Integrated Into a JetCat P90 RXi. <i>Journal of Engineering for Gas Turbines and Power</i> , 2021, 143, . | 0.5 | 3 |
| 351 | Lean blow-out prediction in an industrial gas turbine combustor through a LES-based CFD analysis. <i>Combustion and Flame</i> , 2021, 229, 111391. | 2.8 | 30 |
| 353 | Premixed flame ignition in high-speed flows over a backward facing step. <i>Combustion and Flame</i> , 2021, 229, 111398. | 2.8 | 17 |
| 354 | Structure and dynamics of highly turbulent premixed combustion. <i>Progress in Energy and Combustion Science</i> , 2021, 85, 100900. | 15.8 | 52 |
| 355 | Stabilization of Lean Premixed Flames Anchored to Hollow Cylinders with Modified Top-Surface Geometries. <i>International Journal of Mechanical Engineering</i> , 2021, 8, 24-29. | 0.1 | 0 |
| 356 | Critical transitions and their early warning signals in thermoacoustic systems. <i>European Physical Journal: Special Topics</i> , 2021, 230, 3411-3432. | 1.2 | 14 |
| 357 | Ultra-lean blow-off dynamics of a holder-stabilized premixed flame in a preheated mesoscale combustor near laminar critical condition. <i>Energy</i> , 2021, 228, 120627. | 4.5 | 5 |
| 358 | Understanding the effect of inter-jet spacing on lift-off length and ignition delay. <i>Combustion and Flame</i> , 2021, 230, 111423. | 2.8 | 2 |
| 359 | An investigation into flashback and blow-off for premixed flames stabilized without a recirculation vortex. <i>Combustion and Flame</i> , 2022, 235, 111690. | 2.8 | 9 |
| 360 | Anomalous blow-off behavior of a holder-stabilized premixed flame in a preheated mesoscale combustor. <i>Combustion and Flame</i> , 2021, 230, 111452. | 2.8 | 11 |
| 361 | The role of combustion science and technology in low and zero impact energy transformation processes. <i>Applications in Energy and Combustion Science</i> , 2021, 7, 100040. | 0.9 | 17 |
| 362 | Quantification of the uncertainty within a SAS-SST simulation caused by the unknown high-wavenumber damping factor. <i>Nuclear Engineering and Design</i> , 2021, 381, 111307. | 0.8 | 2 |
| 363 | Dynamics of stratified swirl flame near lean blow-out. <i>Propulsion and Power Research</i> , 2021, 10, 235-246. | 2.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 364 | Aluminum combustion instabilities: Dimensionless numbers controlling the instability in solid rocket motors. <i>Combustion and Flame</i> , 2021, 232, 111563. | 2.8 | 2 |
| 365 | Effects of bluff-body cone angle on turbulence-chemistry interaction behaviors in large-scale semicoke and bituminous coal co-combustion. <i>Fuel Processing Technology</i> , 2021, 221, 106915. | 3.7 | 19 |
| 366 | Blow-off characteristics of a premixed methane/air flame response to acoustic disturbances in a longitudinal combustor. <i>Aerospace Science and Technology</i> , 2021, 118, 107003. | 2.5 | 15 |
| 367 | Flame stability optimization of cavity primary air-jet form in an augmentor. <i>Energy</i> , 2022, 239, 121801. | 4.5 | 6 |
| 368 | Effect of bluff body addition in fuel-rich stream on reaction behaviours of large-proportion semicoke rich/lean blended combustion. <i>Fuel</i> , 2022, 308, 122020. | 3.4 | 13 |
| 369 | Lean Blowout Dependence on Fuel Properties and Combustion Conditions in the ARC-M1 Single-Cup Swirl Combustor. , 2021, , . | | 1 |
| 370 | Stability diagram and blow-out mechanisms of turbulent non-premixed combustion. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6337-6344. | 2.4 | 2 |
| 371 | A comparison of the blow-out behavior of turbulent premixed ammonia/hydrogen/nitrogen-air and methane-air flames. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 2869-2876. | 2.4 | 74 |
| 373 | Mitigation of Thermoacoustic Instability Through Amplitude Death: Model and Experiments. <i>Green Energy and Technology</i> , 2021, , 287-322. | 0.4 | 3 |
| 374 | Investigations of autoignition and propagation of supersonic ethylene flames stabilized by a cavity. <i>Applied Energy</i> , 2020, 265, 114795. | 5.1 | 22 |
| 375 | Thermoacoustic instability as mutual synchronization between the acoustic field of the confinement and turbulent reactive flow. <i>Journal of Fluid Mechanics</i> , 2017, 827, 664-693. | 1.4 | 88 |
| 376 | Improvement of the turn-down ratio of gas turbines by autothermal on board syngas generation. , 2017, 1, DOHPA5. | | 8 |
| 377 | Stability Analysis of Reacting Wakes: The Physical Role of Flame-Shear Layer Offset. , 2014, , . | | 4 |
| 378 | CFD predictions of Swirl burner aerodynamics with variable outlet configurations. <i>International Journal of Energy Technology</i> , 2019, , 31-43. | 0.3 | 2 |
| 379 | Hydrodynamic Flow Stability II: Common Combustor Flow Fields. , 2021, , 113-175. | | 0 |
| 380 | Internal Flame Processes. , 2021, , 321-378. | | 0 |
| 381 | Flame Stabilization, Flashback, Flameholding, and Blowoff. , 2021, , 379-405. | | 0 |
| 382 | Analysis of the Effects of Wall Boundary Conditions and Detailed Kinetics on the Simulation of a Gas Turbine Model Combustor Under Very Lean Conditions. , 2012, , 229-243. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 384 | An Experimental Study on the Flame Dynamics in Ducted Combustor. Journal of the Korean Society of Propulsion Engineers, 2013, 17, 121-131. | 0.1 | 0 |
| 385 | Numerical Study on the Reacting Flow Field around Rectangular Cross Section Bluff Body. Fire Science and Engineering, 2013, 27, 64-69. | 0.4 | 0 |
| 386 | An Experimental Study of Acoustic Excitation Effect on Blowoff Mechanism for Premixed Flame. Journal of the Korean Society for Aeronautical & Space Sciences, 2014, 42, 1004-1012. | 0.0 | 0 |
| 388 | Blowoff and Reattachment Dynamics of a Linear Multi-Nozzle Combustor. , 2018, , . | | 1 |
| 389 | Modeling Effects of Outlet Nozzle Geometry on Swirling Flows in Gas Turbine. , 0, , . | | 0 |
| 390 | Experimental investigation of spray combustion regimes in aeroengine combustors. , 2019, , . | | 0 |
| 392 | High Frequency Characteristics of the Near Wake and Vortex Past a Triangular Cylinder. Journal of Fluids Engineering, Transactions of the ASME, 2021, 143, . | 0.8 | 3 |
| 393 | Effect of Rotating Gliding Arc Plasma on Lean Blow-Off Limit and Flame Structure of Bluff Body and Swirl-Stabilized Premixed Flames. IEEE Transactions on Plasma Science, 2021, 49, 3554-3565. | 0.6 | 7 |
| 394 | Premixed Combustion for Gas-Turbine Applications. Fluid Mechanics and Its Applications, 2020, , 13-97. | 0.1 | 0 |
| 395 | CFD Modeling of Lean Blowout and Ignition Fuel Sensitivity. , 2021, , 365-418. | | 4 |
| 396 | Lean Blowout Studies. , 2021, , 143-196. | | 2 |
| 397 | On the blow-off correlation for swirl-stabilised flames with a precessing vortex core. Combustion and Flame, 2022, 239, 111741. | 2.8 | 10 |
| 400 | The explicit filtering method for large eddy simulations of a turbulent premixed flame. Combustion and Flame, 2022, 237, 111862. | 2.8 | 7 |
| 401 | Lean blow-off investigation in a linear multi-burner combustor operated in premixed and non-premixed modes. Applications in Energy and Combustion Science, 2021, , 100041. | 0.9 | 0 |
| 402 | A Study of Recirculating Flow Fields Downstream of a Diverse Range of Axisymmetric Bluff Body Geometries Suitable for Flame Stabilization. Aerospace, 2021, 8, 339. | 1.1 | 0 |
| 404 | Experimental and numerical characterization of a lean premixed flame stabilized by nanosecond discharges. , 2022, , . | | 2 |
| 405 | X-ray Data Enabled Improved Near Nozzle Spray Validation for ARC-M1 Combustor. , 2022, , . | | 3 |
| 406 | Non-intrusive semi-analytical uncertainty quantification using Bayesian quadrature with application to CFD simulations. International Journal of Heat and Fluid Flow, 2022, 93, 108917. | 1.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 407 | Simultaneous OH, CH ₂ O and flow field imaging of near blowoff dynamics. , 2022, , . | | 0 |
| 408 | C ₂ */CH* Intensity Ratios of Bluff Body Stabilized Flames Approaching Lean Blowout at Elevated Pressures. , 2022, , . | | 0 |
| 409 | Lean Blowout Limit Prediction for Combustion in a Swirler by a New Indicator-Assisted RANS Approach. , 2022, , . | | 1 |
| 410 | A Comparative Study of Gaseous Fuel Flame Characteristics for Different Bluff Body Geometries. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 411 | Combustion Characteristics of Methane-Air Mixtures in Millimeter-Scale Systems With a Cavity Structure: An Experimental and Numerical Study. Frontiers in Energy Research, 2022, 10, . | 1.2 | 0 |
| 412 | High-order implicit-explicit additive Runge-Kutta schemes for numerical combustion with adaptive mesh refinement. International Journal for Numerical Methods in Fluids, 2022, 94, 1082-1110. | 0.9 | 3 |
| 413 | A comparative study of gaseous fuel flame characteristics for different bluff body geometries. Case Studies in Thermal Engineering, 2022, 34, 101951. | 2.8 | 3 |
| 414 | Effect of confinement ratio on flame structure and blow-off characteristics of swirl flames. Experimental Thermal and Fluid Science, 2022, 135, 110630. | 1.5 | 5 |
| 415 | Bluff-body MILD combustion of large-proportion semicoke-blend under various secondary air velocities. Fuel, 2022, 320, 123908. | 3.4 | 6 |
| 416 | The role of flow confinement on turbulent kinetic energy transfer across premixed flames. Combustion and Flame, 2022, 241, 112103. | 2.8 | 4 |
| 417 | Effects of flow-flame interactions on the stabilization of ultra-lean swirling CH ₄ /H ₂ mixtures. Combustion and Flame, 2022, 241, 112103. | 3.4 | 8 |
| 418 | Statistics and Dynamics of Instantaneous Leading Point in Nonpremixed Bluff-Body Flames. AIAA Journal, 2022, 60, 3324-3336. | 1.5 | 1 |
| 419 | Experimental study on the impact of alternative jet fuel properties and derived cetane number on lean blowout limit. Aeronautical Journal, 2022, 126, 1997-2016. | 1.1 | 1 |
| 420 | Large eddy simulation of fuel sensitivity in a realistic spray combustor II. Lean blowout analysis. Combustion and Flame, 2022, 240, 112161. | 2.8 | 3 |
| 421 | Ultra-lean dynamics of a holder-stabilized hydrogen enriched flames in a preheated mesoscale combustor. Physics of Fluids, 2022, 34, . | 1.6 | 2 |
| 422 | Optimization of flame stabilization methods in the premixed microcombustion of hydrogen-air mixture. Heat Transfer, 2022, 51, 5896-5918. | 1.7 | 3 |
| 423 | Flame features and oscillation characteristics in near-blowout swirl-stabilized flames using high-speed OH-PLIF and mode decomposition methods. Chinese Journal of Aeronautics, 2023, 36, 191-200. | 2.8 | 2 |
| 424 | Experimental investigation of thermal protection performance of bluff-body flameholder in augmented combustor under air jet cooling. Energy, 2022, 254, 124236. | 4.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 425 | Effects of Lewis and Karlovitz numbers on transport equations for turbulent kinetic energy and enstrophy. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2022, 38, . | 1.5 | 3 |
| 426 | Quenching and amplification of thermoacoustic oscillations in two nonidentical Rijke tubes interacting via time-delay and dissipative coupling. <i>Physical Review E</i> , 2022, 105, . | 0.8 | 13 |
| 427 | Stability and Extinction of Premixed Flames at High-Altitude Pressures. , 2022, , . | | 0 |
| 428 | Flame stabilization of liquid oxygen/kerosene bi-swirl injector at elevated pressure. <i>Combustion and Flame</i> , 2022, 244, 112215. | 2.8 | 3 |
| 429 | Effect of inlet flow turbulence on flameâ€™vortex dynamics during thermo-acoustically induced flame flashback in a premixed dump combustor. <i>Experimental Thermal and Fluid Science</i> , 2022, 139, 110733. | 1.5 | 3 |
| 430 | Pilot impact on turbulent premixed methane/air and hydrogen-enriched methane/air flames in a laboratory-scale gas turbine model combustor. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 25404-25417. | 3.8 | 10 |
| 431 | Blowoff of bluff body flames: Transient dynamics and three dimensional effects. <i>Combustion and Flame</i> , 2022, 244, 112245. | 2.8 | 5 |
| 432 | Moderate and Intense Low-Oxygen Dilution (MILD) Combustion of Liquid Fuels: A Review. <i>Energy & Fuels</i> , 2022, 36, 8026-8053. | 2.5 | 7 |
| 433 | Impacts of preferential vaporization on flashback behaviors of multi-component liquid fuels. <i>Combustion and Flame</i> , 2022, 245, 112300. | 2.8 | 1 |
| 434 | Dynamics of Premixed Flames Near Lean and Rich Blowout. <i>Combustion Science and Technology</i> , 0, , 1-17. | 1.2 | 1 |
| 435 | Influence of Swirl Flow Pattern in Single Tube Burner on Turbulent Flame Blow-Off Limit. <i>Lecture Notes in Mechanical Engineering</i> , 2023, , 17-34. | 0.3 | 0 |
| 436 | Understanding the role of flow dynamics in thermoacoustic combustion instability. <i>Proceedings of the Combustion Institute</i> , 2023, 39, 4583-4610. | 2.4 | 14 |
| 437 | Ultra-lean dynamics of holder-stabilized hydrogen-enriched flames in a preheated mesoscale combustor near the laminar critical limit. <i>Physics of Fluids</i> , 2022, 34, 107117. | 1.6 | 2 |
| 438 | Characteristics of hollow bluff body-stabilized natural gas-air premixed flames with heat recirculation. <i>Fuel</i> , 2023, 333, 126430. | 3.4 | 2 |
| 439 | Multi-scale proper orthogonal decomposition analysis of instabilities in swirled and stratified flames. <i>Physics of Fluids</i> , 2022, 34, . | 1.6 | 9 |
| 440 | Effect of Inlet Pressure on Flow Characteristics in Cavity-Based Flameholder under Subatmospheric Pressure. <i>Journal of Thermal Science</i> , 0, , . | 0.9 | 0 |
| 441 | Injector spacing influences on flame blow-off in a linear array. <i>Proceedings of the Combustion Institute</i> , 2022, , . | 2.4 | 0 |
| 442 | Global linear stability analysis of a flame anchored to a cylinder. <i>Journal of Fluid Mechanics</i> , 2022, 951, . | 1.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 443 | Experimental investigation on lean blowout dynamics of spray flame in a multi-swirl staged combustor. <i>Thermal Science and Engineering Progress</i> , 2023, 37, 101551. | 1.3 | 0 |
| 444 | Recent advancements in sustainable aviation fuels. <i>Progress in Aerospace Sciences</i> , 2023, 136, 100876. | 6.3 | 19 |
| 445 | The effect of hydrogen addition on methane-air flame in a stratified swirl burner. <i>Energy</i> , 2023, 265, 126354. | 4.5 | 7 |
| 446 | Hollow bluff body-stabilized natural gas-air premixed flames. <i>Fuel</i> , 2023, 334, 126717. | 3.4 | 1 |
| 447 | Ground-Based Gas Turbines. , 2022, , 35-74. | | 2 |
| 448 | Key Mechanisms of the Effect of Atomization on Lean Blow-Out Limits of Aero Engines. <i>International Journal of Aeronautical and Space Sciences</i> , 2023, 24, 488-501. | 1.0 | 1 |
| 449 | The Role of Hydrodynamic Instabilities on Near-Lean Blowout Flame Shapes in a Swirl-Stabilized Spray Combustor. <i>Journal of Engineering for Gas Turbines and Power</i> , 2023, 145, . | 0.5 | 0 |
| 450 | Pressure gradient tailoring effects on vorticity dynamics in the near-wake of bluff-body premixed flames. <i>Proceedings of the Combustion Institute</i> , 2023, 39, 2359-2368. | 2.4 | 2 |
| 451 | Experimental study on flow field characteristics of TBCC multibypass combustor. <i>Aerospace Science and Technology</i> , 2023, 133, 108093. | 2.5 | 4 |
| 452 | Investigation of Interacting Wake Instability using Complex Network Analysis. , 2023, , . | | 0 |
| 453 | Oscillations and Turbulence-Flame Instabilities in a High-Speed Cavity Combustor. , 2023, , . | | 0 |
| 454 | Numerical Investigation of Sub-Atmospheric Pressure Effects on Lean Bluff Body Blowout. , 2023, , . | | 0 |
| 455 | Computational Fluid Dynamics Modeling of Lean Blowout in the ARC-M1 Gas Turbine Combustor. , 2023, , . | | 0 |
| 456 | Blowoff Dynamics of Interacting Swirl Premixed Flames. , 2023, , . | | 0 |
| 457 | Blowoff and bulk mode instability in a liquid-fueled ramjet combustor. , 2023, , . | | 0 |
| 458 | Blowout dynamics and plasma-assisted stabilization of premixed swirl flames under fuel pulsations. <i>Applications in Energy and Combustion Science</i> , 2023, 14, 100122. | 0.9 | 0 |
| 459 | Study of Baffle Height and Wind Velocity Effect on the Characteristics of Pool Fires in a Wind Tunnel. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 1920. | 1.3 | 2 |
| 460 | E-POD investigations of turbulent premixed flame dynamics approaching lean blow-out conditions. <i>International Journal of Spray and Combustion Dynamics</i> , 2023, 15, 51-69. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 461 | Premixed and nonpremixed flame-acoustics dynamic interaction. , 2023, , 365-441. | | 0 |
| 462 | Imprints of log-periodicity in thermoacoustic systems close to lean blowout. Physical Review E, 2023, 107, . | 0.8 | 0 |
| 463 | Pressure gradient effect on flameâ€™vortex interaction in lean premixed bluff body stabilized flames. Physics of Fluids, 2023, 35, . | 1.6 | 6 |
| 464 | Stability and structure of lean swirling spray flames with various degrees of prevaporization. International Journal of Spray and Combustion Dynamics, 2023, 15, 91-104. | 0.4 | 1 |
| 465 | Numerical investigation on combustion flow characteristics of a micro gas turbine swirl combustor with different protruded bluff body structures. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 0, , 095765092311689. | 0.8 | 1 |
| 466 | Effect of H2 addition on the local extinction, flame structure, and flow field hydrodynamics in non-premixed bluff body stabilized flames. Physics of Fluids, 2023, 35, . | 1.6 | 5 |
| 470 | Combined Effects of Pressure Gradient Tailoring and Free-Stream Turbulence on Bluff Body Stabilized Flames. , 2023, , . | | 0 |
| 471 | Hydrogen Combustion in Gas Turbines. Green Energy and Technology, 2023, , 407-428. | 0.4 | 1 |
| 472 | Comprehensive Review on Thermal Performance Enhancement of Domestic Gas Stoves. ACS Omega, 2023, 8, 26663-26684. | 1.6 | 2 |
| 475 | Study of Gas-Burning Systems Emission Characteristics Due Hydrocarbon Fuels Combustion. Studies in Systems, Decision and Control, 2023, , 751-766. | 0.8 | 0 |
| 492 | Numerical Investigation of Different Configurations for Hydrogen Fuelled Jet Engine Combustors. , 2024, , . | | 0 |
| 493 | Design of a Lean Prevaporized Premixed Combustor for Civil Supersonic Transportation Applications. , 2024, , . | | 0 |
| 494 | Effect of Pintiles on Fuel-Air Ratio Distributions in a Liquid Fueled, Rearward Facing Step Combustor. , 2024, , . | | 0 |
| 495 | Understanding extinction of stretched premixed hydrogen-air flames using the tangential stretching rate. , 2024, , . | | 0 |
| 496 | Experimental Investigation of Flame Holding Models for Ramjet/Scramjet Propulsion. , 2024, , . | | 0 |