

CITATION REPORT

List of articles citing

A review of current trends and advances in modern bio-analytical methods: chromatography and sample preparation

DOI: 10.1016/j.aca.2009.10.004

Analytica Chimica Acta, 2009, 656, 8-35.

Source: <https://exaly.com/paper-pdf/46146449/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
463	An improved in vivo deuterium labeling method for measuring the biosynthetic rate of cytokinins. 2010 , 15, 9214-29		5
462	Determination of organic priority pollutants and emerging compounds in wastewater and snow samples using multiresidue protocols on the basis of microextraction by packed sorbents coupled to large volume injection gas chromatography-mass spectrometry analysis. 2010 , 1217, 6002-11		87
461	A simple and rapid dispersive liquid-liquid microextraction method followed by GC-FID for determination of N-methylpyrrolidine in cefepime. <i>Journal of Separation Science</i> , 2010 , 33, 3767-73	3.4	7
460	Cadmium ion-selective sorbent preconcentration method using ion imprinted poly(ethylene glycol dimethacrylate-co-vinylimidazole). 2010 , 70, 325-333		67
459	Analysis of intracellular doxorubicin and its metabolites by ultra-high-performance liquid chromatography. 2010 , 878, 1466-70		31
458	Analysis of amphetamines and metabolites in urine with ultra performance liquid chromatography tandem mass spectrometry. 2010 , 878, 1616-22		19
457	Development and validation of a liquid chromatography/mass spectrometry method for pharmacokinetic studies of OZ78, a fasciocidal drug candidate. 2010 , 878, 2770-4		6
456	Adsorptive micro-extraction techniques--novel analytical tools for trace levels of polar solutes in aqueous media. 2010 , 1217, 7303-10		85
455	High throughput analysis of 150 pesticides in fruits and vegetables using QuEChERS and low-pressure gas chromatography-time-of-flight mass spectrometry. 2010 , 1217, 6692-703		180
454	DETERMINACI3N DE ZEARALENONA POR CROMATOGRAFIA L3QUIDA DE ALTA RESOLUCI3N: NORMALIZACI3N DE UN NUEVO M3TOD0 PARA RACIONES ESPECIALES PARA CERDOS. 2010 , 37,		
453	Bioanalytical solutions to acetonitrile shortages. <i>Bioanalysis</i> , 2010 , 2, 1627-40	2.1	15
452	Fast analysis of isoflavones by high-performance liquid chromatography using a column packed with fused-core particles. 2010 , 82, 1986-94		36
451	Comparative Study of Solid-Phase Extraction and Liquid-Liquid Extraction for the Reliable Quantification of High Value Added Compounds from Oxidation Processes of Wood-Derived Lignin. 2010 , 49, 12311-12318		49
450	Advances in LC platforms for drug discovery. 2010 , 5, 475-89		20
449	A simple and high-throughput method of ultrasonic extraction-capillary electrophoresis for determination of melamine in milk. 2011 , 3, 2557		10
448	Development of an ultra fast online-solid phase extraction (SPE) liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) based approach for the determination of drugs in pharmacokinetic studies. 2011 , 3, 420-428		27
447	Investigation of human exposure to triclocarban after showering and preliminary evaluation of its biological effects. 2011 , 45, 3109-15		88

446	Monolithic silica with HPLC separation and solid phase extraction materials for determination of drugs in biological materials. 2011 , 3, 2189		18
445	Evaluation of a rapid screening method for chemical contaminants of concern in four food-related matrices using QuEChERS extraction, UHPLC and high resolution mass spectrometry. 2011 , 28, 1324-39		44
444	Molecularly imprinted polymers in drug delivery: state of art and future perspectives. 2011 , 8, 1379-93		116
443	Development and validation of a quantitative assay based on tandem mass spectrometry. 2011 , 48, 97-111		94
442	Single-drop microextraction in bioanalysis. <i>Bioanalysis</i> , 2011 , 3, 799-815	2.1	35
441	Selective determination of estrogenic compounds in water by microextraction by packed sorbents and a molecularly imprinted polymer coupled with large volume injection-in-port-derivatization gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011 , 703, 41-51	6.6	82
440	Powdered activated carbons as effective phases for bar adsorptive micro-extraction (BAE) to monitor levels of triazinic herbicides in environmental water matrices. 2011 , 83, 1643-9		42
439	AN INNOVATIVE DERIVATIZATION METHOD FOR SIMULTANEOUS DETERMINATION OF URONIC ACIDS AND NEUTRAL AND AMINO SUGARS IN COEXISTING SAMPLES BY HPLC-ESI-MS/MS2. 2011 , 34, 1754-1771		6
438	Monolithic Spin Column: A New Extraction Device for Analysis of Drugs in Urine and Serum by GC/MS and HPLC/MS. 2011 , 94, 765-774		9
437	Fluorine-19 nuclear magnetic resonance (¹⁹ F NMR) as a powerful technique for the assay of anti-HIV drug efavirenz in human serum and pharmaceutical formulations. 2011 , 5, 1573-1579		6
436	Analysis of Flavonoids in Foods and Biological Samples. 2011 , 11, 1239-1255		1
435	Current developments and future trends in solid-phase microextraction techniques for pharmaceutical and biomedical analyses. 2011 , 27, 893-905		84
434	Recent developments in solid-phase microextraction for on-site sampling and sample preparation. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 1568-1574	14.6	106
433	¹³ C labelled internal standards--a solution to minimize ion suppression effects in liquid chromatography-tandem mass spectrometry analyses of drugs in biological samples?. 2011 , 1218, 9366-74		113
432	Liquid-phase microextraction preconcentration of impurities. 2011 , 66, 331-350		31
431	Multivariate analysis of phenol in freeze-dried and spray-dried insulin formulations by NIR and FTIR. 2011 , 12, 627-36		16
430	Fast liquid chromatography combined with mass spectrometry for the analysis of metabolites and proteins in human body fluids. 2011 , 399, 2635-44		38
429	Comparison of different types of stationary phases for the analysis of soy isoflavones by HPLC. 2011 , 400, 1251-61		11

428	Development of an online SPE-LC-MS-based assay using endogenous substrate for investigation of soluble epoxide hydrolase (sEH) inhibitors. 2011 , 400, 1359-66		25
427	Quantification of chitinase and thaumatin-like proteins in grape juices and wines. 2011 , 401, 1541-9		20
426	Preparation and characterization of a molecularly imprinted polymer by grafting on silica supports: a selective sorbent for patulin toxin. 2011 , 401, 2259-73		30
425	Sensitive determination of a pharmaceutical compound and its metabolites in human plasma by ultra-high performance liquid chromatography-tandem mass spectrometry with on-line solid-phase extraction. 2011 , 54, 742-9		19
424	Fast and simultaneous determination of phenolic compounds and caffeine in teas, mate, instant coffee, soft drink and energetic drink by high-performance liquid chromatography using a fused-core column. <i>Analytica Chimica Acta</i> , 2011 , 685, 204-11	6.6	121
423	Chromatographic separation techniques and data handling methods for herbal fingerprints: a review. <i>Analytica Chimica Acta</i> , 2011 , 690, 148-61	6.6	222
422	Synthesis of a novel restricted access chiral stationary phase based on atom transfer radical polymerization and click chemistry for the analysis of chiral drugs in biological matrices. 2011 , 1218, 1310-3		25
421	High performance ion mobility spectrometry as a fast and low cost green analytical technology part I: analysis of nutritional supplements. 2011 , 14, 71-79		12
420	Identification of phase I and phase II metabolites of benfluron and dimefluron in rat urine using high-performance liquid chromatography/tandem mass spectrometry. 2011 , 25, 2153-62		8
419	Targeted quantitative bioanalysis in plasma using liquid chromatography/high-resolution accurate mass spectrometry: an evaluation of global selectivity as a function of mass resolving power and extraction window, with comparison of centroid and profile modes. 2011 , 25, 2863-78		65
418	Extraction of ketamine from urine using a miniature silica monolithic cartridge followed by quantification with liquid chromatography tandem mass spectrometry (LC-MS/MS). <i>Journal of Separation Science</i> , 2011 , 34, 1041-6	3-4	13
417	An overview of the use of monoliths in sample preparation and analysis of milk. <i>Journal of Separation Science</i> , 2011 , 34, 2013-25	3-4	14
416	Efficiency of a miniaturized silica monolithic cartridge in reducing matrix ions as demonstrated in the simultaneous extraction of morphine and codeine from urine samples for quantification with liquid chromatography-tandem mass spectrometry (LC-MS/MS). 2011 , 46, 891-900		13
415	LC-MS in analytical toxicology: some practical considerations. 2011 , 25, 100-23		45
414	Immobilized metallacarborane as a new type of stationary phase for high performance liquid chromatography. 2011 , 1218, 3029-36		10
413	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011 , 696, 67-76	6.6	39
412	Simultaneous deconvolution and re-construction of primary and secondary overlapping peak clusters in comprehensive two-dimensional gas chromatography. 2011 , 1218, 2301-10		19
411	Using temperature to optimize resolution and reduce analysis times for bioanalytical diastereomer LC-MS/MS separations. 2011 , 54, 179-85		6

410	Recent advances in SPME techniques in biomedical analysis. 2011 , 54, 926-50		174
409	Microextraction by packed sorbent as sample preparation step for atorvastatin and its metabolites in biological samples--critical evaluation. 2011 , 55, 301-8		46
408	An LC-MS/MS procedure for the quantification of naproxen in human plasma: development, validation, comparison with other methods, and application to a pharmacokinetic study. 2011 , 879, 1686-96		34
407	A two-step pH-dependent liquid-liquid extraction combined with HPLC-fluorescence method for the determination of 10-hydroxycamptothecin in mouse liver tissue. 2012 , 50, 954-61		8
406	Transportomics: screening for substrates of ABC transporters in body fluids using vesicular transport assays. 2012 , 26, 738-47		49
405	Determination of ng/mL levetiracetam using ultra-high-performance liquid chromatography-photodiode absorbance. 2012 , 50, 253-8		22
404	Direct bioanalytical sample injection with 2D LC-MS. <i>Bioanalysis</i> , 2012 , 4, 2737-56	2.1	18
403	New Developments in Liquid Chromatography Mass Spectrometry for the Determination of Micropollutants. 2012 , 2012, 1-18		10
402	Solid-Phase Extraction and Clean-Up Procedures in Pharmaceutical Analysis Update based on the original article by P. Campaño-Falcó, A. Sevillano-Cabeza, R. Herráiz-Hernández, and C. Molins-Legua, Encyclopedia of Analytical Chemistry, © 2000, John Wiley & Sons, Ltd.. 2012 ,		3
401	Rapid and sensitive method for measuring the plasma concentration of doxorubicin and its metabolites. 2012 , 60, 391-6		5
400	Recent advances in liquid microextraction techniques coupled with MS for determination of small-molecule drugs in biological samples. <i>Bioanalysis</i> , 2012 , 4, 725-39	2.1	10
399	Recent advances in column switching sample preparation in bioanalysis. <i>Bioanalysis</i> , 2012 , 4, 809-32	2.1	39
398	Rapid detection of propofol in whole blood using an automated on-line molecularly imprinted pretreatment coupled with optical fibre detection. <i>Analyst, The</i> , 2012 , 137, 5632-8	5	8
397	Ultra-high performance liquid chromatography/tandem mass spectrometry determination of feminizing chemicals in river water, sediment and tissue pretreated using disk-type solid-phase extraction and matrix solid-phase dispersion. 2012 , 89, 237-45		63
396	Determination of pravastatin and pravastatin lactone in rat plasma and urine using UHPLC-MS/MS and microextraction by packed sorbent. 2012 , 90, 22-9		35
395	Evaluation of new mixed-mode UHPLC stationary phases and the importance of stationary phase choice when using low ionic-strength mobile phase additives. 2012 , 93, 99-105		29
394	Site-specific immobilization of enzymes on magnetic nanoparticles and their use in organic synthesis. 2012 , 23, 714-24		64
393	Role of microextraction sampling procedures in forensic toxicology. <i>Bioanalysis</i> , 2012 , 4, 1805-26	2.1	37

392	Fast, selective, and sensitive analysis of low-abundance peptides in human plasma by electromembrane extraction. <i>Analytica Chimica Acta</i> , 2012 , 716, 16-23	6.6	45
391	Bioanalytical chromatographic methods for the determination of catechol-O-methyltransferase inhibitors in rodents and human samples: a review. <i>Analytica Chimica Acta</i> , 2012 , 710, 17-32	6.6	25
390	LC-MS-based metabolomics in the clinical laboratory. 2012 , 883-884, 68-75		110
389	Salting-out homogeneous liquid-liquid extraction approach applied in sample pre-processing for the quantitative determination of entecavir in human plasma by LC-MS. 2012 , 881-882, 119-25		48
388	Determination of myristicin in commonly spices applying SPE/GC. 2012 , 50, 2362-7		9
387	Exploring the physicochemical properties of templates from molecular imprinting literature using interactive text mining approach. 2012 , 116, 128-136		5
386	Evaluation of recent very efficient wide-pore stationary phases for the reversed-phase separation of proteins. 2012 , 1252, 90-103		46
385	In vivo characterisation of a novel water-soluble Cyclosporine A prodrug for the treatment of dry eye disease. 2012 , 80, 544-52		29
384	A new approach for cytokinin isolation from Arabidopsis tissues using miniaturized purification: pipette tip solid-phase extraction. 2012 , 8, 17		115
383	LC-MS in Drug Metabolism and Pharmacokinetics: A Pharmaceutical Industry Perspective. 2012 , 119-169		2
382	Analysis and Antioxidant Capacity of Anthocyanin Pigments. Part III: An Introduction to Sample Preparation and Extraction. 2012 , 42, 284-312		13
381	Analysis and Characterisation of Flavonoid Phase II Metabolites. 2012 , 249-286		7
380	Stability-indicating RP-HPLC method for analysis of the antibiotic doripenem in pharmaceutical formulation—comparison to UV spectrophotometry and microbiological assay. 2012 , 24, 367-382		4
379	Novel sorption-based methodologies for static microextraction analysis: A review on SBSE and related techniques. <i>Analytica Chimica Acta</i> , 2012 , 757, 1-10	6.6	103
378	Development and validation of a RP-HPLC method with fluorescence detection for simultaneous determination of 10-methoxycamptothecin and its metabolite 10-hydroxycamptothecin in rat plasma. 2012 , 903, 81-7		14
377	Recent developments in liquid chromatography-mass spectrometry and related techniques. 2012 , 1259, 3-15		227
376	Chapter 21: Simultaneous Ultra-high-performance Liquid Chromatography for the Determination of Vitamin A and Other Fat-soluble Vitamins to Assess Nutritional Status. 2012 , 355-378		
375	UHPLC for the separation of proteins and peptides. <i>Bioanalysis</i> , 2012 , 4, 2971-88	2.1	20

374	LC Automation. 2012 , 613-648		1
373	Ultrasound-assisted matrix solid-phase dispersive liquid extraction for the determination of intermediates in hair dyes with ion chromatography. <i>Analytica Chimica Acta</i> , 2012 , 752, 53-61	6.6	21
372	Extraction Procedures for Organic Pollutants Determination in Water. 2012 , 171-235		3
371	Current Trends in Sample Treatment Techniques for Environmental and Food Analysis. 2012 ,		2
370	Extraction and isolation of phenolic compounds. 2012 , 864, 427-64		47
369	Determination of 4-methylpiperaine-1-carbodithioc acid 3-cyano-3,3-diphenylpropyl ester hydrochloride in rats' plasma by online-SPE-HPLC-DAD: application to a pharmacokinetic study. <i>Journal of Separation Science</i> , 2012 , 35, 721-5	3-4	8
368	Preparation of bi-layer-polymer coated silica using atom transfer radical polymerization and its application as restricted access phase for HPLC separation of hydrophobic molecules in biological fluids. <i>Journal of Separation Science</i> , 2012 , 35, 1573-81	3-4	17
367	Determination of rifaximin in rat serum by ionic liquid based dispersive liquid-liquid microextraction combined with RP-HPLC. <i>Journal of Separation Science</i> , 2012 , 35, 1945-52	3-4	15
366	Analytical measurement of PEGylated molecules. 2012 , 23, 881-99		89
365	Turbulent flow chromatography in bioanalysis: a review. 2012 , 26, 892-905		54
364	Past, Present, and Future of Solid Phase Extraction: A Review. 2012 , 42, 198-213		264
363	Determination of endocrine disrupting chemicals in water samples by dispersive liquid-liquid microextraction combined with liquid chromatography-fluorescence detection. 2012 , 42, 77-82		5
362	Biosensors for the analysis of microbiological and chemical contaminants in food. 2012 , 403, 75-92		108
361	Analytical methods for determination of new fluoroquinolones in biological matrices and pharmaceutical formulations by liquid chromatography: a review. 2012 , 403, 93-129		62
360	Development of novel molecularly imprinted solid-phase microextraction fibers and their application for the determination of antibiotic drugs in biological samples by SPME-LC/MS(n). 2012 , 403, 785-96		38
359	New trends in fast liquid chromatography for food and environmental analysis. 2012 , 1228, 298-323		184
358	Analytical tools for the analysis of carotenoids in diverse materials. 2012 , 1224, 1-10		127
357	Development of a reversed-phase high-performance liquid chromatography analytical methodology for the determination of antihypertensive peptides in maize crops. 2012 , 1234, 64-71		14

356	Restricted-access nanoparticles for magnetic solid-phase extraction of steroid hormones from environmental and biological samples. 2012 , 1244, 46-54		47
355	Rapid and sensitive measurement of PET radioligands in plasma by fast liquid chromatography/radiometric detection. 2012 , 895-896, 116-22		5
354	Hydrophilic interaction chromatography in drug analysis. 2012 , 10, 534-553		7
353	Bioanalysis of small-molecule drugs in nasal and paranasal tissues and secretions: Current status and perspectives. 2012 , 10, 686-702		
352	Application of microextraction by packed sorbent to isolation of psychotropic drugs from human serum. 2012 , 402, 2249-57		22
351	Comparative study of recent wide-pore materials of different stationary phase morphology, applied for the reversed-phase analysis of recombinant monoclonal antibodies. 2013 , 405, 3137-51		25
350	A sensitive LC-MS/MS method for the quantification of febuxostat in human plasma and its pharmacokinetic application. 2013 , 27, 1406-12		13
349	Bioanalytical separation and preconcentration using ionic liquids. 2013 , 405, 7597-613		42
348	Coupling UHPLC with MS: The Needs, Challenges, and Applications. 2013 , 95-131		3
347	Microplates in liquid chromatography--new solution in clinical research? A review. 2013 , 115, 973-9		5
346	Preconcentration of milk proteins using octadecylated monolithic silica microchip. <i>Analytica Chimica Acta</i> , 2013 , 798, 40-7	6.6	11
345	A rapid and sensitive liquid chromatography-tandem mass spectrometric assay for duloxetine in human plasma: Its pharmacokinetic application. 2013 , 3, 36-44		7
344	Fast and sensitive UHPLC methods with fluorescence and tandem mass spectrometry detection for the determination of tetracycline antibiotics in surface waters. 2013 , 927, 201-8		41
343	Ion-pair ultra-high performance liquid chromatographic analysis of monoamines: peak-splitting at high flow rates. 2013 , 1321, 73-9		7
342	Performance assessment of microflow LC combined with high-resolution MS in bioanalysis. <i>Bioanalysis</i> , 2013 , 5, 1249-67	2.1	17
341	Quantitative mass spectrometry-based assay development and validation: from small molecules to proteins. 2013 , 46, 444-55		22
340	Recent advances in LC-MS/MS analysis of (D)-tetrahydrocannabinol and its metabolites in biological matrices. <i>Bioanalysis</i> , 2013 , 5, 2713-31	2.1	5
339	Systematic comparison of sensitivity between hydrophilic interaction liquid chromatography and reversed phase liquid chromatography coupled with mass spectrometry. 2013 , 1312, 49-57		63

338	Determination of cocaine in postmortem human liver exposed to overdose. Application of an innovative and efficient extraction/clean up procedure and gas chromatography-mass spectrometry analysis. 2013 , 1309, 15-21	13
337	A simplified radiometabolite analysis procedure for PET radioligands using a solid phase extraction with micellar medium. 2013 , 40, 658-63	4
336	Development of a high performance liquid chromatography method for the quantitative determination of bioactive triterpenoids in the extracts of <i>Antrodia camphorata</i> . 2013 , 5, 5724	6
335	Best Practices in Biological Sample Preparation for LC-MS Bioanalysis. 2013 , 165-184	6
334	Metabolomic investigation of Arthus reaction in a rat model using proton nuclear magnetic resonance (¹ H NMR) spectroscopy and rapid resolution liquid chromatography (RRLC). 2013 , 9, 1423-35	5
333	Sensitive assay for measurement of volatile borneol, isoborneol, and the metabolite camphor in rat pharmacokinetic study of <i>Borneolum</i> (Bingpian) and <i>Borneolum syntheticum</i> (synthetic Bingpian). 2013 , 34, 1337-48	34
332	Assessing melatonin and its oxidative metabolites amounts in biological fluid and culture medium by liquid chromatography electrospray ionization tandem mass spectrometry (LCESI-MS/MS). 2013 , 5, 6911	5
331	A RAPID HILIC METHOD FOR ANALYSIS OF DIAZEPAM AND ESTAZOLAM IN HUMAN PLASMA. 2013 , 36, 958-967	2
330	Dispersive liquid-liquid microextraction combined with capillary electrophoresis and time-of-flight mass spectrometry for urine analysis. 2013 , 73, 82-9	55
329	Development of a liquid chromatography/tandem mass spectrometry method to investigate the presence of biomarkers of DNA damage in urine related to red meat consumption and risk of colorectal cancer. 2013 , 27, 2493-503	12
328	Clinical applications of fast liquid chromatography: a review on the analysis of cardiovascular drugs and their metabolites. 2013 , 927, 54-79	22
327	Coupling ultra high-pressure liquid chromatography with mass spectrometry: constraints and possible applications. 2013 , 1292, 2-18	113
326	A new approach for antibiotic drugs determination in human plasma by liquid chromatography-mass spectrometry. 2013 , 1272, 41-9	45
325	Semiautomated solid-phase extraction manifold with a solvent-level sensor. 2013 , 116, 39-44	2
324	Challenges in the development of bioanalytical liquid chromatography-mass spectrometry method with emphasis on fast analysis. 2013 , 1292, 25-37	91
323	HILIC-MS for Targeted Metabolomics and Small Molecule Bioanalysis. 2013 , 219-238	
322	Bioanalytical LC-MS/MS of protein-based biopharmaceuticals. 2013 , 929, 161-79	177
321	Microextraction techniques combined with capillary electrophoresis in bioanalysis. 2013 , 405, 125-41	51

320	A critical review of microextraction by packed sorbent as a sample preparation approach in drug bioanalysis. <i>Bioanalysis</i> , 2013 , 5, 1409-42	2.1	40
319	Effect of time and temperature on vitamin C stability in horticultural extracts. UHPLC-PDA vs iodometric titration as analytical methods. 2013 , 50, 489-495		45
318	LC techniques for bioanalysis: recent trends and developments. 2013 , 50-64		
317	Parallel artificial liquid membrane extraction: micro-scale liquid-liquid-liquid extraction in the 96-well format. <i>Bioanalysis</i> , 2013 , 5, 1377-85	2.1	42
316	Analytical methodologies for the determination of endocrine disrupting compounds in biological and environmental samples. 2013 , 2013, 674838		58
315	Recent developments in microfluidic chip-based separation devices coupled to MS for bioanalysis. <i>Bioanalysis</i> , 2013 , 5, 2567-80	2.1	17
314	Determination of buprenorphine, fentanyl and LSD in whole blood by UPLC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2013 , 37, 159-65	2.9	19
313	Loading behavior of gatifloxacin in urine and lake water on a novel magnetic molecularly imprinted polymer used as extraction sorbent with spectrophotometric analysis. <i>Journal of Separation Science</i> , 2013 , 36, 898-906	3.4	21
312	Microextraction using packed sorbent as an effective and high-throughput sample extraction technique: Recent applications and future trends.. 2013 , 1,		6
311	Plasma pharmacokinetics combined with microdialysis to screen potential bioactive components and their metabolites in <i>Anemarrhena asphodeloides</i> saponin extract using ultrahigh-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2013 , 36, 1659-66	3.4	15
310	Bioanalysis for Service Users. 2013 ,		1
309	Microextraction in a packed syringe for the analysis of olive biophenols in rat plasma using CMK-3 nanoporous sorbent. 2013 , 29, 527-32		11
308	Analysis of Biologic Fluids. 2013 , 87-96		
307	Evolution and Current Trends in Liquid and Supercritical Fluid Chromatography. 2014 , 1, 15-40		16
306	. 2014 ,		
305	Fast Analysis of Bioactive Compounds by Reverse Phase Liquid Chromatography. 2014 , 79-100		
304	Microwave-Assisted Sample Preparation Focusing on μ mics Areas. 2014 , 313-343		
303	Novel Techniques Towards the Identification of Different Classes of Polyphenols. 2014 , 159-185		7

302	Multi-target screening of biological samples using LC-MS/MS: focus on chromatographic innovations. <i>Bioanalysis</i> , 2014 , 6, 1255-73	2.1	20
301	Challenges of Biopesticides Under the European Regulation (EC) No. 1107/2009. 2014 , 43, 437-482		12
300	On-line solid-phase extraction for liquid chromatography-mass spectrometry analysis of pesticides. <i>Journal of Separation Science</i> , 2014 , 37, 2929-39	3.4	26
299	Current advances and strategies towards fully automated sample preparation for regulated LC-MS/MS bioanalysis. <i>Bioanalysis</i> , 2014 , 6, 2441-59	2.1	29
298	Improved methodology for assaying brassinosteroids in plant tissues using magnetic hydrophilic material for both extraction and derivatization. 2014 , 10, 39		28
297	Bioanalysis of tolvaptan, a novel AVP-V2 receptor antagonist in human plasma by a novel LC-ESI-MS/MS method: a pharmacokinetic application in healthy South Indian male subjects. 2014 , 28, 332-40		6
296	Restricted access chiral stationary phase synthesized via reversible addition-fragmentation chain-transfer polymerization for direct analysis of biological samples by high performance liquid chromatography. <i>Analytica Chimica Acta</i> , 2014 , 832, 58-64	6.6	18
295	Evaluation of ¹³ C- and ² H-labeled internal standards for the determination of amphetamines in biological samples, by reversed-phase ultra-high performance liquid chromatography-tandem mass spectrometry. 2014 , 1344, 83-90		30
294	Electric Field-Assisted Solid Phase Extraction: Devices, Development and Application with a Cationic Model Compound. <i>Chromatographia</i> , 2014 , 77, 133-143	2.1	4
293	Comparison of Six Sample Preparation Methods for Analysis of Food Additives in Milk Powder. 2014 , 7, 1345-1352		10
292	Determination of clenbuterol from pork samples using surface molecularly imprinted polymers as the selective sorbents for microextraction in packed syringe. 2014 , 91, 160-8		57
291	Molecular imprinting science and technology: a survey of the literature for the years 2004-2011. 2014 , 27, 297-401		324
290	On-line Micro Solid-Phase Extraction of Clodinafop Propargyl from Water, Soil and Wheat Samples Using Electrospun Polyamide Nanofibers. <i>Chromatographia</i> , 2014 , 77, 723-728	2.1	31
289	Recent Progress, Challenges and Prospects in Monitoring Plastic-Derived Xenoestrogens Using Molecularly Imprinted Sorbents. <i>Chromatographia</i> , 2014 , 77, 207-221	2.1	1
288	Determination of mushroom toxins ibotenic acid, muscimol and muscarine by capillary electrophoresis coupled with electrospray tandem mass spectrometry. 2014 , 125, 242-7		25
287	Microextraction by packed sorbent: an emerging, selective and high-throughput extraction technique in bioanalysis. 2014 , 28, 839-47		31
286	Re-exploring the high-throughput potential of microextraction techniques, SPME and MEPS, as powerful strategies for medical diagnostic purposes. Innovative approaches, recent applications and future trends. 2014 , 406, 2101-22		35
285	Determination of vitamin C in foods: current state of method validation. 2014 , 1369, 2-17		46

284	Fast analysis of β -ecdysone in Brazilian ginseng (<i>Pfaffia glomerata</i>) extracts by high-performance liquid chromatography using a fused-core column. 2014 , 6, 2452-2459		13
283	Salting-out induced liquid-liquid microextraction based on the system of acetonitrile/magnesium sulfate for trace-level quantitative analysis of fluoroquinolones in water, food and biological matrices by high-performance liquid chromatography with a fluorescence detector. 2014 , 6, 6973-6980		16
282	A novel fullerene oxide functionalized silica composite as stationary phase for high performance liquid chromatography. 2014 , 4, 17541-17548		18
281	Development of stir bar sorptive-dispersive microextraction mediated by magnetic nanoparticles and its analytical application to the determination of hydrophobic organic compounds in aqueous media. 2014 , 1362, 25-33		93
280	Low density miniaturized homogeneous liquid-liquid extraction: a new high throughput sample preparation technique for the determination of polar pesticides in cow milk. 2014 , 69, 851-855		5
279	Liquid chromatographic assay based on microextraction by packed sorbent for therapeutic drug monitoring of carbamazepine, lamotrigine, oxcarbazepine, phenobarbital, phenytoin and the active metabolites carbamazepine-10,11-epoxide and licarbazepine. 2014 , 971, 20-9		41
278	Hydrophilic interaction chromatography of polar and ionizable compounds by UHPLC. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 63, 55-64	14.6	58
277	Gas pressure assisted microliquid-liquid extraction coupled online to direct infusion mass spectrometry: a new automated screening platform for bioanalysis. 2014 , 86, 10323-30		14
276	Phenotypic mapping of metabolic profiles using self-organizing maps of high-dimensional mass spectrometry data. 2014 , 86, 6563-71		34
275	A review of sample preparation methods for quantitation of small-molecule analytes in brain tissue by liquid chromatography tandem mass spectrometry (LC-MS/MS). 2014 , 6, 6183-6207		30
274	Two-dimensional paper chromatography-based fluorescent immunosensor for detecting acute myocardial infarction markers. 2014 , 967, 139-46		18
273	A new HILIC-MS/MS method for the simultaneous analysis of carbidopa, levodopa, and its metabolites in human plasma. 2014 , 967, 41-9		31
272	A novel LC-ESI-MS/MS assay method for the determination of anagrelide in human plasma by using a solid phase extraction technique and its application to a pharmacokinetic study. 2014 , 6, 4262-4270		
271	Development of an Anti-Methoxy Poly(ethylene glycol) (mPEG) Cell-Based Capture System to Measure mPEG and mPEGylated Molecules. 2014 , 47, 6880-6888		6
270	Comprehensive analysis of lipids in biological systems by liquid chromatography-mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 61, 192-206	14.6	368
269	Low electric field DNA separation and in-channel amperometric detection by microchip capillary electrophoresis. 2014 , 8, 77-82		7
268	Ionic liquid based dispersive liquid-liquid microextraction followed by RP-HPLC determination of balofloxacin in rat serum. 2014 , 6, 1674		7
267	Automated in-syringe single-drop head-space micro-extraction applied to the determination of ethanol in wine samples. <i>Analytica Chimica Acta</i> , 2014 , 828, 53-60	6.6	37

266	LC-MS/MS quantitative analysis of paclitaxel and its major metabolites in serum, plasma and tissue from women with ovarian cancer after intraperitoneal chemotherapy. 2014 , 91, 131-7		27
265	Identification and Profiling of Auxin and Auxin Metabolites. 2014 , 39-60		6
264	Simultaneous determination of a broad range of cardiovascular drugs in plasma with a simple and efficient extraction/clean up procedure and chromatography-mass spectrometry analysis. 2014 , 4, 19629-19633		13
263	Sample preparation for liquid chromatographic analysis of phytochemicals in biological fluids. <i>Phytochemical Analysis</i> , 2014 , 25, 314-30	3-4	13
262	Biological sample preparation: attempts on productivity increasing in bioanalysis. <i>Bioanalysis</i> , 2014 , 6, 1691-710	2.1	30
261	How to address the sample preparation of hydrophilic compounds: Determination of entecavir in plasma and plasma ultrafiltrate with novel extraction sorbents. 2014 , 88, 337-44		14
260	Methods for pharmacokinetic analysis in young children. 2014 , 10, 497-509		6
259	Importance of instrumentation for fast liquid chromatography in pharmaceutical analysis. 2014 , 87, 105-19		98
258	Microextraction by Packed Sorbent (MEPS) and Solid-Phase Microextraction (SPME) as Sample Preparation Procedures for the Metabolomic Profiling of Urine. 2014 , 4, 71-97		57
257	Survey of Mass Spectrometry-Based High-Throughput Methods in Food Analysis. 2014 , 15-72		1
256	Determination of amphetamine and methadone in human urine by microextraction by packed sorbent coupled directly to mass spectrometry: an alternative for rapid clinical and forensic analysis. <i>Journal of Separation Science</i> , 2014 , 37, 3306-13	3-4	17
255	Strategies in the Analysis of Plant Flavonoids. 2014 , 1-25		
254	High-throughput methods for LC-MS bioanalysis. 2015 , 22-38		
253	Nanofluidic interfaces in microfluidic networks. 2015 , 33, 06FM01		2
252	Modes of action of biopesticides. 2015 , 68-87		1
251	Recent Advances and Uses of Monolithic Columns for the Analysis of Residues and Contaminants in Food. 2015 , 2, 79-95		19
250	A highly sensitive method for the quantification of fludrocortisone in human plasma using ultra-high-performance liquid chromatography tandem mass spectrometry and its pharmacokinetic application. 2015 , 29, 1213-9		5
249	Recent advances and future trends in new materials for sample preparation. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 71, 9-25	14.6	137

248	On-line coupling of Micro-Extraction by Packed Sorbent with Sequential Injection Chromatography system for direct extraction and determination of betaxolol in human urine. 2015 , 143, 132-137		16
247	Determination of endocrine disruptors and endogenous androgens and estrogens in rat serum by high-performance liquid chromatography-tandem mass spectrometry. 2015 , 104, 252-62		11
246	Green, environment-friendly, analytical tools give insights in pharmaceuticals and cosmetics analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 66, 176-192	14.6	68
245	Pressurized liquid extraction for the determination of cannabinoids and metabolites in hair: Detection of cut-off values by high performance liquid chromatography-high resolution tandem mass spectrometry. 2015 , 1406, 192-200		30
244	Biocompatible chiral monolithic stationary phase synthesized via atom transfer radical polymerization for high performance liquid chromatographic analysis. 2015 , 1409, 132-7		9
243	A critical review of the state of the art of solid-phase microextraction of complex matrices III. Bioanalytical and clinical applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 71, 249-264	14.6	173
242	Determination of illicit drugs and metabolites in oral fluid by microextraction on packed sorbent coupled with LC-MS/MS. 2015 , 407, 3647-58		47
241	Toward greener analytical techniques for the absolute quantification of peptides in pharmaceutical and biological samples. 2015 , 113, 181-8		13
240	Development and analytical comparison of microflow and nanoflow liquid chromatography/mass spectrometry procedures for quantification of cardiac troponin T in mouse hearts. 2015 , 131, 510-20		10
239	Supercritical fluid chromatography in pharmaceutical analysis. 2015 , 113, 56-71		177
238	A simple and automated online SPE-LC-MS/MS method for simultaneous determination of olanzapine, fluoxetine and norfluoxetine in human plasma and its application in therapeutic drug monitoring. 2015 , 5, 34342-34352		8
237	Post-pellet-digestion precipitation and solid phase extraction: A practical and efficient workflow to extract surrogate peptides for ultra-high performance liquid chromatography-tandem mass spectrometry bioanalysis of a therapeutic antibody in the low ng/mL range. 2015 , 1424, 27-36		23
236	A simple HPLC method with fluorescence detection for simultaneous determination of 10-methoxycamptothecin and its metabolite 10-hydroxycamptothecin in rat liver tissue. 2015 , 65, 147-52		3
235	Methodological Aspects of Plant Sterol and Stanol Measurement. 2015 , 98, 674-676		9
234	Application of graphitic sorbent for online microextraction of drugs in human plasma samples. 2015 , 1422, 34-42		10
233	Quantitative performance of online SPE-LC coupled to Q-Exactive for the analysis of sofosbuvir in human plasma. 2015 , 5, 98269-98277		19
232	Determination of nonpolar and polar lipid classes in human plasma, erythrocytes and plasma lipoprotein fractions using ultrahigh-performance liquid chromatography-mass spectrometry. 2015 , 1377, 85-91		40
231	Comparison of UPLC and HPLC methods for determination of vitamin C. <i>Food Chemistry</i> , 2015 , 175, 100-8.5		98

230	Exhaustive extraction of peptides by electromembrane extraction. <i>Analytica Chimica Acta</i> , 2015 , 853, 328-334	6.6	43
229	Analytical challenges for conducting rapid metabolism characterization for QIVIVE. 2015 , 332, 20-9		16
228	Innovative sampling and extraction methods for the determination of nonsteroidal anti-inflammatory drugs in water. 2015 , 106, 100-6		27
227	Core-shell particles lead the way to renewing high-performance liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 64, 17-28	14.6	112
226	Molecularly imprinted nanoparticles prepared by miniemulsion polymerization as a sorbent for selective extraction and purification of efavirenz from human serum and urine. 2015 , 974, 1-8		22
225	Fast simultaneous determination of prominent polyphenols in vegetables and fruits by reversed phase liquid chromatography using a fused-core column. <i>Food Chemistry</i> , 2015 , 169, 169-79	8.5	20
224	Assays for Flunitrazepam. 2016 , 513-528		
223	CE-MS in Drug Analysis and Bioanalysis. 2016 , 129-157		
222	LIQUID CHROMATOGRAPHY. 2016 , 2409-2429		
221	Dynamic-Electromembrane Extraction: A Technical Development for the Extraction of Neuropeptides. 2016 , 88, 5308-15		35
220	Quantitative determination of betamethasone sodium phosphate and betamethasone dipropionate in human plasma by UPLC-MS/MS and a bioequivalence study. 2016 , 8, 3550-3563		8
219	Liquid chromatography and supercritical fluid chromatography as alternative techniques to gas chromatography for the rapid screening of anabolic agents in urine. 2016 , 1451, 145-155		50
218	A single-step pesticide extraction and clean-up multi-residue analytical method by selective pressurized liquid extraction followed by on-line solid phase extraction and ultra-high-performance liquid chromatography-tandem mass spectrometry for complex matrices. 2016 , 1452, 10-7		34
217	Chromatographic methods enabling the characterization of stationary phases and retention prediction in high-performance liquid chromatography and supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2016 , 39, 115-31	3.4	20
216	Advances in LC: bioanalytical method transfer. <i>Bioanalysis</i> , 2016 , 8, 1837-44	2.1	
215	Thermoresponsive-polymer-based materials for temperature-modulated bioanalysis and bioseparations. 2016 , 4, 6381-6397		76
214	Development and validation of a chiral liquid chromatography method for the determination of MP 3950 enantiomers, a high selective 5-HT ₄ receptor agonist, in rat plasma and its application to stereoselective pharmacokinetic study. 2016 , 1033-1034, 49-54		2
213	Femtoliter high-performance liquid chromatography using extended-nano channels. <i>Analyst, The</i> , 2016 , 141, 6068-6072	5	14

212	Fast determination of anthocyanins and free pelargonidin in fruits, fruit juices, and fruit wines by high-performance liquid chromatography using a core-shell column. <i>Journal of Separation Science</i> , 2016 , 39, 3927-3935	3.4	8
211	Enantioseparation on Ligand-exchange-based Restricted Access Stationary Phase Prepared via Atom Transfer Radical Polymerization. 2016 , 45, 661-663		2
210	Phenylboronic acid modified solid-phase extraction column: Preparation, characterization, and application to the analysis of amino acids in sepia capsule by removing the maltose. <i>Journal of Separation Science</i> , 2016 , 39, 3428-35	3.4	4
209	Electrical field assisted matrix solid phase dispersion as a powerful tool to improve the extraction efficiency and clean-up of fluoroquinolones in bovine milk. 2016 , 1461, 27-34		10
208	Quantitative Auxin Metabolite Profiling Using Stable Isotope Dilution UHPLC-MS/MS. 2016 , 1, 419-430		4
207	Optimization of an Anti-poly(ethylene glycol) (anti-PEG) Cell-Based Capture System To Quantify PEG and PEGylated Molecules. 2016 , 88, 12371-12379		11
206	Sample Preparation for Bioanalytical and Pharmaceutical Analysis. 2016 , 88, 11262-11270		58
205	Analytical Eco-Scale for Assessing the Greenness of a Developed RP-HPLC Method Used for Simultaneous Analysis of Combined Antihypertensive Medications. 2016 , 99, 1260-5		40
204	Mass Spectrometry for Metabolomics and Biomass Composition Analyses. 2016 , 115-141		2
203	Effective methylation of phosphonic acids related to chemical warfare agents mediated by trimethyloxonium tetrafluoroborate for their qualitative detection and identification by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2016 , 933, 134-43	6.6	19
202	Pharmacotherapy during pediatric extracorporeal membrane oxygenation: a review. 2016 , 12, 1133-42		16
201	Rapid solid-phase microextraction of polycyclic aromatic hydrocarbons in water samples by a coated through-pore sintered titanium disk. 2016 , 154, 400-8		12
200	Development of an integrated microfluidic solid-phase extraction and electrophoresis device. <i>Analyst, The</i> , 2016 , 141, 1660-8	5	24
199	Toward Merging Untargeted and Targeted Methods in Mass Spectrometry-Based Metabolomics and Lipidomics. 2016 , 88, 524-45		438
198	State of the art of environmentally friendly sample preparation approaches for determination of PBDEs and metabolites in environmental and biological samples: A critical review. <i>Analytica Chimica Acta</i> , 2016 , 905, 24-41	6.6	46
197	Development of MEPS-UHPLC-MS/MS multistatin methods for clinical analysis. <i>Bioanalysis</i> , 2016 , 8, 333-49		8
196	Fast and sensitive supercritical fluid chromatography - tandem mass spectrometry multi-class screening method for the determination of doping agents in urine. <i>Analytica Chimica Acta</i> , 2016 , 915, 102-10	6.6	50
195	Precipitation polymerization: a versatile tool for preparing molecularly imprinted polymer beads for chromatography applications. 2016 , 6, 23525-23536		58

194	Electric field-assisted solid phase extraction and cleanup of ionic compounds in complex food matrices: Fluoroquinolones in eggs. 2016 , 152, 498-503	5
193	Miniaturized ultra-high performance liquid chromatography coupled to electrochemical detection: Investigation of system performance for neurochemical analysis. 2016 , 1427, 69-78	7
192	Mass spectrometry in the pharmacokinetic studies of anticancer natural products. 2017 , 36, 213-251	16
191	High-throughput determination of vancomycin in human plasma by a cost-effective system of two-dimensional liquid chromatography. 2017 , 1499, 48-56	18
190	Determination of drugs in plasma samples by disposable pipette extraction with C18-BSA phase and liquid chromatography-tandem mass spectrometry. 2017 , 139, 116-124	29
189	Recherche des causes toxiques de la mort. 2017 , 2017, 35-40	
188	High resolution mass spectrometry based method applicable for a wide range of 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase inhibitors in blood serum including intermediates and products of the cholesterol biosynthetic pathway. 2017 , 1489, 86-94	3
187	A systematic and critical review on bioanalytical method validation using the example of simultaneous quantitation of antidiabetic agents in blood. 2017 , 1055-1056, 61-71	7
186	Enhancement Effect of a Variable Topology of a Membrane-Tethered Anti-Poly(ethylene glycol) Antibody on the Sensitivity for Quantifying PEG and PEGylated Molecules. 2017 , 89, 6082-6090	7
185	Efficiency of Hollow Fiber Liquid-Phase Microextraction Chromatography Methods in the Separation of Organic Compounds: A Review. 2017 , 55, 378-391	25
184	Determination of melatonin levels in different cherry cultivars by high-performance liquid chromatography coupled to electrochemical detection. 2017 , 243, 1749-1757	8
183	Quantification of prospective type 2 diabetes mellitus biomarkers by stable isotope dilution with bi-labeled standard glycosylated peptides. 2017 , 9, 409-418	19
182	Development of a detection method based on dielectric spectroscopy for real-time monitoring of meta-cresol contamination in beach-sand. 2017 , 268, 16-26	5
181	Flexible nano- and microliter injections on a single liquid chromatography-mass spectrometry system: Minimizing sample preparation and maximizing linear dynamic range. 2017 , 1524, 101-107	4
180	On-line clean-up and LC-MS analysis of primary metabolites in cell culture supernatants. 2017 , 9, 5703-5710	1
179	Micro-SPE in pipette tips as a tool for analysis of small-molecule drugs in serum. <i>Bioanalysis</i> , 2017 , 9, 887-901	2.1 8
178	Determination of eight quinolones in milk using immunoaffinity microextraction in a packed syringe and liquid chromatography with fluorescence detection. 2017 , 1064, 68-74	28
177	A Microwave Flow Detector for Gradient Elution Liquid Chromatography. 2017 , 89, 10761-10768	6

176	Sample Preparation Methods for Targeted Biomarker Quantification by LC-MS. 2017 , 79-106	2
175	Bioanalytical methods for the detection of antidiabetic drugs: a review. <i>Bioanalysis</i> , 2017 , 9, 2015-2025 2.1	2
174	Ultra-high performance liquid chromatography. 2017 , 719-769	8
173	The impact of estrogens on aquatic organisms and methods for their determination. 2017 , 47, 909-963	24
172	Phytohormone Profiling During Tuber Development of Chinese Yam by Ultra-high performance Liquid Chromatography-Triple Quadrupole Tandem Mass Spectrometry. 2017 , 36, 362-373	10
171	Advances in phospholipid quantification methods. 2017 , 16, 15-20	14
170	Recent Application of Solid Phase Based Techniques for Extraction and Preconcentration of Cyanotoxins in Environmental Matrices. 2017 , 47, 119-126	15
169	Development and evaluation of a hydrophilic interaction liquid chromatography-MS/MS method to quantify 19 nucleobases and nucleosides in rat plasma. 2017 , 31, e3860	11
168	Bioanalytical method development and validation: Critical concepts and strategies. 2017 , 1043, 3-11	60
167	Theory and Practice of UHPLC and UHPLC-MS. 2017 , 1-38	
166	Hyphenated Detectors: Mass Spectrometry. 2017 , 213-244	2
165	Sample preparation for liquid chromatography. 2017 , 1-37	5
164	Current state of bioanalytical chromatography in clinical analysis. <i>Analyst, The</i> , 2018 , 143, 1305-1325	5 30
163	Simultaneous determination of AM80 (tamibarotene) and WJD-A-1 in rat plasma by ultra high-performance liquid chromatography-tandem mass spectrometry and its application to a pharmacokinetic study. 2018 , 46, 1131-1137	1
162	Application of solid phase microextraction followed by liquid chromatography-mass spectrometry in the determination of antibiotic drugs and their metabolites in human whole blood and tissue samples. 2018 , 1086, 153-165	22
161	Preparation of carbon-functionalized magnetic graphene/mesoporous silica composites for selective extraction of miglitol and voglibose in rat plasma. 2018 , 182, 405-413	16
160	A Rapid and Simple HPLC Method for Therapeutic Monitoring of Vancomycin. 2018 , 56, 115-121	12
159	A novel dual labeling approach enables converting fluorescence labeling reagents into fluorogenic ones via introduction of purification tags. Application to determination of glyoxylic acid in serum. 2018 , 180, 323-328	13

158	First HPLC method for the simultaneous quantification of levetiracetam, zonisamide, lamotrigine, pentylentetrazole and pilocarpine in rat plasma and brain. 2018 , 10, 515-525		5
157	Analysis of Isoflavones in Foods. 2018 , 17, 391-411		38
156	Zeptomole Detection Scheme Based on Levitation Coordinate Measurements of a Single Microparticle in a Coupled Acoustic-Gravitational Field. 2018 , 90, 2310-2316		7
155	Sensitive Detection of Small-Molecule Targets Using Cooperative Binding Split Aptamers and Enzyme-Assisted Target Recycling. 2018 , 90, 1748-1758		21
154	Molecular Imprinting: Materials Nanoarchitectonics with Molecular Information. 2018 , 91, 1075-1111		165
153	Plant Hormonomics: Multiple Phytohormone Profiling by Targeted Metabolomics. 2018 , 177, 476-489		125
152	Nanofiber polymers as novel sorbents for on-line solid phase extraction in chromatographic system: A comparison with monolithic reversed phase C18 sorbent. <i>Analytica Chimica Acta</i> , 2018 , 1018, 26-34	6.6	19
151	Targeting human urinary metabolome by LC-MS/MS: a review. <i>Bioanalysis</i> , 2018 , 10, 489-516	2.1	24
150	Metabolomic strategies for aquaculture research: a primer. 2018 , 10, 26-56		37
149	Fast analysis of capsaicinoids in Naga Jolokia extracts (<i>Capsicum chinense</i>) by high-performance liquid chromatography using fused core columns. <i>Food Chemistry</i> , 2018 , 239, 217-224	8.5	29
148	Current antiviral drugs and their analysis in biological materials-Part I: Antivirals against respiratory and herpes viruses. 2018 , 147, 400-416		13
147	Serum and plasma amino acids as markers of prediabetes, insulin resistance, and incident diabetes. 2018 , 55, 21-32		51
146	The effect of hematocrit on solid-phase microextraction. <i>Analytica Chimica Acta</i> , 2018 , 1001, 40-50	6.6	13
145	Pharmaceutical Analysis: Introduction. 2018 ,		
144	Recent Advances in Online Column-Switching Sample Preparation. 2018 ,		1
143	Disk solid-phase extraction of multi-class pharmaceutical residues in tap water and hospital wastewater, prior to ultra-performance liquid chromatographic-tandem mass spectrometry (UPLC-MS/MS) analyses.. 2018 , 8, 40358-40368		10
142	Capsule Phase Microextraction: The Total and Ultimate Sample Preparation Approach. 2018 , 09,		2
141	An Accurate Assessment of Docosahexaenoic Acid in Laying Hen Serum for Regulatory Studies. 2018 , 13, 1177390118815146		

140	Nanopillar-Assisted SERS Chromatography. 2018 , 3, 2492-2498		18
139	GLC/HPLC Methods for Saffron (<i>Crocus sativus</i> L.). 2018 , 1-49		1
138	Simultaneous determination of five azadirachtins in the seed and leaf extracts of <i>Azadirachta indica</i> by automated online solid-phase extraction coupled with LC-Q-TOF-MS. 2018 , 12, 85		6
137	2. Supercritical fluid chromatography in bioanalysis. 2018 , 33-76		1
136	Some Applications of Liquid Chromatography-Mass Spectrometry in the Biomedical Field: New Analytical Methodologies and Instrumental Approaches. 2018 , 79, 329-375		1
135	UHPLC-MS/MS method for determination of atorvastatin calcium in human plasma: Application to a pharmacokinetic study based on healthy volunteers with specific genotype. 2018 , 160, 428-435		1
134	Review of Chromatographic Bioanalytical Assays for the Quantitative Determination of Marine-Derived Drugs for Cancer Treatment. 2018 , 16,		10
133	Development of an in-house mixed-mode solid-phase extraction for the determination of 16 basic drugs in urine by High Performance Liquid Chromatography-Ion Trap Mass Spectrometry. 2018 , 1560, 10-18		12
132	Pharmaceutical Analysis Sample Preparation. 2018 , 231-231		2
131	Determination of donepezil in human plasma using ultra performance liquid chromatography-tandem mass spectrometry. 2018 , 26, 64-72		3
130	New Advances in Food Sample Preparation With Nanomaterials for Organic Contaminants Analysis by Liquid Chromatography. 2018 , 118-154		4
129	Phospholipids. 2019 , 546-549		2
128	Vitamin C in camu-camu [<i>Myrciaria dubia</i> (H.B.K.) McVaugh]: evaluation of extraction and analytical methods. <i>Food Research International</i> , 2019 , 115, 160-166	7	30
127	Non-separative mass spectrometry methods for non-invasive medical diagnostics based on volatile organic compounds: A review. <i>Analytica Chimica Acta</i> , 2019 , 1045, 10-22	6.6	28
126	Quantification of karrikins in smoke water using ultra-high performance liquid chromatography-tandem mass spectrometry. 2019 , 15, 81		13
125	Advancement of analytical techniques in some South African commercialized medicinal plants: Current and future perspectives. 2019 , 126, 40-57		6
124	Correlation analysis based on the hydrophobic properties of non-steroidal anti-inflammatory drugs in solid-phase extraction (SPE) and reversed-phase high performance liquid chromatography (HPLC) with photodiode array detection and their applications to biological samples. 2019 , 1605, 360351		9
123	Analytical methodologies for determination of methotrexate and its metabolites in pharmaceutical, biological and environmental samples. 2019 , 9, 373-391		23

122	Novel restricted access material combined to molecularly imprinted polymer for selective magnetic solid-phase extraction of estrogens from human urine. <i>Microchemical Journal</i> , 2019 , 149, 104043	4.8	23
121	Food Immunoassay. 2019 ,		
120	Ionic liquid-based vortex-assisted DLLME followed by RP-LC-PDA method for bioassay of daclatasvir in rat serum: application to pharmacokinetics. 2019 , 10,		2
119	Current direction and advances in analytical sample extraction techniques for drugs with special emphasis on bioanalysis. <i>Bioanalysis</i> , 2019 ,	2.1	9
118	Schizophrenia: recent advances in LC-MS/MS methods to determine antipsychotic drugs in biological samples. <i>Bioanalysis</i> , 2019 ,	2.1	5
117	Quantification of controlled release leuprolide and triptorelin in rabbit plasma using electromembrane extraction coupled with HPLC-UV. 2019 , 40, 1074-1081		9
116	Ultrasound combined with manganese-oxide nanoparticles loaded on activated carbon for extraction and pre-concentration of thymol and carvacrol in methanolic extracts of <i>Thymus daenensis</i> , <i>Salvia officinalis</i> , <i>Stachys pilifera</i> , <i>Satureja khuzistanica</i> , and <i>mentha</i> , and water samples. <i>Analyst, The</i> , 2019 , 144, 1923-1934	5	36
115	An untargeted fecal and urine metabolomics analysis of the interplay between the gut microbiome, diet and human metabolism in Indian and Chinese adults. 2019 , 9, 9191		36
114	Biosample Concentration Using Microscale Forward Osmosis with Electrochemical Monitoring. 2019 , 91, 7487-7494		3
113	A novel two-dimensional liquid chromatography system for the simultaneous determination of three monoterpene indole alkaloids in biological matrices. 2019 , 411, 3857-3870		9
112	Determination of opiates in whole blood using microextraction by packed sorbent and gas chromatography-tandem mass spectrometry. 2019 , 1602, 1-10		13
111	Analytical techniques and challenges for removal of pharmaceuticals and personal care products in water. 2019 , 239-257		3
110	Stir-bar Sorptive Extraction for Sample Preparation in LC-MS Bioanalysis. 2019 , 152-162		1
109	Monitoring of kynurenine pathway metabolites, neurotransmitters and their metabolites in blood plasma and brain tissue of individuals with latent toxoplasmosis. 2019 , 170, 139-152		4
108	NBOMe compounds: An overview about analytical methodologies aiming their determination in biological matrices. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 114, 260-277	14.6	9
107	"-Omics" workflow for paleolimnological and geological archives: A review. 2019 , 672, 438-455		10
106	GLC/HPLC Methods for Saffron (<i>Crocus sativus</i> L.). 2019 , 1987-2035		3
105	. 2019 ,		6

104	Investigating Monoliths (Vinyl Azlactone-co-Ethylene Dimethacrylate) as a Support for Enzymes and Drugs, for Proteomics and Drug-Target Studies. 2019 , 7, 835		2
103	Concentration cell-based potentiometric analysis for point-of-care testing with minimum background. <i>Analytica Chimica Acta</i> , 2019 , 1046, 110-114	6.6	3
102	Optimized liquid chromatography-tandem mass spectrometry for Otaplimastat quantification in rat plasma and brain tissue. 2019 , 57, 258-264		1
101	Development and validation of a fully automated solid phase microextraction high throughput method for quantitative analysis of multiresidue veterinary drugs in chicken tissue. <i>Analytica Chimica Acta</i> , 2019 , 1056, 34-46	6.6	25
100	Advances in the development of molecularly imprinted polymers for the separation and analysis of proteins with liquid chromatography. <i>Journal of Separation Science</i> , 2019 , 42, 51-71	3-4	46
99	Simultaneous determination of topiramate, carbamazepine, oxcarbazepine and its major metabolite in human plasma by SFC-ESI-MS/MS with polarity switching: Application to therapeutic drug monitoring. 2019 , 12, 4775-4783		9
98	Milestones in the Development of Liquid-Phase Extraction Techniques. 2020 , 1-44		10
97	Synthesis of sandwich-structured magnetic graphene-Zn-MOFs composites for quantitative determination of acarbose in rat plasma. 2020 , 209, 120514		7
96	Sample preparation for the analysis of drugs in biological fluids. 2020 , 7, 1-13		4
95	Simultaneous Determination of Six Alkaloids in Rat Plasma with On-line SPE-HPLC Using a Homemade Four-Hydrogen Furfuryl-Based Polymer Monolithic Sorbent. <i>Chromatographia</i> , 2020 , 83, 173-181	2.1	0
94	Automated and high-throughput extraction approaches. 2020 , 573-588		3
93	Inorganic oxide and chemically bonded sorbents. 2020 , 37-54		1
92	Comparison of different protein precipitation and solid-phase extraction protocols for the study of the catabolism of peptide drugs by LC-HRMS. 2020 , 26, e3272		3
91	Salting-out assisted liquid-liquid extraction method optimized by design of experiments for the simultaneous high-performance liquid chromatography analysis of perampanel and stiripentol in mouse matrices. <i>Journal of Separation Science</i> , 2020 , 43, 4289-4304	3-4	4
90	Microfluidic Isolation and Enrichment of Nanoparticles. 2020 ,		15
89	Liquid chromatographic methods for determination of the new antiepileptic drugs stiripentol, retigabine, rufinamide and perampanel: A comprehensive and critical review. 2021 , 11, 405-421		4
88	Analytical Chemistry in the 21st Century: Challenges, Solutions, and Future Perspectives of Complex Matrices Quantitative Analyses in Biological/Clinical Field. 2020 , 1, 44-59		8
87	Progress in the pretreatment and analysis of N-nitrosamines: an update since 2010. 2021 , 61, 3626-3660		3

86	In-Syringe Electrokinetic Protein Removal from Biological Samples prior to Electrospray Ionization Mass Spectrometry. 2020 , 132, 23362-23368		
85	In-Syringe Electrokinetic Protein Removal from Biological Samples prior to Electrospray Ionization Mass Spectrometry. 2020 , 59, 23162-23168		2
84	Technological development trajectory of chromatography: main path analysis based on patent citation network. 2020 , 2, 1		1
83	Bioanalytical HPLC Applications of In-Tube Solid Phase Microextraction: A Two-Decade Overview. 2020 , 25,		13
82	Strategies for effective development of ultra-sensitive LC-MS/MS assays: application to a novel STING agonist. <i>Bioanalysis</i> , 2020 , 12, 467-484	2.1	1
81	Controlled fabrication of polymer nanofibers via conventional free radical polymerization using diurea xerogel fibers as the templates. <i>Colloid and Polymer Science</i> , 2020 , 298, 1043-1052	2.4	1
80	Electromembrane extraction of phenytoin from biological fluids: A survey on the effects of molecularly imprinted polymer and carbon nanotubes on extraction efficiency. <i>Microchemical Journal</i> , 2020 , 156, 104800	4.8	6
79	Miniaturization of Hydrocyclones by High-Resolution 3D Printing for Rapid Microparticle Separation. 2020 , 5, 1901105		6
78	Recent advances in applications of metal-organic frameworks for sample preparation in pharmaceutical analysis. 2020 , 411, 213235		37
77	Determination of Risperidone and 9-Hydroxyrisperidone in Human Serum by Heart-Cutting Isocratic Two-Dimensional Liquid Chromatography. 2020 , 53, 2002-2019		4
76	Protein precipitation coupled to paper spray with a tube for one-step analysis of blood. 2020 , 34, e8759		4
75	Use of Lipidomics for Food Quality Assurance and Authentication. 2021 , 44-61		0
74	Review: Detection and quantification of proteins in human urine. 2021 , 223, 121718		26
73	From a single steroid to the steroidome: Trends and analytical challenges. 2021 , 206, 105797		15
72	Determination of the alcohol biomarker phosphatidylethanol 16:0/18:1 and 33 compounds from eight different drug classes in whole blood by LC-MS/MS. 2021 , 107, 106939		2
71	Enantiomer-Selective High- and Ultra- High-Performance Liquid Chromatography. 2021 , 29-62		
70	Sample preparation for gas chromatography. 2021 , 615-653		
69	Thin film molecularly imprinted polymer (TF-MIP), a selective and single-use extraction device for high-throughput analysis of biological samples. <i>Analyst, The</i> , 2021 , 146, 3157-3168	5	7

68	Lipid Metabolism and Lipidomics Applications in Cancer Research. 2021 , 1316, 1-24		0
67	Effective determination of the principal non-psychoactive cannabinoids in fiber-type Cannabis sativa L. by UPLC-PDA following a comprehensive design and optimization of extraction methodology. <i>Analytica Chimica Acta</i> , 2021 , 1150, 338200	6.6	6
66	Automated liquid-liquid extraction of organic compounds from aqueous samples using a multifunction autosampler syringe. 2021 , 1642, 462032		4
65	Development and Validation of a Chiral Liquid Chromatographic Assay for Enantiomeric Separation and Quantification of Verapamil in Rat Plasma: Stereoselective Pharmacokinetic Application. 2021 , 26,		1
64	Sensitive monitoring of the main metabolites of tri-(2-ethylhexyl) trimellitate (TOTM) in urine by coupling of on-line SPE, UHPLC and tandem mass spectrometry. 2021 , 1171, 122618		3
63	Simple method for the determination of anthelmintic drugs in milk intended for human consumption using liquid chromatography-tandem mass spectrometry. <i>Journal of the Science of Food and Agriculture</i> , 2022 , 102, 322-329	4.3	1
62	Functional Micro-/Nanomaterials for Multiplexed Biodetection. <i>Advanced Materials</i> , 2021 , 33, e2004734	2.4	6
61	Chemical and physical stability of selected drugs for aerosol therapy with Sirmione thermal water. <i>Open Journal of Chemistry</i> , 2021 , 029-033	0.4	
60	Principles of odor coding in vertebrates and artificial chemosensory systems. <i>Physiological Reviews</i> , 2022 , 102, 61-154	47.9	5
59	Analytical challenges and recent advances in the identification and quantitation of extractables and leachables in pharmaceutical and medical products. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 141, 116286	14.6	2
58	Selective Removal of Florfenicol from Fetal Bovine Serum by Restricted Access Media Magnetic Molecularly Imprinted Polymers. <i>Chromatographia</i> , 2021 , 84, 845-854	2.1	
57	Simultaneous determination by UHPLC-PDA of major capsaicinoids and capsinoids contents in peppers. <i>Food Chemistry</i> , 2021 , 356, 129688	8.5	1
56	Sphingolipids in foodstuff: Compositions, distribution, digestion, metabolism and health effects - A comprehensive review. <i>Food Research International</i> , 2021 , 147, 110566	7	0
55	Dispersive liquid-liquid microextraction method combined with sugaring-out homogeneous liquid-liquid extraction for the determination of some pesticides in molasses samples. <i>Journal of Separation Science</i> , 2021 , 44, 4151-4166	3.4	2
54	Application of microextraction in pipette tips in clinical and forensic toxicology. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 143, 116404	14.6	3
53	Pharmacokinetics, plasma protein binding, and metabolism of a potential natural chemosensitizer from <i>Marsdenia tenacissima</i> in rats. <i>Journal of Ethnopharmacology</i> , 2021 , 281, 114544	5	1
52	Bioanalytical methodologies for clinical investigation of endocrine-disrupting chemicals: a comprehensive update. <i>Bioanalysis</i> , 2021 , 13, 29-44	2.1	0
51	Approaches in metabolomics for regulatory toxicology applications. <i>Analyst, The</i> , 2021 , 146, 1820-1834	5	13

50	Sample Preparation: Extraction and Clean-Up. 125-152		2
49	Sustainable and Eco-Friendly Alternatives for Liquid Chromatographic Analysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 5618-5634	8.3	32
48	Microextraction by Packed Sorbent as a Novel Strategy for Sample Clean-Up in the Determination of Methadone and EDDP in Hair. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 840-850	2.9	5
47	Non-invasive determination of uric acid in human saliva in the diagnosis of serious disorders. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 797-812	5.9	8
46	Innovative Configurations of Sample Preparation Techniques Applied in Bioanalytical Chemistry: A Review. <i>Current Analytical Chemistry</i> , 2019 , 15, 731-744	1.7	17
45	Advances in the quality control of fenugreek seeds using chromatographic, spectroscopic and DNA-based techniques: A comprehensive review. <i>Phytochemical Analysis</i> , 2021 ,	3.4	1
44	Extraction of small molecule from human plasma by prototyping 3D printed sorbent through extruded filament for LC-MS/MS analysis. <i>Analytica Chimica Acta</i> , 2021 , 1187, 339142	6.6	1
43	LC Automation??Change History: May 2014. DA Wells updated website URL links and updated manufacturer name changes (Varian was acquired by Agilent; MicroLiter Analytical, Inc., was sold and the sample preparation group was spun off as ITSP Solutions, Inc.; Merck KGaA acquired Millipore to become EMD Millipore. The source of the BioTrap 500 LC column was updated to Chrom Tech, USA. 2014		
42	Ultra-High-Performance Liquid Chromatography in Food Metabolomics. 2014 , 51-68		
41	Determination of Peruorochemicals in Food and Drinking Water Samples Using UHPLC/MS Technique. 2014 , 323-348		
40	Determinaci3n del Carcin3geno Espec3fico del Tabaco 4-(metilnitrosamino)-1-(3-piridil)-1-butanol en Orina: 20 a3os de Evoluci3n en los M3todos de Preparaci3n de Muestra. <i>Qu3mica Hoy Chemistry Sciences \$b</i> , 2014 , 4, 13	0	
39	Ultra-Performance Liquid Chromatography Applied to Analysis of Pesticides. <i>Chromatographic Science</i> , 2015 , 469-490		
38	METABOLITE TECHNOLOGY. 45-85		
37	Aplicaci3n de Dise3os de Experimentos en la Optimizaci3n de un M3todo por Microextracci3n en fase S3lida-Espacio de Cabeza para la Determinaci3n del 4- Metilnitrosamino)-1-(3-Piridil)-1-Butanol (NNAL) en Muestras de Orina.. <i>Qu3mica Hoy Chemistry Sciences \$b</i> , 2017 , 7, 8	0	
36	3-Agonist and Hormone Immunoassays in Food. 2019 , 155-176		
35	Strategies in the Analysis of Plant Flavonoids: An Update. 1-40		
34	A systematic review on chromatography-based method validation for quantification of vancomycin in biological matrices. <i>Bioanalysis</i> , 2020 , 12, 1767-1786	2.1	
33	Technological Developments in the Determination of Emerging Contaminants in Water. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2020 , 81-108	0.4	

32	Application of Paper Strip Extraction in Combination with LC-MS-MS in Pharmacokinetics. 2013 , 39, s18-s25		3
31	Sampling and Sample Preparation in Bioanalysis. 2022 , 53-82		1
30	Evaluation of acetamiprid and azoxystrobin residues and their hormonal disrupting effects on male rats using liquid chromatography-tandem mass spectrometry. <i>PLoS ONE</i> , 2021 , 16, e0259383	3.7	1
29	Microextraction-based samplers for liquid and tissue analysis. 2021 , 131-158		
28	Disposable pipette extraction: A critical review of concepts, applications, and directions.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339383	6.6	2
27	New polyamide 6 nanofibrous sorbents produced via alternating current electrospinning for the on-line solid phase extraction of small molecules in chromatography systems. <i>Microchemical Journal</i> , 2022 , 174, 107084	4.8	0
26	Sample handling in chromatography. 2022 , 453-493		0
25	Recent advances of restricted access molecularly imprinted materials and their applications in food and biological samples analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2022 , 147, 116526	14.6	2
24	Identification and quantification of β -and γ -amanitin in wild mushrooms by HPLC-UV-EC and HPLC-DAD-MS detection.		
23	Table_1.docx. 2019 ,		
22	Preparation and structural regulation of macroporous agarose microspheres for highly efficient adsorption of giant biomolecules. <i>Colloid and Polymer Science</i> ,	2.4	0
21	Monitoring of biologically active substances in clinical samples by capillary and microchip electrophoresis with contactless conductivity detection: A review. <i>Analytica Chimica Acta</i> , 2022 , 340161	6.6	0
20	Magnetic restricted-access carbon nanotubes for SPME to determine cannabinoids in plasma samples by UHPLC-MS/MS. <i>Analytica Chimica Acta</i> , 2022 , 340160	6.6	
19	Multi-residue methodology for quantification of antiparasitics in hen eggs by LC-MS/MS: development, validation and application to 348 samples from Brazil. 2022 , 39, 1412-1423		0
18	Drugs of abuse: A narrative review of recent trends in biological sample preparation and chromatographic techniques. 2022 , 30, 100442		
17	Co-occurrence of mycotoxins: A review on bioanalytical methods for simultaneous analysis in human biological samples, mixture toxicity and risk assessment strategies. 2022 , 218, 25-39		2
16	Microextraction Techniques for Sample Preparation of Amphetamines in Urine: A Comprehensive Review. 1-16		0
15	Exploring chemical diversity in Glycine max cultivars: A multivariate approach in the search for bioactive compounds against <i>Spodoptera cosmioidea</i> . 13,		0

14	A review of the modern principles and applications of solid-phase extraction techniques in chromatographic analysis.	3
13	A New Trend and Future Perspectives of the Miniaturization of Conventional Extraction Methods for Elemental Analysis in Different Real Samples: A Review. 1-19	2
12	Extraction and characterization of phenolic compounds and their potential antioxidant activities.	4
11	Determination of eight phosphatidylethanol homologues in blood by reversed phase liquid chromatography-tandem mass spectrometry □How to avoid co-elution of phosphatidylethanol and unwanted phospholipids. 2022 , 1684, 463566	○
10	A high-performance liquid chromatography-tandem mass spectrometry method for quantification of perampanel in human plasma: Effect of concomitant anti-seizure medications on perampanel concentration in patients with epilepsy. 2022 , 115155	○
9	Preparation of magnetic molybdenum disulfide for the extraction of neonicotinoid insecticides from environmental water samples. 2022 , 183, 108144	○
8	Current analytical methods to monitor type 2 diabetes medication in biological samples. 2022 , 116831	○
7	A new electromembrane extraction probe for on-line connection with capillary electrophoresis for determination of substances in biological matrices. 2023 , 254, 124149	○
6	Chromatographic Methods for the Determination of Rifampicin, Isoniazid, Pyrazinamide, Ethambutol, and Main Metabolites in Biological Samples: A Review. 1-16	○
5	Amanitins in Wild Mushrooms: The Development of HPLC-UV-EC and HPLC-DAD-MS Methods for Food Safety Purposes. 2022 , 11, 3929	○
4	Plasma levels of creatine, 2-aminobutyric acid, acetyl-carnitine and amino acids during fasting measured by counter-current electrophoresis in PAMAPTAC capillary. 2023 , 187, 108426	○
3	Simultaneous Ultra-high-performance Liquid Chromatography for the Determination of Vitamin A and Other Fat-soluble Vitamins to Assess Nutritional Status. 2012 , 355-378	○
2	Lab-in-syringe automated protein precipitation and salting-out homogenous liquid-liquid extraction coupled online to UHPLC-MS/MS for the determination of beta-blockers in serum. 2023 , 1251, 340966	○
1	Dispersive solid phase extraction of metronidazole and clarithromycin from human plasma using a □cyclodextrin grafted polyethylene polymer composite. 2023 , 46,	○