

CITATION REPORT

List of articles citing

Kinetic study and equilibrium isotherm analysis of Congo Red adsorption by clay materials

DOI: 10.1016/j.cej.2008.09.009

Chemical Engineering Journal, 2009, 148, 354-364.

Source: <https://exaly.com/paper-pdf/46150015/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
717	Fabrication of New Synthetic Routes for Functionalized Si-MCM-41 Materials as Effective Adsorbents for Water Remediation.		
716	Cation-Induced Exfoliation of Graphite by a Zwitterionic Polymeric Dispersant for Congo Red Adsorption.		
715	Supersorption Capacity of Anionic Dye by Newer Chitosan Hydrogel Capsules via Green Surfactant Exchange Method.		
714	Enhancing removal efficiency of anionic dye by combination and calcination of clay materials and calcium hydroxide. 2009 , 171, 941-7		61
713	Adsorption of sulfur dioxide on chemically modified natural clinoptilolite. Acid modification. <i>Chemical Engineering Journal</i> , 2009 , 152, 389-395	14.7	37
712	Removal of cyanide from wastewater by adsorption onto pistachio hull wastes: parametric experiments, kinetics and equilibrium analysis. 2010 , 183, 724-30		112
711	Removal of benzidine-based azo dye from aqueous solution using amide and amine-functionalized poly(ethylene terephthalate) fibers. 2010 , 11, 996-1002		14
710	Removal of Congo Red from Aqueous Solution by Sorption on Organified Rectorite. 2010 , 38, n/a-n/a		2
709	Removal of Congo Red from aqueous solution by cattail root. 2010 , 173, 292-7		171
708	Insight into removal kinetic and mechanisms of anionic dye by calcined clay materials and lime. 2010 , 177, 420-7		62
707	Development of organovermiculite-based adsorbent for removing anionic dye from aqueous solution. 2010 , 180, 499-507		58
706	Adsorption of methyl orange from aqueous solution onto calcined Lapindo volcanic mud. 2010 , 181, 755-62		185
705	Development of a pilot fluidised bed reactor system with a formulated clay-lime mixture for continuous removal of chemical pollutants from wastewater. <i>Chemical Engineering Journal</i> , 2010 , 158, 535-541	14.7	13
704	Biosorption of reactive blue 5G dye onto drying orange bagasse in batch system: Kinetic and equilibrium modeling. <i>Chemical Engineering Journal</i> , 2010 , 163, 68-77	14.7	92
703	A critical study on the adsorption of heterocyclic sulfur and nitrogen compounds by activated carbon: Equilibrium, kinetics and thermodynamics. <i>Chemical Engineering Journal</i> , 2010 , 164, 29-36	14.7	116
702	Mineral waste from coal mining for removal of astrazon red dye from aqueous solutions. 2010 , 264, 181-187		16
701	Adsorptive Mass Transport of Dye on Rice Husk Ash. 2010 , 02, 424-431		20

700	Mathematical Analysis of Equilibrium Isotherm for Reactive Dyes using Nano-cellulose containing Polyhedral Oligomeric Silsesquioxanes. 2010 , 11,		2
699	Bulk and surface properties of commercial kaolins. 2010 , 48, 446-454		72
698	Kaolin deposits and occurrences in Africa: Geology, mineralogy and utilization. 2010 , 50, 212-236		59
697	Nitric acid-treated bamboo waste as low-cost adsorbent for removal of cationic dye from aqueous solution. 2010 , 21, 357-363		12
696	Notice of Retraction: Adsorption of Congo Red by Cross-Linked Chitosan Film. 2011 ,		1
695	Removal of methyl violet from aqueous solution using a stevensite-rich clay from Morocco. 2011 , 54, 90-96		53
694	Cross-linked succinyl chitosan as an adsorbent for the removal of Methylene Blue from aqueous solution. 2011 , 49, 643-51		65
693	Preparation of nanocrystalline Fe ₃ -x La _x O ₄ ferrite and their adsorption capability for Congo red. 2011 , 196, 342-9		45
692	Adsorption of textile dyes onto iron based waterworks sludge from aqueous solution; isotherm, kinetic and thermodynamic study. <i>Chemical Engineering Journal</i> , 2011 , 173, 782-791	14.7	104
691	Congo Red adsorption by ball-milled sugarcane bagasse. <i>Chemical Engineering Journal</i> , 2011 , 178, 122-128	14.7	153
690	Equilibrium, Kinetics and Mechanism of Removal of Methylene Blue from Aqueous Solution by Adsorption onto Pine Cone Biomass of <i>Pinus radiata</i> . 2011 , 218, 499-515		247
689	Kinetic Study of BTEX Removal Using Granulated Surfactant-Modified Natural Zeolites Nanoparticles. 2011 , 219, 443-457		41
688	Utilization of ball clay adsorbents for the removal of crystal violet dye from aqueous solution. 2011 , 13, 141-151		28
687	Removal of anionic metals by amino-organoclay for water treatment. 2011 , 190, 652-8		64
686	Adsorption properties of nano-cellulose hybrid containing polyhedral oligomeric silsesquioxane and removal of reactive dyes from aqueous solution. 2011 , 83, 1516-1520		66
685	Preparation of polyethersulfone-modified sepiolite hybrid particles for the removal of environmental toxins. <i>Chemical Engineering Journal</i> , 2011 , 171, 1132-1142	14.7	46
684	Glow-discharge Electrolysis Plasma Induced Synthesis of Polyvinylpyrrolidone/Acrylic Acid Hydrogel and its Adsorption Properties for Heavy-metal Ions. 2011 , 8, 803-814		50
683	Equilibrium and kinetics studies of fluoride ions adsorption on CeO ₂ /Al ₂ O ₃ composites pretreated with non-thermal plasma. <i>Chemical Engineering Journal</i> , 2011 , 168, 665-671	14.7	68

682	Comparison of the gel anion exchangers for removal of Acid Orange 7 from aqueous solution. <i>Chemical Engineering Journal</i> , 2011 , 170, 184-193	14.7	46
681	Shrinking Core Model in characterizing aqueous phase dye adsorption. 2011 , 89, 69-77		13
680	Adsorption of nicotine from aqueous solution onto hydrophobic zeolite type USY. 2011 , 257, 8017-8023		16
679	Adsorption of 2,4-dichlorophenol on Mn-modified activated carbon prepared from <i>Polygonum orientale</i> Linn. 2011 , 266, 175-181		46
678	Removal of a hazardous azo dye (Basic Red 46) from aqueous solution by princess tree leaf. 2011 , 268, 6-11		71
677	Removal of methylene blue and crystal violet from aqueous solutions by palm kernel fiber. 2011 , 272, 225-232		233
676	Efficient anionic dye adsorption on natural untreated clay: Kinetic study and thermodynamic parameters. 2011 , 275, 74-81		186
675	Synthesis of hierarchical Ni(OH) ₂ and NiO nanosheets and their adsorption kinetics and isotherms to Congo red in water. 2011 , 185, 889-97		305
674	Synthesis and application of p-tert-butylcalix[8]arene immobilized material for the removal of azo dyes. 2011 , 186, 651-8		50
673	Mechanism of adsorption of anionic dye from aqueous solutions onto organobentonite. 2011 , 186, 1758-65		77
672	Kinetic Study for Biosorption of Malachite Green from Aqueous Solution by Pretreated <i>Penicillium</i> sp.. 2011 , 80-81, 421-425		
671	Removal of Congo red dye from aqueous solution with hydroxyapatite/chitosan composite. <i>Chemical Engineering Journal</i> , 2012 , 211-212, 336-342	14.7	197
670	Biosorption of Direct Red 28 (Congo Red) from Aqueous Solutions by Eggshells: Batch and Column Studies. 2012 , 47, 112-123		54
669	Removal of anionic dye Congo red from aqueous solution by raw pine and acid-treated pine cone powder as adsorbent: equilibrium, thermodynamic, kinetics, mechanism and process design. 2012 , 46, 1933-46		543
668	Novel Water-Soluble Calix[4,6]arene Appended Magnetic Nanoparticles for the Removal of the Carcinogenic Aromatic Amines. 2012 , 223, 4129-4139		22
667	Synthesis of LiAl Layered Double Hydroxides (LDHs) for Efficient Fluoride Removal. 2012 , 51, 11490-11498		103
666	Adsorption of Anionic-Azo Dye from Aqueous Solution by Lignocellulose-Biomass Jute Fiber: Equilibrium, Kinetics, and Thermodynamics Study. 2012 , 51, 12095-12106		82
665	Biosorption of hazardous textile dyes from aqueous solutions by hen feathers: Batch and column studies. 2012 , 29, 1567-1576		13

664	Adsorption Behaviors and Mechanisms of Methyl Orange on Heat-Treated Palygorskite Clays. 2012 , 51, 14026-14036		60
663	Removal of anionic surfactant sodium dodecyl sulphate from aqueous solution by adsorption onto pine cone biomass of Pinus Radiata: equilibrium, thermodynamic, kinetics, mechanism and process design. 2012 , 45, 263-275		18
662	Removal of p-nitrophenol and Naphthalene from Petrochemical Wastewater Using SWCNTs and SWCNT-COOH Surfaces. 2012 , 20, 85-98		40
661	Application of chitosan-coated quartz sand for Congo red adsorption from aqueous solution. 2012 , 125, 1766-1772		20
660	Adsorption characteristics, isotherm, kinetics, and diffusion of modified natural bentonite for removing diazo dye. <i>Chemical Engineering Journal</i> , 2012 , 187, 79-88	14.7	325
659	Anionic RR120 dye adsorption onto raw clay: Surface properties and adsorption mechanism. 2012 , 403, 69-78		81
658	Application of zeolite- <i>Arthrobacter viscosus</i> system for the removal of heavy metal and dye: Chromium and Azure B. 2012 , 284, 150-156		56
657	Catalytic behavior and detoxifying ability of an atypical homotrimeric laccase from the thermophilic strain <i>Scytalidium thermophilum</i> on selected azo and triarylmethane dyes. 2012 , 79, 41-48		30
656	Performance evaluation of a photo-Fenton process applied to pollutant removal from textile effluents in a batch system. 2012 , 104, 1-8		45
655	Characterization of chitosan/montmorillonite membranes as adsorbents for Bezactiv Orange V-3R dye. 2012 , 209-210, 256-63		120
654	Lignocellulosic jute fiber as a bioadsorbent for the removal of azo dye from its aqueous solution: Batch and column studies. 2013 , 129, 15-27		27
653	Comparative study on adsorption of two cationic dyes by milled sugarcane bagasse. 2013 , 42, 41-49		129
652	One-step synthesis of different morphologies of magnetic Co modified by ethylenediamine. 2013 , 15, 1		3
651	Biosorption of methylene blue from aqueous solutions on Cyclodextrin grafting wood flour copolymer: kinetic and equilibrium studies. 2013 , 47, 1177-1196		9
650	In situ synthesis of silver nanoparticles onto cotton fibres modified with plasma treatment and acrylic acid grafting. 2013 , 8, 315-318		23
649	Adsorption of Congo Red from Aqueous Solution on Surfactant-Modified Zeolites with Different Coverage Types: Behavior and Mechanism. 2013 , 48, 2036-2046		11
648	A Comparison of New Gemini Surfactant Modified Clay with its Monomer Modified One: Characterization and Application in Methyl Orange Removal. 2013 , 58, 1760-1771		19
647	The preparation of organo-bentonite by a new gemini and its monomer surfactants and the application in MO removal: A comparative study. <i>Chemical Engineering Journal</i> , 2013 , 219, 469-477	14.7	32

646	Experimental investigation of phosphorus adsorption capacity of the waterworks sludges from five cities in China. 2013 , 53, 165-172		39
645	Facile preparation of hierarchical hollow structure gamma alumina and a study of its adsorption capacity. 2013 , 283, 1032-1040		55
644	Removal of 2,4-dichlorophenol using cyclodextrin-ionic liquid polymer as a macroporous material: characterization, adsorption isotherm, kinetic study, thermodynamics. 2013 , 263 Pt 2, 501-16		72
643	Removal of copper(II) from an aqueous solution with copper(II)-imprinted chitosan microspheres. 2013 , 128, 3631-3638		24
642	Ozonation-based decolorization of food dyes for recovery of fruit leather wastes. 2013 , 61, 8198-206		9
641	Adsorption of Acid red onto chitosan/rectorite composites from aqueous solution. 2013 , 3, 21685		21
640	Effect of water on size-controllable synthesis of mesoporous Fe ₃ O ₄ microspheres and their applications in waste water treatment. 2013 , 15, 4755		27
639	Treatment of industrial wastewater containing Congo Red and Naphthol Green B using low-cost adsorbent. 2013 , 20, 1106-16		72
638	Adsorption characteristics of triclosan from aqueous solution onto cetylpyridinium bromide (CPB) modified zeolites. <i>Chemical Engineering Journal</i> , 2013 , 219, 361-370	14.7	46
637	Ackee apple (<i>Blighia sapida</i>) seeds: a novel adsorbent for the removal of Congo Red dye from aqueous solutions. 2013 , 29, 58-71		30
636	Investigation of Kinetics and Isotherm Models for the Acid Orange 95 Adsorption from Aqueous Solution onto Natural Minerals. 2013 , 58, 551-559		36
635	An Insight Into the Production, Characterization, and Mechanisms of Action of Low-Cost Adsorbents for Removal of Organics From Aqueous Solution. 2013 , 43, 443-549		27
634	Modeling of adsorption isotherms and kinetics of Remazol Red RB adsorption from aqueous solution by modified clay. 2013 , 51, 2726-2739		28
633	A novel and simple pathway to synthesis of porous polyurea absorbent and its tests on dye adsorption and desorption. 2013 , 24, 287-290		15
632	Removal of C.I. Basic Blue 3 dye by sorption onto cation exchange resin, functionalized and non-functionalized polymeric sorbents from aqueous solutions and wastewaters. <i>Chemical Engineering Journal</i> , 2013 , 217, 414-425	14.7	64
631	Equilibrium, Kinetic, and Thermodynamic Studies of Azo Dye Adsorption from Aqueous Solution by Chemically Modified Lignocellulosic Jute Fiber. 2013 , 52, 6502-6512		128
630	Polyethersulfone enwrapped graphene oxide porous particles for water treatment. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 72-81	14.7	98
629	Investigation of equilibrium, kinetic, thermodynamic and mechanism of Basic Blue 16 adsorption by montmorillonitic clay. 2013 , 19, 757-768		32

628	Efficient removal of Congo red from aqueous solutions by adsorption onto interconnected polypyrrole/polyaniline nanofibres. <i>Chemical Engineering Journal</i> , 2013 , 228, 506-515	14.7	169
627	Synthesis of porous hierarchical MgO and its superb adsorption properties. 2013 , 5, 12411-8		180
626	Synthesis and characterisation of Ni(OH) ₂ and NiO nanosheets and their removal properties of azo dyes from aqueous solution. 2013 , 28, 310-315		14
625	Biosorption of Ni(II), Cr(III), and Co(II) from Solutions Using <i>Acalypha hispida</i> Leaf: Kinetics, Equilibrium, and Thermodynamics. 2013 , 2013, 1-8		13
624	Adsorption of Congo Red from Aqueous Solution onto Chitosan/Rectorite Composite. 2013 , 690-693, 438-441		5
623	Biosorption of C. I. Reactive Red 2 from Aqueous Solution by <i>Saccharomyces Cerevisiae</i> . 2013 , 739, 327-331		
622	Formation of Carbon Aerogels From Glucose and as Adsorbents for Removal of Methylene Blue. 2013 , 3,		1
621	Investigation of adsorption of the dyestuff astrazon red violet 3rn (basic violet 16) on montmorillonite clay. 2014 , 31, 171-182		43
620	Preparation of chitosan coated magnetic hydroxyapatite nanoparticles and application for adsorption of reactive blue 19 and Ni ²⁺ ions. 2014 , 2014, 273082		15
619	Potential of Green Nanoemulsions in Removal of Congo Red from Aqueous Solution. 2014 , 49, 2568-2573		2
618	Temperature effect on chromium(VI) removal by Mg/Al mixed metal oxides as adsorbents. 2014 , 102, 246-253		33
617	Fabrication and Adsorption Behavior for Congo Red of Chitosan and Alginate Sponge. 2014 , 151, 61-75		6
616	Simultaneous removal of co-contaminants: acid brilliant violet and Cu ²⁺ by functional bimetallic Fe/Pd nanoparticles. 2014 , 16, 1		1
615	Efficient Removal of Congo Red from Aqueous Solutions by Surfactant-Modified Hydroxo Aluminum/Graphene Composites. 2014 , 49, 2700-2710		15
614	Adsorption and desorption studies of Congo red using low-cost adsorbent: activated de-oiled mustard. 2014 , 52, 7400-7411		9
613	Spent Mushroom Compost as Biosorbent for Dye Biosorption. 2014 , 42, 1721-1728		24
612	Removal of Indosol Turquoise FBL dye from aqueous solution by bagasse, a low cost agricultural waste: batch and column study. 2014 , 52, 184-198		44
611	Rubber seeds (<i>Hevea brasiliensis</i>): an adsorbent for adsorption of Congo red from aqueous solution. 2014 , 1-12		4

610	Magnetic mesoporous clay adsorbent: Preparation, characterization and adsorption capacity for atrazine. 2014 , 194, 72-78		74
609	Use of hydroxypropyl-β-cyclodextrin/polyethylene glycol 400, modified Fe ₃ O ₄ nanoparticles for congo red removal. 2014 , 64, 233-9		38
608	Characteristics, modification and environmental application of Yemeni natural bentonite. 2014 , 7, 841-853		11
607	Isotherms for the sorption of zinc and copper onto kaolinite: comparison of various error functions. 2014 , 11, 111-118		21
606	Adsorption of phenanthrene on Al (oxy)hydroxides formed under the influence of tannic acid. 2014 , 71, 773-782		7
605	Evaluation of peanut husk as a novel, low cost biosorbent for the removal of Indosol Orange RSN dye from aqueous solutions: batch and fixed bed studies. 2014 , 16, 527-544		60
604	Adsorption of the anionic dye Congo red from aqueous solution onto natural zeolites modified with N,N-dimethyl dehydroabietylamine oxide. <i>Chemical Engineering Journal</i> , 2014 , 248, 135-144	14.7	203
603	Adsorption of soluble oil from water to graphene. 2014 , 21, 6495-505		13
602	PVA/Gluten Hybrid Nanofibers for Removal of Nanoparticles from Water. 2014 , 2, 1014-1021		56
601	The investigation into the ammonium removal performance of Yemeni natural zeolite: Modification, ion exchange mechanism, and thermodynamics. 2014 , 258, 20-31		104
600	The adsorption mechanism of anionic and cationic dyes by Jerusalem artichoke stalk-based mesoporous activated carbon. 2014 , 2, 220-229		108
599	Dye and its removal from aqueous solution by adsorption: a review. 2014 , 209, 172-84		2204
598	Feather Keratin Deposits as Biosorbent for the Removal of Methylene Blue from Aqueous Solution: Equilibrium, Kinetics, and Thermodynamics Studies. 2014 , 225, 1		14
597	Molecular Simulation Assisted Design and Preparation of Magnetic Molecularly Imprinted Polymers and Their Characteristics. 2014 , 42, 249-257		5
596	Pyronin Y (basic xanthene dye)-bentonite composite: A spectroscopic study. 2014 , 1059, 271-279		4
595	Removal of Congo red from aqueous solution by two variants of calcium and iron based mixed oxide nano-particle agglomerates. 2014 , 20, 2119-2129		27
594	Synthesis and Characterisation of Novel-Activated Carbon from Waste Biomass Pine Cone and Its Application in the Removal of Congo Red Dye from Aqueous Solution by Adsorption. 2014 , 225, 1		104
593	Enhancement of the anionic dye adsorption capacity of clinoptilolite by Fe(3+)-grafting. 2014 , 267, 1-8		42

592	Equilibrium modeling for adsorptive removal of Indosol Black NF dye by low-cost agro-industrial waste: batch and continuous study. 2014 , 52, 4492-4507	6
591	Adsorption of Congo red from aqueous solutions using cationic surfactant modified wheat straw in batch mode: Kinetic and equilibrium study. 2014 , 45, 2578-2583	99
590	Magnetically separable Ni _{0.6} Fe _{2.4} O ₄ nanoparticles as an effective adsorbent for dye removal: Synthesis and study on the kinetic and thermodynamic behaviors for dye adsorption. <i>Chemical Engineering Journal</i> , 2014 , 258, 218-228	14.7 107
589	Graphene oxide interpenetrated polymeric composite hydrogels as highly effective adsorbents for water treatment. 2014 , 4, 42346-42357	38
588	Synthesis and characterization of a starch/AlOOH/FeS ₂ nanocomposite for the adsorption of congo red dye from aqueous solution. 2014 , 4, 38334-38340	61
587	Morphological structures of the cellulose hybrids containing polyhedral oligomeric silsesquioxane and their application for removing C.I. Reactive Red 250. 2014 , 15, 1399-1405	3
586	Multifunctional gold coated rare-earth hydroxide fluoride nanotubes for simultaneous wastewater purification and quantitative pollutant determination. 2014 , 52, 122-127	6
585	Preparation and characterization of activated carbon from aquatic macrophyte debris and its ability to adsorb anthraquinone dyes. 2014 , 20, 3461-3466	14
584	Fabrication of porous ZrO ₂ hollow sphere and its adsorption performance to Congo red in water. 2014 , 40, 10847-10856	74
583	Comparative study of different systems for adsorption and catalytic oxidation of hexamine in industrial wastewaters. 2014 , 20, 37-45	15
582	Removal of Basic Red 5 on Calcined Kaolinite [Characterization and Adsorption Kinetics. 2014 , 51, 59-71	1
581	Synthesis and characterization of magnetic porous Fe ₃ O ₄ /poly(methylmethacrylate-co-divinylbenzene) microspheres and their use in removal of Rhodamine B. 2015 , 16, 669-679	4
580	The adsorption behavior of anionic dye onto bentonite materials. 2015 , 2879-2883	
579	Adsorption of Organic Dyes by TiO ₂ @Yeast-Carbon Composite Microspheres and Their In Situ Regeneration Evaluation. 2015 , 2015, 1-13	5
578	. 2015 ,	34
577	Natural Clay Minerals as Environmental Cleaning Agents. 2015 , 5-37	13
576	Graphene oxide-based polymeric membranes for broad water pollutant removal. 2015 , 5, 100651-100662	30
575	Ionic liquid-assisted formation of lanthanide metal-organic framework nano/microrods for superefficient removal of Congo red. 2015 , 31, 899-903	12

574	Effect of molecular structure on the adsorption behavior of cationic dyes onto natural vermiculite. 2015 , 156, 489-495	28
573	Enhanced atrazine adsorption from aqueous solution using chitosan-modified sepiolite. 2015 , 22, 4168-4176	14
572	Synthesis, characterisation and application of TiO ₂ /zeolite nanocomposites for the advanced treatment of industrial dye wastewater. 2015 , 50, 288-296	71
571	Removal of Malachite Green from water using hydrothermally carbonized pine needles. 2015 , 5, 7909-7920	48
570	Enhanced adsorption of aqueous perchlorate on quaternary ammonium chloride surfactant-modified activated carbon fibers. 2015 , 55, 484-495	3
569	Application of cross-linked porous chitosan films for Congo red adsorption from aqueous solution. 2015 , 53, 1970-1976	9
568	Development of a polyaniline-lignocellulose composite for optimal adsorption of Congo red. 2015 , 75, 199-209	41
567	Optimizing decolorization of Acid Fuchsin and Acid Orange II solution by MnO ₂ loaded MCM-41. 2015 , 50, 205-214	25
566	Box-Behnken design optimization for the removal of Direct Violet 51 dye from aqueous solution using lignocellulosic waste. 2015 , 56, 2425-2437	14
565	Chitosan/organic rectorite composite for the magnetic uptake of methylene blue and methyl orange. 2015 , 123, 89-98	96
564	Adsorption removal of Congo red from aqueous solution by polyhedral Cu ₂ O nanoparticles: Kinetics, isotherms, thermodynamics and mechanism analysis. 2015 , 633, 338-346	146
563	Preparation of biomorphic Ni ₃ (OH) ₂ (NO ₃) ₂ LDHs using cotton from discarded T-shirt as a template and the adsorption capability for Congo red. 2015 , 41, 7899-7914	8
562	Interactions of the dye, C.I. direct orange 34 with natural clay. 2015 , 647, 720-727	34
561	Novel tunable composites based on bentonite and modified tragacanth gum for removal of acid dyes from aqueous solutions. 2015 , 5, 55731-55745	24
560	Removal of Reactive Turquoise Blue Dye from Aqueous Solution Using a Non-Conventional Natural Adsorbent. 2015 , 50, 1616-1628	7
559	Modification of acid-activated kaolinite with TiO ₂ and its use for the removal of azo dyes. 2015 , 114, 558-567	42
558	Simple route for the generation of differently functionalized PVC@graphene/polyaniline fiber bundles for the removal of Congo red from wastewater. 2015 , 5, 61486-61494	35
557	Adsorption characteristics of amino acids on to calcium oxalate. 2015 , 454, 144-51	22

556	Removal of various anionic dyes using sodium alginate/poly(N-vinyl-2-pyrrolidone) blend hydrogel beads. 2015 , 72, 1735-1752	36
555	Synthesis and characterization of ferric tannate as a novel porous adsorptive-catalyst for nitrogen removal from wastewater. 2015 , 5, 40785-40791	31
554	Valorization of an agricultural waste, <i>Stipa tenassicima</i> fibers, by biosorption of an anionic azo dye, Congo red. 2015 , 54, 245-254	25
553	The use of a forest waste biomass, cone of <i>Pinus brutia</i> for the removal of an anionic azo dye Congo red from aqueous medium. 2015 , 55, 1956-1965	18
552	Preparation of Fly Ash/CeO ₂ Composite and its Adsorption Kinetics for Congo Red Dye from Aqueous Solution. 2015 , 814, 458-463	
551	Dye Adsorption on Expanding Three-Layer Clays. 2015 , 331-358	
550	Influence of calcination atmosphere on adsorptive performance of composite minerals materials. 2015 , 118, 138-150	4
549	Using activated carbon prepared from <i>Typha orientalis</i> Presl to remove phenol from aqueous solutions. 2015 , 84, 209-217	28
548	Synthesis of bimetallic Fe/Zn nanoparticles and its application towards adsorptive removal of carcinogenic dye malachite green and Congo red in water. 2015 , 212, 227-236	109
547	Ordered mesoporous carbons modified with cerium as effective adsorbents for azo dyes removal. 2015 , 154, 236-245	50
546	Efficient adsorption of malachite green and Congo red dyes by the surfactant (DS) intercalated layered hydroxide containing Zn ²⁺ and Y ³⁺ -ions. 2015 , 118, 308-315	11
545	Kinetic, equilibrium and thermodynamic study on the removal of Congo Red from aqueous solutions by adsorption onto apricot stone. 2015 , 98, 424-436	109
544	Adsorption of EDTA onto calcium oxalate monohydrate. 2015 , 5, 86795-86802	3
543	Dry separation of iron minerals from low-grade coal-series kaolin. 2015 , 30, 935-940	3
542	Synthesis of a 3D hierarchical structure of γ -AlO(OH)/Mg-Al-LDH/C and its performance in organic dyes and antibiotics adsorption. 2015 , 3, 21106-21115	66
541	Cellulose nanocrystal/alginate hydrogel beads as novel adsorbents for organic dyes in aqueous solutions. 2015 , 22, 3725-3738	177
540	Adsorption behaviour of congo red by cellulose/chitosan hydrogel beads regenerated from ionic liquid. 2015 , 1-11	8
539	Adsorption of p-nitrophenol from aqueous solutions using nanographite oxide. 2015 , 464, 78-88	98

538	Surface-functionalized silica aerogels and alcogels for methylene blue adsorption. 2015 , 5, 6111-6122	42
537	Removal of petroleum sulfonate from aqueous solution by hydroxide precipitates generated from leaching solution of white mud. <i>Chemical Engineering Journal</i> , 2015 , 264, 672-680	14.7 15
536	Activating natural bentonite as a cost-effective adsorbent for removal of Congo-red in wastewater. 2015 , 21, 653-661	102
535	Kinetic and thermodynamic aspects of cadmium adsorption onto raw and activated guava (<i>Psidium guajava</i>) leaves. 2015 , 34, 351-358	23
534	Utilization of the agricultural waste (<i>Cicer arietinum</i> Linn fruit shell biomass) as biosorbent for decolorization of Congo red. 2015 , 56, 2181-2192	14
533	Removal of Lissamine rhodamine B and acid orange 10 from aqueous solution using activated carbon/surfactant: Process optimization, kinetics and equilibrium. 2015 , 47, 149-159	23
532	Rapid selective separation and recovery of a specific target dye from mixture consisted of different dyes by magnetic Ca-ferrites nanoparticles. <i>Chemical Engineering Journal</i> , 2015 , 262, 517-526	14.7 65
531	Removal of Remazol Brilliant Blue Reactive Dye from Aqueous Solutions Using Watermelon Rinds as Adsorbent. 2015 , 36, 845-858	21
530	Comparison of linear and nonlinear forms of isotherm models for Zn(II) and Cu(II) sorption on a kaolinite. 2015 , 8, 397-402	3
529	Synthesis and adsorption studies of NiO nanoparticles in the presence of H2acacen ligand, for removing Rhodamine B in wastewater treatment. 2015 , 93, 282-292	90
528	Use of N-methylformanilide as swelling agent for meta-aramid fibers dyeing: Kinetics and equilibrium adsorption of Basic Blue 41. 2015 , 113, 554-561	36
527	A new alternative adsorbent for the removal of cationic dyes from aqueous solution. 2016 , 9, S466-S474	77
526	Biosorption Kinetic Models on the Removal of Congo red onto Unripe Calamansi (<i>Citrus microcarpa</i>) peels. 2016 , 32, 2889-2900	2
525	Removal of Fluoride from Aqueous Solutions Using Chitosan Cryogels. 2016 , 2016, 1-13	5
524	Clay Minerals: Structure, Chemistry, and Significance in Contaminated Environments and Geological CO2 Sequestration. 2016 , 543-567	10
523	Adsorption Performance of Methyl Violet via Fe2O3@Porous Hollow Carbonaceous Microspheres and Its Effective Regeneration through a Fenton-Like Reaction. 2016 , 6, 58	13
522	Removal of methylene blue dye from artificially contaminated water using citrus limetta peel waste as a very low cost adsorbent. 2016 , 66, 154-163	162
521	Adsorption of acetone and isopropanol on organic acid modified activated carbons. 2016 , 4, 2045-2051	27

520	Enhanced decolorization of dyes by an iron modified clay and thermodynamic parameters. 2016 , 73, 2007-16	3
519	Evaluation of natural and cationic surfactant modified pumice for congo red removal in batch mode: Kinetic, equilibrium, and thermodynamic studies. 2016 , 221, 1-11	67
518	Multiwall carbon nanotubes decorated on calcined eggshell waste as a novel nano-sorbent: Application for anionic dye Congo red removal. 2016 , 109, 824-834	44
517	Kinetic, thermodynamic and equilibrium studies on the removal of copper ions from aqueous solutions by natural and modified clinoptilolites. 2016 , 33, 1629-1639	6
516	Controlled calcination of ZnSe and ZnTe nanospheres to prepare visible-light catalysts with enhanced photostability and photoactivity. 2016 , 51, 11021-11037	11
515	Adsorption behavior of modified Iron stick yam skin with Polyethyleneimine as a potential biosorbent for the removal of anionic dyes in single and ternary systems at low temperature. 2016 , 222, 285-293	28
514	Efficient adsorptive removal of Congo red from aqueous solution by synthesized zeolitic imidazolate framework-8. 2016 , 28, 199-208	36
513	PEG-assisted hydrothermal synthesis of CoFe ₂ O ₄ nanoparticles with enhanced selective adsorption properties for different dyes. 2016 , 389, 1003-1011	83
512	The adsorption performance of Vat Scarlet R on natural superfine needle down particles. 2016 , 132, 28-34	1
511	Immobilization of dye pollutants on iron hydroxide coated substrates: kinetics, efficiency and the adsorption mechanism. 2016 , 4, 13280-13288	42
510	Garlic root biomass as novel biosorbents for malachite green removal: Parameter optimization, process kinetics and toxicity test. 2016 , 32, 647-654	11
509	Adsorption of phenols from contaminated water through titania-silica mixed imidazolium based ionic liquid: Equilibrium, kinetic and thermodynamic modeling studies. 2016 , 53, 619-628	7
508	Easily Separated a Novel rGO-MMT Three-Dimensional Aerogel with Good Adsorption and Recyclable Property. 2016 , 1, 5828-5837	9
507	Surface modification of hollow magnetic Fe ₃ O ₄ @NH ₂ -MIL-101(Fe) derived from metal-organic frameworks for enhanced selective removal of phosphates from aqueous solution. 2016 , 6, 30651	44
506	Kinetics and isotherms studies for congo red adsorption on mesoporous Eupatorium adenophorum-based activated carbon via microwave-induced H ₃ PO ₄ activation. 2016 , 224, 737-744	23
505	Adsorptive amputation of hazardous azo dye Congo red from wastewater: a critical review. 2016 , 23, 14810-53	96
504	Removal of methylene blue from aqueous solution by Artist's Bracket fungi: kinetic and equilibrium studies. 2016 , 73, 2832-40	12
503	Biosorption of Congo Red from aqueous solution by crab shell residue: a comprehensive study. 2016 , 5, 537	8

502	Adsorption of methylene blue from aqueous solution using untreated and treated (Metroxylon spp.) waste adsorbent: equilibrium and kinetics studies. 2016 , 7, 333-345	49
501	Biodegradation of two Azo dyes using Dietzia sp. PD1: process optimization using Response Surface Methodology and Artificial Neural Network. 2016 , 57, 7293-7301	18
500	Removal of a common textile dye, navy blue (NB), from aqueous solutions by combined process of coagulation-flocculation followed by adsorption. 2016 , 57, 5200-5211	23
499	Hierarchically porous NiO@Al ₂ O ₃ nanocomposite with enhanced Congo red adsorption in water. 2016 , 6, 10272-10279	56
498	Removal of the anionic dye Biebrich scarlet from water by adsorption to calcined and non-calcined MgAl layered double hydroxides. 2016 , 57, 22061-22073	21
497	Crosslinked cellulose dialdehyde for Congo red removal from its aqueous solutions. 2016 , 4, 1126-1136	43
496	Adsorption of Congo red from water with spindle-like boehmite: the role of lattice plane (020). 2016 , 6, 11855-11862	17
495	Adsorption of Congo red azo dye on nanosized SnO ₂ derived from sol-gel method. 2016 , 7, 53-70	28
494	Fixed-bed column studies for the removal of anionic dye from aqueous solution using TiO ₂ @glucose carbon composites and bed regeneration study. 2016 , 27, 867-877	8
493	Evaluation of physicochemical methods in enhancing the adsorption performance of natural zeolite as low-cost adsorbent of methylene blue dye from wastewater. 2016 , 118, 197-209	95
492	Novel activated carbon prepared from an agricultural waste, Stipa tenacissima, based on ZnCl ₂ activation-characterization and application to the removal of methylene blue. 2016 , 57, 24056-24069	19
491	Effective utilization of calcareous soil towards the removal of methylene blue from aqueous solution. 2016 , 18, 867-881	7
490	High removal performance of dissolved oil from aqueous solution by sorption using fatty acid esterified pineapple leaves as novel sorbents. 2016 , 6, 13710-13722	9
489	Comparison of palladium/zinc oxide photocatalysts prepared by different palladium doping methods for congo red degradation. 2016 , 466, 128-37	81
488	Preparation of activated carbons from peach stone by HPO activation and its application for the removal of Acid Red 18 and dye containing wastewater. 2016 , 51, 164-177	16
487	Synthesis, characterization and sorption studies of nano lanthanum oxide. 2016 , 9, 29-37	19
486	Modification of MgAl hydrotalcite by ammonium sulfate for enhancement of lead adsorption. 2016 , 60, 361-368	8
485	Removal of roxarsone from aqueous solution by Fe/La-modified montmorillonite. 2016 , 57, 20520-20533	10

484	Influence of porosity and surface modification on the adsorption of both cationic and anionic dyes. 2016 , 490, 30-40	19
483	Wasted cockle shell (<i>Anadara granosa</i>) as a natural adsorbent for treating polluted river water in the fabricated column model (FCM). 2016 , 57, 16395-16403	5
482	Study on the sorption process of triclosan on cationic microfibrillated cellulose and its antibacterial activity. 2016 , 136, 493-8	19
481	Synthesis, characterization, and property testing of PGS/P(AMPS-co-AM) superabsorbent hydrogel initiated by glow-discharge electrolysis plasma. 2016 , 294, 257-270	16
480	Removal of Congo Red from the aqueous phase by chitin and chitosan from waste shrimp. 2016 , 57, 14674-14685	14
479	Adsorption of congo red from aqueous solution using various TiO ₂ nanoparticles. 2016 , 57, 13318-13333	14
478	Ag-doped hydroxyapatite as efficient adsorbent for removal of Congo red dye from aqueous solution: Synthesis, kinetic and equilibrium adsorption isotherm analysis. 2016 , 219, 134-144	81
477	Use of polyethyleneimine-modified wheat straw for adsorption of Congo red from solution in batch mode. 2016 , 57, 8872-8883	24
476	A hierarchically porous MgFe ₂ O ₄ /Fe ₂ O ₃ magnetic microspheres for efficient removals of dye and pharmaceutical from water. <i>Chemical Engineering Journal</i> , 2016 , 283, 524-534	14.7 67
475	Comparative study of chitin and chitosan beads for the adsorption of hazardous anionic azo dye Congo Red from wastewater. 2016 , 57, 9247-9262	29
474	Utilization of inactivated aerobic granular sludge as a potential adsorbent for the removal of sunset yellow FCF. 2016 , 57, 7334-7344	6
473	Photocatalytic performance of activated carbon-supported mesoporous titanium dioxide. 2016 , 57, 10859-10868	14
472	Biosorption of Congo Red from aqueous solution onto burned root of <i>Eichhornia crassipes</i> biomass. 2017 , 7, 1841-1854	29
471	Enhanced adsorption removal of anionic dyes via a facile preparation of amino-functionalized magnetic silica. 2017 , 75, 1399-1409	2
470	An update on synthetic dyes adsorption onto clay based minerals: A state-of-art review. 2017 , 191, 35-57	237
469	Fabrication of ZIF-9@super-macroporous microsphere for adsorptive removal of Congo red from water. 2017 , 7, 6288-6296	19
468	Sequestration of methylene blue (MB) dyes from aqueous solution using polyaniline and polyaniline/citroprusside composite. 2017 , 52, 6506-6524	7
467	Adsorption of copper (II) onto cameroonian clay modified by non-thermal plasma: Characterization, chemical equilibrium and thermodynamic studies. 2017 , 142, 136-144	9

466	l-cysteine-reduced graphene oxide/poly(vinyl alcohol) ultralight aerogel as a broad-spectrum adsorbent for anionic and cationic dyes. 2017 , 52, 5807-5821	32
465	Chromium adsorption using waste tire and conditions optimization by response surface methodology. 2017 , 5, 2740-2751	50
464	Removal of astrazon golden yellow 7GL from colored wastewater using chemically modified clay. 2017 , 24, 743-753	14
463	Sol-gel derived xanthan gum/silica nanocomposite-a highly efficient cationic dyes adsorbent in aqueous system. 2017 , 103, 596-604	34
462	Synthesis of functionalized MgAl-layered double hydroxides via modified mussel inspired chemistry and their application in organic dye adsorption. 2017 , 505, 168-177	49
461	Novel application of red mud: Facile hydrothermal-thermal conversion synthesis of hierarchical porous AlOOH and Al ₂ O ₃ microspheres as adsorbents for dye removal. <i>Chemical Engineering Journal</i> , 2017 , 321, 622-634	14.7 52
460	Methylene blue adsorption using chabazite: Kinetics and equilibrium modelling. 2017 , 95, 1760-1767	9
459	Adsorptive removal of congo red from aqueous solution by sonochemically synthesized NiAl layered double hydroxide. 2017 , 5, 2056-2067	24
458	Surface functionalized SiO ₂ nanoparticles with cationic polymers via the combination of mussel inspired chemistry and surface initiated atom transfer radical polymerization: Characterization and enhanced removal of organic dye. 2017 , 499, 170-179	205
457	Preparation of polymeric silica composites through polydopamine-mediated surface initiated ATRP for highly efficient removal of environmental pollutants. 2017 , 193, 501-511	21
456	Effect of forestry-waste biochars on adsorption of Pb(II) and antibiotic florfenicol in red soil. 2017 , 24, 3861-3871	7
455	Preparation of mesoporous material from hydrotalcite/carbon composite precursor for chromium(VI) removal. 2017 , 70, 302-310	15
454	Folic acid modified cross-linked cationic polymer: Synthesis, characterization and application of the removal of Congo red dye from aqueous medium. 2017 , 227, 87-97	18
453	Adsorptive Removal of Arsenic and Mercury from Aqueous Solutions by Eucalyptus Leaves. 2017 , 228, 1	31
452	Mechanism of Congo red adsorption on new sol-gel-derived hydroxyapatite nano-particle. 2017 , 202, 340-351	42
451	Enhanced Congo red dye removal from aqueous solutions using iron nanoparticles: adsorption, kinetics, and equilibrium studies. 2017 , 46, 15470-15479	70
450	Bio-butanol sorption performance on novel porous-carbon adsorbents from corncob prepared via hydrothermal carbonization and post-pyrolysis method. 2017 , 7, 11753	12
449	Low-Cost and High-Capacity Dye Remover: a Study of Methylene Blue Adsorption by a Thermoplastic-Elastomer Blend System. 2017 , 228, 1	2

448	Sustainable catalytic properties of silver nanoparticles supported montmorillonite for highly efficient recyclable reduction of methylene blue. 2017 , 150, 47-55		38
447	Enhancing the Adsorption Capacity of Hematite by Manganese Doping: Facile Synthesis and its Application in the Removal of Congo Red. 2017 , 38, 1155-1162		7
446	Enhanced adsorption of anionic dyes by surface fluorination of zinc oxide: A straightforward method for numerical solving of the ideal adsorbed solution theory (IAST). <i>Chemical Engineering Journal</i> , 2017 , 330, 407-418	14.7	24
445	Effect of extracellular polymeric substance components on the sorption behavior of 2,2',4,4'-tetrabromodiphenyl ether to soils: Kinetics and isotherms. 2017 , 609, 144-152		10
444	Multifunctional graphene/poly(vinyl alcohol) aerogels: In situ hydrothermal preparation and applications in broad-spectrum adsorption for dyes and oils. 2017 , 123, 354-363		63
443	Removal and Extraction of Para-Nitrophenol from Aqueous Samples Using Graphene Magnetic Nanocomposite. 2017 , 42, 4465-4472		7
442	Adsorptive removal of anionic azo dye from aqueous solution using activated carbon derived from extracted coffee residues. 2017 , 166, 360-368		30
441	Photocatalytic degradation of methyl orange and bromophenol blue dyes in water using sol-gel synthesized TiO ₂ nanoparticles. 2017 , 4, 095020		13
440	Scavenging Rhodamine B dye using moringa oleifera seed pod. 2017 , 29, 120-134		34
439	Adsorption of methylene blue, crystal violet and congo red from binary and ternary systems with natural clay: Kinetic, isotherm, and thermodynamic. 2017 , 5, 5921-5932		68
438	Acid Blue 113 removal from aqueous solution using novel biosorbent based on NaOH treated and surfactant modified fallen leaves of Prunus Dulcis. 2017 , 5, 3384-3394		57
437	High-performance adsorption and separation of anionic dyes in water using a chemically stable graphene-like metal-organic framework. 2017 , 46, 10197-10201		77
436	Adsorption and desorption kinetics of toxic organic and inorganic ions using an indigenous biomass: Terminalia ivorensis seed waste. 2017 , 8, 207-220		13
435	Hierarchical flower-like nickel(II) oxide microspheres with high adsorption capacity of Congo red in water. 2017 , 504, 688-696		125
434	Effective Adsorption and Removal of Phosphate from Aqueous Solutions and Eutrophic Water by Fe-based MOFs of MIL-101. 2017 , 7, 3316		122
433	Malachite green removal from aqueous solutions using fibrous cellulose sulfate prepared from medical cotton waste: Comprehensive batch and column studies. 2017 , 55, 128-139		29
432	Synthesis of novel hierarchically porous Fe ₃ O ₄ @MgAl-LDH magnetic microspheres and its superb adsorption properties of dye from water. 2017 , 46, 315-323		109
431	Kinetic, equilibrium and thermodynamic phenomenological modeling of reactive dye adsorption onto polymeric adsorbent. <i>Chemical Engineering Journal</i> , 2017 , 307, 466-475	14.7	120

430	Liquid phase adsorption of Congo red dye on functionalized corn cobs. 2017 , 38, 1285-1294	28
429	Synthesis of malachite@clay nanocomposite for rapid scavenging of cationic and anionic dyes from synthetic wastewater. 2017 , 51, 97-110	36
428	A facile approach towards amino-coated polyethersulfone particles for the removal of toxins. 2017 , 485, 39-50	37
427	Production and characterization of activated carbon from wood wastes. 2017 , 935, 012012	10
426	Adsorption of phosphate from aqueous solution using electrochemically modified biochar calcium-alginate beads: Batch and fixed-bed column performance. 2017 , 244, 23-32	79
425	The Adsorption Capacity of GONs/CMC/Fe ³⁺ Magnetic Composite Microspheres and Applications for Purifying Dye Wastewater. 2017 , 10,	8
424	Adsorption Mechanism of Direct Red on Cellulose Acetate from Ananas Comous Leaves. 2017 , 33, 3144-3149	6
423	Efficient Absorption of Antibiotic from Aqueous Solutions over MnO ₂ @SA/Mn Beads and Their In Situ Regeneration by Heterogeneous Fenton-Like Reaction. 2017 , 2017, 1-13	0
422	Dyes removal from water using low cost absorbents. 2017 , 935, 012011	4
421	Performance Study of a Low-cost Adsorbent-Raw Date Pits-for Removal of Azo Dye in Aqueous Solution. 2017 , 89, 827-839	11
420	Adsorption of ethylenediaminetetraacetic dianhydride modified oxalate decarboxylase on calcium oxalate. 2018 , 93, 220-229	2
419	Comparison the removal of reactive red 195 dye using powder and ash of barberry stem as a low cost adsorbent from aqueous solutions: Isotherm and kinetic study. 2018 , 255, 572-577	32
418	In situ co-precipitation preparation of a superparamagnetic graphene oxide/FeO nanocomposite as an adsorbent for wastewater purification: synthesis, characterization, kinetics, and isotherm studies. 2018 , 25, 17310-17320	19
417	MCM-48 encapsulated with reduced graphene oxide/graphene oxide and as-synthesised MCM-48 application in remediation of pharmaceuticals from aqueous system. 2018 , 261, 540-549	19
416	Extraneous dissolved organic matter enhanced adsorption of dibutyl phthalate in soils: Insights from kinetics and isotherms. 2018 , 631-632, 1495-1503	37
415	Redox-Responsive Covalent Organic Nanosheets from Viologens and Calix[4]arene for Iodine and Toxic Dye Capture. 2018 , 24, 8648-8655	31
414	Enhanced removal of tetracycline using modified sawdust: Optimization, isotherm, kinetics, and regeneration studies. 2018 , 117, 51-60	31
413	Wrinkle-induced high sorption makes few-layered black phosphorus a superior adsorbent for ionic organic compounds. 2018 , 5, 1454-1465	20

412	Yttrium-doped iron oxide magnetic adsorbent for enhancement in arsenic removal and ease in separation after applications. 2018 , 521, 252-260		34
411	A superior adsorbent of CTAB/H ₂ O ₂ solution-modified organic carbon rich-clay for hexavalent chromium and methyl orange uptake from solutions. 2018 , 259, 384-397		38
410	Synthesis and Adsorption Properties for Cationic Dyes of Acrylic Acid/Vermiculite Hydrogel Initiated by Glow-Discharge-Electrolysis Plasma. 2018 , 37, 996-1007		5
409	Mechanism of anaerobic bio-reduction of azo dye assisted with lawsone-immobilized activated carbon. 2018 , 347, 423-430		29
408	Salinity Effects on the Adsorption of Nucleic Acid Compounds on Na-Montmorillonite: a Prebiotic Chemistry Experiment. 2018 , 48, 181-200		15
407	Dyes adsorption using clay and modified clay: A review. 2018 , 256, 395-407		405
406	Study on regeneration of waste powder activated carbon through pyrolysis and its adsorption capacity of phosphorus. 2018 , 8, 778		15
405	Transport of reactive X-3B dye at the interface between cationic surfactant-modified water-quenched blast furnace slag and aqueous solution. 2018 , 96, 1240-1249		3
404	Adsorption dynamics and mechanism of aqueous sulfachloropyridazine and analogues using the root powder of recyclable long-root <i>Eichhornia crassipes</i> . 2018 , 196, 409-417		30
403	Selective high capacity adsorption of Congo red, luminescence and antibacterial assessment of two new cadmium(II) coordination polymers. 2018 , 258, 618-627		15
402	Direct carbonization of Zn/Co zeolitic imidazolate frameworks for efficient adsorption of Rhodamine B. <i>Chemical Engineering Journal</i> , 2018 , 347, 640-647	14.7	90
401	Nanofibers for Water Treatment. 2018 , 1-58		
400	Adsorption of 17 β -Estradiol by graphene oxide: Effect of heteroaggregation with inorganic nanoparticles. <i>Chemical Engineering Journal</i> , 2018 , 343, 371-378	14.7	25
399	Ultrasound wave assisted adsorption of congo red using gold-magnetic nanocomposite loaded on activated carbon: Optimization of process parameters. 2018 , 46, 99-105		82
398	Structural study on PVA assisted self-assembled 3D hierarchical iron (hydr)oxides. 2018 , 20, 2093-2101		6
397	Box-Behnken Design optimization of malachite green dye biosorption using nano zero valent iron <i>Sargassum swartzii</i> biocomposite. 2018 , 36, 386-393		6
396	Synthesis, characterization and adsorption studies of an acrylic acid-grafted sodium alginate-based TiO ₂ hydrogel nanocomposite. 2018 , 36, 458-477		50
395	Novel Fabrication of PAA/PVA/Yeast Superabsorbent with Interpenetrating Polymer Network for pH-Dependent Selective Adsorption of Dyes. 2018 , 26, 567-588		27

394	Adsorption of Congo Red Dye from Aqueous Solutions by Montmorillonite as a Low-cost Adsorbent. 2018 , 16,	11
393	Hydrothermal synthesis of mesoporous Mg ₃ Si ₂ O ₅ (OH) ₄ microspheres as high-performance adsorbents for dye removal. <i>Chemical Engineering Journal</i> , 2018 , 334, 377-388	14.7 47
392	Customizing the spent coffee for <i>Trichoderma reesei</i> cellulase immobilization by modification with activating agents. 2018 , 107, 1856-1863	6
391	Biosorption characteristics of methylene blue and malachite green from simulated wastewater onto <i>Carica papaya</i> wood biosorbent. 2018 , 10, 197-215	105
390	Ability of a montmorillonitic clay to interact with cationic and anionic dyes in aqueous solutions. 2018 , 1154, 187-195	24
389	The efficiency of zeolite Y and surfactant-modified zeolite Y for removal of 2,4-dichlorophenoxyacetic acid and 1,1'-dimethyl-4,4'-bipyridinium ion. 2018 , 258, 131-140	17
388	Ultra-high adsorption capacity of MgO/SiO ₂ composites with rough surfaces for Congo red removal from water. 2018 , 510, 111-117	66
387	Application of modified magnetic nanoparticles with amine groups as an efficient solid sorbent for simultaneous removal of 2,4-Dichlorophenoxyacetic acid and 2-methyl-4-chlorophenoxyacetic acid from aqueous solution: optimization and modeling. 2018 , 15, 421-429	10
386	Highly effective organometallic-mediated radical polymerization of vinyl acetate using alumina-supported Co(acac) ₂ catalyst: A case study of adsorption and polymerization. 2018 , 135, 46057	6
385	Optimizing adsorption of blue pigment from wastewater by nano-porous modified Na-bentonite using spectrophotometry based on response surface method. 2018 , 193, 54-62	11
384	Synthesis a novel multilamellar mesoporous TiO ₂ /ZSM-5 for photo-catalytic degradation of methyl orange dye in aqueous media. 2018 , 6, 218-227	155
383	Adsorption of Congo red from aqueous solution using ZnO-modified SiO ₂ nanospheres with rough surfaces. 2018 , 249, 772-778	44
382	Synthesis of amine-functionalized methacrylic acid-g-poly(ethylene terephthalate) fiber and its Congo red removal ability. 2018 , 75, 1701-1713	11
381	Investigation of phosphate adsorption from an aqueous solution using spent fluid catalytic cracking catalyst containing lanthanum. 2018 , 12, 1	8
380	Organic pollutant adsorption on clay minerals. 2018 , 9, 195-253	20
379	Kinetic and Thermodynamic Behavior on the Sorption of Clindamycin from an Aqueous Medium by Modified Surface Zeolitic Tuffs. 2018 , 229, 1	2
378	Adsorptive removal of nickel and lead ions from aqueous solutions by poly (amidoamine) (PAMAM) dendrimers (G ₄). 2018 , 12, 261-272	17
377	Adsorptive Behavior of Kaolin for Amido Black Dye in Aqueous Solution. 2018 , 34, 1233-1239	5

376	Aluminium-modified activated carbon as efficient adsorbent for cleaning of cationic dye in wastewater. 2018 , 205, 303-312	51
375	Use of carbon-based composites to enhance performance of TiO for the simultaneous removal of nitrates and organics from aqueous environments. 2018 , 25, 32001-32014	8
374	Utilization of modified Thunb. as a novel biosorbent for the adsorption of indigo carmine in aqueous solutions.. 2018 , 8, 30040-30048	8
373	Kinetic and isotherm studies of malachite green and Congo red adsorption from aqueous solution by corn stalk bio-waste material. 2018 , 10, 350	0
372	Removal of Acetic Acid from Dimethyl Terephthalate Manufacturing Wastewater with Ion Exchange. 2018 , 46, 1700436	1
371	Physiochemical analysis of selected shale formations of Kohat region by advance characterization for oil potential evaluation. 2018 , 40, 1190-1198	1
370	Removal of cationic and anionic dyes using purified and surfactant-modified Tunisian clays: Kinetic, isotherm, thermodynamic and adsorption-mechanism studies. 2018 , 53, 159-174	4
369	Spotlight on the New Natural Surfactant Flooding in Carbonate Rock Samples in Low Salinity Condition. 2018 , 8, 10985	43
368	Highly Efficient and Sustainable Spent Mushroom Waste Adsorbent Based on Surfactant Modification for the Removal of Toxic Dyes. 2018 , 15,	13
367	Co-assembly of exfoliated Mg/Al layered double hydroxides nanosheets with sulfobutyl ether- β -cyclodextrin for enantioseparation of racemic propranolol. 2018 , 162, 138-145	6
366	Groundwater Hydrochemical Zoning in Inland Plains and its Genetic Mechanisms. 2018 , 10, 752	8
365	Hydrogel applications for adsorption of contaminants in water and wastewater treatment. 2018 , 25, 24569-24599	128
364	Direct Orange 34 dye fixation by modified kaolin. 2018 , 53, 271-287	4
363	Towards sustainable removal of methylthioninium chloride by using adsorption-electroradical regeneration. 2018 , 210, 476-485	3
362	A study on the removal of propyl, butyl, and benzyl parabens newly synthesised ionic liquid loaded magnetically confined polymeric mesoporous adsorbent.. 2018 , 8, 25617-25635	16
361	Adsorption of Congo red from aqueous solution onto shrimp shell powder. 2018 , 36, 1310-1330	42
360	Modification of organic matter-rich clay by a solution of cationic surfactant/H ₂ O ₂ : A new product for fluoride adsorption from solutions. 2018 , 192, 712-721	32
359	Synthesis and characterization of graphene oxide-doped nano-hydroxyapatite and its adsorption performance of toxic diazo dyes from aqueous solution. 2018 , 269, 746-754	37

- 358 Amino-modified Fe₂O₃/sepiolite composite with rod-like morphology for magnetic separation removal of Congo red dye from aqueous solution. **2018**, 339, 872-881 34
- 357 The Blocking Effect of Clay in Groundwater Systems: A Case Study in an Inland Plain Area. **2018**, 15, 4
- 356 Characterization and adsorption capacity of potassium permanganate used to modify activated carbon filter media for indoor formaldehyde removal. **2018**, 25, 28525-28545 19
- 355 Evaluation of a novel dextran-based flocculant on treatment of dye wastewater: Effect of kaolin particles. **2018**, 640-641, 243-254 53
- 354 Sorption characteristics of -acyl homoserine lactones as signal molecules in natural soils based on the analysis of kinetics and isotherms.. **2018**, 8, 9364-9374 12
- 353 Efficient mycosorption of anionic azo dyes by *Mucor circinelloides*: Surface functional groups and removal mechanism study. **2018**, 6, 4114-4123 20
- 352 Removal of textile dyes from aqueous solutions using low cost Moroccan clay. **2018**, 161, 012009 4
- 351 Efficient removal of radioactive iodide anions from simulated wastewater by HDTMA-geopolymer. **2019**, 117, 103112 7
- 350 Exposure to the azo dye Direct blue 15 produces toxic effects on microalgae, cladocerans, and zebrafish embryos. **2019**, 28, 890-902 22
- 349 Synthesis of Graphene Oxide/Silica/Carbon Nanotubes Composite for Removal of Dyes from Wastewater. **2019**, 3, 651-659 21
- 348 Enhanced adsorption of dyes on microwave-assisted synthesized magnetic zeolite-hydroxyapatite nanocomposite. **2019**, 7, 103338 63
- 347 Lignin-containing cellulose nanocrystals/sodium alginate beads as highly effective adsorbents for cationic organic dyes. **2019**, 139, 640-646 19
- 346 Hydrophilic Divinylbenzene for Equilibrium Sorption of Emerging Organic Contaminants in Aquatic Matrices. **2019**, 53, 10803-10812 4
- 345 Kinetics, Isotherm, Thermodynamics, and Recyclability of Exfoliated Graphene-Decorated MnFe₂O₄ Nanocomposite Towards Congo Red Dye. **2019**, 2019, 1-16 2
- 344 Preparation of reusable glass hollow fiber membranes and methylene blue adsorption. **2019**, 39, 4891-4900 23
- 343 Bioinspired zeolitic imidazolate framework (ZIF-8) magnetic micromotors for highly efficient removal of organic pollutants from water. **2019**, 555, 234-244 38
- 342 Preparation and characterization of SnO₂ doped TiO₂ nanoparticles: Effect of phase changes on the photocatalytic and catalytic activity. **2019**, 4, 400-412 18
- 341 Multi-functional Biochar Novel Surface Chemistry for Efficient Capture of Anionic Congo Red Dye: Behavior and Mechanism. **2019**, 44, 10127-10139 11

340	Syntheses, structure, photocatalytic degradation for methylene blue of Co(II)-Based coordination polymers. 2019 , 279, 120932	7
339	Preparation of ionic liquids functionalized nanodiamonds-based composites through the Michael addition reaction for efficient removal of environmental pollutants. 2019 , 296, 111874	7
338	Preparation and modification of forcespun polypropylene nanofibers for adsorption of uranium (VI) from simulated seawater. 2019 , 186, 109746	20
337	Iodine(III) reagent (ABX ₃)-induced intermolecular anti-Markovnikov hydroazidation of unactivated alkenes. 2019 , 62, 1537-1541	12
336	Application of synthesized Fe/Al/Ca based adsorbent for defluoridation of drinking Water and its significant parameters optimization using response surface methodology. 2019 , 7, 103465	13
335	Facile synthesis of a magnetic chlorapatite composite with a high efficiency and recyclable adsorption for Congo red. 2019 , 6, 116118	
334	Aspirin inhibits adipogenesis of tendon stem cells and lipids accumulation in rat injury tendon through regulating PTEN/PI3K/AKT signalling. 2019 , 23, 7535-7544	13
333	Efficiency of activated carbons and natural bentonite to remove direct orange 39 from water. 2019 , 7, 103496	2
332	Natural ferruginous manganese ore as a potential low-cost adsorbent for Congo red dye removal from aqueous solution. 2019 , 6, 125515	3
331	Removal of some harmful metal ions from wet-process phosphoric acid using murexide-reinforced activated bentonite. 2019 , 14, 100176	14
330	Fabrication of Novel Al(OH)/CuMnAl-Layered Double Hydroxide for Detoxification of Organic Contaminants from Aqueous Solution. 2019 , 4, 18268-18278	20
329	Synthesis and Characterization of Graphene Oxide/Hydrogel Composites and Their Applications to Adsorptive Removal Congo Red from Aqueous Solution. 2019 , 1234, 012095	2
328	Chemical modification of cellulose with zwitterion moieties used in the uptake of red Congo dye from aqueous media. 2019 , 26, 9207-9227	14
327	Evaluating Untreated Clay's Adsorptive Capacity to Remove an Anionic Dye from Aqueous Solution. 2019 , 44, 9889-9903	2
326	Exploration of the adsorption capability by doping Pb@ZnFeO nanocomposites (NCs) for decontamination of dye from textile wastewater. 2019 , 5, e02412	27
325	Electrospun biocomposite: nanocellulose and chitosan entrapped within a poly(hydroxyalkanoate) matrix for Congo red removal. 2019 , 8, 5091-5102	26
324	Adsorption of Major Nitrogen-Containing Components in Microalgal Bio-Oil by Activated Carbon: Equilibrium, Kinetics, and Ideal Adsorbed Solution Theory (IAST) Model. 2019 , 7, 16529-16538	13
323	Adsorption of crystal violet dye by a zeolite-montmorillonite nano-adsorbent: modelling, kinetic and equilibrium studies. 2019 , 54, 357-368	16

322	Potentiality of Eichhornia shoots ash towards removal of Congo red from aqueous solution: Isotherms, kinetics, thermodynamics and optimization studies. 2019 , 9, 100269	9
321	Removal of Congo red by two new zirconium metalorganic frameworks: kinetics and isotherm study. 2019 , 150, 193-205	6
320	Amorphous iron sulfide nanowires as an efficient adsorbent for toxic dye effluents remediation. 2019 , 26, 2734-2746	9
319	Design, synthesis and characterization of copper-based coordination compounds with bidentate (N,N and N,O) ligands: reversible uptake of iodine, dye adsorption and assessment of their antibacterial properties. 2019 , 21, 251-262	13
318	Process Optimization by a Response Surface Methodology for Adsorption of Congo Red Dye onto Exfoliated Graphite-Decorated MnFe ₂ O ₄ Nanocomposite: The Pivotal Role of Surface Chemistry. 2019 , 7, 305	19
317	Influence of Mg doping on ZnO NPs for enhanced adsorption activity of Congo Red dye. 2019 , 491, 256-266	35
316	Chitosan nanoparticles on a natural zeolite as an efficient adsorbent for Congo red. 2019 , 496, 012005	4
315	Investigating the Role of Alkyl Chain Length of the Inhibitors on Its Intercalation Inhibiting Mechanism in Sodium Montmorillonite. 2019 , 33, 5182-5190	15
314	Nanofibers for Water Treatment. 2019 , 1049-1104	
313	. 2019 ,	1
312	The preparation of organophosphorus ligand-modified SBA-15 for effective adsorption of Congo red and Reactive red 2.. 2019 , 9, 13476-13485	12
311	Effect of solution chemistry and aggregation on adsorption of perfluorooctanesulphonate (PFOS) to nano-sized alumina. 2019 , 251, 425-433	19
310	Adsorption of organic dyes by HDPy ⁺ -modified clay: Effect of molecular structure on the adsorption. 2019 , 1193, 522-531	57
309	Experimental study on adsorption of Hg(II) with microwave-assisted alkali-modified fly ash. 2019 , 351, 153-158	35
308	Lignosulfonate functionalized kaolin-Ag hybrid catalyst for highly effective dye decolorization. 2019 , 171, 38-47	12
307	Space-confined growth of layered basic zinc acetate nanosheets and their orderly fragmented ZnO nanoparticles on clay platelets. 2019 , 371, 213-223	13
306	Crystal violet adsorption by oppositely twisted heat-treated halloysite and peccoraite nanoscrolls. 2019 , 173, 1-11	21
305	A Comprehensive Study on the Dye Adsorption Behavior of Polyoxometalate-Complex Nano-Hybrids Containing Classic Octamolybdate and Biimidazole Units. 2019 , 24,	8

304	Fabrication and binding characterization of ion imprinted polymers for highly selective Co ²⁺ ions in an aqueous medium. 2019 , 7, 103007	16
303	Removal of direct yellow 12 from water using CTAB-coated core-shell bimagnetic nanoadsorbents. 2019 , 7, 103031	10
302	Ultrasound-assisted adsorption of Congo red from aqueous solution using Mg Al CO ₃ layered double hydroxide. 2019 , 174, 100-109	15
301	Biosorption of anionic and cationic dyes raw and chitosan oligosaccharide-modified <i>Huai Flos Chrysanthemum</i> at different temperatures.. 2019 , 9, 11202-11211	7
300	Spherical montmorillonite-supported nano-silver as a self-sedimentary catalyst for methylene blue removal. 2019 , 174, 146-151	22
299	Decolourization of Reactive Dye from Aqueous Solution using Electrocoagulation: Kinetics and Isothermal Study. 2019 , 233, 1447-1468	6
298	Synthesis of a novel epibromohydrin modified crosslinked polyamine resin for highly efficient removal of methyl orange and eriochrome black T. 2019 , 97, 424-432	34
297	Facile and Green One-Pot Hydrothermal Formation of Hierarchical Porous Magnesium Silicate Microspheres as Excellent Adsorbents for Anionic Organic Dye Removal. 2019 , 58, 2945-2957	13
296	Removing of Congo red from aqueous solution by 2-hydroxyethyl methacrylate-g-poly(ethylene terephthalate) fibers. 2019 , 76, 6179-6191	9
295	Synthesis of a novel 3,5-diacrylamidobenzoic acid based hyper-cross-linked resin for the efficient adsorption of Congo Red and Rhodamine B. 2019 , 369, 528-538	41
294	Eco-friendly celluloseBentonite porous composite hydrogels for adsorptive removal of azo dye and soilless culture. 2019 , 26, 3339-3358	34
293	Co-adsorption of an anionic dye in the presence of a cationic dye and a heavy metal ion by graphene oxide and photoreduced graphene oxide.. 2019 , 9, 5313-5324	19
292	Mechanistic Study of Phosphorus Adsorption onto Iron Z-A: Spectroscopic and Experimental Approach. 2019 , 9, 4897	4
291	Environmentally Friendly Treatment of Coal-Bearing Kaolin by Polyhydroxy-Iron for Anionic Dye Removal. 2019 , 4, 13810-13816	2
290	Development of microporous activated Aloji clay for adsorption of lead (II) ions from aqueous solution. 2019 , 5, e02799	16
289	Adsorption of Ni(II) by a thermo-sensitive colloid: methylcellulose/calcium alginate beads. 2019 , 68, 495-508	0
288	Adsorption of COD in Coking Wastewater on Nitric Acid-Modified Blue Coke Activated Carbon. 2019 , 2019, 1-11	0
287	Characterization and adsorption behaviour of anthill for the removal of anionic dye from aqueous solution. 2019 , 16, 3419-3428	6

286	Insight into effects of citric acid on adsorption of phthalic acid esters (PAEs) in mangrove sediments. 2019 , 169, 353-360	14
285	Selective uptake of cationic organic dyes in a series of isostructural Co ²⁺ /Cd ²⁺ metal-doped metal-organic frameworks. 2019 , 270, 180-186	4
284	Equilibrium and kinetic modelling of adsorption of Rhodamine B on MoS ₂ . 2019 , 111, 238-244	31
283	Removal of anionic dye from textile industries' effluents by using Tunisian clays as adsorbents. Zeta potential and streaming-induced potential measurements. 2019 , 22, 113-125	24
282	Study on adsorption of tetracycline by red mud-based ceramsite. 2019 , 68, 39-50	9
281	Batch Adsorption of Synthetic Dye by <i>Maclura Pomifera</i> , a New Eco-Friendly Waste Biomass: Experimental Studies and Modeling. 2019 , 17,	1
280	Synthesis of Femur extracted hydroxyapatite reinforced nanocomposite and its application for Pb(II) ions abatement from aqueous phase. 2019 , 122, 667-676	18
279	Synthesis of mesoporous MnO ₂ in manganese(II)-based deep eutectic solvent and their application in the absorption of Congo red. 2019 , 54, 1269-1277	7
278	Statistical optimization of preparing marine macroalgae derived activated carbon/iron oxide magnetic composites for sequestering acetylsalicylic acid from aqueous media using response surface methodologies. 2019 , 215, 432-443	20
277	Optimized preparation of activated carbon from municipal sewage sludge and application to the adsorption of azo dye from aqueous solutions. 2019 , 38, S267-S276	3
276	Synthesis of carboxylated chitosan modified with ferromagnetic nanoparticles for adsorptive removal of fluoride, nitrate, and phosphate anions from aqueous solutions. 2019 , 273, 116-124	44
275	Facile fabrication of porous NiCo ₂ O ₄ nanosheets with high adsorption performance toward Congo red. 2019 , 124, 289-295	36
274	Adsorptive Removal of Basic Yellow Dye Using Bigadiç Zeolites: FTIR Analysis, Kinetics, and Isotherms Modeling. 2019 , 38, S185-S195	6
273	Preparation of a bioflocculant by using acetonitrile as sole nitrogen source and its application in heavy metals removal. 2019 , 363, 242-247	27
272	Functionalization of powdered walnut shell with orthophosphoric acid for Congo red dye removal. 2019 , 37, 74-85	42
271	High efficiency of methylene blue removal using a novel low-cost acid treated forest wastes, <i>Cupressus sempervirens</i> cones: Experimental results and modeling. 2019 , 37, 504-513	6
270	Growth and optimization of carbon nanotubes in powder activated carbon for an efficient removal of methylene blue from aqueous solution. 2019 , 40, 2400-2415	10
269	Effect of thermal regeneration of diatomite adsorbent on its efficacy for removal of dye from water. 2019 , 16, 113-124	14

268	Dyeability, Kinetics and Physico-Chemical Aspects of Bombyx Mori Muslin Silk Fabric with Bi-Functional Reactive Dyes. 2020 , 17, 986-1000	3
267	Aqueous-phase methylene blue (MB) dye removal by mixture of eucalyptus bark (EB) biomass and kaolin clay (KC) adsorbents: kinetics, thermodynamics, and isotherm modeling. 2020 , 55, 1036-1050	19
266	Synthesis of pearl necklace-like ZIF-8@chitosan/PVA nanofiber with synergistic effect for recycling aqueous dye removal. 2020 , 227, 115364	86
265	Adsorption isotherm and kinetic modeling of a novel procedure for physical modification of silica gel using aqueous solutions of 4,4'-(1,2-ethanediyldinitrilo)bis-(2-pentanone) for preconcentration of Ni(II) ion. 2020 , 55, 2919-2932	4
264	Nonleaching Antibacterial Concept Demonstrated by In Situ Construction of 2D Nanoflakes on Magnesium. 2020 , 7, 1902089	20
263	Enhanced adsorption of congo red using cationic surfactant functionalized zeolite particles. 2020 , 153, 104281	44
262	Performances and Mechanism of Methyl Orange and Congo Red Adsorbed on the Magnetic Ion-Exchange Resin. 2020 , 65, 725-736	36
261	Oil adsorption performance of graphene aerogels. 2020 , 55, 4578-4591	14
260	Polyol intercalation in copper substituted zinc hydroxide acetate and evaluation of its adsorptive role towards Congo red dye. 2020 , 185, 105411	2
259	Application of a new metal-organic framework of [NiF(4,4'-bipy)(HO)](VO).8HO as an efficient adsorbent for removal of Congo red dye using experimental design optimization. 2020 , 182, 109054	22
258	Hierarchical quasi waxberry-like Ba ₅ Si ₈ O ₂₁ microspheres: Facile green rotating hydrothermal synthesis, formation mechanism and high adsorption performance for Congo red. <i>Chemical Engineering Journal</i> , 2020 , 384, 123387	14.7 7
257	Removal of Fluoride from Aqueous Solution Using Coal-Coated with FeCl ₃ . 2020 , 417-434	2
256	Recent Developments in Waste Management. 2020 ,	1
255	Adsorption of polymers onto iron oxides: Equilibrium isotherms. 2020 , 9, 779-788	18
254	Kinetic study of CO ₂ capture on ternary nitrates modified MgO with different precursor and morphology. <i>Chemical Engineering Journal</i> , 2020 , 392, 123752	14.7 14
253	Two dimensional (2D) molecular frameworks for rapid and selective adsorption of hazardous aromatic dyes from aqueous phase. 2020 , 238, 116413	46
252	Resolving a mathematical inconsistency in the Ho and McKay adsorption equation. 2020 , 504, 144157	1
251	Adsorption properties and mechanisms of novel biomaterials from banyan aerial roots via simple modification for ciprofloxacin removal. 2020 , 708, 134630	39

250	The role of clays, clay minerals and clay-based materials for nitrate removal from water systems: A review. 2020 , 185, 105377	69
249	The Combination of MoS ₂ /WO ₃ and Its Adsorption Properties of Methylene Blue at Low Temperatures. 2019 , 25,	11
248	Adsorption of silver nano-particles modified activated carbon filter media for indoor formaldehyde removal. 2020 , 757, 137864	4
247	Selective separation of Congo Red from a mixture of anionic and cationic dyes using magnetic-MOF: Experimental and DFT study. 2020 , 318, 114051	32
246	Decolorization and Mineralization of Methylene Blue in Aqueous Solutions by Persulfate/Fe ²⁺ Process. 2020 , 42, 244-251	4
245	Facile fabrication of Cu(II) coordinated chitosan-based magnetic material for effective adsorption of reactive brilliant red from aqueous solution. 2020 , 149, 562-571	13
244	Characterization and Deployment of Surface-Engineered Cobalt Ferrite Nanospheres as Photocatalyst for Highly Efficient Remediation of Alizarin Red S Dye from Aqueous Solution. 2020 , 30, 5063-5073	18
243	Removal of Anthraquinone Dye via Struvite: Equilibria, Kinetics, Thermodynamics, Fuzzy Logic Modeling. 2020 , 14, 541-566	7
242	Phosphorylation triggered growth of metal phosphate on halloysite and sepiolite nanoparticles: preparation, entrapment in chitosan hydrogels and application as recyclable scavengers. 2020 , 44, 14136-14144	4
241	Enhancement of adsorption capacity of reduced graphene oxide by sulfonic acid functionalization: Malachite green and Zn (II) uptake. 2020 , 256, 123662	4
240	Graphitic mesoporous carbon-silica composites from low-value sugarcane by-products for the removal of toxic dyes from wastewaters. 2020 , 7, 200438	4
239	Entrapment and release kinetics study of dyes from BSA microspheres forming a matrix and a reservoir system. 2020 , 8, 10154-10161	2
238	Polyethylenimine Grafted Chitosan Nanofiber Membrane as Adsorbent for Selective Elimination of Anionic Dyes. 2020 , 21, 2231-2238	4
237	Synthesis and characterization of imidazole-bearing polymer-modified montmorillonite for adsorption of perchlorate. 2020 , 199, 105859	2
236	Fast and environmental-friendly approach towards uniform hydrogel particles with ultrahigh and selective removal of anionic dyes. 2020 , 8, 104352	6
235	Synthesis of hierarchical MgO based on a cotton template and its adsorption properties for efficient treatment of oilfield wastewater.. 2020 , 10, 28695-28704	5
234	Adsorption behaviour of green coffee residues for decolourization of hazardous congo red and eriochrome black T dyes from aqueous solutions. 2020 , 1-17	16
233	Comparative study on removal of Monodyes by using Ni-Al layered double hydroxides. 2020 , 736, 022068	2

232	Comparative and Equilibrium Studies on Anionic and Cationic Dyes Removal by Nano-Alumina-Doped Catechol Formaldehyde Composite. 2020 , 2020, 1-15	5
231	Adsorption process of Co(acac) ₂ catalyst on the surface of mesoporous silica gel particles: an effective method to make a new supported catalyst for the controlled radical polymerization of vinyl acetate. 2020 , 17, 2293-2305	2
230	Biosorbents prepared from pomelo peel by hydrothermal technique and its adsorption properties for congo red. 2020 , 7, 045505	11
229	Mechanisms and Models of Adsorption: TiO ₂ -Supported Biochar for Removal of 3,4-Dimethylaniline. 2020 , 5, 13630-13640	10
228	Synthesis of Three-Dimensional Hierarchical Flower-Like Mg ₂ Al Layered Double Hydroxides with Excellent Adsorption Performance for Organic Anionic Dyes. 2020 , 27, 394	10
227	Synthesis of an efficient hydroxyapatite χ hitosan χ montmorillonite thin film for the adsorption of anionic and cationic dyes: adsorption isotherm, kinetic and thermodynamic study. 2020 , 2, 1	12
226	Hierarchical porous polymeric ionic liquids with excellent adsorption performance for phenolic compounds. 2020 , 312, 113440	19
225	Removal of Acid Blue 92 by Using Amino-Functionalized Silica-Pillared Clay as a New Nano-Adsorbent: Equilibrium, Kinetic and Thermodynamic Parameters. 2020 , 5, 6141-6152	4
224	The effective removal of phenol from aqueous solution via adsorption on CS/ χ CD/ χ CTA multicomponent adsorbent and its application for COD degradation of drilling wastewater. 2020 , 27, 33668-33680	8
223	Mesoporous zinc silicate composites derived from iron ore tailings for highly efficient dye removal: Structure and morphology evolution. 2020 , 305, 110352	8
222	Cross-Linked Microencapsulation of CO Supercritical Extracted Oleoresins from Sea Buckthorn: Evidence of Targeted Functionality and Stability. 2020 , 25,	5
221	Characterization of Mukah-Balingian and Merit-Pila Coals before and after Subcritical CO ₂ Exposure Using Surface-Area Techniques. 2020 , 146, 04020087	3
220	Citric acid modified cellulose: a cost effective adsorbent for the immobilization of Cr (III) ions from the aqueous phase. 2020 , 1-13	4
219	Efficient treatment of anthraquinone dye wastewater by adsorption using sunflower torus-like magnesium hydroxide microspheres. 2020 , 37, 434-447	9
218	Synthesis of a novel polysuccinimide based resin for the ultrahigh removal of anionic azo dyes from aqueous solution. 2020 , 184, 109337	18
217	Superior Adsorption Property of a Novel Green Biosorbent Yttrium/Alginate Gel Beads for Dyes from Aqueous Solution. 2020 , 28, 2137-2148	5
216	Removal of sulfamethoxazole and methylparaben using hydrocolloid and fiber industry wastes: Comparison with biochar and laccase-biocomposite. 2020 , 271, 122436	10
215	Preparation of Zeolite-g-Polyacrylamide using Radiation Induced Grafting and Its Adsorption Isotherms Study on Several Heavy Metal Ions. 2020 , 391, 1900139	0

214	Adsorptive Remediation of Congo Red Dye in Aqueous Solutions Using Acid Pretreated Sugarcane Bagasse. 2020 , 28, 1129-1137	9
213	Superior absorption capacity of tremella like ferrocene based metal-organic framework in removal of organic dye from water. 2020 , 392, 122274	30
212	Enhanced Removal of Eriochrome Black T Using Graphene/NiMgAl-Layered Hydroxides: Isotherm, Kinetic, and Thermodynamic Studies. 2020 , 45, 7175-7189	7
211	Surface-tailored graphene oxide paper: an efficient filter for dye pollutants. 2020 , 6, 963-975	7
210	Ice-templated porous polymer/UiO-66 monolith for Congo Red adsorptive removal. 2020 , 13, 5669-5678	10
209	Hollow and porous octacalcium phosphate superstructures mediated by the polyelectrolyte PSS: a superior removal capacity for heavy metal and antibiotics. 2020 , 55, 7502-7517	5
208	Functionalized MgAl-layered hydroxide intercalated date-palm biochar for Enhanced Uptake of Cationic dye: Kinetics, isotherm and thermodynamic studies. 2020 , 190, 105587	33
207	Kinetic study and BoxBehnken design approach to optimize the sorption process of toxic azo dye onto organo-modified bentonite. 2020 , 98, 215-221	2
206	Removal of textile dyes from single and binary component systems by Persian bentonite and a mixed adsorbent of bentonite/charred dolomite. 2020 , 598, 124807	16
205	Methyl orange adsorption from aqueous solutions on 3D hierarchical PbS/ZnO microspheres. 2020 , 574, 410-420	22
204	Synthesis and characterization of cyclodextrin-based acrylamide polymer flocculant for adsorbing water-soluble dyes in dye wastewater. 2020 , 7, 191519	4
203	Regulation of hierarchically porous structures based on multi-scale nanosheets derived from kaolinite for enhanced adsorption. 2021 , 200, 105895	6
202	Multivariate optimization of high removal of lead(II) using an efficient synthesized Ni-based metal-organic framework adsorbent. 2021 , 29, 146-153	4
201	Utilization of montmorillonite in biostoning process as a strategy for effluent reuse. 2021 , 96, 890-898	1
200	Adsorption of Organic Compounds on Minerals. 2021 , 225-261	
199	β-Cyclodextrin functionalized SBA-15 via amide linkage as a super adsorbent for rapid removal of methyl blue. 2021 , 583, 100-112	21
198	Fabrication of Hollow LDH nanocages using ZIF-67 template as superb adsorbent for anionic organic pollutant. 2021 , 28, 471-480	7
197	Adsorption of Congo red and crystal violet dyes onto cellulose extracted from Egyptian water hyacinth. 2021 , 105, 1375-1394	9

196	Efficient removal of methyl orange from aqueous solution using mesoporous ZSM-5 zeolite: Synthesis, kinetics and isotherm studies. 2021 , 611, 125852	17
195	H ₃ PO ₄ -activated carbon fibers of high surface area from banana tree pseudo-stem fibers: Adsorption studies of methylene blue dye in batch and fixed bed systems. 2021 , 324, 114771	20
194	Low concentrated phosphorus sorption in aqueous medium on aragonite synthesized by carbonation of seashells: Optimization, kinetics, and mechanism study. 2021 , 280, 111652	12
193	Fabrication of PVA/agar/modified ZSM-5 zeolite membrane for removal of anionic dye from aqueous solution. 2021 , 18, 2571-2586	4
192	Synthesis of a mesoporous MgAl mixed metal oxide with P123 template for effective removal of Congo red via aggregation-driven adsorption. 2021 , 293, 121758	15
191	Adsorption at Natural Minerals/Water Interfaces. 2021 ,	2
190	Removal of heavy metals and dyes by clay-based adsorbents: From natural clays to 1D and 2D nano-composites. <i>Chemical Engineering Journal</i> , 2021 , 420, 127574	14.7 49
189	Adsorption of Methylene blue and Congo red from aqueous solution using synthesized alumina-zirconia composite. 2021 , 42, 1061-1070	17
188	Enhanced removal performance for Congo red by coal-series kaolin with acid treatment. 2021 , 42, 1472-1481	3
187	Study on the adsorption and desorption performance of magnetic resin for Congo red. 2021 , 42, 1552-1559	3
186	Fabrication of RHA-silica/graphene oxide nanocomposites for removal of lead ions from water. 2021 , 42, 2202-2210	
185	Polyamide amine/aramid nanofiber composite aerogels as an ultra-high capacity adsorbent for Congo red removal.	11
184	Thermo-Kinetic Study of Adsorption of Methylene Blue in Aqueous Solutions Using Algerian Illite Natural and Activated Mineral Clay. 406, 348-363	
183	Fabrication of a novel core-shell-shell temperature-sensitive magnetic composite with excellent performance for papain adsorption.. 2021 , 11, 24843-24851	
182	Magnetite nanoparticles as sorbents for dye removal: a review. 2021 , 19, 2487-2525	28
181	Adsorbent. 2021 , 33, 71-210	7
180	Fabrication and characterization of carboxylated and aminolated multiwalled carbon nanotube/polyethersulfone (PES) membranes for the removal of heavy metals from wastewater. 2021 , 60, 994-1004	0
179	Ni(II)-Based one dimensional coordination polymers for environmental remediation: design, topology, magnetism and the selective adsorption of cationic dyes. 2021 , 23, 6253-6266	9

178	Treatment of textile wastewater using adsorption and adsorbents. 2021 , 235-273	4
177	Optimization of Congo red dye adsorption from wastewater by a modified commercial zeolite catalyst using response surface modeling approach. 2021 , 83, 1369-1383	19
176	Adsorption of Triclosan onto Organically Modified-Magadiite and Bentonite. 2021 , 31, 1902-1911	4
175	Evaluation of Adsorption Mechanism of Chromium(VI) Ion Using Ni-Al Type and Ni-Al-Zr Type Hydroxides. 2021 , 13, 551	2
174	Adsorption of Pb(II) from Aqueous Solution by Mussel Shell-Based Adsorbent: Preparation, Characterization, and Adsorption Performance. 2021 , 14,	8
173	Template-free method for the synthesis of high-pore-volume γ -AlO nanofibers in a membrane dispersion microreactor. 2021 , 32, 185601	0
172	The preparation of porosity modified porous organic frameworks via kaolin loading and its improved aromatic organic compounds removal performance. 2021 , 315, 110855	1
171	Decontamination of bisphenol A and Congo red dye from solution by using CTAB functionalised walnut shell. 2021 , 28, 28732-28749	25
170	Adsorption of Malachite Green Dye onto Mesoporous Natural Inorganic Clays: Their Equilibrium Isotherm and Kinetics Studies. 2021 , 13, 965	5
169	Efficient removal of azo dyes with nano-flower formation using nano-basic resins. 1	1
168	Mg-Al/Biochar Composite with Stable Structure for Malachite Green Adsorption from Aqueous Solutions. 2021 , 16, 149-160	4
167	Removal of methylene blue dye by adsorption onto Natural Muscovite Clay: experimental, theoretical and computational investigation. 1-26	7
166	Super-adsorptive and photo-regenerable carbon nanotube based membrane for highly efficient water purification. 2021 , 621, 119000	17
165	Comparison of surface-engineered superparamagnetic nanosorbents with low-cost adsorbents of cellulose, zeolites and biochar for the removal of organic and inorganic pollutants: a review. 2021 , 19, 3181-3208	9
164	The First Application of Moroccan Perlite as Industrial Dyes Removal. 1	1
163	Optimization of continuous electrocoagulation-adsorption combined process for the treatment of a textile effluent. 2021 ,	1
162	Experimental and Numerical modeling on dye adsorption using pyrolyzed mesoporous biochar in Batch and fixed-bed column reactor: Isotherm, Thermodynamics, Mass transfer, Kinetic analysis. 2021 , 23, 100985	9
161	Thiol-methyl-modified magnetic microspheres for effective cadmium (II) removal from polluted water. 2021 , 28, 42750-42762	1

160	Adsorption Behavior of Polyhydroxy-Iron-Modified Coal-Bearing Kaolin for Fluoride Removal. 2021 , 6, 3075-3083	0
159	Experimental and theoretical investigations on kinetic mechanisms of low-pressure CO ₂ adsorption onto Malaysian coals. 2021 , 88, 103828	3
158	Effective Removing of Remazol Black B by the Polyacrylamide Cryogels Modified with Polyethyleneimine. 1	0
157	Application of water hyacinth root powder for Congo red dye removal in batch and continuous packed bed operation. 2021 , 6, 1	1
156	Construction and topological studies of a three dimensional (3D) coordination polymer showing selective adsorption of aromatic hazardous dyes. 2021 , 265, 118482	6
155	Synthesis and applications of Perovskite in heavy metal ions removal-A brief perspective. 2021 ,	2
154	Effective and selective removal of organic pollutants from aqueous solutions using 1D hydroxyapatite-decorated 2D reduced graphene oxide nanocomposite. 2021 , 331, 115795	5
153	Integration of machine learning classifiers and higher order tensors for screening the optimal recipe of filter media in stormwater treatment. 2021 , 771, 145423	1
152	Treatment of microcystin-LR cyanotoxin contaminated water using Kentucky bluegrass-derived biochar. 2021 , 41, 102054	5
151	Diversity of Synthetic Dyes from Textile Industries, Discharge Impacts and Treatment Methods. 2021 , 11, 6255	40
150	Synthesis, characterization, and selective dye adsorption by pH- and ion-sensitive polyelectrolyte galactomannan-based hydrogels. 2021 , 264, 118009	13
149	Single and Binary Adsorption Systems of Rhodamine B and Methylene Blue onto Alkali-Activated Vietnamese Diatomite. 2021 , 2021, 1-13	2
148	Kinetic Study of Removal of Congo Red and Direct Green. 2021 , 810, 012048	
147	Effect of cations on the enhanced adsorption of cationic dye in Fe ₃ O ₄ -loaded biochar and mechanism. 2021 , 9, 105744	9
146	Fabrication of nickel-iron layered double hydroxides using nickel plating wastewater via electrocoagulation, and its use for efficient dye removal. 2021 , 335, 116246	7
145	Water stable graphene oxide metal-organic frameworks composite (ZIF-67@GO) for efficient removal of malachite green from water. 2021 , 154, 112312	13
144	Competitive kinetics of adsorption onto activated carbon for emerging contaminants with contrasting physicochemical properties. 2021 , 1	1
143	Synergistic effect of NS co-doped TiO ₂ adsorbent for removal of cationic dyes. 2021 , 9, 105480	8

142	Comparative study for adsorption of congo red and methylene blue dye on chitosan modified hybrid nanocomposite. 2021 , 108, 90-102	16
141	Dye Adsorption Mechanism of Glass Fiber-Reinforced Plastic/Clay Ceramics and Influencing Factors. 2021 , 13,	1
140	Enhanced adsorption of congo red from aqueous solution using chitosan/hematite nanocomposite hydrogel capsule fabricated via anionic surfactant gelation. 2021 , 625, 126911	15
139	Synthesis and Characterization of Hydroxyapatite- (HAP-) Clay Composites and Adsorption Studies on Methylene Blue for Water Treatment. 2021 , 2021, 1-15	0
138	The Superior Adsorption Capacity of Boron-Nitrogen Co-Doping Walnut Shell Biochar Powder for Au(III), Pt(IV), and Pd(II). 2021 , 106288	2
137	Enhanced adsorption and dye separation ability of low-cost sepiolite acidified by polyoxometalate acid. 1	
136	Fabrication and Application of Zeolite/Acanthophora Spicifera Nanoporous Composite for Adsorption of Congo Red Dye from Wastewater. 2021 , 11,	3
135	A label-free fluorescent sensor based on yellow-green emissive carbon quantum dots for ultrasensitive detection of congo red and cellular imaging. 2021 , 168, 106420	7
134	New insights into the surface oxidation role in enhancing Congo red dye uptake by Egyptian ilmenite ore: Experiments and physicochemical interpretations. 2021 , 26, 101316	1
133	One-pot pyrolysis of a typical invasive plant into nitrogen-doped biochars for efficient sorption of phthalate esters from aqueous solution. 2021 , 280, 130712	10
132	Evaluation of equilibrium, kinetic and hydraulic characteristics of Indian bentonites in presence of heavy metal for landfill application. 2021 , 317, 128396	3
131	Cu-Ca-Al-layered double hydroxide modified by itaconic acid as an adsorbent for anionic dye removal: Kinetic and isotherm study. 2021 , 133, 108914	5
130	Magnetically recoverable ENi(OH) ₂ /EFe ₂ O ₃ /NiFe-LDH composites; isotherm, thermodynamic and kinetic studies of synthetic dye adsorption and photocatalytic activity. 2021 , 213, 106115	4
129	The synthesis and characterization of Zn(II)/Cd(II) based MOFs by a mixed ligand strategy: a Zn(II) MOF as a dual functional material for reversible dye adsorption and as a heterogeneous catalyst for the Biginelli reaction. 2021 , 5, 304-314	23
128	Removal of sunset yellow FCF from aqueous solutions using a highly cross-linked PDMA star polymer. 2021 , 30, 257-268	1
127	Modeling of Congo Red Adsorption onto Multi-walled Carbon Nanotubes Using Response Surface Methodology: Kinetic, Isotherm and Thermodynamic Studies. 2021 , 46, 6579-6592	1
126	Application of Synthesized Nanocellulose Material for Removal of Malachite Green from Wastewater. 2020 , 11-22	2
125	Application of low-cost material for adsorption of dye from aqueous solution. 1-16	19

124	Preparation of Activated Carbon From Polygonum orientale Linn. to Remove the Phenol in Aqueous Solutions. 2016 , 11, e0164744	7
123	Adsorption of Congo Red onto Bottom Ash. 2012 , 12, 1181-1185	7
122	Adsorption of Congo Red from Aqueous Solution Using CTAB-Kaolin from Bechar Algeria. 2014 , 04, 332-341	14
121	Facile Synthesis and Characterization of Nanoporous NiO with Folic Acid as Photodegradation Catalyst for Congo Red. 2012 , 03, 697-703	3
120	Comparative Isotherms Studies on Adsorptive Removal of Congo Red from Wastewater by Watermelon Rinds and Neem-Tree Leaves. 2014 , 04, 139-146	36
119	Synthesis, Characterization and Application of Mg/Al Layered Double Hydroxide for the Degradation of Congo Red in Aqueous Solution. 2015 , 05, 56-70	55
118	A review on adsorbent parameters for removal of dye products from industrial wastewater.	3
117	Synthesis of Amphiphilic Silica with High Exposure of Surface Groups and Its Utilization in Efficient Removal of Organic Dyes from Aqueous Solution. 2106828	1
116	Nb ₂ CTx MXene Nanosheets for Dye Adsorption.	6
115	Charge-driven interaction for adsorptive removal of organic dyes using ionic liquid-modified graphene oxide. 2022 , 607, 1973-1985	4
114	Precipitation of (Mg/Fe-CTAB) - Layered double hydroxide nanoparticles onto sewage sludge for producing novel sorbent to remove Congo red and methylene blue dyes from aqueous environment. 2021 , 132693	1
113	Facile synthesis, topological study, and adsorption properties of a novel Co (II)-based coordination polymer for adsorptive removal of methylene blue and methyl orange dyes. 2021 , 210, 115519	10
112	Adsorption removal of p-xylene by organo-clays. 2012 , 26, 747-756	
111	Metilen Mavisinin Doğal Kil Üzerine Adsorpsiyonu.	1
110	Adsorption of L-α-glycerophosphocholine on ion-exchange resin: Equilibrium, kinetic, and thermodynamic studies. 2020 , 9, 275-282	0
109	Design of sodium alginate/soybean extract beads loaded with hemp hurd and halloysite as novel and sustainable systems for methylene blue adsorption.	0
108	Investigation of Dye Effluent Treatment Using Unmodified and Modified Biobased Sorbent and Its Process Economics. 2022 , 26,	0
107	A simple polyacrylamide gel route for the synthesis of MgAl ₂ O ₄ nanoparticles with different metal sources as an efficient adsorbent: Neural network algorithm simulation, equilibrium, kinetics and thermodynamic studies. 2022 , 281, 119855	18

- 106 Natural and Modified Clays for the Removal of Cationic Dye from Water. **2020**, 24, 562-579
- 105 Efficient adsorption and facile photocatalytic degradation of organic dyes over H-bonded proton-transfer complex: An experimental and theoretical approach. **2021**, 347, 117951 1
- 104 Biochar-based nanocomposite from waste tea leaf for toxic dye removal: From facile fabrication to functional fitness. **2021**, 132788 7
- 103 Sequential Congo Red Elimination by UASB Coupled to Electrochemical Systems. **2021**, 13, 3087 1
- 102 Investigation of the Usability of Perlite Waste for Dyestuff Removal from Aqueous Solution. 224-230
- 101 Design of a hybrid bio-adsorbent based on Sodium Alginate/Halloysite/Hemp hurd for methylene blue dye removal: kinetic studies and mathematical modeling. **2022**, 633, 127925 1
- 100 Use of Ionic Liquid Pretreated and Fermented Sugarcane Bagasse as an Adsorbent for Congo Red Removal. **2021**, 13, 1
- 99 Circular economy approach for rice husk modification: equilibrium, kinetic, thermodynamic aspects and mechanism of Congo red adsorption. 1 2
- 98 Magnetic and photocatalytic properties of CoFe₂O₄/Ni nanocomposites. 1
- 97 Novel green adsorbents for removal of aniline from industrial effluents: A review. **2021**, 345, 118167 3
- 96 Experimental analysis of synthesis process of lanthanum nickelate nanoparticles as an anionic dye adsorbent via a coprecipitation flux method. **2022**, 10, 107113 0
- 95 Simultaneous removal of pollutants from sub-nanometric to nanometric scales by hierarchical dendrimers modified aerogels. **2022**, 286, 120440 0
- 94 Cu-coupled Fe/FeC covered with thin carbon as stable win-win catalysts to boost electro-Fenton reaction for brewing leachate treatment.. **2022**, 293, 133532 2
- 93 Adsorption of congo red using carbon from leaves and stem of water hyacinth: equilibrium, kinetics, thermodynamic studies. 1 0
- 92 Biosorption of chromium (VI) and iron (II) by acid-based modified *Chlorella vulgaris* and *Spirulina platensis*: isotherms and thermodynamics. 1 1
- 91 Experimental Study on the Kinetics of CO and HO Adsorption on Honeycomb Carbon Monoliths under Cement Flue Gas Conditions.. **2022**, 10, 2107-2124 1
- 90 Selective adsorption of anionic dye from wastewater using polyethyleneimine based macroporous sponge: Batch and continuous studies.. **2022**, 428, 128238 3
- 89 Green sorption media for the removal of perfluorooctanesulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) from water.. **2022**, 819, 152886 1

88	Using egg ovalbumin to synthesize pure FeO and cobalt doped FeO : structural, morphological, optical and photocatalytic properties.. 2022 , 8, e08953	0
87	Interaction between Differentially Charged Microplastics Particles and Soils.	
86	Adsorption kinetics, isotherms and thermodynamic studies of methyl blue in textile dye effluent on natural clay adsorbent. 2022 , 8, 1	0
85	Adsorption for rhodamine b dye and biological activity of nano-porous chitosan from shrimp shells.. 2022 , 1	0
84	Macro-Reticular Ion Exchange Resins for Recovery of Direct Dyes from Spent Dyeing and Soaping Liquors.. 2022 , 27,	1
83	Effective Adsorption of Congo Red from Aqueous Solution Using Fe/Al Di-Metal Nanostructured Composite Synthesised from Fe(III) and Al(III) Recovered from Real Acid Mine Drainage.. 2022 , 12,	1
82	Optimization, equilibrium, kinetics and thermodynamic study of congo red dye adsorption from aqueous solutions using iraqi porcelanite rocks. 1	0
81	Novel Wastewater Treatment by Using Newly Prepared Green Seaweed-Zeolite Nanocomposite.. 2022 , 7, 11044-11056	2
80	Preparation of biologically activated lignite immobilized SRB particles and their AMD treatment characteristics.. 2022 , 12, 3964	0
79	Dried Brown Seaweed's Phytoremediation Potential for Methylene Blue Dye Removal from Aquatic Environments.. 2022 , 14,	10
78	Adsorption of Cationic Dye onto ZSM-5 Zeolite-Based Bio Membrane: Characterizations, Kinetics and Adsorption Isotherm. 1	4
77	Removal of the Anionic Dye Congo Red from an Aqueous Solution Using a Crosslinked Poly(vinyl alcohol)-ZnO-Vitamin M Nanocomposite Film: A Study of the Recent Concerns about Nonlinear and Linear Forms of Isotherms and Kinetics.. 2022 ,	0
76	Itaconic acid-modified layered double hydroxide/gellan gum nanocomposites for Congo red adsorption.. 2022 , 12, 4356	2
75	Adsorption of methyl orange on ZnO supported by seawater-modified red mud.	
74	Chitosan- and Alginate-Based Hydrogels for the Adsorption of Anionic and Cationic Dyes from Water.. 2022 , 14,	5
73	Organic acid modified activated carbon filter media for removal of isopropanol in the cleanroom. 2022 , 255, 168733	0
72	A Review on Agro-based Materials on the Separation of Environmental Pollutants From Water System. 2022 ,	0
71	Attachment of positively and negatively charged submicron polystyrene plastics on nine typical soils.. 2022 , 431, 128566	0

70	Preparation of new MOF-808/chitosan composite for Cr(VI) adsorption from aqueous solution: Experimental and DFT study.. 2022 , 288, 119383	3
69	Green Synthesis of Nanostructure CeO Using Tea Extract: Characterization and Adsorption of Dye from Aqueous Phase.. 2021 , 2021, 5285625	
68	Optimization of preparation conditions of sulfate-reducing bacteria (SRB) immobilization particles strengthened by maifanite and its treatment of wastewater containing Mn ²⁺ . 1-14	0
67	One-step synthesis of nanoscale zero-valent iron modified hydrophobic mesoporous activated carbon for efficient removal of bulky organic pollutants. 2022 , 131854	0
66	Efficient and practical adsorption of mixed anionic dyes in aqueous solution by magnetic NiFe-layered double oxide.	0
65	Double-Shelled NiCo-LDH@MSiO ₃ (M = Ni, Cu, Mn) Hollow Polyhedral Cages for Efficient Adsorption Toward Anionic Organic Pollutant.	
64	Highly Efficient Removal of Congo Red from Aqueous Solution by Lime-Preconditioned Phosphogypsum. 2022 , 7,	1
63	Preparation and characterization of biochar from cement waste for removal of rhodamine B dye.	0
62	Removal of color and COD from textile dyeing effluent by adsorption technique using montmorillonite clay.	0
61	Adsorption of Congo red by fibrous xonotlite prepared from waste silicon residue.	
60	Exploiting one dimensional polymer for environmental monitoring: Co based coordination polymer for efficient removal of cationic dyes. 2022 , 123307	2
59	Global qualitative and quantitative distribution of micropollutants in the deep sea. 2022 , 307, 119414	1
58	Adsorption of Congo Red dye on CuO nanoparticles synthesized by green method using Nyctanthes arbor-tristis leaf extract: Experimental and theoretical study.	1
57	Metolachlor adsorption using walnut shell biochar modified by soil minerals. 2022 , 308, 119610	0
56	Modeling of Adsorptive Properties and Regeneration of Ihiala Clay on Removal of Congo Red (CR) Dyes Using ANN, ANFIS, and RSM Cum Kinetics Investigation.	
55	Removal of Organic Pollutants from Waste Water by Adsorption onto Rice Husk-Based Adsorbents, an Agricultural Waste. 2022 , 287-313	
54	Valorization of natural diatomite mineral: Application to removal of anionic dye from aqueous solution in a batch and fixed-bed reactor. 2022 , 29, 2084-2098	0
53	Antiviral drugs against influenza: Treatment methods, environmental risk assessment and analytical determination. 2022 , 318, 115523	1

52	Magnetic nanosystems substituted with zinc for enhanced antibacterial, drug delivery and cell viability behaviours. 2022 , 650, 129629	1
51	Reusable kaolin impregnated aminated chitosan composite beads for efficient removal of Congo red dye: isotherms, kinetics and thermodynamics studies. 2022 , 12,	0
50	Analytical modeling and interpretation of ultrasound-assisted adsorption mechanism of fuchsine dye on MgZnFeO nanocomposites. 1-10	
49	Enhancing Functionalities in Nanocomposites for Effective Dye Removal from Wastewater: Isothermal, Kinetic and Thermodynamic Aspects. 2022 , 14, 2600	1
48	Efficient Removal of Organic Dye from Aqueous Solution Using Hierarchical Zeolite-Based Biomembrane: Isotherm, Kinetics, Thermodynamics and Recycling Studies. 2022 , 12, 886	1
47	Removal of Methyl Violet from Aqueous Solution by Adsorption onto Halloysite Nanoclay: Experiment and Theory. 2022 , 10, 445	0
46	ZIF-8/Chitosan hybrid nanoparticles with tunable morphologies as superior adsorbents towards both anionic and cationic dyes for a broad range of acidic and basic environments. 2022 , 343, 112149	0
45	Sustainable alternative for removing pesticides in water: Nanomodified activated carbon produced from yeast residue biomass. 2022 , 29, 100794	
44	A sustainable approach for the removal methods and analytical determination methods of antiviral drugs from water/wastewater: A review. 2022 , 49, 103036	0
43	Optimized adsorption and effective disposal of Congo red dye from wastewater: Hydrothermal fabrication of MgAl-LDH nanohydroxalcalite-like materials. 2022 , 15, 104171	0
42	Binary dyes adsorption onto novel designed magnetic clay-biopolymer hydrogel involves characterization and adsorption performance: Kinetic, equilibrium, thermodynamic, and adsorption mechanism. 2022 , 366, 120303	1
41	Photocatalytic Sterilization Performance and Mechanism of Pure Nb ₂ C ₂ T _x Mxenes Nanosheets Under Infrared Light Irradiation.	0
40	Removal of Azo Dye Carmoisine by Adsorption Process on Diatomite. 2022 , 2022, 1-17	0
39	Simpler is better: A heterometallic (Mn-Na) metal organic framework (MOF) with a rare myc topology synthesized from bench chemicals for selective adsorption and separation of organic dyes. 2022 , 110046	1
38	Stabilization mechanism of Pb with an amino- and mercapto-polymer to assist phytoremediation. 2022 , 130139	1
37	Sustainable adsorptive removal of high concentration organic contaminants from water using biodegradable Gum-Acacia integrated magnetite nanoparticles hydrogel adsorbent. 2022 , 110057	1
36	Facile and template-free fabrication of hollow spherical AlOOH and Al ₂ O ₃ from the waste aluminum residue: Growth mechanism and fast removal of Congo red. 2022 , 316, 123627	0
35	Fabrication of Novel Nanohybrid Material for the Removal of Azo Dyes from Wastewater. 2022 , 6, 304	0

- 34 One-Pot Electrochemical Synthesis of Citric Acid Functionalized Iron Oxide Magnetic Nanoparticles for Congo Red Adsorption. 2200156 0
- 33 Statistically optimized sequential hydrothermal route for FeTiO₃ surface modification: evaluation of hazardous cationic dyes adsorptive removal. 1
- 32 Superhydrophobic sodium alginate/cellulose aerogel for the dye adsorption and oil-water separation. 0
- 31 Adsorption properties and mechanism of zinc acrylic carbon nanosphere aggregates for perfluorooctanoic acid from aqueous solution. **2023**, 316, 120540 0
- 30 Polyvinyl alcohol/guar gum-based bio-adsorbent for the removal of cationic and anionic dyes from aqueous solution. 0
- 29 Ultrasonic supported dye removal by a novel biomass. **2022**, 0
- 28 High pressure CO₂ adsorption onto Malaysian Mukah-Balingian coals: Adsorption isotherms, thermodynamic and kinetic investigations. **2023**, 218, 114905 0
- 27 Photothermocatalytic sterilization performance and mechanism of pure Nb₂CT MXenes nanosheets under infrared light irradiation. **2023**, 613, 155990 0
- 26 Adsorption of single and mixed colors by kaolinite clay: Experimental research combined with a theoretical examination using DFT. **2023**, 1276, 134687 0
- 25 Preparation and characterization of low-cost activated carbon from Moringa oleifera chemically activated using ZnCl₂ for the adsorption of bisphenol A. 1-16 0
- 24 Adsorption of Pb (II) and Cu (II) by magnetic beads loaded with xanthan gum. 0
- 23 Removal of Reactive Black Dye in Water by Magnetic Mesoporous Carbon from Macadamia Nutshell. **2022**, 2022, 1-17 0
- 22 Adsorption Performance of Zeolite for the Removal of Congo Red Dye: Factorial Design Experiments, Kinetic, and Equilibrium Studies. **2023**, 10, 57 5
- 21 Comparative study of ZIF-8-materials for removal of hazardous compounds using physio-chemical remediation techniques. **2023**, 220, 115168 0
- 20 Simple and Rapid Synthesis of Organically Modified Natural Acid Clay for the Adsorption of Anionic and Cationic Dyes. **2023**, 13, 41 0
- 19 3D Hierarchical Porous and N-Doped Carbonized Microspheres Derived from Chitin for Remarkable Adsorption of Congo Red in Aqueous Solution. **2023**, 24, 684 0
- 18 Extremely Fast and Efficient Removal of Congo Red Using Cationic-Incorporated Hydroxyapatite Nanoparticles (HAp: X (X = Fe, Ni, Zn, Co, and Ag)). **2023**, 13, 209 0
- 17 The adsorption kinetics and mechanism of odorous gases onto textile fibers. 0

- 16 Adsorption of Orange G Dye on Hydrophobic Activated Bentonite from Aqueous Solution. **2023**, 13, 211 ○
- 15 Fine Particle Adsorption Capacity of Volcanic Soil from Southern Kyushu, Japan. **2023**, 13, 568 ○
- 14 Utilization of metal industry solid waste as an adsorbent for adsorption of anionic and cationic dyes from aqueous solution through the batch and continuous study. **2023**, 30, 46748-46765 ○
- 13 Temperature-regulated formation of hierarchical pores and defective sites in MIL-121 for enhanced adsorption of cationic and anionic dyes. **2023**, 314, 123650 ○
- 12 Sorption and desorption of naphthenic acids on reclamation materials: Mechanisms and selectivity of naphthenic acids from oil sands process water. **2023**, 326, 138462 ○
- 11 Layered aerogel embedded with thiourea-resorcinol-formaldehyde resin for efficient adsorption of Au(III). **2023**, 314, 123528 ○
- 10 Defective multi-element hydroxides nanosheets for rapid removal of anionic organic dyes from water and oxygen evolution reaction. **2023**, 447, 130803 ○
- 9 Rambutan seed waste-derived nitrogen-doped carbon dots with l-aspartic acid for the sensing of Congo red dye. **2023**, 13, 6422-6432 ○
- 8 Zinc Removal from Water via EDTA-Modified Mesoporous SBA-16 and SBA-15. **2023**, 11, 205 ○
- 7 Highly adsorptive removal of Congo red from aqueous solution using TiO₂ doped with Fe³⁺ nanoparticles. ○
- 6 Removal of Dye by Adsorption on Nitric Acid Treated Sugar Bagasse Wastes, an Experimentally, Theoretically, and Computational Studies. **2022**, 96, 3232-3243 ○
- 5 Statistical physics double-layer models for the experimental study and theoretical modeling of methyl orange dye adsorption on AlMnTiO nanocomposite. 1-12 ○
- 4 Fe(II)/LXQ-10 bifunctional resin materials for boosting synergistic adsorption/oxidation of benzene in industrial waste gas. ○
- 3 Adsorption mechanism of phosphorus on biomass ash modified with lanthanum immobilized by chitosan. ○
- 2 Factorial Design Statistical Analysis and Optimization of the Adsorptive Removal of COD from Olive Mill Wastewater Using Sugarcane Bagasse as a Low-Cost Adsorbent. **2023**, 15, 1630 ○
- 1 Coprostanol adsorption behavior in agricultural soil, riverbed sediment, and sand. **2023**, 11, 110029 ○