

CITATION REPORT

List of articles citing

Extraction and determination of some psychotropic drugs in urine samples using dispersive liquid-liquid microextraction followed by high-performance liquid chrom.

DOI: 10.1016/j.jpba.2008.11.036

Journal of Pharmaceutical and Biomedical Analysis,
2009, 49, 572-8.

Source: <https://exaly.com/paper-pdf/46153921/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
126	A review of current trends and advances in modern bio-analytical methods: chromatography and sample preparation. 2009 , 656, 8-35		433
125	Dispersive liquid-liquid microextraction with little solvent consumption combined with gas chromatography-mass spectrometry for the pretreatment of organochlorine pesticides in aqueous samples. 2009 , 1216, 5171-5		85
124	Ionic liquid based dispersive liquid-liquid microextraction for the extraction of pesticides from bananas. 2009 , 1216, 7336-45		138
123	Dispersive liquid-liquid-liquid microextraction combined with liquid chromatography for the determination of chlorophenoxy acid herbicides in aqueous samples. 2009 , 1216, 7846-50		57
122	Current Awareness in Drug Testing and Analysis. <i>Drug Testing and Analysis</i> , 2009 , 1, 457-472	3.5	1
121	Determination of Estrone and 17 β Estradiol in Water Samples Using Dispersive Liquid-Liquid Microextraction Followed by LC. <i>Chromatographia</i> , 2010 , 71, 405-410	2.1	34
120	Determination of Trace Amounts of Chlorogenic Acid and Three of Its Metabolites Using Time-Resolved LPME and LC-UV Detection in Biological Specimens. <i>Chromatographia</i> , 2010 , 72, 453-458	2.1	15
119	Quantitation of valproic acid in pharmaceutical preparations using dispersive liquid-liquid microextraction followed by gas chromatography-flame ionization detection without prior derivatization. <i>Drug Testing and Analysis</i> , 2010 , 2, 362-6	3.5	14
118	Dispersive liquid-liquid microextraction combined with nonaqueous capillary electrophoresis for the determination of fluoroquinolone antibiotics in waters. 2010 , 31, 3457-65		55
117	Determination of amoxapine and nortriptyline in blood plasma and serum by salt-assisted liquid-liquid microextraction and high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2010 , 33, 3774-80	3.4	24
116	Dispersive liquid-liquid microextraction for determination of organic analytes. 2010 , 29, 728-751		219
115	Ultrasound-assisted emulsification microextraction with simultaneous derivatization coupled to fibre optics-based cuvetteless UV-vis micro-spectrophotometry for formaldehyde determination in cosmetic samples. 2010 , 674, 59-63		53
114	Rapid ultraviolet monitoring of multiple psychotropic drugs with a renewable microfluidic device. 2010 , 679, 1-6		11
113	Evolution of dispersive liquid-liquid microextraction method. 2010 , 1217, 2342-57		764
112	Analysis of volatile aldehyde biomarkers in human blood by derivatization and dispersive liquid-liquid microextraction based on solidification of floating organic droplet method by high performance liquid chromatography. 2010 , 1217, 2365-70		102
111	Dispersive Liquid-Liquid Microextraction. 2010 ,		1
110	Extraction and analysis of auxins in plants using dispersive liquid-liquid microextraction followed by high-performance liquid chromatography with fluorescence detection. 2010 , 58, 2763-70		90

109	Determination of nitrobenzenes and nitrochlorobenzenes in water samples using dispersive liquid-liquid microextraction and gas chromatography-mass spectrometry. 2011 , 3, 2254		8
108	Bio-sample preparation and analytical methods for the determination of tricyclic antidepressants. <i>Bioanalysis</i> , 2011 , 3, 97-118	2.1	14
107	Novel strategies for sample preparation in forensic toxicology. <i>Bioanalysis</i> , 2011 , 3, 2019-46	2.1	26
106	Modified dispersive liquid-liquid microextraction followed by high-performance liquid chromatography for the determination of clenbuterol in swine urine. 2011 , 28, 1006-12		16
105	Current role of liquid chromatography coupled to mass spectrometry in clinical toxicology screening methods. 2011 , 49, 1091-103		18
104	Extraction and determination of opium alkaloids in urine samples using dispersive liquid-liquid microextraction followed by high-performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2978-83	3.2	71
103	Ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction coupled with high performance liquid chromatography for sensitive determination of trace celastrol in urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3429-33	3.2	45
102	Improvement and validation the method using dispersive liquid-liquid microextraction with in situ derivatization followed by gas chromatography-mass spectrometry for determination of tricyclic antidepressants in human urine samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3714-20	3.2	66
101	Simultaneous determination of different endogenous plant growth regulators in common green seaweeds using dispersive liquid-liquid microextraction method. 2011 , 49, 1259-63		89
100	Combination of corona discharge ion mobility spectrometry with a novel reagent gas and two immiscible organic solvent liquid-liquid-liquid microextraction for analysis of clomipramine in biological samples. 2011 , 1218, 8600-7		17
99	SAMPLE PREPARATION FOR HIGH PERFORMANCE LIQUID CHROMATOGRAPHY: RECENT PROGRESS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2011 , 34, 1157-1267	1.3	13
98	Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction Combined with Low Solvent Consumption for Determination of Polycyclic Aromatic Hydrocarbons in Seawater by GCMS. <i>Chromatographia</i> , 2011 , 74, 89-98	2.1	40
97	Comparison of dispersive liquid-liquid microextraction and hollow fiber liquid-liquid-liquid microextraction for the determination of fentanyl, alfentanil, and sufentanil in water and biological fluids by high-performance liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 2149-58	4.4	56
96	Selective extraction of emerging contaminants from water samples by dispersive liquid-liquid microextraction using functionalized ionic liquids. 2011 , 1218, 1556-66		97
95	Dispersive liquid-liquid microextraction combined with high-performance liquid chromatography for the determination of clozapine and chlorpromazine in urine. 2011 , 31, 277-284		13
94	Optimization of simultaneous derivatization and extraction of aliphatic amines in water samples with dispersive liquid-liquid microextraction followed by HPLC. <i>Journal of Separation Science</i> , 2011 , 34, 2719-25	3.4	46
93	Simultaneous determination of tetrahydropalmatine and tetrahydroberberine in rat urine using dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2011 , 34, 3279-86	3.4	13
92	Determination of clomipramine by flow-injection analysis with acidic potassium permanganate-formic acid chemiluminescence detection. 2011 , 26, 741-6		8

91	Dispersive liquid-liquid microextraction based on solidification of floating organic droplet followed by high-performance liquid chromatography with ultraviolet detection and liquid chromatography-tandem mass spectrometry for the determination of triclosan and 2,4-dichlorophenol in water samples. 2011 , 1218, 3830-6		88
90	Analysis of losartan and carvedilol in urine and plasma samples using a dispersive liquid-liquid microextraction isocratic HPLC-UV method. <i>Bioanalysis</i> , 2012 , 4, 2805-21	2.1	32
89	Recent advances in liquid microextraction techniques coupled with MS for determination of small-molecule drugs in biological samples. <i>Bioanalysis</i> , 2012 , 4, 725-39	2.1	10
88	Chemometrics assisted dispersive liquid-liquid microextraction for quantification of seven UV filters in urine samples by HPLC-DAD. <i>Journal of Separation Science</i> , 2012 , 35, 3575-85	3.4	8
87	Sequential dispersive liquid-liquid microextraction for the determination of aryloxyphenoxy-propionate herbicides in water. <i>Journal of Separation Science</i> , 2012 , 35, 3389-95	3.4	38
86	Solid-phase extraction combined with dispersive liquid-liquid microextraction as an efficient and simple method for the determination of carbamazepine in biological samples. 2012 , 4, 2887		17
85	Simultaneous determination of four synthesized metabolites of mequindox in urine samples using ultrasound-assisted dispersive liquid-liquid microextraction combined with high-performance liquid chromatography. 2012 , 88, 330-7		24
84	Development of a dispersive liquid-liquid microextraction method for the determination of fluoroquinolones in chicken liver by high performance liquid chromatography. 2012 , 730, 80-6		62
83	Determination of eight fluoroquinolones in groundwater samples with ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction prior to high-performance liquid chromatography and fluorescence detection. 2012 , 748, 20-7		82
82	Simple, rapid, and sensitive determination of beta-blockers in environmental water using dispersive liquid-liquid microextraction followed by liquid chromatography with fluorescence detection. <i>Journal of Separation Science</i> , 2012 , 35, 2184-92	3.4	13
81	Simultaneous preconcentration and determination of 2,4-D, alachlor and atrazine in aqueous samples using dispersive liquid-liquid microextraction followed by high-performance liquid chromatography ultraviolet detection. <i>Journal of Separation Science</i> , 2012 , 35, 2718-24	3.4	39
80	Dispersive Liquid-Liquid Microextraction. 2012 , 181-212		13
79	TWO SELECTIVE SPECTROPHOTOMETRY METHODS FOR THE DETERMINATION OF THIORIDAZINE HYDROCHLORIDE IN TABLETS AND IN BIOLOGICAL FLUIDS. 2012 , 57, 983-988		1
78	Determination of macrolide antibiotics using dispersive liquid-liquid microextraction followed by surface-assisted laser desorption/ionization mass spectrometry. 2012 , 23, 1157-60		18
77	Micelle to solvent stacking of tricyclic psychiatric drugs in capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 62, 149-54	3.5	22
76	Comparison of dispersive liquid-liquid microextraction based on organic solvent and ionic liquid combined with high-performance liquid chromatography for the analysis of emodin and its metabolites in urine samples. <i>Journal of Separation Science</i> , 2012 , 35, 145-52	3.4	44
75	Trends in liquid-phase microextraction, and its application to environmental and biological samples. 2012 , 176, 1-22		146
74	Determination of abamectin in citrus fruits using SPE combined with dispersive liquid-liquid microextraction and HPLC-UV detection. <i>Journal of Separation Science</i> , 2013 , 36, 2629-34	3.4	17

73	Combined application of dispersive liquid-liquid microextraction based on the solidification of floating organic droplets and charged aerosol detection for the simple and sensitive quantification of macrolide antibiotics in human urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 86, 204-13	3.5	30
72	Five Years of Dispersive Liquid-Liquid Microextraction. 2013 , 48, 161-259		67
71	Dispersive liquid-liquid microextraction based on solidification of floating organic droplets followed by high performance liquid chromatography for the determination of duloxetine in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 75, 214-9	3.5	55
70	Recent advances in unique sample preparation techniques for bioanalysis. <i>Bioanalysis</i> , 2013 , 5, 915-32	2.1	35
69	Study on the fluorescence quenching reaction of amitriptyline and clomipramine hydrochlorides with eosin Y and its analytical application. 2013 , 23, 533-42		11
68	Optimization of dispersive liquid-liquid microextraction with central composite design for preconcentration of chlordiazepoxide drug and its determination by HPLC-UV. <i>Journal of Separation Science</i> , 2013 , 36, 1734-42	3.4	75
67	Dispersive liquid-liquid microextraction combined with field-amplified sample stacking in capillary electrophoresis for the determination of non-steroidal anti-inflammatory drugs in milk and dairy products. 2013 , 138, 890-7		55
66	Separation and determination of triclosan and bisphenol A in water, beverage, and urine samples by dispersive liquid-liquid microextraction combined with capillary zone electrophoresis-UV detection. 2013 , 96, 459-65		35
65	Nanodiamond Decorated with Silver Nanoparticles as a Sensitive Film Modifier in a Jeweled Electrochemical Sensor: Application to Voltammetric Determination of Thioridazine. 2013 , 25, 417-425		28
64	Determination of some psychotropic drugs in human plasma by HPTLC. <i>Acta Chromatographica</i> , 2014 , 26, 297-307	1.5	1
63	Development and validation of a reverse phase high performance liquid chromatography (HPLC) method for determination of tizanidine in human plasma. 2014 , 8, 199-205		3
62	EMPS-Modified Silica Conical Microcolumn Separation/Preconcentration of Trace Antipsychotic Drugs in Rat Plasma and Environmental Water Samples Prior to Their Determination by LC. <i>Chromatographia</i> , 2014 , 77, 1623-1632	2.1	3
61	Determination of fungicides in fruit juice by ultrasound-assisted dispersive liquid-liquid microextraction based on solidification of floating organic solvent droplets followed by high performance liquid chromatography. 2014 , 97, 183-7		7
60	Microextraction sample preparation techniques in biomedical analysis. <i>Journal of Separation Science</i> , 2014 , 37, 3094-105	3.4	41
59	SIMPLE MEASUREMENT OF TESTOSTERONE IN MALE SALIVA SAMPLES USING DISPERSIVE LIQUID-LIQUID MICROEXTRACTION FOLLOWED BY LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014 , 37, 1278-1286	1.3	6
58	Nickel (II) incorporated ALPO-5 modified carbon paste electrode for determination of thioridazine in human serum. 2014 , 37, 342-7		24
57	Coupling of solvent-based de-emulsification dispersive liquid-liquid microextraction with high performance liquid chromatography for simultaneous simple and rapid trace monitoring of 2,4-dichlorophenoxyacetic acid and 2-methyl-4-chlorophenoxyacetic acid. 2014 , 186, 2609-18		42
56	Binary Solvents Dispersive Liquid-Liquid Microextraction (BS-DLLME) Method for Determination of Tramadol in Urine Using High-Performance Liquid Chromatography. 2014 , 22, 25		19

55	New sensitive spectrophotometric method for the determination of clomipramine-HCl in pure form and pharmaceutical preparations. <i>Journal of Analytical Chemistry</i> , 2014 , 69, 509-512	1.1	3
54	Emulsion-based liquid-phase microextraction: a review. 2014 , 11, 1087-1101		23
53	Slow-injection ultrasound-assisted emulsification-microextraction for determination of phthalate esters in water. 2014 , 52, 1127-34		6
52	High performance liquid chromatographic determination of ultra traces of two tricyclic antidepressant drugs imipramine and trimipramine in urine samples after their dispersive liquid-liquid microextraction coupled with response surface optimization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 100, 271-278	3.5	33
51	Sensitive detection of piperaziny phenothiazine drugs by field-amplified sample stacking in capillary electrophoresis with dispersive liquid-liquid microextraction. 2015 , 36, 2828-2836		22
50	Enantioseparation of the fungicide imazalil in orange juice by chiral HPLC. Study on degradation rates and extractive/enrichment techniques. 2015 , 178, 179-85		21
49	Highly Sensitive and Validated Spectrophotometric Technique for the Assay of Some Antidepressant Drugs. 2015 , 81, 1004-1011		7
48	Determination of parabens in human milk and other food samples by capillary electrophoresis after dispersive liquid-liquid microextraction with back-extraction. 2015 , 181, 1-8		60
47	Comparison of chromatographic conditions for analysis of selected psychotropic drugs in human serum. 2015 , 53, 394-400		5
46	Extensible automated dispersive liquid-liquid microextraction. 2015 , 872, 46-54		27
45	An improved analytical strategy combining microextraction by packed sorbent combined with ultra high pressure liquid chromatography for the determination of fluoxetine, clomipramine and their active metabolites in human urine. 2015 , 1408, 30-40		28
44	Liquid Chromatographic Determination of NSAIDs in Urine After Dispersive Liquid-Liquid Microextraction Based on Solidification of Floating Organic Droplets. <i>Chromatographia</i> , 2015 , 78, 987-994 ²¹		24
43	Determination of estrogenic mycotoxins in environmental water samples by low-toxicity dispersive liquid-liquid microextraction and liquid chromatography-tandem mass spectrometry. 2015 , 1391, 1-8		25
42	Analysis of oxybutynin and N-desethyloxybutynin in human urine by dispersive liquid-liquid microextraction (DLLME) and capillary electrophoresis (CE). 2015 , 7, 8763-8770		6
41	Analysis of drugs of abuse in human plasma by dispersive liquid-liquid microextraction and high-performance liquid chromatography. 2015 , 35, 418-25		30
40	Determination of Levetiracetam in Human Plasma by Dispersive Liquid-Liquid Microextraction Followed by Gas Chromatography-Mass Spectrometry. 2016 , 2016, 5976324		7
39	Specific cellular accumulation of photofrin-II in EC cells promotes photodynamic treatment efficacy in esophageal cancer. 2016 , 14, 27-33		4
38	Preparation of magnetic ODS-PAN thin-films for microextraction of quetiapine and clozapine in plasma and urine samples followed by HPLC-UV detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 319-28	3.5	24

37	Combination of counter current salting-out homogenous liquid-liquid extraction and dispersive liquid-liquid microextraction as a novel microextraction of drugs in urine samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1012-1013, 162-8	3.2	36
36	Application of hollow fiber liquid phase microextraction and dispersive liquid-liquid microextraction techniques in analytical toxicology. 2016 , 24, 264-276		89
35	Determination of some psychotropic drugs in serum and saliva samples by HPLC-DAD and HPLC MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 68-80	3.5	27
34	Applications of dispersive liquid-liquid micro-extraction in forensic toxicology. 2016 , 75, 227-237		48
33	Rapid Analysis of Styrene in Drinking Water and Tea Samples Using Dispersive Liquid-Liquid Microextraction Combined with Liquid Chromatography-Ultraviolet Detection. 2017 , 10, 41-48		7
32	Simultaneous quantitation of endogenous estrone, 17 β -estradiol, and estriol in human serum by isotope-dilution liquid chromatography-tandem mass spectrometry for clinical laboratory applications. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2627-2638	4.4	13
31	Determination of Aristocularine Enantiomers by Dispersive Liquid-Liquid Microextraction and Chiral High-performance Liquid Chromatography. 2017 , 50, 1568-1579		
30	Rapid determination of some psychotropic drugs in complex matrices by tandem dispersive liquid-liquid microextraction followed by high performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1052, 51-59	3.2	15
29	Ultrasound-assisted dispersive magnetic solid phase extraction based on amino-functionalized FeO adsorbent for recovery of clomipramine from human plasma and its determination by high performance liquid chromatography: Optimization by experimental design. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1063, 18-24	3.2	10
28	Ten years of dispersive liquid-liquid microextraction and derived techniques. 2017 , 52, 267-415		67
27	Improved Analytical Approach Based on QuEChERS/UHPLC-PDA for Quantification of Fluoxetine, Clomipramine and their Active Metabolites in Human Urine Samples. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 45-53	2.9	15
26	Recent Advances in Microextraction Techniques of Antipsychotics in Biological Fluids Prior to Liquid Chromatography Analysis. <i>Separations</i> , 2017 , 4, 18	3.1	20
25	Development of new extraction method based on liquid-liquid-liquid extraction followed by dispersive liquid-liquid microextraction for extraction of three tricyclic antidepressants in plasma samples. <i>Biomedical Chromatography</i> , 2018 , 32, e4251	1.7	10
24	Sensitive determination of psychotropic drugs in urine samples using continuous liquid-phase microextraction with an extraction solvent lighter than water. <i>New Journal of Chemistry</i> , 2018 , 42, 4450-4456	2.6	6
23	Sensitive and rapid determination of pyrethroids in human blood by gas chromatography-tandem mass spectrometry with ultrasound-assisted dispersive liquid-liquid microextraction. <i>Drug Testing and Analysis</i> , 2018 , 10, 1131	3.5	13
22	Magnetic ionic liquids as versatile extraction phases for the rapid determination of estrogens in human urine by dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography-diode array detection. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4689-4699	4.4	47
21	Pharmacokinetic determination and analysis of nortriptyline based on GC-MS coupled with hollow-fiber drop-to-drop solvent microextraction technique. <i>Bioanalysis</i> , 2018 , 10, 143-152	2.1	10
20	Extraction and determination of tricyclic antidepressants in real samples using air-dispersed liquid-liquid microextraction prior to gas chromatography and flame ionization detection. <i>Journal of Separation Science</i> , 2018 , 41, 4340-4347	3.4	12

19	Magnetic Solid Phase Extraction Based on Modified Magnetite Nanoparticles Coupled with Dispersive Liquid-Liquid Microextraction as an Efficient Method for Simultaneous Extraction of Hydrophobic and Hydrophilic Drugs. <i>Chromatographia</i> , 2018 , 81, 1569-1578	2.1	10
18	Analysis of opioids in postmortem urine samples by dispersive liquid-liquid microextraction and high performance liquid chromatography with photo diode array detection. <i>Egyptian Journal of Forensic Sciences</i> , 2018 , 8,	1.1	8
17	An improved fabric phase sorptive extraction method for the determination of five selected antidepressant drug residues in human blood serum prior to high performance liquid chromatography with diode array detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1125, 121720	3.2	27
16	Ultra-preconcentration of common herbicides in aqueous samples using solid phase extraction combined with dispersive liquid-liquid microextraction followed by HPLC-DV. <i>Toxin Reviews</i> , 2019 , 1-8	2.3	
15	Advances in sample preparation in chromatography for organic environmental pollutants analyses. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2019 , 42, 137-160	1.3	13
14	Optimization of chromatographic systems for analysis of selected psychotropic drugs and their metabolites in serum and saliva by HPLC in order to monitor therapeutic drugs. <i>Open Chemistry</i> , 2019 , 17, 1361-1373	1.6	3
13	Antipsychotic drugs in hospital wastewater and a preliminary risk assessment. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 170, 559-567	7	21
12	Application of mobile phases containing ionic liquid for the analysis of selected psychotropic drugs by HPLC-DAD and HPLC-MS. <i>Acta Chromatographica</i> , 2019 , 31, 255-261	1.5	5
11	LC-MS-MS Determination of 25 Antipsychotic Drugs and Metabolites in Urine for Medication Compliance Monitoring. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 784-796	2.9	1
10	Ion Pair-dispersive Liquid-Liquid Microextraction Combined with Spectrophotometry for Carbamazepine Determination in Pharmaceutical Formulations and Biological Samples. <i>Journal of Analytical Chemistry</i> , 2020 , 75, 733-741	1.1	3
9	An Eco-Friendly Hydrophobic Deep Eutectic Solvent-Based Dispersive Liquid-Liquid Microextraction for the Determination of Neonicotinoid Insecticide Residues in Water, Soil and Egg Yolk Samples. <i>Molecules</i> , 2020 , 25,	4.8	14
8	Recent Advances in the HPLC Analysis of Tricyclic Antidepressants in Bio-Samples. <i>Mini-Reviews in Medicinal Chemistry</i> , 2020 , 20, 24-38	3.2	5
7	Determination of Seven Antidepressants in Pericardial Fluid by Means of Dispersive Liquid-Liquid Microextraction (DLLME) and Gas Chromatography-Mass Spectrometry (GC/MS). <i>Journal of Analytical Toxicology</i> , 2021 ,	2.9	4
6	Microextraction Methods for Preconcentration of Aluminium in Urine Samples. <i>Pharmaceutical Sciences</i> , 2016 , 22, 87-95		11
5	CHROMATOGRAPHY: RECENT PROGRESS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 150527103729000	1.3	
4	The Dispersive Liquid-Liquid Microextraction Technology in the Application of Ketamine Inspection. <i>Hans Journal of Chemical Engineering and Technology</i> , 2015 , 05, 33-39	0	
3	Therapeutic Drug Monitoring in Saliva. 2020 , 395-417		0
2	Development of Sodium Sulfate Induced Water Based Dispersive Liquid-Liquid Microextraction for the Extraction of Four Tricyclic Antidepressants in Urine Samples Prior to Their Determination by Gas Chromatography-Mass Spectrometry. 2020 , 27, 76-85		

- 1 Extraction and Determination of Cyproheptadine in Human Urine by DLLME-HPLC Method. *Iranian Journal of Pharmaceutical Research*, **2013**, 12, 311-8 1.1 16