CITATION REPORT List of articles citing

Simultaneous quantification of 19 ginsenosides in black ginseng developed from Panax ginseng by HPLC-ELSD

DOI: 10.1016/j.jpba.2009.03.025 Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 15-22.

Source: https://exaly.com/paper-pdf/46153954/citation-report.pdf

Version: 2024-04-11

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
163	Monitoring of mutarotation of monosaccharides by hydrophilic interaction chromatography. 2010 , 33, 974-81		24
162	Decocting-induced chemical transformations and global quality of Du-Shen-Tang, the decoction of ginseng evaluated by UPLC-Q-TOF-MS/MS based chemical profiling approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 946-57	3.5	102
161	Current Awareness in Phytochemical Analysis. 2010 , 21, 210-217		
160	QUALITATIVE AND QUANTITATIVE ANALYSIS OF 15 ACTIVE CONSTITUENTS IN JIWEILING FREEZE-DRIED POWDER BY HIGH PERFORMANCE LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. 2010 , 34, 1-17		1
159	Quality control for Coptidis rhizoma through the determination of five alkaloids by HPLC-ELSD coupled with chemometrics. 2010 , 24, 1616-29		9
158	Chemical conversion of ginsenosides in puffed red ginseng. <i>LWT - Food Science and Technology</i> , 2011 , 44, 370-374	5.4	34
157	Isolation and analysis of ginseng: advances and challenges. 2011 , 28, 467-95		247
156	Repetitious steaming-induced chemical transformations and global quality of black ginseng derived from Panax ginseng by HPLC-ESI-MS/MSn based chemical profiling approach. 2011 , 16, 956-965		13
155	Simultaneous determination of five active hydrolysis ingredients from Panax quinquefolium L. by HPLC-ELSD. 2011 , 25, 646-51		7
154	Studies on target tissue distribution of ginsenosides and epimedium flavonoids in rats after intravenous administration of Jiweiling freeze-dried powder. 2011 , 25, 1260-72		9
153	Red notoginseng: higher ginsenoside content and stronger anticancer potential than Asian and American ginseng. 2011 , 125, 1299-1305		96
152	Simultaneous qualification and quantification of baccharane glycosides in Impatientis Semen by HPLC-ESI-MSD and HPLC-ELSD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 674-80	3.5	20
151	Strategies for quality control of Chinese medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 802-9	3.5	116
150	The Protective Effect of Black Ginseng Against Transient Focal Ischemia-induced Neuronal Damage in Rats. 2011 , 15, 333-8		14
149	Panax ginseng reduces oxidative stress and restores antioxidant capacity in aged rats. 2012 , 32, 718-26		70
148	Rapid differentiation of Panax ginseng and Panax quinquefolius by matrix-assisted laser desorption/ionization mass spectrometry. 2012 , 753, 73-81		19
147	Multi-component analysis of bile acids in natural Calculus bovis and its substitutes by ultrasound-assisted solid-liquid extraction and UPLC-ELSD. 2012 , 137, 5845-53		13

146	Enriched separation of protopanaxatriol ginsenosides, malonyl ginsenosides and protopanaxadiol ginsenosides from Panax ginseng using macroporous resins. 2012 , 113, 577-588		17
145	Steaming-induced chemical transformations and holistic quality assessment of red ginseng derived from Panax ginseng by means of HPLC-ESI-MS/MS(n)-based multicomponent quantification fingerprint. 2012 , 60, 8213-24		69
144	Recent methodology in ginseng analysis. Journal of Ginseng Research, 2012, 36, 119-34	5.8	60
143	Characterization of a novel ginsenoside-hydrolyzing \pm -arabinofuranosidase, AbfA, from Rhodanobacter ginsenosidimutans Gsoil 3054T. 2012 , 94, 673-82		27
142	Quantification of glucose, xylose, arabinose, furfural, and HMF in corncob hydrolysate by HPLC-PDA-ELSD. 2012 , 353, 111-4		49
141	Ultra-high-performance liquid chromatography-quadrupole/time of flight mass spectrometry based chemical profiling approach to rapidly reveal chemical transformation of sulfur-fumigated medicinal herbs, a case study on white ginseng. <i>Journal of Chromatography A</i> , 2012 , 1231, 31-45	4.5	81
140	Target separation of a new anti-tumor saponin and metabolic profiling of leaves of Panax notoginseng by liquid chromatography with eletrospray ionization quadrupole time-of-flight mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 59, 67-77	3.5	38
139	Holistic quality evaluation of commercial white and red ginseng using a UPLC-QTOF-MS/MS-based metabolomics approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 62, 258-73	3.5	123
138	The use of linear ion trap for qualitative analysis of phytochemicals in Korean ginseng tea. 2013 , 27, 765	5-74	7
137	A new application of charged aerosol detection in liquid chromatography for the simultaneous determination of polar and less polar ginsenosides in ginseng products. 2013 , 24, 374-80		15
136	Regulation and differential expression of protopanaxadiol synthase in Asian and American ginseng ginsenoside biosynthesis by RNA interferences. 2013 , 71, 207-217		18
135	Evaluation of sugar content and composition in commonly consumed Korean vegetables, fruits, cereals, seed plants, and leaves by HPLC-ELSD. 2013 , 380, 112-7		77
134	Overexpression and characterization of a glucose-tolerant Eglucosidase from Thermotoga thermarum DSM 5069T with high catalytic efficiency of ginsenoside Rb1 to Rd. 2013 , 95, 62-69		44
133	Simultaneous Determination of Ten Ginsenosides in American Ginseng Functional Foods and Ginseng Raw Plant Materials by Liquid Chromatography Tandem Mass Spectrometry. 2013 , 6, 112-122		26
132	UPLC-Q-TOF-MS/MS fingerprinting of Traditional Chinese Formula SiJunZiTang. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 80, 24-33	3.5	61
131	The effect of ultrasonication on the immunomodulatory activity of low-quality ginseng. 2013 , 29, 255-6	4	2
130	Effect of antimicrobial activity of sodium hypochlorite and organic acids on various foodborne pathogens in Korean ginseng root. 2013 , 7, 2724-2729		3
129	Simultaneous determination of 30 ginsenosides in Panax ginseng preparations using ultra performance liquid chromatography. <i>Journal of Ginseng Research</i> , 2013 , 37, 457-67	5.8	53

128	Simultaneous determination of original, degraded ginsenosides and aglycones by ultra high performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry for quantitative evaluation of Du-Shen-Tang, the decoction of ginseng. <i>Molecules</i> , 2014 , 19, 4083-104	4.8	17
127	HPLC-MS/MS determination of biomarkers of P. quinquefolius in plant materials and commercial products. 2014 , 69, 1323-1329		7
126	Detoxifying effect of fermented black ginseng on H2O2-induced oxidative stress in HepG2 cells. 2014 , 34, 1516-22		34
125	Chemical profiles and anticancer effects of saponin fractions of different polarity from the leaves of Panax notoginseng. 2014 , 12, 30-7		28
124	Effects and mechanisms of ginseng and ginsenosides on cognition. 2014 , 72, 319-33		57
123	Discrimination of leaves of Panax ginseng and P. quinquefolius by ultra high performance liquid chromatography quadrupole/time-of-flight mass spectrometry based metabolomics approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 97, 129-40	3.5	61
122	A high-fat diet increases oxidative renal injury and protein glycation in D-galactose-induced aging rats and its prevention by Korea red ginseng. 2014 , 60, 159-66		16
121	Novel Dammarane-Type Triterpene Saponins from Panax ginseng Root. 2015 , 63, 927-34		18
120	Modulating the Transport Characteristics of Bruch's Membrane With Steroidal Glycosides and its Relevance to Age-Related Macular Degeneration (AMD). 2015 , 56, 8403-18		10
119	Perspectives on the Market Globalization of Korean Herbal Manufacturers: A Company-Based Survey. 2015 , 2015, 515328		4
118	Korean red ginseng extract rejuvenates testicular ineffectiveness and sperm maturation process in aged rats by regulating redox proteins and oxidative defense mechanisms. 2015 , 69, 94-102		31
117	Integrated evaluation of malonyl ginsenosides, amino acids and polysaccharides in fresh and processed ginseng. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 89-97	3.5	58
116	Enzymatic transformation of ginsenoside Rb1 to ginsenoside 20(S)-Rg3 by GH3 Eglucosidase from Thermotoga thermarum DSM 5069T. 2015 , 113, 104-109		22
115	Preparation of ginsenosides Rg3, Rk1, and Rg5-selectively enriched ginsengs by a simple steaming process. 2015 , 240, 251-256		13
114	Overexpression and characterization of a Ca(2+) activated thermostable Eglucosidase with high ginsenoside Rb1 to ginsenoside 20(S)-Rg3 bioconversion productivity. 2015 , 42, 839-50		35
113	Effect of white, red and black ginseng on physicochemical properties and ginsenosides. 2015 , 70, 141-5		61
112	Single-run HPLC/ESI-LITMS profiling of ginsenosides in plant extracts and ginseng based products. 2015 , 29, 853-9		7
111	Recent advances in ginseng as cancer therapeutics: a functional and mechanistic overview. 2015 , 32, 256-72		164

110	Coalescence of functional gold and monodisperse silver nanoparticles mediated by black Meyer root extract. 2016 , 11, 6621-6634		19	
109	High-Performance Liquid Chromatography with Diode Array Detector and Electrospray Ionization Ion Trap Time-of-Flight Tandem Mass Spectrometry to Evaluate Ginseng Roots and Rhizomes from Different Regions. <i>Molecules</i> , 2016 , 21,	4.8	16	
108	Isolation, Purification and Quantification of Ginsenoside Fland Fllsomeric Compounds from Crude Extracts of Flower Buds of Panax ginseng. <i>Molecules</i> , 2016 , 21, 315	4.8	12	
107	Feasibility of Fraction Collection in HPLC Systems with Evaporative Light Scattering Detector: Analysis of Pectinatella magnifica. <i>Molecules</i> , 2016 , 21,	4.8	2	
106	Black Ginseng Extract Counteracts Streptozotocin-Induced Diabetes in Mice. 2016 , 11, e0146843		23	
105	Characterization of a novel arabinose-tolerant \blacksquare -arabinofuranosidase with high ginsenoside Rc to ginsenoside Rd bioconversion productivity. <i>Journal of Applied Microbiology</i> , 2016 , 120, 647-60	4.7	15	
104	Systematic development of a group quantification method using evaporative light scattering detector for relative quantification of ginsenosides in ginseng products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 128, 158-165	3.5	4	
103	Ginsenoside Rb1 as a neuroprotective agent: A review. 2016 , 125, 30-43		85	
102	Validation of analytical procedures using HPLC-ELSD to determine six sesquiterpene lactones in Eremanthus species. 2016 , 30, 484-93		3	
101	Black ginseng extract exerts anti-hyperglycemic effect via modulation of glucose metabolism in liver and muscle. <i>Journal of Ethnopharmacology</i> , 2016 , 190, 231-40	5	34	
100	Fast separation of triterpenoid saponins using supercritical fluid chromatography coupled with single quadrupole mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 121, 22-	²³⁹⁵	43	
99	Rapid characterization of ginsenosides in the roots and rhizomes of by UPLC-DAD-QTOF-MS/MS and simultaneous determination of 19 ginsenosides by HPLC-ESI-MS. <i>Journal of Ginseng Research</i> , 2016 , 40, 382-394	5.8	56	
98	Microbial deglycosylation and ketonization of ginsenoside by Cladosporium cladosporioide and their anticancer activity. 2016 , 109, 179-85		6	
97	Determination of ginsenosides in Asian and American ginsengs by liquid chromatography-quadrupole/time-of-flight MS: assessing variations based on morphological characteristics. <i>Journal of Ginseng Research</i> , 2017 , 41, 10-22	5.8	33	
96	Microbial transformation of ginsenosides extracted from Panax ginseng adventitious roots in an airlift bioreactor. 2017 , 26, 20-26		9	
95	Ginsenoside Rg12, a new dammarane-type triterpene saponin from root. <i>Journal of Ginseng Research</i> , 2017 , 41, 531-533	5.8	11	
94	Korean red ginseng improves testicular ineffectiveness in aging rats by modulating spermatogenesis-related molecules. 2017 , 90, 26-33		14	
93	Anti-wrinkle effect of fermented black ginseng on human fibroblasts. 2017 , 39, 681-686		21	

92	Flavored black ginseng exhibited antitumor activity via improving immune function and inducing apoptosis. 2017 , 8, 1880-1889		15
91	Study on antidepressant activity of sesquiterpenoids from ginseng root. <i>Journal of Functional Foods</i> , 2017 , 33, 261-267	5.1	11
90	Application of Charged Aerosol Detection in Traditional Herbal Medicines. 2017, 341-354		
89	Biotransformation of Ginsenosides Re and Rg1 into Rg2 and Rh1 by Thermostable EGlucosidase from Thermotoga thermarum. 2017 , 53, 472-477		6
88	HPLC-ELSD Quantification and Centrifugal Partition Chromatography Isolation of 8-O-Acetylharpagide from Oxera coronata (Lamiaceae). 2017 , 28, 242-246		3
87	A new approach for authentication of four ginseng herbs and their related products based on the simultaneous quantification of 19 ginseng saponins by UHPLC-TOF/MS coupled with OPLS-DA. 2017 , 7, 46839-46851		19
86	Chronic dietary ginseng extract administration ameliorates antioxidant and cholinergic systems in the brains of aged mice. <i>Journal of Ginseng Research</i> , 2017 , 41, 615-619	5.8	10
85	Effect of red and black ginseng on cholinergic markers, presynaptic markers, and neurotrophins in the brain of aged mice. <i>Food Science and Biotechnology</i> , 2017 , 26, 1743-1747	3	4
84	Combination of HPLC-MS and QAMS as a new analytical approach for determination of saponins in ginseng containing products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 132, 87-92	3.5	21
83	Comprehensive Profiling and Quantification of Ginsenosides in the Root, Stem, Leaf, and Berry of Panax ginseng by UPLC-QTOF/MS. <i>Molecules</i> , 2017 , 22,	4.8	52
82	Ameliorative Effects and Possible Molecular Mechanism of Action of Black Ginseng (Panax ginseng) on Acetaminophen-Mediated Liver Injury. <i>Molecules</i> , 2017 , 22,	4.8	38
81	Mass Spectrometry Based Profiling and Imaging of Various Ginsenosides from Panax ginseng Roots at Different Ages. 2017 , 18,		15
80	Simultaneous Determination of 5 Flavonoids and 7 Saponins for Quality Control of Traditional Chinese Medicine Preparation Xinnaoshutong Capsule Using HPLC-VWD-ELSD. 2017 , 2017, 3190185		6
79	Review: DNA Barcoding and Chromatography Fingerprints for the Authentication of Botanicals in Herbal Medicinal Products. 2017 , 2017, 1352948		19
78	Effects of ingredients of Korean brown rice cookies on attenuation of cholesterol level and oxidative stress in high-fat diet-fed mice. 2017 , 11, 365-372		1
77	Ginsenosides Rg5 and Rk1, the skin-whitening agents in black ginseng. <i>Journal of Functional Foods</i> , 2018 , 45, 67-74	5.1	10
76	Effect of gamma irradiation on the anti-oxidant and anti-melanogenic activity of black ginseng extract in B16F10 melanoma cells. 2018 , 149, 33-40		4
75	High-performance liquid chromatography analysis of phytosterols in root grown under different conditions. <i>Journal of Ginseng Research</i> , 2018 , 42, 16-20	5.8	16

74	Functional role of ginseng-derived compounds in cancer. <i>Journal of Ginseng Research</i> , 2018 , 42, 248-25	4 5.8	88
73	Black ginseng activates Akt signaling, thereby enhancing myoblast differentiation and myotube growth. <i>Journal of Ginseng Research</i> , 2018 , 42, 116-121	5.8	9
72	Gamma-irradiated black ginseng extract inhibits mast cell degranulation and suppresses atopic dermatitis-like skin lesions in mice. <i>Food and Chemical Toxicology</i> , 2018 , 111, 133-143	4.7	16
71	UPLC-QTOF/MS-Based Metabolomics Applied for the Quality Evaluation of Four Processed Products. <i>Molecules</i> , 2018 , 23,	4.8	26
70	A comparative study on immune-stimulatory and antioxidant activities of various types of ginseng extracts in murine and rodent models. <i>Journal of Ginseng Research</i> , 2018 , 42, 577-584	5.8	19
69	Development and validation of a UFLC-MS/MS method for simultaneous quantification of sixty-six saponins and their six aglycones: Application to comparative analysis of red ginseng and white ginseng. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 159, 153-165	3.5	15
68	Stereoisomers of Saponins in (Sanqi): A Review. Frontiers in Pharmacology, 2018, 9, 188	5.6	25
67	Seeing the unseen of Chinese herbal medicine processing (): advances in new perspectives. 2018 , 13, 4		51
66	Pulmonary Protective Functions of Rare Ginsenoside Rg4 on Particulate Matter-induced Inflammatory Responses. 2019 , 24, 445-453		32
65	High-density immobilization of a ginsenoside-transforming Eglucosidase for enhanced food-grade production of minor ginsenosides. 2019 , 103, 7003-7015		22
64	The improved performance of MALDI-TOF MS on the analysis of herbal saponins by using DHB-GO composite matrix. 2019 , 54, 684-692		5
63	Comparison of the ginsenoside composition of Asian ginseng (Panax ginseng) and American ginseng (Panax quinquefolius L.) and their transformation pathways. <i>Studies in Natural Products Chemistry</i> , 2019 , 161-195	1.5	7
62	Black Ginseng and Ginsenoside Rb1 Promote Browning by Inducing UCP1 Expression in 3T3-L1 and Primary White Adipocytes. <i>Nutrients</i> , 2019 , 11,	6.7	16
61	Inhibitory Effects of Black Ginseng on Particulate Matter-Induced Pulmonary Injury. <i>The American Journal of Chinese Medicine</i> , 2019 , 47, 1237-1251	6	10
60	Ginseng: A Qualitative Review of Benefits for Palliative Clinicians. <i>American Journal of Hospice and Palliative Medicine</i> , 2019 , 36, 630-659	2.6	5
59	Efficient separation determination of protopanaxatriol ginsenosides Rg1, Re, Rf, Rh1, Rg2 by HPLC. Journal of Pharmaceutical and Biomedical Analysis, 2019 , 170, 48-53	3.5	6
58	Rg6, a rare ginsenoside, inhibits systemic inflammation through the induction of interleukin-10 and microRNA-146a. <i>Scientific Reports</i> , 2019 , 9, 4342	4.9	25
57	Inhibitory effects of protopanaxatriol type ginsenoside fraction (Rgx365) on particulate matter-induced pulmonary injury. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2019 , 82, 338-350	3.2	13

56	Cloning, overexpression and characterization of a thermostable Ekylosidase from Thermotoga petrophila and cooperated transformation of ginsenoside extract to ginsenoside 20(S)-Rg3 with a Eglucosidase. <i>Bioorganic Chemistry</i> , 2019 , 85, 159-167	5.1	16
55	Suppressive effects of rare ginsenosides, Rk1 and Rg5, on HMGB1-mediated septic responses. <i>Food and Chemical Toxicology</i> , 2019 , 124, 45-53	4.7	47
54	Ameliorative effect of black ginseng extract against oxidative stress-induced cellular damages in mouse hepatocytes. <i>Journal of Ginseng Research</i> , 2019 , 43, 179-185	5.8	9
53	Retention behavior of ginsenosides in a sulfo-based high performance liquid chromatography column. <i>Journal of Chromatography A</i> , 2020 , 1610, 460542	4.5	4
52	Ameliorative effects of black ginseng on nonalcoholic fatty liver disease in free fatty acid-induced HepG2 cells and high-fat/high-fructose diet-fed mice. <i>Journal of Ginseng Research</i> , 2020 , 44, 350-361	5.8	11
51	Cooperated biotransformation of ginsenoside extracts into ginsenoside 20(S)-Rg3 by three thermostable glycosidases. <i>Journal of Applied Microbiology</i> , 2020 , 128, 721-734	4.7	3
50	Clinical and Preclinical Systematic Review of C. A. Mey and Its Compounds for Fatigue. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1031	5.6	5
49	[Formula: see text], a Rare Protopanaxatriol-Type Ginsenoside Fraction from Black Ginseng, Suppresses Inflammatory Gene iNOS via the Iinhibition of p-STAT-1 and NF-[Formula: see text]B. <i>The American Journal of Chinese Medicine</i> , 2020 , 48, 1091-1102	6	2
48	Research Quality-Based Multivariate Modeling for Comparison of the Pharmacological Effects of Black and Red Ginseng. <i>Nutrients</i> , 2020 , 12,	6.7	3
47	Effects of anti-wrinkle and skin-whitening fermented black ginseng on human subjects and underlying mechanism of action. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2020 , 83, 423-437	3.2	O
46	A Comparative Study on Processed Products Using HR-MAS NMR-Based Metabolomics. <i>Molecules</i> , 2020 , 25,	4.8	8
45	Effects of anti-wrinkle and skin-whitening fermented black ginseng on human subjects and underlying mechanism of action. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2020 , 83, 470-484	3.2	1
44	Changes of Ginsenoside Composition in the Creation of Black Ginseng Leaf. <i>Molecules</i> , 2020 , 25,	4.8	5
43	Anti-hyperglycemic and hypolipidemic effects of black ginseng extract containing increased Rh4, Rg5, and Rk1 content in muscle and liver of type 2 diabetic db/db mice. <i>Food Science and Biotechnology</i> , 2020 , 29, 1101-1112	3	9
42	Phytochemical analysis of species: a review. <i>Journal of Ginseng Research</i> , 2021 , 45, 1-21	5.8	20
41	Quantitative aspects of the hydrolysis of ginseng saponins: Application in HPLC-MS analysis of herbal products. <i>Journal of Ginseng Research</i> , 2021 , 45, 246-253	5.8	2
40	The effect of ginsenoside Rg5, isolated from black ginseng, on heart failure in zebrafish based on untargeted metabolomics. <i>Journal of Functional Foods</i> , 2021 , 76, 104325	5.1	2
39	Natural Extracts That Stimulate Adipocyte Browning and Their Underlying Mechanisms. Antioxidants, 2021, 10,	7.1	2

(2018-2021)

38	Two Key Amino Acids Variant of A-arabinofuranosidase from Str. 168 with Altered Activity for Selective Conversion Ginsenoside Rc to Rd. <i>Molecules</i> , 2021 , 26,	4.8	2
37	A comprehensive evaluation protocol for sulfur fumigation of ginseng using UPLC-Q-TOF-MS/MS and multivariate statistical analysis. <i>LWT - Food Science and Technology</i> , 2021 , 145, 111293	5.4	2
36	Red ginseng has stronger anti-aging effects compared to ginseng possibly due to its regulation of oxidative stress and the gut microbiota. <i>Phytomedicine</i> , 2021 , 93, 153772	6.5	2
35	A stable beneficial symbiotic relationship between endophytic fungus Schizophyllum commune and host plant Panax ginseng.		5
34	A Study on the Amendment Scheme of Ginsenoside Content Standard Regulation for Red Ginseng Products in Korea. <i>Hanlgug Sigpum Wilsaeng Anjeonseong Haghoeji</i> , 2013 , 28, 24-30	0.4	4
33	Panax ginseng callus, suspension, and root cultures: extraction and qualitative analysis. <i>Foods and Raw Materials</i> , 2020 , 8, 369-376	1.3	4
32	Comparative Polyphenol Composition, Antioxidant and Anticorrosion Properties in Various Parts of Panax ginseng Extracted in Different Solvents. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 93	2.6	6
31	Diversity of Ginsenoside Profiles Produced by Various Processing Technologies. <i>Molecules</i> , 2020 , 25,	4.8	11
30	[Determination of ginsenosides Rg1, Re and Rb1 in Panax quinquefolium by micellar electrokinetic capillary chromatography]. <i>Chinese Journal of Chromatography (Se Pu)</i> , 2011 , 29, 259-64	0.2	3
29	Change of Ginsenoside Rg3. <i>Journal of Ginseng Research</i> , 2009 , 33, 349-354	5.8	4
28	Comparative study of korean white, red, and black ginseng extract on cholinesterase inhibitory activity and cholinergic function. <i>Journal of Ginseng Research</i> , 2011 , 35, 421-8	5.8	31
27	Comparative Study of White and Steamed Black Panax ginseng, P. quinquefolium, and P. notoginseng on Cholinesterase Inhibitory and Antioxidative Activity. <i>Journal of Ginseng Research</i> , 2012 , 36, 93-101	5.8	35
26	UPLC-Q-TOF-MS/MS Analysis for Steaming Times-dependent Profiling of Steamed Panax quinquefolius and Its Ginsenosides Transformations Induced by Repetitious Steaming. <i>Journal of Ginseng Research</i> , 2012 , 36, 277-90	5.8	42
25	Anti-wrinkle Effect of Oriental Medicine Cosmetics Containing Black Ginseng. <i>Journal of the Korea Academia-Industrial Cooperation Society</i> , 2010 , 11, 3325-3329		3
24	Changes of Ginsenosides and Physiochemical Properties in Ginseng by New 9 Repetitive Steaming and Drying Process. <i>Korean Journal of Plant Resources</i> , 2012 , 25, 473-481		16
23	Panax ginseng. 2015 , 510-619		
22	Comparison of Antioxidant Ability and Whitening Efficacy of Black Snow, Snow, and Red Ginseng Water Extracts. <i>Journal of Investigative Cosmetology</i> , 2017 , 13, 193-199		1
21	Physicochemical characteristics and ginsenoside content of Korean traditional wine produced by fermentation of Panax ginseng sprouts. <i>Korean Journal of Food Preservation</i> , 2018 , 25, 659-667	0.5	1

20	Analytical Methods Functional Foods and Dietary Supplements. 2019, 519-531		1
19	Standartization of P. ginseng and P. quinquefolius root extracts by liquid chromatography-mass spectrometry. <i>Zavodskaya Laboratoriya Diagnostika Materialov</i> , 2019 , 85, 18-27	0.3	
18	Analysis of Amino Acids in Ginseng. 2020 , 1-27		
17	Standardization of P. ginseng and P. quinquefolius Root Extracts by HPLC-MS. <i>Inorganic Materials</i> , 2020 , 56, 1353-1361	0.9	
16	Anti-Aging Effects of Black Ginseng Extract via H2O2-Induced Oxidative Stress Regulation in Human Keratinocytes. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2021 , 50, 1019-1029	1.5	
15	Isolation and Identification of Non-Conjugated Linoleic Acid from Processed Panax ginseng Using LC-MS/MS and 1H-NMR. <i>Separations</i> , 2021 , 8, 208	3.1	
14	Characterization of an Immune-Enhancing Polysaccharide Fraction Isolated from Heat-Processed Ginseng Derived from Panax ginseng C.A. Meyer. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 10835	2.6	0
13	Effect of steam-processing of the Panax ginseng root on its inducible activity on granulocyte-colony stimulating factor secretion in intestinal epithelial cells in vitro <i>Journal of Ethnopharmacology</i> , 2021 , 287, 114927	5	1
12	Insamgobonhwan Protects Neuronal Cells from Lipid ROS and Improves Deficient Cognitive Function <i>Antioxidants</i> , 2022 , 11,	7.1	0
11	Ginsenoside Rd: A promising natural neuroprotective agent <i>Phytomedicine</i> , 2021 , 95, 153883	6.5	7
10	Comparison between the Biological Active Compounds in Plants with Adaptogenic Properties (, , and) <i>Plants</i> , 2021 , 11,	4.5	3
9	Ginsenosides Conversion and Anti-Oxidant Activities in Puffed Cultured Roots of Mountain Ginseng. <i>Processes</i> , 2021 , 9, 2271	2.9	O
8	A Comparative Study on Analysis of Ginsenosides in American Ginseng Root Residue by HPLC-DAD-ESI-MS and UPLC-HRMS-MS/MS. <i>Molecules</i> , 2022 , 27, 3071	4.8	0
7	KGR-BG1, a Standardized Korean Black Ginseng Extract, Has No Significant Effects on Head or Face Temperature Compared with Korean Red Ginseng Extract and a Placebo. <i>Journal of Medicinal Food</i> , 2022 , 25, 636-644	2.8	
6	Suppressive activity of RGX-365 on HMGB1-mediated septic responses. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 58,	1.8	
5	Comparative analysis of physicochemical properties, ginsenosides content and ⊞mylase inhibitory effects in white ginseng and red ginseng. 2023 , 12, 14-27		
4	Inhibitory Activities of Rare Ginsenoside Rg4 on Cecal Ligation and Puncture-Induced Sepsis. 2022 , 23, 10836		0
3	Exploring the nephrotoxicity of sulfur-containing derivatives in sulfur-fumigated Panacis Quinquefolii Radix based on chemical profiling and untargeted metabolomics. 2022 , 115773		O

2 Ginseng and ginsenosides: Therapeutic potential for sarcopenia. **2022**, 156, 113876

О

Distinctive carbohydrate profiles of black ginseng revealed by IM-MS combined with PMP labeling and multivariate data analysis. **2022**,

C